

AUTHOR INDEX

- Ågren, A., see Östenson, C.-G. (628) 152
- Aiuchi, T., Tanabe, H., Kurihara, K. and Kobatake, Y.
Fluorescence changes of rhodamine 6G associated with chemotactic responses in *Tetrahymena pyriformis* (628) 355
- Allen, R.C., see Baumstark, J.S. (628) 293
- Andersson, A., see Östenson, C.-G. (628) 152
- Arányi, P.
Kinetics of the hormone-receptor interaction. Competition experiments with slowly equilibrating ligands (628) 220
- Asakura, M., see Shima, S. (628) 255
- Aubery, M., see Dodeur, M. (628) 303
- Azulai, R. and Salomon, Y.
Photoinduced inactivation and uncoupling of gonadotropin receptors in rat ovarian plasma membrane (628) 76
- Babin, D.R., see Baumstark, J.S. (628) 293
- Baue, A.E., see Chaudry, I.H. (628) 336
- Baumstark, J.S., Babin, D.R., Lee, C.T. and Allen, R.C.
Comparative studies on native and elastase-inactivated α_1 -protease inhibitor (α_1 -antitrypsin) (628) 293
- Bick, R., see Galani-Kranias, E. (628) 438
- Blankenberg, T.A., see Cohen, I., (628) 365
- Blum, J.J.
Effect of clofibrate on CO_2 fixation into glycogen and fatty acids via the leucine catabolism pathway in *Tetrahymena* (628) 46
- Borden, D., see Cohen, I. (628) 365
- Bourrillon, R., see Dodeur, M. (628) 303
- Briggs, R.G. and Derubertis, F.R.
Increased responsiveness of the hepatic guanylate cyclase-guanosine 3',5'-monophosphate system to nitrosoguanidine following partial hepatectomy (628) 425
- Brown, K., see Hullin, D.A. (628) 98
- Bruot, B.C., see Orts, R.J. (628) 201
- Buc, H.A., Demaugre, F., Cépanec, C. and Leroux, J.-P.
The metabolic effects of oxalate on intact red blood cells (628) 136
- Cépanec, C., see Buc, H.A. (628) 136
- Chachaty, C., see Perly, B. (628) 161
- Chatelain, P., see Defrise-Quertain, F. (628) 57
- Chaudry, I.H. and Baue, A.E.
Further evidence for ATP uptake by rat tissues (628) 336
- Clark, P.O., Hanahan, D.J. and Pinckard, R.N.
Physical and chemical properties of platelet-activating factor obtained from human neutrophils and monocytes and rabbit neutrophils and basophils (628) 69
- Cohen, I., Blankenberg, T.A., Borden, D., Kahn, D.R. and Veis, A.
Factor XIIIa-catalyzed cross-linking of platelet and muscle actin. Regulation by nucleotides (628) 365
- Cox, A.C., see Rao, G.H.R. (628) 468
- Dandekar, S. and Modi, V.V.
Involvement of cyclic AMP in carotenogenesis and cell differentiation in *Blakeslea trispora* (628) 398
- Decker, M.A., see Sagone, A.L. Jr. (628) 90
- Defrise-Quertain, F., Chatelain, P., Ruyschaert, J.M. and Delmelle, M.
Spin label partitioning in lipid vesicles. A model study for drug encapsulation (628) 57
- Delmelle, M., see Defrise-Quertain, F. (628) 57
- Demaugre, F., see Buc, H.A. (628) 136
- DeMocko, C., see Sagone, A.L. Jr. (628) 90
- Depeiges, A. and Dufaure, J.P.
Major proteins secreted by the epididymis of *Lacerta vivipara*. Isolation and characterization by electrophoresis of the central core (628) 109
- Derubertis, F.R., see Briggs, R.G. (628) 425
- Dodeur, M., Aubery, M. and Bourrillon, R.
Toxic effect of Ricinus lectin on hepatoma cells in relation to enzyme modification of the cell surface (628) 303
- Dörnemann, D. and Senger, H.
The synthesis and properties of 4,5-dioxovaleric acid, a possible intermediate in the

- biosynthesis of 5-aminolaevulinic acid, and its in vivo formation in *Scenedesmus obliquus* (628) 35
- Dufaure, J.P., see Depeiges, A. (628) 109
- Endo, Y.
In vivo deacetylation of N-acetyl amino acids by kidney acylases in mice and rats. A possible role of acylase system in mammalian kidneys (628) 13
- Evans, D.W., see Wang, P.Y. (628) 228
- Evans, I.H. and Mathias, A.P.
The fractionation of suspensions of isolated hepatocytes by rate zonal centrifugation (628) 480
- Flatmark, T., see Ingebretsen, O.C. (628) 182
- Flint, D.J.
Changes in the number of insulin receptors of isolated rat hepatocytes during pregnancy and lactation (628) 322
- Flouret, G., see Nissenson, R.A. (628) 209
- Franki, N., see Schlondorff, D. (628) 1
- Fujii, K., see Hamaguchi, H. (628) 119
- Galani-Kranias, E., Bick, R. and Schwartz, A.
Phosphorylation of a 100 000 dalton component and its relationship to calcium transport in sarcoplasmic reticulum from rabbit skeletal muscle (628) 438
- Gerrard, J.M., see Rao, G.H.R. (628) 468
- Gidwitz, S., Pessin, J.E., Weber, M.J., Glaser, M. and Storm, D.R.
Effect of membrane phospholipid composition changes on adenylate cyclase activity in normal and Rous-sarcoma-transformed chicken embryo fibroblasts (628) 263
- Glaser, M., see Gidwitz, S. (628) 263
- Goodman, D.S., see Harrison, E.H. (628) 489
- Graziano, J.H., see Pisciotto, P.T. (628) 241
- Hamaguchi, H., Morito, F., Kondo, I., Fujii, K. and Kato, K.
Prominent increase in the amount of a cytosol protein in transformed fibroblasts and ascites hepatoma cells (628) 119
- Hanahan, D.J., see Clark, P.O. (628) 69
- Harrison, E.H., Smith, J.E. and Goodman, D.S.
Effects of vitamin A deficiency on the levels and distribution of retinol-binding protein and marker enzymes in homogenates and Golgi-rich fractions of rat liver (628) 489
- Hechter, O., see Nissenson, R.A. (628) 209
- Hirai, M., see Shima, S. (628) 255
- Hollenberg, M.D., see Nexø, E. (628) 190
- Hullin, D.A., Brown, K., Kynoch, P.A.M., Smith, C. and Thompson, R.J.
Purification, radioimmunoassay, and distribution of human brain 14-3-2 protein (nervous system specific enolase) in human tissues (628) 98
- Ingebretsen, O.C., Terland, O. and Flatmark, T.
Subcellular distribution of ascorbate in bovine adrenal medulla. Evidence for accumulation in chromaffin granules against a concentration gradient (628) 182
- Ip, C.
Changes in tissue and serum sialyltransferase activities as related to proliferation and involution of the rat mammary gland (628) 249
- Iwamori, M., see Kitamura, M. (628) 328
- Kahn, D.R., see Cohen, I. (628) 365
- Kamat, J.P., Narurkar, L.M., Mhatre, N.A. and Narurkar, M.V.
Nicotinamide-induced hepatic microsomal mixed function oxidase system in rats (628) 26
- Kato, K., see Hamaguchi, H. (628) 119
- Kawashima, Y., see Shima, S. (628) 255
- Kitamura, M., Iwamori, M. and Nagai, Y.
Interaction between *Clostridium botulinum* neurotoxin and gangliosides (628) 328
- Kobatake, Y., see Aiuchi, T. (628) 355
- Kondo, I., see Hamaguchi, H. (628) 119
- Kurihara, K., see Aiuchi, T. (628) 355
- Kuriyama, K., see Yoshikawa, K. (628) 377
- Kynoch, P.A.M., see Hullin, D.A. (628) 98
- Langlet, G., see Perly, B. (628) 161
- Larjava, H., see Turakainen, H. (628) 388
- Lee, C.T., see Baumstark, J.S. (628) 293
- Leroux, J.-P., see Buc, H.A. (628) 136
- Levitzki, A.
GTP-receptor interrelationships in adenylate cyclase systems. Theoretical considerations (628) 419
- Liao, T.-H., see Orts, R.J. (628) 201
- Lips, J.P.M., Sixma, J.J. and Schiphorst, M.E.
Binding of adenosine diphosphate to human blood platelets and to isolated blood platelet membranes (628) 451
- Mathias, A.P., see Evans, I.H. (628) 480

- McKenna, B., Weir, D.G. and Scott, J.M.
The induction of functional vitamin B-12 deficiency in rats by exposure to nitrous oxide (628) 314
- Mhatre, N.A., see Kamat, J.P. (628) 26
- Miersch, J.
Biosynthesis of riboflavin in vitro. Isotropic incorporation studies in *Pichia guilliermondii* extracts (628) 145
- Modi, V.V., see Dandekar, S. (628) 398
- Morito, F., see Hamaguchi, H. (628) 119
- Nagai, Y., see Kitamura, M. (628) 328
- Narurkar, L.M., see Kamat, J.P. (628) 26
- Narurkar, M.V., see Kamat, J.P. (628) 26
- Nemecek, G.M.
Properties of adenylate cyclase and cyclic nucleotide phosphodiesterase in hamster isolated capillary preparations (628) 125
- Nexø, E. and Hollenberg, M.D.
Characterization of the particulate and soluble acceptor for transcobalamin II from human placenta and rabbit liver (628) 190
- Nissenson, R.A., Flouret, G. and Hechter, O.
Oxytocin receptors coupled to uterine contraction in estrogen-dominated rabbits (628) 209
- Nogami, H., see Yokobori, T. (628) 174
- Oohira, A., see Yokobori, T. (628) 174
- Orts, R.J., Liao, T.-H., Sartin, J.L. and Bruot, B.C.
Isolation, purification and amino acid sequence of a tripeptide from bovine pineal tissue displaying antigonadotropic properties (628) 201
- Östenson, C.-G., Ågren, A. and Andersson, A.
Effects of metabolic inhibitors on the regulation of pancreatic glucagon release (628) 152
- Penttinen, R., see Turakainen, H. (628) 388
- Perly, B., Langlet, G. and Chachaty, C.
Tryptamine-adenosine 5'-monophosphate interactions as studied by nuclear magnetic resonance and relaxation (628) 161
- Pessin, J.E., see Gidwitz, S. (628) 263
- Pinckard, R.N., see Clark, P.O. (628) 69
- Pisciotta, P.T. and Graziano, J.H.
Induction of mucosal glutathione synthesis by arsenic (628) 241
- Rao, G.H.R., Cox, A.C., Gerrard, J.M. and White, J.G.
Effects of 2,2'-dipyridyl and related compounds on platelet prostaglandin synthesis and platelet function (628) 468
- Rognstad, R.
Effects of ethyl hydrazinoacetate on gluconeogenesis and on ethanol oxidation in rat hepatocytes (628) 116
- Ruysschaert, J.M., see Defrise-Quertain, F. (628) 57
- Saarni, H., see Turakainen, H. (628) 388
- Sagone, A.L. Jr., Decker, M.A., Wells, R.M. and DeMocko, C.
A new method for the detection of hydroxyl radical production by phagocytic cells (628) 90
- Salomon, Y., see Azulai, R. (628) 76
- Sartin, J.L., see Orts, R.J. (628) 201
- Schiltz, J.R. and Ward, S.
Effects of chick embryo extract fractions on collagen and glycosaminoglycan metabolism by chick chondroblasts (628) 343
- Schiphorst, M.E., see Lips, J.P.M. (628) 451
- Schlondorff, D. and Franki, N.
Effect of vasopressin on cyclic AMP-dependent protein kinase in toad urinary bladder (628) 1
- Schudt, C.
Regulation of phosphoenolpyruvate carboxykinase by glucagon and glucocorticoids in primary cultures of rat hepatocytes (628) 277
- Schwartz, A., see Galani-Kranias, E. (628) 438
- Scott, J.M., see McKenna, B. (628) 314
- Spencer, M.
An octacalcium phosphate intermediate in the synthesis of chromatographic hydroxyapatite (628) 244
- Senger, H., see Dörnemann, D. (628) 35
- Shima, S., Kawashima, Y., Hirai, M. and Asakura, M.
Effect of adrenergic stimulation on adenylate cyclase activity in rat prostate (628) 255
- Sixma, J.J., see Lips, J.P.M. (628) 451
- Smith, P.B.
Postnatal development of glycogen- and cyclic AMP-metabolizing enzymes in mammalian skeletal muscle (628) 19
- Smith, C., see Hullin, D.A. (628) 98
- Smith, J.E., see Harrison, E.H. (628) 489
- Storm, D.R., see Gidwitz, S. (628) 263
- Sung, S.-C.
Acetylcholinesterase solubilized from normal and dystrophic muscle by collagenase treatment (628) 286

- Tanabe, H., see Aiuchi, T. (628) 355
- Terland, O., see Ingebretsen, O.C. (628) 182
- Thompson, R.J., see Hullin, D.A. (628) 98
- Turakainen, H., Larjava, H., Saarni, H. and Penttinen, R.
Synthesis of hyaluronic acid and collagen in skin fibroblasts cultured from patients with osteogenesis imperfecta (628) 388
- Veis, A., see Cohen, I. (628) 365
- Wang, P.Y., Evans, D.W. and Zingg, W.
Concanavalin A agglutinability of dextran gel spheres. A physical model for cell agglutination (628) 228
- Ward, S., see Schiltz, J.R. (628) 343
- Weber, M.J., see Gidwitz, S. (628) 263
- Wedner, H.J.
The effect of diamide on cyclic AMP levels and cyclic nucleotide phosphodiesterase in human peripheral blood lymphocytes (628) 407
- Weir, D.G., see McKenna, B. (628) 314
- Wells, R.M., see Sagone, A.L. Jr. (628) 90
- White, J.G., see Rao, G.H.R. (628) 468
- Yokobori, T., Oohira, A. and Nogami, H.
Proteoglycans synthesized in calluses at various stages of fracture healing in rats (628) 174
- Yoshikawa, K. and Kuriyama, K.
Characterization of cerebellar guanylate cyclase using N-methyl-N'-nitro-N-nitrosoguanidine. Presence of two different types of guanylate cyclase in soluble and particulate fractions (628) 377
- Zingg, W., see Wang, P.Y. (628) 228