

Volume Contents 1999

NUMBER 1

Contents

- v Contributors to this issue
- vii Graphical abstracts
- 1 Synthesis and evaluation of anthranilic acid-based transthyretin amyloid fibril inhibitors
- 7 Synthesis and evaluation of potent and selective c-GMP phosphodiesterase inhibitors
- 13 Inhibition of transforming growth factor- β 2 expression with phosphorothioate antisense oligonucleotides in U937 cells
- 19 A study of novel antiallergic agents with eosinophilic infiltration inhibiting action
- 25 Synthesis and methemoglobin toxicity of the amides of 6/7 mono or disubstituted quinolone
- 31 New minimal substrate structural requirements in the enzymatic peroxidation of alkenes with soybean lipoxygenase
- 35 Chemical and enzymatic synthesis of glycoconjugates. Part 5: One-pot regioselective synthesis of bioactive galactobiosides using a CLONEZYMETM thermophilic glycosidase library
- 39 Design and synthesis of 6-(6-D-ribitylamino-2,4-dihydroxypyrimidin-5-yl)-1-hexylphosphonic acid, a potent inhibitor of lumazine synthase
- 43 Highly constrained dipeptoid analogues containing a type II' β -turn mimic as novel and selective CCK-A receptor ligands
- 49 Toxicity and osmoprotective activities of analogues of glycine betaine obtained by solid phase organic synthesis towards *Sinorhizobium meliloti*
- 55 Platelet glycoprotein IIb/IIIa receptor antagonists derived from isoxazolidines
- 59 Monoacetyldiglycerides as new Ca^{2+} mobilizing agents in rat pancreatic acinar cells
- 65 Stereospecificity of hydrogen transfer by the NAD^+ -linked alcohol dehydrogenase from the Antarctic psychrophile *Moraxella* sp. TAE123
- 69 Synthesis and biological evaluation of novel cryptophycin analogs with modification in the β -alanine region
- 75 The synthesis and biological activity of a series of 2,4-diaminopyrido[2,3-d]pyrimidine based antifolates as antineoplastic and antiarthritic agents
- 79 Artificial metalloenzymes based on protein cavities: exploring the effect of altering the metal ligand attachment position by site directed mutagenesis
- V. B. Oza, H. M. Petrassi,
H. E. Purkey and J. W. Kelly
- G. D. Ho, L. Silverman, A. Bercovici,
C. Puchalski, D. Tulshian, Y. Xia,
M. Czarniecki, M. Green, R. Cleven,
H. Zhang and A. Fawzi
- Z.-J. Shen, S. K. Kim, Y. S. Lee,
J. W. Lee and B. J. Moon
- N. Kawasaki, H. Miyataka,
H. Matsumoto, N. Yamashita,
T. Sakane, Y. Mizushima and
T. Satoh
- S. Srivastava, S. K. Srivastava,
A. Shukla, P. M. S. Chauhan,
S. K. Puri, A. P. Bhaduri and
V. C. Pandey
- M. J. Novak
- J. Li, D. E. Robertson, J. M. Short
and P. G. Wang
- M. Cushman, J. T. Mihalic, K. Kis and
A. Bacher
- N. de la Figuera, M. Martín-Martínez,
R. Herranz, M. T. García-López,
M. Latorre, E. Cenarruzabeitia, J. del
Río and R. González-Muñiz
- A. Cosquer, V. Pichereau, D. Le Mée,
M. Le Roch, J. Renault, B. Carboni,
P. Uriac and T. Bernard
- P. N. Confalone, F. Jin and
S. A. Mousa
- S.-Y. Han, S.-H. Cho, S.-Y. Kim,
J.-T. Seo, S.-J. Moon and G.-J. Jhon
- K. Velonia, I. Tsigos, V. Bouriotis and
I. Smonou
- C. Shih, L. S. Gossett, J. M. Gruber,
C. S. Grossman, S. L. Andis,
R. M. Schultz, J. F. Worzalla,
T. H. Corbett and J. T. Metz
- L. S. Gossett, L. L. Habeck,
K. A. Shackelford, L. G. Mendelsohn,
S. B. Gates, J. F. Worzalla, T. D. Self,
K. S. Theobald, S. L. Andis,
R. M. Schultz and C. Shih
- R. R. Davies, H. Kuang, D. Qi,
A. Mazhary, E. Mayaan and
M. D. Distefano

D.-I. Kim, H.-Y. Kim, L.-S. Kwon,
S.-D. Park, G.-H. Jeon, K.-Y. Jung,
J.-K. Min, W.-H. Nam, K. Lee,
Y.-S. Chung, S. Tanabe and
T. Kozono

P. Imbach, H.-G. Capraro, P. Furet,
H. Mett, T. Meyer and
J. Zimmermann

S. Löber, H. Hübner and P. Gmeiner

J. C. Cuevas, J. L. Lavandera and
J. L. Martos

N. Khelifa, M. Brik, A.-C. Tessedre,
H. De Rocquigny, B.-P. Roques,
J. Courtieu and A. Rimbaut

M. Jaffar, S. A. Everett, M. A. Naylor,
S. G. Moore, S. Ulhaq, K. B. Patel,
M. R. L. Stratford, J. Nolan,
P. Wardman and I. J. Stratford

85 Synthesis and biological activity of KCB-328 and its analogues: novel class III antiarrhythmic agents with little reverse frequency dependence

91 2,6,9-Trisubstituted purines: optimization towards highly potent and selective CDK1 inhibitors

97 Azaindole derivatives with high affinity for the dopamine D4 receptor: synthesis, ligand binding studies and comparison of molecular electrostatic potential maps

103 Design and synthesis of simplified sordaricin derivatives as inhibitors of fungal protein synthesis

109 Cleavage of L-leucine-containing dipeptides by *Clostridium butyricum*

113 Prodrugs for targeting hypoxic tissues: regiospecific elimination of aspirin from reduced indolequinones

I Instructions to contributors

NUMBER 2

Contents

vii Contributors to this issue

xi Graphical abstracts

119 Substituted 7*H*-pyrido[4,3-*c*]carbazoles with potent anti-HIV activity

123 Isoxazoline GPIIb/IIIa antagonists bearing a phosphoramidate

127 Inhibition of MMP-1 and MMP-13 with phosphinic acids that exploit binding in the S₂ pocket

133 In vivo anti-HIV activity of (+)-calanolide A in the hollow fiber mouse model

139 The synthesis of ketomethylene pseudopeptide analogues of dipeptide aldehyde inhibitors of calpain

141 Synthesis and sulfatase inhibitory activities of (*E*)- and (*Z*)-4-hydroxytamoxifen sulfamates

145 Indolocarbazole poisons of human topoisomerase I: regioisomeric analogues of ED-110

151 Substituted heterocyclic analogs as selective COX-2 inhibitors in the flosulide class

157 Nuclease resistant hammerhead motif: from '5-ribo' to '3-ribo' model

161 Design and synthesis of reagents for phage display screening of dehalogenases

K. Hirata, C. Ito, H. Furukawa,
M. Itoigawa, L. M. Cosentino and
K.-H. Lee

J. Wityak, A. E. Tobin, S. A. Mousa,
R. R. Wexler and R. E. Olson

L. A. Reiter, J. P. Rizzi, J. Pandit,
M. J. Lasut, S. M. McGahee,
V. D. Parikh, J. F. Blake, D. E. Danley,
E. R. Laird, A. Lopez-Anaya,
L. L. Lopresti-Morrow,
M. N. Mansour, G. J. Martinelli,
P. G. Mitchell, B. S. Owens,
T. A. Pauly, L. M. Reeves,
G. K. Schulte and S. A. Yocum

Z.-Q. Xu, M. G. Hollingshead,
S. Borgel, C. Elder, A. Khilevich and
M. T. Flavin

M. R. Angelastro, A. L. Marquart,
S. Mehdi, J. R. Koehl, R. J. Vaz,
P. Bey and N. P. Peet

G.-H. Chu, A. Peters, K. W. Selcer
and P.-K. Li

D. E. Zembower, H. Zhang,
J. P. Lineswala, M. J. Kuffel,
S. A. Aytes and M. M. Ames

N. Ouimet, C.-C. Chan, S. Charleson,
D. Claveau, R. Gordon, D. Guay,
C.-S. Li, M. Ouellet, D. M. Percival,
D. Riendeau, E. Wong, R. Zamboni
and P. Prasit

J. Matulic-Adamic, A. T. Daniher,
C. Gonzalez and L. Beigelman

R. J. Pieters, M. Fennema,
R. M. Kellogg and D. B. Janssen

- S. Mazzucco, S. Matà, M. Vergelli, R. Fiorelli, E. Nardi, B. Mazzanti, M. Chelli, F. Lolli, M. Ginanneschi, F. Pinto, L. Massaccesi and A. M. Papini
- Y. Endo, M. Shimazu, H. Fukasawa, P. E. Driedger, K. Kimura, N. Tomioka, A. Itai and K. Shudo
- N. E. Austin, K. Y. Avenell, I. Boyfield, C. L. Branch, M. C. Coldwell, M. S. Hadley, P. Jeffrey, A. Johns, C. N. Johnson, D. J. Nash, G. J. Riley, S. A. Smith, R. C. Stacey, G. Stemp, K. M. Thewlis and A. K. K. Vong
- S. W. Ham, J. Park, S.-J. Lee and J. S. Yoo
- W. L. Mock and D. Xu
- M. Kawase, H. Harada, S. Saito, J. Cui and S. Tani
- C. A. Fink, J. E. Carlson, C. Boehm, P. McTaggart, Y. Qiao, J. Dougherty, V. Ganu, R. Melton and R. Goldberg
- J. Hunziker
- H. Nemoto, J. Kikuchi, S. Yanagida, T. Kawano, M. Yamada, H. Harashima, H. Kiwada and M. Shibuya
- T. L. Deegan, T. J. Nitz, D. Cebzanov, D. E. Pufko and J. A. Porco Jr.
- B. Llano-Sotelo and C. S. Chow
- M. Adamczyk, J. R. Fishpaugh and P. G. Mattingly
- J. Schoepfer, H. Fretz, B. Gay, P. Furet, C. García-Echeverría, N. End and G. Caravatti
- R. Hersperger, W. Schuler and G. Zenke
- P. Belmont, K. Alarcon, M. Demeunynck and J. Lhomme
- G. D. Cuny, K. D. Landgrebe, T. P. Smith, M. J. Fehr, J. W. Petrich and S. Carpenter
- K.-H. Lee, B.-R. Huang and C.-C. Tzeng
- M. Adamczyk and J. Grote
- Y. P. Auberson, P. Acklin, S. Bischoff, R. Moretti, S. Ofner, M. Schmutz and S. J. Veenstra
- D. F. McComsey, L. R. Hecker, P. Andrade-Gordon, M. F. Addo and B. E. Maryanoff
- J. T. Kley, G. v. Kiedrowski, C. Unger and U. Massing
- D. L. Boger, H. Sato, A. E. Lerner, B. J. Austin, J. E. Patterson, M. P. Patricelli and B. F. Cravatt
- 167 A synthetic glycopeptide of human myelin oligodendrocyte glycoprotein to detect antibody responses in multiple sclerosis and other neurological diseases
- 173 Synthesis, computer modeling and biological evaluation of novel protein kinase C agonists based on a 7-membered lactam moiety
- 179 Novel 1,2,3,4-tetrahydroisoquinolines with high affinity and selectivity for the dopamine D₃ receptor
- 185 Selective inactivation of protein tyrosine phosphatase PTP1B by sulfone analogue of naphthoquinone
- 187 Catalytic activity of carboxypeptidase B and of carboxypeptidase Y with anisylazofornyl substrates
- 193 In vitro susceptibility of *Helicobacter pylori* to trifluoromethyl ketones
- 195 Design and synthesis of thiol containing inhibitors of matrix metalloproteinases
- 201 Synthesis of 5-(2-amino-2-deoxy-β-D-glucopyranosyloxymethyl)-2'-deoxy-uridine and its incorporation into oligothymidylates
- 205 Design and synthesis of cholestane derivatives bearing a cascade-type polyol and the effect of their property on a complement system in rat serum
- 209 Parallel synthesis of 1,2,4-oxadiazoles using CDI activation
- 213 RNA-Aminoglycoside antibiotic interactions: fluorescence detection of binding and conformational change
- 217 Resin-supported labeling reagents
- 221 Highly potent inhibitors of the Grb2-SH2 domain
- 227 Preparation and immunosuppressive activity of 32-(O)-acylated and 32-(O)-thioacylated analogues of ascomycin
- 233 Synthesis of an imidazo[1,2-e]purine-acridine heterodimer for targeting abasic sites in DNA
- 237 Photoactivated virucidal properties of tridentate 2,2'-dihydroxyazobenzene and 2-salicylideneaminophenol platinum pyridine complexes
- 241 Synthesis and anticancer evaluation of certain α-methylene-γ-(4-substituted phenyl)-γ-butyrolactone bearing thymine, uracil, and 5-bromouracil
- 245 Use of lipase for regioselective one pot amidation and hydrolysis
- 249 N-Phosphonoalkyl-5-aminomethylquinoxaline-2,3-diones: in vivo active AMPA and NMDA(glycine) antagonists
- 255 Macrocyclic hexapeptide analogues of the thrombin receptor (PAR-1) activation motif SFLLRN
- 261 Synthesis and PLA₂-inhibitory properties of 2(R)-acetamidoalkylphosphomethanols with a variable aggregate anchor
- 265 Trifluoromethyl ketone inhibitors of fatty acid amide hydrolase: a probe of structural and conformational features contributing to inhibition

V. Costantino, E. Fattorusso,
A. Mangoni, M. Di Rosa and A. Ianaro

C. Schaller, R. Demange, S. Picasso
and P. Vogel

J. T. Elliott, W. J. Hoekstra,
B. E. Maryanoff and G. D. Prestwich

W. N. Chan, J. M. Evans, M. S. Hadley,
H. J. Herdon, J. C. Jerman,
A. A. Parsons, S. J. Read, T. O. Stean,
M. Thompson and N. Upton

J. B. Nerenberg, J. M. Erb,
J. M. Bergman, S. O'Malley,
R. S. L. Chang, A. L. Scott,
T. P. Broten and M. G. Bock

F. C. Nelson, S. J. Stachel, C. P. Eng
and S. N. Sehgal

271 Glycolipids from sponges. Part 7: Simplexides, novel immunosuppressive glycolipids from the Caribbean sponge *Plakortis simplex*

277 Specific, uncompetitive inhibition of β -galactosidases by a 5,6-isopropylidenedioxifuro[2,3-*d*]isoxazole-3-methanol derivative

279 Photoactivatable peptides based on BMS-197525: a potent antagonist of the human thrombin receptor (PAR-1)

285 Identification of (–)-*cis*-6-acetyl-4*S*-(3-chloro-4-fluoro-benzoylamino)-3,4-dihydro-2,2-dimethyl-2*H*-benzo[*b*]pyran-3*S*-ol as a potential antimigraine agent

291 4-Oxospiro[benzopyran-2,4'-piperidines] as selective α_{1A} -adrenergic receptor antagonists

295 Manipulation of the C(22)–C(27) region of rapamycin: stability issues and biological implications

I Instructions to contributors

NUMBER 3

Contents

vii Contributors to this issue

xi Graphical abstracts

301 Synthesis of potent and selective inhibitors of human plasma kallikrein

307 Structure-based design of COX-2 selectivity into flurbiprofen

313 Carbohydroxamido-oxazolidines: antibacterial agents that target lipid A biosynthesis

319 Synthesis and hybridization property of an oligonucleotide containing a 3'-thioformacetal linked pentathymidylate

323 Substituted furans as inhibitors of the PDE4 enzyme

327 Novel series of *O*-substituted 8-quinolines and 4-benzothiazoles as potent antagonists of the bradykinin B_2 receptors

333 New selective nonsteroidal aromatase inhibitors: synthesis and inhibitory activity of 2, 3 or 5-(α -azolylbenzyl)-1*H*-indoles

337 Quantitative analysis of the kinetics of phospholipase A_2 using fast atom bombardment mass spectrometry

341 A 'cephalosporin-like' cyclic depsipeptide: synthesis and reaction with β -lactam-recognizing enzymes

347 Monocarboxylic-based phosphotyrosyl mimetics in the design of GRB2 SH2 domain inhibitors

353 Periodinates: a new class of protein tyrosine phosphatase inhibitors

357 The LMC delta opioid recognition pharmacophore: comparison of SNC80 and oxymorphone

363 Diamino benzo[*b*]thiophene derivatives as a novel class of active site directed thrombin inhibitors. Part 3: Enhancing activity by imposing conformational restriction in the C-4' side chain

G. S. Garrett, S. J. McPhail,
K. Tornheim, P. E. Correa and
J. M. McIver

C. I. Bayly, W. C. Black, S. Léger,
N. Ouimet, M. Ouellet and
M. D. Percival

M.-H. Chen, M. G. Steiner,
S. E. de Laszlo, A. A. Patchett,
M. S. Anderson, S. A. Hyland,
H. R. Onishi, L. L. Silver and
C. R. H. Raetz

J. Zhang, J. T. Shaw and
M. D. Matteucci

H. Perrier, C. Bayly, F. Laliberté,
Z. Huang, R. Rasori, A. Robichaud,
Y. Girard and D. Macdonald

H. Heitsch, A. Wagner,
B. A. Schölkens and K. Wirth

M. Le Borgne, P. Marchand,
B. Delevoye-Seiller, J.-M. Robert,
G. Le Baut, R. W. Hartmann and
M. Palzer

S. Isomura, K. Ito and M. Haruna

S. A. Adediran, D. Cabaret, R. F. Pratt
and M. Wakselman

T. R. Burke, Jr., J. Luo, Z.-J. Yao,
Y. Gao, H. Zhao, G. W. A. Milne,
R. Guo, J. H. Voigt, C. R. King and
D. Yang

K. W. K. Leung, B. I. Posner and
G. Just

A. Coop and A. E. Jacobson

J. A. Bastian, N. Chirgadze,
M. L. Denney, D. S. Gifford-Moore,
D. J. Sall, G. F. Smith and J. H. Wikel

- D. L. Varie, C. Shih, D. A. Hay, S. L. Andis, T. H. Corbett, L. S. Gossett, S. K. Janisse, M. J. Martinelli, E. D. Moher, R. M. Schultz and J. E. Toth
- X. Y. Yu, J. M. Hill, G. Yu, W. Wang, A. F. Kluge, P. Wendler and P. Gallant
- J. Oshida, M. Okamoto, S. Ishizuka and S. Azuma
- I. Sugimoto, S. Shuto, S. Mori, S. Shigeta and A. Matsuda
- H. Hosoyama, H. Shigemori, A. Tomida, T. Tsuruo and J. Kobayashi
- K. Ichinose, C. Surti, T. Taguchi, F. Malpartida, K. I. Booker-Milburn, G. R. Stephenson, Y. Ebizuka and D. A. Hopwood
- K. Shinozaki, H. Sato, T. Iwakuma, R. Sato, T. Kurimoto and K. Yoshida
- T. A. Miller, A. L. Bulman, C. D. Thompson and T. L. Macdonald
- K. Iijima, J. Katada and Y. Hayashi
- C. Guo, T. G. LaCour and P. L. Fuchs
- Y. K. Min, T. Asami, S. Fujioka, N. Murofushi, I. Yamaguchi and S. Yoshida
- M. Pass, R. E. Bolton, S. J. Coote, H. Finch, S. Hindley, A. Lowdon, E. McDonald, J. McLaren, M. Owen, N. A. Pegg, C. J. Mooney, C.-M. Tang, S. Parry and C. Patel
- S. Vendeville, L. Bourel, E. Davioud-Charvet, P. Grellier, B. Déprez and C. Sergheraert
- R. L. Jarvest, I. L. Pinto, S. M. Ashman, C. E. Dabrowski, A. V. Fernandez, L. J. Jennings, P. Lavery and D. G. Tew
- I. L. Pinto, R. L. Jarvest, B. Clarke, C. E. Dabrowski, A. Fenwick, M. M. Gorczyca, L. J. Jennings, P. Lavery, E. J. Sternberg, D. G. Tew and A. West
- R. D. Marwood, A. M. Riley, V. Correa, C. W. Taylor and B. V. L. Potter
- R. Sedrani, L. H. Jones, A.-M. Jutzi-Eme, W. Schuler and S. Cottens
- E. K. Dziadulewicz, M. C. Brown, A. R. Dunstan, W. Lee, N. B. Said and P. J. Garratt
- W. He, A. Gavai, F.-C. Huang, J. Regan, B. Hanney, G. Poll, J. Bruno, W. K. Chan, S. W. Djuric, K.-T. Yu and A. Zilberstein
- T. C. Britton, P. G. Spinazze, P. A. Hipskind, D. M. Zimmerman, H. Zarrinmayeh, D. A. Schober, D. R. Gehlert and R. F. Bruns
- 369 Synthesis and biological evaluation of cryptophycin analogs with substitution at C-6 (fragment C region)
- 375 Synthesis and structure–activity relationships of a series of novel thiazoles as inhibitors of aminoacyl-tRNA synthetases
- 381 Synthesis and biological evaluation of 1 α ,24-dihydroxy-25-nitrovitamin D₃
- 385 Nucleosides and nucleotides. Part 183: Synthesis of 4'- α -branched thymidines as a new type of antiviral agent
- 389 Modulation of multidrug resistance in tumor cells by taxinine derivatives
- 395 Proof that the *actVI* genetic region of *Streptomyces coelicolor* A3(2) is involved in stereospecific pyran ring formation in the biosynthesis of actinorhodin
- 401 Synthesis and thromboxane A₂ antagonistic activity of indane derivatives
- 407 The synthesis and evaluation of temperature sensitive tubulin toxins
- 413 Symmetrical anhydride-type serine protease inhibitors: structure–activity relationship studies of human chymase inhibitors
- 419 On the relationship of OSW-1 to the cephalostatins
- 425 New lead compounds for brassinosteroid biosynthesis inhibitors
- 431 Synthetic [5,5] *trans*-fused indane lactones as inhibitors of thrombin
- 437 Automated parallel synthesis of a tetrahydroisoquinolin-based library: potential prolyl endopeptidase inhibitors
- 443 Inhibition of herpes proteases and antiviral activity of 2-substituted thieno[2,3-*d*]oxazinones
- 449 Inhibition of human cytomegalovirus protease by enedione derivatives of thieno[2,3-*d*]oxazinones through a novel dual acylation/alkylation mechanism
- 453 Simplification of adenophostin A defines a minimal structure for potent glucopyranoside-based mimics of D-*myo*-inositol 1,4,5-trisphosphate
- 459 Cleavage of the cyclohexyl-subunit of rapamycin results in loss of immunosuppressive activity
- 463 The design of non-peptide human bradykinin B₂ receptor antagonists employing the benzodiazepine peptidomimetic scaffold
- 469 Novel cytokine release inhibitors. Part 4: Analogs of podocarpic acid
- 475 Structure–activity relationships of a series of benzothiophene-derived NPY Y1 antagonists: optimization of the C-2 side chain

G. L. Grunewald, T. M. Caldwell,
V. H. Dahanukar, R. K. Jalluri and
K. R. Criscione

J. Zhang and P. Kováč

A. Pasternak, Y. Pan, D. Marino,
P. E. Sanderson, R. Mosley,
S. P. Rohrer, E. T. Birzin,
S.-E. W. Huskey, T. Jacks,
K. D. Schleim, K. Cheng,
J. M. Schaeffer, A. A. Patchett and
L. Yang

A. D. Abell and M. D. Oldham

J. M. Shearer and S. E. Rokita

B. K. Nabbs and A. D. Abell

481 Comparative molecular field analysis (COMFA) models of phenyl-ethanolamine *N*-methyltransferase (PNMT) and the α_2 -adrenoceptor: the development of new, highly selective inhibitors of PNMT

487 A highly efficient preparation of neoglycoconjugate vaccines using subcarriers that bear clustered carbohydrate antigens

491 Potent, orally bioavailable somatostatin agonists: good absorption achieved by urea backbone cyclization

497 Leucine-phenylalanine dipeptide-based *N*-mesyloxysuccinimides: synthesis of all four stereoisomers and their assay against serine proteases

501 Diamine preparation for synthesis of a water soluble Ni(II) salen complex

505 The synthesis and P388 cytotoxicity of mycalazol 11 and related 5-acyl-2-hydroxymethylpyrroles

I Instructions to contributors

NUMBER 4

Contents

v Contributors to this issue

vii Graphical abstracts

J. H. Rothman and W. C. Still

509 A new generation of fluorescent chemosensors demonstrate improved analyte detection sensitivity and photobleaching resistance

J. S. R. Kumar, S. Roy and
A. Datta

513 Stereoselective synthesis of novel cyclopropyl analogues of known cysteine protease inhibitors

S. Obika, K. Morio, Y. Hari and
T. Imanishi

515 Preparation and properties of 2',5'-linked oligonucleotide analogues containing 3'-O,4'-C-methylenerybonucleosides

J.-Y. Shey and C.-M. Sun

519 Liquid phase combinatorial synthesis of benzylpiperazines

C. R. Schmid, J. P. Sluka, K. M. Duke
and A. W. Glasebrook

523 Novel nonsteroidal selective estrogen receptor modulators. Carbon and heteroatom replacement of oxygen in the ethoxypiperidine region of raloxifene

T. Yokomatsu, T. Murano, I. Umesue,
S. Soeda, H. Shimeno and
S. Shibuya

529 Synthesis and biological evaluation of α,α -difluorobenzylphosphonic acid derivatives as small molecular inhibitors of protein-tyrosine phosphatase 1B

M. Nomura, S. Kinoshita, H. Satoh,
T. Maeda, K. Murakami, M. Tsunoda,
H. Miyachi and K. Awano

533 (3-Substituted benzyl)thiazolidine-2,4-diones as structurally new antihyperglycemic agents

X.-F. Pei, M. A. Sturgess, C. F.
Valenzuela and M.-L. Maccacchini

539 Allosteric modulators of the AMPA receptor: novel 6-substituted dihydrophthalazines

D. E. Zembower and S. A. Aytes

543 Synthesis of 5,8-dimethoxy-3-hydroxy-4-quinolone, a reported inhibitor of HIV RT, and evidence the original proposed structure was incorrect

D. L. McMinn and M. M. Greenberg

547 Convergent solution-phase synthesis of a nucleopeptide using a protected oligonucleotide

S. Lin and D. Yang

551 Inhibition of 4-hydroxyphenylpyruvate dioxygenase by sethoxydim, a potent inhibitor of acetyl-coenzyme A carboxylase

S. Isomura, K. Ito and M. Haruna

555 Phospholipase A₂-like catalytic antibody

R. Shimazawa, H. Takayama, F. Kato,
M. Kato and Y. Hashimoto

559 Nonpeptide small-molecular inhibitors of dipeptidyl peptidase IV: *N*-phenylphthalimide analogs

M.-K. Hu, F.-C. Yang, C.-C. Chou and
M.-H. Yen

563 Synthesis and evaluation of backbone/amide-modified analogs of leucalacin

X.-H. Gu, X.-Z. Wan and B. Jiang

569 Syntheses and biological activities of bis(3-indolyl)thiazoles, analogues of marine bis(indole)alkaloid nortopsentins

A. T. Johnson, L. Wang, S. J. Gillett
and R. A. S. Chandraratna

573 High affinity retinoic acid receptor antagonists: analogs of AGN 193109

S. Venkatraman, J. Kong, S. Nimkar,
Q. M. Wang, J. Aubé and
R. P. Hanzlik

577 Design, synthesis, and evaluation of azapeptides as substrates and inhibitors for human rhinovirus 3C protease

- W. Maison, I. Schlemminger,
O. Westerhoff and J. Martens
- N. R. Curtis, J. J. Kulagowski,
P. D. Leeson, M. P. Ridgill, F. Emms,
S. B. Freedman, S. Patel and S. Patel
- V. Vuligonda, M. E. Garst and
R. A. S. Chandraratna
- M. Roe, A. Folkes, P. Ashworth,
G. Brumwell, L. Chima, S. Hunjan,
I. Pretswell, W. Dangerfield, H. Ryder
and P. Charlton
- P. W. Smith, J. E. Robinson,
D. N. Evans, S. L. Sollis, P. D. Howes,
N. Trivedi and R. C. Bethell
- P. S. Jones, P. W. Smith,
G. W. Hardy, P. D. Howes,
R. J. Upton and R. C. Bethell
- P. W. Smith, N. Trivedi, P. D. Howes,
S. L. Sollis, G. Rahim, R. C. Bethell
and S. Lynn
- M. Schuster
- W. W. K. R. Mederski, M. Osswald,
D. Dorsch, M. Christadler,
C.-J. Schmitges and C. Wilm
- A. Moreno Barber, I. R. Hardcastle,
M. G. Rowlands, B. P. Nutley,
J. H. Marriott and M. Jarman
- S. Druillennec, H. Meudal,
B. P. Roques and
M.-C. Fournié-Zaluski
- A. Bastida, R. Fernández-Lafuente,
G. Fernández-Lorente, J. M. Guisán,
G. Pagani and M. Terreni
- 581 Modified PNAs: a simple method for the synthesis of monomeric building blocks
- 585 Synthesis and SAR of 2- and 3-substituted 7-azaindoles as potential dopamine D₄ ligands
- 589 Stereoselective synthesis and receptor activity of conformationally defined retinoid X receptor selective ligands
- 595 Reversal of *P*-glycoprotein mediated multidrug resistance by novel anthra-nilamide derivatives
- 601 Sialidase inhibitors related to zanamivir: synthesis and biological evaluation of 4*H*-pyran 6-ether and ketone
- 605 Synthesis of tetrasubstituted bicyclo[3.2.1]octenes as potential inhibitors of influenza virus sialidase
- 611 Synthesis of a tetrasubstituted bicyclo [2.2.2] octane as a potential inhibitor of influenza virus sialidase
- 615 Homoisofagomines: chemical–enzymatic synthesis and evaluation as α - and β -glucosidase inhibitors
- 619 Benzofuro[3,2-*b*]pyridines as mixed ET_A/ET_B and selective ET_B endothelin receptor antagonists
- 623 Solid-phase synthesis of novel inhibitors of farnesyl transferase
- 627 Nucleomimetic strategy for the inhibition of HIV-1 nucleocapsid protein NCp7 activities
- 633 Regioselective hydrolysis of peracetylated α -D-glucopyranose catalyzed by immobilized lipases in aqueous medium. A facile preparation of useful intermediates for oligosaccharide synthesis
- I Instructions to contributors

NUMBER 5

Contents

- vii Contributors to this issue
- xi Graphical abstracts
- M. Welch and R. S. Phillips
- S. E. de Laszlo, C. Hacker, B. Li,
D. Kim, M. MacCoss, N. Mantlo,
J. V. Pivnichny, L. Colwell,
G. E. Koch, M. A. Cascieri and
W. K. Hagmann
- H. Zarrinmayeh, D. M. Zimmerman,
B. E. Cantrell, D. A. Schober,
R. F. Bruns, S. L. Gackenheimer,
P. L. Ornstein, P. A. Hipskind,
T. C. Britton and D. R. Gehlert
- S. Srivastava, S. Tewari,
P. M. S. Chauhan, S. K. Puri,
A. P. Bhaduri and V. C. Pandey
- T. Suzuki, K. Mabuchi and
N. Fukazawa
- K.-L. Yu, R. Civiello,
D. G. M. Roberts, S. M. Seiler and
N. A. Meanwell
- 637 Enzymatic syntheses of 6-(4*H*-selenolo[3,2-*b*]pyrrolyl)-L-alanine, 4-(6*H*-selenolo[2,3-*b*]pyrrolyl)-L-alanine, and 6-(4*H*-furo[3,2-*b*]pyrrolyl)-L-alanine
- 641 Potent, orally absorbed glucagon receptor antagonists
- 647 Structure–activity relationship of a series of diaminoalkyl substituted benzimidazole as neuropeptide Y Y1 receptor antagonists
- 653 Synthesis of bisquinolines and their in vitro ability to produce methemoglobin in canine hemolysate
- 659 Synthesis of glucuronides of multidrug resistance reversing drug MS-209
- 663 Solid-phase synthesis of benzisothiazolones as serine protease inhibitors

- G. K. Tóth, K. Bakos, B. Penke, I. Pávó, C. Varga, G. Török, A. Péter and F. Fülöp
- R. R. Wilkening, R. W. Ratcliffe, K. J. Wildonger, L. D. Cama, K. D. Dykstra, F. P. DiNinno, T. A. Blizzard, M. L. Hammond, J. V. Heck, K. L. Dorso, E. St. Rose, J. Kohler and G. G. Hammond
- R. W. Ratcliffe, R. R. Wilkening, K. J. Wildonger, S. T. Waddell, G. M. Santorelli, D. L. Parker, Jr., J. D. Morgan, T. A. Blizzard, M. L. Hammond, J. V. Heck, J. Huber, J. Kohler, K. L. Dorso, E. St. Rose, J. G. Sundelof, W. J. May and G. G. Hammond
- J. B. M. Rewinkel, H. Lucas, P. J. M. van Galen, A. B. J. Noach, T. G. van Dinther, A. M. M. Rood, A. J. S. M. Jenneboer and C. A. A. van Boeckel
- D. H. Kim and Y. Jin
- T. Sakai, M. Morita, N. Matsunaga, K. Akimoto, T. Yokoyama, H. Iijima and Y. Koezuka
- W. Shen, S. Fakhoury, G. Donner, K. Henry, J. Lee, H. Zhang, J. Cohen, R. Warner, B. Saeed, S. Cherian, S. Tahir, P. Kovar, J. Bauch, S.-C. Ng, K. Marsh, H. Sham and S. Rosenberg
- L.-C. Lo, K.-F. Hsiao, S.-H. Ueng and S.-H. Wu
- Z.-Y. Yang, Y. Xia, P. Xia, Y. Tachibana, K. F. Bastow and K.-H. Lee
- K. E. Volter, G. K. Pierens, R. J. Quinn, T. Wakimoto, S. Matsunaga and N. Fusetani
- S. Lutz and S. A. Benner
- T. Wakimoto, A. Maruyama, S. Matsunaga, N. Fusetani, K. Shinoda and P. T. Murphy
- M. K. Kundu, N. Sundar, S. K. Kumar, S. V. Bhat, S. Biswas and N. Valecha
- J. Ambler, E. Baker, D. Bentley, L. Brown, K. Butler, P. Butler, D. Farr, K. Dunnet, D. Le Grand, J. Hayler, D. Janus, D. Jones, K. Menear, M. Mercer, G. Smith, M. Talbot and M. Tweed
- V. Vuligonda, A. M. Standeven, M. Escobar and R. A. S. Chandraratna
- E. R. Parmee, E. M. Naylor, L. Perkins, V. J. Colandrea, H. O. Ok, M. R. Candelore, M. A. Cascieri, L. Deng, W. P. Feeney, M. J. Forrest, G. J. Hom, D. E. MacIntyre, R. R. Miller, R. A. Stearns, C. D. Strader, L. Tota, M. J. Wyvratt, M. H. Fisher and A. E. Weber
- 667 Synthesis of oxytocin antagonists containing conformationally constrained amino acids in position 2
- 673 Synthesis and activity of 2-(sulfonamido)methyl-carbapenems: discovery of a novel anti-MRSA 1,8-naphthosultam pharmacophore
- 679 Synthesis and properties of 2-(naphthosultamyl)methyl-carbapenems with potent anti-MRSA activity: discovery of L-786,392
- 685 1-Aminoisoquinoline as benzamidine isoster in the design and synthesis of orally active thrombin inhibitors
- 691 First hydroxamate inhibitors for carboxypeptidase A. *N*-Acyl-*N*-hydroxy- β -phenylalanines
- 697 Effects of 3 α - and 3 β -galactosylated α -galactosylceramides on the immune system
- 703 Potent inhibitors of protein farnesyltransferase: heteroarenes as cysteine replacements
- 709 Lipase-catalyzed acetylation of *N*-acetylneuraminic acid derivative
- 713 Antitumor agents. Part 187: Synthesis and cytotoxicity of substituted 8,8-dimethyl-2*H*,8*H*-pyrano[6,5-*h*]quinoline-2-one and related compounds
- 717 The solution structures of calyculin A and dephosphonocalyculin A by NMR
- 723 Simple one-pot synthesis of a 2'-tritium labeled C-deoxynucleoside
- 727 Octa- and nonaprenylhydroquinone sulfates, inhibitors of α 1,3-fucosyl-transferase VII, from an Australian marine sponge *Sarcotragus* sp.
- 731 Antimalarial activity of 3-hydroxyalkyl-2-methylene-propionic acid derivatives
- 737 Studies towards the identification of potent, selective and bioavailable thrombin inhibitors
- 743 A new class of potent RAR antagonists: dihydroanthracenyl, benzochromenyl and benzothiochromenyl retinoids
- 749 Human β_3 adrenergic receptor agonists containing cyclic ureidobenzene-sulfonamides

E. M. Naylor, E. R. Parmee,
V. J. Colandrea, L. Perkins,
L. Brockunier, M. R. Candelore,
M. A. Cascieri, L. F. Colwell, Jr.,
L. Deng, W. P. Feeney, M. J. Forrest,
G. J. Hom, D. E. MacIntyre,
C. D. Strader, L. Tota, P.-R. Wang,
M. J. Wyvratt, M. H. Fisher and
A. E. Weber

K. Takeuchi, T. J. Kohn, D. J. Sall,
M. L. Denney, J. R. McCowan,
G. F. Smith and D. S. Gifford-Moore

D. R. Luthin, A. K. Rabinovich,
D. R. Bhumraikar, K. L. Youngblood,
R. A. Bychowski, D. S. Dhanoa and
J. M. May

M. Adamczyk and J. Grote

M. Zhang, D. L. Bailey, J. A. Bastian,
S. L. Briggs, N. Y. Chirgadze,
D. K. Clawson, M. L. Denney,
D. S. Gifford-Moore, R. W. Harper,
L. M. Johnson, V. J. Klimkowski,
T. J. Kohn, H.-S. Lin, J. R. McCowan,
M. E. Richett, D. J. Sall, A. J. Smith,
G. F. Smith, D. W. Snyder,
K. Takeuchi, B. G. Utterback and
S.-C. B. Yan

N. Cheraïti, M. E. Brik, A. Gaudemer
and G. Kunesch

M. Dunkel and V. Reither

C. Pasquarello, R. Demange and
P. Vogel

755 Human β_3 adrenergic receptor agonists containing imidazolidinone and imidazolone benzenesulfonamides

759 Dibasic benzo[*b*]thiophene derivatives as a novel class of active site directed thrombin inhibitors. Part 4: SAR studies on the conformationally restricted C3-side chain of hydroxybenzo[*b*]thiophenes

765 Synthesis and biological activity of oxo-7*H*-benzo[*e*]perimidine-4-carboxylic acid derivatives as potent, nonpeptide corticotropin releasing factor (CRF) receptor antagonists

771 Efficient synthesis of 3-aminodigoxigenin and 3-aminodigitoxigenin probes

775 Dibasic benzo[*b*]thiophene derivatives as a novel class of active site directed thrombin inhibitors. Part 2: Sidechain optimization and demonstration of in vivo efficacy

781 Synthesis and electrochemical study of a new chiral tris-catecholamide analogue of enterobactin

787 Synthesis of 2'-*C*- α -difluoromethylauridine and its 3'-*O*-phosphoramidite: incorporation into a hammerhead ribozyme

793 Synthesis of α -*C*(1 $\rightarrow$ 3)-mannopyranoside of *N*-acetylgalactosamine, a new β -galactosidase inhibitor

I Instructions to contributors

NUMBER 6

Contents

v Contributors to this issue

vii Graphical abstracts

797 Cytotoxic effects of NSL-1406, a new thienopyrimidine derivative, on leukocytes and osteoclasts

803 A new class of anti-HIV agents: synthesis and activity of conjugates of HIV protease inhibitors with a reverse transcriptase inhibitor

807 Syntheses of two trimannose analogs each containing *C*-mannosyl or 5-thio-*C*-mannosyl residue: their affinities to concanavalin A

811 Piperidinyl-3-phosphinic acids as novel uptake inhibitors of the neurotransmitter γ -aminobutyric acid (GABA)

815 Benzenesulfonamide derivatives of 2-substituted 4*H*-3,1-benzoxazin-4-ones and benzthiazin-4-ones as inhibitors of complement C1r protease

821 Synthesis, in vitro cytotoxicity and in vivo anti-inflammatory activity of long-chain 3-amino-1,2-diols

827 Synthesis of novel 4'-*C*-methyl-pyrimidine nucleosides and their biological activities

831 Ring constrained analogues of the orvinols: the furanomorphides

J. Katada, K. Iijima, M. Muramatsu,
M. Takami, E. Yasuda, M. Hayashi,
M. Hattori and Y. Hayashi

T. Kimura, H. Matsumoto,
T. Matsuda, T. Hamawaki, K. Akaji
and Y. Kiso

O. Tsuruta, H. Yuasa, S. Kurono and
H. Hashimoto

J. Kehler, T. B. Stensbøl and
P. Krosgaard-Larsen

J. S. Plummer, C. Cai, S. J. Hays,
J. L. Gilmore, M. R. Emmerling,
W. Michael, L. S. Narasimhan,
M. Desiree Watson, K. Wang,
R. Nath, L. M. Evans and J. C. Jaen

J. M. Padrón, V. S. Martin,
D. Hadjipavliou-Litina, C. Noula,
V. Constantinou-Kokotou,
G. J. Peters and G. Kokotos

K. Kitano, H. Machida, S. Miura and
H. Ohrai

S. M. Husbands, S. W. Breeden,
K. Grivas and J. W. Lewis

- J. S. Plummer, K. A. Berryman, C. Cai, W. L. Cody, J. DiMaio, A. M. Doherty, S. Eaton, J. J. Edmunds, D. R. Holland, D. Lafleur, S. Levesque, L. S. Narasimhan, J. R. Rubin, S. T. Rapundalo, M. A. Siddiqui, A. Susser, Y. St-Denis and P. Winocour
- C. Thomas, H. Hübner and P. Gmeiner
- R. Liu, D. L.-Y. Dong, R. Sherlock, H. P. Nestler, C. Gennari, A. Mielgo and C. Scolastico
- R. Vince, J. Brownell and L. B. Akella
- P. C. Meltzer, P. Blundell, Z. Chen, Y. F. Yong and B. K. Madras
- G. D. Hartman, M. E. Duggan, W. F. Hoffman, R. J. Meissner, J. J. Perkins, A. E. Zartman, A. M. Naylor-Olsen, J. J. Cook, J. D. Glass, R. J. Lynch, G. Zhang and R. J. Gould
- J.-S. Shin, K.-S. Kim, M.-B. Kim, J.-H. Jeong and B.-K. Kim
- T. Nishi, T. Fukazawa, K. Ishibashi, K. Nakajima, Y. Sugioka, Y. Iio, H. Kurata, K. Itoh, O. Mukaiyama, Y. Satoh and T. Yamaguchi
- M. Katoh and M. Sodeoka
- G. Wang, P. J. Middleton, C. Lin and Z. Pietrzkowski
- M. R. Player and P. F. Torrence
- J. E. Reiner, M. S. Lim-Wilby, T. K. Brunck, T. Ha-Uong, E. A. Goldman, M. A. Abelman, R. F. Nutt, J. E. Semple and S. Y. Tamura
- D. Doller, S. Chackalamannil, M. Czarniecki, R. McQuade and V. Ruperto
- L.-Y. Hu, T. R. Ryder, M. F. Rafferty, W. L. Cody, S. M. Lotarski, G. P. Miljanich, E. Millerman, D. M. Rock, Y. Song, S. J. Stoeher, C. P. Taylor, M. L. Weber, B. G. Szoke and M. G. Vartanian
- 835 Potent and selective bicyclic lactam inhibitors of thrombin. Part 3: P1' modifications
- 841 Enantio- and diastereocontrolled dopamine D1, D2, D3 and D4 receptor binding of *N*-(3-pyrrolidinylmethyl)benzamides synthesized from aspartic acid
- 847 Novel reverse-turn mimics inhibit farnesyl transferase
- 853 Synthesis and activity of γ -(L- γ -azaglutamyl)-*S*-(*p*-bromobenzyl)-L-cysteinyglycine: a metabolically stable inhibitor of glyoxalase I
- 857 Bicyclo[3.2.1]octanes: synthesis and inhibition of binding at the dopamine and serotonin transporters
- 863 Nonpeptide glycoprotein IIB/IIIA inhibitors. Part 19: A new design paradigm employing linearly minimized, centrally constrained, exosite inhibitors
- 869 Synthesis and hypoglycemic effect of chrysin derivatives
- 875 Combined NK₁ and NK₂ tachykinin receptor antagonists: synthesis and structure–activity relationships of novel oxazolidine analogues
- 881 Polymer-bound *N*-hydroxysuccinimide esters: a column-free fluorescent-labeling method
- 885 Biophysical and biochemical properties of oligodeoxynucleotides containing 4'-*C*- and 5'-*C*-substituted thymidines
- 891 Phosphorothioate oligodeoxyribonucleotides inhibit ribonuclease L thereby disabling a mechanism of interferon action
- 895 Investigation of the S₃ site of thrombin: design, synthesis and biological activity of 4-substituted 3-amino-2-pyridones incorporating P₁-argininals
- 901 Design, synthesis, and structure–activity relationship studies of himbacine derived muscarinic receptor antagonists
- 907 *N,N*-Dialkyl-dipeptidylamines as novel N-type calcium channel blockers
- I Instructions to contributors

NUMBER 7

Contents

- v Contributors to this issue
- ix Graphical abstracts
- 913 Synthesis and structure–activity relationship of potent bicyclic lactam thrombin inhibitors
- 919 Terphenyl cyclooxygenase-2 (COX-2) inhibitors: optimization of the central ring and *o*-biphenyl analogs
- B. Bachand, J. DiMaio and M. A. Siddiqui
- D. J. P. Pinto, D. G. Batt, W. J. Pitts, J. J. Petraitis, M. J. Orwat, S. Wang, J. W. Jetter, S. R. Sherk, G. C. Houghton, R. A. Copeland, M. B. Covington, J. M. Trzaskos and R. L. Magolda

- C. Dominguez, D. E. Duffy, Q. Han, R. S. Alexander, R. A. Galembo, Jr., J. M. Park, P. C. Wong, E. C. Amparo, R. M. Knabb, J. Luetgten and R. R. Wexler
- R. S. Coleman and R. M. Pires
- S. A. Hutchinson, S. P. Baker and P. J. Scammells
- A. L. Rockwell, M. Rafalski, W. J. Pitts, D. G. Batt, J. J. Petraitis, W. F. DeGrado, S. Mousa and P. K. Jadhav
- J. N. Freskos, B. V. Mischke, G. A. DeCrescenzo, R. Heintz, D. P. Getman, S. C. Howard, N. N. Kishore, J. J. McDonald, G. E. Munie, S. Rangwala, C. A. Swearingen, C. Voliva and D. J. Welsch
- Ph. Coutrot, S. Dumarçay, Ch. Finance, M. Tabyaoui, B. Tabyaoui and C. Grison
- H. Fukuda, T. Shimizu, M. Nakajima, H. Mori and T. Shirasawa
- K. Yamaguchi, M. Yada, T. Tsuji, Y. Hatanaka, K. Goda and T. Kobori
- T. Kaiya, S. Aoyama and K. Kohda
- S. K. Srivastava, W. Haq and P. M. S. Chauhan
- J. P. Beck, A. G. Arvanitis, M. A. Curry, J. T. Rescinito, L. W. Fitzgerald, P. J. Gilligan, R. Zaczek and G. L. Trainor
- S. J. Degen, K. L. Mueller, H. C. Shen, J. A. Mulder, G. M. Golding, L. Wei, C. A. Zifcsak, A. Neeno-Eckwall and R. P. Hsung
- P. J. Connolly, S. K. Wetter, K. N. Beers, S. C. Hamel, R. H. K. Chen, M. P. Wachter, J. Ansell, M. M. Singer, M. Steber, D. M. Ritchie and D. C. Argentieri
- K. S. Feldman, K. Sahasrabudhe, R. S. Smith and W. J. Scheuchenzuber
- P. Bitha, Z. Li, G. D. Francisco, B. A. Rasmussen and Y.-I Lin
- P. Bitha, Z. Li, G. D. Francisco, Y. Yang, P. J. Petersen, E. Lenoy and Y.-I Lin
- J. P. Edwards, R. I. Higuchi, D. T. Winn, C. L. F. Pooley, T. R. Caferro, L. G. Hamann, L. Zhi, K. B. Marschke, M. E. Goldman and T. K. Jones
- L. Zhi, C. M. Tegley, K. B. Marschke and T. K. Jones
- K. Lee, S. Y. Hwang and C. W. Park
- O. Tsuruta, H. Yuasa, H. Hashimoto, S. Kurono and S. Yazawa
- M. Antolini, A. Bozzoli, C. Ghiron, G. Kennedy, T. Rossi and A. Ursini
- S. Jinno, T. Okita and K. Inouye
- L. Streckowski, M. Henary, N. Kim and B. B. Michniak
- 925 Design and synthesis of potent and selective 5,6-fused heterocyclic thrombin inhibitors
- 931 Regeneration of 4-thio-2'-deoxyuridine residues in DNA
- 933 Adenosine receptor ligands with oxygenated N⁶-substituents
- 937 Rapid synthesis of RGD mimetics with isoxazoline scaffolds on solid phase: identification of $\alpha\beta 3$ antagonists lead compounds
- 943 Discovery of a novel series of selective MMP inhibitors: identification of the γ -sulfone-thiols
- 949 Investigation of new potent KDO-8-phosphate synthetase inhibitors
- 953 Synthesis, aggregation, and neurotoxicity of the Alzheimer's A β 1-42 amyloid peptide and its isoaspartyl isomers
- 957 4-Phenylthiazole derivatives inhibit IL-6 secretion in osteoblastic cells and suppress bone weight loss in ovariectomized mice
- 961 Reactions of chloride salts of 7-amino-9-ethylguanine and 1-amino-3-methylbenzimidazoles with lead(IV) acetate: formation of 8-aza-9-ethylguanine and 1-methyl-1*H*-benzotriazoles
- 965 Solid phase synthesis of structurally diverse pyrimido[4,5-*d*]pyrimidines for the potential use in combinatorial chemistry
- 967 Purin-8-ones as corticotropin-releasing hormone (CRH-R1) receptor antagonists
- 973 Synthesis of dihydroxanthone derivatives and evaluation of their inhibitory activity against acetylcholinesterase: unique structural analogs of tacrine based on the BCD-ring of arisugacin
- 979 *N*-Hydroxyurea and hydroxamic acid inhibitors of cyclooxygenase and 5-lipoxygenase
- 985 Immunostimulation by plant polyphenols: a relationship between tumor necrosis factor- α production and tannin structure
- 991 6-(1-Hydroxyalkyl)penam sulfone derivatives as inhibitors of class A and class C β -lactamases. Part 1
- 997 6-(1-Hydroxyalkyl)penam sulfone derivatives as inhibitors of class A and class C β -lactamases. Part 2
- 1003 Nonsteroidal androgen receptor agonists based on 4-(trifluoromethyl)-2*H*-pyrano[3,2-*g*]quinolin-2-one
- 1009 Switching androgen receptor antagonists to agonists by modifying C-ring substituents on piperidino[3,2-*g*]quinolinone
- 1013 Thrombin inhibitors based on a propargylglycine template
- 1019 Affinity of 5-thio-L-fucose-containing Lewis X (Le^x) trisaccharide analogs to anti-Le^x monoclonal antibody
- 1023 Analogues of 4,5-bis(3,5-dichlorophenyl)-2-trifluoromethyl-1*H*-imidazole as potential antibacterial agents
- 1029 Total synthesis of an antioxidant isolated from yeast via palladium-catalyzed coupling and its application for related compounds
- 1033 *N*-(4-Bromobenzoyl)-*S,S*-dimethyliminosulfurane, a potent dermal penetration enhancer

- A. Balsamo, S. Barontini, F. Calvani, D. Gentili, M. Macchia, A. Rossello, E. Di Modugno and A. Felici
- K. Yamamoto, H. Ooizumi, K. Umesono, A. Verstuyf, R. Bouillon, H. F. DeLuca, T. Shinki, T. Suda and S. Yamada
- R. Iori, R. Bernardi, D. Gueyard, P. Rollin and S. Palmieri
- H. Cramer, M. R. Player and P. F. Torrence
- J. H. M. Lange, J. C. de Jong, H. J. Sanders, G. M. Visser and C. G. Kruse
- A. J. Cocuzza, F. W. Hobbs, C. R. Arnold, D. R. Chidester, J. A. Yarem, S. Culp, L. Fitzgerald and P. J. Gilligan
- A. J. Cocuzza, D. R. Chidester, S. Culp, L. Fitzgerald and P. Gilligan
- 1035 New *N*-substituted 7-aminocephalosporanic acid derivatives as potential agents against *Streptococcus pneumoniae*. Synthesis and in vitro activity
- 1041 Three-dimensional structure–function relationship of vitamin D: side chain location and various activities
- 1047 Formation of glucoraphanin by chemoselective oxidation of natural glucorucin: a chemoenzymatic route to sulforaphane
- 1049 Discrimination between ribonuclease H- and ribonuclease L-mediated RNA degradation by 2'-*O*-methylated 2-5A-antisense oligonucleotides
- 1055 A straightforward synthetic approach for roxindole
- 1057 4-Aryl-2-anilinopyrimidines as corticotropin-releasing hormone (CRH) antagonists
- 1063 Use of the Suzuki reaction for the synthesis of aryl-substituted heterocycles as corticotropin-releasing hormone (CRH) antagonists
- 1067 Corrigendum
- I Instructions to contributors

NUMBER 8

Contents

- v Contributors to this issue
- vii Graphical abstracts
- D. J. Augeri, D. Janowick, D. Kalvin, G. Sullivan, J. Larsen, D. Dickman, H. Ding, J. Cohen, J. Lee, R. Warner, P. Kovar, S. Cherian, B. Saeed, H. Zhang, S. Tahir, S.-C. Ng, H. Sham and S. H. Rosenberg
- C.-K. Ryu, I.-K. Lee, S.-H. Jung and C.-O. Lee
- K. G. Pinney, A. D. Bounds, K. M. Dingeman, V. P. Mocharla, G. R. Pettit, R. Bai and E. Hamel
- D. Kong, C. Qin, L. Meng and Y. Xie
- Y. Tatsu, Y. Shigeri, A. Ishida, I. Kameshita, H. Fujisawa and N. Yumoto
- M. D. Bryant, K. E. Flick, R. S. Koduri, D. C. Wilton, B. L. Stoddard and M. H. Gelb
- J. Ambler, D. Bentley, L. Brown, K. Dunnet, D. Farr, D. Janus, D. Le Grand, K. Menear, M. Mercer, M. Talbot, M. Tweed and B. Wathey
- A. Ohsaki, J. Takashima, N. Chiba and M. Kawamura
- E. Ichikawa, S. Yamamura and K. Kato
- A. Al-Omar, S. Abdou, L. De Robertis, A. Marsura and C. Finance
- L.-Y. Hu, T. R. Ryder, S. S. Nikam, E. Millerman, B. G. Szoke and M. F. Rafferty
- D. E. Cane and T. E. Bowser
- 1069 Potent and orally bioavailable noncysteine-containing inhibitors of protein farnesyltransferase
- 1075 Synthesis and cytotoxic activities of 6-chloro-7-arylamino-5,8-isoquinoline-diones
- 1081 A new anti-tubulin agent containing the benzo[*b*]thiophene ring system
- 1087 Synthesis, structural characterization and antitumor activity evaluations of copper complex with tetraazamacrocyclic ligand
- 1093 Synthesis of caged peptides using caged lysine: application to the synthesis of caged AIP, a highly specific inhibitor of calmodulin-dependent protein kinase II
- 1097 1,3-Dioxane-4,6-dione-5-carboxamide-based inhibitors of human group IIA phospholipase A₂: X-ray structure of the complex and interfacial selection of inhibitors from a structural library
- 1103 The discovery of orally available thrombin inhibitors: optimisation of the P1 pharmacophore
- 1109 Microanalysis of a selective potent anti-*Helicobacter pylori* compound in a Brazilian medicinal plant, *Myroxylon peruiferum* and the activity of analogues
- 1113 Synthesis of 2',3'-dideoxy-3'-*C*-(hydroxymethyl)-4'-thiopentofuranosyl nucleosides as potential antiviral agent
- 1115 Complexation study and anticellular activity enhancement by doxorubicin–cyclodextrin complexes on a multidrug-resistant adenocarcinoma cell line
- 1121 Synthesis and biological evaluation of substituted 4-(OBz)phenylalanine derivatives as novel N-type calcium channel blockers
- 1127 Trichodiene synthase: mechanism-based inhibition of a sesquiterpene cyclase

- A. V. Rukavishnikov, T. O. Zaikova,
G. B. Birrell, J. F. W. Keana and
O. H. Griffith
- C. R. Schmid, A. L. Glasebrook,
J. W. Misner and G. A. Stephenson
- G. Goetz, E. Meschkat and
J.-P. Lepoittevin
- G. Wang, E. Gunic, J.-L. Girardet and
V. Stoisavljevic
- D. L. Boger, H. Sato, A. E. Lerner,
X. Guan and N. B. Gilula
- M. Petitou, P. Duchaussoy,
P.-A. Driguez, J.-P. Héroult,
J.-C. Lormeau and J.-M. Herbert
- M. Petitou, P.-A. Driguez,
P. Duchaussoy, J.-P. Héroult,
J.-C. Lormeau and J.-M. Herbert
- J. S. Carter, D. J. Rogier,
M. J. Graneto, K. Seibert,
C. M. Koboldt, Y. Zhang and
J. J. Talley
- J. S. Carter, S. Kramer, J. J. Talley,
T. Penning, P. Collins, M. J. Graneto,
K. Seibert, C. M. Koboldt,
J. Masferrer and B. Zweifel
- Y. M. Kim, T. W. Kwon, S. K. Chung
and D. H. R. Barton
- S. Kurihara, T. Tsumuraya and I. Fujii
- J. P. Beck, M. A. Curry, R. J. Chorvat,
L. W. Fitzgerald, P. J. Gilligan,
R. Zaczek and G. L. Trainor
- I. Ojima, P.-Y. Bounaud and
D. G. Ahern
- J. M. Fevig, J. Buriak, Jr.,
P. F. W. Stouten, R. M. Knabb,
G. N. Lam, P. C. Wong and
R. R. Wexler
- H.-J. Jeong, H.-B. Chai, S.-Y. Park
and D. S. H. L. Kim
- K. Kim and P. A. Cole
- A. K. Ganguly, J. L. McCormick,
A. K. Saksena, P. R. Das and
T.-M. Chan
- 1133 Synthesis of a new fluorogenic substrate for the continuous assay of
mammalian phosphoinositide-specific phospholipase C
- 1137 Synthesis and biological activity of *trans*-2,3-dihydrolaloxifene
- 1141 Synthesis of a water-soluble analog of 6-methyl-3-*N*-alkyl catechol labeled
with carbon 13: NMR approach to the reactivity of poison ivy/oak sensitizers
toward proteins
- 1147 Conformationally locked nucleosides. Synthesis and hybridization properties
of oligodeoxynucleotides containing 2',4'-*C*-bridged 2'-deoxynucleosides
- 1151 Arachidonic acid amide inhibitors of gap junction cell-cell communication
- 1155 New synthetic heparin mimetics able to inhibit thrombin and factor Xa
- 1161 Synthetic oligosaccharides having various functional domains: potent and
potentially safe heparin mimetics
- 1167 Design and synthesis of sulfonyl-substituted 4,5-diarylthiazoles as selective
cyclooxygenase-2 inhibitors
- 1171 Synthesis and activity of sulfonamide-substituted 4,5-diaryl thiazoles as
selective cyclooxygenase-2 inhibitors
- 1175 Photocleavage coupling reactions between cyclohexa-2,4-dienone sulfone
derivatives and amines by visible light irradiation
- 1179 Structure-based design of diaminopyranosides as a novel inhibitor core unit
of HIV proteases
- 1185 Thiazolo[4,5-*d*]pyrimidine thiones and -ones as corticotropin-releasing
hormone (CRH-R1) receptor antagonists
- 1189 New photoaffinity analogs of paclitaxel
- 1195 Preparation of pyrrolidine and isoxazolidine benzamides as potent
inhibitors of coagulation factor Xa
- 1201 Preparation of amino acid conjugates of betulinic acid with activity against
human melanoma
- 1205 Synthesis of (2*S*,3*R*)- β -methyltyrosine catalyzed by tyrosine phenol-lyase
- 1209 Chemical modifications and structure activity studies of ziracin and related
everninomicin antibiotics
- I Instructions to contributors

NUMBER 9

Contents

- v Contributors to this issue
- vii Graphical abstracts
- I. Hamachi, Y. Yamada, R. Eboshi,
T. Hiraoka and S. Shinkai
- M. Ohkubo, K. Kojiri, H. Kondo,
S. Tanaka, H. Kawamoto,
T. Nishimura, I. Nishimura,
T. Yoshinari, H. Arakawa, H. Suda,
H. Morishima and S. Nishimura
- P. C. Shieh and C. W. Ong
- A. E. P. Adang, C. A. M. Peters,
S. Gerritsma, E. de Zwart and
G. Veeneman
- 1215 Design and semisynthesis of spermine-sensitive ribonuclease S'
- 1219 Synthesis and biological activities of topoisomerase I inhibitors, 6-*N*-amino
analogues of NB-506
- 1225 Dienyl diketones as anticancer agents: synthesis and biological evaluation
of some aromatic derivatives
- 1227 Solution-phase and solid-phase synthesis of novel transition state inhibitors
of coagulation enzymes incorporating a piperidinyl moiety

S. D. Kuduk, F. F. Zheng, L. Sepp-Lorenzino, N. Rosen and S. J. Danishefsky	1233	Synthesis and evaluation of geldanamycin–estradiol hybrids
R. V. Devivar, S. L. Koontz, W. J. Peltier, J. E. Pearson, T. A. Guillory and J. D. Fabricant	1239	A new solid-phase support for oligonucleotide synthesis
Y. Itou, S. Suzuki, K. Ishida and M. Murakami	1243	Anabaenopeptins G and H, potent carboxypeptidase A inhibitors from the cyanobacterium <i>Oscillatoria agardhii</i> (NIES-595)
T. Ren and D. Liu	1247	Synthesis of diether-linked cationic lipids for gene delivery
T. L. Shih, M. R. Candelore, M. A. Cascieri, S.-H. L. Chiu, L. F. Colwell, Jr., L. Deng, W. P. Feeney, M. J. Forrest, G. J. Hom, D. E. MacIntyre, R. R. Miller, R. A. Stearns, C. D. Strader, L. Tota, M. J. Wyvratt, M. H. Fisher and A. E. Weber	1251	L-770,644: A potent and selective human β_3 adrenergic receptor agonist with improved oral bioavailability
J. V. Hines, H. Chang, M. S. Gerdeman and D. E. Warn	1255	Isotope edited NMR studies of glycosidases: design and synthesis of a novel glycosidase inhibitor
M.-H. Chen, P. P. Pollard, A. A. Patchett, K. Cheng, L. Wei, W. W.-S. Chan, B. Butler, T. M. Jacks and R. G. Smith	1261	Synthesis and biological activities of spiroheterocyclic growth hormone secretagogues
S. A. Everett, M. A. Naylor, K. B. Patel, M. R. L. Stratford and P. Wardman	1267	Bioreductively-activated prodrugs for targeting hypoxic tissues: elimination of aspirin from 2-nitroimidazole derivatives
J. G. Harrison, C. Frier, R. Laurant, R. Dennis, K. D. Raney and S. Balasubramanian	1273	Inhibition of human telomerase by PNA-cationic peptide conjugates
R. J. Cherney, L. Wang, D. T. Meyer, C.-B. Xue, E. C. Arner, R. A. Copeland, M. B. Covington, K. D. Hardman, Z. R. Wasserman, B. D. Jaffee and C. P. Decicco	1279	Macrocyclic hydroxamate inhibitors of matrix metalloproteinases and TNF- α production
K. W. Moore, K. Bonner, E. A. Jones, F. Emms, P. D. Leeson, R. Marwood, S. Patel, S. Patel, M. Rowley, S. Thomas and R. W. Carling	1285	4-N-Linked-heterocyclic piperidine derivatives with high affinity and selectivity for human dopamine D ₄ receptors
A. Arcadi, C. Asti, L. Brandolini, G. Caselli, F. Marinelli and V. Ruggieri	1291	Synthesis and in vitro and in vivo evaluation of the 2-(6'-methoxy-3',4'-dihydro-1'-naphthyl)-4 <i>H</i> -3,1-benzoxazin-4-one as a new potent substrate inhibitor of human leukocyte elastase
B. Peschke and B. S. Hansen	1295	New growth hormone secretagogues: C-terminal modified sulfonamide-analogues of NN703
B. Tao, T. L. Huang, T. A. Sharma, I. J. Reynolds and I. O. Donkor	1299	Novel bisbenzamidines and bisbenzimidazolines as noncompetitive NMDA receptor antagonists
M. Lebl	1305	New technique for high-throughput synthesis
P. D. Williams, M. G. Bock, B. E. Evans, R. M. Freidinger, S. N. Gallicchio, M. T. Guidotti, M. A. Jacobson, M. S. Kuo, M. R. Levy, E. V. Lis, S. R. Michelson, J. M. Pawluczyk, D. S. Perlow, D. J. Pettibone, A. G. Quigley, D. R. Reiss, C. Salvatore, K. J. Stauffer and C. J. Woyden	1311	Nonpeptide oxytocin antagonists: analogs of L-371,257 with improved potency
J. Ambler, L. Brown, X.-L. Cockcroft, M. Grütter, J. Hayler, D. Janus, D. Jones, P. Kane, K. Menear, J. Priestle, G. Smith, M. Talbot, C. V. Walker and B. Wathey	1317	Optimisation of the P2 pharmacophore in a series of thrombin inhibitors: ion–dipole interactions with lysine 60G
J. Cottney, Z. Rankovic and J. R. Morphy	1323	Synthesis of novel analogues of the delta opioid ligand SNC-80 using REM resin
D. R. Barn, A. Bom, J. Cottney, W. L. Caulfield and J. R. Morphy	1329	Synthesis of novel analogues of the delta opioid ligand SNC-80 using AlCl ₃ -promoted aminolysis
R. I. Higuchi, J. P. Edwards, T. R. Caferro, J. D. Ringgenberg, J. W. Kong, L. G. Hamann, K. L. Arienti, K. B. Marschke, R. L. Davis, L. J. Farmer and T. K. Jones	1335	4-Alkyl- and 3,4-dialkyl-1,2,3,4-tetrahydro-8-pyridono[5,6- <i>g</i>]quinolines: potent, nonsteroidal androgen receptor agonists

NUMBER 10

Contents

	v	Contributors to this issue
	vii	Graphical abstracts
Y. G. Gu, E. K. Bayburt, M. R. Michaelides, C. W. Lin and K. Shiosaki	1341	<i>trans</i> -2,6-, 3,6- and 4,6-Diaza-5,6,6a,7,8,12b-hexahydrobenzo[c]phenanthrene-10,11-diols as dopamine agonists
H. Kogen, K. Tago, M. Arai, E. Minami, K. Masuda and T. Akiyama	1347	A highly stereoselective synthesis of plaunotol and its thiourea derivatives as potent antibacterial agents against <i>Helicobacter pylori</i>
T. Fujita, M. Nakajima, Y. Inoue, T. Nose and Y. Shimohigashi	1351	A novel molecular design of thrombin receptor antagonist
Y. Nishiyama, T. Murakami, K. Kurita and N. Yamamoto	1357	Low-molecular-weight anti-HIV-1 peptides from the amino-terminal sequence of RANTES: possible lead compounds for coreceptor-directed anti-HIV-1 agents
H. Suzuki, K. Shindo, A. Ueno, T. Miura, M. Takei, M. Sakakibara, H. Fukamachi, J. Tanaka and T. Higa	1361	S1319: A novel β_2 -adrenoceptor agonist from a marine sponge <i>Dysidea</i> sp.
J. Lee, S. U. Kang, M. K. Kang, M. W. Chun, Y. J. Jo, J. H. Kwak and S. Kim	1365	Methionyl adenylate analogues as inhibitors of methionyl-tRNA synthetase
D. Ma, G. Wang, S. Wang, A. P. Kozikowski, N. E. Lewin and P. M. Blumberg	1371	Synthesis and protein kinase C binding activity of benzolactam-V7
B.-M. Kwon, M.-K. Kim, N.-I. Baek, D.-S. Kim, J.-D. Park, Y.-K. Kim, H.-K. Lee and S. I. Kim	1375	Acyl-CoA:cholesterol acyltransferase inhibitory activity of ginseng saponins, produced from the ginseng saponins
K. H. Ahn, S. J. Lee, C.-H. Lee, C. Y. Hong and T. K. Park	1379	N-Substituted-3-arylpyrrolidines: potent and selective ligands at serotonin 1A receptor
E. Ósz, L. Somsák, L. Szilágyi, L. Kovács, T. Docsa, B. Tóth and P. Gergely	1385	Efficient inhibition of muscle and liver glycogen phosphorylases by a new glucopyranosylidene-spiro-thiohydantoin
C. Hamdouchi, J. Ezquerro, J. A. Vega, J. J. Vaquero, J. Alvarez-Builla and B. A. Heinz	1391	Short synthesis and anti-rhinoviral activity of imidazo[1,2-a]pyridines: the effect of acyl groups at 3-position
K. R. Gee	1395	Novel fluorogenic substrates for acid phosphatase
E. Vieira, A. Binggeli, V. Breu, D. Bur, W. Fischli, R. Güller, G. Hirth, H. P. Märki, M. Müller, C. Oefner, M. Scalone, H. Stadler, M. Wilhelm and W. Wostl	1397	Substituted piperidines—highly potent renin inhibitors due to induced fit adaptation of the active site
R. Güller, A. Binggeli, V. Breu, D. Bur, W. Fischli, G. Hirth, C. Jenny, M. Kansy, F. Montavon, M. Müller, C. Oefner, H. Stadler, E. Vieira, M. Wilhelm, W. Wostl and H. P. Märki	1403	Piperidine—renin inhibitors; compounds with improved physicochemical properties
A. Cordi, J.-M. Lacoste, V. Audinot and M. Millan	1409	Design, synthesis and structure—activity relationships of novel strychnine-insensitive glycine receptor ligands
C. E. Rodríguez, H. Lu, T. T. Dinh, K. L. Miodnosky, A. Dastgah, V. Q. Lam, C. B. Nichols and C. E. Berkman	1415	Competitive inhibition of a glutamate carboxypeptidase by phosphonamidothionate derivatives of glutamic acid
L. D. Mayfield and D. R. Corey	1419	Enhancing solid phase synthesis by a noncovalent protection strategy—efficient coupling of rhodamine to resin-bound peptide nucleic acids
D. F. McComsey, M. J. Hawkins, P. Andrade-Gordon, M. F. Addo, D. Oksenberg and B. E. Maryanoff	1423	Heterocycle—peptide hybrid compounds. Aminotriazole-containing agonists of the thrombin receptor (PAR-1)
J. S. Lee, M. Y. Yang, H. Yeo, J. Kim, H. S. Lee and J. S. Ahn	1429	Uncarinic acids: phospholipase Cy1 inhibitors from hooks of <i>Uncaria rhynchophylla</i>
H. Suh, S. Lee, N. Kim, J. Han and J. Kim	1433	Syntheses of ($\pm$)-shinflavanone and its structural analogues as potent inhibitors of bone resorption pits formation
S. Hanessian, N. Bernstein, R.-Y. Yang and R. Maguire	1437	Asymmetric synthesis of L-azetidine-2-carboxylic acid and 3-substituted congeners—conformationally constrained analogs of phenylalanine, naphthylalanine, and leucine

- C. Schenkels, B. Erni and J.-L. Reymond
M. Loog, A. Uri, G. Raidaru, J. Järvi and P. Ek
J. J.-W. Duan, L. Chen, C.-B. Xue, Z. R. Wasserman, K. D. Hardman, M. B. Covington, R. R. Copeland, E. C. Arner and C. P. Decicco
P.-E. Sum and P. Petersen
F. Zuccotto, R. Brun, D. Gonzalez Pacanowska, L. M. Ruiz Perez and I. H. Gilbert
Y. Shi and S. Sharma
- 1443 Phosphofurylalanine, a stable analog of phosphohistidine
1447 Adenosine-5'-carboxylic acid peptidyl derivatives as inhibitors of protein kinases
1453 P₁, P_{1'}-Linked macrocyclic amine derivatives as matrix metalloproteinase inhibitors
1459 Synthesis and structure-activity relationship of novel glycylicycline derivatives leading to the discovery of GAR-936
1463 The structure-based design and synthesis of selective inhibitors of *Trypanosoma cruzi* dihydrofolate reductase
1469 Metallopeptide approach to the design of biologically active ligands: design of specific human neutrophil elastase inhibitors
1475 Corrigendum
I Instructions to contributors

NUMBER 11

Contents

- v Contributors to this issue
vii Graphical abstracts
1477 Uridine phosphorylase inhibitors: chemical modification of benzyloxybenzyl-barbituric acid and its effects on UrdPase inhibition
1481 Nonpeptidic HIV protease inhibitors: 6-alkyl-5,6-dihydropyran-2-ones possessing achiral 3-(4-amino/carboxamide-2-*t*-butyl,5-methylphenyl thio) moiety: antiviral activities and pharmacokinetic properties
1487 A new monoclonal anti-idiotypic catalytic antibody with a CPA-like activity
1493 Synthesis and evaluation of glucocerebrosidase inhibitory activity of anhydro deoxyinositols from (+)-*epi*- and (-)-*vibo*-quercitols
1499 Synthesis and biological evaluation of α -mannosidase inhibitory activity of three deoxy derivatives of mannostatin A
1505 Synthesis of phosphonate 3-phthalidyl esters as prodrugs for potential intracellular delivery of phosphonates
1511 Design of the first highly potent and selective aminopeptidase N (EC 3.4.11.2) inhibitor
1517 Liquid phase parallel synthesis of guanidines
1521 Isolation and synthesis of a novel immunosuppressive 17 α -substituted dammarane from the flour of the Palmyrah palm (*Borassus flabellifer*)
1527 The sulfonimidamide as a novel transition state analog for aspartic acid and metallo-proteases
1533 Isolation and characterization of an active-site peptide from a sterol methyl transferase with a mechanism-based inhibitor
1537 Liquid phase synthesis of arylamines and its application to the benzimidazolone via nucleophilic aryl substitution
1541 Synthesis and evaluation of hapalosin and analogs as MDR-reversing agents
- D. J. Guerin, D. Mazeas, M. S. Musale, F. N. M. Naguib, O. N. Al Safarjalani, M. H. el Kouni and R. P. Panzica
J. V. N. Vara Prasad, F. E. Boyer, J. M. Domagala, E. L. Ellsworth, C. Gajda, S. E. Hagen, L. J. Markoski, B. D. Tait, E. A. Lunney, P. J. Tummino, D. Ferguson, T. Holler, D. Hupe, C. Nouhan, S. J. Gracheck, S. VanderRoest, J. Saunders, K. Iyer, M. Sinz and J. Brodfuehrer
M. Du, Z. Guo and S. Jin
S. Ogawa, S. Uetsuki, Y. Tezuka, T. Morikawa, A. Takahashi and K. Sato
S. Ogawa and T. Morikawa
Q. Dang, B. S. Brown, P. D. van Poelje, T. J. Colby and M. D. Erion
H. Chen, B. P. Roques and M.-C. Fournié-Zaluski
K.-C. Ho and C.-M. Sun
L. Révész, P. Hiestand, L. La Vecchia, R. Naef, H.-U. Naegeli, L. Oberer and H.-J. Roth
B. E. Cathers and J. V. Schloss
J. A. Marshall and W. D. Nes
P.-C. Pan and C.-M. Sun
C. E. O'Connell, K. A. Salvato, Z. Meng, B. A. Littlefield and C. E. Schwartz

- B. E. Maryanoff, S. O. Nortey, J. J. McNally, P. J. Sanfilippo, D. F. McComsey, B. Dubinsky, R. P. Shank and A. B. Reitz
- H. Sato, O. Kitagawa, Y. Aida, J. Chikazawa, T. Kurimoto, M. Takei, Y. Fukuta and K. Yoshida
- Y. Hsiao, K. M. Wells, C. Yang, M. S. Jensen, J. Y. L. Chung, N. Yasuda and D. L. Hughes
- J. Wouters and P. Herdewijn
- E. Davioud-Charvet, A. Berecibar, S. Girault, V. Landry, H. Drobecq and C. Sergheraert
- J. Wichmann, G. Adam, S. Kolczewski, V. Mutel and T. Woltering
- P. Ciuffreda, S. Casati and E. Santaniello
- P. Caldirola, R. Chowdhury, L. Unelius, N. Mohell, U. Hacksell and A. M. Johansson
- M. H. Chen, O. P. Goel, J.-W. Hyun, J. Magano and J. R. Rubin
- C. Mao, E. A. Sudbeck, T. K. Venkatachalam and F. M. Uckun
- P. Beuchet, M. Dherbomez, L. Elkiel, G. Charles and Y. Letourneux
- E. Baston and R. W. Hartmann
- D. B. Jordan, T. A. Lessen, Z. Wawrzak, J. J. Bisaha, T. C. Gehret, S. L. Hansen, R. S. Schwartz and G. S. Basarab
- G. S. Basarab, D. B. Jordan, T. C. Gehret, R. S. Schwartz and Z. Wawrzak
- A. P. Tamiz, E. R. Whittemore, R. M. Woodward, R. B. Upasani and J. F. W. Keana
- G. W. Muller, R. Chen, S.-Y. Huang, L. G. Corral, L. M. Wong, R. T. Patterson, Y. Chen, G. Kaplan and D. I. Stirling
- 1547 Potential anxiolytic agents. Part 3: Novel A-ring modified pyrido[1,2-*a*]benzimidazoles
- 1553 Dual-acting agents with α_1 -adrenoceptor antagonistic and steroid 5 α -reductase inhibitory activities. Synthesis and evaluation of arylpiperazine derivatives
- 1559 Preparation of crystalline *p*-nitrobenzyl 2-formyl carbapenems by oxidative cleavage
- 1563 5-Substituted pyrimidine 1,5-anhydrohexitols: conformational analysis and interaction with viral thymidine kinase
- 1567 Synthesis of polyamine derivatives for the preparation of affinity chromatography columns for the search of new *Trypanosoma cruzi* targets
- 1573 Structure–activity relationships of substituted 5*H*-thiazolo[3,2-*a*]pyrimidines as group 2 metabotropic glutamate receptor antagonists
- 1577 Lipase-catalyzed protection of the hydroxy groups of the nucleosides inosine and 2'-deoxyinosine: a new chemoenzymatic synthesis of the antiviral drug 2',3'-dideoxyinosine
- 1583 Novel derivatives of 3-(dipropylamino)chroman. Interactions with 5-HT_{1A} and D_{2A} receptors
- 1587 An efficient stereoselective synthesis of [3*S*(1*S*,9*S*)]-3-[[[9-(benzoylamino)octahydro-6,10-dioxo-6*H*-pyridazino-(1,2-*a*)(1,2)-diazepin-1-yl]-carbonylamino]-4-oxobutanoic acid, an interleukin converting enzyme (ICE) inhibitor
- 1593 Rational design of *N*-[2-(2,5-dimethoxyphenylethyl)]-*N'*-[2-(5-bromopyridyl)]-thiourea (HI-236) as a potent non-nucleoside inhibitor of drug-resistant human immunodeficiency virus
- 1599 Synthesis of 25-aminosterols, new antifungal agents
- 1601 *N*-Substituted 4-(5-indolyl)benzoic acids. Synthesis and evaluation of steroid 5 α -reductase type I and II inhibitory activity
- 1607 Design of scytalone dehydratase inhibitors as rice blast fungicides: (*N*-phenoxypropyl)-carboxamides
- 1613 Design of scytalone dehydratase inhibitors as rice blast fungicides: derivatives of norephedrine
- 1619 Structure–activity relationship for a series of 2-substituted 1,2,3,4-tetrahydro-9*H*-pyrido[3,4-*b*]indoles: potent subtype-selective inhibitors of *N*-methyl-D-aspartate (NMDA) receptors
- 1625 Amino-substituted thalidomide analogs: potent inhibitors of TNF- α production

I Instructions to contributors

NUMBER 12

Contents

- v Contributors to this issue
- vii Graphical abstracts
- H. Tamiaki, M. Omoda and M. Kubo
- D. Subrahmanyam, A. Venkateswarlu, K. V. Rao, T. V. R. S. Sastry, G. Vandana and S. A. Kumar
- T. Yamaguchi, N. Harada, K. Ozaki, H. Arakawa, K. Oda, N. Nakanishi, K. Tsujihara and T. Hashiyama
- 1631 A novel approach toward bacteriochlorophylls-*e* and *f*
- 1633 Novel C-ring analogues of 20(*S*)-camptothecin. Part 2: Synthesis and in vitro cytotoxicity of 5-*C*-substituted 20(*S*)-camptothecin analogues
- 1639 Synthesis of taxoids. Part 5: Synthesis and evaluation of novel water-soluble prodrugs of a 3'-desphenyl-3'-cyclopropyl analogue of docetaxel

- S. Ahmed and K. James 1645 Derivation of a possible transition-state for the reaction catalysed by the enzyme estrone sulfatase (ES)
- M. Artico, A. Mai, G. Sbardella, S. Massa, C. Musiu, S. Lostia, F. Demontis and P. La Colla 1651 Nitroquinolones with broad-spectrum antimycobacterial activity in vitro
- M. Pass, S. Abu-Rabie, A. Baxter, R. Conroy, S. J. Coote, A. P. Craven, H. Finch, S. Hindley, H. A. Kelly, A. W. Lowdon, E. McDonald, W. L. Mitchell, N. A. Pegg, P. A. Procopiou, N. G. Ramsden, R. Thomas, D. A. Walker, N. S. Watson, H. Jhoti, C. J. Mooney, C.-M. Tang, P. J. Thomas, S. Parry and C. Patel 1657 Thrombin inhibitors based on [5,5] *trans*-fused indane lactams
- R. T. Crow, B. Rosenbaum, R. Smith, III, Y. Guo, K. S. Ramos and G. A. Sulikowski 1663 Landomycin A inhibits DNA synthesis and G₁/S cell cycle progression
- D. Lee, J. L. Adams, M. Brandt, W. E. DeWolf, Jr., P. M. Keller and M. A. Levy 1667 A substrate combinatorial array for caspases
- A. M. C. H. van den Nieuwendijk, J. C. J. Benningshof, V. Wegmann, R. A. Bank, J. M. te Koppele, J. Brussee and A. van der Gen 1673 Synthesis of reduced collagen crosslinks
- S. M. Yarmoluk, V. B. Kovalska, S. S. Lukashov and Y. L. Slominski 1677 Interaction of cyanine dyes with nucleic acids. Part 12: β -Substituted carbocyanines as possible fluorescent probes for nucleic acids detection
- M. L. López-Rodríguez, M. J. Morcillo, E. Fernández, M. L. Rosado, L. Orensanz, M^a. E. Beneytez, J. Manzanares, J. A. Fuentes and K.-J. Schaper 1679 Design and synthesis of 2-[4-[4-(*m*-(ethylsulfonamido)phenyl)piperazin-1-yl]butyl]-1,3-dioxoperhydropyrrolo[1,2-*c*]imidazole (EF-7412) using neural networks. A selective derivative with mixed 5-HT_{1A}/D₂ antagonist properties
- P. Hadwiger, P. Mayr, A. Tauss, A. E. Stütz and B. Nidetzky 1683 Binding and catalysis by yeast aldose reductase: a substrate-analog approach with new aldose derivatives
- P. A. Wender, B. Lippa, C.-M. Park, K. Irie, A. Nakahara and H. Ohigashi 1687 Selective binding of bryostatin analogues to the cysteine rich domains of protein kinase C isozymes
- S. Hanessian, S. Bouzbouz, A. Boudon, G. C. Tucker and D. Peyroulan 1691 Picking the S₁, S₁' and S₂' pockets of matrix metalloproteinases. A niche for potent acyclic sulfonamide inhibitors
- T. Inoue, K. Kikuchi, K. Hirose, M. Iino and T. Nagano 1697 Synthesis and evaluation of 1-position-modified inositol 1,4,5-trisphosphate analogs
- T. Mohammad, C. Chen, P. Guo and H. Morrison 1703 Photoinduced cross-linking of RNA by *cis*-Rh(phen)₂Cl₂⁺ and *cis*-Rh(phen)(phi)Cl₂⁺: a new family of light activatable nucleic acid cross-linking agents
- L. Covassin, M. Desjardins, R. Charest-Gaudreault, M. Audette, M.-J. Bonneau and R. Poulin 1709 Synthesis of spermidine and norspermidine dimers as high affinity polyamine transport inhibitors
- D. Dubé, C. Brideau, D. Deschênes, R. Fortin, R. W. Friesen, R. Gordon, Y. Girard, D. Riendeau, C. Savoie and C.-C. Chan 1715 2-Heterosubstituted-3-(4-methylsulfonyl)phenyl-5-trifluoromethyl pyridines as selective and orally active cyclooxygenase-2 inhibitors
- A. P. Kozikowski, G. L. Araldi, W. Tückmantel, S. Pshenichkin, E. Surina and J. T. Wroblewski 1721 1-Amino-APDC, a partial agonist of group II metabotropic glutamate receptors with neuroprotective properties
- B. H. Lee, F. E. Dutton, M. F. Clothier, J. W. Bowman, J. P. Davis, S. S. Johnson, E. M. Thomas, M. R. Zantello, E. W. Zinser, J. C. McGuire, D. P. Thompson and T. G. Geary 1727 Synthesis and biological activity of anthelmintic thiadiazoles using an AF-2 receptor binding assay

I Instructions to contributors

NUMBER 13

Contents

- | | | |
|--|------|--|
| | vii | Contributors to this issue |
| | xi | Graphical abstracts |
| V. Aranapakam, J. D. Albright,
G. T. Grosu, P. S. Chan, J. Coupet,
T. Saunders, X. Ru and | 1733 | 4,10-Dihydro-5 <i>H</i> -thieno[3,2- <i>c</i>][1]benzazepine derivatives and 9,10-dihydro-4 <i>H</i> -thieno[2,3- <i>c</i>][1]benzazepine derivatives as orally active arginine vasopressin receptor antagonists |
| V. Aranapakam, J. D. Albright,
G. T. Grosu, E. G. Delos Santos,
P. S. Chan, J. Coupet, X. Ru,
T. Saunders and H. Mazandarani | 1737 | 5-Fluoro-2-methyl- <i>N</i> -[5-(5 <i>H</i> -pyrrolo[2,1- <i>c</i>][1,4]benzodiazepine-10(11 <i>H</i>)-yl carbonyl)-2-pyridinyl]benzamide (CL-385004) and analogs as orally active arginine vasopressin receptor antagonists |
| F. E. Romesberg and P. G. Schultz | 1741 | A mutational study of a Diels–Alderase catalytic antibody |
| H. Shulman and E. Keinan | 1745 | Substrate-selective mechanisms in biocatalysis demonstrated with a versatile and efficient aldolase antibody |
| L. Zhang, M. A. Williams,
D. B. Mendel, P. A. Escarpe, X. Chen,
K.-Y. Wang, B. J. Graves, G. Lawton
and C. U. Kim | 1751 | Synthesis and evaluation of 1,4,5,6-tetrahydropyridazine derivatives as influenza neuraminidase inhibitors |
| J. N. Freskos, J. J. McDonald,
B. V. Mischke, P. B. Mullins,
H.-S. Shieh, R. A. Stegeman and
A. M. Stevens | 1757 | Synthesis and identification of conformationally constrained selective MMP inhibitors |
| L. Yang, G. Morriello, K. Leung,
T. Jacks, K. Cheng, K. D. Schleim,
R. Smith and A. A. Patchett | 1761 | Thiazole-derived potent, highly bioavailable short duration growth hormone secretagogues |
| M. Ueki, T. Ikeo, M. Iwade,
T. Asakura, M. P. Williamson and
J. Slaninová | 1767 | Solid phase synthesis and biological activities of [Arg ⁸]-vasopressin methylenedithioether |
| P. Prasit, Z. Wang, C. Brideau,
C.-C. Chan, S. Charleson,
W. Cromlish, D. Ethier, J. F. Evans,
A. W. Ford-Hutchinson,
J. Y. Gauthier, R. Gordon, J. Guay,
M. Gresser, S. Kargman, B. Kennedy,
Y. Leblanc, S. Léger, J. Mancini,
G. P. O'Neill, M. Ouellet,
M. D. Percival, H. Perrier,
D. Riendeau, I. Rodger, P. Tagari,
M. Thérien, P. Vickers, E. Wong,
L.-J. Xu, R. N. Young, R. Zamboni,
S. Boyce, N. Rupniak, M. Forrest,
D. Visco and D. Patrick | 1773 | The discovery of rofecoxib, [MK 966, VIOXX [®] , 4-(4'-methylsulfonylphenyl)-3-phenyl-2(5 <i>H</i>)-furanone], an orally active cyclooxygenase-2 inhibitor |
| M. Abbadi and C. Morin | 1779 | On the analogy between forskolin and D-glucose |
| P. Pevarello, G. Traquandi,
A. Bonsignori, R. A. McArthur,
R. Maj, C. Caccia, P. Salvati and
M. Varasi | 1783 | Synthesis and preliminary biological evaluation of new α -amino amide anticonvulsants incorporating a dextromethorphan moiety |
| D. Bhatia, L. Yue-Ming and
K. N. Ganesh | 1789 | Steroid–DNA conjugates: improved triplex formation with 5-amido-(7-deoxycholeic acid)-dU incorporated oligonucleotides |
| Y. Liao and B. Wang | 1795 | Substituted coumarins as esterase-sensitive prodrug moieties with improved release rates |

- R. M. Keenan, W. H. Miller, L. S. Barton, W. E. Bondinell, R. D. Cousins, D. F. Eppley, S.-M. Hwang, C. Kwon, M. A. Lago, T. T. Nguyen, B. R. Smith, I. N. Uzinskas and C. C. K. Yuan
- 1801 Orally bioavailable nonpeptide vitronectin receptor antagonists containing 2-aminopyridine arginine mimetics
- W. H. Miller, W. E. Bondinell, R. D. Cousins, K. F. Erhard, D. R. Jakas, R. M. Keenan, T. W. Ku, K. A. Newlander, S. T. Ross, R. C. Haltiwanger, J. Bradbeer, F. H. Drake, M. Gowen, S. J. Hoffman, S.-M. Hwang, I. E. James, M. W. Lark, B. Lechowska, D. J. Rieman, G. B. Stroup, J. A. Vasko-Moser, D. L. Zembryki, L. M. Azzarano, P. C. Adams, K. L. Salyers, B. R. Smith, K. W. Ward, K. O. Johanson and W. F. Huffman
- 1807 Orally bioavailable nonpeptide vitronectin receptor antagonists with efficacy in an osteoporosis model
- T. R. Ryder, L.-Y. Hu, M. F. Rafferty, E. Millerman, B. G. Szoke and K. Tarczy-Hornoch
- 1813 Multiple parallel synthesis of *N,N*-dialkyldipeptidylamines as N-type calcium channel blockers
- L. Strekowski, O. Zegrocka, M. Henary, M. Say, M. J. Mokrosz, B. M. Kotecka, L. Manzel and D. E. Macfarlane
- 1819 Structure–activity relationship analysis of substituted 4-quinolinamines, antagonists of immunostimulatory CpG-oligodeoxynucleotides
- M. J. Tozer, E. A. Harper, S. B. Kalindjian, M. J. Pether, N. P. Shankley and G. F. Watt
- 1825 From histamine to imidazolylalkyl-sulfonamides: the design of a novel series of histamine H₃-receptor antagonists
- A. P. Kozikowski, D. Simoni, M. Roberti, R. Rondanin, S. Wang, P. Du and K. M. Johnson
- 1831 Synthesis of 8-oxa analogues of norcocaine endowed with interesting cocaine-like activity
- K. Kurihara, K. Tanabe, Y. Yamamoto, R. Shinei, K. Ajito and T. Okonogi
- 1837 Synthesis and structure–activity relationships of new non-steroidal progesterone receptor ligands
- J. C. Medina, D. Roche, B. Shan, R. M. Learned, W. P. Frankmoelle, D. L. Clark, T. Rosen and J. C. Jaen
- 1843 Novel halogenated sulfonamides inhibit the growth of multidrug resistant MCF-7/ADR cancer cells
- I. Bennett, N. J. P. Broom, R. Cassels, J. S. Elder, N. D. Masson and P. J. O'Hanlon
- 1847 Synthesis and antibacterial properties of β -diketone acrylate bioisosteres of pseudomonic acid A
- O. Parve, I. Järving, I. Martin, A. Metsala, I. Vallikivi, M. Aidnik, T. Pehk and N. Samel
- 1853 Lipase-catalysed acylation of prostanoids
- J. Bosch, T. Roca, J. Domènech and M. Surriol
- 1859 Synthesis of water-soluble phenytoin prodrugs
- M. J. Rodriguez, V. Vasudevan, J. A. Jamison, P. S. Borromeo and W. W. Turner
- 1863 The synthesis of water-soluble prodrugs analogs of echinocandin B
- R. J. Mathvink, A. M. Barritta, M. R. Candelore, M. A. Cascieri, L. Deng, L. Tota, C. D. Strader, M. J. Wyvratt, M. H. Fisher and A. E. Weber
- 1869 Potent, selective human β_3 adrenergic receptor agonists containing a substituted indoline-5-sulfonamide pharmacophore
- A. Afonso, J. Kelly, J. Weinstein, L. James and W. R. Bishop
- 1875 Analogs of 4-(3-bromo-8-methyl-10-methoxy-6,11-dihydro-5*H*-benzo[5,6]-cyclohepta[1,2-*b*]pyridin-11-yl)-1-(4-pyridinylacetyl)piperidine *N*-oxide as inhibitors of farnesyl protein transferase
- E. P. Hagi-Pavli, C. S. Simms, E. L. Ostler, K. Brocklehurst and G. Gallacher
- 1881 Synthesis of a transition state analogue for the hydrolysis of cocaine: assistance to phosphorylation of a 3 β -hydroxytropine by a neighbouring amide group

NUMBER 14

Contents

	vii	Contributors to this issue
	xi	Graphical abstracts
S. K. Srivastava, W. Haq, P. K. Murthy and P. M. S. Chauhan	1885	Solid phase synthesis of quinolones
H. Assefa, A. Nimrod, L. Walker and R. Sindelar	1889	Synthesis and evaluation of potential complement inhibitory semisynthetic analogs of oleanolic acid
A. L. Sabb, G. M. Husbands, J. Tokolics, R. P. Stein, R. P. Tasse, C. A. Boast, J. A. Moyer and M. Abou-Gharbia	1895	Discovery of a highly potent, functionally-selective muscarinic M ₁ agonist, WAY-132983, using rational drug design and receptor modelling
W. J. Brouillette, V. R. Atigadda, M. Luo, G. M. Air, Y. S. Babu and S. Bantia	1901	Design of benzoic acid inhibitors of influenza neuraminidase containing a cyclic substitution for the <i>N</i> -acetyl grouping
K. J. Duffy, L. H. Ridgers, R. L. DesJarlais, T. A. Tomaszek, M. J. Bossard, S. K. Thompson, R. M. Keenan and D. F. Veber	1907	Design and synthesis of diaminopyrrolidinone inhibitors of human osteoclast cathepsin K
J. Tamura and J. Nishihara	1911	Stereoselective syntheses of phosphorylated and sulfated glycosyl serines in glycosaminoglycan for biological probes
S. T. Moe, S. M. Shimizu, D. L. Smith, B. C. Van Wagenen, E. G. DelMar, M. F. Balandrin, Y. Chien, J. L. Raszkiewicz, L. D. Artman, A. L. Mueller, E. Lobkovsky and J. Clardy	1915	Synthesis, biological activity and absolute stereochemical assignment of NPS 1392: a potent and stereoselective NMDA receptor antagonist
F. W. Sum, A. Gilbert, A. M. Venkatesan, K. Lim, V. Wong, M. O'Dell, G. Francisco, Z. Chen, G. Grosu, J. Baker, J. Ellingboe, M. Malamas, I. Gunawan, J. Primeau, E. Largis and K. Steiner	1921	Prodrugs of CL316243: a selective β_3 -adrenergic receptor agonist for treating obesity and diabetes
J. Liu, Z. Li, H. Yan, L. Wang and J. Chen	1927	The design and synthesis of ALS inhibitors from pharmacophore models
T.-L. Xu, X.-T. Jiang, W.-Y. Hua, P.-Z. Ni and Y.-M. Pei	1933	Design and synthesis of amidino-tyrosine derivatives as non-peptide fibrinogen receptor antagonists
Y. Matsumoto, T. Kato, S. Iseki, H. Suzuki, K. Nakano, M. Iwahara and R. Ueoka	1937	Remarkably enhanced inhibitory effects of hybrid liposomes on the growth of specific tumor cells
A. Sutherland and C. L. Willis	1941	Synthesis of probes for the active site of leucine dehydrogenase
H. Ohashi, A. Ueno, T. Nakao, J. Ito, K. Kimura, M. Ishikawa, H. Kawai, H. Iijima and T. Osawa	1945	Effects of <i>ortho</i> -substituent groups of sulochrin on inhibitory activity to eosinophil degranulation
M. Chu, R. Mierzwa, L. He, A. King, M. Patel, J. Pichardo, A. Hart, N. Butkiewicz and M. S. Puar	1949	Isolation and structure of SCH 351633: a novel hepatitis C virus (HCV) NS3 protease inhibitor from the fungus <i>Penicillium griseofulvum</i>
B. A. Anderson, N. K. Harn, M. M. Hansen, A. R. Harkness, D. Lodge and J. D. Leander	1953	Synthesis and anticonvulsant activity of 3-aryl-5 <i>H</i> -2,3-benzodiazepine AMPA antagonists
M. Li, Z. Lin and M. E. Johnson	1957	Structure-based design and synthesis of novel thrombin inhibitors based on phosphinic peptide mimetics
T. Mickle and V. Nair	1963	Correlation of anti-HIV activity with structure: use of electrostatic potential and conformational analysis
C. Haubmann, H. Hübner and P. Gmeiner	1969	2,2-Dicyanovinyl as a nonaromatic aryl bioisostere: synthesis, binding experiments and SAR studies of highly selective dopamine D4 receptor ligands
G. Caravatti, J. Rahuel, B. Gay and P. Furet	1973	Structure-based design of a non-peptidic antagonist of the SH2 domain of GRB2
S. Kuroda, A. Akahane, H. Itani, S. Nishimura, K. Durkin, T. Kinoshita, Y. Tenda and K. Sakane	1979	Discovery of FR166124, a novel water-soluble pyrazolo[1,5- <i>a</i>]pyridine adenosine A ₁ receptor antagonist

- S. D. Lindell, B. A. Moloney, B. D. Hewitt, C. G. Earnshaw, P. J. Dudfield and J. E. Dancer 1985 The design and synthesis of inhibitors of adenosine 5'-monophosphate deaminase
- T. M. Ciccarone, S. C. MacTough, T. M. Williams, C. J. Dinsmore, T. J. O'Neill, D. Shah, J. C. Culberson, K. S. Koblan, N. E. Kohl, J. B. Gibbs, A. I. Oliff, S. L. Graham and G. D. Hartman 1991 Non-thiol 3-aminomethylbenzamide inhibitors of farnesyl-protein transferase
- J. D. Buynak, A. S. Rao, V. Ramana Doppalapudi, G. Adam, P. J. Petersen and S. D. Nidamarthy 1997 The synthesis and evaluation of 6-alkylidene-2' β -substituted penam sulfones as β -lactamase inhibitors
- Z.-D. Jiang, P. R. Jensen and W. Fenical 2003 Lobophorins A and B, new antiinflammatory macrolides produced by a tropical marine bacterium
- S. Mitsuhashi, H. Shima, T. Kawamura, K. Kikuchi, M. Oikawa, A. Ichihara and H. Oikawa 2007 The spiroketals containing a benzyloxymethyl moiety at C8 position showed the most potent apoptosis-inducing activity
- R. C. Buijsman, J. E. M. Basten, T. G. van Dinther, G. A. van der Marel, C. A. A. van Boeckel and J. H. van Boom 2013 Design and synthesis of a novel synthetic NAPAP-pentasaccharide conjugate displaying a dual antithrombotic action
- E. L. Ellsworth, J. Domagala, J. V. N. Vara Prasad, S. Hagen, D. Ferguson, T. Holler, D. Hupe, N. Graham, C. Nouhan, P. J. Tummino, G. Zeikus and E. A. Lunney 2019 4-Hydroxy-5,6-dihydro-2*H*-pyran-2-ones. Part 3: Bicyclic and heteroaromatic ring systems as 3-position scaffolds to bind to S₁' and S₂' of the HIV-1 protease enzyme
- M.-O. Catrycke, R. Houssin, J.-P. Hénichart, B. Pfeiffer, P. Renard, L. Dassonneville and C. Bailly 2025 Synthesis and cytotoxicity of analogues of the antibiotic BE 10988 inhibitors of DNA topoisomerase II
- I. Parveen, D. P. Naughton, W. J. D. Whish and M. D. Threadgill 2031 2-Nitroimidazol-5-ylmethyl as a potential bioreductively activated prodrug system: reductively triggered release of the PARP inhibitor 5-bromo-isoquinolinone
- M. Mitsuya, K. Kawakami, Y. Ogino, K. Miura and T. Mase 2037 Stereoselective synthesis of a new muscarinic M₃ receptor antagonist, J-104129
- N. Matsuyama, T. Kosaka, M. Fukuhara, Y. Soda and K. Mizuno 2039 Polyunsaturated fatty acid anilides as inhibitors of acyl-CoA:cholesterol acyltransferase (ACAT)
- F. Briganti, A. Scozzafava and C. T. Supuran 2043 Novel carbonic anhydrase isozymes I, II and IV activators incorporating sulfonyl-histamino moieties
- M. Caldarelli, J. Habermann and S. V. Ley 2049 Synthesis of an array of potential matrix metalloproteinase inhibitors using a sequence of polymer-supported reagents
- B. A. Schweitzer, P. J. Loida, R. L. Thompson-Mize, C. A. CaJacob and S. G. Hegde 2053 Design and synthesis of β -carboxamido phosphonates as potent inhibitors of imidazole glycerol phosphate dehydratase
- T. Dubuffet, A. Newman-Tancredi, D. Cussac, V. Audinot, A. Loutz, M. J. Millan and G. Lavielle 2059 Novel benzopyrano[3,4-*c*]pyrrole derivatives as potent and selective dopamine D₃ receptor antagonists
- P. Florio, R. J. Thomson, A. Alafaci, S. Abo and M. von Itzstein 2065 Synthesis of Δ^4 - β -D-glucopyranosiduronic acids as mimetics of 2,3-unsaturated sialic acids for sialidase inhibition
- L. Barriault, S. L. Boulet, K. Fujiwara, A. Murai, L. A. Paquette and M. Yotsu-Yamashita 2069 Synthesis and biological evaluation of analogs of the marine toxin polycavernoside A
- H.-S. Ahn, L. Arik, G. Boykow, D. A. Burnett, M. A. Caplen, M. Czarniecki, M. S. Domalski, C. Foster, M. Manna, A. W. Stamford and Y. Wu 2073 Structure-activity relationships of pyrroloquinazolines as thrombin receptor antagonists
- P. Laurin, D. Ferroud, M. Klich, C. Dupuis-Hamelin, P. Mauvais, P. Lassaigne, A. Bonnefoy and B. Musicki 2079 Synthesis and in vitro evaluation of novel highly potent coumarin inhibitors of gyrase B
- M. T. Goulet, P. J. Sinclair, F. Wong, M. J. Staruch, F. J. Dumont, J. G. Cryan, G. J. Wiederrecht, M. J. Wyvratt and W. H. Parsons 2085 C32-O-Phenalkyl ether derivatives of the immunosuppressant ascomycin: a tether length study

H. M. Armstrong, F. Wong,
M. A. Holmes, P. J. Sinclair,
M. T. Goulet, F. J. Dumont,
M. J. Staruch, S. Koprak,
L. B. Peterson, R. Rosa, M. B. Wilusz,
G. J. Wiederrecht, J. G. Cryan,
M. J. Wyvratt and W. H. Parsons

C. E. O'Connell, K. Ackermann,
C. A. Rowell, A. M. Garcia,
M. D. Lewis and C. E. Schwartz

G.-B. Liang and X. Qian

T. K. Vinh, M. Ahmadi,
P. O. Lopez Delgado,
S. Fernandez Perez, H. M. Walters,
H. J. Smith, P. J. Nicholls and
C. Simons

A. B. Jones, J. J. Acton, III,
M. N. Rivetna, R. T. Cummings,
R. M. Cubbon, E. A. Nichols,
C. D. Schwartz, L. S. Wicker and
J. D. Hermes

A. B. Jones, J. J. Acton, III,
A. D. Adams, W. Yuen, E. A. Nichols,
C. D. Schwartz, L. S. Wicker and
J. D. Hermes

2089 Potent immunosuppressive C32-*O*-arylethyl ether derivatives of ascomycin with reduced toxicity

2095 Synthesis and evaluation of hydroxyproline-derived isoprenyltransferase inhibitors

2101 Oxadiazole synthesis on solid supports

2105 1-[(Benzofuran-2-yl)phenylmethyl]-triazoles and -tetrazoles—potent competitive inhibitors of aromatase

2109 Tetrapeptide derived inhibitors of complexation of a class II MHC: the peptide backbone is not inviolate

2115 Tetrapeptide derived inhibitors of complexation of a class II MHC: fully unnatural ligands

I Instructions to contributors

NUMBER 15

Contents

vii Contributors to this issue

xi Graphical abstracts

2119 Novel conformationally restricted tetracyclic analogs of Δ^8 -tetrahydrocannabinol

2125 On-resin macrocyclization of peptides via intramolecular S_NAr reactions

2131 9-Deoxopodophyllotoxin derivatives as anti-cancer agents

2135 Practical synthesis of all inositol stereoisomers from *myo*-inositol

2141 Formation of 8-oxo-7,8-dihydro-2'-deoxyguanosine under anaerobic conditions by reductively activated nitro 5-deazaflavin derivatives

2145 Highly sequence selective nonmacrocytic two-armed receptors for peptides

2151 Structure–activity relationship of *N*-methyl-*N*-aralkyl-peptidylamines as novel N-type calcium channel blockers

2157 Casein kinase II inhibitors isolated from two Brazilian plants *Hymenaea parvifolia* and *Wulffia baccata*

2161 Disproportionation reaction of disulfides promoted by nitric oxide (NO) in the presence of oxygen

2167 Derivatives of (*R*)-2-amino-5-methoxytetralin: antagonists and inverse agonists at the dopamine D_{2A} receptor

2173 Synthesis of heterocyclic enol ethers and their use as group 2 metabotropic glutamate receptor antagonists

A. D. Khanolkar, D. Lu, P. Fan,
X. Tian and A. Makriyannis

C. Fotsch, G. Kumaravel,
S. K. Sharma, A. D. Wu,
J. S. Gounarides, N. R. Nirmala and
R. C. Petter

D. Subrahmanyam, B. Renuka,
G. S. Kumar, V. Vandana and
D. S. Deevi

S.-K. Chung and Y.-U. Kwon

Y. Mikata, M. Kishigami, M. Nishida,
S. Yano, T. Kawamoto, Y. Ikeuchi
and F. Yoneda

E. J. Iorio and W. C. Still

L.-Y. Hu, T. R. Ryder, M. F. Rafferty,
D. J. Dooley, J. J. Geer,
S. M. Lotarski, G. P. Miljanich,
E. Millerman, D. M. Rock,
S. J. Stoehr, B. G. Szoke, C. P. Taylor
and M. G. Vartanian

M. Ishibashi, H. Oda, M. Mitamura,
E. Okuyama, K. Komiyama,
K. Kawaguchi, T. Watanabe,
S. de Mello Alves, T. Maekawa and
K. Ohtsuki

T. Itoh, N. Tsutsumi and A. Ohsawa

B. B. Höök, C. Brege, T. Linnanen,
Å. Mikael, Å. Malmberg and
A. M. Johansson

S. Kolczewski, G. Adam, H. Stadler,
V. Mutel, J. Wichmann and
T. Woltering

K.-L. Yu, E. Ruediger, G. Luo, C. Cianci, S. Danetz, L. Tiley, A. K. Trehan, I. Monkovic, B. Pearce, A. Martel, M. Krystal and N. A. Meanwell	2177	Novel quinolizidine salicylamide influenza fusion inhibitors
F. Liu and B. P. Cho	2181	Dimethyldioxirane epoxidation of polycyclic fluoranthene hydrocarbons
M. Takahashi, Y. Ohgitani, A. Ueno and H. Mihara	2185	Design of peptides derived from anti-IgE antibody for allergic treatment
P. S. Dragovich, S. E. Webber, T. J. Prins, R. Zhou, J. T. Marakovits, J. G. Tikhe, S. A. Fuhrman, A. K. Patick, D. A. Matthews, C. E. Ford, E. L. Brown, S. L. Binford, J. W. Meador, III, R. A. Ferre and S. T. Worland	2189	Structure-based design of irreversible, tripeptidyl human rhinovirus 3C protease inhibitors containing <i>N</i> -methyl amino acids
T. Fryatt, D. T. Goroski, Z. D. Nilson, C. J. Moody and H. D. Beall	2195	Novel quinolinequinone antitumor agents: structure-metabolism studies with NAD(P)H:quinone oxidoreductase (NQO1)
W. C. Groutas, N. M. Schechter, S. He, H. Yu, P. Huang and J. Tu	2199	Human chymase inhibitors based on the 1,2,5-thiadiazolidin-3-one 1,1 dioxide scaffold
E. Couloigner, D. Cartier and R. Labia	2205	Synthesis of pyrazolidinone antibacterial agents
Y. Leblanc, P. Roy, S. Boyce, C. Brideau, C. C. Chan, S. Charleson, R. Gordon, E. Grimm, J. Guay, S. Léger, C. S. Li, D. Riendeau, D. Visco, Z. Wang, J. Webb, L. J. Xu and P. Prasit	2207	SAR in the alkoxy lactone series: the discovery of DFP, a potent and orally active COX-2 inhibitor
J. Zhang and M. D. Matteucci	2213	Synthesis of a <i>N</i> -acetylsulfamide linked dinucleoside and its incorporation into an oligonucleotide
J. V. N. Vara Prasad, L. J. Markoski, F. E. Boyer, J. M. Domagala, E. L. Ellsworth, C. Gajda, S. E. Hagen, B. D. Tait, E. A. Lunney, P. J. Tummino, D. Ferguson, T. Holler, D. Hupe, C. Nouhan, S. J. Gracheck, S. VanderRoest, J. Saunders, K. Iyer and M. Sinz	2217	Nonpeptidic HIV protease inhibitors: 6-alkyl-5,6-dihydropyran-2-ones possessing a novel and achiral 3-(2- <i>t</i> -butyl-5-methyl-4-sulfamate)phenylthio moiety
T. D. Aicher, R. E. Damon, J. Koletar, C. C. Vinluan, L. J. Brand, J. Gao, S. S. Shetty, E. L. Kaplan and W. R. Mann	2223	Triterpene and diterpene inhibitors of pyruvate dehydrogenase kinase (PDK)
W.-Y. Leung, P. A. Trobridge, R. P. Haugland, R. P. Haugland and F. Mao	2229	7-Amino-4-methyl-6-sulfocoumarin-3-acetic acid: a novel blue fluorescent dye for protein labeling
M. Kanyonyo, S. J. Govaerts, E. Hermans, J. H. Poupaert and D. M. Lambert	2233	3-Alkyl-(5,5'-diphenyl)imidazolidinediones as new cannabinoid receptor ligands
M. P. Hay, B. M. Sykes, W. A. Denny and W. R. Wilson	2237	A 2-nitroimidazole carbamate prodrug of 5-amino-1-(chloromethyl)-3-[(5,6,7-trimethoxyindol-2-yl)carbonyl]-1,2-dihydro-3 <i>H</i> -benz[<i>e</i>]indole (amino- <i>seco</i> -CBI-TMI) for use with ADEPT and GDEPT
W. Garzon-Rodriguez, A. K. Yatsimirsky and C. G. Glabe	2243	Binding of Zn(II), Cu(II), and Fe(II) ions to Alzheimer's A β peptide studied by fluorescence
T. Mohammad and H. Morrison	2249	Photonuclease activity of Taylor's blue
Y. Hou, J. Wang, P. R. Andreana, G. Cantauria, S. Tarasia, L. Sharp, P. G. Braunschweiger and P. G. Wang	2255	Targeting nitric oxide to cancer cells: cytotoxicity studies of glyco-S-nitrosothiols
R. F. Kaltenbach, III, R. M. Klabe, B. C. Cordova and S. P. Seitz	2259	Increased antiviral activity of cyclic urea HIV protease inhibitors by modifying the P1/P1' substituents
S. C. Bergmeier, D. J. Lapinsky, R. B. Free and D. B. McKay	2263	Ring E analogs of methyllycaconitine (MLA) as novel nicotinic antagonists
Y.-Q. Long, J. H. Voigt, F.-D. T. Lung, C. R. King and P. P. Roller	2267	Significant compensatory role of position Y-2 conferring high affinity to non-phosphorylated inhibitors of Grb2-SH2 domain
D. A. Johnson, C. G. Sowell, C. L. Johnson, M. T. Livesay, D. S. Keegan, M. J. Rhodes, J. T. Ulrich, J. R. Ward, J. L. Cantrell and V. G. Brookshire	2273	Synthesis and biological evaluation of a new class of vaccine adjuvants: aminoalkyl glucosaminide 4-phosphates (AGPs)

W.-C. Xu, Q. Zhou, C. L. Ashendel,
C. Chang and C. Chang

N. Sin, K. B. Kim, M. Elofsson,
L. Meng, H. Auth, B. H. B. Kwok and
C. M. Crews

2279 Novel protein kinase C inhibitors: synthesis and PKC inhibition of β -substituted polythiophene derivatives

2283 Total synthesis of the potent proteasome inhibitor epoxomicin: a useful tool for understanding proteasome biology

I Instructions to contributors

NUMBER 16

Contents

V. Vuligonda and
R. A. S. Chandraratna

K. E. Pryor and J. J. La Clair

J. Finn, C. Langevine, I. Birk, J. Birk,
K. Nickerson and S. Rodaway

M. Medarde, A. C. Ramos,
E. Caballero,
R. Peláez-Lamamié de Clairac,
J. L. López, D. G. Grávalos and
A. San Feliciano

N. Cheraïti, M. E. Brik, L. Bricard,
B. Keita, L. Nadjo and A. Gaudemer

N. Cheraïti, M. E. Brik, B. Keita,
L. Nadjo and A. Gaudemer

M. J. Gil, M. A. Mañú, C. Arteaga,
M. Migliaccio, I. Encío, A. González
and V. Martínez-Merino

A. F. Barrero,
E. J. Alvarez-Manzaneda,
M. Mar Herrador,
R. Chahboun and P. Galera

J.-M. Receveur, J. S. Bryans,
M. J. Field, L. Singh and
D. C. Horwell

P. R. Carlier, D.-M. Du, Y. Han, J. Liu
and Y.-P. Pang

M. L. López-Rodríguez, A. Viso,
B. Benhamú, J. L. Rominguera and
M. Murcia

J. Wichmann, G. Adam, S. Röver,
A. M. Cesura, F. M. Dautzenberg and
F. Jenck

P. W. Baures, A. Pradhan,
W. H. Ojala, W. B. Gleason,
R. K. Mishra and R. L. Johnson

J. L. Buchanan, R. S. Bohacek,
G. P. Luke, M. Hatada, X. Lu,
D. C. Dalgarno, S. S. Narula, R. Yuan
and D. A. Holt

J. L. Buchanan, C. B. Vu, T. J. Merry,
E. G. Corpuz, S. G. Pradeepan,
U. N. Mani, M. Yang, H. R. Plake,
V. M. Varkhedkar, B. A. Lynch,
I. A. MacNeil, K. A. Loiacono,
C. L. Tiong and D. A. Holt

v Contributors to this issue

ix Graphical abstracts

2289 A short and efficient synthesis of 4-[2,2-dimethyl-4(tol-4-yl)benzochrom-3-en-7-yl]benzoic acid—a potent retinoic acid receptor antagonist

2291 A rapid method to identify *exo*-protease inhibitors

2297 Rational herbicide design by inhibition of tryptophan biosynthesis

2303 Synthesis and pharmacological activity of diarylindole derivatives. Cytotoxic agents based on combretastatins

2309 Synthesis and electrochemical studies of a new iron tetra-catecholamide complex

2315 Electrochemical and esr spin trap studies of a new iron tetra-catecholamide complex

2321 Synthesis and cytotoxic activity of *N*-(2-pyridylsulfenyl)urea derivatives. A new class of potential antineoplastic agents

2325 Synthesis and antitumoral activities of marine *ent*-chromazonanol and related compounds

2329 Synthesis and biological evaluation of conformationally restricted gabapentin analogues

2335 Potent, easily synthesized huperzine A–tacrine hybrid acetylcholinesterase inhibitors

2339 Synthesis of new (benzimidazolyl)piperazines with affinity for the 5-HT_{1A} receptor via Pd(0) amination of bromobenzimidazoles

2343 8-Acenaphthen-1-yl-1-phenyl-1,3,8-triaza-spiro[4.5]decan-4-one derivatives as orphanin FQ receptor agonists

2349 Synthesis and dopamine receptor modulating activity of unsubstituted and substituted triproline analogues of L-prolyl-L-leucyl-glycinamide (PLG)

2353 Structure-based design and synthesis of a novel class of Src SH2 inhibitors

2359 Structure–activity relationships of a novel class of Src SH2 inhibitors

- N. P. Peet, H.-O. Kim, A. L. Marquart, M. R. Angelastro, T. R. Nieduzak, J. N. White, D. Friedrich, G. A. Flynn, M. E. Webster, R. J. Vaz, M. D. Linnik, J. R. Koehl, S. Mehdi, P. Bey, B. Emary and K.-K. Hwang 2365 Hydroxyoxazolidines as α -aminoacetaldehyde equivalents: novel inhibitors of calpain
- S. Chatterjee, D. Dunn, M. Tao, G. Wells, Z.-Q. Gu, R. Bihovsky, M. A. Ator, R. Siman and J. P. Mallamo 2371 P₂-Achiral, P'-extended α -ketoamide inhibitors of calpain I
- K. Odashima, K. Yagi, K. Tohda and Y. Umezawa 2375 Dopamine-selective response in membrane potential by homooxacalix[3]arene triether host incorporated in PVC liquid membrane
- D. A. James, N. Swamy, N. Paz, R. N. Hanson and R. Ray 2379 Synthesis and estrogen receptor binding affinity of a porphyrin-estradiol conjugate for targeted photodynamic therapy of cancer
- Y. K. Kang, K. J. Shin, K. H. Yoo, K. J. Seo, S. Y. Park, D. J. Kim and S. W. Park 2385 Synthesis and biological evaluation of novel 1 β -methylcarbapenems having a new moiety at C-2
- R. Frenette, J. H. Hutchinson, S. Léger, M. Thérien, C. Brideau, C. C. Chan, S. Charleson, D. Ethier, J. Guay, T. R. Jones, M. McAuliffe, H. Piechuta, D. Riendeau, P. Tagari and Y. Girard 2391 Substituted indoles as potent and orally active 5-lipoxygenase activating protein (FLAP) inhibitors
- I. Nakanishi, T. Kinoshita, T. Tada, T. Fujita, H. Hatanaka and A. Sato 2397 Molecular structure of FR901277, a novel inhibitor of human leukocyte elastase, and its binding mode simulation
- P. J. Hajduk, M.-M. Zhou and S. W. Fesik 2403 NMR-based discovery of phosphotyrosine mimetics that bind to the LCK SH2 domain
- G.-Y. Song, X.-G. Zheng, Y. Kim, Y.-J. You, D.-E. Sok and B.-Z. Ahn 2407 Naphthazarin derivatives. Part 2: Formation of glutathione conjugate, inhibition of DNA topoisomerase-I and cytotoxicity
- R. M. Campbell, C. Cartwright, W. Chen, Y. Chen, E. Duzic, J.-M. Fu, M. Loveland, R. Manning, B. McKibben, C. M. Pleiman, L. Silverman, J. Trueheart, D. R. Webb, V. Wilkinson, D. J. Witter, X. Xie and A. L. Castelhana 2413 Selective A₁-adenosine receptor antagonists identified using yeast *Saccharomyces cerevisiae* functional assays
- F. Grynszpan and E. Keinan 2419 Opsin shift in an aldolase antibody
- R. E. Armer, J. S. Barlow, N. Chopra, C. J. Dutton, D. H. J. Greenway, S. D. W. Greenwood, N. Lad, J. Shaw, A. P. Thompson, K.-W. Thong and I. Tommasini 2425 8-Aminoquinolines as anticoccidials. Part 3.
- M. D. Shultz and J. Chmielewski 2431 Probing the role of interfacial residues in a dimerization inhibitor of HIV-1 protease
- M. Adamczyk, J. A. Moore, S. D. Rege and Z. Yu 2437 Investigations into self-association of vancomycin covalent dimers using surface plasmon resonance technology
- S. Hanessian and O. Rogel 2441 Synthesis of a phostone glycomimetic of the endothelin converting enzyme inhibitor phosphoramidon
- R. M. Schelkun, P. Yuen, T. C. Malone, D. M. Rock, S. Stoehr, B. Szoke and K. Tarczy-Hornoch 2447 Synthesis and biological activity of substituted bis-(4-hydroxyphenyl)-methanes as N-type calcium channel blockers
- T. R. Ryder, L.-Y. Hu, M. F. Rafferty, S. M. Lotarski, D. M. Rock, S. J. Stoehr, C. P. Taylor, M. L. Weber, G. P. Miljanich, E. Millerman and B. G. Szoke 2453 Structure-activity relationship at the proximal phenyl group in a series of non-peptidyl N-type calcium channel antagonists

I Instructions to contributors

NUMBER 17

Contents

	vii	Contributors to this issue
	xi	Graphical abstracts
S. K. Panda and S. A. Broitman	2459	Fecal excretion pattern of bile acids in rats fed high fat diets and neomycin in induced colon tumorigenesis
R. J. Harrison, S. M. Gowan, L. R. Kelland and S. Neidle	2463	Human telomerase inhibition by substituted acridine derivatives
C.-K. Ryu, S.-H. Jung, J.-A. Lee, H.-J. Kim, S.-H. Lee and J.-H. Chung	2469	6-Arylamino-5,8-quinolinediones and 7-arylamino-5,8-isoquinolinediones as inhibitors of endothelium-dependent vasorelaxation
Y. Li, H. Matsuda, S. Wen, J. Yamahara and M. Yoshikawa	2473	Structure-related enhancing activity of escins Ia, Ib, IIa and IIb on magnesium absorption in mice
Y.-T. Chang and P. G. Schultz	2479	Versatile fluorescence labeling method using activated esters on solid support
K. Lee, W.-H. Jung, S. Y. Hwang and S.-H. Lee	2483	Fluorobenzamidrazone thrombin inhibitors: influence of fluorine on enhancing oral absorption
K. Irie, A. Nakahara, H. Ohigashi, H. Fukuda, P. A. Wender, H. Konishi and U. Kikkawa	2487	Synthesis and phorbol ester-binding studies of the individual cysteine-rich motifs of protein kinase D
M. G. N. Russell, M. S. Beer, J. A. Stanton, B. Sohal, R. J. Mortishire-Smith and J. L. Castro	2491	2,7-Diazabicyclo[3.3.0]octanes as novel h5-HT ₁₀ receptor agonists
W. L. Cody, C. Cai, A. M. Doherty, J. J. Edmunds, J. X. He, L. S. Narasimhan, J. S. Plummer, S. T. Rapundalo, J. R. Rubin, C. A. Van Huis, Y. St-Denis, P. D. Winocour and M. A. Siddiqui	2497	The design of potent and selective inhibitors of thrombin utilizing a piperazine-dione template. Part 1
W. L. Cody, C. E. Augelli-Szafran, K. A. Berryman, C. Cai, A. M. Doherty, J. J. Edmunds, J. X. He, L. S. Narasimhan, J. Penvose-Yi, J. S. Plummer, S. T. Rapundalo, J. R. Rubin, C. A. Van Huis, L. Leblond, P. D. Winocour and M. A. Siddiqui	2503	The design of potent and selective inhibitors of thrombin utilizing a piperazine-dione template. Part 2
L. D. Jennings, Z. Wawrzak, D. Amorose, R. S. Schwartz and D. B. Jordan	2509	A new potent inhibitor of fungal melanin biosynthesis identified through combinatorial chemistry
P. Kumar and H. Takaku	2515	Properties of mixed backbone oligonucleotides containing 3'-O-methyl ribonucleosides
P. Pevarello, A. Bonsignori, C. Caccia, R. Amici, R. A. McArthur, R. G. Fariello, P. Salvati and M. Varasi	2521	Sodium channel activity and sigma binding of 2-aminopropanamide anti-convulsants
L. Garuti, M. Roberti and C. Cermelli	2525	Synthesis and antiviral activity of some <i>N</i> -benzenesulphonylbenzimidazoles
J. Dumas, D. Brittelli, J. Chen, B. Dixon, H. Hatoum-Mokdad, G. König, R. Sibley, J. Witowsky and S. Wong	2531	Synthesis and structure activity relationships of novel small molecule cathepsin D inhibitors
J. L. Blanchard, D. M. Epstein, M. D. Boisclair, J. Rudolph and K. Pal	2537	Dysidiolide and related γ -hydroxy butenolide compounds as inhibitors of the protein tyrosine phosphatase, CDC25

- Y. M. Choi-Sledeski, M. R. Becker, D. M. Green, R. Davis, W. R. Ewing, H. J. Mason, C. Ly, A. Spada, G. Liang, D. Cheney, J. Barton, V. Chu, K. Brown, D. Colussi, R. Bentley, R. Leadley, C. Dunwiddie and H. W. Pauls 2539 Aminoisoquinolines: design and synthesis of an orally active benzamidine isostere for the inhibition of factor Xa
- P. S. Savle, G. F. Doncel, S. D. Bryant, M. P. Hubieki, R. G. Robinette and R. D. Gandour 2545 Acylcarnitine analogues as topical, microbicidal spermicides
- M. L. Greenlee, J. B. Laub, J. M. Balkovec, M. L. Hammond, G. G. Hammond, D. L. Pompliano and J. H. Epstein-Toney 2549 Synthesis and SAR of thioester and thiol inhibitors of IMP-1 metallo- β -lactamase
- A. Q. Siddiqui, C. McGuigan, C. Ballatore, O. Wedgwood, E. De Clercq and J. Balzarini 2555 Simple mono-derivatisation of the aryl moiety of D4A and DDA-based phosphoramidate prodrugs significantly enhances their anti-HIV potency in cell culture
- Y. Endo, T. Yoshimi, K. Kimura and A. Itai 2561 Protein kinase C modulators bearing dicarba-*closo*-dodecaborane as a hydrophobic pharmacophore
- S. Kotha, N. Sreenivasachary and S. Halder 2565 First synthesis of optically active benzocyclobutene and biphenylene-based unusual α -amino acid derivatives
- J. A. Lowe III, W. Qian, R. A. Volkmann, S. Heck, J. Nowakowski, R. Nelson, C. Nolan, D. Liston, K. Ward, S. Zorn, C. Johnson, M. Vanase, W. S. Faraci, K. A. Verdries, J. Baxter, S. Doran, M. Sanders, M. Ashton, P. Whittle and M. Stefaniak 2569 A new class of selective and potent inhibitors of neuronal nitric oxide synthase
- S. Y. Tamura, E. A. Goldman, P. W. Bergum and J. E. Semple 2573 Novel benzo-fused lactam scaffolds as factor Xa inhibitors
- J. T. Lundquist IV and T. A. Dix 2579 Preparation and receptor binding affinities of cyclic C-terminal neurotensin (8–13) and (9–13) analogues
- L. Chan, H. Jin, T. Stefanac, W. Wang, J.-F. Lavallée, J. Bédard and S. May 2583 Isoquinoline-6-carboxamides as potent and selective anti-human cytomegalovirus (HCMV) inhibitors
- T. G. LaCour, C. Guo, S. Ma, J. U. Jeong, M. R. Boyd, S. Matsunaga, N. Fusetani and P. L. Fuchs 2587 On topography and functionality in the B–D rings of cephalostatin cytotoxins
- R. E. Mewshaw, J. A. Nelson, U. S. Shah, X. Shi, H. Mazandarani, J. Coupet, K. Marquis, J. A. Brennan and T. H. Andree 2593 New generation dopaminergic agents. Part 7: Heterocyclic bioisosteres that exploit the 3-OH-phenoxyethylamine D₂ template
- O. Lavergne, J. Harnett, A. Rolland, C. Lanco, L. Lesueur-Ginot, D. Demarquay, M. Huchet, H. Coulomb and D. C. H. Bigg 2599 BN 80927: A novel homocamptothecin with inhibitory activities on both topoisomerase I and topoisomerase II
- S. Chatterjee, D. Dunn, S. Mallya and M. A. Ator 2603 P'-extended α -ketoamide inhibitors of proteasome
- C. N. Carrigan, C. S. Esslinger, R. D. Bartlett, R. J. Bridges and C. M. Thompson 2607 Quinoline-2,4-dicarboxylic acids: synthesis and evaluation as inhibitors of the glutamate vesicular transport system
- R. Shan and E. E. Knaus 2613 The design of (–)-(S)-2-nitrooxyethyl 1,4-dihydro-2,6-dimethyl-3-nitro-4-(2-trifluoromethylphenyl)pyridine-5-carboxylate: a cardioselective positive inotropic derivative of Bay K 8644
- R. J. DeVita, D. D. Hollings, M. T. Goulet, M. J. Wyvratt, M. H. Fisher, J.-L. Lo, Y. T. Yang, K. Cheng and R. G. Smith 2615 Identification and initial structure–activity relationships of a novel non-peptide quinolone GnRH receptor antagonist

R. J. DeVita, M. T. Goulet,
M. J. Wyvratt, M. H. Fisher, J. -L. Lo,
Y. T. Yang, K. Cheng and R. G. Smith

N. K. Minami, J. E. Reiner and
J. E. Semple

B. Li and R. W. Franck

2621 Investigation of the 4-*O*-alkylamine substituent of non-peptide quinolone GnRH receptor antagonists

2625 Asymmetric synthesis of novel quaternary α -hydroxy- δ -lactam dipeptide surrogates

2629 Facile synthesis of *N*-protected γ and δ -amino- β -keto-esters

I Instructions to contributors

NUMBER 18

Contents

v Contributors

ix Graphical abstracts

X. Wu, L. Xu, J. Cai

T. Kunnari, K. Ylihanko, A. Hautala,
K. D. Klika, P. Mäntsälä and
J. Hakala

Y.-M. Chou, M. C. Lai, T.-M. Hwang
and C. W. Ong

H. Matsuda, H. Shimoda, T. Uemura
and M. Yoshikawa

S. Sato, Y. Suga, T. Yoshimura,
R. Nakagawa, T. Tsuji, K. Umemura
and T. Andoh

I. Prévot-Halter and C. J. Leumann

K. Furuta, T. Hosoya, K. Tomokiyo,
S. Okuda, A. Kuniyasu,
H. Nakayama, T. Ishikawa and
M. Suzuki

H. M. Pfundheller and J. Wengel

K. Ryan and W. C. Still

A. N. Pae, H. Y. Kim, H. J. Joo,
B. H. Kim, Y. S. Cho, K. I. Choi,
J. H. Choi and H. Y. Koh

A. N. Pae, S. Y. Kim, H. Y. Kim,
H. J. Joo, Y. S. Cho, K. I. Choi,
J. H. Choi and H. Y. Koh

P. W. Davis and S. A. Osgood

R. C. Tripathi, S. K. Pandey, K. Kar,
M. Dikshit and A. K. Saxena

R. Ruel, P. Lacombe, M. Abramovitz,
C. Godbout, S. Lamontagne,
C. Rochette, N. Sawyer, R. Stocco,
N. M. Tremblay, K. M. Metters and
M. Labelle

J. Yu, Y. Zhao, M. J. Holterman and
D. L. Venton

B. del Rey, A. C. Ramos,
E. Caballero, A. Inchausti, G. Yaluff,
M. Medarde, A. Rojas de Arias and
A. San Feliciano

2635 Asymmetric synthesis and antitumor activity of cycloalkanin

2639 Incorrectly folded aromatic polyketides from polyketide reductase deficient mutants

2643 Synthesis and antitumor activity of bithienyl-pyrimidine derivatives with electrostatic binding side chains

2647 Preventive effect of sesquiterpenes from bay leaf on blood ethanol elevation in ethanol-loaded rat: structure requirement and suppression of gastric emptying

2653 Syntheses of novel antitumor dihydroxanthone derivatives with inhibitory activity against DNA topoisomerase II

2657 Selective recognition of a C-G base-pair in the parallel DNA triple-helical binding motif

2661 [³⁵S]S-[5-(4-benzoylphenyl)pentyl]glutathione: a versatile radioligand targeting GS-X pumps with the ability of photoaffinity labeling

2667 Oligonucleotides containing 4'-C-aminomethyl-2'-modified thymidines show increased binding affinity towards DNA and RNA

2673 Construction of sequence-selective peptide receptors from conformationally restricted ETA- and THETA-amino acids

2679 Synthesis and in vitro activity of new oxazolidinone antibacterial agents having substituted isoxazoles

2685 3D QSAR studies on new oxazolidinone antibacterial agents by comparative molecular field analysis

2691 A new method for introducing amidate linkages in oligonucleotides using phosphoramidite chemistry

2693 Synthesis and SAR studies of 1-substituted-*n*-(4-alkoxycarbonylpiperidin-1-yl)alkanes as potent antiarrhythmic agents

2699 New class of biphenylene dibenzazocinones as potent ligands for the human EP₁ prostanoid receptor

2705 Combinatorial search of substituted β -cyclodextrins for phosphatase-like activity

2711 Leishmanicidal activity of combretastatin analogues and heteroanalogues

- K. Y. Avenell, I. Boyfield,
M. S. Hadley, C. N. Johnson,
D. J. Nash, G. J. Riley and G. Stemp
- F. M. Uckun, C. Mao, S. Pendergrass,
D. Maher, D. Zhu, L. Tuel-Ahlgren
and T. K. Venkatachalam
- H.-Y. Park Choo, B.-J. Chung and
S.-H. Chung
- J.-S. Zhang, J. Ding, Q.-M. Tang,
M. Li, M. Zhao, L.-J. Lu, L.-J. Chen
and S.-T. Yuan
- Y. Kitade, M. Nakanishi and
C. Yatome
- J. H. Toney, K. A. Cleary,
G. G. Hammond, X. Yuan, W. J. May,
S. M. Hutchins, W. T. Ashton and
D. E. Vanderwall
- N.-H. Lin, M. A. Abreo, D. E. Gunn,
S. A. Lebold, E. L. Lee, J. T. Wasicak,
A.-M. Hettinger, J. F. Daanen,
D. S. Garvey, J. E. Campbell,
J. P. Sullivan, M. Williams,
S. P. Arneric
- M. R. Becker, W. R. Ewing,
R. S. Davis, H. W. Pauls, C. Ly, A. Li,
H. J. Mason, Y. M. Choi-Sledeski,
A. P. Spada, V. Chu, K. D. Brown,
D. J. Colussi, R. J. Leadley,
R. Bentley, J. Bostwick, C. Kasiewski
and S. Morgan
- S. Liehr and H. K. Chenault
- A. W. Lipkowski, A. Misicka,
P. Davis, D. Stropova, J. Janders,
M. Lachwa, F. Porreca,
H. I. Yamamura and V. J. Hruby
- M. R. Wiley, L. C. Weir, S. L. Briggs,
N. Y. Chirgadze, D. Clawson,
D. S. Gifford-Moore, A. L. Schacht,
G. F. Smith, V. Vasudevan,
L. L. Zornes and V. J. Klimkowski
- R. J. Chambers, A. Marfat,
G. W. Antognoli, J. B. Cheng,
D. B. Damon, A. V. Kuperman,
T. C. Liston, C. Mebus, J. S. Pillar,
J. T. Shirley and J. W. Watson
- 2715 Heterocyclic analogues of 2-aminotetralins with high affinity and selectivity for the dopamine D₃ receptor
- 2721 *N*-[2-(1-cyclohexenyl)ethyl]-*N'*-[2-(5-bromopyridyl)]-thiourea and *N'*-[2-(1-cyclohexenyl)ethyl]-*N'*-[2-(5-chloropyridyl)]-thiourea as potent inhibitors of multidrug-resistant human immunodeficiency virus-1
- 2727 Synthesis of piperazine derivatives and evaluation of their antihistamine and antibradykinin effects
- 2731 Synthesis and antitumour activity of novel diterpenequinone salvicine and the analogs
- 2737 9-[(2'*S*,3'*S*)-3'-formyl-2',3'-dihydroxypropyl]adenine: a facile affinity-labeling probe of human *S*-adenosyl-L-homocysteine hydrolase
- 2741 Structure–activity relationships of biphenyl tetrazoles as metallo-β-lactamase inhibitors
- 2747 Structure–activity studies on a novel series of cholinergic channel activators based on a heteroaryl ether framework
- 2753 Synthesis, SAR and in vivo activity of novel thienopyridine sulfonamide pyrrolidinones as factor Xa inhibitors
- 2759 A comparison of the α-helix forming propensities and hydrogen bonding properties of serine phosphate and α-amino-γ-phosphonobutyric acid
- 2763 Biological activity of fragments and analogues of the potent dimeric opioid peptide, biphalin
- 2767 The design of potent, selective, non-covalent, peptide thrombin inhibitors utilizing imidazole as a S1 binding element
- 2773 Discovery of CP-199,330 and CP-199,331: two potent and orally efficacious cysteinyl LT₁ receptor antagonists devoid of liver toxicity

I Instructions to contributors

NUMBER 19

Contents

- v Contributors
- vii Graphical abstracts
- 2779 Structural basis of the dynamic mechanism of ligand binding to cyclo-oxygenase
- 2785 A direct method for the formation of peptide and carbohydrate dendrimers
- O. Llorens, J. J. Perez, A. Palomer
and D. Mauleon
- J. P. Mitchell, K. D. Roberts,
J. Langley, F. Koentgen and
J. N. Lambert

- W.-M. Dai, C. W. Chow, L. Zhou, A. Ishii, C. W. Lau, Q. Li, W. Hamaguchi and S. Nishimoto
- K. I. Choi, J. H. Cha, Y. S. Cho, A. N. Pae, C. Jin, J. Yook, H. G. Cheon, D. Jeong, J. Y. Kong and H. Y. Koh
- K. Wiśniewski, J. Trojnar, P. Riviere, R. Haigh, C. Yea, D. Ashworth, P. Melin and A. Nilsson
- M. Patel, S. S. Ko, R. J. McHugh Jr., J. A. Markwalder, A. S. Srivastava, B. C. Cordova, R. M. Klabe, S. Erickson-Vlitanen, G. L. Trainor and S. P. Seitz
- W. Lew, P. A. Escarpe, D. B. Mendel, D. J. Sweeny and C. U. Kim
- J. L. Wright, T. F. Gregory, P. A. Boxer, L. T. Meltzer, K. A. Serpa, L. D. Wise, S. Hong-Bae, J. C. Huang, C. S. Konkoy, R. B. Upasani, E. R. Whitemore, R. M. Woodward, K. C. Yang and Z.-L. Zhou
- E. K. Yum, S. K. Kang, S. S. Kim, J.-K. Choi and H. G. Cheon
- Y. Zhang, D. Li, J. C. Houtman, D. T. Witiak, J. Seltzer, P. J. Bertics and C. T. Lauhon
- M. R. Tremblay, J. Simard and D. Poirier
- T. Yokomatsu, Y. Hayakawa, K. Suemune, T. Kihara, S. Soeda, H. Shimeno and S. Shibuya
- J. B. M. Rewinkel, H. Lucas, M. J. Smit, A. B. J. Noach, T. G. van Dinther, A. M. M. Rood, A. J. S. M. Jenneboer and C. A. A. van Boeckel
- M. R. Marzabadi, X. Hong, D. Nagarathnam, S. W. Miao, G. Chiu, W. C. Wong, J. M. Wetzel, J. Fang, C. Forray, T. B. Chen, S. S. O'Malley, R. S. L. Chang and C. Gluchowski
- G. Bergnes, C. L. Gilliam, M. D. Boisclair, J. L. Blanchard, K. V. Blake, D. M. Epstein and K. Pal
- J. C. McAuliffe, M. Fukuda and O. Hindsgaul
- R. L. Jarvest, J. M. Berge, C. S. V. Houge-Frydrych, C. Janson, L. M. Mensah, P. J. O'Hanlon, A. Pope, A. Saldanha and X. Qiu
- P. Ertl, D. Cooper, G. Allen and M. J. Slater
- J. Wouters, F. Durant and B. Masereel
- A. Dömling, K.-Z. Chi and M. Barrère
- P. Laurin, D. Ferroud, L. Schio, M. Klich, C. Dupuis-Hamelin, P. Mauvais, P. Lassaigne, A. Bonnefoy and B. Musicki
- 2789 Bifunctional 2-naphthyl propargylic sulfones exhibiting high DNA intercalating and alkylating activity
- 2795 Binding affinities of 3-(3-phenylisoxazol-5-yl)methylidene-1-azabicycles to acetylcholine receptors
- 2801 The synthesis of a new class of oxytocin antagonists
- 2805 Synthesis and evaluation of analogs of Efavirenz (SUSTIVA™) as HIV-1 reverse transcriptase inhibitors
- 2811 Stereospecific synthesis of a GS 4104 metabolite: determination of absolute stereochemistry and influenza neuraminidase inhibitory activity
- 2815 Discovery of subtype-selective NMDA receptor ligands: 4-benzyl-1-piperidinylalkynylpyrroles, pyrazoles and imidazoles as NR1A/2B antagonists
- 2819 Synthesis and pharmacological profile of 1-aryl-3-substituted pyrrolo-[3,2-c]-quinolines
- 2823 Design, combinatorial chemical synthesis and in vitro characterization of novel urea based gelatinase inhibitors
- 2827 Parallel solid-phase synthesis of a model library of 7 α -alkylamide estradiol derivatives as potential estrogen receptor antagonists
- 2833 Synthesis and biological evaluation of 1,1-difluoro-2-(tetrahydro-3-furanyl)-ethylphosphonic acids possessing a *N*9-purinylmethyl functional group at the ring. A new class of inhibitors for purine nucleoside phosphorylases
- 2837 Design, synthesis and testing of amino-bicycloaryl based orally bioavailable thrombin inhibitors
- 2843 Design and synthesis of novel dihydropyridine α -1A antagonists
- 2849 Generation of an Ugi library of phosphate mimic-containing compounds and identification of novel dual specific phosphatase inhibitors
- 2855 Expedient synthesis of a series of *N*-acetylactosamines
- 2859 Interaction of tyrosyl aryl dipeptides with *S. aureus* tyrosyl tRNA synthetase: inhibition and crystal structure of a complex
- 2863 2-Chloro-3-substituted-1,4-naphthoquinone inactivators of human cytomegalovirus protease
- 2867 Antagonism of the TXA₂ receptor by seratrodast: a structural approach
- 2871 A novel method to highly versatile monomeric PNA building blocks by multi component reactions
- 2875 Structure-activity relationship in two series of aminoalkyl substituted coumarin inhibitors of gyrase B

D. Ferroud, J. Collard, M. Klich,
C. Dupuis-Hamelin, P. Mauvais,
P. Lassaigne, A. Bonnefoy and
B. Musicki

F. M. Martin, R. P. Beckett,
C. L. Bellamy, P. F. Courtney,
S. J. Davies, A. H. Drummond,
R. Dodd, L. M. Pratt, S. R. Patel,
M. L. Ricketts, R. S. Todd,
A. R. Tuffnell, J. W. S. Ward and
M. Whittaker

M. L. Greenlee, F. DiNinno,
J. J. Herrmann, C. Jaworsky,
D. A. Muthard and T. N. Salzmann

K. Wang, Y. Hou, W. Zhang,
M. B. Ksebaty, M. Xian, J.-P. Cheng
and P. G. Wang

2881 Synthesis and biological evaluation of coumarincarboxylic acids as inhibitors of gyrase B. L-Rhamnose as an effective substitute for L-noviose

2887 The synthesis and biological evaluation of non-peptidic matrix metallo-proteinase inhibitors

2893 2-Naphthylcarbapenems: broad spectrum antibiotics with enhanced potency against MRSA

2897 ¹⁵N NMR and electronic properties of S-nitrosothiols

I Instructions to contributors

NUMBER 20

Contents

v Contributors

vii Graphical abstracts

L. Zhang, J. Min and L. Zhang

J. Lee, S.-U. Park, J.-Y. Kim,
J.-K. Kim, J. Lee, U. Oh,
V. E. Marquez, M. Beheshti,
Q. J. Wang, S. Modarres and
P. M. Blumberg

C. García-Echeverría, B. Gay,
J. Rahuel and P. Furet

P. Jimonet, A. Boireau, M. Chevé,
D. Damour, A. Genevois-Borella,
A. Imperato, J. Pratt, J. C. R. Randle,
Y. Ribeill, J.-M. Stutzmann and
S. Mignani

E. A. Couladouros, T. Li,
V. I. Moutsos, E. N. Pitsinos and
I. C. Soufli

R. Larget, B. Lockhart, B. Pfeiffer,
A. Neudorffer, M.-B. Fleury and
M. Largeton

V. Steullet and D. W. Dixon

J. Xia, C. F. Piskorz, R. D. Locke,
E. V. Chandrasekaran, J. L. Alderfer
and K. L. Matta

R. M. Kanojia, W. Murray,
J. Bernstein, J. Fernandez,
B. D. Foleno, H. Krause, L. Lawrence,
G. Webb and J. F. Barrett

R. N. Atkinson and S. B. King

T. Mashino, K. Okuda, T. Hirota,
M. Hirobe, T. Nagano and
M. Mochizuki

T. Halmos, J. W. Turek,
G. C. Le Breton and K. Antonakis

2903 Studies on the synthesis and properties of new PNA analogs consisting of L- and D-lysine backbones

2909 3-Acyloxy-2-phenalkylpropyl amides and esters of homovanillic acid as novel vanilloid receptor agonists

2915 Mapping the X₁ binding site of the Grb2-SH2 domain with α,α -disubstituted cyclic α -amino acids

2921 Spiro-imidazo[1,2-a]indeno[1,2-e]pyrazine-4-one derivatives are mixed AMPA and NMDA glycine-site antagonists active in vivo

2927 Stabilization of microtubules by combretastatin D derivatives

2929 Synthesis of novel *ortho*alkylaminophenol derivatives as potent neuroprotective agents in vitro

2935 Design, synthesis and DNA-cleavage of Gly-Gly-His-naphthalene diimide conjugates

2941 An efficient synthesis of two monosulfated trisaccharides with the Gal β 1,3GlcNAc β 1,3Gal β -O-allyl backbone

2947 6-Oxa isosteres of anacardic acids as potent inhibitors of bacterial histidine protein kinase (HPK)-mediated two-component regulatory systems

2953 Guanidine-substituted imidazoles as inhibitors of nitric oxide synthase

2959 Inhibition of *E. coli* growth by fullerene derivatives and inhibition mechanism

2963 Synthesis and biological characterization of SQBAzide, a novel biotinylated photoaffinity probe for the study of the human platelet thromboxane A₂ receptor

- E. Katz, J. Ma, D. Kyle and H. Ziffer
- J. B. Laub, M. L. Greenlee, F. DiNinno, J. L. Huber and J. G. Sundelof
- M. Suzuki, Y. Yanagawa, H. Iwasaki, H. Kanda, K. Yanagihara, H. Matsumoto, Y. Ohara, Y. Yazaki and R. Sakoda
- M. Biava, R. Fioravanti, G. C. Porretta, D. Deidda, C. Maullu and R. Pompei
- C. Delmotte and A. Delmas
- A. Asai, S. Nagamura, E. Kobayashi, K. Gomi and H. Saito
- H. Annoura, K. Nakanishi, M. Uesugi, A. Fukunaga, A. Miyajima, Y. Tamura-Horikawa and S. Tamura
- H. Miyachi, H. Kiyota and M. Segawa
- C. B. Vu, E. G. Corpuz, S. G. Pradeepan, S. Violette, C. Bartlett and T. K. Sawyer
- M. S. C. Pedras, J. L. Sorensen, F. I. Okanga and I. L. Zaharia
- P. Mayer, P. Brunel and T. Imbert
- K. Couture, V. Gouverneur and C. Mioskowski
- F. Benedetti, M. Magnan, S. Miertus, S. Norbedo, D. Parat and A. Tossi
- F. Novelli, A. Sparatore, B. Tasso and F. Sparatore
- F. Thomas, P. Baret, D. Imbert, J.-L. Pierre and G. Serratrice
- T. C. Boge, M. Hepperle, D. G. Vander Velde, C. W. Gunn, G. L. Grunewald and G. I. Georg
- T. C. Boge, Z.-J. Wu, R. H. Himes, D. G. Vander Velde and G. I. Georg
- J. B. Thomas, X. M. Herault, R. B. Rothman, J. P. Burgess, S. W. Mascarella, H. Xu, R. B. Horel, C. M. Dersch and F. I. Carroll
- M. Ohyama, T. Tanaka, T. Ito, M. Iinuma, K. F. Bastow and K.-H. Lee
- M. J. Tozer, E. A. Harper, S. B. Kalindjian, M. J. Pether, N. P. Shankley and G. F. Watt
- 2969 Structure and antimalarial activity of adducts of 11-azaartemisinin with conjugated terminal acetylenes
- 2973 The synthesis and anti-MRSA activity of amidinium-substituted 2-dibenzofuranylcabapenems
- 2977 First systematic chiral syntheses of two pairs of enantiomers with 3,5-dihydroxyheptenoic acid chain, associated with a potent synthetic statin NK-104
- 2983 New pyrrole derivatives as antimycobacterial agents analogs of BM212
- 2989 Synthesis and fluorescence properties of Oregon Green 514 labeled peptides
- 2995 Synthesis and antitumor activity of water-soluble duocarmycin B1 prodrugs
- 2999 A novel class of Na⁺ and Ca²⁺ channel dual blockers with highly potent anti-ischemic effects
- 3003 Design, synthesis and antimuscarinic activity of some imidazolium derivatives
- 3009 Nonpeptidic SH2 inhibitors of the tyrosine kinase ZAP-70
- 3015 Wasalexins A and B, new phytoalexins from wasabi: isolation, synthesis, and antifungal activity
- 3021 A new efficient synthesis of efaroخان
- 3023 A new approach to the synthesis of efaroخان
- 3027 Stereoselective synthesis of non symmetric dihydroxyethylene dipeptide isosteres via epoxyalcohols derived from α -amino acids
- 3031 Quinolizidinyl derivatives of 5,11-dihydro-6*H*-pyrido[2,3-*b*][1,4]benzodiazepin-6-one as ligands for muscarinic receptors
- 3035 Partition coefficients (free ligands and their iron(III) complexes) and lipophilic behavior of new abiotic chelators. Correlation to biological activity
- 3041 The oxetane conformational lock of paclitaxel: structural analysis of D-secopaclitaxel
- 3047 Conformationally restricted paclitaxel analogues: macrocyclic mimics of the 'hydrophobic collapse' conformation
- 3053 ($\pm$)-4-[(*N*-allyl-*cis*-3-methyl-4-piperidinyl)phenylamino]-*N,N*-diethylbenzamide displays selective binding for the delta opioid receptor
- 3057 Antitumor agents. Part 200: Cytotoxicity of naturally occurring resveratrol oligomers and their acetate derivatives
- 3061 Corrigendum

I Instructions to contributors

NUMBER 21

Contents

- v Contributors to this issue
- vii Graphical abstracts

- M. Hagihara, H. Kashiwase, T. Katsube, T. Kimura, T. Komai, K. Momota, T. Ohmine, T. Nishigaki, S. Kimura and K. Shimada
- H. Ikeda, E. Abushanab and V. E. Marquez
- A. Denis, C. Agouridas, J.-M. Auger, Y. Benedetti, A. Bonnefoy, F. Bretin, J.-F. Chantot, A. Dussarat, C. Fromentin, S. Gouin D'Ambrières, S. Lachaud, P. Laurin, O. Le Martret, V. Loyau, N. Tessot, J.-M. Pejac and S. Perron
- H. Matsuda, T. Kageura, I. Toguchida, T. Murakami, A. Kishi and M. Yoshikawa
- P. G. Baraldi, B. Cacciari, R. Romagnoli, G. Spalluto, C. W. Boyce and D. L. Boger
- M. Chebib, G. A. R. Johnston, J. P. Mattsson, K. Rydström, K. Nilsson, J. Qiu, S. H. Stevenson and R. B. Silverman
- P. S. Savle, S. V. Pande, T.-S. Lee and R. D. Gandour
- M. J. Tozer, I. M. Buck, T. Cooke, S. B. Kalindjian, I. M. McDonald, M. J. Pether and K. I. M. Steel
- W. C. Shakespeare, R. S. Bohacek, S. S. Narula, M. D. Azimioara, R. W. Yuan, D. C. Dalgarno, L. Madden, M. C. Botfield and D. A. Holt
- M. Kawase, H. Sakagami, K. Kusama, N. Motohashi and S. Saito
- A. Córdova, N. N. Reed, J. A. Ashley and K. D. Janda
- Y. Yoshida, K. Matsuda, H. Sasaki, Y. Matsumoto, S. Matsumoto and H. Takasugi
- S. Koshida, Y. Suda, M. Sobel, J. Ormsby and S. Kusumoto
- A. Martinez, C. Gil, C. Perez, A. Castro, C. Prieto and J. Otero
- D. G. Smith, A. D. Gribble, D. Haigh, R. J. Ife, P. Lavery, P. Skett, B. P. Slingsby, R. Stacey, R. W. Ward and A. West
- C. Haubmann, H. Hübner and P. Gmeiner
- J. Stürzebecher, H. Vieweg, T. Steinmetzer, A. Schweinitz, M. T. Stubbs, M. Renatus and P. Wikström
- G. Catelani, F. Osti, N. Bianchi, M. C. Bergonzi, F. D'Andrea and R. Gambari
- S. De Jonghe, I. Van Overmeire, J. Gunst, A. De Bruyn, C. Hendrix, S. Van Calenbergh, R. Busson, D. De Keukeleire, J. Philippé and P. Herdewijn
- 3063 Synthesis and anti-HIV activity of arylpiperazinyl fluoroquinolones: a new class of anti-HIV agents
- 3069 The assembly of β -methylene-TAD, a metabolically stable analogue of the antitumor agent TAD, by the stepwise esterification of monodeprotected methylenebis(phosphonate) benzyl esters under Mitsunobu conditions
- 3075 Synthesis and antibacterial activity of HMR 3647: a new ketolide highly potent against erythromycin-resistant and susceptible pathogens
- 3081 Effects of sesquiterpenes and triterpenes from the rhizome of *Alisma orientale* on nitric oxide production in lipopolysaccharide-activated macrophages: absolute stereostructures of alismaketones-B 23-acetate and -C 23-acetate
- 3087 Resolution of a CPZI precursor, synthesis and biological evaluation of (+) and (–)-*N*-Boc-CPZI: a further validation of the relationship between chemical solvolytic stability and cytotoxicity
- 3093 Aminomethyl-2,6-difluorophenols as a novel class of increased lipophilicity GABA_C receptor antagonists
- 3099 Stereoisomeric acylamidomorpholinium carnitine analogues: selective inhibitors of carnitine palmitoyltransferase I and II
- 3103 4-Chlorobenzyl sulfonamide and sulfamide derivatives of histamine homologues: the design of potent histamine H₃ receptor antagonists
- 3109 An efficient synthesis of a 4'-phosphonodifluoromethyl-3'-formyl-phenyl-alanine containing Src SH2 ligand
- 3113 α -Trifluoromethylated acylolins induce apoptosis in human oral tumor cell lines
- 3119 Convenient synthesis of L-proline benzyl ester
- 3123 Synthesis and anti-*Helicobacter pylori* activity of FR182024, a new cephem derivative
- 3127 Synthesis of heparin partial structures and their binding activities to platelets
- 3133 Chlorophenylmethyl benzothiadiazine dioxides derivatives: potent human cytomegalovirus inhibitors
- 3137 The inhibition of human cytomegalovirus (hCMV) protease by hydroxylamine derivatives
- 3143 Piperidinylpyrroles: design, synthesis and binding properties of novel and selective dopamine D4 receptor ligands
- 3147 3-Aminodiphenylalanine-based inhibitors of urokinase
- 3153 Induction of erythroid differentiation of human K562 cells by 3-*O*-acyl-1,2-*O*-isopropylidene-D-glucofuranose derivatives
- 3159 Synthesis and apoptogenic activity of fluorinated ceramide and dihydro-ceramide analogues

S. Bailey, B. Bolognese, A. Faller,
P. Louis-Flamberg,
D. T. MacPherson, R. J. Mayer,
L. A. Marshall, P. H. Milner, J. Mistry,
D. G. Smith and J. G. Ward

O. R. Martin, P. Compain, H. Kizu and
N. Asano

S. De Jonghe, I. Van Overmeire,
S. Poulton, C. Hendrix, R. Busson,
S. Van Calenbergh, D. De Keukeleire,
S. Spiegel and P. Herdewijn

3165 Selective inhibition of low affinity IgE receptor (CD23) processing: P₁' bicyclomethyl substituents

3171 Revised structure of a homonojirimycin isomer from *Aglaonema treubii*: first example of a naturally occurring α -homoallonojirimycin

3175 Structure-activity relationship of short-chain sphingoid bases as inhibitors of sphingosine kinase

I Instructions to contributors

NUMBER 22

Contents

v Contributors to this issue

vii Graphical abstracts

C.-S. Li, W. C. Black, C. Brideau,
C. C. Chan, S. Charleson,
W. A. Cromlish, D. Claveau,
J. Y. Gauthier, R. Gordon, G. Greig,
E. Grimm, J. Guay, C. K. Lau,
D. Riendeau, M. Thérien, D. M. Visco,
E. Wong, L. Xu and P. Prasit

3181 A new structural variation on the methanesulfonylphenyl class of selective cyclooxygenase-2 inhibitors

C. K. Lau, C. Brideau, C. C. Chan,
S. Charleson, W. A. Cromlish,
D. Ethier, J. Y. Gauthier, R. Gordon,
J. Guay, S. Kargman, C.-S. Li,
P. Prasit, D. Riendeau, M. Thérien,
D. M. Visco and L. Xu

3187 Synthesis and biological evaluation of 3-heteroaryloxy-4-phenyl-2(5*H*)-furanones as selective COX-2 inhibitors

X. Zhang and R. Bucala

3193 Inhibition of macrophage migration inhibitory factor (MIF) tautomerase activity by dopachrome analogs

H.-J. Ding, Y.-F. Huang, C.-C. Tzeng,
L.-M. Wei and S.-J. Yeh

3199 Synthesis of Tc-D₂D-HMPAO and Tc-L₂L-HMPAO and their comparison of chemical and biological properties

S. Jew, H.-J. Kim, M. G. Kim,
E.-Y. Roh, C. I. Hong, J.-K. Kim,
J.-H. Lee, H. Lee and H. Park

3203 Synthesis and in vitro cytotoxicity of hexacyclic camptothecin analogues

Y. Kato, I. Fujiwara and Y. Asano

3207 A novel method for preparation of optically active α -monobenzoyl glycerol via lipase-catalyzed asymmetric transesterification of glycerol

A. Hoepping, J. Babich, J. A. Zubieta,
K. M. Johnson, S. Machill and
A. P. Kozikowski

3211 Synthesis and biological evaluation of two novel DAT-binding technetium complexes containing a piperidine based analogue of cocaine

M. Patel, J. D. Rodgers,
R. J. McHugh Jr., B. L. Johnson,
B. C. Cordova, R. M. Klabe,
L. T. Bacheler, S. Erickson-Viitanen
and S. S. Ko

3217 Unsymmetrical cyclic ureas as HIV-1 protease inhibitors: novel biaryl indazoles as P2/P2' substituents

M. Patel, R. J. McHugh Jr.,
B. C. Cordova, R. M. Klabe,
S. Erickson-Viitanen, G. L. Trainor
and S. S. Ko

3221 Synthesis and evaluation of benzoxazinones as HIV-1 reverse transcriptase inhibitors. Analogs of Efavirenz (SUSTIVATM)

M. L. Greenlee, J. B. Laub,
G. P. Rouen, F. DiNinno,
M. L. Hammond, J. L. Huber,
J. G. Sundelof and G. G. Hammond

3225 Dicationic 2-fluorenylcarbapenems: potent anti-MRS agents with improved solubility and pharmacokinetic properties

J. Liu, M. Bhalgat, C. Zhang, Z. Diwu,
B. Hoyland and D. H. Klaubert

3231 Fluorescent molecular probes. Part 5: A sensitive Caspase-3 substrate for fluorometric assays

P. Lin, J. M. Pisano, W. R. Schoen,
K. Cheng, W. W.-S. Chan,
B. S. Butler, R. G. Smith, M. H. Fisher
and M. J. Wyvratt

M. B. van Niel, M. S. Beer,
J. L. Castro, S. K. F. Cheng,
D. C. Evans, A. Heald, L. Hitzel,
P. Hunt, R. Mortishire-Smith,
D. O'Connor, A. P. Watt and
A. M. MacLeod

G. Delle Monache, A. R. Volpe,
F. Delle Monache, A. Vitali, B. Botta,
R. Espinal, S. C. De Bonnevaux,
C. De Luca, M. Botta, F. Corelli and
M. Carmignani

P. H. Dussault, A. D. George and
T. K. Trullinger

3237 Acyclic structural variants of growth hormone secretagogue L-692,429

3243 Parallel synthesis of 3-aryloxy-2-propanolamines and evaluation as dual affinity 5-HT_{1A} and 5-HT re-uptake ligands

3249 Further hypotensive metabolites from *Verbesina caracasana*

3255 Peroxides as oxidative enzyme inhibitors: mechanism-based inhibition of a cysteine protease by an amino acid ozonide

3259 Corrigenda

I Instructions to contributors

NUMBER 23

Contents

v Contributors to this issue

vii Graphical abstracts

A. L. Satz and T. C. Bruice

A. Lew and A. R. Chamberlin

S. A. Lomenzo, S. Izenwasser,
R. M. Gerdes, J. L. Katz, T. Kopajtic
and M. L. Trudell

D. Dutta, H. Hadd, D. G. Vander Velde
and G. I. Georg

F. Zeng, H. Jiang, Y. Zhai, H. Zhang,
K. Chen and R. Ji

S. Ono, S. Kuwahara, M. Takeuchi,
H. Sakashita, Y. Naito and T. Kondo

M. S. C. Pedras, C. C. Erosa-López,
J. W. Quail and J. L. Taylor

Y.-C. Chia, K.-S. Chen, Y.-L. Chang,
C.-M. Teng and Y.-C. Wu

C. J. Dinsmore, T. M. Williams,
T. J. O'Neill, D. Liu, E. Rands,
J. C. Culbertson, R. B. Lobell,
K. S. Koblan, N. E. Kohl, J. B. Gibbs,
A. I. Oliff, S. L. Graham and
G. D. Hartman

M. Ohkubo, T. Nishimura, T. Honma,
I. Nishimura, S. Ito, T. Yoshinari,
H. Arakawa, H. Suda, H. Morishima
and S. Nishimura

Y. Endo, T. Iijima, Y. Yamakoshi,
A. Kubo and A. Itai

J. Ishida, H.-K. Wang, K. F. Bastow,
C.-Q. Hu and K.-H. Lee

3261 Synthesis of a fluorescent microgonotropen (FMGT-1) and its interactions with the dodecamer d(CCGGAATTCGG)

3267 Blockers of human T cell KV1.3 potassium channels using de novo ligand design and solid-phase parallel combinatorial chemistry

3273 Synthesis, dopamine and serotonin transporter binding affinities of novel analogues of meperidine

3277 A one-step synthesis of a deuterated paclitaxel analogue: 10-deacetoxy-(10 α -²H)paclitaxel

3279 Synthesis and acetylcholinesterase inhibitory activity of huperzine A-E2020 combined compound

3285 Syntheses and evaluation of amidinobenzofuran derivatives as trypsin inhibitors

3291 Phomalairdenone: a new host-selective phytotoxin from a virulent type of the blackleg fungus *Phoma lingam*

3295 Antiplatelet actions of aporphinoids from Formosan plants

3301 Imidazole-containing diarylether and diarylsulfone inhibitors of farnesyl-protein transferase

3307 Synthesis and biological activities of NB-506 analogues: effects of the positions of two hydroxyl groups at the indole rings

3313 Structure-activity study of estrogenic agonists bearing dicarba-*closa*-dodecaborane. Effect of geometry and separation distance of hydroxyl groups at the ends of molecules

3319 Antitumor agents. Part 201: Cytotoxicity of harmine and β -carboline analogs

K. R. C. Prakash, A. P. Tamiz,
G. L. Araldi, M. Zhang, K. M. Johnson
and A. P. Kozikowski

B. R. Henke, K. K. Adkison,
S. G. Blanchard, L. M. Leesnitzer,
R. A. Mook Jr., K. D. Plunket,
J. A. Ray, C. Roberson, R. Unwalla
and T. M. Willson

K. B. Kim, J. Myung, N. Sin and
C. M. Crews

B. E. Turner and B. P. Branchaud

J. B. Thomas, R. N. Atkinson,
X. M. Herault, R. B. Rothman,
S. W. Mascarella, C. M. Dersch,
H. Xu, R. B. Horel and F. I. Carroll

D. Moffat, P. Davis, M. Hutchings,
J. Davis, D. Berg, M. Batchelor,
J. Johnson, J. O'Connell, R. Martin,
T. Crabbe, J. Delgado and M. Perry

X. Yang, S. Fennwald, B. A. Luxon,
J. Aronson, N. K. Herzog and
D. G. Gorenstein

V. Krishnan, W. N. Pham,
W. S. Messer Jr. and S. M. Peseckis

S. Bourrain, J. G. Neduvellil,
M. S. Beer, J. A. Stanton,
G. A. Showell and A. M. MacLeod

W. Xu, L.-F. Huang, L. Bauer,
H. N. Bhargava and W. J. Dunn III

B. H. Norman, A. H. Dantzig,
J. S. Kroin, K. L. Law, L. B. Tabas,
R. L. Shepard, A. D. Palkowitz,
K. L. Hauser, M. A. Winter,
J. P. Sluka and J. J. Starling

3325 *N*-Phenylalkyl-substituted tropane analogs of boat conformation with high selectivity for the dopamine versus serotonin transporter

3329 Synthesis and biological activity of a novel series of indole-derived PPAR γ agonists

3335 Proteasome inhibition by the natural products epoxomicin and dihydro-eponemycin: insights into specificity and potency

3341 Probing the radical mechanism of galactose oxidase using an ultrafast radical probe

3347 Optically pure (–)-4-[(*N*-allyl-3-methyl-4-piperidinyl)phenyl-amino]-*N,N*-diethylbenzamide displays selective binding and full agonist activity for the δ opioid receptor

3351 4-Pyridin-5-yl-2-(3,4,5-trimethoxyphenylamino)pyrimidines: potent and selective inhibitors of ZAP 70

3357 Aptamers containing thymidine 3'-*O*-phosphorodithioates: synthesis and binding to nuclear factor- κ B

3363 First fatty acylated dipeptides to affect muscarinic receptor ligand binding

3369 4-Hydroxy-1-[3-(5-(1,2,4-triazol-4-yl)-1*H*-indol-3-yl)propyl]piperidines: selective h5-HT $_{1D}$ agonists for the treatment of migraine

3375 Synthesis and opiate receptor binding properties of 17-methyl-6,7-dehydro-3,14-dihydroxy-4,5 α -epoxy-6,7:4',5'-pyrimidinomorphinans

3381 Reversal of resistance in multidrug resistance protein (MRP1)-overexpressing cells by LY329146

I Instructions to contributors

NUMBER 24

Contents

iv Contributors to this issue

vii Graphical Abstracts

Y. Endo, T. Yoshimi, T. Iijima and
Y. Yamakoshi

A. Iida, T. Mihara, T. Fujita and
Y. Takaishi

N. Fusetani, M. Fujita, Y. Nakao,
S. Matsunaga and R.W.

M. Sako, H. Suzuki, N. Yamamoto
and K. Hirota

K.-E. Jung, K. Kim, M. Yang, K. Lee
and H. Lim

F. M. Uckun, S. Pendergrass,
D. Maher, D. Zhu, L. Tuel-Ahlgren,
C. Mao and T. K. Venkatachalam

M. P. Hay, W. R. Wilson and
W. A. Denny

3387 Estrogenic antagonists bearing dicarba-*clos*o-dodecaborane as a hydrophobic pharmacophore

3393 Peptidic immunosuppressants from the fungus *Trichoderma polysporum*

3397 Tokaramide A, a new cathepsin B inhibitor from the marine sponge *Theonella* aff. *mirabilis*

3403 Highly increased cellular accumulation of vincristine, a useful hydrophobic antitumor-drug, in multidrug-resistant solid cancer cells induced by a simply reduced taxinine

3407 Synthesis and hybridization properties of oligonucleotides containing 6-membered azasugar nucleotides

3411 *N'*-[2-(2-Thiophene)ethyl]-*N'*-[2-(5-bromopyridyl)] thiourea as a potent inhibitor of NNI-resistant and multidrug-resistant human immunodeficiency virus-1

3417 Nitrobenzyl carbamate prodrugs of enediynes for nitroreductase gene-directed enzyme prodrug therapy (GDEPT)

I. Ojima, T. Wang, M. L. Miller, S. Lin, C. P. Borella, X. Geng, P. Pera and R. J. Bernacki	3423	Synthesis and structure–activity relationships of new second-generation taxoids
T. Honda, B. V. Rounds, L. Bore, F. G. Favaloro Jr., G. W. Gribble, N. Suh, Y. Wang and M. B. Sporn	3429	Novel synthetic oleanane triterpenoids: a series of highly active inhibitors of nitric oxide production in mouse macrophages
A. Coop, J. Pinto, L. Wang, K. McCullough, R. B. Rothman, C. Dersch, A. E. Jacobson and K. C. Rice	3435	Delta opioid binding selectivity of 3-ether analogs of naltrindole
J. Cossy, C. Menciau, H. Rakotoarisoa, P. H. Kahn and J.-R. Desmurs	3439	A short synthesis of troglitazone: an antidiabetic drug for treating insulin resistance
J. E. Burden, P. Davis, F. Porreca and A. F. Spatola	3441	Synthesis and biological activities of position one and three transposed analogs of the opioid peptide YKFA
T. Kline, J. Bowman, B. H. Iglewski, T. de Kievit, Y. Kakai and L. Passador	3447	Novel synthetic analogs of the <i>Pseudomonas</i> autoinducer
Q. Zhao, D. Yu and S. Agrawal	3453	Site of chemical modifications in CpG containing phosphorothioate oligo- deoxynucleotide modulates its immunostimulatory activity
J. Z. Ho, O. E. Levy, T. S. Gibson, K. Nguyen and J. E. Semple	3459	Exploratory solid-phase synthesis of factor Xa inhibitors: discovery and application of P ₃ -heterocyclic amides as novel types of non-basic arginine surrogates
A. Kolocouris, D. Tataridis, G. Fytas, T. Mavromoustakos, G. B. Foscolos, N. Kolocouris and E. De Clercq	3465	Synthesis of 2-(2-adamantyl)piperidines and structure anti-influenza virus A activity relationship study using a combination of NMR spectroscopy and molecular modeling
	I	Instructions to contributors