

Volume Contents 2000

NUMBER 1

Contents

- v Contributors to this Issue
- vii Graphical Abstracts
- 1 Amidinohydrazones as guanidine bioisosteres: application to a new class of potent, selective and orally bioavailable, non-amide-based small-molecule thrombin inhibitors
- 5 Modeling directed design and biological evaluation of quinazolinones as non-peptidic growth hormone secretagogues
- 9 Phenanthrenequinone antiretroviral agents
- 13 Design, synthesis and structure–activity relationship of a series of arginine aldehyde factor Xa inhibitors. Part 1: Structures based on the (D)-Arg-Gly-Arg tripeptide sequence
- 17 A sigma-1 receptor selective analogue of BD1008. A potential substitute for (+)-opioids in sigma receptor binding assays
- 19 Synthesis of the repeating unit of the O-specific polysaccharide of *Shigella sonnei* and quantitation of its serologic activity
- 23 Binding dynamics of two water molecules constrained within the scytalone dehydratase binding pocket
- 27 6-Acylamino-2-[(alkylsulfonyl)oxy]-1*H*-isoindole-1,3-dione mechanism-based inhibitors of human leukocyte elastase
- 31 The utilization of a unified pharmacophore query in the discovery of new antagonists of the adenosine receptor family
- 35 Synthesis and structure–activity relationships of 4-oxo-1-phenyl-3,4,6,7-tetrahydro-[1,4]diazepino[6,7,1-*hi*]indoles: novel PDE4 inhibitors
- 39 Design and synthesis of highly potent fumagillin analogues from homology modeling for a human MetAP-2
- 45 Structure-based design of ketone-containing, tripeptidyl human rhinovirus 3C protease inhibitors
- 49 Highly versatile solid phase synthesis of biofunctional 4-aryl-3,4-dihydropyrimidines using resin-bound isothiurea building blocks and multidirectional resin cleavage
- 53 Antitumour activity of sphingoid base adducts of phenethyl isothiocyanate
- 55 Synthesis and binding studies of some epibatidine analogues
- R. M. Soll, T. Lu, B. E. Tomczuk, C. R. Illig, C. Fedde, S. Eisennagel, R. Bone, L. Murphy, J. Spurlino and F. R. Salemme
- Z. Ye, Y. Gao, R. K. Bakshi, M.-H. Chen, S. P. Rohrer, S. D. Feighner, S.-S. Pong, A. D. Howard, A. Blake, E. T. Birzin, L. Locco, R. M. Parmar, W. W.-S. Chan, J. M. Schaeffer, R. G. Smith, A. A. Patchett and R. P. Nargund
- G. A. Kraus, A. Melekhov, S. Carpenter, Y. Wannemuhler and J. Petrich
- C. K. Marlowe, U. Sinha, A. C. Gunn and R. M. Scarborough
- D. Y. Maeda, W. Williams, W. D. Bowen and A. Coop
- A. Tóth, A. Medgyes, I. Bajza, A. Lipták, G. Batta, T. Kontrohr, K. Péterffy and V. Pozsgay
- D. B. Jordan and G. S. Basarab
- J. E. Kerrigan, M. C. Walters, K. J. Forrester, J. B. Crowder and L. J. Christopher
- T. R. Webb, N. Melman, D. Lvovskiy, X. Ji and K. A. Jacobson
- Y. Pascal, C. R. Andrianjara, E. Auclair, N. Avenel, B. Bertin, A. Calvet, F. Féru, S. Lardon, I. Moodley, M. Ouagued, A. Payne, M.-P. Pruniaux and C. Szilagyi
- C. K. Han, S. K. Ahn, N. S. Choi, R. K. Hong, S. K. Moon, H. S. Chun, S. J. Lee, J. W. Kim, C. I. Hong, D. Kim, J. H. Yoon and K. T. No
- P. S. Dragovich, R. Zhou, S. E. Webber, T. J. Prins, A. K. Kwok, K. Okano, S. A. Fuhrman, L. S. Zalman, F. C. Maldonado, E. L. Brown, J. W. Meador, III, A. K. Patick, C. E. Ford, M. A. Brothers, S. L. Binford, D. A. Matthews, R. A. Ferre and S. T. Worland
- C. O. Kappe
- K. Xu and P. J. Thornalley
- S. Rádl, P. Hezký, W. Hafner, M. Budesnský and L. Hejnová

A. Murakami, G. Gao, M. Omura, M. Yano, C. Ito, H. Furukawa, D. Takahashi, K. Koshimizu and H. Ohigashi	59	1,1-Dimethylallylcoumarins potently suppress both lipopolysaccharide- and interferon- γ -induced nitric oxide generation in mouse macrophage RAW 264.7 cells
Y. Endo and A. Yokoyama	63	Role of the hydrophobic moiety of tumor promoters. Synthesis and activity of 2-alkylated benzolactams
A. Mazurov	67	Traceless synthesis of benzimidazoles on solid support
L. E. J. Kennis, F. P. Bischoff, C. J. Mertens, C. J. Love, F. A. F. Van den Keybus, S. Pieters, M. Braeken, A. A. H. P. Megens and J. E. Leysen	71	New 2-substituted 1,2,3,4-tetrahydrobenzofuro[3,2-c]pyridine having highly active and potent central α_2 -antagonistic activity as potential antidepressants
S. M. Ametamey, M. Kokic, N. Carrey-R��my, P. Bl��uenstein, M. Willmann, S. Bischoff, M. Schmutz, P. A. Schubiger and Y. P. Auberson	75	Synthesis, radiolabelling and biological characterization of (D)-7-iodo-N-(1-phosphonoethyl)-5-aminomethylquinoxaline-2,3-dione, a glycine-binding site antagonist of NMDA receptors
T. Lu, R. M. Soll, C. R. Illig, R. Bone, L. Murphy, J. Spurlino, F. R. Salemme and B. E. Tomczuk	79	Structure–activity and crystallographic analysis of a new class of non-amide-based thrombin inhibitor
T. Lu, B. E. Tomczuk, R. Bone, L. Murphy, F. R. Salemme and R. M. Soll	83	Non-peptidic phenyl-based thrombin inhibitors: exploring structural requirements of the S1 specificity pocket with amidines
Y. Dong, T. K. Venkatachalam, R. K. Narla, V. N. Trieu, E. A. Sudbeck and F. M. Uckun	87	Antioxidant function of phenethyl-5-bromo-pyridyl thiourea compounds with potent anti-HIV activity
	I	Instructions to Contributors

NUMBER 2

Contents

	v	Contributors to this Issue
	vii	Graphical Abstracts
W. A. Loughlin, R. L. Marshall, A. Carreiro and K. E. Elson	91	Solution-phase combinatorial synthesis and evaluation of piperazine-2,5-dione derivatives
Y. K. Kang, K. J. Shin, K. H. Yoo, K. J. Seo, C. Y. Hong, C.-S. Lee, S. Y. Park, D. J. Kim and S. W. Park	95	Synthesis and antibacterial activity of new carbapenems containing isoxazole moiety
N. Kashihara, S. To-e, K. Nakamura, K. Umezawa, S. Yamamura and S. Nishiyama	101	Synthesis and biological activities of hapalosin derivatives with modification at the C12 position
D. E. Cane and N. Ke	105	Epicubenol synthase. Origin of the oxygen atom of a bacterial sesquiterpene alcohol
H. Imamura, N. Ohtake, A. Shimizu, H. Jona, H. Sato, R. Nagano, R. Ushijima, K. Yamada, T. Hashizume and H. Morishima	109	Structure–activity relationships of <i>trans</i> -3,5-disubstituted pyrrolidinylthio-1 β -methylcarbapenems. Part 1: J-111,347 and related compounds
H. Imamura, N. Ohtake, A. Shimizu, H. Sato, Y. Sugimoto, S. Sakuraba, H. Kiyonaga, C. Suzuki-Sato, M. Nakano, R. Nagano, K. Yamada, T. Hashizume and H. Morishima	115	Structure–activity relationships of <i>trans</i> -3,5-disubstituted pyrrolidinylthio-1 β -methylcarbapenems. Part 2: J-111,225, J-114,870, J-114,871 and related compounds
S. Jew, C. Yoo, D. Lim, H. Kim, I. Mook-Jung, M. W. Jung, H. Choi, Y. Jung, H. Kim and H. Park	119	Structure–activity relationship study of asiatic acid derivatives against beta amyloid (A β)-induced neurotoxicity
G. Zheng, W. R. Potter, A. Sumlin, T. J. Dougherty and R. K. Pandey	123	Photosensitizers related to purpurin-18-N-alkylimides: a comparative in vivo tumoricidal ability of ester versus amide functionalities
P. Dauban, C. de Saint-Fuscien, F. Acher, L. Pr��zeau, I. Brabet, J.-P. Pin and R. H. Dodd	129	First enantiospecific synthesis of a 3,4-dihydroxy-L-glutamic acid [(3S,4S)-DHGA], a new mGluR1 agonist
L. Santana, E. Uriarte, L. Dalla Via and O. Gia	135	A new benzoangelicin with strong photobiological activity

D. Tritsch, P. M. J. Jung, A. Burger and J.-F. Biellmann	139	3'- β -Ethynyl and 2'-deoxy-3'- β -ethynyl adenosines: first 3'- β -branched-adenosines substrates of adenosine deaminase
C. Dini, N. Drochon, P. Ferrari and J. Aszodi	143	Multi gram synthesis of UDP- <i>N</i> -acetylmuramic acid
C. P. Miller, I. Jirkovsky, B. D. Tran, H. A. Harris, R. A. Moran and B. S. Komm	147	Synthesis and estrogenic activities of novel 7-thiosubstituted estratriene derivatives
M. Groarke, B. Hartzoulakis, M. A. McKervey, B. Walker and C. H. Williams	153	Synthesis of ketomethylene amino pseudopeptide analogues via reductive amination of glyoxals derived from α -amino acids
M. Maitrejean, G. Comte, D. Barron, K. El Kirat, G. Conseil and A. Di Pietro	157	The flavanolignan silybin and its hemisynthetic derivatives, a novel series of potential modulators of P-glycoprotein
A.-M. Periers, P. Laurin, D. Ferroud, J.-L. Haesslein, M. Klich, C. Dupuis-Hamelin, P. Mauvais, P. Lassaigne, A. Bonnefoy and B. Musicki	161	Coumarin inhibitors of gyrase B with <i>N</i> -propargyloxy-carbamate as an effective pyrrole bioisostere
D. Pagé, A. McClory, T. Mischki, R. Schmidt, J. Butterworth, S. St-Onge, M. Labarre, K. Payza and W. Brown	167	Novel Dmt-Tic dipeptide analogues as selective delta-opioid receptor antagonists
J. M. Perez, E. J. Wilhelm and I. Sucholeiki	171	The use of power ultrasound coupled with magnetic separation for the solid phase synthesis of compound libraries
B. Lagu, D. Tian, G. Chiu, D. Nagarathnam, J. Fang, Q. Shen, C. Forray, R. W. Ransom, R. S. L. Chang, K. P. Vyas, K. Zhang and C. Gluchowski	175	Synthesis and evaluation of furo[3,4- <i>d</i>]pyrimidinones as selective α_{1a} -adrenergic receptor antagonists
A. Peyman, V. Wehner, J. Knolle, H. U. Stilz, G. Breipohl, K.-H. Scheunemann, D. Carniato, J.-M. Ruxer, J.-F. Gourvest, T. R. Gadek and S. Bodary	179	RGD mimetics containing a central hydantoin scaffold: $\alpha_V\beta_3$ vs $\alpha_{IIb}\beta_3$ selectivity requirements
M. P. Wentland, G. Xu, C. L. Cioffi, Y. Ye, W. Duan, D. J. Cohen, A. M. Colasurdo and J. M. Bidlack	183	8-Aminocyclazocine analogues: synthesis and structure–activity relationships
V. N. Shibaev, V. V. Veselovsky, A. V. Lozanova, S. D. Maltsev, L. L. Danilov, W. T. Forsee, J. Xing, H. C. Cheung and M. J. Jedrzejewski	189	Synthesis of dolichyl phosphate derivatives with fluorescent label at the ω -end of the chain, new tools to study protein glycosylation
J. W. Corbett, L. A. Gearhart, S. S. Ko, J. D. Rodgers, B. C. Cordova, R. M. Klabe and S. K. Erickson-Viitanen	193	Novel 2,2-dioxide-4,4-disubstituted-1,3- <i>H</i> -2,1,3-benzothiadiazines as non-nucleoside reverse transcriptase inhibitors
	197	Corrigendum
	I	Instructions to Contributors

NUMBER 3

Contents

	v	Contributors to this Issue
	vii	Graphical Abstracts
Y. Hayashi, K. Iijima, J. Katada and Y. Kiso	199	Structure–activity relationship studies of chloromethyl ketone derivatives for selective human chymase inhibitors
T. Tsuchiya, Y. Takagi and H. Yamada	203	Preparation of 5-(2,6-dideoxy-2-fluoro- α -L-talopyranosyloxy)-6-hydroxynaphtho[2,3- <i>f</i>]quinoline-7,12-dione (FT-Alz), a new-type, potentially antitumor substance with various biological activities
P. G. Baraldi, B. Cacciari, R. Romagnoli, K. Varani, S. Merighi, S. Gessi, P. A. Borea, E. Leung, S. L. Hickey and G. Spalluto	209	Synthesis and preliminary biological evaluation of [3 H]-MRE 3008-F20: the first high affinity radioligand antagonist for the human A_3 adenosine receptors
J. J. McNally, M. A. Youngman, T. W. Lovenberg, D. H. Nepomuceno, S. J. Wilson and S. L. Dax	213	<i>N</i> -(Sulfonamido)alkyl[tetrahydro-1 <i>H</i> -benzo[<i>e</i>]indol-2-yl]amines: potent antagonists of human neuropeptide Y Y5 receptor

Y. Gong, H. W. Pauls, A. P. Spada, M. Czekaj, G. Liang, V. Chu, D. J. Colussi, K. D. Brown and J. Gao	217	Amido-(propyl and allyl)-hydroxybenzamidines: development of achiral inhibitors of factor Xa
K. Lackey, M. Cory, R. Davis, S. V. Frye, P. A. Harris, R. N. Hunter, D. K. Jung, O. B. McDonald, R. W. McNutt, M. R. Peel, R. D. Rutkowske, J. M. Veal and E. R. Wood	223	The discovery of potent cRaf1 kinase inhibitors
H. Nogusa, T. Yano, N. Kashima, K. Yamamoto, S. Okuno and H. Hamana	227	Structure–activity relationships of carboxymethylpullulan-peptide-doxorubicin conjugates—systematic modification of peptide spacers
E. J. Parker, C. González Bello, J. R. Coggins, A. R. Hawkins and C. Abell	231	Mechanistic studies on type I and type II dehydroquinase with (6 <i>R</i>)- and (6 <i>S</i>)-6-fluoro-3-dehydroquinic acids
S. B. Singh, P. Felock and D. J. Hazuda	235	Chemical and enzymatic modifications of integrin acid and HIV-1 integrase inhibitory activity
T. J. Hodgkinson, L. R. Kelland, M. Shipman and F. Suzenet	239	Chemical synthesis and cytotoxicity of some azinomycin analogues devoid of the 1-azabicyclo[3.1.0]hexane subunit
S. Hanessian, E. Balaux, D. Musil, L.-L. Olsson and I. Nilsson	243	Exploring the chiral space within the active site of α -thrombin with a constrained mimic of D-Phe-Pro-Arg — design, synthesis, inhibitory activity, and X-ray structure of an enzyme–inhibitor complex
M. Taktakishvili, N. Neamati, Y. Pommier and V. Nair	249	Recognition and inhibition of HIV integrase by a novel dinucleotide
R. Silvestri, M. Artico, S. Massa, T. Marceddu, F. De Montis and P. La Colla	253	1-[2-(Diphenylmethoxy)ethyl]-2-methyl-5-nitroimidazole: a potent lead for the design of novel NNRTIs
J. A. Robl, L. M. Simpkins and M. M. Asaad	257	<i>N</i> -Formyl hydroxylamine containing dipeptides: generation of a new class of vasopeptidase inhibitors
A. K. Kar, P. D. Braun and T. J. Wandless	261	Synthesis and evaluation of daunorubicin-paclitaxel dimers
M. Högberg, P. Engelhardt, L. Vrang and H. Zhang	265	Bioisosteric modification of PETT-HIV-1 RT-inhibitors: synthesis and biological evaluation
M. Adamczyk, D. D. Johnson and R. E. Reddy	269	Synthesis of immunoreagents for detection of deoxypyrrrololine, a cross-link of bone collagen
C. Z. Ding, J. T. Hunt, C. Ricca and V. Manne	273	3-Imidazolylmethylaminophenylsulfonyltetrahydroquinolines, a novel series of farnesyltransferase inhibitors
M. B. Tollefson, W. F. Vernier, H.-C. Huang, F. P. Chen, E. J. Reinhard, J. Beaudry, B. T. Keller and D. B. Reitz	277	A novel class of apical sodium co-dependent bile acid transporter inhibitors: the 2,3-disubstituted-4-phenylquinolines
M. L. Ufret and B. Imperiali	281	Probing the extended binding determinants of oligosaccharyl transferase with synthetic inhibitors of asparagine-linked glycosylation
R. Lucas, A. Úbeda, M. Payá, M. Alves, E. del Olmo, J. L. López and A. San Feliciano	285	Synthesis and enzyme inhibitory activities of a series of lipidic diamine and aminoalcohol derivatives on cytosolic and secretory phospholipases A ₂
F. Seela, C. Wei, G. Becher, M. Zulauf and P. Leonard	289	The influence of modified purine bases on the stability of parallel DNA
P. Belmont, M. Demeunynck, J.-F. Constant and J. Lhomme	293	Synthesis and study of a new adenine–acridine tandem, inhibitor of exonuclease III
A. P. Tamiz, M. P. Smith and A. P. Kozikowski	297	Design, synthesis and biological evaluation of 7-azatricyclodecanes: analogues of cocaine
R. A. Galembo, Jr., B. L. Wells, K. A. Rossi, R. S. Alexander, C. Dominguez, T. P. Maduskuie, P. F. W. Stouten, M. R. Wright, B. J. Aungst, P. C. Wong, R. M. Knabb and R. R. Wexler	301	The de novo design and synthesis of cyclic urea inhibitors of factor Xa: optimization of the S4 ligand
A. P. Krapcho, S. N. Haydar, S. Truong-Chiott, M. P. Hacker, E. Menta and G. Beggoliin	305	Synthesis and antitumor activities of 5-methyl-1- and 2-[[2-dimethylamino-ethyl]amino]-aza-thiopyranoindazoles
J. E. Baldwin, A. M. Fryer and G. J. Pritchard	309	Novel C-4 heteroaromatic kainoid analogues: a parallel synthesis approach
	I	Instructions to Contributors

NUMBER 4

Contents

	v	Contributors to this Issue
	vii	Graphical Abstracts
S. K. Srivastava, P. M. S. Chauhan, A. P. Bhaduri, P. K. Murthy and R. K. Chatterjee	313	Secondary amines as new pharmacophores for macrofilaricidal drug design
Y. Hitotsuyanagi, M. Fukuyo, K. Tsuda, M. Kobayashi, A. Ozeki, H. Itokawa and K. Takeya	315	4-Aza-2,3-dehydro-4-deoxypodophyllotoxins: simple aza-podophyllotoxin analogues possessing potent cytotoxicity
E. Martín, A. Morán, M^a L. Martín, L. San Román, P. Puebla, M. Medarde, E. Caballero and A. San Feliciano	319	Antihypertensive activity of substituted 2,3,8,8a-tetrahydro-7H-oxazolo[3,2-a]pyridinedicarboxylate enantiomers
H. Matsuda, T. Kageura, T. Morikawa, I. Toguchida, S. Harima and M. Yoshikawa	323	Effects of stilbene constituents from rhubarb on nitric oxide production in lipopolysaccharide-activated macrophages
Y. Kitade, M. Wakana, T. Tsuboi, C. Yatome, S. F. Bayly, M. R. Player and P. F. Torrence	329	2-Methyladenosine-substituted 2',5'-oligoadenylates: conformations, 2-5A binding and catalytic activities with human ribonuclease L
H. J. Kwak, D. K. Pyun, J. H. Kim, E. J. Kim, H. J. Jeong, B. J. Kim and C. H. Lee	333	Synthesis and antibacterial activity of 2 α -functionalized 1 β -methylcarbapenems related to KR-21012
T. Fujita, N. Matsumoto, S. Uchida, T. Kohno, T. Shimizu, R. Hirose, K. Yanada, W. Kurio and K. Watabe	337	Antibody against a novel, myriocin (ISP-I)-based immunosuppressant, FTY720
W.-Y. Wu, B. Jin, G. Y. Krippner and K. G. Watson	341	Synthesis of a polymeric 4-N-linked sialoside which inhibits influenza virus hemagglutinin
S. Menzler, J. A. Bikker, N. Suman-Chauhan and D. C. Horwell	345	Design and biological evaluation of non-peptide analogues of omega-conotoxin MVIIA
C. Dini and J. Aszodi	349	Synthesis of a dihydroxythiophene analogue of catechospirines
A. Guarna, E. G. Occhiato, D. Scarpi, C. Zorn, G. Danza, A. Commerci, R. Mancina and M. Serio	353	Synthesis of 8-chloro-benzo[c]quinolizin-3-ones as potent and selective inhibitors of human steroid 5 α -reductase 1
B. J. Kim, S. Yamada, T. Funada, Y. Kadoma and H. Morita	357	Synthesis of the fatty sterol bound protein for a new sterol antibody
N. Swamy, J. K. Addo and R. Ray	361	Development of an affinity-driven cross-linker: isolation of a vitamin D receptor associated factor
A. Trincone, G. Perugino, M. Rossi and M. Moracci	365	A novel thermophilic glycosynthase that effects branching glycosylation
D. Subrahmanyam, V. M. Sarma, A. Venkateswarlu, T. V. R. S. Sastry, A. S. S. V. Srinivas, C. V. Krishna, D. S. Deevi, S. A. Kumar, M. J. Babu and N. K. Damodaran	369	Novel C-ring analogues of 20(S)-camptothecin. Part 3: Synthesis and their in vitro cytotoxicity of A-, B- and C-ring analogues
H. Yanagisawa, M. Takamura, E. Yamada, S. Fujita, T. Fujiwara, M. Yachi, A. Isobe and Y. Hagiwara	373	Novel oximes having 5-benzyl-2,4-thiazolidinedione as antihyperglycemic agents: synthesis and structure–activity relationship
I. Kumagai, T. Takahashi, K. Hamasaki, A. Ueno and H. Mihara	377	Construction of HIV Rev peptides containing peptide nucleic acid that bind HIV RRE IIB RNA
A. Siddiqui, C. McGuigan, C. Ballatore, S. Srinivasan, E. De Clercq and J. Balzarini	381	Enhancing the aqueous solubility of d4T-based phosphoramidate prodrugs

- M. J. Fisher, U. Giese, C. S. Harms, M. D. Kinnick, T. D. Lindstrom, J. R. McCowan, H.-J. Mest, J. M. Morin Jr., J. T. Mullaney, M. Paal, A. Rapp, G. Rühter, K. J. Ruterbories, D. J. Sall, R. M. Scarborough, T. Schotten, W. Stenzel, R. D. Towner, S. L. Um, B. G. Utterback, V. L. Wyss and J. A. Jakubowski** 385 Fused bicyclic Gly-Asp β -turn mimics with potent affinity for GPIIb-IIIa. Exploration of the arginine isostere
- T. I. Kalman, Z. Nie and A. Kamat** 391 Mechanism-based inactivation of thymidylate synthase by 5-(3-fluoropropyn-1-yl)-2'-deoxyuridine 5'-phosphate
- H. F. Boyd, S. T. Flynn, D. M. B. Hickey, R. J. Iffe, M. Jones, C. A. Leach, C. H. Macphee, K. J. Milliner, D. A. Rawlings, B. P. Slingsby, S. A. Smith, I. G. Stansfield, D. G. Tew and C. J. Theobald** 395 2-(Alkylthio)pyrimidin-4-ones as novel, reversible inhibitors of lipoprotein-associated phospholipase A₂
- A. S. Jørgensen, P. Jacobsen, L. B. Christiansen, P. S. Bury, A. Kanstrup, S. M. Thorpe, S. Bain, L. Nærum and K. Wassermann** 399 Synthesis and pharmacology of a novel pyrrolo[2,1,5-*cd*]indolizine (NNC 45-0095), a high affinity non-steroidal agonist for the estrogen receptor
- S. E. Keeling, F. D. Albinson, B. E. Ayres, P. R. Butchers, C. L. Chambers, P. C. Cherry, F. Ellis, G. B. Ewan, M. Gregson, J. Knight, K. Mills, P. Ravenscroft, L. H. Reynolds, S. Sanjar and M. J. Sheehan** 403 The discovery and synthesis of highly potent, A_{2a} receptor agonists

I Instructions to Contributors

NUMBER 5

Contents

- v Contributors to this Issue
- vii Graphical Abstracts
- C. G. Bello, J. M. Harris, M. K. Manthey, J. R. Coggins and C. Abell** 407 Irreversible inhibition of type I dehydroquinase by substrates for type II dehydroquinase
- J. W. Kong, L. G. Hamann, D. A. Ruppar, J. P. Edwards, K. B. Marschke and T. K. Jones** 411 Effects of isosteric pyridone replacements in androgen receptor antagonists based on 1,2-dihydro- and 1,2,3,4-tetrahydro-2,2-dimethyl-6-trifluoromethyl-8-pyridono[5,6-*g*]quinolines
- L. Zhi, C. M. Tegley, B. Pio, S. J. West, K. B. Marschke, D. E. Mais and T. K. Jones** 415 Nonsteroidal progesterone receptor antagonists based on 6-thiophenehydroquinolines
- M. Ohkubo, T. Nishimura, H. Kawamoto, M. Nakano, T. Honma, T. Yoshinari, H. Arakawa, H. Suda, H. Morishima and S. Nishimura** 419 Synthesis and biological activities of NB-506 analogues modified at the glucose group
- E. Fukusaki, T. Kato, H. Maeda, N. Kawazoe, Y. Ito, A. Okazawa, S. Kajiya and A. Kobayashi** 423 DNA aptamers that bind to chitin
- S. Hanessian and M. Bayrakdarian** 427 Pyrrolidine as a cogwheel-like scaffold for the deployment of diverse functionality through cycloaddition reactions of metallo-1,3-dipoles in aqueous media
- S. Hanessian and P. W. M. Sgarbi** 433 Design and synthesis of mimics of S-adenosyl-L-homocysteine as potential inhibitors of erythromycin methyltransferases
- S. Hanessian, O. M. Saavedra, F. Xie, N. Amboldi and C. Battistini** 439 Design and synthesis of functionalized glycomers as non-peptidic ligands for SH2 binding and as inhibitors of A-431 human epidermoid and HT-29 colon carcinoma cell lines
- T. F. Walsh, R. B. Toupence, J. R. Young, S. X. Huang, F. Ujjainwalla, R. J. DeVita, M. T. Goulet, M. J. Wyvrat, Jr., M. H. Fisher, J.-L. Lo, N. Ren, J. B. Yudkovitz, Y. T. Yang, K. Cheng and R. G. Smith** 443 Potent antagonists of gonadotropin releasing hormone receptors derived from quinolone-6-carboxamides

T. M. Sielecki, J. Wityak, J. Liu, S. A. Mousa, M. Thoolen, R. R. Wexler and R. E. Olson	449	Ring constrained analogues of β -alanine-containing GPIIb/IIIa receptor antagonists
J. T. Lundquist, IV, E. E. Büllesbach and T. A. Dix	453	Synthesis of neurotensin(9–13) analogues exhibiting enhanced human neurotensin receptor binding affinities
O. A. Ibrahimi, L. Wu, K. Zhao and Z.-Y. Zhang	457	Synthesis and characterization of a novel class of protein tyrosine phosphatase inhibitors
C.-K. Ryu, H.-Y. Kang, S. K. Lee, K. A. Nam, C. Y. Hong, W.-G. Ko and B.-H. Lee	461	5-Arylamino-2-methyl-4,7-dioxobenzothiazoles as inhibitors of cyclin-dependent kinase 4 and cytotoxic agents
V. Cecchetti, F. Schiaffella, O. Tabarrini and A. Fravolini	465	(1,4-Benzothiazinyloxy)alkylpiperazine derivatives as potential antihypertensive agents
H. Morita, K. Shimbo, H. Shigemori and J. Kobayashi	469	Antimitotic activity of moroidin, a bicyclic peptide from the seeds of <i>Celosia argentea</i>
C.-H. R. King, H. Meckler, R. J. Herr, M. P. Trova, S. D. Glick and I. M. Maisonneuve	473	Synthesis of enantiomerically pure (+)- and (–)-18-methoxycoronaridine hydrochloride and their preliminary assessment as anti-addictive agents
T. H. Marsilje, K. L. Milkiewicz and D. G. Hangauer	477	The design, synthesis and activity of non-ATP competitive inhibitors of pp60 ^{c-src} tyrosine kinase. Part 1: Hydroxynaphthalene derivatives
K. L. Milkiewicz, T. H. Marsilje, R. P. Woodworth, Jr., N. Bifulco, Jr., M. J. Hangauer and D. G. Hangauer	483	The design, synthesis and activity of non-ATP competitive inhibitors of pp60 ^{c-src} tyrosine kinase. Part 2: Hydroxyindole derivatives
H. Shih, L. Deng, C. J. Carrera, S. Adachi, H. B. Cottam and D. A. Carson	487	Rational design, synthesis and structure–activity relationships of antitumor (<i>E</i>)-2-benzylidene-1-tetralones and (<i>E</i>)-2-benzylidene-1-indanones
D.-I. Liao, G. S. Basarab, A. A. Gatenby and D. B. Jordan	491	Selection of a potent inhibitor of trihydroxynaphthalene reductase by sorting disease control data
D. L. Boger, M. Searcey, W. C. Tse and Q. Jin	495	Bifunctional alkylating agents derived from duocarmycin SA: potent anti-tumor activity with altered sequence selectivity
A. Scozzafava and C. T. Supuran	499	Protease inhibitors: synthesis of <i>Clostridium histolyticum</i> collagenase inhibitors incorporating sulfonyl-L-alanine hydroxamate moieties
K. M. Edvinsson, M. Herslöf, P. Holm, N. Kann, D. J. Keeling, J. P. Mattsson, B. Nordén and V. Shcherbukhin	503	Solid phase synthesis of diamides as potential bone resorption inhibitors
M. Fujio, Y. Togo, H. Tomozane, T. Kuroita, Y. Morio, J. Katayama and Y. Matsumoto	509	<i>N</i> -{[1-(2-Phenylethyl)pyrrolidin-2-yl]methyl}cyclohexanecarboxamides as selective 5-HT _{1A} receptor agonists
G. Wells, T. D. Bradshaw, P. Diana, A. Seaton, D.-F. Shi, A. D. Westwell and M. F. G. Stevens	513	Antitumour benzothiazoles. Part 10: The synthesis and antitumour activity of benzothiazole substituted quinol derivatives
Q. Cheng, T. Oritani, T. Horiguchi, T. Yamada and Y. Mong	517	Synthesis and biological evaluation of novel 9-functional heterocyclic coupled 7-deoxy-9-dihydropaclitaxel analogue
	I	Instructions to Contributors

NUMBER 6

Contents

	v	Contributors to this Issue
	vii	Graphical Abstracts
M. P. Allen, J. F. Blake, D. K. Bryce, M. E. Haggan, S. Liras, S. McLean and B. E. Segelstein	523	Design, synthesis and biological evaluation of 3-amino-3-phenylpropionamide derivatives as novel μ opioid receptor ligands
T. F. Gregory, J. L. Wright, L. D. Wise, L. T. Meltzer, K. A. Serpa, C. S. Konkoy, E. R. Whittemore and R. M. Woodward	527	Parallel synthesis of a series of subtype-selective NMDA receptor antagonists
D. A. Heerding, M. Abruzzese, D. Alberts, J. Burgess, J. F. Callahan, W. F. Huffman, A. G. King, S. LoCastro, P. DeMarsh, L. M. Pelus, J. S. Takata and P. K. Bhatnagar	531	Novel peptidomimetic hematoregulatory compounds

J. Peng, P. Y. Chen, R. B. Marchase and G. D. Prestwich	535	Preparation and use of a photoactivatable glucose-6-phosphate analogue
F. M. Uckun, C. Mao, A. O. Vassilev, H. Huang and S.-T. Jan	541	Structure-based design of a novel synthetic spiroketal pyran as a pharmacophore for the marine natural product spongistatin 1
D. A. Perrey, R. K. Narla and F. M. Uckun	547	Cysteine chloromethyl and diazomethyl ketone derivatives with potent anti-leukemic activity
D. A. Perrey, M. P. Scannell, R. K. Narla and F. M. Uckun	551	The S-alkyl chain length as a determinant of the anti-leukemic activity of cysteine chloromethyl ketone compounds
F. Dudouit, J.-F. Goossens, R. Houssin, J.-P. Hénichart, P. Colson, C. Houssier, N. Gelus and C. Bailly	553	Synthesis, DNA binding, topoisomerases inhibition and cytotoxic properties of 4-arylcarboxamidopyrrolo-2-carboxyanilides
G. M. Dubowchik, J. L. Ditta, J. J. Herbst, S. Bollini and A. Vinitzky	559	Fluoresceinated FKBP12 ligands for a high-throughput fluorescence polarization assay
J. Bosch, T. Roca, C. G. Pérez and S. Montanari	563	Synthesis and dopaminergic activity of heterocyclic analogues of 5,6-dihydroxy-2-aminotetralins
C. Kunick, C. Schultz, T. Lemcke, D. W. Zaharevitz, R. Gussio, R. K. Jalluri, E. A. Sausville, M. Leost and L. Meijer	567	2-Substituted paullones: CDK1/cyclin B-inhibiting property and in vitro anti-proliferative activity
F. Schwede, O. T. Brustugun, M. Zorn-Kruppa, S. O. Døskeland and B. Jastorff	571	Membrane-permeant, bioactivatable analogues of cGMP as inducers of cell death in IPC-81 leukemia cells
G. R. Brown, A. M. Bamford, J. Bowyer, D. S. James, N. Rankine, E. Tang, V. Torr and E. J. Culbert	575	Naphthyl ketones: a new class of Janus kinase 3 inhibitors
C. Altomare, L. Summo, S. Cellamare, A. V. Varlamov, L. G. Voskressensky, T. N. Borisova and A. Carotti	581	Pyrrolo[3,2-c]pyridine derivatives as inhibitors of platelet aggregation
H. C. Barlow, K. J. Bowman, N. J. Curtin, A. H. Calvert, B. T. Golding, B. Huang, P. J. Loughlin, D. R. Newell, P. G. Smith and R. J. Griffin	585	Resistance-modifying agents. Part 7: 2,6-Disubstituted-4,8-dibenzylamino-pyrimido[5,4- <i>d</i>]pyrimidines that inhibit nucleoside transport in the presence of α_1 -acid glycoprotein (AGP)
S. Mignani, G. A. Bohme, A. Boireau, M. Cheve, D. Damour, M.-W. Debono, A. Genevois-Borella, A. Imperato, P. Jimonet, J. Pratt, J. C. R. Randle, Y. Ribeill, M. Vuilhorgne and J.-M. Stutzmann	591	8-Methylureido-4,5-dihydro-4-oxo-10 <i>H</i> -imidazo[1,2- <i>a</i>]indeno[1,2- <i>e</i>]pyrazines: highly potent in vivo AMPA antagonists
R. J. Young, R. M. Beams, K. Carter, H. A. R. Clark, D. M. Coe, C. L. Chambers, P. I. Davies, J. Dawson, M. J. Drysdale, K. W. Franzman, C. French, S. T. Hodgson, H. F. Hodson, S. Kleanthous, P. Rider, D. Sanders, D. A. Sawyer, K. J. Scott, B. G. Shearer, R. Stocker, S. Smith, M. C. Tackley and R. G. Knowles	597	Inhibition of inducible nitric oxide synthase by acetamidine derivatives of hetero-substituted lysine and homolysine
Z. Sui, J. Guan, M. P. Ferro, K. McCoy, M. P. Wachter, W. V. Murray, M. Singer, M. Steber, D. M. Ritchie and D. C. Argentieri	601	1,3-Diarylcycloalkanopyrazoles and diphenyl hydrazides as selective inhibitors of cyclooxygenase-2
P. A. Coates, P. Grundt, E. S. J. Robinson, D. J. Nutt, R. Tyacke, A. L. Hudson, J. W. Lewis and S. M. Husbands	605	Probes for imidazoline binding sites: synthesis and evaluation of a selective, irreversible I ₂ ligand

I Instructions to Contributors

NUMBER 7

Contents

Y. Kim, L.-X. Zhao, T.-H. Kim, S. Je, E. Kim, H. Choi, W.-G. Chae, M. Park, J. Choi, Y. Jahng and E.-S. Lee	609	Design and synthesis of anticonvulsive agents as γ -vinyl GABA-based potential dual acting prodrugs and their biological activities
K. Dodo, M. Takahashi, Y. Yamada, Y. Sugimoto, Y. Hashimoto and R. Shirai	615	Synthesis of a novel class of cdc25A inhibitors from vitamin D ₃
K. Kikuchi, S. Hibi, H. Yoshimura, K. Tai, T. Hida, N. Tokuhara, T. Yamauchi and M. Nagai	619	Novel retinoic acid receptor α agonists: syntheses and evaluation of pyrazole derivatives
S. Hibi, K. Tagami, K. Kikuchi, H. Yoshimura, K. Tai, T. Hida, N. Tokuhara, T. Yamauchi and M. Nagai	623	Syntheses and evaluation of naphthalenyl- and chromenyl-pyrrolyl-benzoic acids as potent and selective retinoic acid receptor α agonists
W. Zheng, L. Lei, S. Lalchandani, G. Sun, D. R. Feller and D. D. Miller	627	Yohimbine dimers exhibiting binding selectivities for human α_{2a} - versus α_{2b} -adrenergic receptors
L. Salmon-Chemin, A. Lemaire, S. De Freitas, B. Deprez, C. Sergheraert and E. Davioud-Charvet	631	Parallel synthesis of a library of 1,4-naphthoquinones and automated screening of potential inhibitors of trypanothione reductase from <i>Trypanosoma cruzi</i>
C. Guillou, A. Mary, D. Z. Renko, E. Gras and C. Thal	637	Potent acetylcholinesterase inhibitors: design, synthesis and structure–activity relationships of alkylene linked bis-galanthamine and galanthamine–galanthaminium salts
M. Cavero, A. Hobbs, D. Madge, W. B. Motherwell, D. Selwood and P. Potier	641	Synthesis and biological evaluation of enantiopure thionitrites: the solid-phase synthesis and nitrosation of D-glutathione as a molecular probe
C. McGuigan, M. J. Slater, N. R. Parry, A. Perry and S. Harris	645	Synthesis and antiviral activity of acyclovir-5'-(phenyl methoxy alaninyl) phosphate as a possible membrane-soluble nucleotide prodrug
E. L. Fritzen, A. S. Brightwell, L. A. Erickson and D. L. Romero	649	The solid phase synthesis of tetrahydroisoquinolines having cdc25B inhibitory activity
K. Nacro, B. Bienfait, N. E. Lewin, P. M. Blumberg and V. E. Marquez	653	Diacylglycerols with lipophilically equivalent branched acyl chains display high affinity for protein kinase C (PK-C). A direct measure of the effect of constraining the glycerol backbone in DAG lactones
B. Bottari, R. Maccari, F. Monforte, R. Ottanà, E. Rotondo and M. G. Vigorita	657	Isoniazid-related copper(II) and nickel(II) complexes with antimycobacterial in vitro activity. Part 9
P. Stead, S. Hiscox, P. S. Robinson, N. B. Pike, P. J. Sidebottom, A. D. Roberts, N. L. Taylor, A. E. Wright, S. A. Pomponi and D. Langley	661	Eryloside F, a novel penasterol disaccharide possessing potent thrombin receptor antagonist activity
A. Vidal, T. Durand, J.-P. Vidal, J.-C. Rossi, S. Ravasi, S. Zarini and A. Sala	665	Synthesis of 19-[(2-azido-5-iodo)-benzoyloxy]-LTA ₄ and enzymatic conversion to the LTC ₄ analogue
W.-Q. Liu, M. Vidal, C. Mathé, C. Périgaud and C. Garbay	669	Inhibition of the Ras-dependent mitogenic pathway by phosphopeptide prodrugs with antiproliferative properties
G. Renzi, A. Scozzafava and C. T. Supuran	673	Carbonic anhydrase inhibitors: topical sulfonamide antiglaucoma agents incorporating secondary amine moieties
N. Schaschke, I. Assfalg-Machleidt, W. Machleidt, T. Laßleben, C. P. Sommerhoff and L. Moroder	677	β -Cyclodextrin/epoxysuccinyl peptide conjugates: a new drug targeting system for tumor cells
P. G. Baraldi, R. Romagnoli, M. A. Tabrizi, S. Falzoni and F. Di Virgilio	681	Synthesis of conformationally constrained analogues of KN62, a potent antagonist of the P2X ₇ -receptor
	I	Instructions to Contributors

NUMBER 8

Contents

	vi	Contributors to this Issue
	ix	Graphical Abstracts
J. R. Pruitt, D. J. Pinto, M. J. Estrella, L. L. Bostrom, R. M. Knabb, P. C. Wong, M. R. Wright and R. R. Wexler	685	Isoxazolines and isoxazoles as factor Xa inhibitors
D. P. Arya and T. C. Bruice	691	Solid-phase synthesis of oligomeric deoxynucleic-thiourea (DNT) and deoxy-nucleic S-methylthiourea (DNmt): a neutral/polycationic analogue of DNA
J. D. Albright, E. G. Delos Santos, J. P. Dusza, P. S. Chan, J. Coupet, X. Ru and H. Mazandarani	695	The synthesis and vasopressin (AVP) antagonist activity of a novel series of <i>N</i> -aroyl-2,4,5,6-tetrahydropyrazolo-[3,4- <i>d</i>]thieno[3,2- <i>b</i>]azepines
Y. Xia, Z.-Y. Yang, P. Xia, K. F. Bastow, Y. Nakanishi and K.-H. Lee	699	Antitumor agents. Part 202: Novel 2'-amino chalcones: design, synthesis and biological evaluation
N. Agarwal, S. K. Raghuwanshi, D. N. Upadhyay, P. K. Shukla and V. J. Ram	703	Suitably functionalised pyrimidines as potential antimycotic agents
L.-W. Hsin, E. L. Webster, G. P. Chrousos, P. W. Gold, W. C. Eckelman, C. Contoreggi and K. C. Rice	707	Synthesis and biological activity of fluoro-substituted pyrrolo[2,3- <i>d</i>]pyrimidines: The development of potential positron emission tomography imaging agents for the corticotropin-releasing hormone type 1 receptor
W. Han, Z. Hu, X. Jiang and C. P. Decicco	711	α -Ketoamides, α -ketoesters and α -diketones as HCV NS3 protease inhibitors
C. J. Andres, J. J. Bronson, S. V. D'Andrea, M. S. Deshpande, P. J. Falk, K. A. Grant-Young, W. E. Harte, H.-T. Ho, P. F. Misco, J. G. Robertson, D. Stock, Y. Sun and A. W. Walsh	715	4-Thiazolidinones: novel inhibitors of the bacterial enzyme murB
S. Jin, J. S. Kim, S.-P. Sim, A. Liu, D. S. Pilch, L. F. Liu and E. J. LaVoie	719	Heterocyclic bibenzimidazole derivatives as topoisomerase I inhibitors
L. Chen, J. W. Tilley, T.-N. Huang, D. Miklowski, R. Trilles, R. W. Guthrie, K. Luk, A. Hanglow, K. Rowan, V. Schwinge and B. Wolitzky	725	<i>N</i> -Acyl phenylalanine analogues as potent small molecule VLA-4 antagonists
L. Chen, J. W. Tilley, R. W. Guthrie, F. Mennona, T.-N. Huang, G. Kaplan, R. Trilles, D. Miklowski, N. Huby, V. Schwinge, B. Wolitzky and K. Rowan	729	<i>N</i> -Benzylpyroglutamyl-L-phenylalanine derivatives as VCAM/VLA-4 antagonists
M. Kuse, T. Franz, K. Koga, S. Suwan, M. Isobe, N. Agata and M. Ohta	735	High incorporation of L-amino acids to cereulide, an emetic toxin from <i>Bacillus cereus</i>
H. Tsutsumi, K. Hamasaki, H. Mihara and A. Ueno	741	Cyclodextrin-peptide hybrid as a hydrolytic catalyst having multiple functional groups
S. Y. Tamura, O. E. Levy, T. H. Uong, J. E. Reiner, E. A. Goldman, J. Z. Ho, C. R. Cohen, P. W. Bergum, R. F. Nutt, T. K. Brunck and J. E. Semple	745	Guanylpiperidine peptidomimetics: potent and selective bis-cation inhibitors of factor Xa
J. E. Saavedra, D. L. Mooradian, K. A. Mowery, M. H. Schoenfish, M. L. Citro, K. M. Davies, M. E. Meyerhoff and L. K. Keefer	751	Conversion of a polysaccharide to nitric oxide-releasing form. Dual-mechanism anticoagulant activity of diazeniumdiolated heparin
P. Roumelioti, T. Tselios, K. Alexopoulos, T. Mavromoustakos, A. Kolocouris, G. J. Moore and J. M. Matsoukas	755	Structural comparison between type I and type II antagonists: possible implications in the drug design of AT1 antagonists
H. Chávez, G. Rodríguez, A. Estévez-Braun, A. G. Ravelo, R. Estévez-Reyes, A. G. González, J. L. Fdez-Puente and D. García-Grávalos	759	Macrocarpins A–D, new cytotoxic nor-triterpenes from <i>Maytenus macrocarpa</i>
A. Martelli, N. Berthet, J.-F. Constant, M. Demeunynck and J. Lhomme	763	The abasic site as a target for generation of locally multiply damaged sites

- J. Campos, M. C. Núñez, V. Rodríguez, M. A. Gallo and A. Espinosa** 767 QSAR of 1,1'-(1,2-ethylenebisbenzyl)bis(4-substitutedpyridinium) dibromides as choline kinase inhibitors: a different approach for antiproliferative drug design
- D. Rondeau, P. Gill, M. Chan, K. Curry and W. D. Lubell** 771 Synthesis and pharmacology of new enantiopure Δ^3 -4-arylkinoids
- Y. Zhang, R. Boyer, X. Sun, J. Paschal and S.-H. Chen** 775 Serendipitous synthesis of novel dehydro- and dechloro-pseudomycin B (PSB) derivatives
- G. Radau and D. Rauh** 779 Synthesis of a cyanopeptide-analogue with trypsin activating properties
- M. A. Ashwell, J. F. Bagli, T. J. Caggiano, P. S. Chan, A. J. Molinari, C. Palka, C. H. Park, J. F. Rogers, M. Sherman, E. J. Trybulski and D. K. Williams** 783 The design, synthesis and physical chemical properties of novel human vasopressin V_2 -receptor antagonists optimized for parenteral delivery
- T. Fichert, A. Regelin and U. Massing** 787 Synthesis and transfection properties of novel non-toxic monocationic lipids. Variation of lipid anchor, spacer and head group structure
- W. Liao, C. F. Piskorz, R. D. Locke and K. L. Matta** 793 *N*-*p*-Nitrobenzyloxycarbonyl galactosamine imide as a glycosyl donor for the efficient synthesis of mucin core-2 analogue
- L. Hu, B. Liu and D. R. Hacking** 797 5'-[2-(2-Nitrophenyl)-2-methylpropionyl]-2'-deoxy-5-fluorouridine as a potential bioreductively activated prodrug of FUDR: synthesis, stability and reductive activation
- J. C. Verheijen, A.-M. M. van Roon, N. J. Meeuwenoord, H. R. Stuivenberg, S. F. Bayly, L. Chen, G. A. van der Marel, P. F. Torrence and J. H. van Boom** 801 Incorporation of a 4-hydroxy-*N*-acetylprolinol nucleotide analogue improves the 3'-exonuclease stability of 2'-5'-oligoadenylate-antisense conjugates
- D. Potin, V. Parnet, J.-M. Teulon, F. Camborde, F. Caussade, J. Meignen, D. Provost and A. Cloarec** 805 Novel 3-(4-piperidinythio)-1*H*-indoles as potent nonopioid orally active central analgesics
- D. Durand, P. Hullot, J.-P. Vidal, J.-P. Girard, J. L. Banères, J. Parello, A. Muller, C. Bonne and J.-C. Rossi** 811 Leukotriene B₄ photoaffinity probes: design, synthesis and evaluation of new arylazide-1,3-disubstituted cyclohexanes
- R. F. Clark, Z. Ma, S. Wang, G. Griesgraber, M. Tufano, H. Yong, L. Li, X. Zhang, A. M. Nilius, D. T. W. Chu and Y. S. Or** 815 Synthesis and antibacterial activity of novel 6-*O*-substituted erythromycin A derivatives
- T. Lübbers, P. Angehrn, H. Gmünder, S. Herzig and J. Kulhanek** 821 Design, synthesis, and structure–activity relationship studies of ATP analogues as DNA gyrase inhibitors
- Y. Honda, S. Tanimori, M. Kirihaata, S. Kaneko, K. Tokuyasu, M. Hashimoto and T. Watanabe** 827 Chemo- and enzymatic synthesis of partially and fully *N*-deacetylated 4-methylumbelliferyl chitobiosides: fluorogenic substrates for chitinase
- S. Röver, J. Wichmann, F. Jenck, G. Adam and A. M. Cesura** 831 ORL1 Receptor ligands: structure–activity relationships of 8-cycloalkyl-1-phenyl-1,3,8-triaza-spiro[4.5]decan-4-ones
- R. Larget, B. Lockhart, P. Renard and M. Largeton** 835 A convenient extension of the Wessely–Moser rearrangement for the synthesis of substituted alkylaminoflavones as neuroprotective agents in vitro
- C. Biot, N. Francois, L. Maciejewski, J. Brocard and D. Poulain** 839 Synthesis and antifungal activity of a ferrocene–fluconazole analogue

I Instructions to Contributors

NUMBER 9

Contents

- vii Contributors to this Issue
- xi Graphical Abstracts
- Y. Lin, C. Wu, S. Lin and D. Yang** 843 SAR studies of 2-*o*-substituted-benzoyl- and 2-alkanoyl-cyclohexane-1,3-diones as inhibitors of 4-hydroxyphenylpyruvate dioxygenase
- J. D. Buynak, V. R. Doppalapudi, A. S. Rao, S. D. Nidamarthy and G. Adam** 847 The synthesis and evaluation of 2-substituted-7-(alkylidene)cephalosporin sulfones as β -lactamase inhibitors

J. D. Buynak, V. R. Doppalapudi and G. Adam	853	The synthesis and evaluation of 3-substituted-7-(alkylidene)cephalosporin sulfones as β -lactamase inhibitors
M. Miyashita, M. Akamatsu, Y. Hayashi and T. Ueno	859	Three-dimensional quantitative structure–activity relationship analyses of RGD mimetics as fibrinogen receptor antagonists
N. Matsumoto, A. Ariga, S. To-e, H. Nakamura, N. Agata, S. Hirano, J. Inoue and K. Umezawa	865	Synthesis of NF- κ B activation inhibitors derived from epoxyquinomicin C
P. Nebois, M.-E. Sarciron, B. Bibal, B. Bouammali, O. Cherkaoui, F. Pautet, A.-F. Pétavy, N. Walchshofer and H. Fillion	871	Quinonic derivatives active against a virulent strain of <i>Toxoplasma gondii</i> . Synthesis of 2-methylfuro[2,3- <i>g</i>]- and [3,2- <i>g</i>]isoquinolinetriones
T. Hanano, K. Adachi, Y. Aoki, H. Morimoto, Y. Naka, M. Hisadome, T. Fukuda and H. Sumichika	875	Novel phenylpiperazine derivatives as dual cytokine regulators with TNF- α suppressing and IL-10 augmenting activity
T. Hanano, K. Adachi, Y. Aoki, H. Morimoto, Y. Naka, M. Hisadome, T. Fukuda and H. Sumichika	881	Novel DMARDs on the basis of a new concept of dual cytokine regulation, TNF- α suppression and IL-10 augmentation
L. Breydo and K. S. Gates	885	Thiol-dependent DNA cleavage by 3 <i>H</i> -1,2-benzodithiol-3-one 1,1-dioxide
T. Ren, G. Zhang, F. Liu and D. Liu	891	Synthesis and evaluation of vitamin D-based cationic lipids for gene delivery in vitro
G. A. Kraus and X. Wang	895	Synthesis and endothelin receptor binding activity of synthetic analogues of RES-1149-2
T. Hámori, S. Sólyom, P. Berzsenyi, F. Andrási and I. Tarnawa	899	Structural analogues of some highly active non-competitive AMPA antagonists
C. Q. Meng, S. Rakhit, D. K. H. Lee, R. Kamboj, K. L. McCallum, L. Mazzocco, K. Dyne and A. Slassi	903	5-Thienyltryptamine derivatives as serotonin 5-HT _{1B/1D} receptor agonists: potential treatments for migraine
T. V. S. Rao, M. T. Haber, J. M. Sayer and D. M. Jerina	907	Incorporation of 4-thiothymidine into DNA by the Klenow fragment and HIV-1 reverse transcriptase
J. Soto, M. Bessodes, B. Pitard, P. Mailhe, D. Scherman and G. Byk	911	Non-electrostatic complexes with DNA: towards novel synthetic gene delivery systems
C. W. Harwig, T. Z. Hoffman, A. D. Wentworth and K. D. Janda	915	A one-pot multistep approach to α -azido-phosphonate and phosphonothioate diesters: key intermediates in the synthesis of haptens for the generation of antibody ligases
M. Isaac, A. Slassi, A. O'Brien, L. Edwards, N. MacLean, D. Bueschgens, D. K. H. Lee, K. McCallum, I. D Lannoy, L. Demchyshyn and R. Kamboj	919	Pyrrolo[3,2,1- <i>ij</i>]quinoline derivatives, a 5-HT _{2c} receptor agonist with selectivity over the 5-HT _{2a} receptor: Potential therapeutic applications for epilepsy and obesity
Y. Gao, L. Wu, J. H. Luo, R. Guo, D. Yang, Z.-Y. Zhang and T. R. Burke Jr	923	Examination of novel non-phosphorus-containing phosphotyrosyl mimetics against protein-tyrosine phosphatase-1B and demonstration of differential affinities toward Grb2 SH2 domains
K.-H. Altmann, D. Hüsken, B. Cuenoud and C. García-Echeverría	929	Synthesis and hybridization properties of polyamide based nucleic acid analogues incorporating pyrrolidine-derived nucleosides
G. Dorey, B. Lockhart, P. Lestage and P. Casara	935	New quinolinic derivatives as centrally active antioxidants
Q. Wang, M. Wolff, T. Polat, Y. Du and R. J. Linhardt	941	Inhibition of neuraminidase with neuraminic acid C-glycosides
M. Missbach, E. Altmann, L. Widler, M. Susa, E. Buchdunger, H. Mett, T. Meyer and J. Green	945	Substituted 5,7-diphenyl-pyrrolo[2,3- <i>d</i>]pyrimidines: potent inhibitors of the tyrosine kinase c-Src
M. D. Connolly, S. B. Park, B. M. Reedy and R. F. Standaert	951	A simple, solid-phase binding assay for the nuclear import receptor karyopherin α . Part 1: Direct binding
S. B. Park, B. M. Reedy and R. F. Standaert	955	A simple, solid-phase binding assay for the nuclear import receptor karyopherin α . Part 2: Competitive binding
D. O. Arnaiz, Z. Zhao, A. Liang, L. Trinh, M. Whitlow, S. K. Koovakkat and K. J. Shaw	957	Design, synthesis, and in vitro biological activity of indole-based factor Xa inhibitors

Z. Zhao, D. O. Arnaiz, B. Griedel, S. Sakata, J. L. Dallas, M. Whitlow, L. Trinh, J. Post, A. Liang, M. M. Morrissey and K. J. Shaw	963	Design, synthesis, and in vitro biological activity of benzimidazole based factor Xa inhibitors
M. Bilban, A. Billich, M. Auer and P. Nussbaumer	967	New fluorogenic substrate for the first continuous steroid sulfatase assay
N. Tamilarasu, I. Huq and T. M. Rana	971	Design, synthesis, and biological activity of a cyclic peptide: an inhibitor of HIV-1 tat-TAR interactions in human cells
B. Henkel, W. Stenzel and T. Schotten	975	Stereo-random synthesis of highly functionalized proline analogues by azo-methine cycloaddition
P. M. Brophy, A. M. Campbell, A. J. van Eldik, P. H. Teesdale-Spittle, E. Liebau and M. F. Wang	979	β -Carbonyl substituted glutathione conjugates as inhibitors of <i>O. Volvulus</i> GST2
S. Y. Tamura, M. I. Weinhouse, C. A. Roberts, E. A. Goldman, K. Masukawa, S. M. Anderson, C. R. Cohen, A. E. Bradbury, V. T. Bernardino, S. A. Dixon, M. G. Ma, T. G. Nolan and T. K. Brunck	983	Synthesis and biological activity of peptidyl aldehyde urokinase inhibitors
A. C. Rinaldi, G. Ponticelli, S. Oliva, A. Di Giulio and E. Sanjust	989	Copper-promoted overall transformation of 4- <i>tert</i> -butylphenol to its <i>para</i> -hydroxyquinonic derivative, 2-hydroxy-5- <i>tert</i> -butyl-1,4-benzoquinone. Biomimetic studies on the generation of topaquinone in copper amine oxidases
S. C. Archibald, J. C. Head, J. M. Linsley, J. R. Porter, M. K. Robinson, A. Shock and G. J. Warrellow	993	Discovery and evaluation of potent, cysteine-based α 4 β 1 integrin antagonists
S. C. Archibald, J. C. Head, N. Gozzard, D. W. Howat, T. A. H. Parton, J. R. Porter, M. K. Robinson, A. Shock, G. J. Warrellow and W. M. Abraham	997	Discovery and evaluation of potent, tyrosine-based α 4 β 1 integrin antagonists
	1001	Corrigendum
	I	Instructions to Contributors

NUMBER 10

Contents

	vii	Contributors to this Issue
	ix	Graphical Abstracts
Z.-Y. Yang, Y. Xia, P. Xia, A. Brossi, L. M. Cosentino and K.-H. Lee	1003	Anti-AIDS agents. Part 41: Synthesis and anti-HIV activity of 3',4'-di-o-(–)-camphanoyl-(+)- <i>cis</i> -khellactone (DCK) lactam analogues
M. Rabinowitz, P. Seneci, T. Rossi, M. Dal Cin, M. Deal and G. Terstappen	1007	Solid-phase/solution-phase combinatorial synthesis of neuroimmunophilin ligands
K. T. Weber, D. Hammache, J. Fantini and B. Ganem	1011	Synthesis of glycolipid analogues that disrupt binding of HIV-1 gp120 to galactosylceramide
F. M. Uckun, C. Mao, A. O. Vassilev, C. S. Navara, R. K. S. Narla and S.-T. Jan	1015	A rationally designed anticancer drug targeting a unique binding cavity of tubulin
D. L. Boger, B. E. Fink and M. P. Hedrick	1019	A new class of highly cytotoxic diketopiperazines
A. Zhang and G. Lin	1021	The first synthesis of clausenamine-A and cytotoxic activities of three biscardazole analogues against cancer cells
R. Mandler, E. Dadachova, J. K. Brechbiel, T. A. Waldmann and M. W. Brechbiel	1025	Synthesis and evaluation of antiproliferative activity of a geldanamycin–Herceptin [®] immunoconjugate
Y. Wang, G. J. Habgood, W. J. Christ, Y. Kishi, B. A. Littlefield and M. J. Yu	1029	Structure–activity relationships of halichondrin B analogues: modifications at C.30–C.38
Y. Gong, M. Becker, Y. M. Choi-Sledeski, R. S. Davis, J. M. Salvino, V. Chu, K. D. Brown and H. W. Pauls	1033	Solid-phase parallel synthesis of azarene pyrrolidinones as factor Xa inhibitors

K. K. Murthi, M. Dubay, C. McClure, L. Brizuela, M. D. Boisclair, P. J. Worland, M. M. Mansuri and K. Pal	1037	Structure–activity relationship studies of flavopiridol analogues
S. Bosi, T. Da Ros, S. Castellano, E. Banfi and M. Prato	1043	Antimycobacterial activity of ionic fullerene derivatives
S. Ogawa and T. Morikawa	1047	Synthesis of a potent aminocyclitol α -mannosidase inhibitor, 1L-(1,2,3,5/4)-5-amino-4-O-methyl-1,2,3,4-cyclopentanetetrol
Q. Zhao, D. Yu and S. Agrawal	1051	Immunostimulatory activity of CpG containing phosphorothioate oligodeoxy-nucleotide is modulated by modification of a single deoxynucleoside
R. Jayakumar and M. Murugesan	1055	Anomalous temperature dependence of peptide films at air–water interface
Y.-J. Zheng, R. Shapiro, W. J. Marshall and D. B. Jordan	1059	Synthesis and structural analysis of the active enantiomer of famoxadone, a potent inhibitor of cytochrome bc ₁
J. Lee, C. B. Davis, R. A. Rivero, A. B. Reitz and R. P. Shank	1063	Synthesis and structure–activity relationship of novel pyridyl ethers for the nicotinic acetylcholine receptor
A. Murray, F. C. Grønvald, J. K. Nielsen and P. Faarup	1067	Synthesis of FF-MAS from lithocholic acid
C. A. Coburn, D. M. Rush, P. D. Williams, C. Homnick, E. A. Lyle, S. D. Lewis, B. J. Lucas, Jr., J. M. Di Muzio-Mower, M. Juliano, J. A. Krueger, K. Vastag, I-W. Chen and J. P. Vacca	1069	Bicyclic pyridones as potent, efficacious and orally bioavailable thrombin inhibitors
Y. Wei and D. Pei	1073	Activation of antibacterial prodrugs by peptide deformylase
T. S. Maurer, J. Pan, B. P. Booth, T. I. Kalman and H.-L. Fung	1077	Examination of <i>N</i> -hydroxylation as a prerequisite mechanism of nitric oxide synthase inactivation
S. Sou, S. Mayumi, H. Takahashi, R. Yamasaki, S. Kadoya, M. Sodeoka and Y. Hashimoto	1081	Novel α -glucosidase inhibitors with a tetrachlorophthalimide skeleton
K.-W. Yang, J. J. Brandt, L. L. Chatwood and M. W. Crowder	1085	Phosphoramidate and phosphothioate dipeptides as potential inhibitors of VanX
M. Modica, M. Santagati, A. Santagati, F. Russo, A. Cagnotto, M. Goegan and T. Mennini	1089	High potent and selective arylpiperazine derivatives as ligands for the 5-HT _{1A} receptor
X. Li, W. V. Murray, L. Jolliffe and V. Pulito	1093	Novel arylpiperazines as selective α_1 -adrenergic receptor antagonists
M. L. López-Rodríguez, E. Porras, B. Benhamú, J. A. Ramos, M. J. Morcillo and J. L. Lavandera	1097	First pharmacophoric hypothesis for 5-HT ₇ antagonism
C. Darmanin and O. El-Kabbani	1101	Modelling studies on the binding of substrate and inhibitor to the active site of human sorbitol dehydrogenase
J. S. Edmonds	1105	Diastereoisomers of an 'arsenomethionine'-based structure from <i>Sargassum lacerifolium</i> : the formation of the arsenic–carbon bond in arsenic-containing natural products
R. E. Boyd, J. R. Carson, E. E. Codd, A. D. Gauthier, L. A. Neilson and S.-P. Zhang	1109	Synthesis and binding affinities of 4-diarylaminotropanes, a new class of delta opioid agonists
G. Tamagnan, R. M. Baldwin, N. S. Kula, R. J. Baldessarini and R. B. Innis	1113	Cyclopentadienyltricarbonylrheniumbenzazepines: synthesis and binding affinity
A. Scozzafava and C. T. Supuran	1117	Carbonic anhydrase inhibitors: synthesis of <i>N</i> -morpholythiocarbonyl-sulphenylamino aromatic/heterocyclic sulfonamides and their interaction with isozymes I, II and IV
Z. Zhu, H.-G. Chen, O. P. Goel, O. H. Chan, L. A. Stilgenbauer and B. H. Stewart	1121	Phosphate prodrugs of PD154075
Y. Ambroise, C. Mioskowski, G. Leblanc and B. Rousseau	1125	Syntheses and properties of photoactivatable sugar derivatives designed to probe the sugar-binding site of melibiose permease
Y. Suhara, K. Nihei, H. Tanigawa, T. Fujishima, K. Konno, K. Nakagawa, T. Okano and H. Takayama	1129	Syntheses and biological evaluation of novel 2 α -substituted 1 α ,25-dihydroxy-vitamin D ₃ analogues

J.-M. Stutzmann, G. A. Bohme, A. Boireau, D. Damour, M. W. Debono, A. Genevois-Borella, A. Imperato, P. Jimonet, J. Pratt, J. C. R. Randle, Y. Ribeill, M. Vuilhorgne and S. Mignani	1133	4,10-Dihydro-4-oxo-4 <i>H</i> -imidazo[1,2- <i>a</i>]indeno[1,2- <i>e</i>]pyrazin-2-carboxylic acid derivatives: highly potent and selective AMPA receptors antagonists with in vivo activity
M. S. Searle and M. Jourdan	1139	Templating peptide folding on the surface of a micelle: nucleating the formation of a β -hairpin
I		Instructions to Contributors

NUMBER 11

Contents

	vii	Contributors to this Issue
	xi	Graphical Abstracts
S. H. Kim, H. Son, G. Nam, D. Y. Chi and J. H. Kim	1143	Synthesis and in vitro antibacterial activity of 3-[<i>N</i> -methyl- <i>N</i> -(3-methyl-1,3-thiazolium-2-yl)amino]methyl cephalosporin derivatives
K. Chibale, M. Visser, V. Yardley, S. L. Croft and A. H. Fairlamb	1147	Synthesis and evaluation of 9,9-dimethylxanthene tricyclics against trypanothione reductase, <i>Trypanosoma brucei</i> , <i>Trypanosoma cruzi</i> and <i>Leishmania donovani</i>
W. Wang, P. Prévaille, N. Morin, S. Mounir, W. Cai and M. A. Siddiqui	1151	Hepatitis C viral IRES inhibition by phenazine and phenazine-like molecules
W. L. Jorgensen and E. M. Duffy	1155	Prediction of drug solubility from Monte Carlo simulations
A. Spaltenstein, M. R. Almond, W. J. Bock, D. G. Cleary, E. S. Furfine, R. J. Hazen, W. M. Kazmierski, F. G. Salituro, R. D. Tung and L. L. Wright	1159	Novel inhibitors of HIV protease: design, synthesis and biological evaluation of picomolar inhibitors containing cyclic P1/P2 scaffolds
J. Tilley, G. Kaplan, N. Fotouhi, B. Wolitzky and K. Rowan	1163	Carbacyclic peptide mimetics as VCAM–VLA-4 antagonists
N. Fotouhi, P. Joshi, J. W. Tilley, K. Rowan, V. Schwinge and B. Wolitzky	1167	Cyclic thioether peptide mimetics as VCAM–VLA-4 antagonists
N. Fotouhi, P. Joshi, D. Fry, C. Cook, J. W. Tilley, G. Kaplan, A. Hanglow, K. Rowan, V. Schwinge and B. Wolitzky	1171	The design and synthesis of potent cyclic peptide VCAM–VLA-4 antagonists incorporating an achiral Asp-Pro mimetic
H. Rueeger, P. Rigollier, Y. Yamaguchi, T. Schmidlin, W. Schilling, L. Criscione, S. Whitebread, M. Chiesi, M. W. Walker, D. Dhanoa, I. Islam, J. Zhang and C. Gluchowski	1175	Design, synthesis and SAR of a series of 2-substituted 4-amino-quinazoline neuropeptide Y Y ₅ receptor antagonists
B. Kundu, A. Puri, G. Singh, R. Sahai, L. M. Tripathi and V. M. L. Srivastava	1181	Immunomodulatory activity of hexapeptides related to proline rich peptide from colostrum
L. Longobardo, D. Melck, R. Siciliano, A. Santini, V. Di Marzo and G. Cammarota	1185	β -Casomorphins: substitution of phenylalanine with β - <i>homo</i> phenylalanine increases the μ -type opioid receptor affinity
H. B. Wood, Jr., R. Black, G. Salituro, D. Szalkowski, Z. Li, Y. Zhang, D. E. Moller, B. Zhang and A. B. Jones	1189	The basal SAR of a novel insulin receptor activator
S.-T. Jan, C. Mao, A. O. Vassilev, C. S. Navara and F. M. Uckun	1193	COBRA-1, A rationally-designed epoxy-THF containing compound with potent tubulin depolymerizing activity as a novel anticancer agent
K. Takeuchi, T. J. Kohn, R. W. Harper, H.-S. Lin, D. S. Gifford-Moore, M. E. Richett, D. J. Sall, G. F. Smith and M. Zhang	1199	Diamino benzo[<i>b</i>]thiophene derivatives as a novel class of active site directed thrombin inhibitors. Part 6: Further focus on the contracted C4'-side chain analogues
B. L. Chenard, F. S. Menniti, M. J. Pagnozzi, K. D. Shenk, F. E. Ewing and W. M. Welch	1203	Methaqualone derivatives are potent noncompetitive AMPA receptor antagonists
A. K. Bakkestuen, L.-L. Gundersen, G. Langli, F. Liu and J. M. J. Nolsøe	1207	9-Benzylpurines with inhibitory activity against <i>Mycobacterium tuberculosis</i>

K. Y. Chang, S. H. Kim, G. Nam, J. H. Seo, J. H. Kim and D.-C. Ha	1211	Synthesis and structure–activity relationships of quaternary ammonium cephalosporins with 3-pyrazolylpyridinium derivatives
A. Brancale, C. McGuigan, G. Andrei, R. Snoeck, E. De Clercq and J. Balzarini	1215	Bicyclic nucleoside inhibitors of Varicella-Zoster Virus (VZV): the effect of a terminal halogen substitution in the side-chain
P. A. Wright, A. A. Rostom, C. V. Robinson and C. J. Schofield	1219	Mass spectrometry reveals elastase inhibitors from the reactive centre loop of α_1 -antitrypsin
T. Owa, T. Okauchi, K. Yoshimatsu, N. H. Sugi, Y. Ozawa, T. Nagasu, N. Koyanagi, T. Okabe, K. Kitoh and H. Yoshino	1223	A focused compound library of novel <i>N</i> -(7-indolyl)benzenesulfonamides for the discovery of potent cell cycle inhibitors
H. Matsumoto, T. Hamawaki, H. Ota, T. Kimura, T. Goto, K. Sano, Y. Hayashi and Y. Kiso	1227	'Double-drugs'— A new class of prodrug form of an HIV protease inhibitor conjugated with a reverse transcriptase inhibitor by a spontaneously cleavable linker
F. Leclercq, C. Dubertret, B. Pitard, D. Scherman and J. Herscovici	1233	Synthesis of glycosylated polyethylenimine with reduced toxicity and high transfecting efficiency
S. Khabnadideh, C. L. Tan, S. L. Croft, H. Kendrick, V. Yardley and I. H. Gilbert	1237	Squalamine analogues as potential anti-trypanosomal and anti-leishmanial compounds
F. Gasparini, W. Inderbitzin, E. Francotte, G. Lecis, P. Richert, Z. Dragic, R. Kuhn and P. J. Flor	1241	(+)-4-Phosphonophenylglycine (PPG) a new group III selective metabotropic glutamate receptor agonist
N. Bernad, B. G. M. Burgaud, D. C. Horwell, R. A. Lewthwaite, J. Martinez and M. C. Pritchard	1245	The design and synthesis of the high efficacy, non-peptide CCK ₁ receptor agonist PD 170292
W. Zhou, S. Upendran, A. Roland, Y. Jin and R. P. Iyer	1249	Nucleotide libraries as a source of biologically relevant chemical diversity: solution-phase synthesis
J. Cacciola, J. M. Fevig, P. F. W. Stouten, R. S. Alexander, R. M. Knabb and R. R. Wexler	1253	Synthesis and activity studies of conformationally restricted α -ketoamide factor Xa inhibitors
W. Lew, H. Wu, X. Chen, B. J. Graves, P. A. Escarpe, H. L. MacArthur, D. B. Mendel and C. U. Kim	1257	Carbocyclic influenza neuraminidase inhibitors possessing a C ₃ -cyclic amine side chain: synthesis and inhibitory activity
L. Revesz, F. E. Di Padova, T. Buhl, R. Feifel, H. Gram, P. Hiestand, U. Manning and A. G. Zimmerlin	1261	SAR of 4-hydroxypiperidine and hydroxyalkyl substituted heterocycles as novel p38 map kinase inhibitors
V. A. Kuksa, V. A. Pavlov and P. K. T. Lin	1265	The synthesis and in vitro cytotoxic studies of novel oxa-spermidine derivatives and homologues
P. Cozzi, I. Beria, M. Caldarelli, L. Capolongo, C. Geroni and N. Mongelli	1269	Cytotoxic halogenoacrylic derivatives of distamycin A
P. Cozzi, I. Beria, M. Caldarelli, C. Geroni, N. Mongelli and G. Pennella	1273	Cytotoxic α -bromoacrylic derivatives of distamycin analogues modified at the amidino moiety
C. Upton, R. H. Osborne and M. Jaffar	1277	Conformationally-restricted ligands for the histamine H ₁ receptor
J. B. Thomas, R. N. Atkinson, R. B. Rothman, J. P. Burgess, S. W. Mascarella, C. M. Dersch, H. Xu and F. I. Carroll	1281	4-[(8-Alkyl-8-azabicyclo[3.2.1]octyl-3-yl)-3-arylanilino]- <i>N,N</i> -diethylbenzamides: high affinity, selective ligands for the delta opioid receptor illustrate factors important to antagonist activity
C. M. Hill, F. Wu, T.-C. Cheng, J. J. DeFrank and F. M. Rauschel	1285	Substrate and stereochemical specificity of the organophosphorus acid anhydrolase from <i>Alteromonas</i> sp. JD6.5 toward <i>p</i> -nitrophenyl phosphotriesters
Y. Ohnishi, M. Ichikawa and Y. Ichikawa	1289	Facile synthesis of N-Fmoc-serine-S-GlcNAc: a potential molecular probe for the functional study of O-GlcNAc
H. Takahata, S. Takahashi, N. Azer, A. T. Eldefrawi and M. E. Eldefrawi	1293	Total synthesis of pyrrolizidines 223H', 239K', 265H', and 267H' found in Madagascan frogs (<i>Mantella</i>) and their affinities for nicotinic acetylcholine receptor
S.-W. Lin, Y.-L. Lin, T.-C. Lin and D.-Y. Yang	1297	Discovery of a potent, non-triketone type inhibitor of 4-hydroxyphenylpyruvate dioxygenase
J. Matulic-Adamic, A. T. Daniher, A. Karpeisky, P. Haeberli, D. Sweedler and L. Beigelman	1299	Functionalized nucleoside 5'-triphosphates for in vitro selection of new catalytic ribonucleic acids

S. D. Kuduk, C. R. Harris, F. F. Zheng,
L. Sepp-Lorenzino, Q. Ouerfelli, N. Rosen
and S. J. Danishefsky

1303 Synthesis and evaluation of geldanamycin–testosterone hybrids

I Instructions to Contributors

NUMBER 12

Contents

v	Contributors to this Issue
vii	Graphical Abstracts
M. I. Dawson, P. D. Hobbs, L. Jong, D. Xiao, W. Chao, C. Pan and X. Zhang	1307 sp ² -Bridged diaryl retinoids: effects of bridge-region substitution on retinoid X receptor (RXR) selectivity
M. I. Dawson, L. Jong, P. D. Hobbs, D. Xiao, K.-C. Feng, W. Chao, C. Pan, J. A. Fontana and X. Zhang	1311 4-[3-(5,6,7,8-Tetrahydro-5,5,8,8-tetramethyl-2-naphthalenyl)phenyl]benzoic acid and heterocyclic-bridged analogues are novel retinoic acid receptor subtype and retinoid X receptor α agonists
R. Obata, T. Sunazuka, K. Otaguro, H. Tomoda, Y. Harigaya and S. Ōmura	1315 Synthetic conversion of ACAT inhibitor to acetylcholinesterase inhibitor
N. Fujiwara, H. Fujita, K. Iwai, A. Kurimoto, S. Murata and H. Kawakami	1317 Synthesis and bioactivities of novel piperidylpyrimidine derivatives: inhibitors of tumor necrosis factor- α production
A. Basak, H. M. Bdour, J. C. Shain, S. Mandal, K. R. Rudra and S. Nag	1321 DNA-cleavage studies on <i>N</i> -substituted monocyclic enediynes: enhancement of potency by incorporation of intercalating or electron poor aromatic ring and subsequent design of a novel phototriggerable acyclic enediyne
M. Xue, B. H. Long, C. Fairchild, K. Johnston, W. C. Rose, J. F. Kadow, D. M. Vyas and S.-H. Chen	1327 Structure–activity relationships study at the 3′- <i>N</i> position of paclitaxel. Part 2: Synthesis and biological evaluation of 3′- <i>N</i> -thiourea- and 3′- <i>N</i> -thiocarbamate-bearing paclitaxel analogues
H. Kurosaki, T. Tawada, S. Kawasoe, Y. Ohashi and M. Goto	1333 A model for Zn ^{II} -containing- β -lactamase: synthesis, X-ray crystal structure of a zinc(II) complex bearing thiol group and hydrolysis of phosphate diester
J. Wirsching, J. Voss, J. Balzarini and E. De Clercq	1339 Thiosugars. Part 5: Synthesis and biological activity of 1-(4-thio-L-arabino-furanosyl)-5-halopyrimidine nucleosides
D. N. Tchamo, M.-G. Dijoux-Franca, A.-M. Mariotte, E. Tsamo, J. B. Daskiewicz, C. Bayet, D. Barron, G. Conseil and A. Di Pietro	1343 Prenylated xanthenes as potential P-glycoprotein modulators
L. Soulière, P. Hoffmann, F. Bringaud and J. Périé	1347 Synthesis and uptake of nitric oxide-releasing drugs by the P2 nucleoside transporter in <i>Trypanosoma equiperdum</i>
J. Zhang, S. Didierlaurent, M. Fortin, D. Lefrançois, E. Uridat and J. P. Vever	1351 Nonpeptide endothelin antagonists: from lower affinity pyrazol-5-ols to higher affinity pyrazole-5-carboxylic acids
Z. Wang, L. Chen, S. F. Bayly and P. F. Torrence	1357 Convergent synthesis of ribonuclease L-active 2′,5′-oligoadenylate-peptide nucleic acids
G. Liu, S.-D. Zhang, S.-Q. Xia and Z.-K. Ding	1361 Solid-phase synthesis of muramyl dipeptide (MDP) derivatives using a multi-pin method
A. J. F. Edmunds, G. Arnold, L. Hagmann, R. Schaffner and H. Furlenmeier	1365 Synthesis of simplified herboxidiene aromatic hybrids
H. Streicher, W. Schmid, I. Wenzl, C. Fiedler, H. Kählig and F. M. Unger	1369 Synthesis and binding to plant lectins of sulfur-containing analogues of β Gal1,3 α GalNAc (T-antigen)
S. Rodier, Y. Le Huérou, B. Renoux, J. Doyon, P. Renard, A. Pierré, J.-P. Gesson and R. Grée	1373 Synthesis and cytotoxic activity of acetogenin analogues
J. Pabel, G. Höfner and K. Th. Wanner	1377 Synthesis and resolution of racemic Eliprodil and evaluation of the enantiomers of Eliprodil as NMDA receptor antagonists
I. Collins, W. B. Davey, M. Rowley, K. Quirk, F. A. Bromidge, R. M. McKernan, S.-A. Thompson and K. A. Wafford	1381 <i>N</i> -(Indol-3-ylglyoxylyl)piperidines: high affinity agonists of human GABA-A receptors containing the α_1 subunit

G. M. Cingolani, A. Di Stefano, B. Mosciatti, F. Napolitani, G. Giorgioni, M. Ricciutelli and F. Claudi	1385	Synthesis of L-(+)-3-(3-hydroxy-4-pivaloyloxybenzyl)-2,5-diketomorpholine as potential prodrug of L-Dopa
H. R. Pfaendler, R. Weishaupt and H. Meffert	1389	Synthesis and biological activities of an α -methyl and a β -methyl carbapenem and the corresponding unsubstituted compound
M. Bessodes, C. Dubertret, G. Jaslin and D. Scherman	1393	Synthesis and biological properties of new glycosidic cationic lipids for DNA delivery
P. G. Baraldi, R. Romagnoli, A. Duatti, C. Bolzati, A. Piffanelli, N. Bianchi, C. Mischiati and R. Gambari	1397	Synthesis of hybrid distamycin–cysteine labeled with ^{99m}Tc : a model for a novel class of cancer imaging agents
	1401	Corrigendum
	1403	Corrigendum
	I	Instructions to Contributors

NUMBER 13

Contents

	v	Contributors to this Issue
	vii	Graphical Abstracts
D. A. Dickman, H. Ding, Q. Li, A. M. Nilius, D. J. Balli, S. J. Ballaron, J. M. Trevillyan, M. L. Smith, L. S. Seif, K. Kim, A. Sarthy, R. C. Goldman, J. J. Plattner and Y. L. Bennani	1405	Antifungal rapamycin analogues with reduced immunosuppressive activity
S. Tewari, P. M. S. Chauhan, A. P. Bhaduri, N. Fatima and R. K. Chatterjee	1409	Syntheses and antifilarial profile of 7-chloro-4-(substituted amino) quinolines: a new class of antifilarial agents
S. Kotha and N. Sreenivasachary	1413	A new synthetic approach to 1,2,3,4-tetrahydroisoquinoline-3-carboxylic acid (Tic) derivatives via a [2+2+2] cycloaddition reaction
U. Diederichsen and C. M. Biro	1417	Phe and Asn side chains in DNA double strands
K. J. Shin, K. D. Koo, K. H. Yoo, D. C. Kim, D. J. Kim and S. W. Park	1421	Synthesis and biological properties of new 1 β -methylcarbapenems having tetrazolothioether moiety
D. D. Feng, T. Biftu, M. R. Candelore, M. A. Cascieri, L. F. Colwell, Jr., L. Deng, W. P. Feeney, M. J. Forrest, G. J. Hom, D. E. MacIntyre, R. R. Miller, R. A. Stearns, C. D. Strader, L. Tota, M. J. Wyvratt, M. H. Fisher and A. E. Weber	1427	Discovery of an orally bioavailable alkyl oxadiazole β_3 adrenergic receptor agonist
T. Biftu, D. D. Feng, G.-B. Liang, H. Kuo, X. Qian, E. M. Naylor, V. J. Colandrea, M. R. Candelore, M. A. Cascieri, L. F. Colwell, Jr., M. J. Forrest, G. J. Hom, D. E. MacIntyre, R. A. Stearns, C. D. Strader, M. J. Wyvratt, M. H. Fisher and A. E. Weber	1431	Synthesis and SAR of benzyl and phenoxymethylene oxadiazole benzene-sulfonamides as selective β_3 adrenergic receptor agonist antiobesity agents
S. C. Moon, J.-H. Shin, B. H. Jeong, H. S. Kim, B. S. Yu, J.-S. Lee, B. S. Lee and S. K. Namgoong	1435	Synthesis of tetrakis(multifluoro-4-pyridyl)porphyrin derivatives as acetylcholinesterase inhibitors
A. Hosoda, E. Nomura, A. Murakami, K. Koshimizu, H. Ohgashi, K. Mizuno and H. Taniguchi	1439	Synthesis of feruloyl- <i>myo</i> -inositols and their inhibitory effects on superoxide generation
K. R. C. Prakash, M. Trzcinska, K. M. Johnson and A. P. Kozikowski	1443	An enantioselective synthesis and biobehavioral evaluation of 7-fluoro-3-(<i>p</i> -fluorophenyl)-2-propyltropanes
L. Amori, G. Costantino, M. Marinozzi, R. Pellicciari, F. Gasparini, P. J. Flor, R. Kuhn and I. Vranesic	1447	Synthesis, molecular modeling and preliminary biological evaluation of 1-amino-3-phosphono-3-cyclopentene-1-carboxylic acid and 1-amino-3-phosphono-2-cyclopentene-1-carboxylic acid, two novel agonists of metabotropic glutamate receptors of group III

K. Obi, J. Uda, K. Iwase, O. Sugimoto, H. Ebisu and A. Matsuda	1451	Novel nikkomycin analogues: inhibitors of the fungal cell wall biosynthesis enzyme chitin synthase
H.-K. Kim, J.-Y. Nam, M. Y. Han, K.-H. Son, J.-D. Choi, B.-M. Kwon, H. L. Takusagawa, Y. Huang and F. Takusagawa	1455	Natural and synthetic analogues of actinomycin D as Grb2-SH2 domain blockers
K. Masubuchi, M. Taniguchi, I. Umeda, K. Hattori, H. Suda, Y. Kohchi, Y. Isshiki, T. Sakai, M. Kohchi, M. Shirai, H. Okabe, M. Sudoh, T. Yamazaki and N. Shimma	1459	Synthesis and structure–activity relationships of novel fungal chitin synthase inhibitors
A. Rungta, G. Zheng, J. R. Missert, W. R. Potter, T. J. Dougherty and R. K. Pandey	1463	Purpurinimides as photosensitizers: effect of the presence and position of the substituents in the in vivo photodynamic efficacy
M. Gerspacher, A. von Sprecher, R. Mah, G. P. Anderson, C. Bertrand, N. Subramanian, K. Hauser and H. A. Ball	1467	<i>N</i> [(<i>R,R</i>)-(<i>E</i>)-1-(4-Chloro-benzyl)-3-(2-oxo-azepan-3-ylcarbamoyl)-allyl]- <i>N</i> -methyl-3,5-bis-trifluoromethyl-benzamide: an orally active neurokinin NK ₁ /NK ₂ antagonist
D. L. Boger, T. H. Marsilje, R. A. Castro, M. P. Hedrick, Q. Jin, S. J. Baker, J. H. Shim and S. J. Benkovic	1471	Design, synthesis, and biological evaluation of fluoronitrophenyl substituted folate analogues as potential inhibitors of GAR transformylase and AICAR transformylase
L. Chan, T. Stefanac, N. Turcotte, Z. Hu, Y. Chen, J. Bédard, S. May and H. Jin	1477	Design and evaluation of dihydroisoquinolines as potent and orally bioavailable human cytomegalovirus inhibitors
B. Walker, P. A. Darkins, M. A. McKervey, H. M. Moncrieff and J. F. Lynas	1481	Potent new leucine aminopeptidase inhibitor of novel structure synthesised by a modified Wadsworth–Emmons (Horner) Wittig procedure
I. Gautier-Lefebvre, J.-B. Behr, G. Guillermin and N. S. Ryder	1483	Synthesis of new (difluoromethylphosphono)azadisaccharides designed as bisubstrate analogue inhibitors for GlcNAc:β-1,4 glycosyltransferases
J.-L. Haesslein, I. Baholet, M. Fortin, A. Iltis, J. Khider, A. M. Periers, C. Pierre and J.-P. Vever	1487	1,3-Disubstituted-2-carboxy quinolones: highly potent and selective endothelin A receptor antagonists
I. Andreu, N. Cabedo, J. R. Tormo, A. Bermejo, R. Mello and D. Cortes	1491	Synthesis of <i>N</i> -diisopropyl phosphoryl benzyltetrahydroisoquinoline, a new class of mitochondrial complexes I and III inhibitors
	1495	Corrigendum
	I	Instructions to Contributors

NUMBER 14

Contents

	v	Contributors to this Issue
	vii	Graphical Abstracts
G. C. B. Harriman, C. F. Schwender, D. Gallant, N. A. Cochran and M. J. Briskin	1497	Cell adhesion antagonists: synthesis and evaluation of a novel series of phenylalanine based inhibitors
J. L. Sutcliffe-Goulden, M. J. O'Doherty and S. S. Bansal	1501	Solid phase synthesis of [¹⁸ F]labelled peptides for positron emission tomography
A. K. Misra, Y. Ding, J. B. Lowe and O. Hindsgaul	1505	A concise synthesis of the 6- <i>O</i> - and 6'- <i>O</i> -sulfated analogues of the sialyl Lewis X tetrasaccharide
M. Wu, H. Moon, A. Pirskanen, J. Myllyharju, K. I. Kivirikko and T. P. Begley	1511	Mechanistic studies on prolyl-4-hydroxylase: the vitamin C requiring uncoupled oxidation
K. R. Gee, E. A. Archer, L. A. Lapham, M. E. Leonard, Z.-L. Zhou, J. Bingham and Z. Diwu	1515	New ratiometric fluorescent calcium indicators with moderately attenuated binding affinities
M. A. deLong, J. Amburgey, C. Taylor, J. A. Wos, D. L. Soper, Y. Wang and R. Hicks	1519	Synthesis and in vitro evaluation of human FP-receptor selective prostaglandin analogues
J. R. Saltmarsh, A. E. Boyd, O. P. Rodriguez, Z. Radić, P. Taylor and C. M. Thompson	1523	Synthesis of fluorescent probes directed to the active site gorge of acetylcholinesterase

T. A. Rano, Y. Cheng, T. T. Huening, F. Zhang, W. A. Schleif, L. Gabryelski, D. B. Olsen, L. C. Kuo, J. H. Lin, X. Xu, T. V. Olah, D. A. McLoughlin, R. King, K. T. Chapman and J. R. Tata	1527	Combinatorial diversification of indinavir: in vivo mixture dosing of an HIV protease inhibitor library
H. O. Ok, L. B. Reigle, M. R. Candelore, M. A. Cascieri, L. F. Colwell, L. Deng, W. P. Feeney, M. J. Forrest, G. J. Hom, D. E. MacIntyre, C. D. Strader, L. Tota, P. Wang, M. J. Wyvratt, M. H. Fisher and A. E. Weber	1531	Substituted oxazole benzenesulfonamides as potent human β_3 adrenergic receptor agonists
J. Wrobel, Z. Li, J. Sredy, D. R. Sawicki, L. Seestaller and D. Sullivan	1535	Synthesis and PTP1B inhibition of novel 4-aryl-1-oxa-9-thiacyclopenta[<i>b</i>]-fluorenes
M. Adamczyk and J. Grote	1539	Efficient synthesis of rhodamine conjugates through the 2'-position
B. E. Blass, C. T. Huang, R. M. Kawamoto, M. Li, S. Liu, D. E. Portlock, W. M. Rennells and M. Simmons	1543	Parallel synthesis and evaluation of <i>N</i> -(1-phenylethyl)-5-phenyl-imidazole-2-amines as Na ⁺ /K ⁺ ATPase inhibitors
R. Jayakumar, M. Murugesan and M. R. Ahmed	1547	Formation of multilamellar vesicles ('onions') in peptide based surfactant
T. W. Kwon, Y. M. Kim, S. J. Song, Y. U. Kwon and S. K. Chung	1551	Synthesis of thiophenyl substituted cyclohexa-2,4-dien-1-one and its photo-cleavage coupling reaction with amines
G. M. Coppola, Y. L. Zhang, H. F. Schuster, M. E. Russell and T. E. Hughes	1555	1-Aminomethylisoquinoline-4-carboxylates as novel dipeptidylpeptidase IV inhibitors
B. S. Lee, S. Chu, B. C. Lee, D. Y. Chi, Y. S. Choe, K. J. Jeong and C. Jin	1559	Syntheses and binding affinities of 6-nitroquipazine analogues for serotonin transporter. Part 1
U. Baettig, L. Brown, D. Brundish, C. Dell, A. Furzer, S. Garman, D. Janus, P. D. Kane, G. Smith, C. V. Walker, X. Cockcroft, J. Ambler, A. Mitchelson, M. D. Talbot, M. Tweed and N. Wills	1563	The design and synthesis of thrombin inhibitors: analogues of MD805 containing non-polar surrogates for arginine at the P1 position
J. Hayler, P. D. Kane, D. LeGrand, F. Lugin, K. Menear, R. Price, M. Allen, X. Cockcroft, J. Ambler, K. Butler, K. Dunnet, A. Mitchelson, M. Talbot, M. Tweed and N. Wills	1567	The design and synthesis of thrombin inhibitors: the introduction of in vivo efficacy and oral bioavailability into benzthiazolylalanine inhibitors
T. Asami, Y. K. Min, T. Nakano, T. Matsuyama, N. Murofushi, I. Yamaguchi and S. Yoshida	1571	Synthesis and biological activity of 4'-methoxy derivatives of abscisic acid
J. A. Gerrard, M. J. Prince and A. D. Abell	1575	Kinetic characterisation of ene-diol-based inhibitors of α -amylase
R. M. Dunsdon, J. R. Greening, P. S. Jones, S. Jordan and F. X. Wilson	1577	Solid phase synthesis of aminoboronic acids: potent inhibitors of the hepatitis C virus NS3 proteinase
L. A. Reiter, G. J. Martinelli, L. A. Reeves and P. G. Mitchell	1581	Difluoroketones as inhibitors of matrix metalloprotease-13
E. Morera, M. Nalli, F. Pinnen, D. Rossi and G. Lucente	1585	4-Amino-1,2-dithiolane-4-carboxylic acid (Adt) as cysteine conformationally restricted analogue. Synthetic protocol for Adt containing peptides
C.-K. Ryu, H.-Y. Kang, Y.-J. Yi, K.-H. Shin and B.-H. Lee	1589	Synthesis and antifungal activities of 5/6-arylamino-4,7-dioxobenzothiazoles
J. B.-H. Tok and G. R. Huffman	1593	Enhanced binding of aminoglycoside dimers to a "dimerized" A-site 16S rRNA construct
I. Aiglstorfer, I. Hendrich, C. Moser, G. Bernhardt, S. Dove and A. Buschauer	1597	Structure-activity relationships of neuropeptide Y Y ₁ receptor antagonists related to BIBP 3226
J. Ma, E. Weiss, D. E. Kyle and H. Ziffer	1601	Acid catalyzed Michael additions to artemisitene
A. R. Fathi, A. Krauthaim, S. Kaap, K. Eger and H. J. Steinfelder	1605	Michael adducts of ascorbic acid as inhibitors of protein phosphatase 2A and inducers of apoptosis
P. K. T. Lin and V. A. Pavlov	1609	The synthesis and in vitro cytotoxic studies of novel bis-naphthalimidopropyl polyamine derivatives

**M. Adamczyk, J. Grote, J. A. Moore,
S. D. Rege and Z. Yu**

M. A. Ashraf, K. Jones and S. Handa

1613 Binding interactions of vancomycin tracers with a bacterial cell wall peptidoglycan analogue

1617 Biomimetic ligands for transition metals: catechol-containing peptides

I Instructions to Contributors

NUMBER 15

Contents

vii Contributors to this Issue

xi Graphical Abstracts

**M. A. Patane, R. M. DiPardo, R. C. Newton,
R. P. Price, T. P. Broten, R. S. L. Chang,
R. W. Ransom, J. Di Salvo, D. Nagarathnam,
C. Forray, C. Gluchowski and M. G. Bock**

1621 Phenylacetamides as selective α -1A adrenergic receptor antagonists

**P. G. Nantermet, J. C. Barrow, H. G. Selnick,
C. F. Homnick, R. M. Freidinger,
R. S. L. Chang, S. S. O'Malley, D. R. Reiss,
T. P. Broten, R. W. Ransom, D. J. Pettibone,
T. Olah and C. Forray**

1625 Selective α_{1A} adrenergic receptor antagonists based on 4-aryl-3,4-dihydropyridine-2-ones

**J. C. Breytenbach, S. van Dyk,
I. van den Heever, S. M. Allin,
C. C. Hodgkinson, C. J. Northfield and
M. I. Page**

1629 Synthesis and antimicrobial activity of some isoindolin-1-ones derivatives

D. C. J. Jaikaran and A. M. MacMillan

1633 Template-directed interference footprinting for RNA based on inosine-specific cleavage

**J. M. Salvino, R. Mathew, T. Kiesow,
R. Narensingh, H. J. Mason, A. Dodd,
R. Groneberg, C. J. Burns, G. McGeehan,
J. Kline, E. Orton, S.-Y. Tang, M. Morrisette
and R. Labaudiniere**

1637 Solid-phase synthesis of an arylsulfone hydroxamate library

**J. J. McNally, M. A. Youngman,
T. W. Lovenberg, D. Nepomuceno, S. Wilson
and S. L. Dax**

1641 *N*-Acylated α -(3-pyridylmethyl)- β -aminotetralin antagonists of the human neuropeptide Y Y5 receptor

**M. S. S. Palanki, P. E. Erdman, A. M. Manning,
A. Ow, L. J. Ransone, C. Spooner, C. Suto
and M. Suto**

1645 Novel inhibitors of AP-1 and NF- κ B mediated gene expression: structure–activity relationship studies of ethyl 4-[(3-methyl-2,5-dioxo(3-pyrrolinyl))-amino]-2-(trifluoromethyl)pyrimidine-5-carboxylate

**K. D. Combrink, H. B. Gulgeze, K.-L. Yu,
B. C. Pearce, A. K. Trehan, J. Wei,
M. Deshpande, M. Krystal, A. Torri, G. Luo,
C. Cianci, S. Danetz, L. Tiley and
N. A. Meanwell**

1649 Salicylamide inhibitors of influenza virus fusion

**P. Cozzi, I. Beria, M. Caldarelli,
L. Capolongo, C. Geroni, S. Mazzini and
E. Ragg**

1653 Phenyl sulfur mustard derivatives of distamycin A

**T. Itoh, S. Shirakami, N. Ishida, Y. Yamashita,
T. Yoshida, H.-S. Kim and Y. Wataya**

1657 Synthesis of novel ferrocenyl sugars and their antimalarial activities

**J. L. Stanton, E. Cahill, R. Dotson, J. Tan,
H. C. Tomaselli, J. M. Wasvary, Z. F. Stephan
and R. E. Steele**

1661 Synthesis and biological activity of phenoxyphenyl oxamic acid derivatives related to L-thyronine

**T. Nishi, K. Ishibashi, T. Takemoto,
K. Nakajima, T. Fukazawa, Y. Iio, K. Itoh,
O. Mukaiyama and T. Yamaguchi**

1665 Combined tachykinin receptor antagonist: synthesis and stereochemical structure–activity relationships of novel morpholine analogues

H. Kawai, Y. Kotake and S. Ohta

1669 Inhibition of dopamine receptors by endogenous amines: binding to striatal receptors and pharmacological effects on locomotor activity

**S. Uesato, Y. Kitagawa, Y. Hara, H. Tokuda,
M. Okuda, X. Y. Mou, T. Mukainaka and
H. Nishino**

1673 Antitumor promoting activities of 3-*O*-acyl-(–)-epigallocatechins

S. Nampalli and S. Kumar	1677	Efficient synthesis of 8-oxo-dGTP: a mutagenic nucleotide
A. P. Tamiz, M. P. Smith, I. Enyedy, J. Flippen-Anderson, M. Zhang, K. M. Johnson and A. P. Kozikowski	1681	Synthesis and biological evaluation of 1-azabicyclo[3.2.1]octanes: new dopamine transporter inhibitors
A. McCluskey, M. C. Bowyer, E. Collins, A. T. R. Sim, J. A. Sakoff and M. L. Baldwin	1687	Anhydride modified cantharidin analogues: synthesis, inhibition of protein phosphatases 1 and 2A and anticancer activity
J. Chen, F. Zou, N. Wang, S. Xie and X. Zhang	1691	Production and application of LPA polyclonal antibody
B. Musicki, A.-M. Periers, P. Laurin, D. Ferroud, Y. Benedetti, S. Lachaud, F. Chatreaux, J.-L. Haesslein, A. Iltis, C. Pierre, J. Khider, N. Tessot, M. Airault, J. Demasse, C. Dupuis-Hamelin, P. Lassaigne, A. Bonnefoy, P. Vicat and M. Klich	1695	Improved antibacterial activities of coumarin antibiotics bearing 5',5'-di-alkynoviose: biological activity of RU79115
B. Beck, S. Hess and A. Dömling	1701	One-pot synthesis and biological evaluation of aspergillamides and analogues
A. Slassi, L. Edwards, A. O'Brien, C. Q. Meng, T. Xin, C. Seto, D. K. H. Lee, N. MacLean, D. Hynd, C. Chen, H. Wang, R. Kamboj and S. Rakhit	1707	5-Alkyltryptamine derivatives as highly selective and potent 5-HT _{1D} receptor agonists
J. R. Falck, U. M. Krishna and J. H. Capdevila	1711	Preparation of L- α -phosphatidyl-D- <i>myo</i> -inositol 3-phosphate (3-PIP) and 3,5-bisphosphate (3,5-PIP ₂)
A. Gopalsamy, H. Yang, J. W. Ellingboe, K. L. Kees, J. Yoon and R. Murrills	1715	Parallel solid-phase synthesis of vitronectin receptor (α v β 3) inhibitors
M. Isaac, A. Slassi, T. Xin, N. MacLean, J. Wilson, K. McCallum, H. Wang and L. Demchyshyn	1719	6-Bicyclopiperazinyl-1-arylsulfonylindoles and 6-bicyclopiperidinyl-1-aryl-sulfonylindoles derivatives as novel, potent, and selective 5-HT ₆ receptor antagonists
J. R. Young, S. X. Huang, I. Chen, T. F. Walsh, R. J. DeVita, M. J. Wyvrat, Jr., M. T. Goulet, N. Ren, J. Lo, Y. T. Yang, J. B. Yudkovitz, K. Cheng and R. G. Smith	1723	Quinolones as gonadotropin releasing hormone (GnRH) antagonists: simultaneous optimization of the C(3)-aryl and C(6)-substituents
M. Patel, R. J. McHugh, Jr., B. C. Cordova, R. M. Klabe, S. Erickson-Viitanen, G. L. Trainor and J. D. Rodgers	1729	Synthesis and evaluation of quinoxalinones as HIV-1 reverse transcriptase inhibitors
Y. Endo, K. Yaguchi, E. Kawachi and H. Kagechika	1733	Polymethylcarborane as a novel bioactive moiety: derivatives with potent retinoid antagonistic activity
W. He, B. Hanney, M. R. Myers, A. P. Spada, K. Brown, D. Colussi and V. Chu	1737	Nonbenzamidine compounds as selective factor Xa inhibitors
D. L. Boger, Y. Chen and C. A. Foster	1741	Synthesis and evaluation of aza HUN-7293
J. Bosch, T. Roca, J.-L. Catena, O. Llorens, J.-J. Pérez, C. Lagunas, A. G. Fernández, I. Miquel, A. Fernández-Serrat and C. Farrerons	1745	Synthesis and biological evaluation of 1,3,4-triaryl-3-pyrrolin-2-ones, a new class of selective cyclooxygenase-2 inhibitors
T. Lintunen and J. T. Yli-Kauhala	1749	Synthesis of aminophosphonate haptens for an aminoacylation reaction between methyl glucoside and a β -alanyl ester
G. Kennedy, M. Viziano, J. A. Winders, P. Cavallini, M. Gevi, F. Micheli, P. Rodegher, P. Seneci and A. Zumerle	1751	Studies on the novel anti-staphylococcal compound nematophin
S. Kotha, T. Ganesh and A. K. Ghosh	1755	Diels–Alder approach to tetralin-based constrained α -amino acid derivatives
G. Lees, P. L. Chazot, H. Vankayalapati and G. Singh	1759	A simple polar deacetylated caloposide derivative is a positive modulator of the GABA _A chloride channel complex in cortical mammalian neurones
T. J. Zahn, C. Weinbaum and R. A. Gibbs	1763	Grignard-mediated synthesis and preliminary biological evaluation of novel 3-substituted farnesyl diphosphate analogues
D. Csányi, G. Hajós, Z. Riedl, G. Timári, Z. Bajor, F. Cochard, J. Sapi and J.-Y. Laronze	1767	Synthesis of two new heteroaromatic β -carboline-fused pentacycles. Observation of a new intercalating agent

J. F. Lynas, S. J. Hawthorne and B. Walker	1771	Development of peptidyl α -keto- β -aldehydes as new inhibitors of cathepsin L — comparisons of potency and selectivity profiles with cathepsin B
G. M. Keserű, G. T. Balogh and T. Karancsi	1775	Metalloporphyrin catalyzed oxidation of <i>N</i> -hydroxyguanidines: a biomimetic model for the H ₂ O ₂ -dependent activity of nitric oxide synthase
	I	Instructions to Contributors

NUMBER 16

Contents

	v	Contributors to this Issue
	vii	Graphical Abstracts
B. Kundu, S. K. Rastogi, S. Batra, S. K. Raghuwanshi and P. K. Shukla	1779	Combinatorial approach to lead optimization of a novel hexapeptide with antifungal activity
G. Tamagnan, R. M. Baldwin, N. S. Kula, R. J. Baldessarini and R. B. Innis	1783	Synthesis and monoamine transporter affinity of 2 β -carbomethoxy-3 β -(2'', 3''- or 4''-substituted) biphenyltropanes
S. Sato, R. Sakai and M. Kodama	1787	Identification of thioether intermediates in the reductive transformation of gonyautoxins into saxitoxins by thiols
H. Elokda, T. Sulkowski, D. Cochran, M.-L. McKean and E. Quinet	1791	Effects of 2-(substituted-sulfanyl)-3,5-dihydro-imidazole-4-one and 2-(substituted-sulfanyl)-1 <i>H</i> -imidazole-4,5-dione derivatives on serum HDL-cholesterol
K. Shohda, I. Okamoto, T. Wada, K. Seio and M. Sekine	1795	Synthesis and properties of 2'- <i>O</i> -methyl-2-thiouridine and oligoribonucleotides containing 2'- <i>O</i> -methyl-2-thiouridine
H. Takahata and N. Okamoto	1799	The total synthesis of piclavines A1–4 and their biological evaluation
I. T. Forbes, D. G. Cooper, E. K. Dodds, D. M. B. Hickey, R. J. Ife, M. Meeson, M. Stockley, T. A. Berkhout, J. Gohil, P. H. E. Groot and K. Moores	1803	CCR2B receptor antagonists: conversion of a weak HTS hit to a potent lead compound
S. R. Baker, D. Bleakman, J. Ezquerra, B. A. Ballyk, M. Deverill, K. Ho, R. K. Kamboj, I. Collado, C. Dominguez, A. Escribano, A. I. Mateo, C. Pedregal and A. Rubio	1807	4-Alkylidenyl glutamic acids, potent and selective GluR5 agonists
J. M. Berge, R. C. B. Copley, D. S. Eggleston, D. W. Hamprecht, R. L. Jarvest, L. M. Mensah, P. J. O'Hanlon and A. J. Pope	1811	Inhibitors of bacterial tyrosyl tRNA synthetase: synthesis of four stereoisomeric analogues of the natural product SB-219383
E. Morera and G. Ortar	1815	A concise synthesis of photoactivatable 4- <i>aroyl</i> -L-phenylalanines
H.-W. Jeong, M.-R. Kim, K.-H. Son, M. Y. Han, J.-H. Ha, M. Garnier, L. Meijer and B.-M. Kwon	1819	Cinnamaldehydes inhibit cyclin dependent kinase 4/cyclin D1
N. Murakami, W. Wang, S. Tamura and M. Kobayashi	1823	Synthesis and biological property of carba and 20-deoxo analogues of arenastatin A
K. Kurokawa, H. Kumihara and H. Kondo	1827	A solid-phase synthesis for β -turn mimetics of sialyl Lewis X
D. Edmont, R. Rocher, C. Plisson and J. Chenault	1831	Synthesis and evaluation of quinoline carboxyguanidines as antidiabetic agents
S. Papot, D. Combaud, K. Bosslet, M. Gerken, J. Czech and J.-P. Gesson	1835	Synthesis and cytotoxic activity of a glucuronylated prodrug of <i>nor</i> nitrogen mustard
C. Dini, P. Collette, N. Drochon, J. C. Guillot, G. Lemoine, P. Mauvais and J. Aszodi	1839	Synthesis of the nucleoside moiety of liposidomycins: elucidation of the pharmacophore of this family of MraY inhibitors
S. J. Gregson, P. W. Howard, K. E. Corcoran, S. Barcella, M. M. Yasin, A. A. Hurst, T. C. Jenkins, L. R. Kelland and D. E. Thurston	1845	Effect of C2- <i>exo</i> unsaturation on the cytotoxicity and DNA-binding reactivity of pyrrolo[2,1- <i>c</i>][1,4]benzodiazepines

S. J. Gregson, P. W. Howard, S. Barcella, A. Nakamya, T. C. Jenkins, L. R. Kelland and D. E. Thurston	1849	Effect of C2/C3- <i>endo</i> unsaturation on the cytotoxicity and DNA-binding reactivity of pyrrolo[2,1- <i>c</i>][1,4]benzodiazepines
M. D. Sørensen, M. Meldgaard, V. K. Rajwanshi and J. Wengel	1853	Branched oligonucleotides containing bicyclic nucleotides as branching points and DNA or LNA as triplex forming branch
C. Matsumoto, K. Hamasaki, H. Mihara and A. Ueno	1857	A high-throughput screening utilizing intramolecular fluorescence resonance energy transfer for the discovery of the molecules that bind HIV-1 TAR RNA specifically
S. M. Bromidge, S. Dabbs, S. Davies, D. M. Duckworth, I. T. Forbes, G. E. Jones, J. Jones, F. D. King, D. V. Saunders, T. P. Blackburn, V. Holland, G. A. Kennett, S. Lightowler, D. N. Middlemiss, G. J. Riley, B. Trail and M. D. Wood	1863	1-[2-[(Heteroaryl)oxy]heteroaryl]carbonyl]indolines: novel and selective 5-HT _{2C} receptor inverse agonists with potential as antidepressant/anxiolytic agents
S. M. Bromidge, S. Davies, D. M. Duckworth, I. T. Forbes, G. E. Jones, J. Jones, F. D. King, T. P. Blackburn, V. Holland, G. A. Kennett, S. Lightowler, D. N. Middlemiss, G. J. Riley, B. Trail and M. D. Wood	1867	1-[2-[(Heteroaryl)methoxy]aryl]carbonyl]indolines are selective and orally active 5-HT _{2C} receptor inverse agonists
A. K. Forrest, R. L. Jarvest, L. M. Mensah, P. J. O'Hanlon, A. J. Pope and R. J. Sheppard	1871	Aminoalkyl adenylate and aminoacyl sulfamate intermediate analogues differing greatly in affinity for their cognate <i>Staphylococcus aureus</i> aminoacyl tRNA synthetases
Y. Kanda, T. Takahashi, Y. Araki, T. Konoike, S. Mihara and M. Fujimoto	1875	Discovery and synthesis of a potent sulfonamide ET _B selective antagonist
S. N. Kim, J. Y. Lee, H. J. Kim, C.-G. Shin, H. Park and Y. S. Lee	1879	Synthesis and HIV-1 integrase inhibitory activities of caffeoylglucosides
F. Manna, F. Chimenti, A. Bolasco, B. Bizzarri, M. Botta, A. Tafi, A. Filippelli and S. Rossi	1883	Synthesis and preliminary biological evaluation of 4,6-disubstituted 3-cyano-pyridin-2(1 <i>H</i>)-ones, a new class of calcium entry blockers
A. Scozzafava, A. Mastrolorenzo and C. T. Supuran	1887	Arylsulfonyl- <i>N,N</i> -diethyl-dithiocarbamates: a novel class of antitumor agents
M. Pour, M. Špulák, V. Balšánek, J. Kuneš, V. Buchta and K. Waisser	1893	3-Phenyl-5-methyl-2 <i>H</i> ,5 <i>H</i> -furan-2-ones: tuning antifungal activity by varying substituents on the phenyl ring
	I	Instructions to Contributors

NUMBER 17

Contents

	vii	Contributors to this Issue
	xi	Graphical Abstracts
D. P. Arya and R. L. Coffee, Jr.	1897	DNA triple helix stabilization by aminoglycoside antibiotics
R. Zutshi and J. Chmielewski	1901	Targeting the dimerization interface for irreversible inhibition of HIV-1 protease
V. C. O. Njar, I. P. Nnane and A. M. H. Brodie	1905	Potent inhibition of retinoic acid metabolism enzyme(s) by novel azolyl retinoids
A. D. Abell, M. J. Prince, A. M. McNulty and B. L. Neubauer	1909	Simple bi- and tricyclic inhibitors of human steroid 5 α -reductase
T. A. Miller, J. Ghosh, C. E. Myers and T. L. Macdonald	1913	5-HETE congeners as modulators of cell proliferation
J. C. Barrow, K. L. Glass, H. G. Selnick, R. M. Freidinger, R. S. L. Chang, S. S. O'Malley and C. Woyden	1917	Preparation and evaluation of 1,3-diaminocyclopentane-linked dihydropyrimidinone derivatives as selective α_{1A} -receptor antagonists
Y. Jin, A. Roland, W. Zhou, M. Fauchon, J. Lyaku and R. P. Iyer	1921	Synthesis and antiviral evaluation of nucleic acid-based (NAB TM) libraries
J. E. Baldwin, G. J. Pritchard and D. S. Williamson	1927	The synthesis of 4-arylsulfonyl-substituted kainoid analogues from <i>trans</i> -4-hydroxy-L-proline

- N. Nesnas, J. Lou and R. Breslow 1931 The binding of cocaine to cyclodextrins
- E. Gelens, W. J. Koot, W. M. P. B. Menge, H. C. J. Ottenheijm and H. Timmerman 1935 Solid-phase synthesis of 4-substituted imidazoles using a scaffold approach
- K. Sugano, S. Yoshida, M. Takaku, M. Haramura, R. Saitoh, Y. Nabuchi and H. Ushio 1939 Quantitative structure–intestinal permeability relationship of benzamidine analogue thrombin inhibitor
- M. S. Egbertson, B. Bednar, B. C. Askew, R. A. Bednar, K. Brashear, M. J. Breslin, M. E. Duggan, T. E. Fisher, W. Halczenko, J. H. Hutchinson, N. Ihle, J. D. Prugh, J. S. Wai, R. J. Gould and G. D. Hartman 1943 Nonpeptide GPIIb/IIIa receptor antagonists. Part 21: C-6 flexibility and amide bond orientation are important factors in determining the affinity of compounds for activated or resting platelet receptors
- C. A. Veale, V. C. Alford, D. Aharony, D. L. Banville, R. A. Bialecki, F. J. Brown, J. R. Damewood, Jr., C. L. Dantzman, P. D. Edwards, R. T. Jacobs, R. C. Mauger, M. M. Murphy, W. E. Palmer, K. K. Pine, W. L. Rumsey, L. E. Garcia-Davenport, A. Shaw, G. B. Steelman, J. M. Surian and E. P. Vacek 1949 The discovery of non-basic atrial natriuretic peptide clearance receptor antagonists. Part 1
- P. G. Baraldi, A. N. Zaid, I. Lampronti, F. Fruttarolo, M. G. Pavani, M. A. Tabrizi, J. C. Shryock, E. Leung and R. Romagnoli 1953 Synthesis and biological effects of a new series of 2-amino-3-benzoylthiophenes as allosteric enhancers of A₁-adenosine receptor
- I. S. Blagbrough, A. J. Geall and S. A. David 1959 Lipopolyamines incorporating the tetraamine spermine, bound to an alkyl chain, sequester bacterial lipopolysaccharide
- S. Vogel, A. Buchynskyy, K. Stembera, K. Richter, L. Hennig, D. Müller, P. Welzel, F. Maquin, C. Bonhomme and M. Lampilas 1963 Some selective reactions of moenomycin A
- J. Leppänen, J. Huuskonen, J. Savolainen, T. Nevalainen, H. Taipale, J. Vepsäläinen, J. Gynther and T. Järvinen 1967 Synthesis of a water-soluble prodrug of entacapone
- R. J. Mathvink, J. S. Tolman, D. Chitty, M. R. Candelore, M. A. Cascieri, L. F. Colwell, Jr., L. Deng, W. P. Feeney, M. J. Forrest, G. J. Hom, D. E. MacIntyre, L. Tota, M. J. Wyvratt, M. H. Fisher and A. E. Weber 1971 Potent, selective 3-pyridylethanolamine β_3 adrenergic receptor agonists possessing a thiazole benzenesulfonamide pharmacophore
- W. K. Hagmann, C. G. Caldwell, P. Chen, P. L. Durette, C. K. Esser, T. J. Lanza, I. E. Kopka, R. Guthikonda, S. K. Shah, M. MacCoss, R. M. Chabin, D. Fletcher, S. K. Grant, B. G. Green, J. L. Humes, T. M. Kelly, S. Luell, R. Meurer, V. Moore, S. G. Pacholok, T. Pavia, H. R. Williams and K. K. Wong 1975 Substituted 2-aminopyridines as inhibitors of nitric oxide synthases
- C. B. Carlson and P. A. Beal 1979 Solid-phase synthesis of acridine-based threading intercalator peptides
- I. R. Baxendale and S. V. Ley 1983 Polymer-supported reagents for multi-step organic synthesis: application to the synthesis of sildenafil
- G. B. Jones, M. O. Mitchell, J. S. Weinberg, A. V. D'Amico and G. J. Bubley 1987 Towards enzyme activated antiprostatic agents
- G. S. Welmaker, J. A. Nelson, J. E. Sabalski, A. L. Sabb, J. R. Potoski, D. Graziano, M. Kagan, J. Coupet, J. Dunlop, H. Mazandarani, S. Rosenzweig-Lipson, S. Sukoff and Y. Zhang 1991 Synthesis and 5-hydroxytryptamine (5-HT) activity of 2,3,4,4a-tetrahydro-1*H*-pyrazino[1,2-*a*]quinoxalin-5-(6*H*)ones and 2,3,4,4a,5,6-hexahydro-1*H*-pyrazino[1,2-*a*]quinoxalines
- P. J. Connolly, S. K. Wetter, W. V. Murray, D. L. Johnson, F. J. McMahon, F. X. Farrell, J. Tullai and L. K. Jolliffe 1995 Synthesis and erythropoietin receptor binding affinities of *N,N*-disubstituted amino acids
- P. Dauban, S. Ferry, H. Faure, M. Ruat and R. H. Dodd 2001 *N*¹-Arylsulfonyl-*N*²-(1-aryl)ethyl-3-phenylpropane-1,2-diamines as novel calcimimetics acting on the calcium sensing receptor
- B. Catalanotti, A. Galeone, L. Gomez-Paloma, L. Mayol and A. Pepe 2005 2'-Deoxy-8-(propyn-1-yl)adenosine-containing oligonucleotides: effects on stability of duplex and quadruplex structures

I. V. Mićović, M. D. Ivanović, S. M. Vuckovic, M. S. Prostran, L. Došen-Mićović and V. D. Kiricojević	2011	The synthesis and preliminary pharmacological evaluation of 4-methyl fentanyl
I. L. Pinto, H. F. Boyd and D. M. B. Hickey	2015	Natural product derived inhibitors of lipoprotein associated phospholipase A ₂ , synthesis and activity of analogues of SB-253514
A. Denis, F. Bretin, C. Fromentin, A. Bonnet, G. Piltan, A. Bonnefoy and C. Agouridas	2019	β -Keto-ester chemistry and ketolides. Synthesis and antibacterial activity of 2-halogeno, 2-methyl and 2,3 enol-ether ketolides
J. L. Kraus, M. Bouygues, J. Courcambeck and J. C. Chermann	2023	Use of proline bioisosteres in potential HIV protease inhibitors: phenylalanine-2-thiophenoxy-3-pyrrolidinone: synthesis and anti-HIV evaluation
H.-J. Deussen, S. Danielsen, J. Breinholt and T. V. Borchert	2027	Design and synthesis of triglyceride analogue biotinylated suicide inhibitors for directed molecular evolution of lipolytic enzymes
C. de Gregorio Alapont, R. García-Domenech, J. Gálvez, M. J. Ros, S. Wolski and M. D. García	2033	Molecular topology: a useful tool for the search of new antibacterials
C. A. Fink, M. Moskal, F. Firooznia, D. Hoyer, D. Symonsbergen, D. Wei, Y. Qiao, P. Savage, M. E. Beil, A. J. Trapani and A. Y. Jeng	2037	Design and synthesis of potent thiol-based inhibitors of endothelin converting enzyme-1
J. Einsiedel, C. Thomas, H. Hübner and P. Gmeiner	2041	Phenyloxazoles and phenylthiazoles as benzamide bioisosteres: synthesis and dopamine receptor binding profiles
	2045	Corrigendum
	I	Instructions to Contributors

NUMBER 18

Contents

	v	Contributors to this Issue
	vii	Graphical Abstracts
J. Dumas, R. Sibley, B. Riedl, M. K. Monahan, W. Lee, T. B. Lowinger, A. M. Redman, J. S. Johnson, J. Kingery-Wood, W. J. Scott, R. A. Smith, M. Bobko, R. Schoenleber, G. E. Ranges, T. J. Housley, A. Bhargava, S. M. Wilhelm and A. Shrikhande	2047	Discovery of a new class of p38 kinase inhibitors
J. Dumas, H. Hatoum-Mokdad, R. Sibley, B. Riedl, W. J. Scott, M. K. Monahan, T. B. Lowinger, C. Brennan, R. Natero, T. Turner, J. S. Johnson, R. Schoenleber, A. Bhargava, S. M. Wilhelm, T. J. Housley, G. E. Ranges and A. Shrikhande	2051	1-Phenyl-5-pyrazolyl ureas: potent and selective p38 kinase inhibitors
G.-C. Zhou and D.-Y. Zhu	2055	Synthesis of 5-substituted analogues of huperzine A
A. Kamal, N. Laxman and G. Ramesh	2059	Facile and efficient one-pot synthesis of 4 β -arylamino podophyllotoxins: synthesis of DNA topoisomerase II inhibitors (NPF and W-68)
V. Caprio, B. Guyen, Y. Opoku-Boahen, J. Mann, S. M. Gowan, L. M. Kelland, M. A. Read and S. Neidle	2063	A novel inhibitor of human telomerase derived from 10 <i>H</i> -indolo[3,2- <i>b</i>]quinoline
D. J. Price and W. L. Jorgensen	2067	Computational binding studies of human pp60 ^{c-src} SH2 domain with a series of nonpeptide, phosphophenyl-containing ligands
T. K. Venkatachalam, E. A. Sudbeck, C. Mao and F. M. Uckun	2071	Stereochemistry of halopyridyl and thiazolyl thiourea compounds is a major determinant of their potency as nonnucleoside inhibitors of HIV-1 reverse transcriptase
M. H. Knaggs, C. McGuigan, S. A. Harris, P. Heshmati, D. Cahard, I. H. Gilbert and J. Balzarini	2075	A QSAR study investigating the effect of L-alanine ester variation on the anti-HIV activity of some phosphoramidate derivatives of d4T

- V. A. Vaillancourt, M. M. Cudahy, S. A. Staley, R. J. Brideau, S. J. Conrad, M. L. Knechtel, N. L. Oien, J. L. Wieber, Y. Yagi and M. W. Wathen 2079 Naphthalene carboxamides as inhibitors of human cytomegalovirus DNA polymerase
- M. J. Sagnou, P. W. Howard, S. J. Gregson, E. Eno-Amooquaye, P. J. Burke and D. E. Thurston 2083 Design and synthesis of novel pyrrolobenzodiazepine (PBD) prodrugs for ADEPT and GDEPT
- Y. Nakagawa, K. Irie, H. Ohigashi, H. Hayashi and P. A. Wender 2087 Synthesis and PKC isozyme surrogate binding of indothiolactam-V, a new thioamide analogue of tumor promoting indolactam-V
- H. Kuang, D. Häring, D. Qi, A. Mazhary and M. D. Distefano 2091 Synthesis of a cationic pyridoxamine conjugation reagent and application to the mechanistic analysis of an artificial transaminase
- M. Xian, Q. M. Wang, X. Chen, K. Wang and P. G. Wang 2097 S-Nitrosothiols as novel, reversible inhibitors of human rhinovirus 3C protease
- J. Jamison, S. Levy, X. Sun, D. Zeckner, W. Current, M. Zweifel, M. Rodriguez, W. Turner and S.-H. Chen 2101 Syntheses and antifungal activity of pseudomycin side-chain analogues. Part 1
- S.-H. Chen, X. Sun, R. Boyer, J. Paschal, D. Zeckner, W. Current, M. Zweifel and M. Rodriguez 2107 Syntheses and biological evaluation of novel pseudomycin side-chain analogues. Part 2
- L. L. Brockunier, E. R. Parmee, H. O. Ok, M. R. Candelore, M. A. Cascieri, L. F. Colwell, Jr., L. Deng, W. P. Feeney, M. J. Forrest, G. J. Hom, D. E. MacIntyre, L. Tota, M. J. Wyvratt, M. H. Fisher and A. E. Weber 2111 Human β_3 -adrenergic receptor agonists containing 1,2,3-triazole-substituted benzenesulfonamides
- M. C. Pirrung and K. Park 2115 Discovery of selective metal-binding peptoids using ^{19}F encoded combinatorial libraries
- H. Zhao, A. Thurkauf, J. Braun, R. Brodbeck and A. Kieltyka 2119 Design, synthesis, and discovery of 3-piperazinyl-3,4-dihydro-2(1*H*)-quinoline derivatives: a novel series of mixed dopamine D_2/D_4 receptor antagonists
- C.-S. Lee, E.-J. Ryu, S. H. Oh, K.-S. Paek, M. Y. Kim and H. Youn 2123 Synthesis and antibacterial activities of novel C(3)-aminopyrimidinyl substituted cephalosporins including against respiratory tract pathogens
- A. Marabotti, L. Balestreri, P. Cozzini, A. Mozzarelli, G. E. Kellogg and D. J. Abraham 2129 HINT predictive analysis of binding between retinol binding protein and hydrophobic ligands
- K.-P. Eisenwiener, P. Powell and H. R. Mäcke 2133 A convenient synthesis of novel bifunctional prochelators for coupling to bioactive peptides for radiometal labelling
- G. Buckley, N. Cooper, H. J. Dyke, F. Galleway, L. Gowers, J. C. Gregory, D. R. Hannah, A. F. Haughan, P. G. Hellewell, H. J. Kendall, C. Lowe, R. Maxey, J. G. Montana, R. Naylor, C. L. Picken, K. A. Runcie, V. Sabin, B. R. Tuladhar and J. B. H. Warneck 2137 7-Methoxybenzofuran-4-carboxamides as PDE 4 inhibitors: a potential treatment for asthma
- M. J. Wanner, J. K. Von Frijtag Drabbe Künzel, A. P. IJzerman and G.-J. Koomen 2141 2-Nitro analogues of adenosine and 1-deazaadenosine: synthesis and binding studies at the adenosine A_1 , $\text{A}_{2\text{A}}$ and A_3 receptor subtypes
- M.-Z. Luo, M.-C. Liu, D. E. Mozdziesz, T.-S. Lin, G. E. Dutschman, E. A. Gullen, Y.-C. Cheng and A. C. Sartorelli 2145 Synthesis and biological evaluation of L- and D-configuration 1,3-dioxolane 5-azacytosine and 6-azathymine nucleosides
- G. C. Paul, E. De Clercq, C. Pannecouque, M. Witvrouw, T. L. Loftus, J. A. Turpin, R. W. Buckheit, Jr. and M. Cushman 2149 Identification of optimal anion spacing for anti-HIV activity in a series of cosalane tetracarboxylates

I Instructions to Contributors

NUMBER 19

Contents

	v	Contributors to this Issue
	vii	Graphical Abstracts
H. Liu, M. Ji, H. Jiang, L. Liu, W. Hua, K. Chen and R. Ji	2153	Computer-aided design, synthesis and biological assay of <i>p</i> -methylsulfonamido phenylethylamine analogues
V. J. Ram, A. S. Saxena, S. Srivastava and S. Chandra	2159	Oxygenated chalcones and bischalcones as potential antimalarial agents
K. Toshima, Y. Maeda, H. Ouchi, A. Asai and S. Matsumura	2163	Carbohydrate-modulated DNA photocleavage: design, synthesis, and evaluation of novel glycosyl anthraquinones
L. D. Arnold, D. J. Calderwood, R. W. Dixon, D. N. Johnston, J. S. Kamens, R. Munschauer, P. Rafferty and S. E. Ratnofsky	2167	Pyrrolo[2,3- <i>d</i>]pyrimidines containing an extended 5-substituent as potent and selective inhibitors of Ick I
A. F. Burchat, D. J. Calderwood, G. C. Hirst, N. J. Holman, D. N. Johnston, R. Munschauer, P. Rafferty and G. B. Tometzki	2171	Pyrrolo[2,3- <i>d</i>]pyrimidines containing an extended 5-substituent as potent and selective inhibitors of Ick II
A. K. Saha, L. Liu, R. L. Simoneaux, M. J. Kukla, P. Marichal and F. Odds	2175	Novel antifungals based on 4-substituted imidazole: a combinatorial chemistry approach to lead discovery and optimization
E. B. Grant, D. Guiadeen, E. Z. Baum, B. D. Foleno, H. Jin, D. A. Montenegro, E. A. Nelson, K. Bush and D. J. Hlasta	2179	The synthesis and SAR of rhodanines as novel class C β -lactamase inhibitors
C. Lamazzi, S. Léonce, B. Pfeiffer, P. Renard, G. Guillaumet, C. W. Rees and T. Besson	2183	Expeditious synthesis and cytotoxic activity of new cyanoindolo[3,2- <i>c</i>]quinolines and benzimidazo[1,2- <i>c</i>]quinazolines
W. Lubisch, H. P. Hofmann, H. J. Treiber and A. Möller	2187	Synthesis and biological evaluation of novel piperidine carboxamide derived calpain inhibitors
L. Garuti, M. Roberti, M. Malagoli, T. Rossi and M. Castelli	2193	Synthesis and antiproliferative activity of some benzimidazole-4,7-dione derivatives
A. Bernardi, L. Carrettoni, A. G. Ciponte, D. Monti and S. Sonnino	2197	Second generation mimics of ganglioside GM1 as artificial receptors for cholera toxin: replacement of the sialic acid moiety
S. M. Yarmoluk, A. M. Kostenko and I. Y. Dubey	2201	Interaction of cyanine dyes with nucleic acids. Part 19: New method for the covalent labeling of oligonucleotides with pyrylium cyanine dyes
T. E. Goodwin, C. J. Boylan, W. L. Current, J. C. Byrd, C. B. Edwards, D. A. Fuller, J. L. Green, C. D. Larocca, K. D. Raney, A. S. Ross and W. A. Tucker	2205	Enhanced <i>Pneumocystis carinii</i> activity of new primaquine analogues
W. Billard, H. Binch, III, K. Bratzler, L.-Y. Chen, G. Crosby, Jr., R. A. Duffy, S. Dugar, J. Lachowicz, R. McQuade, P. Pushpavanam, V. B. Ruperto, L. A. Taylor and J. W. Clader	2209	Diphenylsulfone muscarinic antagonists: piperidine derivatives with high M_2 selectivity and improved potency
M. Koizumi, K. Akahori, T. Ohmine, S. Tsutsumi, J. Sone, T. Kosaka, M. Kaneko, S. Kimura and K. Shimada	2213	Biologically active oligodeoxyribonucleotides. Part 12: N^2 -Methylation of 2'-deoxyguanosines enhances stability of parallel G-quadruplex and anti-HIV-1 activity
Y. Okada, Y. Tsuda, K. Wanaka, M. Tada, U. Okamoto, S. Okamoto, A. Hijikata-Okunomiya, G. Bokonyi, B. Szende and G. Keri	2217	Development of plasmin and plasma kallikrein selective inhibitors and their effect on M1 (melanoma) and HT29 cell lines
N. Nguyen-Ba, N. Lee, L. Chan and B. Zacharie	2223	Synthesis and antiviral activities of <i>N</i> -9-oxypurine 1,3-dioxolane and 1,3-oxathiolane nucleosides
H. Kuribayashi, T. Takahashi, K. Nagata, A. Ueno and H. Mihara	2227	Construction of two-stranded α -helix peptides based on influenza virus M1 protein selectively bound to RNA
V. Bénéteau, A. Pierré, B. Pfeiffer, P. Renard and T. Besson	2231	Synthesis and antiproliferative evaluation of 7-aminosubstituted pyrroloiminoquinone derivatives

M. Napoletano, G. Norcini, F. Pellacini,
F. Marchini, G. Morazzoni, P. Ferlenga and
L. Pradella

2235 The synthesis and biological evaluation of a novel series of phthalazine PDE4 inhibitors I

I Instructions to Contributors

NUMBER 20

Contents

	vii	Contributors to this Issue
	xi	Graphical Abstracts
D. L. Mohler, G. Shen and A. K. Dotse	2239	Solution- and solid-phase synthesis of peptide-substituted thiazolidinediones as potential PPAR ligands
N. Bharti, M. R. Maurya, F. Naqvi and A. Azam	2243	Synthesis and antiamoebic activity of new cyclooctadiene ruthenium(II) complexes with 2-acetylpyridine and benzimidazole derivatives
Y. Wang, S. Chackalamannil, Z. Hu, J. W. Clader, W. Greenlee, W. Billard, H. Binch, III, G. Crosby, V. Ruperto, R. A. Duffy, R. McQuade and J. E. Lachowicz	2247	Design and synthesis of piperidinyl piperidine analogues as potent and selective M ₂ muscarinic receptor antagonists
R. C. Goldman, E. R. Baizman, A. A. Branstrom and C. B. Longley	2251	Differential antibacterial activity of moenomycin analogues on Gram-positive bacteria
J. A. Kozlowski, D. B. Lowe, H. S. Guzik, G. Zhou, V. B. Ruperto, R. A. Duffy, R. McQuade, G. Crosby, Jr., L. A. Taylor, W. Billard, H. Binch, III and J. E. Lachowicz	2255	Diphenyl sulfoxides as selective antagonists of the muscarinic M ₂ receptor
A. R. Jales, S. M. Husbands and J. W. Lewis	2259	Selective κ -opioid antagonists related to naltrindole. Effect of side-chain spacer in the 5'-amidinoalkyl series
M. G. Banwell, C. F. Crasto, C. J. Easton, A. K. Forrest, T. Karoli, D. R. March, L. Mensah, M. R. Nairn, P. J. O'Hanlon, M. D. Oldham and W. Yue	2263	Analogues of SB-203207 as inhibitors of tRNA synthetases
M. Llinàs-Brunet, M. Bailey, G. Fazal, E. Ghiro, V. Gorys, S. Goulet, T. Halmos, R. Maurice, M. Poirier, M.-A. Poupart, J. Rancourt, D. Thibeault, D. Wernic and D. Lamarre	2267	Highly potent and selective peptide-based inhibitors of the hepatitis C virus serine protease: towards smaller inhibitors
S. R. LaPlante, N. Aubry, P. R. Bonneau, G. Kukolj, D. Lamarre, S. Lefebvre, H. Li, M. Llinàs-Brunet, C. Plouffe and D. R. Cameron	2271	NMR line-broadening and transferred NOESY as a medicinal chemistry tool for studying inhibitors of the hepatitis C virus NS3 protease domain
M. B. Andrus, T. M. Turner, Z. E. Sauna and S. V. Ambudkar	2275	Synthesis and preliminary analysis of a P-glycoprotein-specific [³ H]-benzophenone photoaffinity label based on (–)-stiopamide
D. Dhanak, G. Burton, L. T. Christmann, M. G. Darcy, K. C. Elrod, A. Kaura, R. M. Keenan, J. O. Link, C. E. Peishoff and D. H. Shah	2279	Metal mediated protease inhibition: design and synthesis of inhibitors of the human cytomegalovirus (hCMV) protease
E. R. Parmee, L. L. Brockunier, J. He, S. B. Singh, M. R. Candalore, M. A. Cascieri, L. Deng, Y. Liu, L. Tota, M. J. Wyvratt, M. H. Fisher and A. E. Weber	2283	Tetrahydroisoquinoline derivatives containing a benzenesulfonamide moiety as potent, selective human β_3 adrenergic receptor agonists
P. Savy, R. Benhida, J.-L. Fourrey, R. Maurisse and J.-S. Sun	2287	DNA triplex structures are stabilized by the incorporation of 3'-endo blocked pyrimidine nucleosides in the Hoogsteen strand
P. D. Edwards, R. C. Mauger, K. M. Cottrell, F. X. Morris, K. K. Pine, M. A. Sylvester, C. W. Scott and S. T. Furlong	2291	Synthesis and enzymatic evaluation of a P ₁ arginine aminocoumarin substrate library for trypsin-like serine proteases
Y. Tsai, M. Dukat, A. Slassi, N. MacLean, L. Demchyshyn, J. E. Savage, B. L. Roth, S. Hufesein, M. Lee and R. A. Glennon	2295	N ₁ -(Benzenesulfonyl)tryptamines as novel 5-HT ₆ antagonists

Y.-J. You, Y. Kim, G.-Y. Song and B.-Z. Ahn	2301	(<i>E</i>)-6-(1-Alkyloxyiminoalkyl)-5,8-dimethoxy-1,4-naphthoquinones: synthesis, cytotoxic activity and antitumor activity
J. E. Semple, O. E. Levy, N. K. Minami, T. D. Owens and D. V. Siev	2305	Novel, potent and selective chimeric FXa inhibitors featuring hydrophobic P ₁ -ketoamide moieties
A. Kamal, E. Laxman, N. Laxman and N. V. Rao	2311	Synthesis of pyrrolo[2,1- <i>c</i>][1,4]benzodiazepines via reductive cyclization of ω -azido carbonyl compounds by TMSI: an efficient preparation of antibiotic DC-81 and its dimers
R. Tripathy, M. A. Ator and J. P. Mallamo	2315	Calpain inhibitors based on the quiescent affinity label concept: high rates of calpain inactivation with leaving groups derived from <i>N</i> -hydroxy peptide coupling reagents
T. Nakanishi, A. Masuda, M. Suwa, Y. Akiyama, N. Hoshino-Abe and M. Suzuki	2321	Synthesis of derivatives of NK109, 7-OH benzo[<i>c</i>]phenanthridine alkaloid, and evaluation of their cytotoxicities and reduction-resistant properties
B. Dumont-Hornebeck, Y. N. Strube, D. Vasilescu and B. J. Jean-Claude	2325	Design and synthesis of a novel water soluble benzotetrazepinone
G. A. Reichard, Z. T. Ball, R. Aslanian, J. C. Anthes, N.-Y. Shih and J. J. Piwinski	2329	The design and synthesis of novel NK ₁ /NK ₂ dual antagonists
P. C. Ting, J. F. Lee, J. C. Anthes, N.-Y. Shih and J. J. Piwinski	2333	Synthesis and NK ₁ /NK ₂ receptor activity of substituted-4(<i>Z</i>)-(methoxyimino)-pentyl-1-piperazines
P. Furet, G. Caravatti, A. A. Denholm, A. Faessler, H. Fretz, C. Garcia-Echeverria, B. Gay, E. Irving, N. J. Press, J. Rahuel, J. Schoepfer and C. V. Walker	2337	Structure-based design and synthesis of phosphinate isosteres of phosphotyrosine for incorporation in Grb2-SH2 domain inhibitors. Part 1
C. V. Walker, G. Caravatti, A. A. Denholm, J. Egerton, A. Faessler, P. Furet, C. Garcia-Echeverria, B. Gay, E. Irving, K. Jones, A. Lambert, N. J. Press and J. Woods	2343	Structure-based design and synthesis of phosphinate isosteres of phosphotyrosine for incorporation in Grb2-SH2 domain inhibitors. Part 2
K. Takeuchi, J. A. Bastian, D. S. Gifford-Moore, R. W. Harper, S. C. Miller, J. T. Mullaney, D. J. Sall, G. F. Smith, M. Zhang and M. J. Fisher	2347	1,2-Disubstituted indole, azaindole and benzimidazole derivatives possessing amine moiety: a novel series of thrombin inhibitors
H. Shulman, A. Eberhard, C. Eberhard, S. Ulitzur and E. Keinan	2353	Highly sensitive and rapid detection of antibody catalysis by luminescent bacteria
K. D. Rice, A. R. Gangloff, E. Y.-L. Kuo, J. M. Dener, V. R. Wang, R. Lum, W. S. Newcomb, C. Havel, D. Putnam, L. Cregar, M. Wong and R. L. Warne	2357	Dibasic inhibitors of human mast cell tryptase. Part 1: Synthesis and optimization of a novel class of inhibitors
K. D. Rice, V. R. Wang, A. R. Gangloff, E. Y.-L. Kuo, J. M. Dener, W. S. Newcomb, W. B. Young, D. Putnam, L. Cregar, M. Wong and P. J. Simpson	2361	Dibasic inhibitors of human mast cell tryptase. Part 2: Structure–activity relationships and requirements for potent activity
B. Chitkul and M. Bradley	2367	Optimising inhibitors of trypanothione reductase using solid-phase chemistry
P. T. Meinke, M. B. Ayer, S. L. Colletti, C. Li, J. Lim, D. Ok, S. Salva, D. M. Schmatz, T. L. Shih, W. L. Shoop, L. M. Warmke, M. J. Wyvratt, M. Zakson-Aiken and M. H. Fisher	2371	Chemical modification of nodulisporic acid A: preliminary structure–activity relationships
X. Li, K. A. McCoy, W. V. Murray, L. Jolliffe and V. Pulito	2375	Novel heterocycles as selective α_1 -adrenergic receptor antagonists
H. Stark, X. Ligneau, B. Sadek, C. R. Ganellin, J.-M. Arrang, J.-C. Schwartz and W. Schunack	2379	Analogues and derivatives of ciproxifan, a novel prototype for generating potent histamine H ₃ -receptor antagonists
A. S. Jørgensen, P. Jacobsen, L. B. Christiansen, P. S. Bury, A. Kanstrup, S. M. Thorpe, L. Nærum and K. Wassermann	2383	Synthesis and estrogen receptor binding affinities of novel pyrrolo[2,1,5- <i>cd</i>]-indolizine derivatives
X. Wu and B. S. Cooperman	2387	Synthesis and biological activity of a bivalent nucleotide inhibitor of ribonucleotide reductase

NUMBER 21

Contents

	v	Contributors to this Issue
	vii	Graphical Abstracts
N. Weerapreeyakul, R. G. Hollenbeck and P. J. Chikhale	2391	Stability of bioreductive drug delivery systems containing melphalan is influenced by conformational constraint and electronic properties of substituents
Y. Aoyama, M. Uenaka, T. Konoike, Y. Iso, Y. Nishitani, A. Kanda, N. Naya and M. Nakajima	2397	Synthesis and structure–activity relationships of a new class of 1-oxacephem-based human chymase inhibitors
Y. Aoyama, M. Uenaka, T. Konoike, Y. Iso, Y. Nishitani, A. Kanda, N. Naya and M. Nakajima	2403	1-Oxacephem-based human chymase inhibitors: discovery of stable inhibitors in human plasma
K. Shimamoto, Y. Shigeri, Y. Yasuda-Kamatani, B. Lebrun, N. Yumoto and T. Nakajima	2407	Syntheses of optically pure β -hydroxyaspartate derivatives as glutamate transporter blockers
S. T. Moe, D. L. Smith, E. G. DelMar, S. M. Shimizu, B. C. Van Wagenen, M. F. Balandrin, Y. Chien, J. L. Raszkiewicz, L. D. Artman, H. S. White and A. L. Mueller	2411	Chiral synthesis and pharmacological evaluation of NPS 1407: a potent, stereoselective NMDA receptor antagonist
Y. J. Kim, D. A. Kaiser, T. D. Pollard and Y. Ichikawa	2417	Synthesis of (3 <i>R</i>)-carboxy pyrrolidine (a β -proline analogue) and its oligomer
D. R. Artis, C. Brotherton-Pleiss, J. H. B. Pease, C. J. Lin, S. W. Ferla, S. R. Newman, S. Bhakta, H. Ostrellich and K. Jarnagin	2421	Structure-based design of six novel classes of nonpeptide antagonists of the bradykinin B ₂ receptor
M. H. Parker, D. F. Ortwine, P. M. O'Brien, E. A. Lunney, C. A. Banotai, W. T. Mueller, P. McConnell and C. G. Brouillette	2427	Stereoselective binding of an enantiomeric pair of stromelysin-1 inhibitors caused by conformational entropy factors
L. C. Chang, J. J. Gills, K. P. L. Bhat, L. Luyengi, N. R. Farnsworth, J. M. Pezzuto and A. D. Kinghorn	2431	Activity-guided isolation of constituents of <i>Cerbera manghas</i> with antiproliferative and antiestrogenic activities
H. C. Hansen, R. Olsson, G. Croston and C.-M. Andersson	2435	Multistep solution-phase parallel synthesis of spiperone analogues
S. Bernier, D. Y. Dubois, M. Therrien, J. Lapointe and R. Chênevert	2441	Synthesis of glutaminyl adenylylate analogues that are inhibitors of glutaminyl-tRNA synthetase
B. E. Blough, C. R. Holmquist, P. Abraham, M. J. Kuhar and F. I. Carroll	2445	3 α -(4-Substituted phenyl)nortropine-2 β -carboxylic acid methyl esters show selective binding at the norepinephrine transporter
A. Coop, A. E. Jacobson, M. D. Aceto, L. S. Harris, J. R. Traynor, J. H. Woods and K. C. Rice	2449	<i>N</i> -Cyclohexylethyl- <i>N</i> -noroxymorphindole: a μ -opioid preferring analogue of naltrindole
H. Kitajima, M. Nakamura, H. Tamakawa and N. Goto	2453	Hybridization of non-sulfonylurea insulin secretagogue and thiazolidinedione-derived insulin sensitizer
M. Fujio, T. Kuroita, Y. Sakai, H. Nakagawa and Y. Matsumoto	2457	<i>N</i> -[1-(2-Phenylethyl)pyrrolidin-3-yl]-1-adamantanecarboxamides as novel 5-HT ₂ receptor antagonists
K. Yoshiizumi, F. Nakajima, T. Kiyoi and H. Kondo	2463	NMR analysis of tautomerisms of active pinacidil-type potassium channel openers and a less active one
V. Rajendran, K. R. C. Prakash, H. S. Ved, A. Saxena, B. P. Doctor and A. P. Kozikowski	2467	Synthesis, chiral chromatographic separation, and biological activities of the enantiomers of 10,10-dimethylhuperzine A
Z. S. Zhou, A. E. Smith and R. G. Matthews	2471	L-Selenohomocysteine: one-step synthesis from L-selenomethionine and kinetic analysis as substrate for methionine synthases
Y. D. Wang, K. Miller, D. H. Boschelli, F. Ye, B. Wu, M. B. Floyd, D. W. Powell, A. Wissner, J. M. Weber and F. Boschelli	2477	Inhibitors of Src tyrosine kinase: the preparation and structure–activity relationship of 4-anilino-3-cyanoquinolines and 4-anilinoquinazolines

M. Hashimoto, Y. Hatanaka and K. Nabeta	2481	Novel photoreactive cinnamic acid analogues to elucidate phenylalanine ammonia-lyase
J. Xia, J. L. Alderfer and K. L. Matta	2485	Chemical synthesis of a core 2 branched pentasaccharide containing a carboxylate group
Y. Torisawa, T. Nishi and J. Minamikawa	2489	Modulation of the Cs ₂ CO ₃ -promoted catalytic amination by a crown ether
Y. Torisawa, T. Nishi and J. Minamikawa	2493	Beneficial effect of cesium salts on Pd-catalyzed hydroxycarbonylation
	I	Instructions to Contributors

NUMBER 22

Contents

	v	Contributors to this Issue
	vii	Graphical Abstracts
I. O. Donkor, X. Zheng and D. D. Miller	2497	Synthesis and calpain inhibitory activity of α -ketoamides with 2,3-methano-leucine stereoisomers at the P ₂ position
S. J. Shuttleworth, D. Nasturica, C. Gervais, M. A. Siddiqui, R. F. Rando and N. Lee	2501	Parallel synthesis of isatin-based serine protease inhibitors
K. C. Santhosh, E. De Clercq, C. Pannecouque, M. Witvrouw, T. L. Loftus, J. A. Turpin, R. W. Buckheit, Jr. and M. Cushman	2505	Anti-HIV activity of a series of cosalane amino acid conjugates
W. M. David, D. Kumar and S. M. Kerwin	2509	Synthesis of a heterocyclic aza-enediyne and its DNA-cleavage properties
S. M. Dankwardt, R. J. Billedeau, L. K. Lawley, S. C. Abbot, R. L. Martin, C. S. Chan, H. E. Van Wart and K. A. M. Walker	2513	Solid-phase synthesis of di- and tripeptidic hydroxamic acids as inhibitors of procollagen C-proteinase
V. Singh and S. Q. Alam	2517	Structural diversity through intramolecular cycloaddition and modulation of chemical reactivity in excited state. Synthesis and photoreactions of 3-oxa-tricyclo[5.2.2.0 ^{1,5}]undecenones: novel stereoselective route to oxa-triquinanes and oxa-sterpuranes
N. Murakami, M. Sugimoto, M. Morita, S. Akiyama and M. Kobayashi	2521	Synthesis and evaluation of 4-deacetoxyagosterol A as an MDR-modulator
I. Abe, Y. Kashiwagi and H. Noguchi	2525	Inhibition of vertebrate squalene epoxidase by isoprenyl gallates and phenyl-alkyl gallates
D. P. Zlotos, S. Buller, C. Tränkle and K. Mohr	2529	Bisquaternary caracurine V derivatives as allosteric modulators of ligand binding to M ₂ acetylcholine receptors
B. Tchédam Ngatcha, V. Luu-The and D. Poirier	2533	Androsterone 3 β -substituted derivatives as inhibitors of type 3 17 β -hydroxy-steroid dehydrogenase
C. Girlanda-Junges, B. Lutz-Bucher, J.-L. Gonzalez de Aguilar, J.-P. Loeffler and B. Luu	2537	3-(15-Hydroxypentadecyl)-2,4,4-trimethyl-2-cyclohexen-1-one and its effect on neuropeptide secretion
T. Vilaivan, C. Khongdeesameor, P. Harnyuttanakorn, M. S. Westwell and G. Lowe	2541	Synthesis and properties of chiral peptide nucleic acids with a <i>N</i> -aminoethyl-D-proline backbone
J. Kehler, H. I. Hansen and C. Sanchez	2547	Novel phosphinic and phosphonic acid analogues of the anticonvulsant valproic acid
A. B. S. Maya, B. del Rey, R. Pelaez Lamamie de Clairac, E. Caballero, I. Barasoain, J. M. Andreu and M. Medarde	2549	Design, synthesis and cytotoxic activities of naphthyl analogues of combretastatin A-4
N. E. Austin, K. Y. Avenell, I. Boyfield, C. L. Branch, M. S. Hadley, P. Jeffrey, C. N. Johnson, G. J. Macdonald, D. J. Nash, G. J. Riley, A. B. Smith, G. Stemp, K. M. Thewlis, A. K. K. Vong and M. Wood	2553	Novel 2,3,4,5-tetrahydro-1 <i>H</i> -3-benzazepines with high affinity and selectivity for the dopamine D ₃ receptor

H. F. Boyd, S. C. M. Fell, S. T. Flynn, D. M. B. Hickey, R. J. Iff, C. A. Leach, C. H. Macphée, K. J. Milliner, K. E. Moores, I. L. Pinto, R. A. Porter, D. A. Rawlings, S. A. Smith, I. G. Stansfield, D. G. Tew, C. J. Theobald and C. M. Whittaker	2557	N-1 substituted pyrimidin-4-ones: novel, orally active inhibitors of lipoprotein-associated phospholipase A ₂
L. Ktari, A. Blond and M. Guyot	2563	16 β -Hydroxy-5 α -cholestane-3,6-dione, a novel cytotoxic oxysterol from the red alga <i>Jania rubens</i>
V. Kumar, M. A. Marella, L. Cortes-Burgos, A.-C. Chang, J. A. Cassel, J. D. Daubert, R. N. DeHaven, D. L. DeHaven-Hudkins, S. L. Gottshall, E. Mansson and A. L. Maycock	2567	Arylacetamides as peripherally restricted kappa opioid receptor agonists
M. Takahashi, K. Dodo, Y. Sugimoto, Y. Aoyagi, Y. Yamada, Y. Hashimoto and R. Shirai	2571	Synthesis of the novel analogues of dysidiolide and their structure–activity relationship
J. Zhang, S. Didierlaurent, M. Fortin, D. Lefrançois, E. Uridat and J. P. Vever	2575	Potent nonpeptide endothelin antagonists: synthesis and structure–activity relationships of pyrazole-5-carboxylic acids
R. Razet, U. Thomet, R. Furtmüller, F. Jursky, E. Sigel, W. Sieghart and R. H. Dodd	2579	Use of bicuculline, a GABA antagonist, as a template for the development of a new class of ligands showing positive allosteric modulation of the GABA _A receptor
	I	Instructions to Contributors

NUMBER 23

Contents

	v	Contributors to this Issue
	vii	Graphical Abstracts
D. Yu, Q. Zhao, E. R. Kandimalla and S. Agrawal	2585	Accessible 5'-end of CpG-containing phosphorothioate oligodeoxynucleotides is essential for immunostimulatory activity
S. Graf-Christophe, C. Kuehm-Caubère, P. Renard, B. Pfeiffer, A. Pierré, S. Léonce and P. Caubère	2589	Synthesis and antiproliferative activity of benzocyclobutacarbazol derivatives. A new class of potential antitumor agents
I. J. Simpson, M. Lee, A. Kumar, D. W. Boykin and S. Neidle	2593	DNA minor groove interactions and the biological activity of 2,5-bis-[4-(<i>N</i> -alkylamidino)phenyl] furans
S. Sarshar, C. Zhang, E. J. Moran, S. Krane, J. C. Rodarte, K. D. Benbatoul, R. Dixon and A. M. M. Mjalli	2599	2,4,5-Trisubstituted imidazoles: novel nontoxic modulators of P-glycoprotein mediated multidrug resistance. Part 1
C. Zhang, S. Sarshar, E. J. Moran, S. Krane, J. C. Rodarte, K. D. Benbatoul, R. Dixon and A. M. M. Mjalli	2603	2,4,5-Trisubstituted imidazoles: novel nontoxic modulators of P-glycoprotein mediated multidrug resistance. Part 2
G. Chiellini, N.-H. Nguyen, H. A. I. Yoshihara and T. S. Scanlan	2607	Improved synthesis of the iodine-free thyromimetic GC-1
D. L. Boger, R. A. Fecik, J. E. Patterson, H. Miyauchi, M. P. Patricelli and B. F. Cravatt	2613	Fatty acid amide hydrolase substrate specificity
Y. Matsumoto, T. Kato, H. Suzuki, S. Hirose, Y. Naiki, M. Hirashima and R. Ueoka	2617	Highly specific inhibitory effect of three-component hybrid liposomes including sugar surfactants on the growth of glioma cells
A. K. Bence, D. T. Rogers, D. R. Worthen, M. Fu, J. M. Littleton and P. A. Crooks	2621	Aminoanthraquinones as novel ligands at the polyamine binding site on the <i>N</i> -methyl-D-aspartate receptor complex
Y. S. Lee, Y. S. Lee, J. Y. Lee, S. N. Kim, C.-K. Lee and H. Park	2625	6-Hydroxy-1,3-dioxin-4-ones as non-peptidic HIV protease inhibitors
N. Murakami, E. Iwata, S. Tamura, S. Akiyama and M. Kobayashi	2629	New multidrug resistance modulators from <i>Atractylodes lancea</i> Rhizoma
H. Tamamura, A. Omagari, S. Oishi, T. Kanamoto, N. Yamamoto, S. C. Peiper, H. Nakashima, A. Otaka and N. Fujii	2633	Pharmacophore identification of a specific CXCR4 inhibitor, T140, leads to development of effective anti-HIV agents with very high selectivity indexes

J. E. Sheppeck II, H. Kar, L. Gosink, J. B. Wheatley, E. Gjerstad, S. M. Loftus, A. R. Zubiria and J. W. Janc	2639	Synthesis of a statistically exhaustive fluorescent peptide substrate library for profiling protease specificity
J. M. Gerdes, S. C. DeFina, P. A. Wilson and S. E. Taylor	2643	Serotonin transporter inhibitors: synthesis and binding potency of 2'-methyl- and 3'-methyl-6-nitroquipazine
T. Schirmeister	2647	(S)-Thiirancarboxylic acid as a reactive building block for a new class of cysteine protease inhibitors
A. Okazawa, H. Maeda, E. Fukusaki, Y. Katakura and A. Kobayashi	2653	In vitro selection of hematoporphyrin binding DNA aptamers
T. Hamaguchi, A. Takahashi, T. Kagamizono, A. Manaka, M. Sato and H. Osada	2657	Synthesis and characterization of a potent and selective protein tyrosine phosphatase inhibitor, 2-[(4-methylthiopyridin-2-yl)methylsulfinyl]benzimidazole
M. I. Crespo, J. Gràcia, C. Puig, A. Vega, J. Bou, J. Beleta, T. Doménech, H. Ryder, V. Segarra and J. M. Palacios	2661	Synthesis and biological evaluation of 2,5-dihydropyrazolo[4,3-c]quinolin-3-ones, a novel series of PDE 4 inhibitors with low emetic potential and antiasthmatic properties
G. Ferretti, M. Dukat, M. Giannella, A. Piergentili, M. Pigni, W. Quaglia, M. I. Damaj, B. R. Martin and R. A. Glennon	2665	Chain-lengthened and imidazoline analogues of nicotine
D. Simoni, M. Roberti, F. P. Invidiata, R. Rondanin, R. Baruchello, C. Malagutti, A. Mazzali, M. Rossi, S. Grimaudo, L. Dusonchet, M. Meli, M. V. Raimondi, N. D'Alessandro and M. Tolomeo	2669	Programmed cell death (PCD) associated with the stilbene motif of arotinoids: discovery of novel apoptosis inducer agents possessing activity on multidrug resistant tumor cells
M. Z. Hoemann, G. Kumaravel, R. L. Xie, R. F. Rossi, S. Meyer, A. Sidhu, G. D. Cuny and J. R. Hauske	2675	Potent in vitro methicillin-resistant <i>Staphylococcus aureus</i> activity of 2-(1 <i>H</i> -indol-3-yl)quinoline derivatives
R. C. Schoenfeld, J.-P. Lumb, J. Fantini and B. Ganem	2679	Total synthesis of mololipids: a new series of anti-HIV Moloka'amine derivatives
D. A. Nicoll-Griffith, J. A. Yergey, L. A. Trimble, J. M. Silva, C. Li, N. Chauret, J. Y. Gauthier, E. Grimm, S. Léger, P. Roy, M. Thérien, Z. Wang, P. Prasit, R. Zamboni, R. N. Young, C. Brideau, C.-C. Chan, J. Mancini and D. Riendeau	2683	Synthesis, characterization, and activity of metabolites derived from the cyclooxygenase-2 inhibitor rofecoxib (MK-0966, Vioxx TM)
R. B. Perni, S. C. Conway, S. K. Ladner, K. Zaifert, M. J. Otto and R. W. King	2687	Phenylpropenamide derivatives as inhibitors of hepatitis B virus replication
	2691	Corrigendum
	I	Instructions to Contributors

NUMBER 24

Contents

	vii	Contributors to this Issue
	ix	Graphical Abstracts
A. L. Smith, G. I. Stevenson, S. Lewis, S. Patel and J. L. Castro	2693	Solid-phase synthesis of 2,3-disubstituted indoles: discovery of a novel, high-affinity, selective h5-HT _{2A} antagonist
G. I. Stevenson, A. L. Smith, S. Lewis, S. G. Michie, J. G. Neduvellil, S. Patel, R. Marwood, S. Patel and J. L. Castro	2697	2-Aryl tryptamines: selective high-affinity antagonists for the h5-HT _{2A} receptor
J. Crawforth, S. Goodacre, R. Maxey, S. Bourrain, S. Patel, R. Marwood, D. O'Connor, R. Herbert, P. Hutson and M. Rowley	2701	3-(4-Piperidinyl)- and 3-(8-aza-bicyclo[3.2.1]oct-3-yl)-2-phenyl-1 <i>H</i> -indoles as bioavailable h5-HT _{2A} antagonists
B. Lagu, J. M. Wetzel, C. Forray, M. A. Patane and M. G. Bock	2705	Determination of the relative and absolute stereochemistry of a potent and α_{1A} -selective adrenoceptor antagonist

Y. Nagata, T. Nishio, S. Matsumoto, H. Kanazawa, M. Mochizuki and Y. Matsushima	2709	Reaction of 2,2,5,7,8-pentamethyl-6-chromanol, an α -tocopherol analogue, with NO in the presence of oxygen
T. Tselios, I. Daliani, S. Deraos, S. Thymianou, E. Matsoukas, A. Troganis, I. Gerothanassis, A. Mouzaki, T. Mavromoustakos, L. Probert and J. Matsoukas	2713	Treatment of experimental allergic encephalomyelitis (EAE) by a rationally designed cyclic analogue of myelin basic protein (MBP) epitope 72–85
I. Obataya, T. Kotaki, S. Sakamoto, A. Ueno and H. Mihara	2719	Design, synthesis and peroxidase-like activity of 3 α -helix proteins covalently bound to heme
R. W. DeSimone and C. A. Blum	2723	Substituted 3-(2-benzoxazolyl)-benzimidazol-2-(1 <i>H</i>)-ones: a new class of GABA _A brain receptor ligands
C. D. Boyle, S. Chackalamannil, L.-Y. Chen, S. Dugar, P. Pushpavanam, W. Billard, H. Binch III, G. Crosby, M. Cohen-Williams, V. L. Coffin, R. A. Duffy, V. Ruperto and J. E. Lachowicz	2727	Benzylidene ketal derivatives as M ₂ muscarinic receptor antagonists
A. J. Souers, A. Rosenquist, E. M. Jarvie, M. Ladlow, W. Feniuk and J. A. Ellman	2731	Optimization of a somatostatin mimetic via constrained amino acid and backbone incorporation
A. K. Saha, L. Liu, P. Marichal and F. Odds	2735	Novel antifungals based on 4-substituted imidazole: solid-phase synthesis of substituted aryl sulfonamides towards optimization of in vitro activity
A. P. Tamiz, P. Conti, M. Zhang, K. M. Johnson and A. P. Kozikowski	2741	A convenient procedure for the synthesis of nonsymmetrical bivalent selective serotonin reuptake inhibitors using polymer-supported reagents
V. Santagada, G. Balboni, G. Caliendo, R. Guerrini, S. Salvadori, C. Bianchi, S. D. Bryant and L. H. Lazarus	2745	Assessment of substitution in the second pharmacophore of Dmt-Tic analogues
J. Pratt, P. Jimonet, G. A. Bohme, A. Boireau, D. Damour, M. W. Debono, A. Genevois-Borella, J. C. R. Randle, Y. Ribeill, J.-M. Stutzmann, M. Vuilhorgne and S. Mignani	2749	Synthesis and potent anticonvulsant activities of 4-oxo-imidazo[1,2- <i>a</i>]-indeno[1,2- <i>e</i>]pyrazin-8- and -9-carboxylic (acetic) acid AMPA antagonists
G. Cardillo, L. Gentilucci, P. Melchiorre and S. Spampinato	2755	Synthesis and binding activity of endomorphin-1 analogues containing β -amino acids
A. Bozzoli, W. Kazmierski, G. Kennedy, A. Pasquarello and A. Pecunioso	2759	A solid-phase approach to analogues of the antibiotic mureidomycin
K.-H. Altmann, G. Bold, G. Caravatti, A. Flörsheimer, V. Guagnano and M. Wartmann	2765	Synthesis and biological evaluation of highly potent analogues of epothilones B and D
G. Falardeau, L. Chan, T. Stefanac, S. May, H. Jin and J.-F. Lavallée	2769	Substituted 1,6-naphthyridines as human cytomegalovirus inhibitors: conformational requirements
Y. Lee, P. Martásek, L. J. Roman and R. B. Silverman	2771	1 <i>H</i> -Pyrazole-1-carboxamides: new inhibitors of nitric oxide synthase
K. Lee, W.-H. Jung, M. Kang and S.-H. Lee	2775	Noncovalent thrombin inhibitors incorporating an imidazolylethynyl P1
R. W. Ware, Jr. and S. B. King	2779	Evaluation of new L-thiocitrulline derivatives as inhibitors of nitric oxide synthase
T. Mashino, Y. Takigawa, N. Saito, L. Q. Wong and M. Mochizuki	2783	Antioxidant activity and xanthine oxidase inhibition activity of reductic acid: ascorbic acid analogue
K. Tsubaki, K. Taniguchi, S. Tabuchi, O. Okitsu, K. Hattori, J. Seki, K. Sakane and H. Tanaka	2787	A novel pyridazinone derivative as a nonprostanoid PGI ₂ agonist
J. C. Wilson, M. J. Kiefel, S. Albouz-Abo and M. von Itzstein	2791	Preliminary ¹ H NMR investigation of sialic acid transfer by the <i>trans</i> -sialidase from <i>Trypanosoma cruzi</i>
B. Walker, M. F. Brown, J. F. Lynas, S. L. Martin, A. McDowell, B. Badet and A. J. Hill	2795	Inhibition of <i>Escherichia coli</i> glucosamine synthetase by novel electrophilic analogues of glutamine—comparison with 6-diazo-5-oxo-norleucine

D. J. Kim, K. J. Seo, K. S. Lee, K. J. Shin, K. H. Yoo, D. C. Kim and S. W. Park	2799	Synthesis and biological activity of 1 β -methyl-2-[5'-isoxazoloethenylpyrrolidin-3'-ylthio]carbapenems
G. Kokotos, S. Kotsovolou, V. Constantinou-Kokotou, G. Wu and G. Olivecrona	2803	Inhibition of lipoprotein lipase by alkanesulfonyl fluorides
M. Nakamura, J. Inoue and T. Yamada	2807	A two-step, one-pot synthesis of diverse <i>N</i> -pyruvoyl amino acid derivatives using the Ugi reaction
D. J. Silva, C. L. Bowe, A. A. Branstrom, E. R. Baizman and M. J. Sofia	2811	Synthesis and biological evaluation of analogues of bacterial lipid I
T. E. Barta, D. P. Becker, L. J. Bedell, G. A. De Crescenzo, J. J. McDonald, G. E. Munie, S. Rao, H.-S. Shieh, R. Stegeman, A. M. Stevens and C. I. Villamil	2815	Synthesis and activity of selective MMP inhibitors with an aryl backbone
R. M. Kanojia, J. J. Salata and J. Kauffman	2819	Synthesis and Class III type antiarrhythmic activity of 4-aroyl (and aryl)-1-aralkylpiperazines
N. Zhang, B. Wu, D. Powell, A. Wissner, M. B. Floyd, E. D. Kovacs, L. Toral-Barza and C. Kohler	2825	Synthesis and structure–activity relationships of 3-cyano-4-(phenoxyanilino)-quinolines as MEK (MAPKK) Inhibitors
	I	Instructions to Contributors