



Corrigendum


**Corrigendum to “A new class of high affinity
thyromimetics containing a phenyl-naphthylene core”
[Bioorg. Med. Chem. Lett. 15 (2005) 4579–4584]**

Jon J. Hangeland,^{a,*} Todd J. Friends,^a Arthur M. Doweiko,^a Karin Mellström,^b
Johnny Sandberg,^b Marlena Grynfarb^b and Denis E. Ryono^a

^a*Pharmaceutical Research Institute, Bristol-Myers Squibb, Princeton, NJ 08543-5400, USA*

^b*Karo Bio AB, Novum, Huddinge S-141 57, Sweden*

Scheme 4 contains an incorrect structure for compound **26**, where the structure contains a methoxy in the C-6' position. This compound would not be expected to be active. The legend describing the synthesis of compound **26** is correct, and if one follows the logic of the synthesis, it is apparent that compound **26** should have a hydroxy at C-6' instead of the methoxy. The correct [scheme](#) appears here.



Scheme 4.

DOI of original article: [10.1016/j.bmcl.2005.06.093](https://doi.org/10.1016/j.bmcl.2005.06.093).

* Corresponding author. Tel: +1 609 818 49 58; fax: +1 609 818 3450; e-mail: jon.hangeland@bms.com