



Contents lists available at ScienceDirect

Bioorganic & Medicinal Chemistry Letters

journal homepage: www.elsevier.com/locate/bmcl



Corrigendum

Corrigendum to “Use of anionic polymer, poly(methyl vinyl ether-maleic anhydride)-coated beads for capture of respiratory syncytial virus” [Bioorg. Med. Chem. Lett. 19 (2009) 4488–4491]

Akikazu Sakudo^{a,*}, Koichi Baba^b, Megumi Tsukamoto^a, Kazuyoshi Ikuta^a

^a Department of Virology, Center for Infectious Disease Control, Research Institute for Microbial Diseases, Osaka University, Yamadaoka, Suita, Osaka 565-0871, Japan

^b Baba Pediatric Clinic, Kadoma, Osaka 571-0046, Japan

The authors regret that this article contains several errors:

1. On page 4488, in line 7 of the abstract, ‘absorption’ should be ‘adsorption’.
2. On page 4489, in line 1, 2, 7, 9, and 12 of legend for Figure 1, ‘absorbed’ should be ‘adsorbed’.
3. On page 4489, in line 13 of legend for Figure 1, ‘absorption’ should be ‘adsorption’.
4. On page 4489, in line 1 of legend for Figure 2, ‘absorbed’ should be ‘adsorbed’.

DOI of original article: [10.1016/j.bmcl.2009.05.127](https://doi.org/10.1016/j.bmcl.2009.05.127).

* Corresponding author. Tel.: +81 6 6879 8309; fax: +81 6 6879 8310.

E-mail address: sakudo@biken.osaka-u.ac.jp (A. Sakudo).