

# Volume Contents 2000

## NUMBER 1

### Contents

|                                                                                                                                                                                                                                                                                                  |     |                                                                                                                                                                                                                       |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                                                                                                                                                                                                                                                                                  | vii | Contributors to this Issue                                                                                                                                                                                            |
|                                                                                                                                                                                                                                                                                                  | ix  | Graphical Abstracts                                                                                                                                                                                                   |
| <b>J. M. Matsoukas, L. Polevaya, J. Ancans, T. Mavromoustakos, A. Kolocouris, P. Roumelioti, D. V. Vlahakos, R. Yamdagni, Q. Wu and G. J. Moore</b>                                                                                                                                              | 1   | The design and synthesis of a potent angiotensin II cyclic analogue confirms the ring cluster receptor conformation of the hormone angiotensin II                                                                     |
| <b>S.-G. Kim, C.-J. Yoon, S.-H. Kim, Y.-J. Cho and D.-I. Kang</b>                                                                                                                                                                                                                                | 11  | Building a common feature hypothesis for thymidylate synthase inhibition                                                                                                                                              |
| <b>Y. Tsukamoto, L. M. Cole and J. E. Casida</b>                                                                                                                                                                                                                                                 | 19  | Avermectin chemistry and action: ester- and ether-type candidate photoaffinity probes                                                                                                                                 |
| <b>G. Bala Show Reddy and N. Dhananjaya</b>                                                                                                                                                                                                                                                      | 27  | Chemical investigation of <i>Mycale mytilorum</i> and a study on toxicity and antidiabetic activity of 5-octadecylpyrrole-2-carboxaldehyde                                                                            |
| <b>T. Kaiya, S. Aoyama and K. Kohda</b>                                                                                                                                                                                                                                                          | 37  | Reactions of a series of 1-aminobenzimidazoles and 1-amino-3-methylbenzimidazolium chlorides with 2,4-pentanedione                                                                                                    |
| <b>H. Yamamoto, T. Terasawa, A. Ohki, F. Shirai, K. Kawabata, K. Sakane, S. Matsumoto, Y. Matsumoto and S. Tawara</b>                                                                                                                                                                            | 43  | Orally active cephalosporins: synthesis, structure–activity relationships and oral absorption of 3-[( <i>E</i> ) and ( <i>Z</i> )-2-substituted vinyl]-cephalosporins                                                 |
| <b>S. Kuroda, A. Akahane, H. Itani, S. Nishimura, K. Durkin, Y. Tenda and K. Sakane</b>                                                                                                                                                                                                          | 55  | Novel adenosine A <sub>1</sub> receptor antagonists. Synthesis and structure–activity relationships of a novel series of 3-(2-cyclohexenyl-3-oxo-2,3-dihydropyridazin-6-yl)-2-phenylpyrazolo[1,5- <i>a</i> ]pyridines |
| <b>E. J. Roh, Y. H. Park, C. E. Song, S.-J. Oh, Y. S. Choe, B.-T. Kim, D. Y. Chi and D. Kim</b>                                                                                                                                                                                                  | 65  | Radiolabeling of paclitaxel with electrophilic <sup>123</sup> I                                                                                                                                                       |
| <b>M. Kidwai, K R. Bhushan, P. Sapra, R K. Saxena and R. Gupta</b>                                                                                                                                                                                                                               | 69  | Alumina-supported synthesis of antibacterial quinolines using microwaves                                                                                                                                              |
| <b>T. Kline, M. Fromhold, T. E. McKennon, S. Cai, J. Treiberg, N. Ihle, D. Sherman, W. Schwan, M. J. Hickey, P. Warrenner, P. R. Witte, L. L. Brody, L. Goltry, L. M. Barker, S. U. Anderson, S. K. Tanaka, R. M. Shawar, L. Y. Nguyen, M. Langhorne, A. Bigelow, L. Embuscado and E. Naeemi</b> | 73  | Antimicrobial effects of novel siderophores linked to $\beta$ -lactam antibiotics                                                                                                                                     |
| <b>B. Bonnet, D. Soulle, S. Girault, L. Maes, V. Landry, E. Davioud-Charvet and C. Sergheraert</b>                                                                                                                                                                                               | 95  | Trypanothione reductase inhibition/trypanocidal activity relationships in a 1,4-bis(3-aminopropyl)piperazine series                                                                                                   |

|                                                                                                                                                                                                    |     |                                                                                                                                                                                                                                |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>I. Charton, A. Mamai, C. Bennejean, P. Renard, E. H. Howell, B. Guardiola-Lemaître, P. Delagrangé, P. J. Morgan, M.-C. Viaud and G. Guillaumet</b>                                              | 105 | Substituted oxygenated heterocycles and thio-analogues: synthesis and biological evaluation as melatonin ligands                                                                                                               |
| <b>M. O. Lederer and M. Baumann</b>                                                                                                                                                                | 115 | Formation of a phospholipid-linked pyrrolecarbaldehyde from model reactions of D-glucose and 3-deoxyglucosone with phosphatidyl ethanolamine                                                                                   |
| <b>T. Fujishima, K. Konno, K. Nakagawa, M. Kurobe, T. Okano and H. Takayama</b>                                                                                                                    | 123 | Efficient synthesis and biological evaluation of all A-ring diastereomers of 1 $\alpha$ ,25-dihydroxyvitamin D <sub>3</sub> and its 20-epimer                                                                                  |
| <b>I. McCort, S. Fort, A. Duréault and J.-C. Depezay</b>                                                                                                                                           | 135 | Synthesis and evaluation as glycosidase inhibitors of 2,5-imino-D-glucitol and 1,5-imino-D-mannitol related derivatives                                                                                                        |
| <b>D. Guénard, S. Thoret, J. Dubois, M.-T. Adeline, Q. Wang and F. Guéritte</b>                                                                                                                    | 145 | Effects of the hydrophobicity of taxoids on their interaction with tubulin                                                                                                                                                     |
| <b>P. Tarasconi, S. Capacchi, G. Pelosi, M. Cornia, R. Albertini, A. Bonati, P. P. Dall'Aglia, P. Lunghi and S. Pinelli</b>                                                                        | 157 | Synthesis, spectroscopic characterization and biological properties of new natural aldehydes thiosemicarbazones                                                                                                                |
| <b>C. Pégurier, S. Curtet, J.-P. Nicolas, J. A. Boutin, P. Delagrangé, P. Renard and M. Langlois</b>                                                                                               | 163 | Synthesis of a small library of phenylalkylamide derivatives as melatonergic ligands for human mt <sub>1</sub> and MT <sub>2</sub> receptors                                                                                   |
| <b>M. M. Paz, S. Th. Sigurdsson and P. B. Hopkins</b>                                                                                                                                              | 173 | Monoalkylation of DNA by reductively activated FR66979                                                                                                                                                                         |
| <b>P. J. Gilligan, C. Baldauf, A. Cocuzza, D. Chidester, R. Zaczek, L. W. Fitzgerald, J. McElroy, M. A. Smith, H.-S. L. Shen, J. A. Saye, D. Christ, G. Trainor, D. W. Robertson and P. Hartig</b> | 181 | The discovery of 4-(3-pentylamino)-2,7-dimethyl-8-(2-methyl-4-methoxyphenyl)-pyrazolo-[1,5-a]-pyrimidine: a corticotropin-releasing factor (hCRF <sub>1</sub> ) antagonist                                                     |
| <b>A. Casimiro-Garcia, E. De Clercq, C. Pannecouque, M. Witvrouw, T. L. Stup, J. A. Turpin, R. W. Buckheit, Jr. and M. Cushman</b>                                                                 | 191 | Synthesis and anti-HIV activity of cosalane analogues incorporating nitrogen in the linker chain                                                                                                                               |
| <b>J. B. Bremner, B. Coban, R. Griffith, K. M. Groenewoud and B. F. Yates</b>                                                                                                                      | 201 | Ligand design for $\alpha_1$ adrenoceptor subtype selective antagonists                                                                                                                                                        |
| <b>M.-P. Teulade-Fichou, M. Fauquet, O. Baudoin, J.-P. Vigneron and J.-M. Lehn</b>                                                                                                                 | 215 | DNA double helix destabilizing properties of cyclobisintercaland compounds and competition with a single strand binding protein                                                                                                |
| <b>F. Viola, G. Balliano, P. Milla, L. Cattel, F. Rocco and M. Ceruti</b>                                                                                                                          | 223 | Stereospecific syntheses of <i>trans</i> -vinylidioxidosqualene and $\beta$ -hydroxysulfide derivatives, as potent and time-dependent 2,3-oxidosqualene cyclase inhibitors                                                     |
| <b>H. R. G. Raj, V. S. Parmar, S. C. Jain, S. Goel, Y. K. Tyagi, S. K. Sharma, C. E. Olsen and J. Wengel</b>                                                                                       | 233 | Mechanism of biochemical action of substituted 4-methylbenzopyran-2-ones. Part 6: Hydrolysis of 7,8-diacetoxy-4-methylcoumarin by a novel deacetylase in rat liver microsomes — a simple method for assay and characterisation |
| <b>P. Valenti, A. Bisi, A. Rampa, F. Belluti, S. Gobbi, A. Zampiron and M. Carrara</b>                                                                                                             | 239 | Synthesis and biological activity of some rigid analogues of flavone-8-acetic acid                                                                                                                                             |

|                                                                                                       |     |                                                                                                                                                                                         |
|-------------------------------------------------------------------------------------------------------|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>J.-Z. Deng, S. R. Starck and S. M. Hecht</b>                                                       | 247 | Pentacyclic triterpenoids from <i>Freziera</i> sp. that inhibit DNA polymerase $\beta$                                                                                                  |
| <b>S. Koul, J. L. Koul, S. C. Taneja, K. L. Dhar, D. S. Jamwal, K. Singh, R. K. Reen and J. Singh</b> | 251 | Structure–activity relationship of piperine and its synthetic analogues for their inhibitory potentials of rat hepatic microsomal constitutive and inducible cytochrome P450 activities |
| <b>S. Alefelder and S. Th. Sigurdsson</b>                                                             | 269 | Interstrand disulfide cross-linking of internal sugar residues in duplex RNA                                                                                                            |
| <b>D. Yu, E. R. Kandimalla, A. Roskey, Q. Zhao, L. Chen, J. Chen and S. Agrawal</b>                   | 275 | Stereo-enriched phosphorothioate oligodeoxynucleotides: synthesis, biophysical and biological properties                                                                                |
| <b>M.-H. Woo, S.-O. Chung and D.-H. Kim</b>                                                           | 285 | Asitrilobins C and D: two new cytotoxic mono-tetrahydrofuran annaceous acetogenins from <i>Asimina triloba</i> seeds                                                                    |
|                                                                                                       | I   | Instructions to Contributors                                                                                                                                                            |

## NUMBER 2

### Contents

|                                                                                                             |     |                                                                                                                                                                                   |
|-------------------------------------------------------------------------------------------------------------|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                                                                                             | v   | Contributors to this Issue                                                                                                                                                        |
|                                                                                                             | vii | Graphical Abstracts                                                                                                                                                               |
| <b>E. Ferrer, A. Shevchenko and R. Eritja</b>                                                               | 291 | Synthesis and hybridization properties of DNA–PNA chimeras carrying 5-bromouracil and 5-methylcytosine                                                                            |
| <b>H. Peng, W. Xie, D.-I. Kim, L. H. Zalkow, G. Powis, D. M. Otterness and R. T. Abraham</b>                | 299 | Steroidal derived acids as inhibitors of human Cdc25A protein phosphatase                                                                                                         |
| <b>Y. Le Merrer, L. Gauzy, C. Gravier-Pelletier and J.-C. Depezay</b>                                       | 307 | Synthesis of C <sub>2</sub> -symmetric guanidino-sugars as potent inhibitors of glycosidases                                                                                      |
| <b>D. Yang, S. Kefi, V. Audinot, M.-J. Millan and M. Langlois</b>                                           | 321 | Benzamides derived from 1,2-diaminocyclopropane as novel ligands for human D <sub>2</sub> and D <sub>3</sub> dopamine receptors                                                   |
| <b>K. N. Kirschner, M. Lee, R. C. Stanley and J. P. Bowen</b>                                               | 329 | Density functional and ab initio studies on <i>N</i> -acetyl-duocarmycin SA: insight into its DNA interaction properties                                                          |
| <b>K. J. Padiya and M. M. Salunkhe</b>                                                                      | 337 | Large scale, liquid phase oligonucleotide synthesis by alkyl H-phosphonate approach                                                                                               |
| <b>E. Shitara, Y. Nishimura, F. Kojima and T. Takeuchi</b>                                                  | 343 | <i>gem</i> -Diamine 1- <i>N</i> -iminosugars of L-fucose-type, the extremely potent L-fucosidase inhibitors                                                                       |
| <b>Y. Shimazaki, K. Kameo, T. Tanami, H. Tanaka, N. Ono, Y. Kiuchi, S. Okamoto, F. Sato and A. Ichikawa</b> | 353 | Synthesis and structure–activity relationships of a new class of selective EP <sub>3</sub> receptor agonist, 13,14-didehydro-16-phenoxy analogues of prostaglandin E <sub>1</sub> |

- B. Jiang and X.-H. Gu** 363 Syntheses and cytotoxicity evaluation of bis(indolyl)thiazole, bis(indolyl)pyrazinone and bis(indolyl)pyrazine: analogues of cytotoxic marine bis(indole) alkaloid
- H. Nakano, T. Inoue, N. Kawasaki, H. Miyatake, H. Matsumoto, T. Taguchi, N. Inagaki, H. Nagai and T. Satoh** 373 Synthesis and biological activities of novel antiallergic agents with 5-lipoxygenase inhibiting action
- N. Amishiro, S. Nagamura, C. Murakata, A. Okamoto, E. Kobayashi, M. Asada, K. Gomi, T. Tamaoki, M. Okabe, N. Yamaguchi, K. Yamaguchi and H. Saito** 381 Synthesis and antitumor activity of duocarmycin derivatives: modification at C-8 position of A-ring pyrrole compounds bearing the simplified DNA-binding groups
- Y. Matsumoto, R. Tsuzuki, A. Matsuhisa, T. Yoden, Y. Yamagiwa, I. Yanagisawa, T. Shibamura and H. Nohira** 393 Novel potassium channel openers. Part 4: Transformation of the 1,4-benzoxazine skeleton into 1,4-benzothiazine, 1,2,3,4-tetrahydroquinoline, 1,2,3,4-tetrahydroquinoxaline, indoline, and 1,5-benzoxazepine
- A. D. McGill, W. Zhang, J. Wittbrodt, J. Wang, H. B. Schlegel and P. G. Wang** 405 *para*-Substituted *N*-nitroso-*N*-oxybenzenamine ammonium salts: a new class of redox-sensitive nitric oxide releasing compounds
- A. L. Odenbaugh, E. D. Helms and B. L. Iverson** 413 An investigation of antibody acyl hydrolysis catalysis using a large set of related haptens
- E. W. P. Damen, P. H. G. Wiegerinck, L. Braamer, D. Sperling, D. de Vos and H. W. Scheeren** 427 Paclitaxel esters of malic acid as prodrugs with improved water solubility
- C. Crestini, A. D'Annibale, G. G. Sermanni and R. Saladino** 433 The reactivity of phenolic and non-phenolic residual kraft lignin model compounds with Mn(II)-peroxidase from *Lentinula edodes*
- J. W. Huffman, J. Lu, D. Dai, A. Kitaygorodskiy, J. L. Wiley and B. R. Martin** 439 Synthesis and pharmacology of a hybrid cannabinoid
- R. Plate, M. J. M. Plaum, R. G. A. v. d. Hulst and T. de Boer** 449 Synthesis and in vitro muscarinic activities of a series of 3-(pyrazol-3-yl)-1-azabicyclo[2.2.2]octanes
- J.-W. Zhu, H. Nagasawa, F. Nagura, S. B. Mohamad, Y. Uto, K. Ohkura and H. Hori** 455 Elucidation of strict structural requirements of Brefeldin A as an inducer of differentiation and apoptosis
- M. R. Alam, M. Maeda and S. Sasaki** 465 DNA-binding peptides searched from the solid-phase combinatorial library with the use of the magnetic beads attaching the target duplex DNA

# I Instructions to Contributors

# NUMBER 3

## Contents

|                                                                                                                                       |     |                                                                                                                                                                                                                                                                                  |
|---------------------------------------------------------------------------------------------------------------------------------------|-----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                                                                                                                       | v   | Contributors to this Issue                                                                                                                                                                                                                                                       |
|                                                                                                                                       | vii | Graphical Abstracts                                                                                                                                                                                                                                                              |
| <b>A. K. Tayal, I. Kaur and R. P. Mathur</b>                                                                                          | 475 | Bioaccumulation and localization of exogenous cadmium in a teleost by electron microscopy (TEM) and its specific quantitation by electron probe X-ray microanalysis (EPMA)                                                                                                       |
| <b>C. Comoy, V. Guérin, B. Pfeiffer, M.-C. Rettori, P. Renard and G. Guillaumet</b>                                                   | 483 | Substituted 3-amino and/or 3-aminomethyl-3,4-dihydro-2 <i>H</i> -1-benzopyrans: synthesis and biological activity                                                                                                                                                                |
| <b>A. Rampa, A. Bisi, F. Belluti, S. Gobbi, P. Valenti, V. Andrisano, V. Cavrini, A. Cavalli and M. Recanatini</b>                    | 497 | Acetylcholinesterase inhibitors for potential use in Alzheimer's disease: molecular modeling, synthesis and kinetic evaluation of 11 <i>H</i> -indeno-[1,2- <i>b</i> ]-quinolin-10-ylamine derivatives                                                                           |
| <b>H.-J. Deussen, S. Danielsen, J. Breinholt and T. V. Borchert</b>                                                                   | 507 | A novel biotinylated suicide inhibitor for directed molecular evolution of lipolytic enzymes                                                                                                                                                                                     |
| <b>S. R. Ali Khan, S. Huang, S. Shamsuddin, S. Inutsuka, K. H. Whitmire, Z. H. Siddik and A. R. Khokhar</b>                           | 515 | Synthesis, characterization and cytotoxicity of new platinum(IV) axial carboxylate complexes: crystal structure of potential antitumor agent [Pt <sup>IV</sup> ( <i>trans</i> -1 <i>R</i> ,2 <i>R</i> -diaminocyclohexane) <i>trans</i> (acetate) <sub>2</sub> Cl <sub>2</sub> ] |
| <b>B. Herberich, J. D. Scott and R. M. Williams</b>                                                                                   | 523 | Synthesis of a netropsin conjugate of a water-soluble <i>epi</i> -quinocarcin analogue: the importance of stereochemistry at nitrogen                                                                                                                                            |
| <b>G. Caliendo, F. Fiorino, P. Grieco, E. Perissutti, V. Santagada, B. Severino, G. Bruni and M. R. Romeo</b>                         | 533 | Synthesis of new 1,2,3-benzotriazin-4-one-aryl piperazine derivatives as 5-HT <sub>1A</sub> serotonin receptor ligands                                                                                                                                                           |
| <b>S. Manfredini, M. Marastoni, R. Tomatis, E. Durini, S. Spisani, A. Pani, T. Marceddu, C. Musiu, M. E. Marongiu and P. La Colla</b> | 539 | Peptide T-araC conjugates: solid-phase synthesis and biological activity of <i>N</i> <sup>4</sup> -(acylpeptidyl)-araC                                                                                                                                                           |
| <b>E. J. Enyedy and I. M. Kovach</b>                                                                                                  | 549 | Reversible modulation of human factor Xa activity with phosphonate esters: media effects                                                                                                                                                                                         |
| <b>R. Brecht, G. Seitz, D. Guénard and S. Thoret</b>                                                                                  | 557 | Novel allocolchicinoids with an eight membered B-ring: design, synthesis and inhibition of tubulin assembly                                                                                                                                                                      |
| <b>G. DeSantis, C. Paech and J. B. Jones</b>                                                                                          | 563 | Benzophenone boronic acid photoaffinity labeling of subtilisin CMMs to probe altered specificity                                                                                                                                                                                 |
| <b>S. B. Singh, H. Jayasuriya, K. C. Silverman, C. A. Bonfiglio, J. M. Williamson and R. B. Lingham</b>                               | 571 | Efficient syntheses, human and yeast farnesyl-protein transferase inhibitory activities of chaetomelic acids and analogues                                                                                                                                                       |
| <b>P. C. Meltzer, P. Blundell, H. Huang, S. Liu, Y. F. Yong and B. K. Madras</b>                                                      | 581 | 3-Aryl-2-carbomethoxybicyclo[3.2.1]oct-2-enes inhibit WIN 35,428 binding potently and selectively at the dopamine transporter                                                                                                                                                    |

|                                                                                                                                                        |     |                                                                                                                                                                                                                  |
|--------------------------------------------------------------------------------------------------------------------------------------------------------|-----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>J. Martin, A. Deagostino, C. Perrio,<br/>F. Dauphin, C. Ducandas, C. Morin,<br/>P.-L. Desbène and M. C. Lasne</b>                                   | 591 | Syntheses of <i>R</i> and <i>S</i> isomers of AF-DX 384, a selective antagonist of muscarinic M <sub>2</sub> receptors                                                                                           |
| <b>J. A. Tucker, T. L. Clayton, C. G. Chidester,<br/>M. W. Schulz, L. E. Harrington, S. J. Conrad,<br/>Y. Yagi, N. L. Oien, D. Yurek and M.-S. Kuo</b> | 601 | Structure–activity relationships of acyloxyamidine cytomegalovirus DNA polymerase inhibitors                                                                                                                     |
| <b>H. Adalsteinsson and T. C. Bruice</b>                                                                                                               | 617 | Generation and evaluation of putative neuroregenerative drugs. Part 1: Virtual point mutations to the polyketide rapamycin                                                                                       |
| <b>H. Adalsteinsson and T. C. Bruice</b>                                                                                                               | 625 | Generation and evaluation of putative neuroregenerative drugs. Part 2: Screening virtual libraries of novel polyketides which possess the binding domain of rapamycin                                            |
| <b>A. Scozzafava and C. T. Supuran</b>                                                                                                                 | 637 | Protease inhibitors. Part 8: Synthesis of potent <i>Clostridium histolyticum</i> collagenase inhibitors incorporating sulfonylated L-alanine hydroxamate moieties                                                |
| <b>D. H. Kim and S. S. Lee</b>                                                                                                                         | 647 | Origin of rate-acceleration in ester hydrolysis with metalloprotease mimics                                                                                                                                      |
| <b>A. Hirashima, E. Kuwano and M. Eto</b>                                                                                                              | 653 | Docking study of enantiomeric fonofos oxon bound to the active site of <i>Torpedo californica</i> acetylcholinesterase                                                                                           |
| <b>M. J. Kiefel, J. C. Wilson, S. Bennett,<br/>M. Gredley and M. von Itzstein</b>                                                                      | 657 | Synthesis and evaluation of C-9 modified <i>N</i> -acetylneuraminic acid derivatives as substrates for <i>N</i> -acetylneuraminic acid aldolase                                                                  |
| <b>H. Hamano, K. Nagata, N. Fukada,<br/>H. Shimotahira, X.-L. Ju and Y. Ozoe</b>                                                                       | 665 | 5-[4-(3,3-Dimethylbutoxycarbonyl)phenyl]-4-pentynoic acid and its derivatives inhibit ionotropic $\gamma$ -aminobutyric acid receptors by binding to the 4'-ethynyl-4- <i>n</i> -propylbicycloorthobenzoate site |
| <b>T. Kanda, K. Takai, S. Yokoyama and<br/>H. Takaku</b>                                                                                               | 675 | Specific inactivation of <i>Escherichia coli</i> tRNA <sup>Phe</sup> by antisense DNA-treatment under Mg <sup>2+</sup> -deficient conditions                                                                     |

## I Instructions to Contributors

# NUMBER 4

## Contents

v Contributors to this Issue

vii Graphical Abstracts

|                                                                                                                                                           |     |                                                                                                                                                                                                                |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>V. Tumiatto, P. Angeli, V. Andrisano,<br/>M. L. Bolognesi, A. Cavalli, G. Marucci,<br/>A. Minarini, M. Recanatini, M. Rosini and<br/>C. Melchiorre</b> | 681 | [4-[[ <i>N</i> -(3-Chlorophenyl)carbamoyl]oxy]-2-butyryl]-trimethylammonium (McN-A-343)-related compounds. Effect of the butyryl chain inclusion into an aromatic unit on the potency for muscarinic receptors |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

|                                                                                                                               |     |                                                                                                                                                                                                  |
|-------------------------------------------------------------------------------------------------------------------------------|-----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>J. M. Urbina, J. C. G. Cortés, A. Palma, S. N. López, S. A. Zacchino, R. D. Enriz, J. C. Ribas and V. V. Kouznetsov</b>    | 691 | Inhibitors of the fungal cell wall. Synthesis of 4-aryl-4- <i>N</i> -arylamine-1-butenes and related compounds with inhibitory activities on $\beta(1-3)$ glucan and chitin synthases            |
| <b>W. Xie, H. Peng, L. H. Zalkow, Y.-H. Li, C. Zhu, G. Powis and M. Kunkel</b>                                                | 699 | 3 $\beta$ -Hydroxy-6-aza-cholestane and related analogues as phosphatidylinositol specific phospholipase C (PI-PLC) inhibitors with antitumor activity                                           |
| <b>F. Lopes, R. Moreira and J. Iley</b>                                                                                       | 707 | Acyloxymethyl as a drug protecting group. Part 6: <i>N</i> -Acyloxymethyl- and <i>N</i> -[(aminocarbonyloxy)methyl]sulfonamides as prodrugs of agents containing a secondary sulfonamide group   |
| <b>L. Azéma, F. Bringaud, C. Blonski and J. Périé</b>                                                                         | 717 | Chemical and enzymatic synthesis of fructose analogues as probes for import studies by the hexose transporter in parasites                                                                       |
| <b>S. Gupta, H. Li and N. S. Sampson</b>                                                                                      | 723 | Characterization of fertilin $\beta$ -disintegrin binding specificity in sperm-egg adhesion                                                                                                      |
| <b>A. Martínez, C. Lanot, C. Perez, A. Castro, P. López-Serrano and S. Conde</b>                                              | 731 | Lipase-catalysed synthesis of new acetylcholinesterase inhibitors: <i>N</i> -benzylpiperidine aminoacid derivatives                                                                              |
| <b>D. R. Hannah, E. C. Sherer, R. V. Davies, R. B. Titman, C. A. Laughton and M. F. G. Stevens</b>                            | 739 | Structural studies on bioactive compounds. Part 29: Palladium catalysed arylations and alkynylations of sterically hindered immunomodulatory 2-amino-5-halo-4,6-(disubstituted)pyrimidines       |
| <b>G. Roma, N. Cinone, M. Di Braccio, G. Grossi, G. Leoncini, M. G. Signorello and A. Carotti</b>                             | 751 | Synthesis, antiplatelet activity and comparative molecular field analysis of substituted 2-amino-4 <i>H</i> -pyrido[1,2- <i>a</i> ]pyrimidin-4-ones, their congeners and isosteric analogues     |
| <b>S. Collina, O. Azzolina, D. Vercesi, F. Benevelli, A. Callegari, C. Tadini, E. Lanza, A. Barbieri and V. Ghislandi</b>     | 769 | Dialkylaminoalkylnaphthalenes as novel opioid-like analgesics                                                                                                                                    |
| <b>P. B. Arimondo, P. Moreau, A. Boutorine, C. Bailly, M. Prudhomme, J.-S. Sun, T. Garestier and C. Hélène</b>                | 777 | Recognition and cleavage of DNA by rebeccamycin- or benzopyridoquinoxaline conjugated of triple helix-forming oligonucleotides                                                                   |
| <b>S.-H. Kim and J. A. Katzenellenbogen</b>                                                                                   | 785 | Triarylethylene bisphenols with a novel cycle are ligands for the estrogen receptor                                                                                                              |
| <b>T. P. Vaid and N. S. Lewis</b>                                                                                             | 795 | The use of 'electronic nose' sensor responses to predict the inhibition activity of alcohols on the cytochrome P-450 catalyzed <i>p</i> -hydroxylation of aniline                                |
| <b>U. G. Witt, J. E. Schultz, M. Dölker and K. Eger</b>                                                                       | 807 | Inhibition of protein phosphatases by Michael adducts of ascorbic acid analogues with $\alpha,\beta$ -unsaturated carbonyl compounds                                                             |
| <b>M. Lee and D. H. Kim</b>                                                                                                   | 815 | Hippuryl- $\alpha$ -methylphenylalanine and hippuryl- $\alpha$ -methylphenyllactic acid as substrates for carboxypeptidase A. Syntheses, kinetic evaluation and mechanistic implication          |
| <b>M. Mitsuya, Y. Ogino, K. Kawakami, M. Uchiyama, T. Kimura, T. Numazawa, T. Hasegawa, N. Ohtake, K. Noguchi and T. Mase</b> | 825 | Discovery of a muscarinic $M_3$ receptor antagonist with high selectivity for $M_3$ over $M_2$ receptors among 2-[(1 <i>S</i> ,3 <i>S</i> )-3-sulfonylamino-2-pentyl]phenylacetamide derivatives |

|     |                                                                                                          |
|-----|----------------------------------------------------------------------------------------------------------|
| 833 | Design and synthesis of novel antimicrobial pseudopeptides with selective membrane-perturbation activity |
| 841 | Corrigendum                                                                                              |
| I   | Instructions to Contributors                                                                             |

## NUMBER 5

### Contents

|     |                            |
|-----|----------------------------|
| vii | Contributors to this Issue |
|-----|----------------------------|

|    |                     |
|----|---------------------|
| ix | Graphical Abstracts |
|----|---------------------|

### Review Article

|                                            |     |                                                                        |
|--------------------------------------------|-----|------------------------------------------------------------------------|
| R. J. Cox, A. Sutherland and J. C. Vederas | 843 | Bacterial diaminopimelate metabolism as a target for antibiotic design |
|--------------------------------------------|-----|------------------------------------------------------------------------|

### Articles

|                                                                                                                                                       |     |                                                                                                                                                                                                                                                               |
|-------------------------------------------------------------------------------------------------------------------------------------------------------|-----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| R. Perrone, F. Berardi, N. A. Colabufo, M. Leopoldo and V. Tortorella                                                                                 | 873 | 1-Substituted-4-[3-(1,2,3,4-tetrahydro-5- or 7-methoxynaphthalen-1-yl)-propyl]piperazines: influence of the <i>N</i> -1 piperazine substituent on 5-HT <sub>1A</sub> receptor affinity and selectivity versus D <sub>2</sub> and $\alpha_1$ receptors. Part 6 |
| M. Pigni, W. Quaglia, F. Gentili, G. Marucci, F. Cantalamessa, S. Franchini, C. Sorbi and L. Brasili                                                  | 883 | Structure–activity relationship at $\alpha$ -adrenergic receptors within a series of imidazoline analogues of cirazoline                                                                                                                                      |
| I. Andreu, D. Cortes, P. Protais, B. K. Cassels, A. Chagraoui and N. Cabedo                                                                           | 889 | Preparation of dopaminergic <i>N</i> -alkyl-benzyltetrahydroisoquinolines using a 'one-pot' procedure in acid medium                                                                                                                                          |
| L. D. Jennings, D. R. Rayner, D. B. Jordan, J. F. Okonya, G. S. Basarab, D. K. Amorose, B. M. Anaclerio, J. K. Lee, R. S. Schwartz and K. A. Whitmore | 897 | Cyclobutane carboxamide inhibitors of fungal melanin: biosynthesis and their evaluation as fungicides                                                                                                                                                         |
| C. Altomare, S. Cellamare, L. Summo, P. Fossa, L. Mosti and A. Carotti                                                                                | 909 | Ionization behaviour and tautomerism-dependent lipophilicity of pyridine-2(1 <i>H</i> )-one cardiotonic agents                                                                                                                                                |
| Y. Zhao and M. L. Sinnott                                                                                                                             | 917 | A new affinity ligand for the isolation of a single 'feruloyl esterase' (FAE-III) from <i>Aspergillus niger</i>                                                                                                                                               |
| A. T. Mangla and W. D. Nes                                                                                                                            | 925 | Sterol <i>C</i> -methyl transferase from <i>Prototheca wickerhamii</i> mechanism, sterol specificity and inhibition                                                                                                                                           |
| J. Osiadacz, J. Majka, K. Czarnecki, W. Peczyńska-Czoch, J. Zakrzewska-Czerwińska, L. Kaczmarek and W. A. Sokalski                                    | 937 | Sequence-selectivity of 5,11-dimethyl-5 <i>H</i> -indolo[2,3- <i>b</i> ]quinoline binding to DNA. Footprinting and molecular modeling studies                                                                                                                 |

|                                                                                                                                                                                                                          |      |                                                                                                                                                                                                      |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>P. Sonnet, P. Dallemagne, J. Guillon, C. Enguehard, S. Stiebing, J. Tanguy, R. Bureau, S. Rault, P. Auvray, S. Moslemi, P. Sourdain and G.-E. Séralini</b>                                                            | 945  | New aromatase inhibitors. Synthesis and biological activity of aryl-substituted pyrrolizine and indolizine derivatives                                                                               |
| <b>H.-H. Chen, S. Gross, J. Liao, M. McLaughlin, T. Dean, W. S. Sly and J. A. May</b>                                                                                                                                    | 957  | 2 <i>H</i> -Thieno[3,2- <i>e</i> ]- and [2,3- <i>e</i> ]-1,2-thiazine-6-sulfonamide 1,1-dioxides as ocular hypotensive agents: synthesis, carbonic anhydrase inhibition and evaluation in the rabbit |
| <b>L. W. Deady, J. Desneves, A. J. Kaye, G. J. Finlay, B. C. Baguley and W. A. Denny</b>                                                                                                                                 | 977  | Synthesis and antitumor activity of some indeno[1,2- <i>b</i> ]quinoline-based bis carboxamides                                                                                                      |
| <b>V. A. Ryabinin, O. D. Zakharova, E. Y. Yurchenko, O. A. Timofeeva, I. V. Martyanov, A. A. Tokarev, E. F. Belanov, N. I. Bormotov, L. Tarrago-Litvak, M. L. Andreola, S. Litvak, G. A. Nevinsky and A. N. Sinyakov</b> | 985  | Synthesis and evaluation of oligo-1,3-thiazolecarboxamide derivatives as HIV-1 reverse transcriptase inhibitors                                                                                      |
| <b>J. Hasserodt, K. D. Janda and R. A. Lerner</b>                                                                                                                                                                        | 995  | A class of 4-aza-lithocholic acid-derived haptens for the generation of catalytic antibodies with steroid synthase capabilities                                                                      |
| <b>R. Kuang, J. B. Epp, S. Ruan, L. S. Chong, R. Venkataraman, J. Tu, S. He, T. M. Truong and W. C. Groutas</b>                                                                                                          | 1005 | Utilization of the 1,2,5-thiadiazolidin-3-one 1,1 dioxide scaffold in the design of potent inhibitors of serine proteases: SAR studies using carboxylates                                            |
| <b>K. M. Koeller, M. E. B. Smith and C.-H. Wong</b>                                                                                                                                                                      | 1017 | Chemoenzymatic synthesis of PSGL-1 glycopeptides: sulfation on tyrosine affects glycosyltransferase-catalyzed synthesis of the <i>O</i> -glycan                                                      |
| <b>A. Molinari, A. Oliva, N. Aguilera, J. M<sup>a</sup> Miguel del Corral, M<sup>a</sup> A. Castro, M. Gordaliza, M<sup>a</sup> D. García-Grávalos and A. San Feliciano</b>                                              | 1027 | New antineoplastic prenylhydroquinones. Synthesis and evaluation                                                                                                                                     |
| <b>G. Veinberg, M. Vorona, I. Shestakova, I. Kanepe, O. Zharkova, R. Mezapuke, I. Turovskis, I. Kalvinsh and E. Lukevics</b>                                                                                             | 1033 | Synthesis and antitumor activity of selected 7-alkylidene substituted cepheids                                                                                                                       |
| <b>Z. Guo, X. Zheng, W. Thompson, M. Dugdale and R. Gollamudi</b>                                                                                                                                                        | 1041 | New carbamoylpiperidines as human platelet aggregation inhibitors                                                                                                                                    |
| <b>S.-H. Yoon, J. Wu, W.-M. Wu, L. Prokai and N. Bodor</b>                                                                                                                                                               | 1059 | Brain-targeted chemical delivery of [Leu <sup>2</sup> , Pip <sup>3</sup> ]-TRH: synthesis and biological evaluation                                                                                  |
| <b>J. A. Highfield, L. K. Mehta, J. Parrick and P. Wardman</b>                                                                                                                                                           | 1065 | Synthesis, hydroxyl radical production and cytotoxicity of analogues of bleomycin                                                                                                                    |
| <b>D. L. Boger, M. A. Labroli, T. H. Marsilje, Q. Jin, M. P. Hedrick, S. J. Baker, J. H. Shim and S. J. Benkovic</b>                                                                                                     | 1075 | Conformationally restricted analogues designed for selective inhibition of GAR Tfase versus thymidylate synthase or dihydrofolate reductase                                                          |
| <b>D. M. Springer, B.-Y. Luh, J. J. Bronson, K. E. McElhone, M. M. Mansuri, K. R. Gregor, D. O. Nettleton, P. L. Stanley and K. M. Trampusch</b>                                                                         | 1087 | Biaryl diacid inhibitors of human s-PLA <sub>2</sub> with anti-inflammatory activity                                                                                                                 |
| <b>B. Mekonnen, E. Weiss, E. Katz, J. Ma, H. Ziffer and D. E. Kyle</b>                                                                                                                                                   | 1111 | Synthesis and antimalarial activities of base-catalyzed adducts of 11-azaartemisinin                                                                                                                 |

|                                                                                                                                                              |      |                                                                                                                                                                                                         |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------|------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>G. Rastelli, W. Sirawaraporn,<br/>P. Sompornpisut, T. Vilaivan,<br/>S. Kamchonwongpaisan, R. Quarrell,<br/>G. Lowe, Y. Thebtaranonth and Y. Yuthavong</b> | 1117 | Interaction of pyrimethamine, cycloguanil, WR99210 and their analogues with <i>Plasmodium falciparum</i> dihydrofolate reductase: structural basis of antifolate resistance                             |
| <b>Z.-L. Wei, G.-Q. Lin and Z.-Y. Li</b>                                                                                                                     | 1129 | Microbial transformation of 2-hydroxy and 2-acetoxy ketones with <i>Geotrichum</i> sp.                                                                                                                  |
| <b>A. Sasse, H. Stark, X. Ligneau, S. Elz,<br/>S. Reidemeister, C. R. Ganellin,<br/>J.-C. Schwartz and W. Schunack</b>                                       | 1139 | (Partial) agonist/antagonist properties of novel diarylalkyl carbamates on histamine H <sub>3</sub> receptors                                                                                           |
| <b>G. Rastelli, L. Antolini, S. Benvenuti and<br/>L. Costantino</b>                                                                                          | 1151 | Structural bases for the inhibition of aldose reductase by phenolic compounds                                                                                                                           |
| <b>H. Yamamoto, T. Terasawa, A. Nakamura,<br/>K. Kawabata, K. Sakane, S. Matsumoto,<br/>Y. Matsumoto and S. Tawara</b>                                       | 1159 | Orally active cephalosporins. Part 2: Synthesis, structure–activity relationships and oral absorption of cephalosporins having a C-3 pyridyl side chain                                                 |
| <b>D. Makhey, C. Yu, A. Liu, L. F. Liu and<br/>E. J. LaVoie</b>                                                                                              | 1171 | Substituted benz[a]acridines and benz[c]acridines as mammalian topoisomerase poisons                                                                                                                    |
| <b>A. Nakazato, T. Kumagai, T. Okubo,<br/>H. Tanaka, S. Chaki, S. Okuyama and<br/>K. Tomisawa</b>                                                            | 1183 | Design, synthesis and structure–affinity relationships of 4-methylidenepiperidine and 4-aryl-1,2,3,6-tetrahydropyridine derivatives as corticotropin-releasing factor <sub>1</sub> receptor antagonists |
| <b>N. Amishiro, A. Okamoto, M. Okabe and<br/>H. Saito</b>                                                                                                    | 1195 | Synthesis and antitumor activity of duocarmycin derivatives: modification at the C-7 position of segment-A of A-ring pyrrole compounds                                                                  |

#### I Instructions to Contributors

## NUMBER 6

### Contents

v Contributors to this Issue

vii Graphical Abstracts

|                                                                                                                                                                             |      |                                                                                                                                                                                                      |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>L.-Y. Hu, T. R. Ryder, M. F. Rafferty,<br/>C. P. Taylor, M. R. Feng, B.-S. Kuo,<br/>S. M. Lotarski, G. P. Miljanich, E. Millerman,<br/>K. M. Siebers and B. G. Szoke</b> | 1203 | The discovery of [1-(4-dimethylamino-benzyl)-piperidin-4-yl]-[4-(3,3-dimethylbutyl)-phenyl]-(3-methyl-but-2-enyl)-amine, an N-type Ca <sup>+2</sup> channel blocker with oral activity for analgesia |
| <b>P. A. Keller, L. Elfick, J. Garner, J. Morgan<br/>and A. McCluskey</b>                                                                                                   | 1213 | Corticotropin releasing hormone: therapeutic implications and medicinal chemistry developments                                                                                                       |
| <b>L. Verdier, G. Bertho, J. Gharbi-Benarous<br/>and J.-P. Girault</b>                                                                                                      | 1225 | Lincomycin and clindamycin conformations. A fragment shared by macrolides, ketolides and lincosamides determined from TRNOE ribosome-bound conformations                                             |

|                                                                                                                                             |      |                                                                                                                                                                              |
|---------------------------------------------------------------------------------------------------------------------------------------------|------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Y. Zhuang, B. G. Wachall and R. W. Hartmann</b>                                                                                          | 1245 | Novel imidazolyl and triazolyl substituted biphenyl compounds: synthesis and evaluation as nonsteroidal inhibitors of human 17 $\alpha$ -hydroxylase-C17, 20-lyase (P450 17) |
| <b>C. De Michelis, L. Rocheblave, G. Priem, J. C. Chermann and J. L. Kraus</b>                                                              | 1253 | New anti-HIV derivatives: synthesis and antiviral evaluation                                                                                                                 |
| <b>K. Kim, K. Parang, O. D. Lau and P. A. Cole</b>                                                                                          | 1263 | Tyrosine analogues as alternative substrates for protein tyrosine kinase Csk: insights into substrate selectivity and catalytic mechanism                                    |
| <b>A. Nikolakakis, G. Caron, A. Cherestes, F. Sauriol, O. Mamer and L. O. Zamir</b>                                                         | 1269 | <i>Taxus canadensis</i> abundant taxane: conversion to paclitaxel and rearrangements                                                                                         |
| <b>T. Schirmeister and M. Peric</b>                                                                                                         | 1281 | Aziridinyl peptides as inhibitors of cysteine proteases: effect of a free carboxylic acid function on inhibition                                                             |
| <b>S. R. Stauffer, J. Sun, B. S. Katzenellenbogen and J. A. Katzenellenbogen</b>                                                            | 1293 | Acyclic amides as estrogen receptor ligands: synthesis, binding, activity and receptor interaction                                                                           |
| <b>G. Sengle, A. Jenne, P. S. Arora, B. Seelig, J. S. Nowick, A. Jäschke and M. Famulok</b>                                                 | 1317 | Synthesis, incorporation efficiency, and stability of disulfide bridged functional groups at RNA 5'-ends                                                                     |
| <b>S. R. Rajski and R. M. Williams</b>                                                                                                      | 1331 | Observations on the covalent cross-linking of the binding domain (BD) of the high mobility group I/Y (HMG I/Y) proteins to DNA by FR66979                                    |
| <b>W. Maison, I. Schlemminger, O. Westerhoff and J. Martens</b>                                                                             | 1343 | Multicomponent synthesis of novel amino acid–nucleobase chimeras: a versatile approach to PNA-monomers                                                                       |
| <b>G. H. Posner, J. P. Maxwell, H. O'Dowd, M. Krasavin, S. Xie and T. A. Shapiro</b>                                                        | 1361 | Antimalarial sulfide, sulfone, and sulfonamide trioxanes                                                                                                                     |
| <b>M. Rangarajan, J. S. Kim, S. Jin, S.-P. Sim, A. Liu, D. S. Pilch, L. F. Liu and E. J. LaVoie</b>                                         | 1371 | 2''-Substituted 5-phenylterbenzimidazoles as topoisomerase I poisons                                                                                                         |
| <b>M. K. Scott, T. M. Ross, D. H. S. Lee, H.-Y. Wang, R. P. Shank, K. D. Wild, C. B. Davis, J. J. Crooke, A. C. Potocki and A. B. Reitz</b> | 1383 | 2,3-Dihydro-dithiin and -dithiepine-1,1,4,4-tetroxides: small molecule non-peptide antagonists of the human galanin hGAL-1 receptor                                          |
| <b>N. Taka, H. Koga, H. Sato, T. Ishizawa, T. Takahashi and J. Imagawa</b>                                                                  | 1393 | 6-Substituted 2,2-bis(fluoromethyl)-benzopyran-4-carboxamide K <sup>+</sup> channel openers                                                                                  |
| <b>N. A. Al-Masoudi, Y. A. Al-Soud, M. Eherman and E. De Clercq</b>                                                                         | 1407 | Synthesis of acyclic 6,7-dihaloquinolone nucleoside analogues as potential antibacterial and antiviral agents                                                                |
| <b>M. G. Ferlin, B. Gatto, G. Chiarello and M. Palumbo</b>                                                                                  | 1415 | Pyrrolo-quinoline derivatives as potential antineoplastic drugs                                                                                                              |
| <b>R. Ragno, G. R. Marshall, R. Di Santo, R. Costi, S. Massa, R. Rompei and M. Artico</b>                                                   | 1423 | Antimycobacterial pyrroles: synthesis, anti- <i>Mycobacterium tuberculosis</i> activity and QSAR studies                                                                     |
| <b>M. L. Brown, J. M. Rieger and T. L. Macdonald</b>                                                                                        | 1433 | Comparative molecular field analysis of colchicine inhibition and tubulin polymerization for combretastatins binding to the colchicine binding site on $\beta$ -tubulin      |
| <b>P. H. Olesen, J. E. Tønder, J. B. Hansen, H. C. Hansen and K. Rimvall</b>                                                                | 1443 | Bioisosteric replacement strategy for the synthesis of 1-azacyclic compounds with high affinity for the central nicotinic cholinergic receptors                              |

|                                                                                                                                                     |      |                                                                                                                                                                            |
|-----------------------------------------------------------------------------------------------------------------------------------------------------|------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>A. P. Ducruet, R. L. Rice, K. Tamura, F. Yokokawa, S. Yokokawa, P. Wipf and J. S. Lazo</b>                                                       | 1451 | Identification of new Cdc25 dual specificity phosphatase inhibitors in a targeted small molecule array                                                                     |
| <b>G. Bringmann, D. Feineis, R. Brückner, M. Blank, K. Peters, E.-M. Peters, H. Reichmann, B. Janetzky, C. Grote, H.-W. Clement and W. Wesemann</b> | 1467 | Bromal-derived tetrahydro- $\beta$ -carbolines as neurotoxic agents: chemistry, impairment of the dopamine metabolism, and inhibitory effects on mitochondrial respiration |
| <b>F. Picard, E. Baston, W. Reichert and R. W. Hartmann</b>                                                                                         | 1479 | Synthesis of <i>N</i> -substituted piperidine-4-(benzylidene-4-carboxylic acids) and evaluation as inhibitors of steroid-5 $\alpha$ -reductase type 1 and 2                |
| <b>L. Pochet, C. Doucet, G. Dive, J. Wouters, B. Masereel, M. Reboud-Ravaux and B. Pirotte</b>                                                      | 1489 | Coumarinic derivatives as mechanism-based inhibitors of $\alpha$ -chymotrypsin and human leukocyte elastase                                                                |
| <b>G. Ronsisvalle, A. Marrazzo, O. Prezzavento, L. Pasquinucci, B. Falcucci, R. Di Toro and S. Spampinato</b>                                       | 1503 | Substituted 1-phenyl-2-cyclopropylmethylamines with high affinity and selectivity for sigma sites                                                                          |
| <b>L. Hu, Z. Chen, Y. Xie, Y. Jiang and H. Zhen</b>                                                                                                 | 1515 | Alkyl and alkoxy carbonyl derivatives of ginkgolide B: synthesis and biological evaluation of PAF inhibitory activity                                                      |
|                                                                                                                                                     | 1523 | Corrigendum                                                                                                                                                                |
|                                                                                                                                                     | 1525 | Corrigendum                                                                                                                                                                |
|                                                                                                                                                     | I    | Instructions to Contributors                                                                                                                                               |

## NUMBER 7

### Contents

|                                                                                                            |      |                                                                                                                                                                                                         |
|------------------------------------------------------------------------------------------------------------|------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                                                                                            | v    | Contributors to this Issue                                                                                                                                                                              |
|                                                                                                            | vii  | Graphical Abstracts                                                                                                                                                                                     |
| <b>B. G. Davis, R. C. Lloyd and J. B. Jones</b>                                                            | 1527 | Controlled site-selective protein glycosylation for precise glycan structure–catalytic activity relationships                                                                                           |
| <b>R. C. Lloyd, B. G. Davis and J. B. Jones</b>                                                            | 1537 | Site-selective glycosylation of subtilisin <i>Bacillus lentus</i> causes dramatic increases in esterase activity                                                                                        |
| <b>Y. Yoshimura, K. Kitano, K. Yamada, S. Sakata, S. Miura, N. Ashida and H. Machida</b>                   | 1545 | Synthesis and biological activities of 2'-deoxy-2'-fluoro-4'-thioarabino-furanosylpyrimidine and -purine nucleosides                                                                                    |
| <b>S. Manfredini, I. Lampronti, S. Vertuani, N. Solaroli, M. Recanatini, D. Bryan and M. McKinney</b>      | 1559 | Design, synthesis and binding at cloned muscarinic receptors of <i>N</i> -[5-(1'-substituted-acetoxymethyl)-3-oxadiazolyl] and <i>N</i> -[4-(1'-substituted-acetoxymethyl)-2-dioxolanyl] dialkyl amines |
| <b>C. Dardonville, P. Goya, I. Rozas, A. Alsasua, M<sup>a</sup> I. Martín and M<sup>a</sup> J. Borrego</b> | 1567 | New aromatic iminoimidazolidine derivatives as $\alpha_1$ -adrenoceptor antagonists: a novel synthetic approach and pharmacological activity                                                            |

|                                                                                                                                                                                                                                                          |      |                                                                                                                                                                                                                                                                              |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>N. Evrard-Todeschi, J. Gharbi-Benarous, C. Gaillet, L. Verdier, G. Bertho, C. Lang, A. Parent and J.-P. Girault</b>                                                                                                                                   | 1579 | Conformations in solution and bound to bacterial ribosomes of ketolides, HMR 3647 (telithromycin) and RU 72366: a new class of highly potent antibacterials                                                                                                                  |
| <b>P. W. Baures, A. Wiznycia and A. M. Beatty</b>                                                                                                                                                                                                        | 1599 | Hydrogen bonding isosteres: bimolecular carboxylic acid and amine- <i>N</i> -oxide interactions mediated via CH...O hydrogen bonds                                                                                                                                           |
| <b>G. Jia and J. W. Lown</b>                                                                                                                                                                                                                             | 1607 | Design, synthesis and cytotoxicity evaluation of 1-chloromethyl-5-hydroxy-1,2-dihydro-3 <i>H</i> -benz[ <i>e</i> ]indole ( <i>seco</i> -CBI) dimers                                                                                                                          |
| <b>I. Ojima, S. Lin, J. C. Slater, T. Wang, P. Pera, R. J. Bernacki, C. Ferlini and G. Scambia</b>                                                                                                                                                       | 1619 | Syntheses and biological activity of C-3'-difluoromethyl-taxoids                                                                                                                                                                                                             |
| <b>J. Iley, H. Barroso, R. Moreira, F. Lopes and T. Calheiros</b>                                                                                                                                                                                        | 1629 | Acyloxymethyl as a drug protecting group. Part 7: Tertiary sulfonamidomethyl ester prodrugs of benzylpenicillin: chemical hydrolysis and anti-bacterial activity                                                                                                             |
| <b>N. Amishiro, S. Nagamura, E. Kobayashi, A. Okamoto, K. Gomi, M. Okabe and H. Saito</b>                                                                                                                                                                | 1637 | Synthesis and antitumor activity of duocarmycin derivatives: A-ring pyrrole compounds bearing $\beta$ -(5',6',7'-trimethoxy-2'-indolyl)acryloyl group                                                                                                                        |
| <b>X. Wang and R. B. Silverman</b>                                                                                                                                                                                                                       | 1645 | Monoamine oxidase-catalyzed oxidation of <i>endo,endo</i> -2-amino-6-[( <i>Z</i> )-2'-phenyl]ethenylbicyclo[2.2.1]heptane, a potential probe for a radical cation intermediate                                                                                               |
| <b>G. B. Evans and R. H. Furneaux</b>                                                                                                                                                                                                                    | 1653 | The synthesis and antibacterial activity of totarol derivatives. Part 2: Modifications at C-12 and O-13                                                                                                                                                                      |
| <b>G. B. Evans, R. H. Furneaux, G. J. Gainsford and M. P. Murphy</b>                                                                                                                                                                                     | 1663 | The synthesis and antibacterial activity of totarol derivatives. Part 3: Modification of ring-B                                                                                                                                                                              |
| <b>L. L. Klein, L. Li, H.-J. Chen, C. B. Curty, D. A. DeGoey, D. J. Grampovnik, C. L. Leone, S. A. Thomas, C. M. Yeung, K. W. Funk, V. Kishore, E. O. Lundell, D. Wodka, J. A. Meulbroek, J. D. Alder, A. M. Nilius, P. A. Lartey and J. J. Plattner</b> | 1677 | Total synthesis and antifungal evaluation of cyclic aminohexapeptides                                                                                                                                                                                                        |
| <b>N. Shimma, I. Umeda, M. Arasaki, C. Murasaki, K. Masubuchi, Y. Kohchi, M. Miwa, M. Ura, N. Sawada, H. Tahara, I. Kuruma, I. Horii and H. Ishitsuka</b>                                                                                                | 1697 | The design and synthesis of a new tumor-selective fluoropyrimidine carbamate, <i>Capecitabine</i>                                                                                                                                                                            |
| <b>H. G. Raj, V. S. Parmar, S. C. Jain, E. Kohli, N. Ahmad, S. Goel, Y. K. Tyagi, S. K. Sharma, J. Wengel and C. E. Olsen</b>                                                                                                                            | 1707 | Mechanism of biochemical action of substituted 4-methylbenzopyran-2-ones. Part 7: Assay and characterization of 7,8-diacetoxy-4-methylcoumarin: protein transacetylase from rat liver microsomes based on the irreversible inhibition of cytosolic glutathione S-transferase |
| <b>S. He, R. Kuang, R. Venkataraman, J. Tu, T. M. Truong, H.-K. Chan and W. C. Groutas</b>                                                                                                                                                               | 1713 | Potent inhibition of serine proteases by heterocyclic sulfide derivatives of 1,2,5-thiadiazolidin-3-one 1,1 dioxide                                                                                                                                                          |
| <b>E. Carvalho, A. P. Francisco, J. Iley and E. Rosa</b>                                                                                                                                                                                                 | 1719 | Triazene drug metabolites. Part 17: Synthesis and plasma hydrolysis of acyloxymethyl carbamate derivatives of antitumour triazenes                                                                                                                                           |
| <b>D. Boschi, C. Cena, A. Di Stilo, R. Fruttero and A. Gasco</b>                                                                                                                                                                                         | 1727 | Nicorandil analogues containing NO-donor furoxans and related furazans                                                                                                                                                                                                       |
| <b>K. Ohkura and H. Hori</b>                                                                                                                                                                                                                             | 1733 | Analyses of insulin-potentiating fragments of human growth hormone by computative simulation; essential unit for insulin-involved biological responses                                                                                                                       |
| <b>K. A. Werbovetz, A. K. Bhattacharjee, J. J. Brendle and J. P. Scovill</b>                                                                                                                                                                             | 1741 | Analysis of stereoelectronic properties of camptothecin analogues in relation to biological activity                                                                                                                                                                         |

|                                                                                                                                    |      |                                                                                                                                                                                                    |
|------------------------------------------------------------------------------------------------------------------------------------|------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>I. Kubo, I. Kinst-Hori, S. K. Chaudhuri,<br/>Y. Kubo, Y. Sánchez and T. Ogura</b>                                               | 1749 | Flavonols from <i>Heterotheca inuloides</i> : tyrosinase inhibitory activity and structural criteria                                                                                               |
| <b>H. Hashima, M. Hayashi, Y. Kamano and<br/>N. Sato</b>                                                                           | 1757 | Synthesis and biological activities of the marine bryozoan alkaloids convolutamines A, C and F, and lutamides A and C                                                                              |
| <b>A. R. Kore, C. Carola and F. Eckstein</b>                                                                                       | 1767 | Attempts to obtain more efficient GAC-cleaving hammerhead ribozymes by in vitro selection                                                                                                          |
| <b>A. G. González, B. M. Tincusi, I. L. Bazzocchi,<br/>H. Tokuda, H. Nishino, T. Konoshima,<br/>I. A. Jiménez and A. G. Ravelo</b> | 1773 | Anti-tumor promoting effects of sesquiterpenes from <i>Maytenus cuzcoina</i> (Celastraceae)                                                                                                        |
| <b>S. W. Garrett, O. R. Davies, D. A. Milroy,<br/>P. J. Wood, C. W. Pouton and M. D. Threadgill</b>                                | 1779 | Synthesis and characterisation of polyamine–poly(ethyleneglycol) constructs for DNA binding and gene delivery                                                                                      |
| <b>M. Filizola, D. L. Harris and G. H. Loew</b>                                                                                    | 1799 | Development of a 3-D pharmacophore for nonspecific ligand recognition of $\alpha 1$ , $\alpha 2$ , $\alpha 3$ , $\alpha 5$ , and $\alpha 6$ containing GABA <sub>A</sub> /benzodiazepine receptors |
| <b>M. Ikeda, H. Matsumura, N. Sawada,<br/>K. Hashimoto, T. Tanaka, T. Noguchi and<br/>M. Hayashi</b>                               | 1809 | Synthesis and biological evaluations of C-23-modified 26,26,26,27,27, 27-F <sub>6</sub> -vitamin D <sub>3</sub> analogues                                                                          |
| <b>R. Kumar Sharma, B. Singh Garg,<br/>H. Kurosaki, M. Goto, M. Otsuka,<br/>T. Yamamoto and J. Inoue</b>                           | 1819 | Aurine tricarboxylic acid, a potent metal-chelating inhibitor of NF $\kappa$ B–DNA binding                                                                                                         |
| <b>A. Tatibouët, J. Yang, C. Morin and<br/>G. D. Holman</b>                                                                        | 1825 | Synthesis and evaluation of fructose analogues as inhibitors of the D-fructose transporter GLUT5                                                                                                   |
| <b>R. Garg, W. A. Denny and C. Hansch</b>                                                                                          | 1835 | Comparative QSAR studies on substituted bis-(acridines) and bis-(phenazines)-carboxamides: a new class of anticancer agents                                                                        |

## I Instructions to Contributors

# NUMBER 8

## Contents

|                                                                          |      |                                                                                                                                                                                                                                                                                                                                                 |
|--------------------------------------------------------------------------|------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                                                          | v    | Contributors to this Issue                                                                                                                                                                                                                                                                                                                      |
|                                                                          | vii  | Graphical Abstracts                                                                                                                                                                                                                                                                                                                             |
| <b>R. Mutter and M. Wills</b>                                            | 1841 | Chemistry and clinical biology of the bryostatins                                                                                                                                                                                                                                                                                               |
| <b>H. F. Ye, G. Dive, D. Dehareng, F. Heymans<br/>and J. J. Godfroid</b> | 1861 | Structure–activity relationships on adrenoceptors and imidazoline-preferring binding sites (I <sub>1,2</sub> -PBSs). Part 1: weak intramolecular H-bond and conformational flexibility in a new I <sub>1</sub> -PBS-selective imidazoline analogue, <i>trans</i> 1-(4',5'-dihydro-1' <i>H</i> -imidazol-2'-yl)methyl-2-hydroxy-indane (PMS 952) |
| <b>A. L. Satz and T. C. Bruice</b>                                       | 1871 | Synthesis of fluorescent microgonotropens (FMGTs) and their interactions with dsDNA                                                                                                                                                                                                                                                             |

|                                                                                                                                                                                                           |      |                                                                                                                                                                                                                          |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>K. Kahn and T. C. Bruice</b>                                                                                                                                                                           | 1881 | $\alpha$ -Ketoamides and $\alpha$ -Ketocarboxyls: Conformational analysis and development of all-atom OPLS force field                                                                                                   |
| <b>B. A. Linkletter and T. C. Bruice</b>                                                                                                                                                                  | 1893 | Solid-phase synthesis of positively charged deoxynucleic guanidine (DNG) modified oligonucleotides containing neutral urea linkages: effect of charge deletions on binding and fidelity                                  |
| <b>T. Tselios, I. Daliani, L. Probert, S. Deraos, E. Matsoukas, S. Roy, J. Pires, G. Moore and J. Matsoukas</b>                                                                                           | 1903 | Treatment of experimental allergic encephalomyelitis (EAE) induced by guinea pig myelin basic protein epitope 72–85 with a Human MBP <sub>87–99</sub> analogue and effects of cyclic peptides                            |
| <b>E. R. Kandimalla and S. Agrawal</b>                                                                                                                                                                    | 1911 | 'Cyclicons' as hybridization-based fluorescent primer-probes: synthesis, properties and application in real-time PCR                                                                                                     |
| <b>M. Hellberg, J. F. Stubbins and R. A. Glennon</b>                                                                                                                                                      | 1917 | A preliminary investigation of Mesoionic Xanthine analogues as inhibitors of platelet aggregation                                                                                                                        |
| <b>S. Collina, O. Azzolina, D. Vercesi, M. Sbacchi, M. A. Scheideler, A. Barbieri, E. Lanza and V. Ghislandi</b>                                                                                          | 1925 | Synthesis and antinociceptive activity of pyrrolidinylnaphthalenes                                                                                                                                                       |
| <b>J.-M. Hah, L. J. Roman and R. B. Silverman</b>                                                                                                                                                         | 1931 | Deuterium isotope effects and product studies for the oxidation of <i>N</i> <sup>ω</sup> -allyl-L-arginine and <i>N</i> <sup>ω</sup> -allyl- <i>N</i> <sup>ω</sup> -hydroxy-L-arginine by neuronal nitric oxide synthase |
| <b>M. D. Burkart, S. P. Vincent, A. Düffels, B. W. Murray, S. V. Ley and C.-H. Wong</b>                                                                                                                   | 1937 | Chemo-enzymatic synthesis of fluorinated sugar nucleotide: useful mechanistic Probes for glycosyltransferases                                                                                                            |
| <b>R. E. Bremer, J. W. Szewczyk, E. E. Baird and P. B. Dervan</b>                                                                                                                                         | 1947 | Recognition of the DNA minor groove by pyrrole-imidazole polyamides: comparison of desmethyl- and <i>N</i> -methylpyrrole                                                                                                |
| <b>M. Dickman and J. B. Jones</b>                                                                                                                                                                         | 1957 | Covalent modification of subtilisin <i>Bacillus lentus</i> Cysteine mutants with enantiomerically pure chiral auxiliaries causes remarkable changes in activity                                                          |
| <b>H. Imamura, N. Ohtake, A. Shimizu, H. Sato, Y. Sugimoto, S. Sakuraba, R. Nagano, M. Nakano, S. Abe, C. Suzuki-Sato, I. Nishimura, H. Kojima, Y. Tsuchiya, K. Yamada, T. Hashizume and H. Morishima</b> | 1969 | Discovery of novel <i>trans</i> -3,5-disubstituted pyrrolidinylthio-1 $\beta$ -methyl-carbapenems                                                                                                                        |
| <b>T. Itoh, M. Miyazaki, H. Maeta, Y. Matsuya, K. Nagata and A. Ohsawa</b>                                                                                                                                | 1983 | Radical Scavenging by <i>N</i> -Aminoazaaromatics                                                                                                                                                                        |
| <b>M. Schlitzer, M. Böhm, I. Sattler and H.-M. Dahse</b>                                                                                                                                                  | 1991 | Design, synthesis and early structure–activity relationship of farnesyl-transferase inhibitors which mimic both the peptidic and the prenylic substrate                                                                  |
| <b>M. Poirot, P. De Medina, F. Delarue, J.-J. Perie, A. Klæbe and J.-C. Faye</b>                                                                                                                          | 2007 | Synthesis, binding and structure–affinity studies of new ligands for the microsomal anti-estrogen binding site (AEBS)                                                                                                    |
| <b>B. J. Banks, B. F. Bishop, N. A. Evans, S. P. Gibson, A. C. Goudie, K. A. F. Gratton, M. S. Pacey, D. A. Perry and M. J. Witty</b>                                                                     | 2017 | Avermectins and flea control: structure–activity relationships and the selection of selamectin for development as an endectocide for companion animals                                                                   |
| <b>Y. Ikeuchi, M. Sumiya, T. Kawamoto, N. Akimoto, Y. Mikata, S. Yano, T. Sazaki and F. Yoneda</b>                                                                                                        | 2027 | Synthesis and antitumor activities of novel 5-deazaflavin-sialic acid conjugate molecules                                                                                                                                |
| <b>M. Tobe, Y. Isobe, Y. Goto, F. Obara, K. Hirota and H. Hayashi, M. Tsuchiya and J. Matsui</b>                                                                                                          | 2037 | Synthesis and biological evaluation of CX-659S and its related compounds for their inhibitory effects on the delayed-type hypersensitivity reaction                                                                      |

|                                                                                                                                                                                              |      |                                                                                                                                                                                                    |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>D. L. Boger, M. A. Dechantsreiter, T. Ishii, B. E. Fink and M. P. Hedrick</b>                                                                                                             | 2049 | Assessment of solution-phase positional scanning libraries based on distamycin A for the discovery of new DNA binding agents                                                                       |
| <b>H.-S. Kim, B.-S. Choi, K.-C. Kwon, S.-O. Lee, H. J. Kwak and C. H. Lee</b>                                                                                                                | 2059 | Synthesis and antimicrobial activity of squalamine analogue                                                                                                                                        |
| <b>S. V. Damle, P. N. Patil and M. M. Salunkhe</b>                                                                                                                                           | 2067 | Biotransformations with <i>Rhizopus arrhizus</i> and <i>Geotrichum candidum</i> for the preparation of (S)-Atenolol and (S)-Propranolol                                                            |
| <b>M. Yoshikawa, H. Shimoda, T. Uemura, T. Morikawa, Y. Kawahara and H. Matsuda</b>                                                                                                          | 2071 | Alcohol absorption inhibitors from bay leaf ( <i>Laurus nobilis</i> ): structure-requirements of sesquiterpenes for the activity                                                                   |
| <b>M.-E. Suh, M.-J. Kang, H.-W. Yoo, S.-Y. Park and C.-O. Lee</b>                                                                                                                            | 2079 | Synthesis and Cytotoxicity of 2-Methyl-1-substituted-imidazo[4,5-g]quinoline-4,9-dione and 7,8-dihydro-10H-[1,4]oxazino[3',4':2,3]-imidazo[4,5-g]quinoline-5,12-dione Derivatives                  |
| <b>W. N. Chan, M. S. Hadley, J. D. Harling, H. J. Herdon, B. S. Orlek, G. J. Riley, R. E. A. Stead, T. O. Stean, M. Thompson, N. Upton and R. W. Ward</b>                                    | 2085 | Evaluation of a Series of Anticonvulsant 1,2,3,4-Tetrahydroisoquinoliny-benzamides                                                                                                                 |
| <b>P. Jakobsen, B. Ritsmar Pedersen and E. Persson</b>                                                                                                                                       | 2095 | Inhibitors of the tissue factor/factor VIIa-induced coagulation: synthesis and in vitro evaluation of novel specific 2-aryl substituted 4H-3,1-benzoxazin-4-ones                                   |
| <b>S. Y. Ablordeppey, J. B. Fischer and R. A. Glennon</b>                                                                                                                                    | 2105 | Is a nitrogen atom an important pharmacophoric element in sigma ligand binding?                                                                                                                    |
| <b>A. Couture, E. Deniau, P. Grandclaoudon, S. Lebrun, S. Léonce, P. Renard and B. Pfeiffer</b>                                                                                              | 2113 | First synthesis and pharmacological evaluation of benzoindolizidine and benzoquinolizidine analogues of $\alpha$ - and $\beta$ -peltatin                                                           |
| <b>G. Ábrahám, S. Sólyom, E. Csuzdi, P. Berzsenyi, I. Ling, I. Tarnawa, T. Hátori, I. Pallagi, K. Horváth, F. Andrási, G. Kapus, L. G. Hársing, Jr., I. Király, M. Patthy and G. Horváth</b> | 2127 | New non competitive AMPA antagonists                                                                                                                                                               |
| <b>M. Ilies, C. T. Supuran, A. Scozzafava, A. Casini, F. Mincione, L. Menabuoni, M. T. Caproiu, M. Maganu and M. D. Banciu</b>                                                               | 2145 | Carbonic anhydrase inhibitors: sulfonamides incorporating furan-, thiophene- and pyrrole-carboxamido groups possess strong topical intraocular pressure lowering properties as aqueous suspensions |
| <b>M. Ikeda, K. Takahashi, A. Dan, K. Koyama, K. Kubota, T. Tanaka and M. Hayashi</b>                                                                                                        | 2157 | Synthesis and biological evaluations of A-ring isomers of 26,26,26,27,27,27-hexafluoro-1,25-dihydroxyvitamin D <sub>3</sub>                                                                        |
| <b>J. Inoue, Y.-S. Cui, O. Sakai, Y. Nakamura, H. Kogiso and P. F. Kador</b>                                                                                                                 | 2167 | Synthesis and aldose reductase inhibitory activities of novel N-nitro-methylsulfonanilide derivatives                                                                                              |
| <b>T. Suzawa, S. Nagamura, H. Saito, S. Ohta, N. Hanai and M. Yamasaki</b>                                                                                                                   | 2175 | Synthesis of a novel duocarmycin derivative DU-257 and its application to immunoconjugate using poly(ethylene glycol)-dipeptidyl linker capable of tumor specific activation                       |
| <b>M. Iwata, M. Izawa, N. Sasaki, Y. Nagumo, H. Sasabe and Y. Hayashizaki</b>                                                                                                                | 2185 | T7 RNA polymerase activation and improvement of the transcriptional sequencing by polyamines                                                                                                       |
| <b>S. Batra, S. Srivastava, K. Singh, R. Chander, A. K. Khanna and A. P. Bhaduri</b>                                                                                                         | 2195 | Syntheses and biological evaluation of 3-substituted amino-1-aryl-6-hydroxy-hex-2-ene-1-ones as antioxidant and hypolipidemic agents                                                               |

- P. Jimonet, M. Chevé, G. Andrees Bohme, A. Boireau, D. Damour, M. Williams Debono, A. Genevois-Borella, A. Imperato, J. Pratt, J. C. R. Randle, Y. Ribeill, J.-M. Stutzmann, M. Vuilhorgne and S. Mignani** 2211 8-Methylureido-10-amino-10-methyl-imidazo[1,2-a]indeno[1,2-e] pyrazine-4-ones: Highly In vivo Potent and Selective AMPA Receptor Antagonists

I Instructions to Contributors

## NUMBER 9

### Contents

v Contributors to this Issue

vii Graphical Abstracts

- G. Zhou, M. Ferrer, R. Chopra, T. M. Kapoor, T. Strassmaier, W. Weissenhorn, J. J. Skehel, D. Oprian, S. L. Schreiber, S. C. Harrison and D. C. Wiley** 2219 The structure of an HIV-1 specific cell entry inhibitor in complex with the HIV-1 gp41 trimeric core
- D. J. Suich, S. A. Mousa, G. Singh, G. Liapakis, T. Reisine and W. F. DeGrado** 2229 Template-constrained cyclic peptide analogues of somatostatin: subtype-selective binding to somatostatin receptors and anti-angiogenic activity
- J. M. Figueiredo, C. de A. Câmara, E. G. Amarante, A. L. P. Miranda, F. M. Santos, C. R. Rodrigues, C. A. M. Fraga and E. J. Barreiro** 2243 Design and synthesis of novel potent antinociceptive agents: methyl-imidazolyl *N*-acylhydrazones derivatives
- C. Saotome, Y. Kanie, O. Kanie and C.-H. Wong** 2249 Synthesis and enzymatic evaluation of five-membered iminocyclitols and a pseudodisaccharide
- G.-H. Kuo, C. Prouty, W. V. Murray, V. Pulito, L. Jolliffe, P. Cheung, S. Varga, M. Evangelisto and C. Shaw** 2263 Design, synthesis and biological evaluation of pyridine-phenyl-piperazines: a novel series of potent and selective  $\alpha_{1a}$ -adrenergic receptor antagonist
- P. Madsen, J. M. Lundbeck, P. Jakobsen, A. R. Varming and N. Westergaard** 2277 Glucose-6-phosphatase catalytic enzyme inhibitors: synthesis and in vitro evaluation of novel 4,5,6,7-tetrahydrothieno[3,2-c]- and -[2,3-c]-pyridines
- A. von Matt, C. Ehrhardt, P. Burkhard, R. Metternich, M. Walkinshaw and C. Tapparelli** 2291 Selective boron-containing thrombin inhibitors—X-ray analysis reveals surprising binding mode
- R. Silvestri, M. Artico, G. De Martino, E. Novellino, G. Greco, A. Lavecchia, S. Massa, A. G. Loi, S. Doratiotto and P. La Colla** 2305 Computer-assisted design, synthesis and biological evaluation of novel pyrrolyl heteroaryl sulfones targeted at HIV-1 reverse transcriptase as non-nucleoside inhibitors
- S. Yoo, S.-K. Kim, S.-H. Lee, N.-J. Kim and D.-W. Lee** 2311 The conformation and activity relationship of benzofuran type of angiotensin II receptor antagonists
- Y. Yoshida, K. Matsuda, H. Sasaki, Y. Matsumoto, S. Matsumoto, S. Tawara and H. Takasugi** 2317 Studies on anti-*Helicobacter pylori* agents. Part 2: New cephem derivatives

|                                                                                                                    |      |                                                                                                                                                                                                    |
|--------------------------------------------------------------------------------------------------------------------|------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>X.-L. Ju and Y. Ozoe</b>                                                                                        | 2337 | Noncompetitive antagonist-binding sites of rat and housefly $\gamma$ -aminobutyric acid receptors display different enantiospecificities for <i>tert</i> -butyl(isopropyl)bicyclophosphorothionate |
| <b>S. Manfredini, C. B. Vicentini, M. Manfrini, N. Bianchi, C. Rutigliano, C. Mischianti and R. Gambari</b>        | 2343 | Pyrazolo-triazoles as light activable DNA cleaving agents                                                                                                                                          |
| <b>A. Kirschning, G. Chen, G. Dräger, I. Schuberth and L. F. Tietze</b>                                            | 2347 | Syntheses and biological evaluation of new glyco-modified angucyclin-antibiotics                                                                                                                   |
| <b>P. Vicini, L. Amoretti, V. Ballabeni, M. Tognolini and E. Barocelli</b>                                         | 2355 | 2-Amino-benzo[d]isothiazol-3-one derivatives: synthesis and assessment of their antiplatelet/spasmolytic effects                                                                                   |
| <b>A. Andreani, A. Leoni, A. Locatelli, R. Morigi, M. Rambaldi, M. Recanatini and V. Garaliene</b>                 | 2359 | Potential antitumor agents. Part 29: Synthesis and potential coanthracyclinic activity of imidazo[2,1-b]thiazole guanylhydrazones                                                                  |
| <b>P. Franchetti, L. Cappellacci, S. Marchetti, C. Martini, B. Costa, K. Varani, P. A. Borea and M. Grifantini</b> | 2367 | C-Nucleoside analogues of furanfurin as ligands to A <sub>1</sub> adenosine receptors                                                                                                              |
| <b>S. Lindman, G. Lindeberg, F. Nyberg, A. Karlén and A. Hallberg</b>                                              | 2375 | Comparison of three $\gamma$ -turn mimetic scaffolds incorporated into angiotensin II                                                                                                              |
|                                                                                                                    | I    | Instructions to Contributors                                                                                                                                                                       |

## NUMBER 10

### Contents

|                                                                                                                                        |      |                                                                                                                                                                          |
|----------------------------------------------------------------------------------------------------------------------------------------|------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                                                                                                                        | v    | Contributors to this Issue                                                                                                                                               |
|                                                                                                                                        | vii  | Graphical Abstracts                                                                                                                                                      |
| <b>I.-J. Chen, N. Neamati, M. C. Nicklaus, A. Orr, L. Anderson, J. J. Barchi Jr., J. A. Kelley, Y. Pommier and A. D. MacKerell Jr.</b> | 2385 | Identification of HIV-1 integrase inhibitors via three-dimensional database searching using ASV and HIV-1 integrases as targets                                          |
| <b>M. Schlitzer, M. Böhm and I. Sattler</b>                                                                                            | 2399 | Non-peptidic, non-prenylic bisubstrate farnesyltransferase inhibitors. Part 3: Structural requirements of the central moiety for farnesyltransferase inhibitory activity |
| <b>J. F. Sanz-Cervera, E. M. Stocking, T. Usui, H. Osada and R. M. Williams</b>                                                        | 2407 | Synthesis and evaluation of microtubule assembly inhibition and cytotoxicity of prenylated derivatives of <i>cyclo</i> -L-Trp-L-Pro                                      |
| <b>K. G. Pinney, M. P. Mejia, V. M. Villalobos, B. E. Rosenquist, G. R. Pettit, P. Verdier-Pinard and E. Hamel</b>                     | 2417 | Synthesis and biological evaluation of aryl azide derivatives of combretastatin A-4 as molecular probes for tubulin                                                      |

|                                                                                                   |      |                                                                                                                                                                                                                                             |
|---------------------------------------------------------------------------------------------------|------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>T. Ullrich and K. C. Rice</b>                                                                  | 2427 | A practical synthesis of the serotonin 5-HT <sub>2A</sub> receptor antagonist MDL 100907, its enantiomer and their 3-phenolic derivatives as precursors for [ <sup>11</sup> C]labeled PET ligands                                           |
| <b>N. Kuder, T. Zelinski, T. Pathak, O. Seitz and H. Waldmann</b>                                 | 2433 | Synthesis of a triply phosphorylated pentapeptide from human $\tau$ -protein                                                                                                                                                                |
| <b>Đ. Ljevaković, J. Tomašić, V. Šporec, B. H. Špoljar and I. Hanzl-Dujmović</b>                  | 2441 | Synthesis of novel adamantylacetyl derivative of peptidoglycan monomer—biological evaluation of immunomodulatory peptidoglycan monomer and respective derivatives with lipophilic substituents on amino group                               |
| <b>K. W. Vogel, L. M. Stark, P. K. Mishra, W. Yang and D. G. Drueckhammer</b>                     | 2451 | Investigating the role of the geminal dimethyl groups of coenzyme A: synthesis and studies of a didemethyl analogue                                                                                                                         |
| <b>J. Chen, L. W. Deady, J. Desneves, A. J. Kaye, G. J. Finlay, B. C. Baguley and W. A. Denny</b> | 2461 | Synthesis of substituted indeno[1,2- <i>b</i> ]quinoline-6-carboxamides, [1]benzothieno[3,2- <i>b</i> ]quinoline-4-carboxamides and 10 <i>H</i> -quindoline-4-carboxamides: evaluation of structure–activity relationships for cytotoxicity |
| <b>Z.-Y. J. Zhan and P. B. Dervan</b>                                                             | 2467 | Alternative heterocycles for DNA recognition: a 3-pyrazole/pyrrole pair specifies for G·C base pairs                                                                                                                                        |
| <b>S.-K. Chung, K.-W. Lee, H. I. Kang, C. Yamashita, M. Kudo and Y. Yoshida</b>                   | 2475 | Design and synthesis of potential inhibitors of the ergosterol biosynthesis as antifungal agents                                                                                                                                            |
| <b>V. M. Gokhale and V. M. Kulkarni</b>                                                           | 2487 | Understanding the antifungal activity of terbinafine analogues using quantitative structure–activity relationship (QSAR) models                                                                                                             |
| <b>K.-Y. Jung, R. J. Hohl, A. J. Wiemer and D. F. Wiemer</b>                                      | 2501 | Synthesis of phosphonate derivatives of uridine, cytidine, and cytosine arabinoside                                                                                                                                                         |
| <b>F. Sobrio, M. Amokhtari, F. Gourand, M. Dhilly, F. Dauphin and L. Barré</b>                    | 2511 | Radiosynthesis of [ <sup>18</sup> F]Lu29-024: a potential PET ligand for brain imaging of the serotonergic 5-HT <sub>2</sub> receptor                                                                                                       |
| <b>A. Düffels, L. G. Green, R. Lenz, S. V. Ley, S. P. Vincent and C.-H. Wong</b>                  | 2519 | Chemoenzymatic synthesis of L-galactosylated dimeric sialyl Lewis X structures employing $\alpha$ -1,3-fucosyltransferase V                                                                                                                 |

## I Instructions to Contributors

# NUMBER 11

## Contents

v Contributors to this Issue

vii Graphical Abstracts

|                                 |      |                                                                                                                                                |
|---------------------------------|------|------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>D. L. Harris and G. Loew</b> | 2527 | Development and assessment of a 3D pharmacophore for ligand recognition of BDZR/GABA <sub>A</sub> receptors initiating the anxiolytic response |
|---------------------------------|------|------------------------------------------------------------------------------------------------------------------------------------------------|

|                                                                                                                    |      |                                                                                                                                                              |
|--------------------------------------------------------------------------------------------------------------------|------|--------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>M. Rautenbach, P. Swart and M. J. van der Merwe</b>                                                             | 2539 | The interaction of analogues of the antimicrobial lipopeptide, iturin A <sub>2</sub> , with alkali metal ions                                                |
| <b>W. Beerheide, M. M. Sim, Y.-J. Tan, H.-U. Bernard and A. E. Ting</b>                                            | 2549 | Inactivation of the human papillomavirus-16 E6 oncoprotein by organic disulfides                                                                             |
| <b>D. Gao, M. Kakuma, S. Oka, K. Sugino and H. Sakurai</b>                                                         | 2561 | Reaction of $\beta$ -alkannin (shikonin) with reactive oxygen species: detection of $\beta$ -alkannin free radicals                                          |
| <b>T. Yokomatsu, Y. Hayakawa, T. Kihara, S. Koyanagi, S. Soeda, H. Shimeno and S. Shibuya</b>                      | 2571 | Synthesis and evaluation of multisubstrate analogue inhibitors of purine nucleoside phosphorylases                                                           |
| <b>M. Chebib, D. McKeveney and R. J. Quinn</b>                                                                     | 2581 | 1-Phenylpyrazolo[3,4- <i>d</i> ]pyrimidines; structure–activity relationships for C6 substituents at A <sub>1</sub> and A <sub>2A</sub> adenosine receptors  |
| <b>M. Rangarajan, J. S. Kim, S.-P. Sim, A. Liu, L. F. Liu and E. J. LaVoie</b>                                     | 2591 | Topoisomerase I inhibition and cytotoxicity of 5-bromo- and 5-phenyl-terbenzimidazoles                                                                       |
| <b>G. Lin, W.-C. Liao and S.-Y. Chiou</b>                                                                          | 2601 | Quantitative structure–activity relationships for the pre-steady-state inhibition of cholesterol esterase by 4-nitrophenyl- <i>N</i> -substituted carbamates |
| <b>M. A. Cooper, M. T. Fiorini, C. Abell and D. H. Williams</b>                                                    | 2609 | Binding of vancomycin group antibiotics to D-alanine and D-lactate presenting self-assembled monolayers                                                      |
| <b>O. Vajragupta, P. Boonchoong and Y. Wongkrajang</b>                                                             | 2617 | Comparative quantitative structure–activity study of radical scavengers                                                                                      |
| <b>M. Croisy-Delcey, A. Croisy, D. Carrez, C. Huel, A. Chiaroni, P. Ducrot, E. Bisagni, L. Jin and G. Leclercq</b> | 2629 | Diphenyl quinolines and isoquinolines: synthesis and primary biological evaluation                                                                           |
| <b>Y. Umezawa and M. Nishio</b>                                                                                    | 2643 | CH/ $\pi$ interactions in the crystal structure of TATA-box binding protein/DNA complexes                                                                    |
| <b>N. Murakami, M. Sugimoto, T. Nakajima, M. Kawanishi, Y. Tsutsui and M. Kobayashi</b>                            | 2651 | Participation of the conjugated diene part for potent cytotoxicity of callistatin A, a spongean polyketide                                                   |
| <b>Y. Nakagawa, C. E. Wheelock, C. Morisseau, M. H. Goodrow, B. G. Hammock and B. D. Hammock</b>                   | 2663 | 3-D QSAR analysis of inhibition of murine soluble epoxide hydrolase (MsEH) by benzoylureas, arylureas, and their analogues                                   |

# I Instructions to Contributors

# NUMBER 12

## Contents

|                                                                                                                                                                                                                      |      |                                                                                                                                          |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|------------------------------------------------------------------------------------------------------------------------------------------|
|                                                                                                                                                                                                                      | v    | Contributors to this Issue                                                                                                               |
|                                                                                                                                                                                                                      | vii  | Graphical Abstracts                                                                                                                      |
| <b>Y. Li, Y. Zhao, S. Hatfield, R. Wan, Q. Zhu, X. Li, M. McMills, Y. Ma, J. Li, K. L. Brown, C. He, F. Liu and X. Chen</b>                                                                                          | 2675 | Dipeptide seryl-histidine and related oligopeptides cleave DNA, protein, and a carboxyl ester                                            |
| <b>R. L. Hanson, Z. Shi, D. B. Brzozowski, A. Banerjee, T. P. Kissick, J. Singh, A. J. Pullockaran, J. T. North, J. Fan, J. Howell, S. C. Durand, M. A. Montana, D. R. Kronenthal, R. H. Mueller and R. N. Patel</b> | 2681 | Regioselective enzymatic aminoacylation of lobucavir to give an intermediate for lobucavir prodrug                                       |
| <b>H. Yu, R. B. Rothman, C. M. Dersch, J. S. Partilla and K. C. Rice</b>                                                                                                                                             | 2689 | Uptake and release effects of diethylpropion and its metabolites with biogenic amine transporters                                        |
| <b>F. F. Becker, C. Mukhopadhyay, L. Hackfeld, I. Banik and B. K. Banik</b>                                                                                                                                          | 2693 | Polycyclic aromatic compounds as anticancer agents: synthesis and biological evaluation of dibenzofluorene derivatives                   |
| <b>C.-C. Wang, J.-E. Lai, L.-G. Chen, K.-Y. Yen and L.-L. Yang</b>                                                                                                                                                   | 2701 | Inducible nitric oxide synthase inhibitors of Chinese herbs. Part 2: Naturally occurring furanocoumarins                                 |
| <b>D. I. Angus, M. J. Kiefel and M. Itzstein</b>                                                                                                                                                                     | 2709 | The synthesis of biotinylated carbohydrates as probes for carbohydrate-recognizing proteins                                              |
| <b>E. Aiello, S. Aiello, F. Mingoia, A. Bacchi, G. Pelizzi, C. Musiu, M. Giovanna Setzu, A. Pani, P. La Colla and M. Elena Marongiu</b>                                                                              | 2719 | Synthesis and antimicrobial activity of new 3-(1- <i>R</i> -3(5)-methyl-4-nitroso-1 <i>H</i> -5(3)-pyrazolyl)-5-methylisoxazoles         |
| <b>D. M. Cermak, D. F. Wiemer, K. Lewis and R. J. Hohl</b>                                                                                                                                                           | 2729 | 2-(Acyloxy)ethylphosphonate analogues of prenyl pyrophosphates: synthesis and biological characterization                                |
| <b>L. Delhaes, C. Biot, L. Berry, L. A. Maciejewski, D. Camus, J. S. Brocard and D. Dive</b>                                                                                                                         | 2739 | Novel ferrocenic artemisinin derivatives: synthesis, in vitro anti-malarial activity and affinity of binding with ferroprotoporphyrin IX |
| <b>V. M. Dirsch, H. Stuppner, E. P. Ellmerer-Müller and A. M. Vollmar</b>                                                                                                                                            | 2747 | Structural requirements of sesquiterpene lactones to inhibit LPS-induced nitric oxide synthesis in RAW 264.7 macrophages                 |
| <b>E. Estrada and A. Peña</b>                                                                                                                                                                                        | 2755 | In silico studies for the rational discovery of anticonvulsant compounds                                                                 |
| <b>A. Cavalli, G. Greco, E. Novellino and M. Recanatini</b>                                                                                                                                                          | 2771 | Linking CoMFA and protein homology models of enzyme-inhibitor interactions: an application to non-steroidal aromatase inhibitors         |
| <b>M. Tsushima, K. Iwamatsu, E. Umemura, T. Kudo, Y. Sato, S. Shiokawa, H. Takizawa, Y. Kano, K. Kobayashi, T. Ida, A. Tamura and K. Atsumi</b>                                                                      | 2781 | CP6679, a new injectable cephalosporin. Part1: Synthesis and structure-activity relationships                                            |

**S. Manfredini, S. Vertuani, B. Manfredi, G. Rossoni, G. Calviello and P. Palozza** 2791 Novel antioxidant agents deriving from molecular combinations of vitamins C and E analogues: 3,4-dihydroxy-5(*R*)-[2(*R,S*)-(6-hydroxy-2,5,7,8-tetramethyl-chroman-2(*R,S*)-yl-methyl)-[1,3]dioxolan-4(*S*)-yl]-5*H*-furan-2-one and 3-*O*-octadecyl derivatives

**P. Jakobsen, A. M. Horneman and E. Persson** 2803 Inhibitors of the tissue factor/factor VIIa-induced coagulation: synthesis and in vitro evaluation of novel 2-aryl substituted pyrido[3,4-*d*][1,3]-, pyrido[2,3-*d*][1,3]-, pyrazino[2,3-*d*][1,3]-, pyrimido[4,5-*d*][1,3]-, pyrazolo[3,4-*d*][1,3]-, thieno[3,2-*d*][1,3]- and thieno[2,3-*d*][1,3]-oxazin-4-ones

I Instructions to Contributors