



Erratum

Erratum to “Novel Potent 5-HT₃ Receptor Ligands Based on the Pyrrolidone Structure. Effects of the Quaternization of the Basic Nitrogen on the Interaction with 5-HT₃ Receptor” [Bioorg. Med. Chem. 10 (2002) 2681][†]

Andrea Cappelli,^{a,*} Andrea Gallelli,^a Carlo Braile,^a Maurizio Anzini,^a
Salvatore Vomero,^a Laura Mennuni,^b Francesco Makovec,^b M. Cristina Menziani,^c
Pier G. De Benedetti,^c Alessandro Donati^d and Gianluca Giorgi^e

^aDipartimento Farmaco Chimico Tecnologico, Università degli Studi di Siena, Via A. Moro, 53100 Siena, Italy

^bRotta Research Laboratorium S.p.A., Via Valosa di Sopra 7, 20052 Monza, Italy

^cDipartimento di Chimica, Università degli Studi di Modena Reggio Emilia, Via Campi 183, 41100 Modena, Italy

^dDipartimento di Scienze Tecnologie Chimiche dei Biosistemi, Università degli Studi di Siena, Via A. Moro, 53100 Siena, Italy

^eCentro Interdipartimentale di Analisi Determinazioni Strutturali, Università degli Studi di Siena, Via A. Moro, 53100 Siena, Italy

The publishers would like to apologise for an error on page 2681 of the above manuscript. In the second column, line 9, the sentence should read:

“By means of the integration of a classical medicinal chemistry approach [based on extensive qualitative structure–affinity relationship (SAFIR) studies] with a computational approach (receptor mapping, homology modelling and docking simulation) we obtained a picture of the complexity of the ligand–receptor interaction.^{5”}




Chart 1.

*Corresponding author. Tel.: +39-577-234-320; fax: +39-577-234-333; e-mail: cappelli@unisi.it

[†]PII of original article: S0968-0896(02)00093-7