

Subject Index¹

Volume 5

- A**
- Absolute configuration
 C-15 hydroxyl, **5**, 1
- Acetal
 cyclization initiation, **5**, 51
- Acetyl coenzyme A
 condensations, stereochemistry, **5**, 177
- Acetylenic
 in polyene cyclizations, **5**, 51
- Acid
 and base catalysis in farnesol isomerization, **5**, 129
- Activatable antibiotic
 with uv light, **5**, 25
- Acyl
 migration, in 2-methylmercaptobenzimidazole derivatives, **5**, 383
- Acyl-cycloamyloses
 acetate and cinnamate, deacylation, **5**, 393
 noncovalent complexes, **5**, 393
- Acythioester
 analogs of lysolecithin, synthesis, **5**, 241
- N-Acyltransferase enzymes
 specificity, **5**, 263
- Adenosine 5'-phosphate (AMP)
 C(5')-O(5') conformation when enzyme bound, **5**, 31
 enzyme-bound, conformation, **5**, 31
 phosphonate analogs as enzyme substrates, **5**, 31
 vinyl phosphonate analog, **5**, 31
- Adirubine
 total synthesis, biogenetic-type, **5**, 203
- Affinity chromatography
 tetrodotoxin binding sites in nerve, **5**, 255
- Ajmaline
 total synthesis, biogenetic-type, **5**, 309
- Alcohol dehydrogenase
 liver, farnesol *cis-trans* isomerization, **5**, 129
- Alkaloid
 total synthesis, biogenetic-type, **5**, 203, 309
- Alkylation
 intramolecular, **5**, 169
 selective, of cycloheptaamylose, **5**, 121
- α -Alkylmalic acids
 absolute configurations, **5**, 177
- B**
- Allylic cation
 cyclization initiation, **5**, 51
- Amide
 hydrolysis, α -ketoglutaramic acid, **5**, 351
 torsional strain and proteases, **5**, 403
- Amino groups
 ribonuclease A, reactions
 effects of protein concentration, **5**, 147
 pH-dependent values of pK, **5**, 137
- 2-Amino-2-oxazoline-5-carboxylic acid
 formation, **5**, 231
- AMP kinase
 conformation of bound AMP, **5**, 31
- Aromatic carboxylic acids
 metabolism, **5**, 263
- B**
- Biosynthesis
 cyclopiazonic acids, **5**, 11
 sterol, **5**, 1
- Biotin
 model reaction of, **5**, 383
- 3 β -p-Bromobenzoyloxy-5 α -cholest-8(14)-en-15 β -ol
 structure, **5**, 1
- 5-Bromo-5, 6-dihydrouracil
 dehalogenation, **5**, 231
- Butyrate
 metabolic pathway, **5**, 451
- C**
- Carbon-13
 magnetic resonance, carboxylic acid metabolism, **5**, 451
 probe, asymmetric substrate penetration, **5**, 437
- Carboxylic acid
 metabolism, in macrolide-producing micro-organism, **5**, 451
- Carboxypeptidase A
 minor-protonation state catalysis, **5**, 403
 torsional strain, mechanism, **5**, 403
- Catalysis
 deacylation of acyl-cycloamyloses, **5**, 393
 specific and general base, **5**, 37
- Catalyst
 bifunctional, hydrolysis, **5**, 155

¹ Boldface numbers indicate volume; lightface numbers indicate appropriate pagination.

- Cation trapping
 stereochemistry, **5**, 327
 Chloramphenicol
 photochemically activatable analog, **5**, 25
 Cholesterol
 oxidation by dioxygenases, **5**, 99
 Cholesterol 7-hydroperoxides
 from cholesterol oxidation, **5**, 99
 α -Chymotrypsin
 models, **5**, 37
 Coenzyme A
 conformation, nuclear magnetic resonance, **5**, 263
 Coenzyme A esters
 conformation, proton magnetic resonance, **5**, 263
 Complexation
 cycloamylose substrate, role of strain energy, **5**, 197
 Complex formation
 "induced fit"-type, α -cyclodextrin, **5**, 187
 Condensations
 acetyl coenzyme A, stereochemistry, **5**, 177
 Copper
 Cu²⁺, anaerobic oxidation, **5**, 415
 Cyanogen bromide
 fragment, C-terminal: vasoactive intestinal peptide (chicken), **5**, 339
 Cyclization
 biogenetic-type, **5**, 283
 biomimetic polyene, **5**, 51
 Cycloamylose
 substrate
 binding, **5**, 425
 complexation, role of strain energy, **5**, 197
 α -Cyclodextrin
 inclusion complexes, **5**, 187
 Cycloheptaamylose
 cavity, sodium *p*-nitrophenolate disposition, **5**, 425
 selective alkylation, **5**, 121
 Cyclohexaamylose
 cavity
 asymmetric penetration by *p*-nitrophenol and sodium *p*-nitrophenolate, **5**, 437
 sodium *p*-nitrophenolate disposition, **5**, 425
 Cyclopiiazonic acids
 biosynthesis, **5**, 11
- D**
- Decarboxylation
 acid-catalyzed, α -ketoglutaramic acid: mechanism, **5**, 351
 Dehalogenation
 5-halo-5, 6-dihydroureacils, **5**, 231
 4-Denitro-4-azido-chloramphenicol
 synthesis, **5**, 25
 5-Deoxypyridoxal
 reaction with α -phenyl- α -aminomalonic acid, peptide bond formation, **5**, 415
 Diaphorase
 farnesol *cis-trans* isomerization, **5**, 129
 Dimethylallylpyrophosphate: *cyclo*-acetoacetyl-tryptophanyl dimethylallyltransferase
 isolation, **5**, 11
 Dioxygenase
 cholesterol oxidation, **5**, 99
 Dispersion
 forces, London: substrate binding, **5**, 425
- E**
- Electrophoresis
 hendecapeptide, C-terminal, **5**, 339
 Enzyme
 models
 cycloamyloses, **5**, 393
 "induced-fit"-type complex formation, **5**, 187
 Enzyme-substrate
 binding, driving forces responsible, **5**, 197
 Ethyl 2-hydroxymethylbenzoate
 cyclization to phthalide, **5**, 37
 Ethyl 2-hydroxymethyl 4-nitrobenzoate
 cyclization to 5-nitrophthalide, **5**, 37
 2-Ethylmalonate
 metabolic pathway, **5**, 451
- F**
- Farnesal
 intermediate in farnesol isomerization, **5**, 129
 Farnesol
 double bond isomerization, **5**, 129
 Five-membered ring
 formation in polyene cyclizations, **5**, 51
- H**
- Halodihydrouracil
 dehalogenation, **5**, 231
 ring hydrolysis, **5**, 231
 Hemioorthoamide
 torsional strain, **5**, 403
 Hendecapeptide
 C-terminal, synthesis and properties, **5**, 339
 Horseradish peroxidase
 hydrogen peroxide reduction, **5**, 99
 Hydrolysis
 acid-catalyzed, α -ketoglutaramic acid: mechanism, **5**, 351

Hydrolysis *continued**p*-nitrophenyl acetate, **5**, 155

Hydroxamic acid

imidazole-substituted, **5**, 155

I

Imidazolium ion

catalysis in reaction at phosphorus, **5**, 373*N*-(4-Imidazolylmethyl)benzohydroxamic acidbifunctional catalyst, *p*-nitrophenyl acetate hydrolysis, **5**, 155*N*[2-(3-Indolyl)acetyl]-5-aminovaleraldehydescyclization, **5**, 283*N*-[2-(3-Indolyl)ethyl]-5-aminovaleraldehydescyclization, **5**, 283

Inhibitor

trypsin, torsional strain, **5**, 403

5-Iodo-5, 6-dihydrouracil

dehalogenation, **5**, 231

Ionophore

antibiotic, **5**, 327

K

 α -Ketoglutaramic acidacid-catalyzed hydrolysis, **5**, 351

L

Lasalocid

and Lasalocid-Na⁺ (X-537A), solution conformation, **5**, 327

Leucine

analog of vasoactive intestinal peptide (14-28), **5**, 339

Lipase

hydrolysis of acylthioester bonds, **5**, 241

Lysolecithin

thioester analogs, synthesis, **5**, 241

Lysophospholipase

spectrophotometric assay, **5**, 241

M

Macrolide

antibiotic produced by *Streptomyces fradiae*, **5**, 451

2-Mercaptobenzimidazole

derivatives, acyl migrations in, **5**, 383

Metabolism

carboxylic acid, in macrolide-producing microorganism, **5**, 451

Metal ion

catalysis, phosphates, **5**, 373

Methyl adirubine

total synthesis, biogenetic-type, **5**, 203

Methylase

models, **5**, 169

Methylmalonyl-CoA

metabolic pathway, **5**, 451

Microsomal lipid peroxidation

system in liver (rat), **5**, 99

Minor-protonation state

catalysis, carboxypeptidase A, **5**, 403

Model biological nucleophiles

ethyl mercaptan, thiophenol, and L-cysteine ethyl ester: reactions with withaferin-A, **5**, 367

N

Nerve

tetrodotoxin binding sites, **5**, 255

Neutron data

 α -cyclodextrin, complex formation, **5**, 187*p*-Nitrophenoldisposition in cyclohexaamylose, **5**, 437*p*-Nitrophenyl acetatecatalytic hydrolysis, **5**, 155*m*-Nitrophenyl cinnamatehydrolysis by cycloheptaamylose, **5**, 393

5-Nitrophthalide

from ethyl 2-hydroxymethyl 4-nitrobenzoate cyclization, **5**, 37

Norleucine

analog of vasoactive intestinal peptide (14-28), **5**, 339

Nuclear magnetic resonance

¹³C, carboxylic acid metabolism, **5**, 451

Nuclear Overhauser effects

intermolecular, **5**, 425

Nucleophiles

model biological: ethyl mercaptan, thiophenol, and L-cysteine ethyl ester, **5**, 367

O

Oxidation

cholesterol by dioxygenases, **5**, 99free radical, **5**, 99

Oxygen

single molecular, **5**, 99

P

*Penicillium cyclopium*cyclopiazonic acids, biosynthesis, **5**, 11

- Peptide
 synthesis
 in situ (chicken), 5, 339
 in solution: stepwise, 5, 275
 Peptide bond
 formation, 5, 415
 α -Phenyl- α -aminomalonic acid
 reaction with 5-deoxypyridoxal, peptide bond
 formation, 5, 415
 Phosphate
 catechol cyclic, catalysis by cations, 5, 373
 Phospholipase A₂
 hydrolysis of acylthioester bonds, 5, 241
 Phthalide
 from ethyl 2-hydroxymethylbenzoate cycliza-
 tion, 5, 37
 pK
 pH-dependent values, reactions of ribonu-
 clease A amino groups, 5, 137
 Polyene
 cyclizations, mechanism, 5, 51
 Protease
 model, 5, 155
 Protein
 concentration, effects on reactions of ribonu-
 clease A amino groups, 5, 147
 Proton nuclear magnetic resonance
 spectra, Lasalocid and Lasalocid-Na⁺, 5, 327
 2-Pyrrolidone-5-hydroxy-5-carboxylic acid
 decarboxylation and amide hydrolysis, mech-
 anism, 5, 351
- R**
- Rehybridization
 orbital, 5, 403
 Ribonuclease A
 amino groups, reactions
 effects of protein concentration, 5, 147
 pH-dependent values of pK, 5, 137
 Ribosome
 chloramphenicol binding site, 5, 25
- S**
- Secretin
 conformation, position of helical stretch, 5, 275
 Serine proteases
 torsional strain, mechanism, 5, 403
 Sodium *p*-nitrophenolate
 disposition in cycloamyloses, 5, 425, 437
 Solution conformation
 Lasalocid and Lasalocid-Na⁺ (X-537A), 5, 327
 Soybean lipxygenase
 oxygenation of polyunsaturated fatty acid esters,
 5, 99
- Spectrophotometry
 lysophospholipases, assay, 5, 241
 S_N2 reaction
 steric constraints, 5, 169
 Stereochemistry
 acetyl coenzyme A condensations, 5, 177
 Steric constraints
 intramolecular reactions, 5, 169
 Sterol
 biosynthesis, 5, 1
 Strain energy
 cycloamylose substrate complexation, role, 5,
 197
 Structure
 3 β -*p*-Bromobenzoyloxy-5 α -cholest-8(14)-en-
 15 β -ol, 5, 1
 Styryl
 cyclization terminator, 5, 51
 Substrate
 complexation with cycloamylose, role of
 strain energy, 5, 197
 distortion, enzymic, 5, 403
 penetration, asymmetric, 5, 425, 437
 Succinic anhydride
 reaction with tetrodotoxin, 5, 255
 Sulfonium
 compounds, reaction with intramolecular
 nucleophiles, 5, 169
 Synthesis
 acylthioester analogs of lysolecithin, 5, 241
 biogenetic-type
 ajmaline, 5, 309
 methyl adirubine, 5, 203
 4-denitro-4-azido-chloramphenicol, 5, 25
- T**
- Tetrodotoxin
 active derivative: 11-succinylanhydrotetrodo-
 toxin, 5, 255
 Thiols
 catalysis in farnesol isomerization, 5, 129
 Transesterification
 intramolecular, 5, 37
 Transmethylation
 models, 5, 169
 Tricosapeptide
 9-Asp-21-Lys-secretin (5-27), synthesis, 5, 275,
- U**
- Uracil
 formation, 5, 231

V

Vasoactive intestinal peptide
 synthesis and properties of C-terminal henda-
 capeptide (chicken), 5, 339

Vitamin B₆
 mechanisms, 5, 415

W

Water
 high energy, release from cavity: substrate
 binding, 5, 425

Withaferin-A

antitumor steroidal lactone, thiol Michael
 addition, 5, 367

X

X-Ray data

α -cyclodextrin, complex formation, 5, 187

Z

Zinc

catalysis, phosphates, 5, 373