

Subject Index for Volume 20

A

- Acetyl-D-L-valine
 esterification of monoribonucleotides, isomeric preference and decline of product D/L ratio as function of nucleotide hydrophobicity, 265
- Acid-base catalysis
 in breakdown of tetrahedral addition intermediate: mechanism of 3,4-dimethylthiazolium ion hydrolysis, 296
- Adenosine-5'-O-(2-fluorodiphosphate)
 synthesis and application as adenosine-5'-phosphosulfate analog, 107
- Adenosine-5'-phosphosulfate
 analog adenosine-5'-O-(2-fluorodiphosphate), synthesis and application, 107
- Albumin
 serum, *see* Serum albumin
- Aldol-type reactions
 retrograde, involving thiamin in aqueous solution: changes in transition-state structure, 251
- Alkyl betaines
 long-chain, effects on arylesterase-related activity of bovine serum albumin, 356
- Ammonium
 substituted dications, intermolecular hydrogen bonds with phenolate in water, related isotopic fractionation factors, analysis, 334
- 9-Anthracenecarboxylate
 high affinity of 3-[2-imidazolylazo]benzoyl-poly(ethylenimine) microenvironments for, 366
- Arteether
 microbial oxidation, 148
- Arylesterase
 related activity of bovine serum albumin, effect of long-chain alkyl betaines, 356
- Aryl sulfotransferase
 sulfuryl transfer catalyzed by, mechanism and stereochemical course (*Eubacterium* A-44), 181
- ATP (adenosine 5'-triphosphate)
 cofactor regeneration via glycolytic pathway, evaluation, 62
- ATPase
 polyammonium macrocycles as mimics: criteria for catalytic activity, 8

- Avian myeloblastosis virus
 associated protease, kinetic parameters, effect of salt, 67

C

- CE-0266
 synthesis and evaluation as human neutrophil elastase inhibitor, 345
- Charge
 distribution in transition state for addition reactions of cyanide anions to N₁-substituted nicotinamide halides, 89
- Chorismate
 uniformly ¹³C-labeled, preparation, ¹³C NMR characterization, and enzymatic transformation to [U-¹³C]prephenate and [U-¹³C]hydroxyphenyl pyruvate, 115
- Chorismic acid
 molecular conformation in crystalline state, 323
- Chymotrypsin
 active site groups, ionization, perturbation by linkage of chymotrypsin to poly(ethylenimine) derivatives, 236
 durability, enhancement by crosslinking with poly(allylamine), 223
- Colorimetric analysis
 hydroxyguanine, 55
- Conformation
 chorismic acid in crystalline state, 323
- Crosslinking
 chymotrypsin with
 poly(allylamine), enhancement of enzyme durability, 223
 poly(ethylenimine) derivatives, effect on ionization of active site groups, 236
- Cyanide
 addition to N₁-substituted nicotinamide halides, charge distribution of transition state, 89

D

- Decomposition
 serine, in solid-state catalytic isotope exchange of peptide, 245

- 1-Deoxygalactostatin
 enzymatic synthesis with fucose-1-phosphate
 aldolase, 173
- Desolvation
 effects on protein folding: *cis-trans* isomeriza-
 tion at proline, 382
- 1,5-Dideoxy-1,5-diimino-D-talitol
 enzymatic synthesis with fucose-1-phosphate
 aldolase, 173
- 3,4-Dimethylthiazolium ion
 hydrolysis mechanism: general acid-base ca-
 talysis of breakdown of tetrahedral addi-
 tion intermediate, 296

E

- Elastase inhibitors
 CE-0266, neutrophil elastase-inhibiting, syn-
 thesis and evaluation, 345
 competitive, 2-(peptidamido)-cyclobutanones
 as, synthesis, 124
- Enolase, *see* Phosphopyruvate hydratase
- Enzymatic reactions
 steady-state, with multiply isotope-sensitive
 steps, effective rate constants and general
 isotope effect equations, 95
- Esterification
 monoribonucleotides with acetyl-D-L-valine,
 isomeric preference and decline of product
 D/L ratio as function of nucleotide hydro-
 phobicity, 265

F

- L-Fucose-phosphate aldolase
 in synthesis of 1,5-dideoxy-1,5-diimino-D-tali-
 tol and 1-deoxygalactostatin, 173
- Fungus
Beauveria sulfurescens, oxidation of antima-
 larial drug arteether, 148

G

- Glutarate diesters
 basic 3-substituted, and related monoesters,
 probing of trypsin specificity: allosteric ac-
 tivation of trypsin catalysis, 30
- Glycolysis
 ATP cofactor regeneration via, evaluation, 62
- β -Glycosidases
 mechanism, reassessment, 77

H

- Human immunodeficiency virus
 type 1, associated protease, kinetic paramet-
 ers, effect of salt, 67
- Hydrogen
 multiple isotope effects, exponential relation-
 ships, analysis as probes of hydrogen tun-
 neling, 1
- Hydrogen bonds
 intermolecular, in water, related isotopic frac-
 tionation factors, analysis, 334
- Hydrolysis
 3,4-dimethylthiazolium ion, mechanism: gen-
 eral acid-base catalysis of breakdown of
 tetrahedral addition intermediate, 296
- Hydrophobicity
 nucleotide, in monoribonucleotides, effect on
 product D/L ratio in monoribonucleotide
 esterification by acetyl-D-L-valine, 265
- 2-(L-Hydroxyethyl)thiamin
 C(α)-H pK_a and structure-activity correla-
 tions: C(α)-proton transfer from thiazo-
 lium ions, 155
- Hydroxyguanidine
 radiochemical synthesis and colorimetric anal-
 ysis, 55
- Hydroxyphenyl pyruvate
 and prephenate, uniformly ^{13}C -labeled, enzy-
 matic transformation of [U- ^{13}C]chorismate
 to, 115

I

- 3-[2-Imidazolylazo]benzoyl-poly(ethylenimine)
 microenvironments, high affinity for Ni(II) and
 9-anthracenecarboxylate ions, 366
- Ionization
 chymotrypsin active site groups, perturbation
 by linkage of chymotrypsin to poly(ethyl-
 enimine) derivatives, 236
- Isomerization
cis-trans
 enzyme-catalyzed one-step double, mono-
 methyl 5-oxo-1,3-hexadien-1-ylphos-
 phonate, 213
 at proline: desolvation effects on protein
 folding, 382
- Isotope effects
 general equations, and effective rate constants,
 for steady-state enzymatic reactions with
 multiply isotope-sensitive steps, 95
- Isotope exchange
 solid-state catalytic, of peptide, serine decom-
 position in, 245

Isotopic fractionation factors

related to intermolecular hydrogen bonds in water, analysis, 334

L

L-Lactate dehydrogenase

substrate specificity (spiny dogfish muscle), 204

Leukocyte elastase

inhibitor CE-0266, synthesis and evaluation (human), 345

M

Maleylacetone

analog monomethyl 5-oxo-1,3-hexadien-1-ylphosphonate, synthesis and enzyme-catalyzed one-step *cis-trans* double isomerization, 213

Monomethyl 5-oxo-1,3-hexadien-1-ylphosphonate

synthesis and enzyme-catalyzed one-step *cis-trans* double isomerization, 213

Monoribonucleotides

esterification with acetyl-D-L-valine, isomeric preference and decline of product D/L ratio as function of nucleotide hydrophobicity, 265

N

Neutrophil elastase, *see* Leukocyte elastase

Nickel

Ni(II) ions, high affinity of 3-[2-imidazolylazo]-benzoyl-poly(ethylenimine) microenvironments for, 366

Nicotinamide halides

N₁-substituted, cyanide addition, charge distribution of transition state, 89

Nuclear magnetic resonance

¹³C

[U-¹³C]chorismate, 115

papain adducts formed by peptidyl acyloxy-, aryloxy-, and chloromethyl ketone inhibitors, 42

Nucleotides

in monoribonucleotides, hydrophobicity, effect on product D/L ratio in monoribonucleotide esterification by acetyl-D-L-valine, 265

O

Oxidation

microbial, antimalarial drug arteether, 148

P

Papain

adducts formed by peptidyl acyloxy-, aryloxy-, and chloromethyl ketone inhibitors, ¹³C NMR characterization, 42

Pepsin

kinetic parameters, effect of salt (pig), 67

2-(Peptidamido)-cyclobutanones

synthesis as competitive elastase inhibitors, 124

Peptides

Arg-Arg-Ala-Ser-Val-Ala, solid-state catalytic isotope exchange, serine decomposition in, 245

Peptidyl acyloxymethyl ketones

papain adducts formed from, ¹³C NMR characterization, 42

Peptidyl aryloxymethyl ketones

papain adducts formed from, ¹³C NMR characterization, 42

Peptidyl chloromethyl ketones

papain adducts formed from, ¹³C NMR characterization, 42

Phenolate

intermolecular hydrogen bonds with substituted ammonium dications in water, related isotopic fractionation factors, analysis, 334

Phosphoenol acetylphosphonate

and bis methyl ester analog, preparation and testing as inhibitors of phosphoenolpyruvate enzymes, 135

Phosphoenolpyruvate carboxylase

phosphoenol acetylphosphonates as substrate analog inhibitors, synthesis and testing (*Escherichia coli*), 135

Phosphopyruvate hydratase

phosphoenol acetylphosphonates as substrate analog inhibitors, synthesis and testing (rabbit muscle), 135

N-Phosphoryl aspartic acid

synthesis and β -carboxyl catalytic effect, 285

Phthalides

formation, rate and equilibrium enhancement in, analysis, 313

pK_a

C(α)-H, 2-(1-hydroxyethyl)thiamin: study of C(α)-proton transfer from thiazolium ions, 155

- Poly(allylamine)
 crosslinking with chymotrypsin, enhancement of durability of chymotrypsin, 223
- Polyammonium macrocycles
 as ATPase mimics: criteria for catalytic activity, 8
- Poly(ethylenimine)
 derivatives, linkage to chymotrypsin, effect on ionization of active site groups, 236
- Prephenate
 and hydroxyphenyl pyruvate, uniformly ^{13}C -labeled, enzymatic transformation of [^{13}C]chorismate to, 115
- Proline
cis-trans isomerization: desolvation effects on protein folding, 382
- Proteases
 aspartic acid, retroviral and mammalian, kinetic parameters, effect of salt, 67
- Protein folding
 desolvation effects: *cis-trans* isomerization at proline, 382
- Proton transfer
 $\text{C}(\alpha)$ proton from thiazolium ions: structure-reactivity correlations and $\text{C}(\alpha)\text{-H}$ $\text{p}K_a$ of 2-(1-hydroxyethyl)thiamin, 155
- Pyruvate kinase
 phosphoenol acetylphosphonates as substrate analog inhibitors, synthesis and testing (bovine heart), 135

R

- Rate constants
 effective, and general isotope effect equations, for steady-state enzymatic reactions with multiply isotope-sensitive steps, 95
- Reverse-protonation catalysis
 enzymatic, theory, 377

S

- Serine
 decomposition in solid-state catalytic isotope exchange of peptide, 245
- Serum albumin
 arylesterase-related activity, effect of long-chain alkyl betainates (bovine), 356
- Sodium chloride
 effect on kinetic parameters of retroviral and mammalian aspartic acid proteases, 67
- Solutions
 aqueous, retrograde aldol-type reactions involving thiamin in, analysis: changes in transition-state structure, 251

Stereochemistry

- in sulfuryl transfer catalyzed by *Eubacterium* A-44 arylsulfotransferase, analysis, 181
- Stereopopulation control
 rate and equilibrium enhancement in formation of phthalides, analysis, 313
- Structure-reactivity correlations
 $\text{C}(\alpha)$ -proton transfer from thiazolium ions: 2-(1-hydroxyethyl)thiamin, 155
- Substrate specificity
 l-lactate dehydrogenase (spiny dogfish muscle), 204
- Sulfuryl group
 aryl sulfotransferase-catalyzed transfer, mechanism and stereochemical course (*Eubacterium* A-44), 181

T

Thiamin

- in aqueous solution, retrograde aldol-type reactions involving, analysis: changes in transition-state structure, 251
- Thiazolium ions
 $\text{C}(\alpha)$ -proton transfer from, analysis: structure-reactivity correlations and $\text{C}(\alpha)\text{-H}$ $\text{p}K_a$ of 2-(1-hydroxyethyl)thiamin, 155
- Transition states
 in addition reactions of cyanide anions to N_1 -substituted nicotinamide halides, charge distribution, 89
- structural change, evidence from retrograde aldol-type reactions involving thiamin in aqueous solution, 251

Tribute

Frank Henry Westheimer, 269

Trypsin

allosteric activation, evidence from probing with basic 3-substituted glutarate diesters and related monoester substrate analogs, 30

Tryptamine-4,5-dione

synthesis and reactivity, 189

Tunneling

hydrogen, exponential relationships among multiple hydrogen isotope effects as probes of, analysis, 1

W

Water

intermolecular hydrogen bonds in, related isotopic fractionation factors, analysis, 334