

SUBJECT INDEX TO VOLUME 44 (1992)

Anilino-naphthalenesulfonate emission decay

Reversed micelles; Fluorescence lifetime distribution; Frequency domain fluorometry (Bismuto, E. (44) 83)

Anisotropy decay

Benzo[a]pyrene diol epoxide; Poly(dG-dC)-(dG-dC); Synchrotron radiation; Fluorescence lifetimes (Gräslund, A. (44) 21)

Anthryl/carbazolyl bilayer membrane

Energy transfer; Fluorescence spectroscopy (Taku, K. (44) 187)

Bacteriorhodopsin

Electric light scattering; Delipidated purple membranes; Permanent dipole moment; Electric polarizability; Electrophoretic mobility (Taneva, S.G. (44) 91)

Base sequences of promoters

Mechanism of transcription initiation; *Escherichia coli* promoters (Shinoda, T. (44) 61)

β -barrel

Immunoglobulin G antibody molecule; Quasi-continuity model; Group D_{7h} symmetry species; Raman and infrared active vibrational normal modes (Wen-Ge Han, (44) 29)

Benzo[a]pyrene diol epoxide

Poly(dG-dC)-(dG-dC); Synchrotron radiation; Fluorescence lifetimes; Anisotropy decay (Gräslund, A. (44) 21)

Binding isotherm

Reduced lysozyme; Non-ionic surfactants; Equilibrium dialysis; Osmotic pressure; Irreversible aggregation (Nishiyama, H. (44) 199)

Binding selectivity

DNA intercalation; Porphyrins; Electron paramagnetic resonance; Close packing (Dougherty, G. (44) 11)

Biopotency enhancement by membrane binding

C3a analogues; Phospholipid vesicles; Fmoc as membrane anchor and fluorophore; Fluorescence anisotropy decay for monitoring binding (Federwisch, M. (44) 151)

Bovine pancreatic trypsin inhibitor

Creighton's renaturation experiment; Disulfide bond; Intermediate state; Island model (Kobayashi, Y. (44) 113)

C3a analogues

Phospholipid vesicles; Biopotency enhancement by membrane binding; Fmoc as membrane anchor and fluorophore; Fluorescence anisotropy decay for monitoring binding (Federwisch, M. (44) 151)

Chlorpromazine

Hemoglobin; Induced aggregation (Bhattacharyya, M. (44) 209)

Close packing

DNA intercalation; Porphyrins; Electron paramagnetic resonance; Binding selectivity (Dougherty, G. (44) 11)

Creighton's renaturation experiment

Bovine pancreatic trypsin inhibitor; Disulfide bond; Intermediate state; Island model (Kobayashi, Y. (44) 113)

Decay time distribution

Time-dependent fluorescent shift; Fluorescent probes (Gakamsky, D.M. (44) 47)

Delipidated purple membranes

Electric light scattering; Bacteriorhodopsin; Permanent dipole moment; Electric polarizability; Electrophoretic mobility (Taneva, S.G. (44) 91)

Dipole relaxation

Tryptophan residues dynamics; Orosomucoid; Protein-fluorophore probe; Polarization studies (Albani, J. (44) 129)

Disulfide bond

Bovine pancreatic trypsin inhibitor; Creighton's renaturation experiment; Intermediate state; Island model (Kobayashi, Y. (44) 113)

DNA intercalation

Porphyrins; Electron paramagnetic resonance; Binding selectivity; Close packing (Dougherty, G. (44) 11)

DNA-spermine complexes circular dichroism

DNA superstructures; DNA-spermine complexes electrophoretic mobilities; rbcS genes; Light responsive elements (Bordin, F. (44) 99)

DNA-spermine complexes electrophoretic mobilities

DNA superstructures; DNA-spermine complexes circular dichroism; rbcS genes; Light responsive elements (Bordin, F. (44) 99)

DNA superstructures

DNA-spermine complexes circular dichroism; DNA-spermine complexes electrophoretic mobilities; rbcS genes; Light responsive elements (Bordin, F. (44) 99)

Electric light scattering

Bacteriorhodopsin; Delipidated purple membranes; Permanent dipole moment; Electric polarizability; Electrophoretic mobility (Taneva, S.G. (44) 91)

Electric polarizability

Electric light scattering; Bacteriorhodopsin; Delipidated purple membranes; Permanent dipole moment; Electrophoretic mobility (Taneva, S.G. (44) 91)

Electron paramagnetic resonance

DNA intercalation; Porphyrins; Binding selectivity; Close packing (Dougherty, G. (44) 11)

Electrophoretic mobility

Electric light scattering; Bacteriorhodopsin; Delipidated purple membranes; Permanent dipole moment; Electric polarizability (Taneva, S.G. (44) 91)

Energy transfer

Anthryl/carbazolyl bilayer membrane; Fluorescence spectroscopy (Taku, K. (44) 187)

Equilibrium dialysis

Reduced lysozyme; Non-ionic surfactants; Binding isotherm; Osmotic pressure; Irreversible aggregation (Nishiyama, H. (44) 199)

***Escherichia coli* promoters**

Mechanism of transcription initiation; Base sequences of promoters (Shinoda, T. (44) 61)

Fibroblasts

LDL-receptor complexes; Keizer's theory (Swartz, M.W. (44) 1)

Fluorescence anisotropy decay for monitoring binding

C3a analogues; Phospholipid vesicles; Biopotency enhancement by membrane binding; Fmoc as membrane anchor and fluorophore (Federwisch, M. (44) 151)

Fluorescence lifetime distribution

Reversed micelles; Frequency domain fluorometry; Anilino-naphthalenesulfonate emission decay (Bismuto, E. (44) 83)

Fluorescence lifetimes

Benzo[a]pyrene diol epoxide; Poly(dG-dC)·(dG-dC); Synchrotron radiation; Anisotropy decay (Gräslund, A. (44) 21)

Fluorescence spectroscopy

Anthryl/carbazolyl bilayer membrane; Energy transfer (Taku, K. (44) 187)

Fluorescent probes

Decay time distribution; Time-dependent fluorescent shift (Gakamsky, D.M. (44) 47)

Fmoc as membrane anchor and fluorophore

C3a analogues; Phospholipid vesicles; Biopotency enhancement by membrane binding; Fluorescence anisotropy decay for monitoring binding (Federwisch, M. (44) 151)

Frequency domain fluorometry

Reversed micelles; Fluorescence lifetime distribution; Anilino-naphthalenesulfonate emission decay (Bismuto, E. (44) 83)

Group D_{7h} symmetry species

Immunoglobulin G antibody molecule; β -barrel; Quasi-continuity model; Raman and infrared active vibrational normal modes (Wen-Ge Han, (44) 29)

Hemoglobin

Chlorpromazine; Induced aggregation (Bhattacharyya, M. (44) 209)

Hetero-association

^1H NMR chemical shift; Stacking interaction; Pyrimidine-purine cross-interaction; 6-Methylpurine (Aradi, F. (44) 143)

 ^1H NMR chemical shift

Stacking interaction; Hetero-association; Pyrimidine-purine cross-interaction; 6-Methylpurine (Aradi, F. (44) 143)

Immunoglobulin G antibody molecule

β -barrel; Quasi-continuity model; Group D_{7h} symmetry species; Raman and infrared active vibrational normal modes (Wen-Ge Han, (44) 29)

Induced aggregation

Chlorpromazine; Hemoglobin (Bhattacharyya, M. (44) 209)

Intermediate state

Bovine pancreatic trypsin inhibitor; Creighton's renaturation experiment; Disulfide bond; Island model (Kobayashi, Y. (44) 113)

Irreversible aggregation

Reduced lysozyme; Non-ionic surfactants; Binding isotherm; Equilibrium dialysis; Osmotic pressure (Nishiyama, H. (44) 199)

Irreversible denaturation

Protein unfolding; Thermal stability; Ligand binding (Denisov, I.G. (44) 71)

Island model

Bovine pancreatic trypsin inhibitor; Creighton's renaturation experiment; Disulfide bond; Intermediate state (Kobayashi, Y. (44) 113)

Keizer's theory

LDL-receptor complexes; Fibroblasts (Swartz, M.W. (44) 1)

LDL-receptor complexes

Fibroblasts; Keizer's theory (Swartz, M.W. (44) 1)

Ligand binding

Protein unfolding; Irreversible denaturation; Thermal stability (Denisov, I.G. (44) 71)

Light responsive elements

DNA superstructures; DNA-spermine complexes circular dichroism; DNA-spermine complexes electrophoretic mobilities; rbcS genes (Bordin, F. (44) 99)

Mechanism of transcription initiation

Base sequences of promoters; *Escherichia coli* promoters (Shinoda, T. (44) 61)

6-Methylpurine

¹H NMR chemical shift; Stacking interaction; Hetero-association; Pyrimidine-purine cross-interaction (Aradi, F. (44) 143)

Monomer/dimer equilibrium

Phosphotransferase system enzyme I; Time-resolved fluorescence (Chauvin, F. (44) 163)

Multicomponent non-electrolyte systems

Transmembrane transport; Spiegler-Kedem-Katchalsky friction model (Słęzak, A. (44) 139)

Non-ideality

Spectrin; Oligomers; Sedimentation equilibrium; Ultracentrifuge (Ralston, G.B. (44) 175)

Non-ionic surfactants

Reduced lysozyme; Binding isotherm; Equilibrium dialysis; Osmotic pressure; Irreversible aggregation (Nishiyama, H. (44) 199)

Oligomers

Spectrin; Non-ideality; Sedimentation equilibrium; Ultracentrifuge (Ralston, G.B. (44) 175)

Orosomucoid

Tryptophan residues dynamics; Protein-fluorophore probe; Polarization studies; Dipole relaxation (Albani, J. (44) 129)

Osmotic pressure

Reduced lysozyme; Non-ionic surfactants; Binding isotherm; Equilibrium dialysis; Irreversible aggregation (Nishiyama, H. (44) 199)

Permanent dipole moment

Electric light scattering; Bacteriorhodopsin; Delipidated purple membranes; Electric polarizability; Electrophoretic mobility (Taneva, S.G. (44) 91)

Phospholipid vesicles

C3a analogues; Biopotency enhancement by membrane binding; Fmoc as membrane anchor and fluorophore; Fluorescence anisotropy decay for monitoring binding (Federwisch, M. (44) 151)

Phosphotransferase system enzyme I

Time-resolved fluorescence; Monomer/dimer equilibrium (Chauvin, F. (44) 163)

Polarization studies

Tryptophan residues dynamics; Orosomucoid; Protein-fluorophore probe; Dipole relaxation (Albani, J. (44) 129)

Poly(dG-dC) · (dG-dC)

Benzo[a]pyrene diol epoxide; Synchrotron radiation; Fluorescence lifetimes; Anisotropy decay (Gräslund, A. (44) 21)

Porphyrins

DNA intercalation; Electron paramagnetic resonance; Binding selectivity; Close packing (Dougherty, G. (44) 11)

Protein-fluorophore probe

Tryptophan residues dynamics; Orosomucoid; Polarization studies; Dipole relaxation (Albani, J. (44) 129)

Protein unfolding

Irreversible denaturation; Thermal stability; Ligand binding (Denisov, I.G. (44) 71)

Pyrimidine-purine cross-interaction

¹H NMR chemical shift; Stacking interaction; Hetero-association; 6-Methylpurine (Aradi, F. (44) 143)

Quasi-continuity model

Immunoglobulin G antibody molecule; β -barrel; Group D_{7h} symmetry species; Raman and infrared active vibrational normal modes (Wen-Ge Han, (44) 29)

Raman and infrared active vibrational normal modes

Immunoglobulin G antibody molecule; β -barrel; Quasi-continuity model; Group D_{7h} symmetry species (Wen-Ge Han, (44) 29)

Reduced lysozyme

Non-ionic surfactants; Binding isotherm; Equilibrium dialysis; Osmotic pressure; Irreversible aggregation (Nishiyama, H. (44) 199)

Reversed micelles

Fluorescence lifetime distribution; Frequency domain fluorometry; Anilinonaphthalenesulfonate emission decay (Bismuto, E. (44) 83)

Sedimentation equilibrium

Spectrin; Oligomers; Non-ideality; Ultracentrifuge (Ralston, G.B. (44) 175)

rbcS genes

DNA superstructures; DNA-spermine complexes circular dichroism; DNA-spermine complexes electrophoretic mobilities; Light responsive elements (Bordin, F. (44) 99)

Spectrin

Oligomers; Non-ideality; Sedimentation equilibrium; Ultracentrifuge (Ralston, G.B. (44) 175)

Spiegler-Kedem-Katchalsky friction model

Transmembrane transport; Multicomponent non-electrolyte systems (Słezak, A. (44) 139)

Stacking interaction

^1H NMR chemical shift; Hetero-association; Pyrimidine-purine cross-interaction; 6-Methylpurine (Aradi, F. (44) 143)

Synchrotron radiation

Benzo[a]pyrene diol epoxide; Poly(dG-dC)·(dG-dC); Fluorescence lifetimes; Anisotropy decay (Gräslund, A. (44) 21)

Thermal stability

Protein unfolding; Irreversible denaturation; Ligand binding (Denisov, I.G. (44) 71)

Time-dependent fluorescent shift

Decay time distribution; Fluorescent probes (Gakamsky, D.M. (44) 47)

Time-resolved fluorescence

Phosphotransferase system enzyme I; Monomer/dimer equilibrium (Chauvin, F. (44) 163)

Transmembrane transport

Spiegler-Kedem-Katchalsky friction model; Multicomponent non-electrolyte systems (Słezak, A. (44) 139)

Tryptophan residues dynamics

Orosomucoid; Protein-fluorophore probe; Polarization studies; Dipole relaxation (Albani, J. (44) 129)

Ultracentrifuge

Spectrin; Oligomers; Non-ideality; Sedimentation equilibrium (Ralston, G.B. (44) 175)