

Edited for the British Pharmacological Society by

W. D. M. Paton (*Chairman*) H. M. Adam (*Secretary*)
Margaret Day (*Press Editor*)
J. D. Stephenson (*Assistant Press Editor*)

R. B. Barlow	J. Maddox (co-opted)
J. M. Barnes	J. F. Mitchell
J. W. Black	P. A. Nasmyth
W. C. Bowman	M. W. Parkes
P. B. Bradley	Mary Pickford
A. W. Cuthbert	H. P. Rang
C. T. Dollery	H. O. Schild
W. S. Feldberg	D. F. Sharman
D. F. Hawkins	A. P. Silverman
F. Hobbiger	M. A. Simmonds
Margarethe Holzbauer	A. D. Smith (co-opted)
D. B. Hope	F. M. Sullivan
H. W. Kosterlitz	A. Ungar
G. P. Lewis	J. R. Vane

Editorial assistance is provided by the staff of Nature

Papers will be considered for publication on all aspects of drug action, including chemotherapy.

Manuscripts (two copies) should be sent to Dr. H. M. Adam, Department of Pharmacology, University of Edinburgh Medical School, 1 George Square, Edinburgh EH8 9JZ. Authors should consult the suggestions inside the back cover.

Subscriptions. Three volumes of the journal are published annually, each volume containing four numbers. The annual subscription rate is £26.50 in the United Kingdom and the rest of the world; £32.00 U.S.A. and Canada. Subscriptions should be sent to: Subscriptions Department, Macmillan Journals Ltd., Brunel Road, Basingstoke, Hampshire, England. Alternatively, the journal can be ordered through a subscription agent or bookseller.

Advertisements: Applications for advertising space and rates should be sent to: Advertisement Department, *British Journal of Pharmacology*, Macmillan Journals Ltd., 4 Little Essex Street, London, WC2R 3LF, England. Tel: 01-836 6633.

Copyright © 1973 by the *British Journal of Pharmacology*. All rights of reproduction are reserved in respect of all papers, articles, illustrations, etc., published in this journal in all countries of the world.

INDEX TO VOLUME 48

AUTHOR INDEX

A

ABOO ZAR, M. *See* AMBACHE, N., 362P
ABOU, Y. Z., ADAM, H. M., and STEPHEN, W. R. G. Concentration of histamine in different parts of the brain and hypophysis of rabbit; effect of treatment with histidine, certain other amino acids and histamine, 577
ADAM, H. M. *See* ABOU, Y. Z., 577
AGID, Y., JAVOY, F. and YOUSDIM, M. B. H. Monoamine oxidase and aldehyde dehydrogenase activity in the striatum of rats after 6-hydroxydopamine lesion of the nigro-striatal pathway, 175
AMBACHE, N., KILLICK, S. W. and ABOO ZAR, M. Antagonism by burimamide of inhibitions induced by histamine in plexus-containing longitudinal muscle preparations from guinea-pig ileum, 362P
ASHTON, HEATHER, MILLMAN, J. E., TELFORD, ROSEMARY and THOMPSON, J. W. Stimulant and depressant effects of cigarette smoking on brain activity in man, 715
ASSEM, E. S. K., and ATKINSON, G. Histamine release by MCDP(401), a peptide from the venom of the honey bee, 337P
ATKINSON, G. *See* ASSEM, E. S. K., 337P
ATTACK, C. V. The determination of dopamine by a modification of the dihydroxyindole fluorimetric assay, 699
ATTERWILL, C. K. and NEAL, M. J. The sub-cellular distribution of ^{14}C - γ -aminobutyric acid GABA and ^3H -dopamine in the rabbit retina, 355P

B

BABULOVA, A., BAREGGI, S. R., BONACCORSI, A., GARATTINI, S., MORSELLI, P. L. and PANTORO, C. Correlation between desipramine levels and (—)-noradrenaline uptake and chronotropic effect in isolated atria of rats, 464
BAGWELL, E. E., POLSTER, P., VAUGHAN WILLIAMS, E.M. The effects on cardiac muscle and nerve of a fluorinated decahydroquinoline derivative, L7810, rapidly absorbed after oral administration, 183
BAGWELL, E. E. and VAUGHAN WILLIAMS, E. M. Further studies regarding the structure activity relationships of β -adrenoceptor antagonists, 686
BALLANTYNE, B., and SWANSTON, D. W. Screening tests for assessing the relative potency of sensory irritant materials, 367P
BARBER, H. E., and BOURNE, G. R. Pyridostigmine pharmacokinetics: evidence for an apparent capacity limited urinary elimination of the metabolites of pyridostigmine, 329P
BARBER, H. E. and BOURNE, G. R. Scintillation counting: channels ratio and external standard channels ratio for the determination of count-efficiency in Triton X-100 based scintillants, 366P

BAREGGI, S. R. *See* BABULOVA, A., 464
BARLOW, S. M., MORRISON, P. J., and SULLIVAN, F. M. Plasma corticosterone levels during pregnancy in the mouse, 346P
BARRETT, A. M., CARTER, J., FITZGERALD, J. D., HULL, R., and LE COUNT, D. A new type of cardioselective adrenoceptor blocking drug, 340P
BARTLET, A. L. Myogenic peristalsis in isolated preparations of chicken oesophagus, 36
BARZAGHI, F., BAUMGARTNER, H. R., CARRUBA, M., MANTEGAZZA, P., and PLETSCHER, A. The 5-hydroxytryptamine-like actions of 5,6-dihydroxytryptamine, 245
BASIL, B., JORDAN, R., LOVELESS, A. H., and MAXWELL, D. R. β -adrenoceptor blocking properties and cardioselectivity of M&B 17,803A, 198
BAUMGARTNER, H. R. *See* BARZAGHI, F., 245
BAXTER, M. G., MILLER, A. A. and WEBSTER, R. A. Some studies on the convulsant action of folic acid, 350P
BEDELL, C. R., GOODFORD, P. J., NORRINGTON, F. E., and WILKINSON, S. A 'working model' of the haemoglobin molecule as a receptor for 2,3-diphosphoglycerate, 363P
BENFYE, B. Characterization of α -adrenoceptors in the myocardium, 132
BENNETT, A. and STOCKLEY, HELEN L. Electrically induced contraction of guinea-pig isolated ileum resistant to tetrodotoxin, 359P
BERKOWITZ, B. A., HIDAKA, H. and SPECTOR, S. The effects of an anti-atherosclerotic drug, pyridinolcarbamate on hearts vascular and brain biogenic amines, 179
BEVAN, P., and BRADSHAW, C. M. A simple low-cost circuit for the programmed application of ejecting and retaining currents in micro-electrophoresis experiments, 365P
BIRMINGHAM, M. K. Reduction of Δ^9 -tetrahydrocannabinol in the blood pressure of hypertensive rats bearing regenerated adrenal glands, 169
BISSET, G. W., ERRINGTON, M. L. and RICHARDS, C. D. The distribution of vasopressin and oxytocin in the hypothalamoneurohypophysial system of the guinea-pig, 263
BLACK, J. W., OWEN, D. A. A. and PARSON, M. E. Vascular histamine receptors in the rabbit (T), 363P
BLACKHAM, A., FARMER, J. B., RADZIWONIK, H., WESTWICK, J. Rabbit monoarticular arthritis and synovial prostaglandins, 343P
BONACCORSI, A. *See* BABULOVA, A., 464
BOURNE, G. R. *See* BARBER, H. E., 329P
BOURNE, G. R., *See* BARBER, H. E., 366P
BRADLEY, P. B. and DRAY, A. Modification of the responses of brain stem neurones to transmitter substances by anaesthetic agents, 212
BRADSHAW, C. M., ROBERTS, M. H. T. and SZABADI, E. Comparison of the effects of imipramine and desipramine on single cortical neurones, 358P
BRADSHAW, C. M. *See* BEVAN, P. 365P

BRAMWELL, G. J. and GONYE, T. Responses of midbrain neurones to iontophoretically applied 5-HT, 357P

BRECKENRIDGE, A., BURANAPONG, P., DOLLERY, C. T., GEORGE, C. F., MACERLEAN, D., and ORME, M. L'E. Hepatic clearance of propranolol in dogs, 336P

BRIMBLE, M. J. and WALLIS, D. I. Atropine sensitivity of transmission and facilitation in the rabbit superior cervical ganglion, 349P

BRIMBLECOMBE, R. W. and WEBB, SANDRA N. Further studies on the interaction between acetylcholine antagonists and anticholinesterases on cat soleus muscle, 361P

BRITTAIN, R. T., FARMER, J. B. and MARSHALL, R. J. Some observations on the β -adrenoceptor agonist properties of the isomers of salbutamol, 144

BURANAPONG, P. *See* BRECKENRIDGE, A., 336P

BUTLER, K., and LEWIS, G. P. Biochemical and cellular changes in the Arthus reaction, 333P

BUTTAR, H. S., COLDWELL, B. B., and THOMAS, B. H. The effect of salicylate on the biliary excretion of ^{14}C -bishydroxycoumarin in rat, 278

BUTTERWORTH, K. R., and PELLING, D. The effect of acrylic bone cement on the circulation in the rabbit, 330P

C

CALNE, D. B., and REID, J. A. Actions of levodopa on the blood pressure of conscious rabbits, 194

CAPURRO, NORINE and LEVI, R. Anaphylaxis in the guinea-pig isolated heart: selective inhibition by burimamide of the positive inotropic and chronotropic effects of released histamine, 620

CARTER, J. *See* BARRETT, A. M., 340P

CARRUBA, M. *See* BARZAGHI, F., 245

CHAKRABARTY, A. S., CHAKRABARTY, K., LAL, S.K. and PARVATHI, C. Effect of cyproheptadine on feeding behaviour in albino rats, 553

CHAKRABARTY, K. *See* CHAKRABARTY, A. S., 553

CHU, D., and STUERMER, E. Studies on the mechanism of action of dihydroergotamine (DHE) on the vascular bed of cat skeletal muscle, 331P

CLARK, D. G. and LITCHFIELD, M. H. Role of inorganic nitrite in methaemoglobin formation after nitrate ester administration in the rat, 162

CLARK, E. R., EVANS, J. G. and JORDAN, V. C. Anti-oestrogenic activity in compounds related to ethamoxytriphetol (MER 25), clomiphene and MRL 37, 345P

CLARKE, G., HILL, R. G. and SIMMONDS, M. A. Microiontophoretic release of drugs from micropipettes: use of ^{24}Na as a model, 156

COHEN, M. M., GREENWAY, C. V., INNES, I. R., LISTER, G. E., MURTHY, V. S. and SCOTT, G. D. Further observations on mesenteric vasoconstriction, survival and the clotting effect after endotoxin administration, 555

COLDWELL, B. B. *See* BUTTAR, H. S., 278

COLEMAN, R. A. Evidence for a non-adrenergic inhibitory nervous pathway in guinea-pig trachea, 360P

CONKLIN, J. D., SOBERS, R. J. and WAGNER, D. L. Further studies on nitrofurantoin excretion in dog hepatic bile, 273

COQUIL, J. F., GORIDIS, C., MACK G. and NEFF, N. H. Monoamine oxidase in rat arteries: evidence for different forms and selective localization, 590

CURWAIN, B. P., HOLTON, PAMELA, SPENCER, JAN. Enhancement by propranolol of gastric acid secretions in response to pentagastrin in conscious dogs, 341P

CURZON, G. and KNOTT, P. J. Drugs influencing plasma and brain tryptophan, 352P

D

D'ARCY, P. F. and HARPUR, E. S. Laboratory testing for ototoxic effects of drugs, 325P

DAWES, P. M., and VIZI, E. S. Acetylcholine release from the rabbit isolated superior cervical ganglion preparation, 225

DAY, M. D. and MOORE, A. F. Potentiation by angiotensin II of noradrenaline-induced contractions of a rabbit isolated thoracic aorta, 338P

DINGLEDINE, R. and GOLDSTEIN, A. Lethality of the morphinan isomers levorphanol and dextrorphan, 718

DOLLERY, C. T., LEWIS, P. J., MYERS, M. G. and REID, J. L. Central hypotensive effect of propranolol in the rabbit, 343P

DOLLERY, C. T. *See* BRECKENRIDGE, A., 336P

DRAY, A. *See* BRADLEY, P. B., 212

DUNDEE, J. W., GUPTA, P. K., and JONES, C. J. Modification of the analgesic action of pethidine and morphine by three opiate antagonists, a respiratory stimulant (doxapram) and an anaesthetic (nikethamide); a study using an experimental pain stimulus in man, 326P

E

EARL, JANET and LARGE, W. A. Effect of penicillin on the increase in membrane conductance induced by γ -aminobutyric acid at the crab neuromuscular junction, 318

EDWARDS, C., NAHORSKI, S. R. and ROGERS, K. J. *In vivo* changes in concentration of cerebral cyclic AMP, phosphorylase and glycogen induced by biogenic amines, 353P

EMMELIN, N. and THULIN, A. Action of drugs on denervated myoepithelial cells of salivary glands, 73

ERRINGTON, M. L. *See* BISSET, G. W., 263

ERSPAMER, B. and MELCHIORRI, P. and SOPRANZI, N. The action of bombesin on the kidney of the anaesthetized dog, 438

EVANS, J. G. *See* CLARK, E. R., 345P

EYRE, P. Histamine H_2 -receptors in the sheep bronchus and cat trachea: the action of burimamide, 321

EYRE, P., and LEWIS, A. J. Acute systemic anaphylaxis in the horse, 426

F

FAHIM, I., ISMAIL, M. and OSMAN, O. H. Role of 5-hydroxytryptamine in ketamine-induced hypothermia in the rat, 570

FARMER, J. B. *See* BLACKHAM, A., 343P

FARMER, J. B. *See* BRITTAIN, R. T., 144

FERRERS, HELEN M., NICHOLSON, A. N. and WRIGHT, CATHERINE, M. Impaired performance of delayed matching in monkeys by heptobarbitone, pentobarbitone sodium and quinalbarbitone sodium, 347P

FINCH, L., HAEUSLER, G., KUHN, H. and THOENEN, H. Rapid recovery of vascular adrenergic nerves in the rat after chemical sympathectomy with 6-hydroxydopamine, 59

FITZGERALD, J. D. *See* BARRETT, A. M., 340P

FOLEY, D. J. and MCPHILLIPS, J. J. Response of the rat ileum, uterus and vas deferens to carbachol and acetylcholine following repeated daily administration of a cholinesterase inhibitor, 418

FOREMAN, J. C. and MONGAR, J. L. The action of lanthanum and manganese on anaphylactic histamine secretion, 527

FOY, J. M. and STANDING, V. F. The effect of glibenclamide on two enzymes important in gluconeogenesis, 327P

G

GARATTINI, S. *See* BABULIOVA, A., 464

GARCIA DE JALÓN, P. D., MARTINEZ-SIERRA, R. and VELASCO, A. Interaction between tyramine and iproniazid on guinea-pig atria, 609

GARCIA LEME, J., HAMAMURA, L., LEITE, M. P. and ROCHA E SILVA, M. Pharmacological analysis of the acute inflammatory process induced in the rat's paw by local injection of carrageenin and by heating, 88

GARDINER, D. G. *See* PARKES, M. W., 676

GARNHAM, J., HICKS, DEBORAH C., RAYMOND, K., SHOTTON, E. Some observations on blood level data following oral administration of aspirin as tablets and capsules, 336P

GEORGE, C. F. *See* BRECKENRIDGE, A. 336P

GHOSH, M. N. and PARVATHY, S. The effect of cyproheptadine on water and food intake and on body weight in the fasted adult and weanling rats, 328P

GONG, S. N. C. and ROGERS, K. J. Role of brain monoamine in the fatal hyperthermia induced by pethidine or imipramine in rabbits pretreated with a monoamine oxidase inhibitor, 12

GOLDSTEIN, A. *See* DINGLEDINE, R., 718

GOLDSTEIN, A. and SCHULZ, R. Morphine-tolerant longitudinal muscle strip from guinea-pig ileum, 655

GONYE, T. *See* BRAMWELL, G. J., 357P

GOODFORD, P. J., NORRINGTON, F. E., RICHARDS, W. H. G. and WALLS, L. P. Predictions of the antimalarial activity of arylamidinoureas, 650

GOODFORD, P. J. *See* BEDELL, C. R., 363P

GORIDIS, D. *See* COQUIL, J. F., 590

GRAHN, B., HENNINGSSON, S. S. G., KAHLSON, G. and ROSENGREN, ELSA. Alterations in the activities of ornithine and histidine decarboxylases provoked by testosterone in mice, 113

GRANATA, A. R. and LANGER, S. Z. Effects of cocaine or denervation on response of isolated strips of cat spleen to (—)-noradrenaline and (—)-isoprenaline, 667

GREEN, K. L. A pro-inflammatory effect of adrenaline in thermal injury, 335P

GREENWAY, C. V. *See* COHEN, M. M., 555

GRIFFITHS, P. J., LITTLETON, J. M. and ORTIZ, A. Evidence for a role for brain monoamines in ethanol dependence, 354P

DE GROAT, W. C. and LALLEY, P. M. Interaction between picrotoxin and 5-hydroxytryptamine in the superior cervical ganglion of the cat, 232

GULATI, O. D., MAKOL, RENU, and SHAH, D. S. Some characteristics of the adrenergic neurone blocking action of dehydroemetine, 314

GUPTA, P. K. *See* DUNDEE, J. W., 326P

H

HAEUSLER, G. *See* FINCH, L., 59

HAINSWORTH, R., KARIM, F., STOKER, J. B. The blocking effects of propranolol and ICI-66082 on the peripheral vascular responses to isoprenaline, 342P

HAMAMURA, L. *See* GARCIA LEME, J., 88

HANBAUER, I., KOPIN, I. J., MAENGWYN-DAVIES, GERTRUDE D., THOA, N. B. and WEISE, VIRGINIA K. Effects of vinblastine on catecholamine-biosynthetic enzymes in heart, sympathetic ganglion and adrenal glands of rats, 106

HARANATH, P. S. R. K., KRISHNAMURTY, A., RAO, L. N. and SESAGIRIRAO, K. Passage of gallamine from blood into the liquor space in man and in dog, 640

HARPUR, E. S. *See* D'ARCY, P. F., 325P

HARRY, J. D., KNAPP, M. F., LINDEN, R. J. The action of ICI-66082 on the heart, 340P

HAUBRICH, D. R., PEREZ-CRUET, J. and REID, W. D. Prostaglandin E₁ causes sedation and increases 5-hydroxytryptamine turnover in rat brain, 80

HENNINGSSON, S. S. G. *See* GRAHN, B., 113

HEPP, R. and KREYE, V. A. W. Effect of long-term treatment with high doses of guanethidine on sperm transport and fertility of rats, 30

HICKS, DEBORAH C. *See* GARNHAM, J., 336P

HIDAKA, H. *See* BERKOWITZ, B. A., 179

HILL, R. G. and SIMMONDS, M. A. A method for comparing the potencies of γ -aminobutyric acid antagonists on single cortical neurones using micro-iontophoretic techniques, 1

HILL, R. G. *See* CLARKE, G., 156

HOLTON, PAMELA. *See* CURWAIN, B. P., 341P

HOLZBAUER, MARGARETHE and YOUSDIM, M. B. H. The oestrous cycle and monoamine oxidase activity, 600

HULL, R. *See* BARRETT, A. M., 340P

HUTCHINS, D. A. and ROGERS, K. J. Effect of depletion of cerebral monoamines on the concentration of glycogen and on amphetamine-induced glycogenolysis in the brain, 19

I

INNES, I. R. and MAILHOT, R. Effect of cocaine on the affinity of α -adrenoceptors for noradrenaline, 139

INNES, I. R. *See* COHEN, M. M., 555

ISMAIL, M. *See* FAHIM, I., 570

J

JONES, C. J. *See* DUNDEE, J. W., 326P

JONES, R. L., KANE, KATHLEEN, A. and UNGAR, A. The cardiovascular actions of prostaglandins C₁ and C₂ in the cat (T), 363P

JORDAN, R. *See* BASIL, B., 198

JORDAN, V. C. *See* CLARK, E. R. 345P

JASANI, M. K. A new approach for studying the influence of cyclophosphamide upon the rejection of rabbit skin homografts, 334P

JAVOY, F. *See* AGID, Y., 175

K

KAHLSON, G. *See GRAHN, B.*, 113
 KANE, KATHLEEN, A. *See JONES, R. L.*, 363P
 KARIM, F. *See HAINSWORTH, R.*, 342P
 KATZ, S. and TENENHOUSE, A. The relation of adenyl cyclase to the activity of other ATP utilizing enzymes and phosphodiesterase in preparations of rat brain: mechanisms of stimulation of cyclic AMP accumulation by NaF, 505
 KATZ, S. and TENENHOUSE, A. The relation of adenyl cyclase to the activity of other ATP utilizing enzymes and phosphodiesterase in preparations of rat brain: mechanisms of stimulation of cyclic AMP accumulation by adrenaline, ouabain and Mn⁺⁺, 516
 KEEN, P., MITCHELL, J. F. and ROBERTS, P. J. Application of the dansyl technique to an investigation into the identity of the primary sensory transmitter in the spinal cord, 356P
 KELLY, J. S. and RENAUD, L. P. On the pharmacology of the γ -aminobutyric acid receptors on the cuneo-thalamic relay cells of the cat, 369
 KELLY, J. S. and RENAUD, L. P. On the Pharmacology of the glycine receptors on the cuneo-thalamic relay cells of the cat, 387
 KELLY, J. S. and RENAUD, L. P. On the pharmacology of ascending, descending and recurrent post-synaptic inhibition of the cuneo-thalamic relay cells, 396
 KILICK, S. W. *See AMBACHE, N.*, 362P
 KOPIN, I. J. *See HANBAUER, I.*, 106
 KNAPP, M. F. *See HARRY, J. D.*, 340P
 KNOTT, P. J. *See CURZON, G.*, 352P
 KREYE, V. A. W. *See HEPP, T.*, 30
 KRISHNAMURTY, A. *See HARANATH, P. S. R. K.*, 640
 KUHN, H. *See FINCH, L.*, 59

L

LAL, S. K. *See CHAKRABARTY, A. S.*, 553
 LALLEY, P. M. *See DE GROAT, W. C.*, 232
 LANGER, S. Z. *See GRANATA, A. R.*, 667
 LARGE, W. A. *See EARL, JANET*, 318
 LE COUNT, D. *See BARRETT, A. M.*, 340P
 LEITE, M. P. *See GARCIA LEME, J.*, 88
 LEONARD, B. E. and RIGTER, H. Changes in brain monoamine metabolism associated with CO₂-induced amnesia in rats, 351P
 LEVI, R. *See CAPURRO, NORINE*, 620
 LEWIS, A. J. *See EYRE, P.*, 426
 LEWIS, G. P. *See BUTLER, K.*, 333P
 LEWIS, P. J. *See DOLLERY, C. T.*, 343P
 LINDEN, R. J. *See HARRY, J. D.*, 340P
 LISTER, G. E. *See COHEN, M. M.*, 555
 LITCHFIELD, M. H. *See CLARK, D. G.*, 162
 LITTLETON, J. M. *See GRIFFITHS, P. J.*, 354P
 LONG, JOAN, S. and SEVERS, W. B. Renin release from the ischaemic kidney, 97
 LOVELESS, A. H. *See BASIL, B.*, 198

M

MACERLEAN, D. *See BRECKENRIDGE, A.*, 336P
 MACK, G. *See COQUIL, J. F.*, 590
 MAENGWYN-DAVIES, GERTRUDE D. *See HANBAUER, I.*, 106
 MAILHOT, R. *See INNES, I. R.*, 139
 MAKOL, RENU. *See GULATI, O. D.*, 314
 MALONE, M. H. and TROTTIER, R. W. JR. Evaluation of cryogenine on rat paw thermal oedema and rat isolated uterus, 255

MANTEGAZZA, P. *See BARZAGHI, F.*, 245
 MARSHALL, R. J. *See BRITTAINE, R. T.*, 144
 MARTINEZ-SIERRA, R. *See GARCIA DE JALÓN, P.*, 609
 MAXWELL, D. R. *See BASIL, B.*, 198
 MCPHILLIPS, J. J. *See FOLEY, D. J.*, 418
 MELCHIORRI, P. *See ERSPAMER, B.*, 438
 MILLER, A. A. *See BAXTER, M. G.*, 350P
 MILLMAN, J. E. *See ASHTON, HEATHER*, 715
 MITCHELL, J. F. *See KEEN, P.*, 356P
 MONBAR, J. L. *See FOREMAN, J. C.*, 527
 MOORE, A. F. *See DAY, M. D.*, 338P
 MORRISON, P. J. *See BARLOW, S. M.*, 346P
 MORSELLI, P. L. *See BABULIOVA, A.*, 464
 MOYLAN-JONES, R. J. and PRICE THOMAS, D. Cyclopentolate in treatment of sarin miosis, 309
 MURTHY, V. S. *See COHEN, M. M.*, 555
 MYERS, M. G. *See DOLLERY, C. T.*, 343P

N

NAHORSKI, S. R. *See EDWARDS, C.*, 353P
 NEAL, M. J. *See ATTERWILL, C. K.*, 355P
 NEFF, N. H. *See COQUIL, J. F.*, 590
 NG, K. K. F. The fate of angiotensin 1 in the toad *Bufo melanostictus*, 456
 NIADA, R., and PRINO, G. Effect of a sulphated glycopeptide on rat gastric acid secretion stimulated by histamine, bethanechol, pentagastrin and dibutyryl cyclic AMP, 550
 NICHOLSON, A. N. *See FERRES, HELEN, M.*, 347P
 NORRINGTON, F. E. *See GOODFORD, P. J.*, 650
 NORRINGTON, F. E. *See BEDELL, C. R.*, 363P
 NORTHOVER, B. J. Effect of anti-inflammatory drugs on the binding of calcium to cellular membranes in various human and guinea-pig tissues, 496
 NOTT, M. W. and WINSLOW, EILEEN. Effects of quazodine (MJ1988) on contractions of the isolated hemidiaphragm of the rat and the biventer cervicis muscle of the chick, 409

O

ODUMOSU, A. and WILSON, C. W. M. Ascorbic acid and cholesterol mobilization by fenfluramine, 326P
 ORME, M. L' E. *See BRECKENRIDGE, A.*, 336P
 ORTIZ, A. *See GRIFFITHS, P. J.*, 354P
 OSBORNE, N. N. Tryptophan metabolism in characterized neurones of *Helix*, 546
 OSMAN, O. H. *See FAHIM, I.*, 570
 OWEN, D. A. A. *See BLACK, J. W.*, 363P

P

PANTAROTTO, C. *See BABULIOVA, A.*, 464
 PARK, W. K., REGOLI, D., and RIOUX, F. Characterization of angiotensin receptors in vascular and intestinal smooth muscle, 288
 PARKES, M. W. The detection of differential β -adrenoceptor blockade in the cat (appendix by Gardiner, D. G.), 676
 PARSON, M. E. *See BLACK, J. W.*, 363P
 PARVATHI, C. *See CHAKRABARTY, A. S.*, 553
 PARVATHY, S. *See GHOSH, M. N.*, 328P
 PELLING, D. *See BUTTERWORTH, K. R.*, 330P
 PEREZ-CRUET, J. *See HAUBRICH, D. R.*, 80
 PLETSCHER, A. *See BARZAGHI, F.*, 245
 POLSTER, P. *See BAGWELL, E. E.*, 183

POOLE, T. B. Some studies on the influence of chlordiazepoxide on the social interaction of golden hamsters (*Mesocricetus auratus*), 538
 PRICE THOMAS, D. *See* MOYLAN-JONES, R. J., 309
 PRINO, G. *See* NIADA, R., 550

R

RADZIWONIK, H. *See* BLACKHAM, A., 343P
 RANG, H. P. Receptor mechanisms, 475
 RAO, L. N. *See* HARANATH, P. S. R. K., 640
 RAO, V. S. N. and SHARMA, P. L. Effect of intraperitoneal administration of (+)-INPEA on oxytocin and prostaglandin evoked responses of the isolated rat uterus, 344P
 RAWLINS, M. D. and SMITH, S. E. Influence of allopurinol on drug metabolism in man, 693
 RAYMOND, K. *See* GARNHAM, J., 336P
 REASBECK, P. G. and YOUNG, J. M. Interaction of benzylcholine mustard, benzylcholine and lachessine with the histamine receptor in the longitudinal muscle of guinea-pig ileum, 148
 REGOLI, D. *See* PARK, W. K., 288
 REID, J. L. *See* CALNE, D. B. 194
 REID, J. L. *See* DOLLERY, C. T., 343P
 REID, W. D. *See* HAUBRICH, D. R., 80
 RENAUD, L. P. *See* KELLY, J. S., 369
 RENAUD, L. P. *See* KELLY, J. S., 387
 RENAUD, L. P. *See* KELLY, J. S., 296
 RICHARDS, C. D. *See* BISSET, G. W., 263
 RICHARDS, W. H. G. *See* GOODFORD, P. J., 650
 RICHARDSON, P. D. I. The actions of histamine on blood flow and capillary filtration coefficient (C.F.C.) in the cat small intestine, 332P
 RIGTER, H. *See* LEONARD, B. E., 351P
 RIOUX, F. *See* PARK, W. K., 288
 ROBERTS, M. H. T. *See* BRADSHAW, C. M., 358P
 ROBERTS, P. J. *See* KEEN, P. 356P
 ROCHE E SILVA, M. *See* GARCIA LEME, J., 88
 ROGERS, K. J. *See* EDWARDS, C., 353P
 ROGERS, K. J. *See* GONG, S. N. C., 12
 ROGERS, K. J. *See* HUTCHINS, D. A. 19
 ROSENGREN, ELSA. *See* GRAHN, B., 113
 ROSS, G. Effects of intracoronary infusions of acetylcholine and nicotine on the dog hearts *in vivo*, 612

S

SCHULZ, R. *See* GOLDSTEIN, A. 655
 SCOTT, G. D. *See* COHEN, M. M., 555
 SESHNAGIRIRAO, K. *See* HARANATH, P. S. R. K., 640
 SEVERS, W. B. *See* LONG, JOAN, S., 97
 SHAH, D. S. *See* GULATI, O. D., 314
 SHARMA, P. L. *See* RAO, V. S., 344P
 SHOTTON, E. *See* GARNHAM, J., 336P
 SIMMONDS, M. A. *See* HILL, R. G. 1
 SIMMONDS, M. A. *See* CLARKE, G., 156
 SMITH, A. J. and SMITH, R. N. Kinetics and bioavailability of two formulations of amiloride in man, 646
 SMITH, R. N. *See* SMITH, A. J., 646
 SMITH, S. E. *See* RAWLINS, M. D., 693
 SOBERS, R. J. *See* CONKLIN, J. D., 273
 SOPRANZI, N. *See* ERSFAMER, B., 438
 SPECTOR, S. *See* BERKOWITZ, B. A., 179
 SPEIZER, ZIPORA and WEINSTOCK, MARTA. The influence of propranolol on abnormal behaviour induced in rats by prolonged isolation—an animal model for mania, 348P
 SPENCER, JAN. *See* CURWAIN, B. P., 341P
 STANDING, V. F. *See* FOY, J. M., 327P
 STEPHEN, W. R. G. *See* ABOU, Y. Z., 577

STOCKLEY, HELEN, L. *See* BENNETT, A., 359P
 STOKER, J. B. *See* HAINSWORTH, R., 342P
 STUERMER, E. *See* CHU, D., 331P
 SULLIVAN, F. M. *See* BARLOW, S. M., 346P
 SWANSTON, D. W. *See* BALLANTYNE, B., 367P
 SZABADI, E. *See* BRADSHAW, C. M., 358P

T

TASHIRO, N. Effects of isoprenaline on contractions of directly stimulated fast and slow skeletal muscle of the guinea-pig, 121
 TELFORD, ROSEMARY. *See* ASHTON, HEATHER, 715
 TENENHOUSE, A. *See* KATZ, S., 505
 TENENHOUSE, A. *See* KATZ, S., 516
 THOA, N. B. *See* HANBAUER, I., 106
 THOENEN, H. *See* FINCH, L., 59
 THOMAS, B. H. *See* BUTTAR, H. S., 278
 THOMPSON, J. W. *See* ASHTON, HEATHER, 517
 THULIN, A. *See* EMMELIN, 73
 TONGE, SALLY R. Some persistent effects of the pre- and neonatal administration of psychotropic drugs on noradrenaline metabolism in discrete areas of rat brain, 364P
 TROTTIER, R. W., JR. *See* MALONE, M. H., 255
 TSAI, T. H. Sensitivity of nictitating membrane of the cat to succinylcholine after decentralization and denervation, 172
 TURKANIS, S. A. *See* THOMSON, T. D., 48

U

UNGAR, A. *See* JONES, R. L., 363P

V

VANE, J. R. and WILLIAMS, K. I. The contribution of prostaglandin production to the contractions of the isolated uterus of the rat, 629
 VAUGHAN WILLIAMS, E. M. *See* BAGWELL, E. E., 183
 VAUGHAN WILLIAMS, E. M. *See* BAGWELL, E. E., 686
 VELASCO, A. *See* GARCIA DE JALÓN, P. D., 609
 VIZI, E. S. Does stimulation of $\text{Na}^+ \text{-} \text{K}^+ \text{-} \text{Mg}^{2+}$ -activated ATP-ase inhibit acetylcholine release from nerve terminals ?, 346P
 VIZI, E. S. *See* DAWES, P. M. 225

W

WAGNER, D. L. *See* CONKLIN, J. D., 273
 WALLS, D. I. *See* BRIMBLE, M. J., 349P
 WALLS, L. P. *See* GOODFORD, P. J., 650
 WEBB, SANDRA N. *See* BRIMBLECOMBE, R. W., 361P
 WEBSTER, R. A. *See* BAXTER, M. G., 350P
 WEINSTOCK, MARTA. *See* SPEIZER, ZIPORA, 348P
 WEISE, VIRGINIA K. *See* HANBAUER, I., 106
 WESTON, A. H. Nerve-mediated inhibition of mechanical activity in rabbit duodenum and the effects of desensitization to adenosine and several of its derivatives, 302
 WESTWICK, J. *See* BLACKHAM, A., 343P
 WILKINSON, S. *See* BEDELL, C. R., 363P
 WILLIAMS, K. I. *See* VANE, J. R., 629
 WILSON, C. W. M. *See* ODUMOSU, A., 326P
 WINSLOW, EILEEN. *See* NOTT, M. W., 409
 WRIGHT, CATHERINE M. *See* FERRES, HELEN M., 347P

Y

YOUDIM, M. B. H. *See* AGID, Y., 175
 YOUDIM, M. B. H. *See* HOLZBAUER, MARGARETHE, 602
 YOUNG, J. M. *See* REASBECK, P. G., 148

SUBJECT INDEX

A

(\pm) - 1 - (2 - acetyl - 4 - n - butyramido - phenoxy) - 2-hydroxy-3-isopropylaminopropane hydrochloride (M&B 17,803A), β -adrenoceptor blocking properties and cardioselectivity of, 198

Acetylcholine, effects of microiontophoretic applications of, on spontaneously active brain stem neurones, 212

—, release from the rabbit isolated superior cervical ganglion preparation, 225

—, concentration in rat brain increased by prostaglandin E₁, 80

—, effect of morphine on contractile response of longitudinal muscle induced by, 655

—, effects of on the dog heart *in vivo*, 612

—, effect of angiotensin on intestinal smooth muscle response to, 288

—, further studies on the interaction between anticholinesterases and on cat soleus muscle, 361P

—, response of the rat ileum, uterus and vas deferens to, following repeated daily administration of a cholinesterase inhibitor, 418

Acetylcholine chloride, action of on denervated salivary myoepithelium, 73

Acetylcholine release, does stimulation of Na⁺-K⁺Mg²⁺-activated ATP-ase inhibit? 346P

Acetylsalicylic acid, effect on inflammation in the rat's paw, 88

Acrylic bone cement, effect of, on the circulation in the rabbit, 330P

¹⁴C-labelled adenine nucleotides, rate of production measured, 505

Adenosine, effects of desensitization to, and nerve-mediated inhibition of mechanical activity in duodenum, 302

Adenosine diphosphate, effect of on mechanical activity in rabbit duodenum, 302

Adenosine monophosphate, effect of on mechanical activity in rabbit duodenum, 302

Adenosine triphosphate, effect on calcium in tissues, 496

—, effect of on mechanical activity in rabbit duodenum, 302

Adenyl cyclase, related to other ATP utilizing enzymes in the brain, 505

Adrenaline, prolongation of functional refractory period in rabbit atrium, 132

—, a pro-inflammatory effect of, in thermal injury, 335P

—, effect of morphine on depressant effect of on longitudinal muscle, 655

—, effect on cyclic AMP accumulation, 516

Adrenaline bitartrate, action of on denervated salivary myoepithelium, 73

(\pm)-**adrenaline bitartrate**, effect of on acetylcholine in isolated superior cervical ganglion, 225

Adrenergic neurone, some characteristics of the, blocking action of dehydroemetine, 314

α -**adrenoceptors**, characterization of in the myocardium, 132

—, effect of cocaine on affinity of for noradrenaline, 139

β -**adrenoceptor**, blocking properties and cardioselectivity of M&B 17,803A, 198

—, some observations on the β -adrenoceptor agonist properties of the isomers of salbutamol, 144

β -**adrenoceptor antagonists**, further studies regarding the structure activity relationships of, 686

β -**adrenoceptor blockade**, detection of differential, in the cat, 676

Adrenoceptive blocking drug, a new type of cardioselective, 340P

β -**alanine**, effect of strychnine on in cuneo-thalamic relay cells, 387

Aldehyde dehydrogenase activity, in the striatum of rats after 6-hydroxydopamine lesion of the nigrostriatal pathway, 175

Allopurinol, influence of on drug metabolism in man, 693

Amiloride, kinetics and bioavailability of two formulations of, 646

Amines, biogenic, *in vivo* changes in the concentration of cerebral cyclic AMP, phosphorylase α and glycogen induced by, 353P

—, sympathomimetic, prolongation of functional refractory period in rabbit left atrium mediated by α -adrenoceptors, 132

γ -**aminobutyric acid**, effect of penicillin on increase in membrane conductance induced by, 318

—, effect of strychnine on in the cuneo-thalamic relay cells, 387

γ -**aminobutyric acid antagonists**, a method for comparing the potencies of, on single cortical neurones using micro-iontophoretic techniques, 1

γ -**aminobutyric acid receptors**, pharmacology of on the cuneo-thalamic relay cells of the cat, 369

¹⁴C-**aminobutyric acid**, GABA and ³H-dopamine in the rabbit retina, 355P

Aminophylline, influence on plasma and brain tryptophan, 352P

Aminophylline-dextran solution, possible mechanisms of action of, when used in conjunction with endotoxin administration, 555

Anaphylactic histamine secretion, acted on by lanthanum and manganese, 527

Anaphylaxis, acute systemic, in the horse, 426

—, induced in isolated guinea-pig hearts by burimamide, 620

—, in the guinea-pig isolated heart, 620

Angiotensin, effect on blood pressure of pithed toads, 456

Angiotensin II, potentiation by, of noradrenaline-induced contractions of a rabbit isolated thoracic aorta, 338P

4-ala-angiotensin, compared in potency with angiotensin, 288

6-ala-angiotensin, compared in potency with angiotensin, 288

7-ala-angiotensin, compared in potency with ^{AT}II, 288

Angiotensin agonists, substitution of 4-Tyr, 6-His or 7-Pro with L-Ala or with Gly and 1-amino-cyclopentane carboxylic acid, in analogues of angiotensin, 288

Angiotensin receptors, characterization of, in vascular and intestinal smooth muscles, 288

Anticholinesterases, further studies on the interaction between acetylcholine antagonists and on cat soleus muscle, 361P

Anti-inflammatory drugs, effect on the binding of calcium to cellular membranes in tissues, 496

Arthus reaction, biochemical and cellular changes in the, 333P

Arylamininoureas, predictions of the antimalarial activity of, 650

Ascorbic acid, mobilization of, by fenfluramine, 326P

Aspirin, effect of on bolus injection of endotoxin in cats, 555

—, some observations on blood level data following oral administration of, as tablets and capsules, 336P

Atropine, effect of, on contractions caused by 5,6-dihydroxytryptamine in isolated preparations, 245

—, attenuation of adrenergic cardiovascular responses by acetylcholine prevented by, 612

—, sensitivity of transmission and facilitation in the rabbit superior cervical ganglion, 349P

Atropine sulphate, action of on denervated salivary myoepithelium, 73

—, failure to alter prostaglandin E₁-induced sedation in rat brain, 80

Atropine + hexamethonium, and renin release from the ischaemic kidney, 97

B

Barbiturates, effect of, on neuromuscular transmission, 48

Benadryl, effect on inflammation in rat's paw, 88

Benzilylcholine, interaction of benzilylcholine mustard, benzilylcholine and lachesine with the histamine receptor in the longitudinal muscle of guinea-pig, 148

Benzilylcholine mustard, interaction of and benzilylcholine and lachesine with the histamine receptor in the longitudinal muscle of guinea-pig ileum, 148

Bethanechol, as stimulant of gastric acid secretion, 550

Bicuculline, as blocker of depressant action of γ -aminobutyric acid, 369

Bicuculline, effect of on synaptic inhibition of cuneate relay neurones, 396

—, comparison of potencies of, on single cortical neurones using micro-iontophoretic techniques, 1

¹⁴C-bishydroxycoumarin, effect of salicylate on the biliary excretion of, 278

Bombesin, the action of on the kidney, 438

Bradykinin, effects of in the horse, 426

—, synthetic, competitive inhibition of, by cryogenine, chlorpromazine, and flufenamic acid, and non-competitive antagonism by indomethacin and tetrabenazine, 255

Burimamide, antagonism by of inhibitions induced by histamine in plexus-containing longitudinal muscle preparations from guinea-pig ileum, 362P

—, the action of, histamine H₂-receptors in the sheep bronchus and cat trachea, 321

—, selective inhibition by of the positive inotropic and chronotropic effects of released histamine, 620

1 - t - butylamino - 3 - (methoxyphenoxy) - 2 - propanol, testing of ortho (M66,527) and para (M66,368) analogues of, in dogs for β -adrenoceptor blocking activity, 686

Butylphenoxy-1-N-isopropylamine-3 propanol-2 oxalate acid (L8429), testing of para substituted tertiary, in dogs for β -adrenoceptor blocking activity, 686

C

Caffeine, twitch enhancement effects compared with quazodine and theophylline, 409

Calcium carbaspirin, effect of, on rat paw thermal oedema, 255

Capillary filtration coefficient, the actions of histamine on, 332P

Carbachol, response of the rat ileum, uterus and vas deferens to, following repeated daily administration of a cholinesterase inhibitor, 418

Carrageenin, pharmacological analysis of the acute inflammatory process induced in the rat's paw by local injection of, 88

Cigarette smoking, stimulant and depressant effects of on brain activity in man, 517

Chlordiazepoxide, influence of on social interaction of golden hamsters, 538

p-chlorophenylalanine, blocking of behavioural effects of prostaglandin E₁ in rat brain, 80

—, effect of on hypothermic response to ketamine, 570

—, inhibitor of pethidine or imipramine induced hyperthermia in pargyline pretreated rabbits, 12

Chlorpromazine, effect of pre- and neonatal administration on noradrenaline metabolism, 364P

Cholesterol, mobilization of, by fenfluramine, 326P

Cholinesterase inhibitors, resulting in sub-sensitivity to cholinergic agents, 418

Chlopromazine, competitive inhibitor of synthetic bradykinin, 255

Chronotropic effect, in isolated atria, 464

Clomiphene, anti-oestrogenic activity in compounds related to, 345P

Cocaine, effect of on the affinity of α -adrenoceptors for noradrenaline, 139

—, effects of on response of isolated cat spleen to noradrenaline and (—)-isoprenaline, 667

—, effect of, on nerve stimulation, 36

—, and the adrenergic neurone blocking action of dehydroemetine, 314

Cocaine hydrochloride, action of on denervated salivary myoepithelium, 73

Co-operativity, in receptor mechanisms, 475

Cortical neurones, a method for comparing potencies of γ -aminobutyric acid antagonists on, using micro-iontophoretic techniques, 1

Cryogenine, evaluation of, on rat paw thermal oedema and rat isolated uterus, 255

Cuneo-thalamic relay cells, pharmacology of glycine receptors on, 387

—, pharmacology of the γ -aminobutyric acid receptors on, 369

—, the pharmacology of ascending, descending and recurrent post-synaptic inhibition on, 396

Cyclic AMP, accumulation in brain by NaF, 505

—, accumulation in brain by adrenaline, ouabain and Mn⁺⁺, 516

—, dibutryl, as stimulant of gastric acid secretion, 550

—, cerebral, *in vivo* changes in the concentration induced by biogenic amines, 353P

5-(2-cyclohexylidenethyl)-5-ethyl barbituric acid (CHEB), effect of, on neuromuscular transmission, 48

Cyclopentolate, in treatment of sarin miosis, 309

Cyclophosphamide, a new approach for studying the influence of, upon the rejection of rabbit skin homografts, 334P

Cyproheptadine, effect of, on water and food intake and on body weight in the fasted adult and weanling rat, 328P

—, effect on feeding behaviour in albino rats, 553

D

Dansyl technique, application of to an investigation into the identity of the primary sensory transmitter in the spinal cord, 356P
DBH, effects of vinblastine on in heart, sympathetic ganglion and adrenal glands of rat, 106
DEDTC, effect on hypothermic effect of ketamine, 570
Dehydroemetine, some characteristics of the adrenergic neurone blocking action of, 314
Desensitization, as a result of agonist drug, 475
Desipramine, comparison of the effects of imipramine and on single cortical neurones, 358P
Desipramine level, in isolated atria, 464
Desmethylimipramine, effect of pretreatment with on dog hearts infused *in vivo* with nicotine and acetylcholine, 612
Dextrorphan, lethality of, 718
5,6-diacetoxypyrramine, and 5-hydroxytryptamine-like actions of 5,6-dihydroxytryptamine, 245
 α' -(4 - (β - diethylaminoethoxy) - 3,5 - xylyl) - 4 - methoxystilbene (P781), anti-oestrogenic activity of, and of the α -bromo and di-hydro-derivatives of, 345P
 α - [4 - (β - diethylaminoethoxy) - 3,4 - xylyl] - α - phenyl-β-4-methoxyphenylethanol (P642), anti-oestrogenic activity of, 345P
Diethylthiocarbamate, effect on the concentration of glycogen in the brain, 19
Dihydroergotamine, studies of mechanism of action of, on the vascular bed of cat skeletal muscle, 331P
Dihydroergotamine methansulphonate, action of on denervated salivary myoepithelium, 73
Dihydroxyindole fluorimetric assay, the determination of dopamine by a modification of the, 699
5,6-dihydroxytryptamine, 5-hydroxytryptamine-like actions of, 245
Diphenhydramine, and renin release from the ischaemic kidney, 97
2,3-diphosphoglycerate, a working model of the haemoglobin molecule as a receptor for, 363P
DOPA, effect of on histamine concentrations in the brain and hypophysis of rabbit, 577
Dopamine, determination of, by a modification of the dihydroxyindole fluorimetric assay, 699
—, effect of morphine on depressant effect of, on longitudinal muscle, 655
—, prolongation of functional refractory period in rabbit atrium, 132
Dopamine-β-hydroxylase, effects of vinblastine on, in heart, sympathetic ganglion and adrenal glands of rat, 106
³H-dopamine, subcellular distribution of in the rabbit retina, 355P
Doxapram, modification of the analgesic action of pethidine and morphine by, 326P
Drug metabolism, influence of allopurinol on, in man, 693

E

Endotoxin, further observations of mesenteric vasoconstriction following administration of, 555
Enzymes, catecholamine-biosynthetic, effects of vinblastine on, 106
Epinine, prolongations of functional refractory period in rabbit atrium, 132
Ethanol dependence, evidence of a role for brain monoamines, 354P

Ethanoxytriphetol (MER 25), anti-oestrogenic activity in compounds related to, 345P
Ethylene glycol dinitrate, effect on formation of methaemoglobin, 162
Extracerebral decarboxylase, inhibition of, blocking levodopa sustained pressor response after inhibition of monoamine oxidase, 194

F

Fenfluramine, ascorbic acid and cholesterol mobilization by, 326P
Flufenamic acid, competitive inhibitor of synthetic bradykinin, 255
Fluorinated decahydroquinoline derivative, L7810, effects on cardiac muscle and nerve, rapidly absorbed after oral administration, 183
Fluoride ion, effects on ADP, ATP, and PDE, 505
Folic acid, some studies of the convulsant action of, 350P

G

GABA, the subcellular distribution of in the rabbit retina, 355P
Gallamine, passage of from blood into the liquor space in man and in dog, 640
Gastric acid, enhancement by propranolol of, secretion in response to pentagastrin, 431P
Glibenclamide, the effect of, on two enzymes important in gluconeogenesis, 327P
Gluconeogenesis, effect of glibenclamide on two enzymes important in, 327P
Glucose-6-phosphatase, effect of glibenclamide on, 327P
Glutamate, additional evidence for its role as the sensory transmitter in the spinal cord, 356P
8-Gly-angiotensin, and angiotensin receptors in intestinal smooth muscle, 288
Glyceryl trinitrate, and methaemoglobin formation, 162
Glycine receptors, pharmacology of on the cuneo-thalamic relay cells of the cat, 387
Glycogen, effect of depletion of cerebral monoamines on the concentration of, in the brain, 19
—, *in vivo* changes in the concentration of induced by biogenic amines, 353P
Glycogenolysis, amphetamine-induced, effect of depletion of cerebral monoamines on, in the brain, 19
Glycopeptide, sulphated, effect on rat gastric acid secretion, 550
Guanethidine, effect of, on perivascular stimulation, 302
—, and renin release from the ischaemic kidney, 97
—, effect of, on sperm transport and fertility of rats, 30
 β -guanidion-propionic acid, effect of strychnine on in the cuneo-thalamic relay cells, 387
—, effect of on cuneate neurones, 369
Guinea-pig trachea, evidence for a non-adrenergic inhibitory nervous pathway in, 360P

H

Haemoglobin molecule, a 'working' model of, as a receptor for 2,3-diphosphoglycerate, 363P
Hepatic bile, dog, nitrofurantoin excretion in, 273
Heptabarbitone, impaired performance of delayed matching in monkeys by, 347P
Hexadimethrine bromide, effect on inflammation in rat's paw, 88

Hexamethonium, effect of, on hypotensive effect induced by 5,6-dihydroxytryptamine, 245

Histamine, antagonism by burimamide of inhibitions induced by in plexus- containing longitudinal muscle preparations from guinea-pig ileum, 362P

—, release by MCDP (401), a peptide from the venom of the honey bee, 337P

—, the actions of, on blood flow and capillary filtration coefficient, 332P

—, depressor responses and biphasic effects on horse, 426

—, selective inhibition by burimamide of the positive inotropic and chronotropic effects of released, 620

—, concentration of in different parts of the brain and hypophysis of rabbit: effect of treatment with histidine, certain other amino acids and histamine, 577

—, as stimulant of gastric acid secretion, 550

Histamine receptors, vascular, in the rabbit, 363P

—, in longitudinal muscle in guinea-pig ileum, interaction of benzylcholine, mustard, benzylcholine and lachesisine with, 148

Histamine H₂-receptors, the action of burimamide in the sheep bronchus and cat trachea, 321

Histidine, effect of treatment with on concentrations of histamine in different parts of the brain and hypophysis of rabbit, 577

Histidine decarboxylase, alterations in the activities of, provoked by testosterone in mice, 113

5-HT, responses of midbrain neurones to iontophoretically applied, 357P

Hydrocortisone, effect of, on rat paw thermal oedema, 255

6-hydroxydopamine, and renin release from the ischaemic kidney, 97

—, rapid recovery of vascular adrenergic nerves in the rat after chemical sympathectomy with, 59

4-(2-hydroxy-3-isopropylaminopropoxy) phenyl acetamide, a new type of cardioselective adrenoceptor blocking drug, (ICI-66082), 340P

5-HT, effect of on histamine concentrations in the brain and hypophysis of rabbit, 577

5-hydroxytryptamine, interaction between picrotoxin and, in the superior cervical ganglion, 232

—, role of in ketamine-induced hypothermia in the rat, 570

—, effects of microiontophoretic applications of, on spontaneously active brain stem neurones, 212

—, effect of angiotensin on intestinal smooth muscle response to, 288

—, turnover increased in rat brain by prostaglandin E₁, 80

—, effect of pyridinolcarbamate on heart, vascular and brain biogenic amines 179

—, effects on the horse, 426

—, effect of depletion of, on the concentration of glycogen and on amphetamine-induced glycogenolysis, 19

Hyoscine, effect on peristalsis, 36

—, effect of, on nerve blocking action of strychnine, 36

Hypothermia, ketamine induced, role of 5-hydroxytryptamine in, in the rat, 570

I

ICI-66082, the blocking effects of, on the peripheral vascular responses to isoprenaline, 342P

—, the action of, on the heart, 340P

Imipramine, effect of pre- and neonatal administration on noradrenaline metabolism, 364P

—, comparison of the effects of disipramine and on single cortical neurones, 358P

—, role of brain monoamines in the fatal hyperthermia induced by, in rabbits pretreated with a monoamine oxidase inhibitor, 12

Indomethacin, effect of on rat paw thermal oedema and rat isolated uterus, 255

—, effects of on contractor effects of oxytocin acetylcholine and prostaglandin F₂ on isolated uterus of non-pregnant rat, 629

—, effect on inflammation in rat's paw, 88

(+)-INPEA, effect of intraperitoneal administration of, on oxytocin and prostaglandin evoked responses of the isolated rat uterus, 344P

Insulin, influence on plasma and brain tryptophan, 352P

Iproniazid, interaction between tyramine and, on guinea-pig atria, 609

Isoprenaline, L7810 no blocking action on the chronotropic or positive inotropic actions of, on isolated atrial muscle, 183

—, and mechanical activity in rabbit duodenum, 302

—, the blocking effects of propranolol practolol and ICI-66082 on the peripheral vascular responses to, 342P

—, effect of morphine on depressant effect of, on longitudinal muscle, 655

—, influence on plasma and brain tryptophan, 352P

—, effects of on contractions of directly stimulated fast-and slow skeletal muscle of the guinea-pig, 121

(-)-isoprenaline, effects of cocaine or denervation on responses of isolated cat spleen to, 667

Isopropyl methyl phosphonofluoridate, effect of cyclopentolate in treatment of, induced miosis, 309

K

Ketamine-induced hypothermia, role of 5-hydroxytryptamine in, in the rat, 570

L

L7810, fluorinated decahydroquinoline derivative, effects on cardiac muscle and nerve, rapidly absorbed after oral administration 183

LB-46, and renin release from the ischaemic kidney, 97

Lachesisine, interaction of benzylcholine, benzylcholine mustard and, with the histamine receptor in the longitudinal muscle of the guinea-pig ileum, 148

Lanthanum, action of on anaphylactic histamine secretion, 527

8-Leu-angiotensin, and angiotensin receptors in intestinal smooth muscle, 288

Levallorphan, modification of the analgesic action of pethidine and morphine by, 326P

Levodopa, actions of, on the blood pressure of conscious rabbits, 194

Levorphanol, lethality of, 718

Lithium chloride, effect of replacing sodium chloride in bathing solution with, on release of acetylcholine in isolated superior cervical ganglion, 225

Lysergic acid diethylamide, contractions in isolated preparations caused by 5,6-dihydroxytryptamine antagonised by, 245

M

3 μ M, effect of on output of acetylcholine in isolated superior cervical ganglion, 225

M&B 17,803A, β -adrenoceptor blocking properties and cardioselectivity of, 198

MCDP (401), a peptide from the venom of the honey bee, histamine release by, 337P

Manganese, action of on anaphylactic histamine secretion, 527

Meclofenamate, effects of on contractor effects of oxytocin, acetylcholine and prostaglandin F₂ on isolated rat uterus, 629

Mepivaramine, the action of, histamine H₂-receptors in the sheep bronchus and cat trachea, 321

—, effect on peristalsis, 36

MER 25, anti-oestrogenic activity in compounds related to, 345P

Mesenteric vasoconstriction, further observations on, after endotoxin administration, 555

Methacholine chloride, action of on denervated salivary myoepithelium, 73

Methaemoglobin formation after nitrate ester administration in the rat, role of inorganic nitrite, 162

Methylamphetamine, effect of pre- and neonatal administration on noradrenaline metabolism in discrete areas of rat brain, 364P

α -methyldopa, effect of on histamine concentrations in the brain and hypophysis of rabbit, 577

α -methyl-p-tyrosine, effect on the concentration of glycogen in the brain, 19

—, failure to prevent pethidine or imipramine induced hyperthermia in pargyline pretreated rabbits, 12

Methysergide, and renin release from the ischaemic kidney, 97

—, contractions in isolated preparations caused by 5,6-dihydroxytryptamine antagonised by, 245

—, effect on inflammation in rat's paw, 88

—, effect of, on peristalsis, 36

Microiontophoretic release, of drugs from micropipettes, 156

Micro-iontophoretic techniques, use of in comparison of potencies of γ -aminobutyric acid antagonists on single cortical neurones, 1

Microelectrophoresis, a simple low-cost circuit for the programmed application of ejecting and retaining currents, 365P

MJ1988, see quazodine, 409

Mn⁺⁺, effect on cyclic AMP accumulation, 516

MAO, inhibition by iproniazid antagonized by tyramine, 609

Monoamines, brain, evidence for a role for in ethanol dependence, 354P

—, brain, role of, in the fatal hyperthermia induced by pethidine or imipramine in rabbits pretreated with a monoamine oxidase inhibitor, 12

—, in rat arteries, evidence for different forms and selective localization, 590

—, cerebral, effect of depletion of, on the concentration of glycogen and on amphetamine-induced glycogenolysis, 19

—, activity and the oestrous cycle, 602

Monoamine metabolism changes, associated with CO₂-induced amnesia in rats, 351P

Monoamine oxidase, activity in the striatum of rats after 6-hydroxydopamine lesion of the nigrostriatal pathway, 175

—, after inhibition of, levodopa induces sustained pressor response, 194

Monoamine oxidase inhibitor, role of brain monoamines in the fatal hyperthermia induced by pethidine and imipramine in rabbits pretreated with, 12

Monoarticular arthritis, rabbit, and synovial prostaglandins, 343P

Morphine, effect of, on peristalsis, 36

—, modification of the analgesic action of, 326P

Morphine-tolerant longitudinal muscle strip from guinea-pig ileum, 655

Morphinan isomers, levorphanol and dextrorphan, lethality of, 718

MRL 37, anti-oestrogenic activity in compounds related to, 345P

N

²⁴Na, use of as a model for microiontophoretic release of drugs from micropipettes, 156

NaF, effect on cyclic AMP accumulation, 505

Na⁺-K⁺-Mg²⁺-activated ATP-ase, does stimulation of inhibit acetylcholine release from nerve terminals ?, 346P

Nalorphine, modification of the analgesic action of morphine and pethidine by, 326P

Naloxone, antagonization of depressant action of morphine on longitudinal muscle strip from guinea-pig ileum, 655

—, modification of the analgesic action of pethidine and morphine by, 326P

Nerve-mediated inhibition, of mechanical activity in rabbit duodenum, and effect of desensitization to adenosine and several of its derivatives, 302

Neurones, cortical, comparison of the effects of imipramine and desipramine on, 358P

—, midbrain, responses of to iontophoretically applied 5-HT, 357P

Nicotine, effects of on brain activity in man, 517

—, effects on the dog heart *in vivo*, 612

—, effect on peristalsis, 36

Nicotinic acid, influence on plasma and brain tryptophan, 352P

Nikethamide, modification of the analgesic action of pethidine and morphine by, 326P

Nitrate ester, role of inorganic nitrite in methaemoglobin formation after, administered to the rat, 162

Nitrite, inorganic, role of in methaemoglobin formation after nitrate ester administration in the rat, 163

Nitrofurantoin, excretion in dog hepatic bile, 273

Nitrofurantoin sodium, intravenous administration of, and enterohepatic cycling, 273

Noradrenaline, and mechanical activity in rabbit duodenum, 302

—, exposure of reserpine-treated guinea-pig atria to, leading to return of a positive inotropic response to tyramine, 609

—, and the adrenergic neurone blocking action of dehydroemetine, 314

—, effect of pyridinolcarbamate on heart, vascular and brain biogenic amines, 179

—, effect of angiotensin on intestinal smooth muscle response to, 288

—, effect of cocaine on the affinity of α -adreno-receptors for noradrenaline, 139

Noradrenaline (contd.)

- , prolongation of functional refractory period in rabbit atrium, 132
- , potentiation by angiotensin II of, -induced contractions of isolated thoracic aorta, 338P

N

- (—)-noradrenaline, effects of cocaine or denervation on responses of isolated strips of cat spleen, to, 667
- (—)-noradrenaline ((—)NA), effects of micro-iontophoretic applications of, on spontaneously active brain stem neurones, 212
- (—)-noradrenaline uptake, in isolated atria, 464
- (—)-Noradrenaline bitartrate, effect of on output of acetylcholine in isolated superior cervical ganglion, 225
- noradrenaline bitartrate**, action of on denervated salivary myoepithelium, 73
- Noradrenaline depletion** produced by 6-hydroxy-dopamine, 59
- Noradrenaline metabolism**, affected by pre- and neonatal administration of psychotropic drugs, 364P
- Norphenylephrine**, prolongation of functional refractory period in rabbit atrium, 132

O

- Oestradiol**, effect of on MAO activity, 602
- Oestrous cycle**, the, and monoamine oxidase activity, 602
- Ornithine decarboxylase**, alterations in the activities of provoked by testosterone in mice, 113
- Ototoxic effects**, laboratory testing for, of drugs, 325P
- Quinabain**, effect on cyclic AMP accumulation, 516
- Oxytocin**, distribution of, in the hypothalamo-neurohypophyseal system of the guinea-pig, 263
- , effect of intraperitoneal administration of (+)-INPEA on, evoked responses of the isolated rat uterus, 344P

P

- P707**, anti-oestrogenic activity of, 345P
- P778**, anti-oestrogenic activity of, 345P
- P781**, anti-oestrogenic activity of, 345P
- Papaverine**, effect of on peristalsis, 36
- Pargyline**, blocking of behavioural effects of prostaglandin E₁ in rat brain, 80
- , interaction with pethidine and imipramine in induction of fatal hyperthermia in pre-treated rabbits, 12
- PCPA**, effect of on hyperthermia responses to ketamine, 570
- Penicillin**, effect of, on increase in membrane conductance induced by γ -aminobutyric acid, 318
- Pentagastrin**, as stimulant of gastric acid secretion 550
- , enhancement by propranolol of gastric acid secretion in response to, 341P
- Pentobarbitone sodium**, impaired performance of delayed matching in monkeys by, 347P
- Peristalsis**, myogenic, in isolated preparations of chicken oesophagus, 36
- Pethidine**, modifications of the analgesic action of, 326P

Pethidine (contd.)

- , role of brain monoamines in the fatal hypothermia induced by, in rabbits pretreated with a monoamine oxidase inhibitor, 12
- 4-Phe-angiotensin**, compared in potency with angiotensin, 288
- Phencyclidine**, effect of pre- and neonatal administration on noradrenaline metabolism, 364P
- Phenobarbitone**, effect of, on neuromuscular transmission, 48
- Phenoxybenzamine**, effect of cocaine on block of α -adrenoceptors by, 139
- , effect of pre-treatment with in dog hearts infused *in vivo* with nicotine and acetylcholine, 612
- , blocking of receptors in rabbit atrium, 132
- , as inhibitor of adrenaline-induced cyclic AMP accumulation, 516
- , and renin release from the ischaemic kidney, 97
- Phosphodiesterase (PDE)**, related to activity of ATP utilizing enzymes in the brain, 505
- Phentolamine**, blocking of receptors in rabbit atrium, 132
- , effect of on the release of acetylcholamine in isolated superior cervical ganglion, 225
- , + propranolol, effect on perivascular stimulation, 302
- , effect on peristalsis, 36
- , and renin release from the ischaemic kidney, 97
- Phenylbutazone**, effect of, on rat paw thermal oedema, 255
- , influence of allopurinol on metabolism of, in man, 693
- Phenylephrine**, and mechanical activity in rabbit duodenum, 302
- , inotropic effect of mediated by α -adrenoceptors in rabbit atrium, 132
- , prolongation of functional refractory period in rabbit atrium, 132
- Phenylephrine hydrochloride**, action of on denervated salivary myoepithelium, 73
- Phenylethanolamine-N-methyl transferase (PNMT)**, effects of vinblastine on, in heart, sympathetic ganglion and adrenal glands in rat, 106
- Phosphoenolpyruvate carboxykinase**, effect of glibenclamide on, 327P
- Phosphorylase a**, *in vivo* changes in the concentration of induced by biogenic amines, 353P
- Physostigmine**, effect of presence of on acetylcholine release in isolated superior cervical ganglion, 225
- Picrotoxin**, comparison of potencies of, on single cortical neurones using microiontophoretic techniques, 1
- , effect of on cuneate neurones, 369
- , effect of on synaptic inhibition of cuneate relay neurones, 396
- , interaction between, and 5-hydroxytryptamine in the superior cervical ganglion, 232
- Plasma corticosterone levels**, during pregnancy in the mouse, 346P
- Post-synaptic inhibition**, ascending, descending and recurrent, the pharmacology of the cuneothalamic relay cells, 396
- Potassium**, and the adrenergic neurone blocking action of dehydroemetine, 314
- Potassium-rich bathing solution**, effect of, on release of acetylcholine in isolated superior cervical ganglion, 225

Practolol, compared with M&B 17,803A as β -adrenoceptor blocking agent, 198
 —, the blocking effects of, on the peripheral vascular responses to isoprenaline, 342P
Probenecid, potentiation of behavioural effects of prostaglandin E₁ in rat brain, 80
Procaine, local anaesthetic effect compared with L7810, 183
Pronethalol, as inhibitor of adrenaline-induced cyclic AMP accumulation, 516
Propranolol, effect on peristalsis, 36
 —, and renin release from the ischaemic kidney, 97
 —, compared with M&B 17,803A as β -adrenoceptor blocking agent, 198
 —, enhancement by, of gastric acid secretion in response to pentagastrin, 431P
 —, hepatic clearance of, in dogs, 336P
 —, the influence of on abnormal behaviour induced in rats by prolonged isolation —an animal model for mania ?, 348P
 —, the central hypotensive effect of, in the rabbit, 343P
 —, the blocking effects of, on the peripheral vascular responses to isoprenaline 342P
Progesterone, stimulating effect of on uterine, ovarian and adrenal MAO activity, 602
 —, + phentolamine, effect on perivascular stimulation, 302
Propranolol hydrochloride, action of on denervated salivary myoepithelium, 73
Prostaglandin, effect of intraperitoneal administration if (+)-INPEA on, evoked responses of the isolated rat uterus, 344P
Prostaglandins, C₁ and C₂, the cardiovascular actions of in the cat (T), 363P
Prostaglandin E₁ causes sedation and increases 5-hydroxytryptamine turnover in rat brain, 80
 — production, contractions of the isolated uterus of the rat, 629
Psychotropic drugs, administered pre- and neonatally effecting noradrenaline metabolism in discrete areas of rat brain, 364P
Pyridinolcarbamate, effects of on hearts vascular and brain biogenic amines, 179
Pyridostigamine pharmacokinetics, urinary elimination of the metabolites of pyridostigamine, 329P

Q

Quinalbarbitone sodium, impaired performance of delayed matching in monkeys by, 347P
Quazodine, effects of on contractions of the isolated hemidiaphragm of the rat and the biventer-cervicis muscle of the chick, 409

R

Receptor activation, two systems model, 475
Receptor mechanisms, Fourth Gaddum Memorial Lecture, 475
Renin, release from the ischaemic kidney, 97
Reserpine, and renin release from the ischaemic kidney, 97
 —, depletion of brain monoamines by, completely preventing ketamine-induced hypothermia, 570
 —, effect of, on perivascular stimulation, 302
 —, effect of pretreatment with, on contractions caused by 5,6-dihydroxytryptamine in isolated preparations, 245
 —, effect of, on the concentration of glycogen in the brain, 19

Reserpine (contd.)

—, failure to prevent pethidine or imipramine induced hyperthermia in pargyline pretreated rabbits, 12
 (+)-**salbutamol**, pharmacological activity of, 144
 (—)-**salbutamol**, pharmacological activity of, 144

S

Salicylate, effect of, on the biliary excretion of ¹⁴C-bishydroxycoumarin in rat, 278
Sarin, effect of cyclopentolate in treatment of, miosis, 309
Scintillation counting: channels ratio and external standard channels ratio for the determination of counting efficiency in Triton X-100 based scintillants, 366P
Sensory irritant materials, screening tests for assessing the relative potency of, 367P
Sodium, and the adrenergic neurone blocking action of dehydroemetine, 314
 —, diethylthiocarbamate, no effect on hypothermic effect of ketamine, 570
 —, salicylate, effect of, on the biliary excretion of ¹⁴C-BHC, 278
Sperm transport, effect of guanethidine on, 30
Spirometry, a device for cycle-by-cycle spirometry, 676
Strychnine, as blocker to glycine in the cuneothalamic relay cells, 387
 —, comparison of potencies of, on single cortical neurones using microinotophoretic techniques, 1
Succinylcholine, sensitivity of the nicitating membrane of the cat, to, after decentralization and denervation, 172
Synovial prostaglandins, rabbit monoarticular arthritis and, 343P

T

Testosterone, alterations in the activities of ornithine and histidine decarboxylases provoked by in mice, 113
Tetraabenazine, non-competitive antagonism of synthetic bradykinin, 255
 Δ^9 -**tetrahydrocannabinol**, reduction of in the blood pressure of hypertensive rats bearing regenerated adrenal glands, 169
Tetradotoxin, effect of, on release of acetylcholine in isolated superior cervical ganglion, 225
 —, electrically induced contractions of guinea-pig isolated ileum resistant to, 359P
 —, effect of, on nerve stimulation, 36
 —, and the adrenergic neurone blocking action of dehydroemetine, 314
 —, effect of, on intramural and perivascular stimulation, 302
Theophylline, as inhibitor of PDE, 505
 —, effect of on rat and chicken muscle, 409
TH, effects of vinblastine on, in hearts, sympathetic ganglion and adrenal glands of rat, 106
Transmitter substances, modification of the responses of brain stem neurones to, by anaesthetic agents, 212
Tryptophan, brain and plasma drugs influencing, 352P
Tryptophan metabolism, in characterized neurones of *Helix*, 546
Tubocurarine, effect of peristalsis, 36
 —, neuromuscular blocking activity enhanced by quazodine, 409

Tyramine, interaction between and iproniazid on guinea-pig atria, 609
Tyrosine hydroxylase (TH), effects of vinblastine on, in hearts, sympathetic ganglion and adrenal glands of rat, 106

V

Vascoconstriction, mesenteric, further observations on after endotoxin administration, 555

Vasopressin, distribution of, in the hypothalamo-neurohypophyseal system of the guinea-pig, 263
Vinblastine, effects of on catecholamine-biosynthetic enzymes in heart, sympathetic ganglion and adrenal glands in rats, 106

W

Warfarin, influence of allopurinol on metabolism of, in man, 693

Instructions to Authors

1. **Manuscripts** (2 copies) should be typed in double spacing on one side of paper not larger than foolscap (33×20.5 cm). There should be a separate title page giving the names and addresses of the authors in alphabetical order. A short title containing not more than 40 letters should also be suggested.
2. **A short summary of results and conclusions** (arranged in numbered paragraphs), **tables and legends to figures** should be typed on separate sheets of paper.
3. **References** should be collected at the end of the paper. They should include the authors' names, year of publication, title of article, title of publication (abbreviated in accordance with the fourth edition of the *World List of Scientific Periodicals*), volume number and first and last page numbers. References to books should, in addition, include the names of editors, the edition number, where appropriate, and the town of origin and name of publisher.
4. **Figures** should NOT BE LARGER THAN FOOLSCAP (33×20.5 cm) and may be in the form of original drawings, recorded tracings or high quality photographic prints made from them. Negative prints of kymograph tracings (black on white) should be provided and both ordinates and abscissae should be calibrated.
5. **Lettering** on figures should be inserted in PENCIL. Symbols which are to appear in figures or legends should be chosen from the following:

6. **Photographs and photomicrographs** should be printed on glossy paper and should be larger than the size required for reproduction.
7. **Tables** ideally should not have more than 84 characters to a line (counting spaces between columns as 4 characters) and certainly not more than 130 characters to a line, unless absolutely unavoidable.
8. **An abstract** of about 100 words suitable for inclusion in *International Abstracts of Biological Sciences* should be typed on a separate sheet, giving the author's name and address and the title of the paper.

General remarks. A recent issue of the journal is a good guide to style. Papers are accepted only if accompanied by a statement that they have not and will not be published in whole or in part in any other Journal.

Two page proofs will be supplied, one of which may be retained by the authors. The other should be corrected immediately and returned to the Press Editor. Corrections should be kept to a minimum.

Twenty-five reprints will be supplied to the authors free of charge. Additional reprints can be purchased. A reprint order form, which should be returned promptly, will be sent out with the proofs. No reprints of abstracts are supplied.

BRITISH JOURNAL OF PHARMACOLOGY

August 1973 Volume 48 Number 4

Page

Systematic Pharmacology

555 COHEN, M. M., GREENWAY, C. V., INNES, I. R., LISTER, G. E., MURTHY, V. S. and SCOTT, G. D. Further observations on mesenteric vasoconstriction, survival and the clotting defect after endotoxin administration. (SP1)
570 FAHIM, I., ISMAIL, M. and OSMAN, O. H. Role of 5-hydroxytryptamine in ketamine-induced hypothermia in the rat. (SP2)
577 ABOU, Y. Z., ADAM, H. M. and STEPHEN, W. R. G. Concentration of histamine in different parts of the brain and hypophysis of rabbit: effect of treatment with histidine, certain other amino acids and histamine. (SP2, PK2)

Autopharmacology

590 COQUIL, J. F., GORIDIS, C., MACK, G. and NEFF, N. H. Monoamine oxidase in rat arteries: evidence for different forms and selective localization. (API, SP1)
600 HOLZBAUER, MARGARETHE and YOUSDIM, M. B. H. The oestrous cycle and monoamine oxidase activity. (API, AP3, PK2)
609 GARCIA DE JALÓN, P. D., MARTINEZ-SIERRA, R. and VELASCO, A. Interaction between tyramine and iproniazid on guinea-pig atria. (API, DM2)
612 ROSS, G. Effects of intracoronary infusions of acetylcholine and nicotine on the dog heart *in vivo*. (API, SP1)
620 CAPURRO, NORINE and LEVI, R. Anaphylaxis in the guinea-pig isolated heart: selective inhibition by burimamide of the positive inotropic and chronotropic effects of released histamine. (AP2, SP1, DM2)
629 VANE, J. R. and WILLIAMS, K. I. The contribution of prostaglandin production to contractions of the isolated uterus of the rat. (AP2, DM2, PK3)

Pharmacokinetics

640 HARANATH, P. S. R. K., KRISHNAMURTY, A., RAO, L. N. and SESHAGIRIRAO, K. Passage of gallamine from blood into the liquor space in man and in dog. (PK1, SP2, AP1)
646 SMITH, A. J. and SMITH, R. N. Kinetics and bioavailability of two formulations of amiloride in man. (PK1, CP)

Drug Mechanisms

650 GOODFORD, P. J., NORRINGTON, F. E., RICHARDS, W. H. G. and WALLS, L. P. Predictions of the antimalarial activity of arylamidinoureas. (DM1, CT, PM)
655 GOLDSTEIN, A. and SCHULZ, R. Morphine-tolerant longitudinal muscle strip from guinea-pig ileum. (DM2)
667 GRANATA, A. R. and LANGER, S. Z. Effects of cocaine or denervation on responses of isolated strips of cat spleen to (—)-noradrenaline and (—)-isoprenaline. (DM2)
676 PARKES, M. W. with an Appendix by GARDINER, D. G. The detection of differential β -adrenoceptor blockade in the cat. (DM2, AP1)
686 BAGWELL, E. E. and VAUGHAN WILLIAMS, E. M. Further studies regarding the structure activity relationships of β -adrenoceptor antagonists. (DM2, SP1)

Clinical Pharmacology

693 RAWLINS, M. D. and SMITH, S. E. Influence of allopurinol on drug metabolism in man. (CP)

Miscellaneous

699 ATACK, C. V. The determination of dopamine by a modification of the dihydroxyindole fluorimetric assay. (M)

Short Communications

715 ASHTON, HEATHER, MILLMAN, J. E., TELFORD, ROSEMARY and THOMPSON, J. W. Stimulant and depressant effects of cigarette smoking on brain activity in man. (SP2, PP)
718 DINGLEDINE, R. and GOLDSTEIN, A. Lethality of the morphinan isomers levorphanol and dextrophan. (DM2)

Systematic Pharmacology

Cardiovascular system SP1
Central nervous system SP2
Other physiological systems SP3

Pharmacokinetics

Storage, distribution, fate PK1
Synthesis, metabolism PK2
Uptake, release PK3

Clinical Pharmacology, Experimental

Therapy CP

Chemotherapy CT

Miscellaneous M

Autopharmacology

Adrenergic, cholinergic transmission AP1
Histamine, kinins, prostaglandins, etc. AP2
Hormones AP3

Drug Mechanisms

Molecular, cellular, biochemical,
biophysical DM1
Receptors, antagonism, potentiation,
tolerance DM2

Pharmacometrics PM

Psychopharmacology PP

Toxicology TX