

# BROADCAST<sup>®</sup> engineering

April 1

YOU'VE  
GOT  
WHAT IT  
TAKES




**Convention special**





Model  
VP 1603



Model  
2442




Model  
1642



Model  
ST 160

# Standards for the world



Model 9032

# ADM<sup>®</sup>

*The Audio Company*

ADM Technology, Inc., 1626 E. Big Beaver Road, Troy, MI 48084. Phone: (313) 524-2100. TLX 23-1114  
WEST CENTRAL SALES (817) 467-2990 WEST COAST SALES (415) 945-0181 MAIN OFFICE AND EAST COAST SALES (313) 524-2100

## VISIT US AT BOOTH 1223



# Midwest can put any show on the road

Whether you need a 47-foot teleproduction unit, an ENG Van, or something in-between, Midwest has the expertise to put your show on the road.

With over 20 years experience, we have the knowledge required to do the job right. Using a systems approach, we design a unit to meet your specifications. Then we equip it with the best available products from the industry's leading manufacturers.

From our standard models to our custom-designed units, everything we build is engineered to produce high quality results under even the most adverse conditions. And we deliver them on time and on-budget.

Finally, as the largest supplier of video components in the nation, Midwest has a complete inventory of the equipment you need.

If you would like more information on how to get your show on the road with the right mobile unit for you, contact Midwest, toll-free at (800) 543-1584.



Mobile Unit Group

One Sperti Drive  
Edgewood, KY 41017  
606-331-8990

Circle (2) on Reply Card

Cincinnati, OH 606-331-8990	Bristol, TN 615-968-2289
Columbus, OH 614-476-2800	Nashville, TN 615-331-5791
Dayton, OH 513-298-0421	Charleston, WV 304-722-2921
Cleveland, OH 216-447-9745	Virginia Beach, VA 804-464-6256
Pittsburgh, PA 412-364-6780	Washington, DC 301-577-4903
Detroit, MI 313-689-9730	Charlotte, NC 704-399-6336
Indianapolis, IN 317-251-5750	Atlanta, GA 404-875-3753
Louisville, KY 502-491-2888	Miami, FL 305-592-5355
Lexington, KY 606-277-4994	Tampa, FL 813-885-9308



# BROADCAST<sup>®</sup> engineering

*The journal of broadcast technology*

April 1984 • Volume 26 • No. 4

## 1984 NAB CONVENTION SPECIAL

- 23 **NAB-'84/Las Vegas**  
By the BE staff
- 26 **Engineering Conference of NAB-'84/Las Vegas: Bigger than ever**  
By Ed Williams, staff engineer, National Association of Broadcasters, Washington, DC
- 42 **NAB exhibit profile: Sony Broadcast**
- 46 **NAB-'84/Las Vegas exhibitor roundup**
- 200 **NAB-'84/Las Vegas convention exhibitor guide**
- 218 **NAB-'84/Las Vegas product directory**

## OTHER FEATURES

- 254 **Conversations**  
An interview with Bob Ricci, president, United Media, Anaheim, CA
- 258 **Plant tour: Cetec Antennas**  
By Jerry Whitaker, radio editor
- 282 **The videodisc revolution**  
By Arthur Schneider, A.C.E., BE post-production consultant, Agoura, CA
- 286 **NEC's new 3-chip CCD color camera**  
By Masao Mitsui, director of engineering, NEC America, Elk Grove Village, IL
- 298 **Audio crosspoint switching: A design example**  
By Bob Zavrel, applications engineer, Siliconix, Santa Clara, CA
- 304 **Frequency coordination put to the test**  
By Richard Rudman, BE spectrum management consultant, and chief engineer, KFWB Radio, Los Angeles, CA
- 306 **The Klystron: An old idea with new applications**  
By Merrald B. Shrader and Donald H. Priest, Varian Associates, EIMAC Division, Palo Alto, CA
- 314 **Updating FM facilities**  
By Jerry Whitaker, radio editor
- 323 **Field report: Studer A-810 tape recorder**  
By David Smith, chief project engineer, audio, Editel, New York, NY

## STATION-TO-STATION

- 331 **Adding blue-gun-only capability to the Sony PVM-1900**  
By Carl Armon, technician, WNEV-TV, Boston, MA
- 334 **Simple remote-control tally drivers**  
By Robert Ramsaur, engineer, KBYU-TV, Provo, UT


## DEPARTMENTS

- |  |                                 |
|--|---------------------------------|
| 4 <b>News</b>                                  | 16 <b>Satellite update</b>      |
| 6 <b>FCC update</b>                            | 78 <b>Calendar</b>              |
| 10 <b>Editorial</b><br>We've got what it takes | 274 <b>Feedback</b>             |
| 10 <b>Coming events</b>                        | 336 <b>Business</b>             |
| 12 <b>Associations</b>                         | 343 <b>People</b>               |
| 14 <b>AM stereo update</b>                     | 346 <b>Index of advertisers</b> |
|  | 348 <b>Classified ads</b>       |

©Copyright 1984, by Intertec Publishing Corporation. All rights reserved. Photocopy rights: Permission to photocopy for internal or personal use is granted by Intertec Publishing Corp. for libraries and others registered with Copyright Clearance Center (CCC), provided the base fee of \$2.00 per copy of article is paid directly to CCC, 21 Congress St., Salem, MA 01970. Special requests should be addressed to Cameron Bishop, publisher.

ISSN 0007-1994. \$2.00 + 0.00.

BROADCAST ENGINEERING (USPS 338-130) is published monthly by Intertec Publishing Corporation, 9221 Quivira Road, P.O. Box 12901, Overland Park, KS 66212-9981. Postmaster, return form 3579 to P.O. Box 12938 at the above address.



**THE COVER** this month is adapted from NAB brochures promoting this year's greatest broadcast equipment show: NAB-'84/Las Vegas. The 62nd Annual Convention and International Exposition's theme is "You've Got What It Takes," recognizing that, in an election year, voters have the power to elect candidates who represent their views.

As BE goes to press, the NAB has not completed its brochure cover plans. So, we adapted the initial drawings to produce this cover. The rotating world denotes the convention's worldwide scope that makes it exciting and successful.

## NAB-'84/Las Vegas

- April 29-May 2
- Las Vegas Convention Center


**NAB CONVENTION GUIDE**—Most of this issue is devoted to pre-show coverage of NAB-'84/Las Vegas. Extensive research went into compiling data from manufacturers exhibiting at this year's convention to make our exclusive coverage as detailed and complete as possible. The results, in terms of articles and special sections, can be seen in the contents listing to the left. This special coverage will help attendees plan for the show or make it easy to obtain data on new products for those who cannot make it to Las Vegas this year. In any event, look for BE's extensive wrap-up in our June and July issues.

**NEXT MONTH** marks BE's 25th anniversary of serving broadcasters around the world. Besides our usual offering of departments and articles, we will review some highlights of this dynamic, changing era of broadcasting.



# Comark's "S" Series UHF Television Transmitters

*Simply Superior*



10kW/30kW/55kW model shown

**Integrating high efficiency, reliability and low cost, each model incorporates state-of-the-art technologies to achieve a unique combination of unparalleled features:**

- External cavity, full-band, field proven, klystron power amplifiers, combining highest efficiency and compact size.
- Broadband (no tuning), high power, Exciter System, featuring dual channel (redundant) operation as well as Comark's CM-100S Broadcast Modulator with IF S.A.W. filter.
- Space efficient, mechanical and electrical layouts, fully engineered for maximum EMI/RFI isolation and overall operator convenience.
- Fiber optic telemetry for all floating high voltage metering functions, incorporated into a complete, remote control-compatible, latched fault and status display system.
- Clean, fully isolated, high voltage compartments, with double-filtered air cooling and front access. (No exposed high voltage in klystron areas.)

Comark's "S" Series transmitters are available from 10kW through 220kW with advanced system options, including beam current pulsers, motorized RF switching systems, E.D. and ICPM correction systems, and the services of Comark's 24-hour field operations group.

*Simply Superior*

**COMARK**

Circle (3) on Reply Card

Engineering  
and Sales Offices  
PO. Box 275  
Colmar, PA 18915  
(215) 822-0777  
Telex: 84-6075

International Headquarters  
PO. Box 229  
Rt. 57, Feeding Hills Road  
Southwick, MA 01077  
(413) 569-5939



## Study predicts 8 million LPTV households by 1990

By 1990, some 8 million TV households will be receiving broadcast service via low power television. Of these households, 75% will receive advertiser-supported service, while the remaining households will subscribe to some form of pay LPTV.

These are the main conclusions of a recent study, "Low Power Television: Will it Take Off by 1990?" The study was prepared by Michael Couzens for the New TV Reporter, a broadcast technology newsletter. Couzens, a former FCC staffer who headed the commission's LPTV inquiry, currently practices law in San Francisco.

The heyday of LPTV construction will be during 1986 and 1987, according to the study. By the end of 1987, some 1370 stations are forecast to begin operations. By 1990, the station count is predicted to reach 2000.

Adequate broadcast spectrum is available to accommodate an average of two stations through the Top 50 markets, and an average of four in the second 50 markets numbered 51-100. The markets from 101-200 can accommodate an average of six new LPTV stations. Station growth is predicted to approach these limits by 1990 in the Top 200 markets, resulting in 750 new stations.

The remainder, or 1250 stations, are expected to start up in smaller communities, outside the Top 200. The new station estimate includes upgrading of approximately 500 conventional TV translator station repeaters.

In its analysis of competitors, the study said that the largest single obstacle to LPTV development by 1990 will be the difficulty of configuring multichannel LPTV sta-

tions under common management. Cable Television (CATV), direct broadcast satellites (DBS) and multipoint distribution service (MDS) all will be offering multichannel services. The study concludes that LPTV will enjoy higher circulation, but lower revenues, than either DBS or MDS by 1990.

Copies of the study are available for \$10 from the New TV Reporter, P.O. Box 421956, San Francisco, CA 94142.

## Whitaker to speak at NAB '84

Jerry Whitaker, BE radio editor, will deliver a technical paper titled "Transient Overvoltages...Their Causes and Cures," during the upcoming NAB Convention to be held April 29-May 2.

His presentation will include a detailed analysis of the problems faced by broadcasters due to power company voltage surges and the damage that can be caused by such electrical disturbances at radio and TV facilities. Special emphasis will be placed on the methods available to broadcasters to protect sensitive transmission and computer-based equipment. To further the industry's understanding of the overvoltage problem, Whitaker will write a chapter on ac voltage power supplies and power conditioning for the soon-to-be-released Seventh NAB Engineering Handbook.

Whitaker also is scheduled to speak at the upcoming Ohio State University Engineering Conference (July 17-19) and will present a special engineering paper titled "Writing for Technical Publications."

Continued on page 338

## BROADCAST<sup>®</sup> engineering

Editorial and advertising correspondence should be addressed to: P.O. Box 12901, Overland Park, KS 66212-9981 (a suburb of Kansas City, MO); (913) 888-4664. Telex: 42-4156 Intertec OLPK. Circulation correspondence should be sent to the above address, under P.O. Box 12937.

### EDITORIAL

Bill Rhodes, *Editorial Director*  
Carl Bentz, *Television Editor*  
Jerry Whitaker, *Radio Editor*  
Nils Conrad Persson, *Electronics Editor*  
David Hodes, *Video Editor*  
Miguel Chivite, *International Editor*  
Fred Ampel, *Audio Editor*  
Rhonda L. Wickham, *Managing Editor*  
Karen Arnhart Booth, *Associate Editor*  
Jane Cigard, *Editorial Assistant*  
Tom Cook, *Editorial Assistant*  
Julie Woods, *Editorial Assistant*  
Pat Blanton, *Directory Editor*

### ART

Kevin Callahan, *Art Director*  
James Sen Clark, *Senior Graphic Designer*

### TECHNICAL CONSULTANTS

John H. Battison, *Antennas/Radiation*  
Blair Benson, *TV Technology*  
Dennis Ciapura, *Technology*  
Dane E. Ericksen, *Systems Design*  
Howard T. Head, *FCC Rules*  
Wallace Johnson, *FCC/Bdct. Engineering*  
Donald L. Markley, *Facilities*  
Harry C. Martin, *Legal*  
Robert J. Nissen, *Studio/Communications*  
Hugh R. Paul, *International Engineering*  
Richard Rudman, *Spectrum Management*  
Art Schneider, *A.C.E., Post-production*  
Elmer Smalling, III, *Cable Systems*  
Vincent Wasilewski, *Communications Law*

### CORRESPONDING ASSOCIATIONS

American Society of TV Cameramen  
Assn. for Bdct. Engr. Standards  
National Association of Broadcasters  
National Radio Broadcasters Assn.

### CIRCULATION

John C. Arnst, *Director*  
Evelyn Rogers, *Manager*  
Dee Manies, *Reader Correspondent*

### ADMINISTRATION

R. J. Hancock, *President*  
Cameron Bishop, *Publisher*  
Eric Jacobson, *Associate Publisher*

### ADVERTISING

Dee Unger, *Advertising Supervisor*  
Mary Birnbaum, *Production Manager*

Regional advertising sales offices listed near the Advertisers' Index.

Member,  
American Business Press

Member,  
Business Publications  
Audit of Circulation

**BROADCAST ENGINEERING** (USPS 338-130) is published monthly by Intertec Publishing Corporation, 9221 Quivira Road, P.O. Box 12901, Overland Park, KS 66212-9981. Postmaster, return form 3579 to P.O. Box 12938 at the above address.

**BROADCAST ENGINEERING** is edited for corporate management, engineers/technicians and other station management personnel at commercial and educational radio and TV stations, teleproduction studios, recording studios, CATV and CCTV facilities and government agencies. Qualified persons also include consulting engineers and dealer/distributors of broadcast equipment.

**SUBSCRIPTIONS: BROADCAST ENGINEERING** is mailed free to qualified persons in occupations described above. Non-qualified persons may subscribe at the following rates: United States, one year, \$25; all other countries, one year, \$30. Back issue rates, \$5, except for the September Buyers' Guide issue, which is \$15. Rates include postage. Adjustments necessitated by subscription termination at single copy rate. Allow 6-8 weeks for new subscriptions or for change of address. Controlled circulation postage paid at Shawnee Mission, KS.



©1984. All rights reserved.  
Intertec Publishing Corp.

### ADVERTISING SALES OFFICES

#### NEW YORK, NEW YORK

Joe Concerti,  
Phone: (212) 682-6630  
Stan Kashine  
Phone: (212) 687-4128  
630 Third Ave., Eighth Floor  
New York, NY 10017

#### SANTA MONICA, CALIFORNIA

Herbert A. Schliff,  
Schliff & Associates  
1408 Santa Monica Mall, Suite 200  
Santa Monica, CA 90401  
Phone: (313) 393-9285

#### KANSAS CITY, MISSOURI

Jan Winters,  
P.O. Box 12901, Overland Park, KS 66212  
Phone: (913) 888-4664

#### AMSTERDAM, HOLLAND

John Ashcraft & Co., John J. Lucassen,  
Akerdijk 150A, 1171 PV-Badhoevedor,  
Holland  
Phone: 0-2968-6226  
Telex: 18406 HARKE NL

#### NORWOOD, AUSTRALIA

Hastwell, Williamson, Rouse Pty. Ltd.  
P.O. Box 419  
Norwood 5067, Australia  
Phone: 332-3322  
Telex: AA87113


#### LONDON, ENGLAND

John Ashcraft & Co., John Ashcraft,  
12 Bear Street  
Leicester Square, London WC2H 7AS  
England  
Phone: 930-0525  
Telex: 895-2387

#### TOKYO, JAPAN

Haruki Hirayama  
EMS, Inc.,  
Sagami Bldg., 4-2-21, Shinjuku,  
Shinjuku-ku, Tokyo 160, Japan  
(03) 350-5666  
Cable: EMSINCPERIOD  
Telex: 2322520 EMSINCJ





ACTUAL SIZE

## Two Leaders with an important following.

Check the racks of the industry's leaders, and you'll find Leader instruments. At ABC, Sony Broadcast, Reeves, Zenith, HBO, RCA, A.F. Associates, Group W, ATC, Midwest Corporation, and NBC, to name a few... where quality is paramount, Leader has been their choice.

**You could pay more for others. But you'll get more from Leader.**

For instance, our half-rack LBO-5860A Waveform Monitor is the only one that lets you select

lines 14-21 (fields 1 and 2) from the front panel. And there's an L model that shows you lines 7-21 for coding information, too. Our half-rack LVS-5850B Vectorscope is the perfect mate, with selectable, electronically-generated targets\* that can be read from across the room. Electronically-generated targets also provide the highest level of measurement accuracy, even if you misalign the CRT center dot. It also has an internal etched graticule, and gives a VITS display with strobe input.

### More than just competitively priced.

The convenience of viewing both vector and waveform displays simultaneously gives you uninterrupted monitoring capability.

Top broadcasters rely on Leader quality. It's backed by a two-year warranty (including CRT's) and factory service depots on both coasts.

Ask for a catalog of our waveform monitors, vectorscopes, signal generators and other instruments; an evaluation unit, and the name of your nearest "Select" Leader distributor.

Call toll-free  
**(800) 645-5104**

In New York State  
**(516) 231-6900**

For professionals  
who  
know  
the  
difference.

**LEADER**  
Instruments Corporation

380 Oser Avenue  
Hauppauge, New York 11788  
Regional Offices:  
Chicago, Dallas, Atlanta,  
Los Angeles, Boston  
In Canada call Omnitronix Ltd.  
(514) 337-9500



April 1984

Harry C. Martin, partner, Reddy, Begley & Martin, Washington, DC



## New US-Canada

## AM broadcasting agreement signed

On Jan. 17, 1984, a new bilateral AM agreement with Canada was signed in Ottawa. The new agreement establishes standards and procedures that henceforth will govern the protection that the United States and Canada provide to each other's AM broadcasting services. It supersedes the North American Radio Broadcasting Agreement (NARBA) insofar as the United States and Canada are concerned.

The agreement incorporates a plan that includes all the AM assignments the United States and Canada have recorded as notified and accepted under NARBA, plus a list of approximately 650 additional AM assignments on the 32 channels that under NARBA had been classified as US and Canadian Class I-A clear channels (25 US and seven Canadian).

The mutual adjustments that made it possible to develop the list of protected new assignments have necessitated some modifications of the facilities proposed by both the United States and Canada. US applicants concerned were informed during the negotiations, and have consented to such modifications. The administrations of both countries wish to proceed further with carrying out the needed adjustments before the channels in question are opened up to the submission of further applications. This means that the freeze on the filing of applications for unlimited-time stations on the 25 US Class I-A clear channels will remain in effect for another six months. However, this freeze does not apply to applications for construction permits that are mutually exclusive with applications for license renewal, nor to mutually exclusive applications that are timely filed in response to cutoff lists.

Similarly, Canada has agreed to defer for six months the notification of assignments on the US clear channels and, to permit orderly transition to the newly agreed basis for the assignment by the United States and Canada of unlimited-time stations on each other's Class I-A clear channels, both countries also will defer for the same period the notification of new

assignments on the seven Canadian Class I-A clear channels: 540kHz, 690kHz, 740kHz, 860kHz, 990kHz, 1010kHz and 1580kHz. This will not affect the continuing opportunity to apply for stations on these seven channels in locations more than 650 miles from the United States-Canada border.

Also, the new agreement permits post-sunset operation by US daytime stations for the first time, liberalizes the protection standards for pre-sunrise operations, and opens the way for a general nighttime power increase from 250W to 1000W for Class IV stations. The commission already has begun to implement the pre-sunrise and post-sunset arrangements and has issued a rulemaking notice concerning Class IV power increases.

## Repeal of regional concentration of control rules proposed

In a Notice of Proposed Rulemaking issued in January, the FCC proposed eliminating rules that prohibit any party from owning, operating or controlling three commercial AM, FM or TV stations in cases in which any two stations are located within 100 miles of the third and there is primary service contour overlap between any of the stations.

These rules, which were adopted by the FCC in 1977 to eliminate the need for case-by-case resolution of regional concentration of control issues, have proved neither accurate nor consistent in identifying circumstances likely to involve concentrations of control. The commission said it thinks that the current rule may impose substantial and counterproductive costs on the broadcast industry. For example, restricting multiple ownership in the same region may preclude the realization of economics of scale and operational efficiencies that might permit the production and presentation of new programming, the improvement of existing facilities or even the activation of unused allocations.

Also, the commission said that there has been substantial growth in the number and variety of media outlets in recent years. Since 1977, when the

rules were adopted, competition in the communications marketplace has been significantly heightened by the development of new technologies. This trend is expected to continue and expand with the introduction of low power television, new multichannel MDS and direct broadcast satellite services. These developments strongly suggest a need to re-evaluate the assumptions on which the regional ownership limitations were based.

The commission is asking for comments on the adequacy of the current rule, the impact of the growth of new media outlets on the diversity of voices and levels of competition in regional markets, and whether the rules should be changed or eliminated.

**Common carrier applications accepted**

The commission now is accepting applications from FM broadcast licensees wishing to offer common carrier services on their SCAs. Such services were authorized specifically in the SCA deregulation order in BC Docket No. 82-536.

The commission said that stations wishing to file applications (on Form 401) for common carrier authorizations at this time should be prepared to amend them, if necessary, in the event the deregulation order is changed on reconsideration.

## Cuban interference issue addressed

The FCC has released a Notice of Proposed Rulemaking regarding payments by the United States Information Agency to AM stations in the United States for expenses incurred in mitigating the effects of Cuban interference. To implement this program, the commission is seeking to establish standards in three areas:

- identifying a threshold level of interference that would trigger eligibility for compensation;
- specifying the types of expenses that would be compensable; and
- setting up procedures to be followed to obtain compensation.

Because attempts to negotiate a solution to interference problems with Cuba have proved unsuccessful, the commission has issued special temporary authorizations to affected stations permitting power increases and alterations in directional patterns to restore service to at least parts of their normally protected interference-free areas lost to Cuban interference. The Radio Broadcasting to Cuba Act, effective Oct. 1, 1984, contemplates providing compensation to licensees that have made changes for this reason.

1:7:~))))




# If you like BetaCam or M recorders and RGB cameras, you'll love our component video switcher.

Until now, your entire component system had to be the same format as your switcher. But Grass Valley Group has changed all that.

Our revolutionary 1600 Component Video Switchers handle all three formats — RGB, M and BetaCam. Simultaneously. Plus any future formats using R-Y, B-Y or I,Q axes. Each input and output can be any format you'd like. So your cameras, character generators and recorders don't have to speak the same language.

Talk to us about our new 1600 Component Video Switchers. They're what you've been waiting for.

**Grass Valley Group**  
A TEKTRONIX COMPANY



Grass Valley Group  
1600 Component Video Switchers.  
Speak RGB, M and BetaCam.  
Simultaneously.

THE GRASS VALLEY GROUP, INC.\* - P.O. Box 1114 - Grass Valley, California 95945 USA - Telephone (916) 273-8421 - TRT: 160432  
OFFICES: Edison, NJ (201) 549-9600 - Atlanta, GA (404) 321-4318 - Elkhart, IN (219) 264-0931 - Arden Hills, MN (612) 483-2594  
Fort Worth, TX (817) 921-9411 - Woodland Hills, CA (818) 999-2303 - Palo Alto, CA (415) 968-6680

Circle (6) on Reply Card

# SUPER PERFORMANCE from

## Midwest delivers for TBS


When TBS wanted a second fully-equipped mobile production unit, they chose Midwest Corporation, the company with the reputation for meeting every challenge in the field. From 47 foot teleproduction units to ENG vehicles, Midwest can custom-design a mobile system that insures network quality production in the most difficult locations. For TBS's wide-ranging sports and news coverage, Midwest used its M40 Series to develop the SuperTruck, 44

feet of unparalleled technical and production potential.

Large enough to cover any sports or major news event, it's stocked with state of the art video and audio equipment, from companies like Ikegami, Grass Valley and Ampex. Because only the finest equipment is utilized, everything Midwest builds has an amazing track record for enduring the demanding conditions of on-location shoots. TBS noticed, and moved to Midwest. For more information on how to keep your show on the road, call toll-free, today. (800) 543-1584.



**Mobile Unit Group  
One Sperti Drive  
Edgewood, Kentucky 41017  
(606) 331-8990  
Telex 21-4370**



## Turner Broadcasting System

SuperStation WTBS  
Cable News Network  
TBS Sports

Designed and  
Constructed by





# SUPER COMPANIES

## TBS delivers for you

To catch the action of a play-off game or a major news event, even a SuperStation needs the ability to keep its show on the road. So TBS asked Midwest to design a second mobile production unit that meets three criteria: First, it's large enough to handle any on-location assignment from a major sporting event to a live concert to a presidential visit. Second, with its equipment specifications it produces the finest results in the industry, and finally, it's ready for lease on an as available basis. Midwest's solution is the 44 foot SuperTruck II. When SuperTruck II goes on

the road, it will cover the assignment with:

- Five (5) Ikegami HK-357 Cameras with Fujinon 44:1 Lenses
  - Two (2) Ikegami HL-79 Cameras with Fujinon 17:1 Lenses
  - 24 Input Grass Valley 300/3A Production Switcher
  - Three (3) Ampex VPR-2B One Inch Slo-Mo Tape Machines
  - Abekas Still Store System
  - Solid State Logic Triple Stereo Audio Console
  - Ampex ADO Digital Effects Unit
  - Chyron 4100 Graphics Generator
- With two "SuperTrucks" TBS has increased its ability to generate a wide range of programming from sporting events to documentaries. In addition, TBS can lease one of its units for your

assignment that requires network quality. So for that major assignment in the field, put a SuperTruck on the road for you.



Turner Broadcasting System  
Dick Dodson  
Manager  
1050 Techwood Drive  
Atlanta, Georgia 30316  
(404) 827-1717

TBS's SuperTruck will be on display at NAB '84 at the Midwest Corporation booth.

Circle (7) on Reply Card



## We've got what it takes

As we head into what appears to be another record-setting convention at NAB-'84/Las Vegas, we sense an unusual air of excitement. In part this may be attributed to the show's first politically oriented theme: "You've Got What It Takes." But that is only part of the picture.

Some careful thought unveils multiple implications behind this year's theme:

- As voters, we have the power to elect candidates who best represent our views on critical issues.
- As broadcasters, we have the most effective communications tool to reach out to the public and encourage them to turn out in record numbers to exercise their voting privilege.
- As broadcasters, we have the communications power to help shape and form public opinion on candidates and issues.
- As broadcasters, we have the most effective communications channels to provide early, rapid reports on election returns and trends.

This final point already is surfacing to cloud the 1984 political arena. Congressional hearings have been held to consider muzzling broadcasters to keep them from projecting election results before the polls are closed nationwide. Rep. Timothy Wirth (D-CO), chairman of the House Subcommittee on Telecommunications, Consumer Protection and Finance, has spearheaded efforts to constrict broadcasters, but so far has not been successful. This problem of projecting election results emerged dramatically in 1980 when the networks predicted that Ronald Reagan would win some three hours ahead of the closing of polls on the West Coast. Compounding the situation, President Jimmy Carter conceded defeat while much of the nation was still voting.

The NAB-'84/Las Vegas convention will help broadcasters begin to perfect their communications and sales tools for riding the tide of politics in this election year. The program is loaded with sessions and panels focusing on what broadcasters can and cannot do in a deregulated environment.

But the convention is just a starting point. NAB plans to provide member stations with how-to kits that detail voter activities across the country, offer suggestions that have worked for other stations, show how to use the campaign as a promotional tool and identify source/location of election-year material.

It is easy to get wrapped up in new equipment at the annual NAB show. But, at NAB-'84, let us not lose sight of our show theme. Indeed, we do have what it takes. So, let us take what we have and put it to maximum use, but with the attitude of service and responsibility that makes broadcasting the greatest communications media on earth.

!:-?~:))))))

## coming events

**April 29-May 2**  
NAB 62nd Annual Convention, Las Vegas, NV

**May 3-6**  
ITVA, Las Vegas, NV

**May 12-15**  
Audio Engineering Society (AES), Anaheim, CA

**May 20-23**  
Broadcast Financial Management Association (BFMA) 24th Annual Conference, New York, NY

**May 30-June 2**  
American Women in Radio and Television 33rd Annual Convention, Chicago, IL

**June 3-6**  
National Cable Television Association (NCTA) Annual Convention, Las Vegas, NV

**June 10-15**  
Broadcasters Promotion Association (BPA) 27th Annual Seminar and Broadcast Association, Las Vegas, NV

**June 24-27**  
CCBA Convention

**Aug. 26-29**  
NAB Radio Programming Conference, Atlanta, GA

**September/October**  
LPTV East

**Sept. 6-8**  
Southern Cable TV Association, Atlanta, GA

**Sept. 16-19**  
NRBA Annual Convention, Los Angeles, CA

**Sept. 20-21**  
IEEE 34th Annual Broadcast Sym-

posium, Washington, DC

**Sept. 21-25**  
International Broadcasting Convention (IBC), Brighton, England

**Oct. 8-11**  
AES 75th Technical Meeting & Exhibits, New York, NY

**Oct. 27-Nov. 3**  
SMPTE 126th Annual Conference, New York, NY

**Oct. 28-Nov. 1**  
Scientific-Atlanta Earth Station Seminar

**Dec. 3-5**  
Radio Television News Directors Association (RTNDA) International Conference, San Antonio, TX

**Dec. 5-7**  
Western Cable Show, Anaheim, CA

!:-?~:))))))



# BRILLIANCE



The richness of sounds produced in their fullest natural intensity. Richness captured through outstanding signal-to-noise with minimal distortion characteristics. Richness resulting in a video tape of exceptional brilliance. Ampex 197.

**AMPEX**

Ampex Corporation • One of The Signal Companies

Circle (8) on Reply Card

**AMPEX**  
**197**

PROFESSIONAL BROADCAST videocassette 

Ampex Corporation, Magnetic Tape Division, 401 Broadway, Redwood City, CA 94063, (415) 367-3800



**National Association  
of Broadcasters**

1771 N Street, NW  
Washington, DC 20036  
202-293-3570

## **UHF reassignment proposal for private land mobile use opposed**

In comments filed with the FCC, the NAB has opposed a supplemental petition for rulemaking of the Los Angeles County Sheriff's Department to reassign UHF TV Channel 19 for public safety land mobile use and to re-allocate Channels 14-20 in the largest urban markets. NAB has requested that the commission not institute a rulemaking on the sheriff's petition and, instead, consider proposals to meet public safety land mobile needs through new technologies and advanced spectrum management techniques.

NAB said that the lifesaving and emergency communications needs of the LA County Sheriffs would not be well-served because of the high potential for interference caused by lawful UHF TV transmissions. Furthermore, Channel 19 reassignment could create undue interference to UHF TV reception in the Los Angeles area.

The association said that the future expansion of both full-power and low power UHF television would suffer, as would programming diversity, if reallocation of Channels 14-20 in the largest urban markets became a reality. The proposal that UHF television use reallocated channels on a secondary basis is impractical and inconsistent with the Communications Act, NAB said.

The filing also said that changing the existing UHF TV taboos would serve neither the interests of the LA Sheriff's Office nor the public, and that their proposed elimination in favor of encouraging improved receiver technology should be evaluated realistically in the context of the present UHF marketplace.

## **FCC asked to correct FM translator abuses**

Edward O. Fritts, NAB president, has asked the chairman of the FCC, Mark Fowler, to take action to correct FM translator violations. In a letter to Fowler, Fritts cited a resolution passed by NAB's Radio Board of Directors calling for the FCC to rectify a nationwide pattern of translator abuses.

He said several FM translators are violating commission rules that limit program origination to 30 seconds/hour and the agency's policy that restricts the airing of advertising matter only to those translator licensees that are legitimate community groups. He also said there is concern that several translators are receiving programs via microwave and/or satellite feeds—program sources not allowed under existing regulation.

The NAB president asked that the public, translator licensees and current and potential translator applicants be alerted to the commission's requirements and the penalties for violations.

## **Reliance on support facilities to be determined by NAB survey**

The NAB is conducting a mail survey to determine how broadcasters rely on various telecommunications facilities, such as telephone, microwave and satellite systems, to reach the public. All TV stations and more than 2000

Continued on page 341

## **A partial 1983 list of broadcast industry leaders who've "captured sound" with Neve:**

NBC

CBS

WNEW-TV New York

WCVB Boston

ESPN

Reeves Teletape

KTTV

Radio Quebec

University of Montreal

WKYS-FM

## **What they've said about Neve:**

"Great sound, ease-of-operation, reliability and little or no downtime are just some reasons why we chose Neve."

—Joe Commare, Director of Remote Engineering, ESPN, Connecticut

"When our clients walk in and see that we have a Neve, they are very happy."

—Bob Alexander, VP Engineering, Reeves Teletape, New York City

# Neve

Circle (9) on Reply Card



A close-up photograph of a woman with dark hair and bangs, looking directly at the camera. She is holding a large, light-colored seashell to her right ear. The background is a bright, clear blue sky. The overall tone of the image is warm and natural.

# Capture sound at its purest.

Hold a seashell to your ear and hear nature's pure and natural sound. Compare it to the final sound produced by a Neve. You'll begin to understand why Neve is far and away the most respected name in audio mixing.

The Neve sound is so pure and natural, one might suspect that nature herself had a hand in the design. Perhaps. Not every engineering achievement can be explained away. There are mysteries in nature, just as there are mysteries man-made.

Some suggest that Neve's unique Formant Spectrum Equalizers account for its unparalleled sound by taking into account the psycho-acoustic properties of voice and music while satisfying the critical demands of balance engineers. Others claim it's superior technical performance, novel circuitry, or high quality components.

All agree on one thing: To capture sound at its purest, aspire to Neve.

For further information, call us, or write.

## Aspire to Neve

RUPERT NEVE INCORPORATED: Berkshire Industrial Park, Bethel, Connecticut 06801 (203) 744-6230 Telex 969638 • 7533 Sunset Blvd., Hollywood, California 90046 (213) 874-8124 Telex 194942 • RUPERT NEVE OF CANADA, LTD. represented by: Manta Electronics Group, 204 King St. East, Toronto, Ontario M5A 1J7 Canada (416) 868-0513 Telex 06-986766 • Sonotechnique, 2585 Bates, Suite 304, Montreal, P.Q. H3S 1A9 Canada (514) 739-3368 Telex 055-62171  
NEVE ELECTRONICS INTERNATIONAL, LTD: Cambridge House, Melbourn, Royston, Hertfordshire, SG8 6AU England Phone (0763) 60776  
RUPERT NEVE GmbH: 6100 Darmstadt Bismarckstrasse 114, West Germany Phone (06151) 81764.

Circle (10) on Reply Card

[www.americanradiohistory.com](http://www.americanradiohistory.com)





### NAB looks at AM stereo

The status of AM stereo probably will be a hot topic once again at this year's NAB convention. An engineering session devoted to AM stereo has been scheduled for 4:30-6:30 p.m. on Tuesday, May 1. The session will be chaired by Mike Rau of the NAB, and will consist of a panel discussion on the status of AM stereo development and implementation. Panelists will include representatives from the FCC, various receiver and transmitter manufacturers, and attorneys. Proponents of each system will be invited to be present in the audience.

Another engineering topic scheduled for NAB '84 of interest to AM stations now operating in stereo, or planning to convert to stereo, is scheduled for Saturday, April 28. The paper, titled "Broadbanding Directional Antenna Systems for AM Stereo," will be delivered as part of a radio

engineering session set for Saturday afternoon.

### Convention to feature equipment/demonstrations

AM stereo equipment manufacturers will be out in force at the convention again this year. Most companies plan to exhibit working systems on the convention floor, and outside demonstrations are planned by some proponents. Motorola, for one, will show its C-QUAM system in operation using 1984 Buick automobiles equipped with Delco AM stereo receivers.

The convention will see some new entries into the AM stereo equipment manufacturing group, including Time and Frequency Technology, Broadcast Electronics and Delta Electronics. Delta recently received type acceptance from the FCC for its C-QUAM (Motorola) exciter and

modulation monitor.

New developments are expected at the convention in the AM stereo receiver field, which also should be of interest to stations involved in, or planning to convert to, stereo operation. Several receiver manufacturers have said that they plan to begin offering new AM stereo/FM stereo receivers to consumers in the near future. It is expected that these new entries into the AM stereo receiver market will give a substantial push to the move to get stereo AM radios into the hands of the listening public.

### Kahn introduces stereo converter

Kahn Consumer Products has announced agreement with several AM stereo broadcasters to purchase and promote its new AM stereo adapter product that will convert any Motorola-only AM stereo car radio to a multimode receiver. The new All Four converter is designed to receive stereo broadcasts from any of the four FCC type-accepted AM stereo systems. Kahn said that the adapter, which will connect to a C-QUAM (Motorola single-mode) automobile receiver in a manner similar to the FM converters of 10-20 years ago, will cost less than \$10 each in large quantities

Continued on page 252

## Now Your Station Can Try An Eventide H949 Harmonizer®

**FREE For 30 Days . . . With No Obligation.**

### • LIMITED TIME OFFER

For some time, we've been telling you why your station should own an Eventide H949 Harmonizer. Hundreds of stations have gotten the message. But if you're still "on the fence" . . . here's the offer you've been waiting for. Order an H949 Harmonizer from an authorized Eventide dealer by May 31, 1984. Try it for thirty days at your station. If you don't agree that the H949 is the most versatile audio production tool you've ever used . . . just send it back to your dealer and tear up the bill.\*

### • WHY YOU SHOULD TAKE US UP ON THIS OFFER

We're sure that once you get your hands on an Eventide Harmonizer, you'll find it irresistible. The H949 is a complete audio special effects department in a single box. Pitch change capabilities create new voices instantly. You can get variable delays, echo and reverb effects. Double tracking and chorus effects are available. For really way out sounds, there's time reversal and infinite repeat. The H949 is a super flanger, too. And the H949 can do more than one effect at a time. Combinations of the various effects, as well as variable mixes and recirculation of output/input let you create an infinite number of new vocal, musical and sound effects.

### • IT'S A TIME COMPRESSION SYSTEM, TOO

Best of all, the H949 is a complete audio time compression system. You get the audio time compression and expansion capabilities of competitive single-purpose units costing well over twice as much. You can even control a VTR, by adding our

economical PTC960 control module.


### • BRINGS OUT YOUR STAFF'S CREATIVITY

When your station's H949 trial begins, you'll find that the Eventide Harmonizer brings out the creativity in people from every department at your station. The sales manager will discover an enticing tool for local commercial production. A clever air personality can create a whole roster of new characters. Your station's promotion director will have a field day, creating really distinctive promos, intros and custom jingles. News directors even use the H949 to protect the identities of confidential sources, by altering their voices. And the music director can use the H949 to create custom music mixes, even altering tempos.

### • DON'T MISS OUT

This thirty day no obligation free trial offer must end on May 31, 1984. So, if you've been reading our ads, and thinking about getting an Eventide H949 for your station, now's the time to act. Contact your Eventide dealer, or call Eventide for more information.

\*Offer limited to licensed U.S. radio and television stations, valid upon receipt of purchase order. Unit if returned must be in as-new condition, in original packing. Customer pays shipping. Trial offer limited to one unit per station.



**Eventide**  
the next step

One Alsan Way  
Little Ferry, N.J. 07643  
(201) 641-1200

Circle (11) on Reply Card





# THE TREND CONTINUES . . . CRL IS COVERING AMERICA WITH AM STEREO.



It all started in 1982 with the Delco test at WIRE in Indianapolis. CRL was asked to provide an AM Stereo processor. After months of research and testing and working with our customers on prototype models, CRL AUDIO is now shipping the SMP 900 AM Stereo Matrix Processor. The first production unit was installed at KFI in Los Angeles in September. The results were outstanding. Not only is the stereo sound exceptional, but the MONO signal

has never been better. Other customers, like WSM in Nashville (Home of the Grand Ole Opry), KSD in St. Louis, WSB in Atlanta, CFB in Canada selected the CRL system . . . along with many others.

Regardless of the type of exciter you use, CRL will improve your signal . . . in mono and stereo. Call **Bob Richards** at **(800) 535-7648** for our two week trial plan.

(602) 438-0888  
(800) 535-7648




THE PROCESSING SPECIALISTS

2522 W. Geneva Drive  
Tempe, Arizona 85282

**Circuit Research Labs, Inc.**

[www.americanradiohistory.com](http://www.americanradiohistory.com)

Circle (12) on Reply Card



# Satellite update

By John Kinik, satellite correspondent

## TV transmission techniques

TV transmission techniques for domestic satellite systems have remained similar over the past few years, because there has been no need to change. The basic FM transmission mode adopted for the Canadian Broadcasting Corporation (CBC) network via the Anik 1 satellite in 1973 was not optimal in terms of delivering the maximum possible performance, but it was adequate. The major growth that has occurred in cable television over the past eight years also has been based on the same transmission parameters, which were derived from practices used for terrestrial microwave links. The basic parameters that have been the satellite industry standard are as follows:

- video baseband: 4.2MHz;
- audio channels: subcarriers centered on 6.8MHz;
- maximum RF deviation: one-half of the available bandwidth less 4.2MHz (for example, 13.8MHz for 36MHz transponder);
- RF deviation by audio subcarrier: 2MHz;
- RF deviation by energy dispersal\*: 0.8MHz; and
- RF deviation by video baseband: 13.8MHz - 2.8MHz = 11MHz

These transmission parameters are extremely conservative regarding RF bandwidth occupancy because the model assumes a direct addition of all contributors to RF carrier deviation. Thus, the RF carrier deviation due to the video baseband has been limited by this assumption, which in turn limits the video signal-to-noise (S/N) ratio performance. A more realistic model would consider the video and audio contributors to RF deviation to be non-coherent, allowing a greater

video deviation (higher video level) and an overall link improvement of approximately 2dB in S/N. In fact, this has been demonstrated, in effect, over the years as signal originators have found that a larger number of audio subcarriers could be added to the composite video baseband without the degree of excess RF deviation that would be expected from the conservative transmission model. Even though this is true, the standard FM transmission method ultimately is limited by three factors:

- Audio subcarriers use up bandwidth, decrease video carrier-to-noise (C/N) and S/N, and are subject to color subcarrier interference problems.
- Video synchronizing signal is a waste of transmission capacity.
- The signals are susceptible to unauthorized reception.

Two major economic requirements in today's satellite broadcasting marketplace are changing the situation. One requirement is to protect pay TV signals from unauthorized reception by digital scrambling, and the other is to optimize transmission parameters to provide DBS-type services. Home Box Office (HBO) has announced plans to scramble its signals, and hardware to achieve this scrambling recently has been demonstrated. The technique used encodes the video and audio information digitally and also eliminates the need for transmitting the video synchronizing signal. Besides providing signal security, the technique promises to help C-Band and medium power Ku-Band satellite systems squeeze the maximum performance from their downlinks for the new DBS market.

A combination of optimized transmission parameters and digital signal processing at the receiver (to filter out C/N threshold effects) could provide an opportunity for C-Band DBS systems with antennas in the 4- to 6-foot diameter range, and could provide additional rain fade margin for medium power Ku-Band DBS systems. One such Ku-Band system already is in operation in the eastern United States (United Satellite Communications)

and HBO also is considering DBS delivery via C-Band satellites similar to Galaxy or medium power Ku-Band satellites.

FM transmission will remain an attractive technique for delivery systems in which signal protection and/or downlink optimization are not critical. This will be true for the majority of satellite TV signals in which the inherent cost-effectiveness of FM and the need to adhere to standard receiver technology are more important. In those cases, optimized video deviation may be used to maximize video S/N performance and to minimize interference from adjacent satellites, which will become a more significant problem as C-Band satellites are spaced 2° apart. One type of application in which optimized FM transmission will be used is broadcast-type video conferencing.

Recently, a number of companies have used 1-way TV transmissions (with voice return hookups) to conduct meetings with geographically scattered branch offices, instead of bringing representatives to the head office or a central location. A significant cost saving can be realized, and the 1-way mode is effective for such applications, particularly if no need exists to protect the programming from competitors. In fact, the technique is so popular that one major hotel chain is planning to provide such meeting services as part of its regular package to attract more business customers. Because large projection screens are used, optimization of video S/N is mandatory; the low definition 525-line NTSC video signal needs all the help it can get.


Various enhanced video transmission techniques are being developed to improve image definition on large screens and, in some cases, this will involve greater bandwidth requirements. New medium power Ku-Band satellites will offer transponder bandwidths ranging from 43-72MHz, and new hybrid satellites (C-Band and Ku-Band) will provide some 72MHz C-Band transponders. This also will create opportunities to configure net-

Continued on page 252

\*Applied to RF signal to minimize interference into 4GHz terrestrial microwave.



**NO ONE WATCHES  
TELEVISION  
CLOSER THAN  
TEKTRONIX.**



# SEE IT, SYNC IT, SAVE IT, TEST IT...GET A CLEARER

## 1740 Waveform/ Vector Monitor (Right)

Tek's new waveform/vector monitor saves space, power consumption and cost. Both dc power and battery pack options are available. It's ideal for mobile vans and field applications.




Tektronix 110-S SYNCHRONIZER

POWER  
SYSTEM  
STATUS

**118-AS Audio Synchronizer**  
(Above) No more lip sync problems! Tek's new 118-AS provides a practical solution to the audio-to-video delay caused by four-field memory video synchronizers. The 118-AS features wide dynamic range, low distortion and automatic and manual delay correction.

## 1980 Automatic Video Measurement Set


(Top center) Tek's Answer System permits continuous, unattended monitoring of all your incoming and outgoing video feeds. It generates complete reports automatically, alerts you when measurements exceed specified limits, and can be programmed to meet your changing needs.



**Tek's newest product for television:**—new measurement capabilities detailed on the following page. Take a look!



# PICTURE OF YOUR SIGNAL WITH TEKTRONIX!



Behind the sets, the programming, the glamor of television, success still depends on signal quality.

**2445 Portable Oscilloscope TV System (Left)**  
Tek's state-of-the-art 150 MHz, 4-channel portable scope now offers a TV option with backporch clamp, display and readout of any line or field. Also available: a fully-programmable GPIB option.

No one gives you better tools for measuring and maintaining video signal quality—quickly, consistently, confidently—than Tektronix.

For more than 30 years, Tektronix technology has stayed a step ahead to help you solve problems in color television: Whether you're broadcasting live feeds from a bike race in northern California...or sending signals via satellite to thousands of television stations around the world—our products are helping you get a clearer picture of the video signal.

Tek instruments give you broad test and measurement capabilities. They are accurate, easy to operate, and compatible with other broadcast equipment. Above all, Tektronix television products continue to meet the broadcast industry's needs. Take it from us: no one watches television closer than Tektronix.

**494/494P Spectrum Analyzer (Above)** An unprecedented value! Counter frequency accuracy baseband through microwave coverage and unique HELP mode to guide

less experienced users. Store up to nine displays and ten set-ups in non-volatile memory. Portable and rugged, the 494 is backed by a three-year warranty!

**Tektronix**  
COMMITTED TO EXCELLENCE

Circle (13) for Literature for 494  
Circle (14) for Literature for 2445  
Circle (15) for Literature for 1740  
Circle (16) for Literature for 118-AS







# THE NEW TEKTRONIX 1750: HEADS OFF PROBLEMS YOU DIDN'T KNOW YOU HAD...UNTIL IT WAS TOO LATE!

Our new 1750 signal monitor gives you a unique, dynamic display of SCH phase relationships.

You can see at a glance if a video signal is properly SCH phased... or just as easily, compare two signals for color frame matching.

**Hit-or-miss SCH phasing may have been tolerated in the past—but now it's costing you time and money every day.**

The Tektronix 1750 can help you regain control. By maintaining consistent SCH phase... or by seeing potential problems *before* a glitch occurs, you'll avoid the frustration of multiple passes and enjoy getting it right the first time. Saving time saves you money and makes the best use of your valuable resources.

SCH phase, of course, isn't the only parameter you need to keep on track, and SCH display is only part of the 1750's comprehensive signal monitoring capabilities. At the push of a button it also displays vector mode... or waveform mode, enhanced by digital line selection through the vertical interval... or R-Y/sweep mode for easy interpretation of differential phase distortions.

Whether used for monitoring video in production and editing



Correct SCH phase relationship is clearly displayed on the 1750 when dot on the calibration circle is aligned with the vector on the -x axis.



This 17-degree offset, indicating a 17-degree SCH timing error, would be impossible to perceive on an ordinary waveform monitor display.

environments, or for making fast and accurate measurements during equipment maintenance, the 1750 Series is a new benchmark for comprehensive performance in both NTSC (1750) and PAL (1751) standards.

A compact 5.25 inch package, mechanically interchangeable with many other "half-rack" packages, allows



Dot placement on the +x axis indicates an error in the color frame matching of two signals.

easy installation in new or existing facilities.

**If you see the advantages of comprehensive signal monitoring, you'll like what you see in the 1750.**

For more information on this or other Tek television products, or for the number of your nearest Tek sales office, call our toll-free information service today: (800) 547-1512. In Oregon, (800) 452-1877.

**U.S.A., Asia, Australia, Central & South America, Japan**  
Tektronix, Inc., P.O. Box 1700  
Beaverton, OR 97075

**Europe, Africa, Middle East**  
Tektronix Europe B.V.  
Postbox 827  
1180 AV Amstelveen  
The Netherlands  
Telex: 18312-18328

**Canada**  
Tektronix Canada Inc.  
P.O. Box 6500  
Barrie, Ontario L4M 4V3.  
Phone 705/737-2700

**Tektronix**  
COMMITTED TO EXCELLENCE

Circle (17) for Literature



# **MAGNA-TECH**

**THE SOUND  
HEARD AROUND THE WORLD**


**Magnetic Film  
Recorders and Reproducurs  
for Television and Film  
Sound Post-Production**

**TYPE 9-F**

**MICRO PROCESSOR  
BASED DIGITAL  
COUNTER**

**AND**

**SMPTE/EBU EDIT TIME CODE  
GENERATOR AND READER**



Frame rates of 24, 25 and 30 frames are selectable from the front panel with the 30 frame dropframe and non-dropframe selectable.

Counter automatically converts from footage/frames to meters to Hours/Minutes/Seconds/Frames.

Input either 2-phase TTL level with 90 degree phase shift or TTL level pulses and FWD/REV signal.

Tach pulse generated serial time code in SMPTE/EBU format.

Selectable frame rate 24, 25, 30 frames with drop-frame selection for NTSC.

Time code input for jam preset or time code readings.

Output of counter is 32 bit BCD or BCD.

---

## **MAGNA-TECH ELECTRONIC CO., INC.**

630 Ninth Avenue, New York, N.Y. 10036

Telephone (212) 586-7240

Telex 126191

Cables "Magtech"

Circle (308) on Reply Card



# NAB-'84/Las Vegas

By the BE staff

Broadcasters are getting ready to flood Las Vegas for the industry's most prestigious convention: NAB-'84/Las Vegas, the 62nd Annual Convention and International Exposition. Exhibitors from around the world are feverishly working on booth displays and special surprises to make this year's show better than ever, with many companies taking additional booth space because the convention center has more space available.

This year's theme for the convention is "You've Got What It Takes," a theme to encourage broadcasters to use their persuasive power to get voters to turn

out this election year.

In our opening article, "Engineering Conference of NAB-'84/Las Vegas: Bigger Than Ever," the NAB staff lays out the welcome mat and provides a glimpse of some of the planned activities. This is followed up with BE's comprehensive exhibit coverage for NAB-'84.

Our coverage includes:

- a profile of one of last year's exceptional exhibitors;
- a complete listing of exhibitors, alphabetically, with established and new products listed by model number and name and description;


- a comprehensive product directory that lists product categories and exhibitors showing those products; and

- late exhibitor data received just before press time.

Details of the NAB-'84/Las Vegas show are still being released as BE goes to press. An updated map and exhibitor data will be distributed at the show to help you further. The final program will be available upon registration, but our pre-NAB coverage provides a broad outline of what is being planned for you at this year's exciting convention.

## Our NAB pre-show coverage...

Engineering Conference of NAB-'84/Las Vegas: Bigger than ever By Ed Williams, staff engineer, NAB, Washington, DC	26
NAB exhibit profile: Sony Broadcast	42
Exhibit roundup	46
Convention exhibitor guide	200
Product directory	218



- April 29-May 2
- The Convention Center  
Las Vegas, NV
- Most comprehensive exhibit  
for broadcast equipment
- More than 300,000 square  
feet of exhibit space
- Distinguished Service  
Award to Elton H. Rule, ABC
- Engineering Award to Otis  
Freeman, Tribune  
Broadcasting
- Major addresses by James  
McKinney and Mark Fowler,  
FCC
- Entertainment by Paul Anka

### Exhibit hours:

- 9 a.m.-6 p.m. Sunday,  
Monday and Tuesday
- 9 a.m.-2 p.m. Wednesday  
A special feature again this  
year: "free" time for  
managers and engineers to  
visit exhibits without  
missing technical sessions
- Radio: Monday afternoon
- TV: Tuesday afternoon

### Registration hours:

- 9 a.m.-5 p.m. Saturday
- 8 a.m.-5 p.m. Sunday,  
Monday
- 9 a.m.-5 p.m. Tuesday
- 9 a.m.-noon Wednesday



# "Panasonic Recam<sup>TM</sup> made our



On Saturday mornings, children all over America are being entertained by a unique new CBS-TV series, "Benji, Zax and the Alien Prince." What makes this show unique is more than a lovable dog. It's the fact that this Mulberry Square Productions project is the first network series

entirely shot and edited on 1/2-inch tape. And the system they selected was Panasonic Recam.

One of the reasons Joe Camp selected Recam is its incredible YIQ M-Format picture quality. Another reason is its portability. It makes changing scenes and locations fast

and easy. And that's important on a tight production schedule.


What's more, this "Benji" production utilizes Recam's remarkable 1/2-inch off-line editing system, after which, each show is transferred to 1-inch for television broadcast.

Recam was also selected by ABC



# new Benji TV series possible."

Joe Camp, *Creator of Benji.*



Sports to record their momentous ascent of Mt. Everest for "The American Sportsman." And by the producers of the epic science-fiction film "Dune" to record "The Making of Dune" for TV broadcast in 1984.

You can see "Benji, Zax and the Alien Prince" on Saturday mornings.

But you can see Recam right now. Just call your nearest Panasonic regional office:

Northeast: (201) 348-7336

Midwest: (312) 981-4826

Southeast: (404) 925-6835

Southwest: (214) 258-6400

West: (714) 895-7200



**Panasonic®**

AUDIO-VIDEO SYSTEMS DIVISION

Circle (309) on Reply Card



# Engineering Conference of NAB-'84/Las Vegas: Bigger than ever

By Ed Williams, staff engineer, National Association of Broadcasters, Washington, DC

This year's NAB Engineering Conference begins on Saturday, April 28, with a full day of radio and TV production and engineering sessions. That's right—Saturday (the day before the main event begins). This is the perfect time for a distraction-free day of technical presentations and demonstrations. Plan to arrive Friday night, April 27 (a time, by the way, preferred by the hotels and airlines). Convention registration begins at 9 a.m. Saturday. Engineering sessions start at 11 a.m. and continue until 5 p.m., with a break for lunch.

Many station technicians and broadcast engineers have commented that the 1½ days allocated for technical sessions during past NAB conferences have not been adequate to cover the expanding range of technical expertise demanded of station engineers. The new Saturday sessions add one more full day to the conference at a time convenient to most registrants. This addition to the convention should be relatively easy to arrange with hotels and airlines, and should be economical compared to the cost of the entire convention. Added without cost to your schedule are engineering workshops beginning at 7:30 p.m. on Tuesday.

The Saturday program features two concurrent sessions. For radio, there will be a production engineering session followed by radio engineering presentations. For television, the morning session will be devoted to implementing multichannel sound for television, followed by production engineering topics in the afternoon.

TV multichannel sound will be a hot topic at the convention this year, as evidenced by the displays of stereo sound TV receivers at the spring Con-

## Planned Engineering Conference sessions/events

### Saturday, April 28:

*Radio Production Engineering*  
*Radio Engineering*  
*Implementing TV Multichannel Sound*  
*TV Production Engineering*

### Monday, April 30:

*Radio Allocations*  
*Radio Subcarriers*  
*Television—New Technology*  
*TV Satellite Systems*  
*Multichannel TV Sound—The System*  
*Broadcast Auxiliary (special)*  
*Non-ionization Radiation (special)*  
*UHF Efficiency (special)*  
*Ham Radio Operators Reception (evening)*

### Tuesday, April 21:

*Radio—New Technology*  
*Radio Satellites and Digital Systems*  
*AM Stereo*  
*Advanced TV Systems*  
*Broadcast Interference (special)*  
*Engineering Luncheon—Engineering Achievement Award*  
*Engineering Workshops (evening)*

### Wednesday, May 1:

*Spectrum Management (special)*  
*Tour of FCC Monitoring Van (all day)*

Editor's note:  
Session titles appear in italic type.

sumer Electronics Show, the expression of interest by program producers and the FCC's publicly announced interest in avoiding an AM stereo situation. Also the Broadcast TV Systems Committee (BTSC) of the EIA has voted unanimously to recommend the adoption of a single transmission and noise reduction system as a broadcast standard. The Saturday session will present a series of papers and demonstrations on techniques for producing stereo and the conversion of TV plants and transmitters to the BTSC multichannel system. The Monday session, "Multichannel TV Sound—The System," will present papers on the new equipment and how it was developed and tested.

The Saturday session on radio production engineering will feature presentations on the difficult problems faced by radio stations in producing digital, stereo, talk and sports programming on a local level. Following this session will be a series of papers on important radio engineering topics, including multistation FM antenna sites, AM grounding systems and transient overvoltage protection.

After the Saturday engineering sessions, a good dinner (and maybe a show), Sunday morning can be devoted to the exhibits, followed by the formal opening of NAB's 62nd Annual Convention and International Exposition at 2:30 p.m.

### Monday's sessions

Monday morning features the AM/FM allocations session with reports on a new omnibus FM docket affecting nearly all FM stations, and a wrap-up of changes in the AM band as a result of recent agreements between the United States, Canada and Mex-





In the world of audio production, tension is a killer. Draining creative energy and making tight deadlines impossible. If you're still trying to do today's job with yesterday's technology we've just solved one of your headaches. Our prescription is a dose of our deuce, the TASCAM 42.

Everything you've considered to be a must is there, and a whole lot more. Balanced and unbalanced, with individual connector to interface with broadcast automation equipment and SMPTE control, the 42 fits in anywhere.

To more precisely control tape tension, and yours, our rugged transport is built with a full computer control on all three motors. Our autolocator function with Return-to-zero and Search-to-cue doesn't just start putting on the brakes when it hits the mark, it stops on the dime.

You also get a positive/negative real time counter and a precision splicing block mounted just below the plug-in fixed mount head assembly, where it belongs. That translates to faster, more accurate editing, and the peace of mind that comes with it.

To learn more about the hottest half-track in the under \$2,500 class see your TASCAM dealer or write TASCAM Production Products, 7733 Telegraph Road, Montebello, CA 90640, (213) 726-0303.

Copyright 1983-TEAC Corporation of America

Circle (18) on Reply Card

# HOW TO RELIEVE TENSION IN THE CONTROL ROOM.

**TASCAM**  
TEAC Production Products

ico. This will be followed by a session titled, "Radio Subcarriers," with presentations on the possible paging, data and load management uses of subcarriers. FM transmitter performance requirements also will be discussed.

The Monday morning TV sessions are devoted to new technology, satellite systems and UHF transmitter efficiency.

The session, "Television—New Technology," features reports on the development of a new video cart machine, the state-of-the-art in video recording, solid-state imaging devices and other topics of general interest to TV personnel.

Substantial new developments in satellite technology will be reported in the TV satellite systems session, along with new information on 2° spacing, interference suppression, the torus antenna and Ku-Band network distribution.

A full special session on UHF efficiency will feature reports on the multiple-depressed-collector and other improved-efficiency klystrons and transmitters. Advanced UHF receiver design also will be examined.

Monday afternoon is free for radio engineers to tour the exhibits with their managers to inspect the latest in broadcast technology, consult equipment manufacturers, purchase hardware (and software) and renew acquaintances with old friends. Be sure to plan your tours to the exhibit area carefully, using maps and lists to avoid wasting time in finding the booths you plan to visit. Because virtually everything a station needs is shown in the exhibit halls, the convention provides the perfect opportunity to implement technical plans by purchasing or examining facilities slated for later purchase.

The Monday afternoon TV session is devoted to a detailed description of the EIA/BTSC-approved (and possibly approved by the FCC as well by the convention) multichannel TV sound system. This session, with the one Saturday on implementing the BTSC system, will give TV broadcast engineers the complete story on the new stereo transmission method.

Monday afternoon's two special sessions focus on non-ionization radiation and broadcast auxiliary systems. Although the EPA will not be releasing its proposed guidelines for radiation limits until sometime during the summer, the session on radiation limits is important to stations that want to be up-to-date on sources of reliable and accurate information on the topic.

Broadcast auxiliary systems are the life line for stations using STL links, RPU, ENG and other important auxiliary services. The session on these systems will feature reports on the state of the broadcast auxiliary bands, new frequency assignments and methods for improving auxiliary band spectrum efficiency.

## Engineering Award to Freeman

Otis S. Freeman, director of engineering, Tribune Broadcasting Company, and senior vice president, engineering, WPIX, New York, will receive the 1984 Engineering Achievement Award. The award will be presented at the Engineering Conference Luncheon on May 1.

Freeman is credited with leading the move to erect the transmitting tower on top of the World Trade Center to improve reception in New York. Also, he developed the gen-lock, which allows TV stations to incorporate signals from a remote location.

After World War II, Freeman worked at the Dumont Laboratories on experimental TV station W2XWV (now WNEW-TV) and, as assistant chief engineer, helped design and build WPIX. He became chief engineer in 1953 and has served on the station's board of directors since 1965. Before being named to his present position, he was WPIX's engineering vice president.

Freeman is president of the TV Broadcasters All-Industry Committee, which is composed of the 10 New York City TV stations; a member of the Society of Broadcast Engineers' board of directors; a member of the Institute of Electrical and Electronics Engineers; and a member of the Society of Motion Picture and Television Engineers.

He received his electrical engineering degree from New York University.

But that's not all for Monday, because at 6:30 p.m., the NAB-sponsored Sixth Annual Ham Radio Operators Reception gets under way with refreshments, door prizes and special guests. More than 600 persons attended this event last year.

## Tuesday's sessions

On Tuesday morning, sessions are scheduled titled, "Radio New Technology" and "Advanced TV Systems." Radio engineers will find particularly interesting the presentations on AM improvement methods, optimization of directional patterns, enhanced FM stereo coverage, amplitude-companied sideband transmission (ACSB), and use of microprocessors in transmitters to improve performance.

TV engineers will be treated to a full session on domestic and foreign advanced TV system developments. These are important presentations that foretell the ways in which television will evolve over the next decade.

After the Tuesday morning radio and TV technical sessions comes the engineering luncheon, during which the NAB Engineering Achievement Award will be presented to Otis S. Freeman, director of engineering, Tribune Broadcasting Company, and senior vice president, engineering, WPIX, New York. The featured speaker for this gathering will be James McKinney, chief of the FCC's Mass Media Bureau.

On Tuesday afternoon, TV engineers will be given time off to attend the exhibits with their managers and examine the latest equipment developments.

In the meantime, radio engineers can attend the session on satellite and digital technology, which is followed by a roundtable discussion on AM stereo. Although most radio stations have a satellite receiver, station engineers will appreciate presentations on network distribution via digital satellite systems, and basic satellite technology.

The state of AM stereo remains uncertain, with stations and receiver manufacturers cautiously approaching the engineering aspects until more is known about multisystem receivers or trends toward a single system. This problem is further complicated by the concern of AM stations that subcarriers for data or load management may be incompatible with AM stereo, and skywave interference from other stereo AM stations using different systems may cause receiver malfunctions. The session will address these and other issues in a lively roundtable discussion with, among others, the FCC, equipment manufacturers, lawyers and NAB staff members.

Interference to broadcast reception is the topic of a special Tuesday afternoon session that will feature reports on major interference problems faced by broadcasters. This is a growing





Five alarm hotel fire, 400 guests,  
three competitors and one news editor  
who eats cigars for breakfast.

Don't trust it to ordinary video tape.



Get it fast.  
Get it right.  
Get it done.

The pressure in this business  
is extraordinary.

Which is why Fuji gives you  
professional video tape that can  
take anything you can throw at it.

Consider the latest advance in Fuji technology: the  $\frac{3}{4}$  inch H521BR U-matic video cassette. It gives you the absolute minimum number of dropouts possible—less than 4 per minute. Its video and color S/N ratio are boosted up to +2dB over the outstanding specs of our H521.

Superior back-coating technology and precision-engineering ensure that Fuji stands up to all the punishment dished out in the editing room. In fact, stop-motion capabilities increase to over 180 minutes. And Fuji's smoother, denser BERIDOX coating makes sure your tape heads suffer less abrasion than ever before.

To find out more about the new  $\frac{3}{4}$  inch H521BR and the other extraordinary video tapes we make, all you have to do is a very ordinary thing.

Just call Fuji.

**FUJI.**

Nobody gives you better  
performance.



# The difference is what you don't hear



Each inner conductor has 40 strands of small diameter (.00315") copper wire that provide maximum flexibility and avoid breakage.

"Star-Quad" configuration with 4 inner conductors provides a substantial improvement in rejection of EMI.

Polyethylene insulation is a better dielectric than rubber insulation, thereby reducing capacitive coupling for improved high frequency response.

Cotton filler acts as strain relief and also reduces handling noise by preventing changes in stray capacitance.

Very high density, braided shield blocks most static and other noise.

Tough yet very flexible jacket can be unpacked from extreme cold and used immediately. The brittle point is -56°F (-49°C).

Available with a satin finish in 10 attractive colors to aid channel identification and/or to complement visual appearance. Fits standard XLR connectors.

You don't hear the fluorescent lights, motors, SCR dimmers, static, buzz, hum and handling noise with Canare L-4E6S. This shielded professional microphone cable is immune to electro magnetic noise due to its unique Star-Quad configuration. Compared to the leading 2-conductor microphone cable, Canare L-4E6S offers 10 times more rejection of the worst source of EMI...impulse noise from SCR dimmers. This cable blocks the noise, but not the program. Its low series resistance and low capacitance give L-4E6S extended frequency response, in mic runs of over 300 feet the 3 dB downpoint is at 50 kHz.




TYPICAL 2-CONDUCTOR  
MIC CABLE

CANARE L-4E6S

## CANARE

CANARE CABLE, INC.  
6733 VINELAND AVE. / NORTH HOLLYWOOD, CA 91606  
(213) 506-7602 / (213) 980-8092

See Us at NAB Booth 1732  
Circle (182) on Reply Card



problem, and radio and TV engineers should keep abreast of the subject.

Activities on Tuesday will conclude with an evening series of workshops with experts on various subjects. The idea is to permit station engineers and technicians to work directly with the experts and personnel from other stations to solve problems and discuss certain issues. The workshops begin at 7:30 p.m. Be sure to check them out before making other evening plans.

### Wednesday's activities

Wednesday morning brings the session on spectrum management for

engineers, just before the FCC commissioners' forum. This year the main topic of the forum will be technical deregulation, current FCC technical rule enforcement policy and a description of the capabilities of the FCC monitoring van. There also will be a panel of FCC engineers on hand to answer questions from the audience. Sometime during the conference, the FCC monitoring van will be open for inspection and staff members will be available to explain its operation.

So that is it for the 1984 NAB Engineering Conference. No engineer should miss this convention. [:-?~:~)]





*Our painstaking vacuum and coil-winding technology increases efficiency and eliminates acoustical "buzz."*

## OUR SCIENTISTS HAD TO OPERATE IN A VACUUM TO GIVE YOU A NEW QUALITY OF SOUND.

The quality of any sound system begins at its source. Precision in the power supply is vital to capturing and maintaining the fullness and subtlety of amplified sound. The need for that exactness is why we insist on operating in a vacuum rather than depending on outside sources.

A vacuum tank, to be precise. An environment in which our transformer is created with an air expulsion process. Where air pockets are purged from multi-layers of the transformer's high grade core laminations, and the core made airtight with a special impregnating sealant.

This process gives us impeccable control of transformer function and quality. Which gives you the assurance of the most efficient transfer of power possible, and an end to the acoustical "buzz" that so often fights sound purity.

To a lot of manufacturers the lowly transformer is far down on the list of priorities. For us, every element in the sound system relies on the exacting performance of every other element, and must be painstakingly attended to.

Whether you're driving your studio monitors in a demanding final production mix with our 6000 Series amplifiers, or making critical adjustments to signal quality with our peak or RMS limiter/compressors, you'll find our audio science giving outstanding clarity to your work. To find out which system is designed to meet your needs, contact your authorized JBL/UREI professional products dealer today.

JBL Incorporated,  
8500 Balboa Boulevard  
P.O. Box 2200,  
Northridge, CA 91329  
U.S.A.



UREI  
ELECTRONIC  
PRODUCTS

JBL • harman international • JBL INCORPORATED, 1984



# Automatic, continuous, reliable broadcasting. Introducing the Panasonic® MVP-100.

Now broadcast automation takes a giant leap forward with the introduction of the MVP-100. To start with, it incorporates the YIQ 1/2-inch M-Format. And that means picture quality that not only surpasses 3/4-inch and 2-inch, but actually rivals 1-inch tape. All with the reliability and economy of 1/2-inch, M-Format recording.

But the Panasonic MVP-100 will do more than make your programming look better; it will also make broadcasting easy. The reasons: its

automatically threaded, computer-controlled tape transport systems. The MVP-100 lets you schedule in advance and automatically air program length material, news spots, editorials, commercials, station IDs and promos. All with time-code accuracy. It all adds up to totally reliable automation of your station's broadcast day. The MVP-100's spot player and recorder will even make those unfortunate moments of "dead air" disappear since protection copies are easily dubbed

and are programmed to take over the moment broadcast continuity has been interrupted.

Still, with all the MVP-100 has to offer, you can put it to work at a surprisingly affordable price. Audition the Panasonic MVP-100. Once you do, don't be surprised if you end up carting your present video cart machine away.

For more information on what the MVP-100 can do for your station, call the Panasonic New Technology Products Group at (201) 348-7471.

**Panasonic®**  
NEW TECHNOLOGY PRODUCTS GROUP



Circle (305) on Reply Card


Circle (19) on Reply Card →



# BROADCAST<sup>®</sup> engineering

## M-Vision<sup>™</sup>

The Complete Recording  
and Playback System



M-VISION<sup>™</sup>

**Panasonic**  
Broadcast Systems



**Toshihiko Yamashita**  
President  
Matsushita Electrical  
Industrial  
Company Ltd.

*"From a modest beginning in 1918, with an investment of*

*\$50 in an electrical socket, the Matsushita Electrical Industrial Company Ltd., has grown into a giant, worldwide organization. We now have more than 125,000 employees in 35 countries worldwide and manufacture more than 14,000 different kinds of products. In all, we have 46 manufacturing companies spread throughout the world, backed up by 34 sales companies. The result was a gross business last year that exceeded \$16 billion. This ranks us among the major companies of the world.*

*"Currently, nearly 67% of our sales are derived from consumer products. But, within the next decade, I expect that percentage to drop to about 50%, as we place greater emphasis on the professional and business markets – areas that include semiconductors, robotics, personal computers, word processors, copiers and office automation equipment. We'll continue our dominance in the consumer products that have made us famous, of course, but we'll use our unique manufacturing and R&D capabilities to penetrate key new growth markets."*

**W**ith a bold new change in organization and a dedicated focus on broadcast video, Panasonic Industrial Company suddenly has emerged as a major contender in the broadcast marketplace.

Recently, under a new management structure, complete with strengthened marketing and field engineering/service forces, Panasonic's image in the broadcast video market has undergone a rapid metamorphosis. This new Panasonic marketing approach is matched with products that meet today's professional market needs, with a substantial investment in R&D to create new products as the market evolves. Thus, Panasonic Industrial Company became a major force to be reckoned with, a supplier of M Format component video equipment that meets today's market needs as well as the future's.

In the eyes of many teleproduction and broadcast professionals, this moment at Panasonic has been a long time coming. Now that it has arrived, the market is quickly responding to the realignment of priorities at Panasonic Industrial Company.

#### **Background and growth**

**T**he parent company behind the Panasonic operations is the prestigious Matsushita Electric Industrial Company Ltd. (MEI) of Osaka, Japan.

MEI now produces more than 14,000 different kinds of products; employs more than 125,000 people worldwide; and has 46 manufacturing plants and 34 sales companies.

The sales from this giant, complex operation amount to more than \$16

billion annually, of which about 66% of the products are for consumer markets with products bearing the names of Panasonic, Quasar, Technics and National. With worldwide sales steadily growing, MEI's net income for 1983 exceeded \$774 million, up more than 16% from 1982.

Because it operates on a global basis, MEI has had to develop strengths to compete in the worldwide economic environment. This has meant local and international attention to R&D.

#### **R&D: The lifeblood**


**T**he only certainty in the electronics industry is constant and rapid progress – in technology, products and product facilities.

For a company to survive in this fast-moving industry, it must move equally fast in adapting its products to new electronics technology that is constantly emerging. But Matsushita Electric has done much more than simply keep pace. It has set the pace with the RECAM system, and new products derived thereof, such as the MVP-100 videotape cart machine.

#### **MECA – A growing force in America**

**M**EI activities were launched on the North American continent in 1953 with the opening of a New York office. The success of this venture led to the founding of Matsushita Electric Corporation of America (MECA) in 1959 – the same year that Alaska and Hawaii were admitted to statehood.

Even in its early years, MECA's growth was steady and impressive. In 1961 the name Panasonic was selected





as a brand name, followed in 1974 by the acquisition of Quasar and adoption of the Technics brand name. In 1975 MECA moved into its present headquarters in Secaucus, NJ, and the stage was set for an accelerated growth and expansion in sales and staff.

In the United States alone, in the past 25 years, MECA has grown from a 3-man sales force to an organization of impressive statistics: more than 7000 employees and a network of six sales companies, seven manufacturing operations and one service and engineering company. Sales from this complex operation in 1983 exceeded \$2.8 billion, with 20% of the North American sales coming from Western Hemisphere manufacturing plants.

The results include products with high performance and a strong image: a corporation that is eminently successful in its operations; and a productivity that is enviable.

In anticipating future growth, MEI is now shifting more effort to other markets—robotics, communications, office equipment and broadcast video.

By putting emphasis on these markets, without decreasing its attention to the consumer markets, MEI expects to increase sales in these growth markets up to 50% of its sales within the next decade. This is an ambitious undertaking, but none of the visions at MEI have been small.

### Broadcast video

**B**roadcast video equipment is particularly attractive to Panasonic in its North American market, and it is the Panasonic name that will blaze the trail. The products that are spearheading this market penetration are the RECAM 1/2-inch camera/recorder system and the MVP-100 Multifunction Video Player.

The roots for these products go deep, but they burst into public view with dramatic impact at the 1981 NAB Convention in Las Vegas. Panasonic not only introduced its combined camera/recorder system, the RECAM, but it also introduced studio recorder/players and an edit controller—the complete package



**Keiichi Takeoka**  
President  
Matsushita Electric  
Corporation of  
America (MECA)

*"In just 25 years, MECA has grown from a 3-man operation*

*importing and selling portable radios out of a small office in New York City to one of America's leading electronics companies. Today, MECA has more than 7000 employees and annual sales of \$2.8 billion.*

*"We are known in the United States largely by our Panasonic, Quasar and Technics products. But MECA produces and markets a wide variety of goods, ranging from electronic components to industrial robots. In all, we comprise 14 organizations in North America, including six sales firms, seven manufacturing operations and one service and engineering company.*

*"Through these companies, MECA is striving to become an organization contributing to American society by being deeply rooted in this country."*

### RECAM: The complete 1/2-inch M Format camera/VTR system

RECAM was developed as a professional studio system as well as for ENG/EFP production. As such, it heralds a new era of quality, lightness, portability and compatibility into professional video.

At right are shown the major components of the system: the camera, attachable VTR, edit controller and studio VTRs. However, besides introducing a new standard of excellence in equipment design with RECAM, Panasonic also introduced a new level of compatibility. Thus, the RECAM camera and VTR can be used as separate building blocks, with interfaces that allow the camera to function with any recorder and the recorder with any camera.

The AK-1020 Gen-Lock Adapter, when connected to the camera in place of the VTR, allows the AK-100 camera to be used with any conventional VTR. Alternately, the AU-S100 NTSC Adapter interfaces the AU-100 recorder to any conventional NTSC camera.

The new AK-30 camera and AU-220 portable field recorder add significant features to 2-piece field production and newsgathering. Especially valuable is color playback in the field.

Keeping all its customers in mind, Panasonic designed RECAM to be selected as a complete package or to be phased in as needed. Thus, although RECAM is revolutionary in terms of technology and performance, it can be considered evolutionary in terms of adaptability into a customer's facility.

The RECAM B-100 system comprises the in-camera VTR with AK-100 camera/AU-100 recorder; the AU-300 studio VTR; and the AU-A30 edit controller.



## The MVP-100: A revolutionary multicassette player system

The Panasonic MVP-100 M-Vision Player is a Multifunction Video Player that takes full advantage of the high quality video and unique features offered by the M Format technology. It is designed to provide the features and flexibility needed by many broadcast, teleproduction, cable, industrial and educational facilities. With the MVP-100, TV programming now enters a new era of ease-of-operation, reliability and long playtimes. And quality need not be sacrificed, from the point of picture origination, through post-production editing, right to the final playback. Distribution and exchange of program material is enhanced by the use of lower-cost, smaller, and lighter standard VHS cassettes, using M-Vision Component Video Recording.

Much of today's news, sports, commercials, documentaries and entertainment shows are taped on-site using 3/4-inch tape format, with reluctant tolerance of video signal quality degradation. When better quality is demanded, higher cost, size and weight are the accompanying penalties in the use of 1-inch tape recorders. The response to the needs of the TV industry for lower-cost, better quality is the Panasonic M-Vision 1/2-inch tape format.

Most of the income revenue of the

TV station is derived from the playback of short segment commercials through a cart or reel player. End users well understand the expense, limitations and problems encountered in using 1-inch and 3/4-inch tape technology in these applications.

The MVP-100 plays *all* of the TV station's programming needs, short and long—automatically, economically, accurately, reliably and in high broadcast quality.

The MVP-100, with its innovative improvements, offers an attractive solution to these drawbacks of earlier equipment. In fact, for its intended video applications, users may come to refer to it as the *Most Valuable Player*. The basic model can be supplied with 4 to 24 transport decks. However, it can be arranged initially with fewer decks and provisions for future expansion.

The manual controller is capable of directing up to 24 transports into 24 random-access sequences. The computer controller adds memory in depth using 128K RAM for all-day programming. Information exchange from the traffic department is by floppy disc, IBM language compatible. An RS-422 port is supplied for communication from station automation devices. Log verification data is supplied besides the built-in printer. Users will be surprised at the forethought given to look-ahead error checking and correction, diagnostics and alarm systems. Extensive video and audio switching, redundant dual channel outputs, including dual signal

processing and TBCs, make the MVP-100 a most reliable player. Instead of merely previewing a sequence, a spot reel can be instantly recorded in either of the two record decks supplied. Then the operator can double roll the sequence and a spot reel, or he can double roll two spot reels.

Combined with the RECAM system, the MVP-100 makes it possible to have an all-1/2-inch videotape operation in broadcasting or production. Furthermore, the customer has a full choice in satisfying his equipment needs. He can select a totally new installation or phase in M Format components as he retires other equipment.

### MVP-100 features

1. Up to 24 separate transport decks and threading mechanisms for reliable, redundant playback.
2. Simple, fast automatic threading for error-free operation.
3. Decks are removable from MVP-100 for easy maintenance.
4. Two decks may be used to record the entire sequence of a station break for built-in spot reel playback.
5. Each cassette will hold 20 minutes of spot segments. T180 cassettes record 30-minute programs to provide play of all programming needs.

needed for professionals in broadcasting and post-production, covering both ENG and EFP. The M Format recording technique was developed for more purposes than just ambulance chasing for the news. M Format provides high quality, economical, convenient information storage and retrieval for all TV operations.

With the introduction of the 1/2-inch, M Format camera/recorder systems, 1981 represented a landmark in broadcast video. No longer would professionals be encumbered with the heavier, cable-linked cameras and recorders that were the industry workhorses from the early 1970s. Thus, with a combined camera/recorder system, producers of news and commercial programs now have a new freedom in recording that they never before have seen.

Interface units are included in the line so that the RECAM components can stand alone—the camera can be used with any recorder and the recorder with any camera, regardless of the tape size and format or the manufacturer. Thus, the professional who wants to phase-in a RECAM camera or recorder with other product lines can do so easily.

This makes it possible for professionals to plan ahead for a total component RECAM system in the future without having to scrap NTSC 3/4-inch equipment that is still providing good service: a concept as evolutionary as you, the customer, want to make it.

More recently, a second chapter in the RECAM was written. At the 1983 NAB Convention, Panasonic introduced its revolutionary videotape cartridge machine, the MVP-100. This product also established a landmark, the first major contribution to video insert and program playback since quad decks were introduced in 1969 and 1971.

As with RECAM, the MVP-100 is the next logical equipment addition to the Panasonic line, providing a specialized tool with high quality and versatility for broadcasters and production facilities. Based on the 1/2-inch M Format, the MVP-100 provides the quality that is needed when integrating multiple video sources for broadcasting. At the same time, the MVP-100 achieves play times compatible with the broadcast environment.

Now, for the first time in TV history, the MVP-100 makes it possible for TV broadcasters to consider seriously total

automation for on-air broadcasts. But even if automation is not a major consideration, the MVP-100 adds a new dimension of freedom in inserting commercials, IDs, promos, news, editorials and public service messages into broadcast programs. Multiple spots of various lengths may be recorded on one cassette. A complete directory is indexed at the front, addresses are searched and spot-cued by time code. The directory consists of information stored in the time code track during the first few seconds of the tape. It contains the following listed contents that will be read into the computer memory, displayed on the menu monitor, and used to fast-forward the tape to park at the correct address for the spot designated by previously entered data:

1. Title and spot number
2. Spot duration
3. House ID
4. Agency ID
5. Directory ID
6. Time code address in
7. Time code address out
8. Number of times aired
9. Agency play priority
10. First air date/remove date
11. User-inserted information



6. Many short spots may be recorded on one cassette. A complete menu is indexed at the front. Addresses are searched and spot cued by time code for significant cost reductions.
7. Standard, low cost cassettes are readily available with a reliability record of billions in use throughout the world.
8. Control of machines is by serial data access RS-422 compatible for MC automation.
9. Total editing system control with the ability to actuate playback and record, audio and video cueing, and on-line start sequences on any transport, in any combination.
10. Off-line sequencer for all-day spot reel assembly random access, multisource library for reliable, cost-saving programming.
11. Highly flexible systems switching configurations, monitoring and playback. 24 video, stereo audio and time code sources to A and B outputs.
12. 76"x46"x30", approximately 8 transports  
76"x71"x30", approximately 16 transports  
76"x96"x30", approximately 24 transports



Program-length material also is handled by the MVP-100 with the introduction of the 30-minute cassette. Thus, the entire station's playback may be channeled through the MVP-100, reliably, automatically, inexpensively and in top quality.

The crowning achievement in the MVP-100 concept may well be that all these advances are provided at a modest price, well within the budgets of most facilities. Thus, the MVP-100 provides a quantum jump forward in technology and capabilities at a price considerably less than that of traditional, more restrictive equipment.

### Panasonic's new structure

**T**he development of the RECAM and MVP-100, specifically for broadcasters and video producers, has firmly launched Panasonic into a new market — broadcast video. To properly serve this market, Panasonic created its New Technology Products Group in January 1984. Under the direction of Koichi Sadashige, Vice President, this group is responsible for spearheading Panasonic's push into a wide range of new market areas that will use the company's high technology capabilities

to serve growth markets of the future. One of these markets is the broadcast video field, with Morris Washington as National Sales Manager and Nick Hudak as Systems Development and Marketing Manager.

But marketing is not the only concern of Panasonic. It must serve its customers, and that has meant the establishment of an appropriate engineering and service network to support sales. Today this network divides the United States into five regions. A regional sales engineer is available to service Panasonic Broadcast customers from their nearest field office, in addition to the national RECAM service center in Secaucus, NJ.

### M Format: The turning point

**A**s previously noted, the broadcast market has anxiously awaited Panasonic's attention to its field. The M Format has served as the turning point for Panasonic, allowing it to focus its full attention and expertise on a totally new market, competing with a new wave of high technology products for broadcast video.

We often read that 1/2-inch tape is nearly as good as 1-inch tape, but



**Koichi Sadashige**  
Vice President  
New Technologies  
Group  
Panasonic Industrial  
Company

*"The formation of our New Technology*

*Products Group in January 1984 brings a new dimension to Panasonic's marketing thrust: using new technologies to spearhead growth in new areas of professional, broadcast, industrial and government markets.*

*"Already the move has shown remarkable success. But we're not being awed by the growth, nor are we being careless in our strategies. The wisdom here is in maintaining a careful balance in new media market growth and still providing the backup customer service support that has been the mainstay of Panasonic's success."*



**Ken Kurahashi**  
President  
Panasonic Industrial  
Company (PIC)

*"The Panasonic organization goes back to 1959, but the*

*Panasonic Industrial Company (PIC) was not formed until 1982. The formation of PIC was necessary to allow us to better focus attention on growing business in the areas of office automation, factory automation and new media communications products, as well as other professional and industrial markets."*

## M-Vision: The complete broadcast system, origination through editing to playback

The science of videotape recording has recently been augmented by a new technique—the technique of recording the luminance signal and the color signals on separate tracks. Known as *dual-track recording*, this technique eases considerably the problems of luminance-to-chrominance crosstalk, and removes many of the picture artifacts, such as moire and color misregistration, which have plagued the recording art since the earliest days of color recording.

It is the purpose here to offer a brief preliminary explanation of the system, to aid the reader in understanding the formal specifications of M Format recording.

A single chrominance channel is generated, but instead of summing this chrominance signal with luminance to produce a composite color signal, both the chrominance and the luminance are sent separately to the recorder, where each of the two signals is recorded on its own private track. No subcarrier is used. Instead, the I and Q components are converted directly to FM signals occupying differing frequency bands, and these two FM signals are recorded on the color track.

This system offers the two fundamental advantages of freedom from color-framing considerations when editing, and freedom from the hue errors which arise when a subcarrier signal on tape is time-modulated by head-to-tape speed variations. There is no contamination of video caused by subcarrier crosstalk, nor any video impairment caused by heterodyne or "color under" by-products.

### Track format

The video-track format of this dual-track system is shown in Figure 1.

As the figure shows, two parallel video tracks are written diagonally across the 1/2-inch-wide tape, at an angle of about 4.7°. The uppermost track of the pair is 2 1/2 mils wide, and contains the color signal. The tracks are about 4.1 inches long, and are written by a pair of heads spaced about 5 1/2 mils apart, with the luminance head lagging its associated color head by about an eighth of an inch.

In addition, there are four longitudinal tracks: two audio, one time code and one control track. The 30 mil Audio 1 and Audio 2 tracks are spaced apart by a 30 mil guard band, while the Time Code (Audio 3) track, at 15 mils width, is only 15 mils from the 20 mil control track at the bottom edge of the tape. These longitudinal tracks are recorded at approximately 8 kbps.




Figure 1




Figure 2




Figure 3




Figure 4

A top view of the drum (Figure 2) shows that there are two such pairs of luminance/color heads. Each head pair writes one field; each drum revolution writes a frame. Each pair is preceded by a flying erase head, mounted at 90° to the writing pair. These two flying erase heads enable the system to generate clean insert edits.



## Highlights of MECA and the RECAM Development

- 1959 — Matsushita Electric Corporation of America (MECA) established.
- 1961 — *Panasonic* selected as a brand name.
- 1975 — Headquarters moved from NYC Pan Am building to facilities in Secaucus, NJ.
- 1976 — MECA established Panasonic Company. The Quasar Electronics Company was purchased.
- 1978 — RECAM and other systems inventions listed. Applied for patents.
- 1979 — Design goals established. Matsushita began hardware development.
- 1980 — Matsushita working model of FM/FM chroma recording system, M Format, tested and accepted. Compression/expansion chroma system rejected.
  - RECAM prototype shown to NHK.
- 1981 — RECAM working system consisting of recording cameras, studio recorder/players and an edit controller shown at NAB and Montreux conventions.
  - First systems delivered.
- 1982 — NAB and SMPTE, *complete* M Format system products available.
  - Format documents for interchangeability specifications submitted to SMPTE.
  - Panasonic Industrial Company formed. Broadcast Group expanded.
- 1983 — MVP-100 Multifunction Video Playback cart machine prototype shown at NAB. Pre-production model shown at SMPTE. Customers on back order.
  - Transmission over microwave for ENG.
  - Interfaces available to all manufacturers' edit controllers.
  - 30-minute tape for 30-minute programming demonstrated at SMPTE convention.
- 1984 — New Technology Products Group formed Jan. 1, 1984, of which Panasonic Broadcast Products is included.
  - Production model of MVP-100 multifunction video player shown at NAB. Immediate deliveries available.
  - Matsushita Electric Corporation of America celebrates its 25th anniversary of progress and dedication.



Nick Hudak  
Manager, Systems  
Development and  
Marketing  
New Technologies  
Group  
Panasonic Industrial  
Company

*"When we introduced the MVP-100*

*multifunction video player to the industry at the 1983 NAB Convention, we took a bold, dramatic step forward. Not since 1969 and 1971, when quad cart decks were introduced, has the industry seen such a dramatic approach to handling commercial inserts. Based on the new M-Vision 1/2-inch tape technology, the MVP-100 represents a quantum leap forward in airing combinations of inserts and programs, putting broadcasters for the first time on the brink of complete TV station automation.*

*"And, all this is possible while retaining the high professional quality available in the emerging 1/2-inch tape and systems technology. Furthermore, the MVP-100 system can be custom tailored, with a variety of multiple decks available to meet the differing needs of many customers. Thus, the features and benefits of the MVP-100 provide distinct advantages to everyone in the TV operation: management, traffic, sales, engineering, news, financial and programming."*

## M systems

The luminance signal, which is either derived directly from the camera or encoded from an NTSC signal, is converted to an FM signal which deviates from 4.3MHz to 5.9MHz, as shown in Figure 3.

The I and Q signals, derived in the same way as the luminance signal, are converted to a 5.0MHz-to-6.0MHz deviation FM signal (for I) and a .75-to-1.25MHz-deviation FM signal (for Q). These FM signals are summed, and the sum is recorded on the color track, as indicated in Figure 4.

The Q signal is linearly recorded, with the I signal itself providing the high-frequency bias needed for such near recording.

In effect, there are three independent M channels in the system, with I and Q separated from each other by frequency division multiplexing, and Y in turn separated from I and Q by the use of a completely separate track. This 3-channel arrangement yields an optimum match between the characteristics of an NTSC recording system must have and the recording capabilities of 1/2-inch videotape. Sync is recorded in the Y and I signals to provide an automatic timing reference between the two tracks.

## Dual-track characteristics

The format described briefly above offers the following advantages:

1. Editing without concern for color framing.
2. Freedom from color misregistration resulting from envelope delay.
3. Freedom from differential phase and gain distortions.
4. Greatly improved color signal-to-noise ratio for both fine-grain and streaky noise.
5. Freedom from subcarrier-caused moire.
6. Low tape cost, through use of VHS standard cassettes.
7. High quality multigeneration dubbing and editing.
8. High quality dual-channel audio, plus time code, due to 8ips speed.
9. Simple, uncomplicated signal processing. No TBC needed to dub or cut-edit.
10. Simple, uncomplicated mechanical handling of tape, for greater tape life.

## Specifications

The full specifications of the M Format are described in a paper that details the track dimensions, transport geometry and signal processing for this recording method. We invite you to read these specifications for a detailed understanding of how the system achieves its performance. For a copy of these specifications, write Panasonic or call 201-348-7471.



**Morris Washington**  
National Sales  
Manager  
New Technologies  
Group  
Panasonic Industries  
Company

"When we  
unveiled the  
RECAM

combination video camera/recorder system at the 1981 NAB Convention, we rocked the industry. Not only did we show a highly advanced camera/recorder unit, we showed a complete system with studio recorder/players and an edit controller.

"You need a total system to meet the needs of broadcasters and producers. With RECAM we go a step further and let end users make individual choices. Although they can use the RECAM camera and recorder as a unique pair, they may use them separately interfaced to any existing system – the camera to any recorder and vice versa. The beauty of this design is that the customer can buy a complete system or individual components as needed. He can start with a complete new system or phase in specific components. He's in command because he can adapt new equipment into his operating system without obsoleting existing equipment that he wants to keep in service."

without reference to a specific reason. The above noise comparison measurements of multigeneration recordings illustrate the differences. In the amplitude-modulated noise of luminance and chrominance measurements, 1/2-inch tape holds up well compared to 1-inch. However, the phase-modulated noise figures, or FM noise, of 1/2-inch is far superior to 1-inch performance.


Why is that? Because of that elusive, difficult-to-measure, variable picture impairment called *moire*. *Moire* is caused by the heterodyne or beat frequencies caused by contamination of video signals wherever subcarrier is present. The herringbone suit or striped shirt illustrate this video contamination. Picture elements are generated into the video where none existed before. Consider the video impairment of several generations of NTSC recording.

In M Format 1/2-inch tape, there is no subcarrier recorded on tape. Therefore, there is no *moire* or spurious signal problem to impair true video fidelity, generation after generation. One-inch tape, because it is a composite video recording with subcarrier present to cross-talk into video, suffers from *moire* and spurious signal impairment. Therefore, 1-inch tape is nearly as good as 1/2-inch M Format tape.

The response in the marketplace has been gratifying. Acceptance of both the RECAM and the MVP-100 is growing rapidly, especially with products readily available to meet the increasing demands. Not since the introduction of the portable cameras in the early 1970s has the industry demonstrated such enthusiasm for a new line of video products.

Industry acceptance is illustrated by

## Signal-to-Noise Comparison: for Multigeneration Recordin



the diversification of users: ABC's *American Sportsman* for the Mt. Everest climb; CBS's Saturday morning children's show, *Benji*; the movie preview of *Dune*; CNN news coverage in Philadelphia; 20-20's underwater documentary of San Ignacio's treasure; WNEV-TV for documentaries and now for news; and WHNS-TV and KMPH-TV for total automated playback of program length and short spot material, plus many, many more.

Although this is just a beginning, it is one that will serve as a benchmark for Panasonic's entrance into the broadcast video market.

**Panasonic Broadcast Systems  
New Technology Products Group  
One Panasonic Way  
Secaucus, NJ 07094**

## Bibliography

The following provides a brief guide to additional reading on the M Format 1/2-inch videotape technology.

"The Look of 1/2-inch at WNEV-TV." Karl Renwanz, WNEV-TV, *Broadcast Engineering*, January 1983, pages 19-26.

"An Introduction to Analog Component Recording." Koichi Sadashige, Matsushita, Paper No. 19, 17th Annual SMPTE Television Conference, Feb. 4-5, 1983, San Francisco, CA.

"Design Criteria for the New Broadcast Video Recording System Employing 1/2-inch VHS Cassette

Tape." Ichiro Arimura and Koichi Sadashige, Matsushita Paper No. 22, 17th Annual SMPTE Television Conference, Feb. 4-5, 1983, San Francisco, CA.

"Field Report: Panasonic RECAM Camera/Recorder System." Karl Renwanz, WNEV-TV, *Broadcast Engineering*, March 1983, pages 276-285.

"Field Report on 1/2-inch M-Format." Karl Renwanz, WNEV-TV, Paper No. 82, 125th SMPTE Technical Conference and Equipment Exhibit, Oct. 30-Nov. 4, 1983, Los Angeles, CA.

"A Dual-Track Video Tape Recording System." Panasonic Publication, two pages, 1983.

"Interchangeability Specifications for a 1/2-inch Broadcast ENG/EFP Helical-Scan Videotape Recorder." Panasonic Publication, 10 pages, 1983 (contains format for interchangeability specifications submitted to the SMPTE in April 1982).

"Video from Heaven." George Bell Jr., *American Cinematographer*, December 1982, pages 68-82.

"Why I and Q?" R.N. Hurst, RCA.

"Why the Commitment to M-Format Video?" Jon Sweeney, Jaguar Television Productions, *Backstage*, Feb. 10, 1984.

RECAM and MVP-100 brochures, Panasonic Publications.



# Catch Defective Caps And Coils All Other Testers Miss—With The Triple Patented "Z Meter".

ORDER NOW  
And Receive A  
Universal Accessory  
Pouch (\$24.95 Value)  
FREE



**\$895**

**The Most Reliable Cap & Coil Tester On The Market:** The "Z Meter" is a totally unique, Triple Patented Capacitor/Inductor Analyzer that will locate defective caps, coils and special devices that all other testers miss—we guarantee it!

**The Only Complete Capacitor Analyzer On The Market:** Extensive testing by our engineering staff has shown that value only testers and bridges will assist you in finding a mere 25% of all the defective capacitors you come across. Only the "Z Meter" checks all 3 critical capacitor parameters: value, leakage (at full rated voltage up to 600 V) and most importantly, dielectric absorption (patented), to catch the other 3 out of 4 bad caps that all the rest miss.

**Patented, 100% Reliable Inductor Testing:** The "Z Meter" measures true inductance (patented), not inductive reactance as bridges do.

This means the "Z Meter" measurements are not related to frequency, assuring you of dependable, accurate and consistent readings—every time!

**Exclusive Ringing Test:** But value testing alone is not enough to thoroughly analyze inductors; that's why we have incorporated our patented ringing test into the "Z Meter". With just the push of a button, the ringing test (which is related to the 'Q' of the coil) will give you proof positive if even just 1 winding is shorted. A value only tester won't show a difference.

**Test SCRs, TRIACs And More:** The "Z Meter's" unique design and exclusive features allow you even more testing versatility—including:

- Checking SCRs, TRIACs, and high voltage diodes—at rated voltage.
- Pinpointing distance to a short or open in a transmission line or coaxial cable.

- Testing for high potential dielectric leakage (Hi Pot Testing).

## Money Back Guarantee

Try a "Z Meter" for 30 days. If you don't agree that it's the most reliable cap/coil tester on the market you may return it for a full refund including freight both ways.

**Call Today:** Get the entire LC53 "Z Meter" story. Write or call toll-free today and ask for our free eight page color brochure and see why thousands of Sencore customers say they catch'em all with their "Z Meter".

Sencore, Inc., 3200 Sencore Drive  
Sioux Falls, South Dakota 57107

**PHONE TOLL FREE  
1-800-843-3338**

In Canada Toll-Free 1-800-665-4871  
South Dakota, Alaska, and Hawaii call  
collect at 605-339-0100.

# SENCORE

Circle (20) for information  
Circle (21) for demonstration

www.americanradiohistory.com

# NAB exhibit profile: **Sony Broadcast**

The NAB convention, the world's leading show for broadcasters, provides an opportunity for exhibitors to do the unusual and unexpected. Within the framework of NAB restrictions on what exhibitors can and cannot do, companies devote a tremendous amount of time, talent and money to create exceptionally attractive and meaningful displays for the convention.

Each year we include in our NAB pre-show coverage an inside look at an outstanding exhibit from the previous year's convention. Last year we were impressed with the Sony display, and we asked the company to detail its efforts to develop the exhibit.

Although many people were amazed by its size and futuristic design, nearly everyone agreed that Sony Broadcast Products Company's 1983 NAB exhibit was a success. Titled, "Bringing Vision to an Industry," the 14,000-square-foot space center became a hot attraction for NAB's 30,000 visitors. The combination of innovative design and high technology was the key to the company's capability for displaying a wide range of products to a large number of attendees.

An insight into the planning, preparation and logistics involved in putting together an exhibit of such magnitude has been provided by Irwin Ungerleider, manager, shows and exhibits, Sony Broadcast Products Company, in this interview.

**Q:** In many ways, Sony Broadcast's 1983 NAB exhibit broke tradition. How was the initial concept formed? What were your goals?

**A:** In previous shows, we had employed the traditional fortress design, in which walls are set up around the perimeter of a booth area and all the hardware and demonstrations are held inside. For 1983, because we were working with the largest area that had ever been sold at NAB, management's idea was to create an open-air environment strikingly dif-

The huge Sony exhibit facility included a demonstration of high definition television (HDTV). The company's HDTV studio camera can be seen at the right.





MASTERING THE MIND'S EYE

# BROADCAST PLUS

U-MATIC VIDEOCASSETTES

AGFA BP — the promise...delivered.


**AGFA  
VIDEO**

AGFA-GEVAERT  275 NORTH STREET, TETERBORO, N.J. 07608 (201) 288-4100

Circle (22) on Reply Card

[www.americanradiohistory.com](http://www.americanradiohistory.com)

# THE SONY 1" T



JOGGING DURABILITY		GUIDE WEAR-OFF		VIC S/
SIGNAL WEAR	STILL TEST		RF OUTPUT	



# TAPE MEASURE.

## THE VIDEOTAPE THAT ACHIEVES THE OPTIMUM BALANCE BETWEEN THESE 16 VITAL ELEMENTS.

What good is a recording tape that gives you a terrific video signal-to-noise ratio but falls short in signal wear? Or one that excels in video sensitivity but is dismal in dropouts? Or, for that matter, one that reduces head wear but sticks and slips in the jogging mode?

The answers bear the simplicity of common sense: no good. Which is why Sony created the yardstick for all 1" videotape: the Sony V-16.

The V-16 is based on the assumption that the only good tape is a perfectly consistent tape. And to achieve this consistency Sony has developed exclusive tape production techniques, created special binding materials, lubricating oils and additives. And then each batch of V-16 is submitted to over 16 quality-control checks where meticulous attention is paid to every detail from dropouts to print-throughs.

Any Sony tape that isn't perfectly balanced in picture quality, runnability, durability and audio will never find its way into your editing suite.

So if you're looking for the best overall performance in a 1" tape, look for the one that's superior **SONY** in 16 points, not just some of them: V-16 from Sony. Industrial Tape Division

© 1984 Sony Tape Sales Company, a division of Sony Corporation of America. Sony Drive, Park Ridge, New Jersey 07656. Sony is a registered trademark of Sony Corporation.

	DROPOUT	AUDIO OUTPUT UNIFORMITY	AUDIO S/N	HEAD WEAR	EASE OF ERASURE
COLOR S/N	AUDIO SENSITIVITY	FREQUENCY RESPONSE	RUBBING NOISE	PRINT- THROUGH	



# Exhibitor roundup

This special section alphabetically lists the NAB-'84 exhibitors and previews products to be displayed in Las Vegas. The parenthetical number following the exhibitor name is the booth site in the convention hall. If a company did not have a booth at press time, an asterisk (\*) appears in place of the number. A dagger (†) indicates that a company's NAB form was not returned by press time. In such cases, data was generated from the NAB listing and/or BE files.

Below each exhibitor listing is a number by which the Reader Service Card may be used to provide additional

exhibitor data. Also, if the exhibitor is advertising in this issue, the location of the ad is indicated for additional details about the company's NAB-'84 exhibit products.

Although this section will be a valuable aid in planning convention activities, caution should be exercised. The listing here is comprehensive as of press time, but changes are still occurring in exhibitor sign-ups, products being shown and booth assignments. Check the final program at NAB-'84 to make your final plans. Look for the BE wrap-up of this convention in our June and July issues.

**ABP Systems** (1607A)†  
See at booth  
Circle (401) on Reply Card  
see ads on pages 51, 138 and 139

**ADC Magnetic Controls** (1320)  
Established products \_\_\_\_\_  
Pre-wired audio and video jackfields  
Audio connectors  
Coaxial connectors  
New products \_\_\_\_\_  
Hum-bucking equipment  
**SJ2000:** Self-normalizing coaxial jack  
Circle (402) on Reply Card  
see ads on pages 51, 138 and 139

**ADM Technology** (1223)  
Established products \_\_\_\_\_  
**9000 series:** Stereo, microprocessor-based, on-air and production consoles  
**VP series:** Audio post-production console, coupling video editing with audio  
**2442 series II:** 168-input, 24-mix bus on-air or production console with four or eight submasters and two outputs  
**1642 series II:** On-air and production TV audio console  
**ST series II:** Radio on-air and production consoles  
Audio DAs, patch bays, signal processors and related audio products  
New products \_\_\_\_\_  
Stereo TV on-air and production console with multiple stereo line preselection, stereo line input modules, stereo signal processing, submaster grouping and master output modules  
Circle (403) on Reply Card  
see ad on inside front cover

**AEG-Telefunken**  
See Bayly

**AF Associates** (1611)  
Established products \_\_\_\_\_  
Turnkey systems and mobile units  
**Marconi B3410:** CCD telecine

**AVS6000:** Digital standards converter  
AFA custom products  
New products \_\_\_\_\_  
Protel computer support and automation systems for broadcast and film production and post-production  
Circle (404) on Reply Card  
see ads on pages 58 and 59

**ATI-Audio Technologies** (420)  
Established products \_\_\_\_\_  
**P100:** Encore series, phono preamp  
**P1000:** MicroAmp series, phono amp  
**M1000:** MicroAmp dual mic amp  
**L1000:** MicroAmp dual line/buffer amp  
**DA1000/DA2000:** MicroAmp audio DAs  
New products \_\_\_\_\_  
**DA1000:** Modular audio DA system  
**VU1000:** MicroAmp series LED meter, power amp and 8x1 audio switcher  
**DA208/416:** Encore series, dual 1x4 and quad 1x4 audio DAs  
Circle (405) on Reply Card  
see ad on page 240

**AT&T Communications** (407)†  
Established products \_\_\_\_\_  
Genesis graphics board  
FCT graphic creation terminal  
System 85 business management system  
Dimension PBX telephone system  
Transportable earth station terminals  
New products \_\_\_\_\_  
See at booth  
Circle (406) on Reply Card

**AT&T Information** (1429)  
Established products \_\_\_\_\_  
Dial-It service  
New products \_\_\_\_\_  
See at booth  
Circle (407) on Reply Card

**AVC Systems** (331)  
Established products \_\_\_\_\_

**AIR-7:** Harrison radio console  
**PRO-7:** Harrison video post-production console  
**MTR-10:** Otari reel-to-reel ATR  
**MTR-90:** Otari 24-track recorder  
**BTX:** Machine synchronizer  
New products \_\_\_\_\_  
See at booth  
Circle (408) on Reply Card

**Abekas Video Systems** (1620A)  
Established products \_\_\_\_\_  
**A42:** Video slide projector using 5¼-inch Winchester disk memory  
New products \_\_\_\_\_  
**A52:** Digital special effects system for on-air and production includes various image manipulations in single- or dual-channel forms with DataKey effects memory  
Circle (409) on Reply Card

**Accurate Sound** (\*)  
Established products \_\_\_\_\_  
**AS-200:** High-speed audiotape duplicator  
**180:** Starbird deluxe studio boom  
New products \_\_\_\_\_  
See at booth  
Circle (410) on Reply Card

**Accu-Weather** (1134C)†  
Established products \_\_\_\_\_  
Weather graphics display systems  
New products \_\_\_\_\_  
See at booth  
Circle (411) on Reply Card

**Acrodyne** (1228)  
Established products \_\_\_\_\_  
**TRH/10KA:** 10kW high-band VHF TV transmitter  
**TRH/250A:** 250W single-tube VHF TV transmitter



# The ingredients of Varian's new S-Tube bring super-high efficiency.

Varian's new "S-Tube" klystron operates at super-high efficiency—translating to significant savings in electric utility costs for UHF-TV broadcasters. The new S-Series, 5-cavity klystron provides significant improvement in operating efficiency through a unique configuration of tuning and cavity loading.

## **Efficiency-tuned for 10% improvement.**

The new S-Series klystrons are tuned to maximize efficiency while maintaining useful gain. The Q of the second cavity is reduced by external loading and the output cavity is optimized by use of a variable visual coupler. These tubes will provide efficiency improvement of up to 10 percentage points over current high efficiency types when used under equivalent conditions.


## **Interchangeable with Varian H-tubes.**

The most practical aspect of the new S-Series tubes is the complete interchangeability with the Varian VA-953H-Series tubes, providing broadcasters maximum flexibility in planning new equipment acquisitions.


More information on Varian's new S-Tube is available from Varian Microwave Tube Division, or any Electron Device Group worldwide sales organization.

Varian Microwave Tube Division  
611 Hansen Way  
Palo Alto, California 94303  
Telephone: 415-424-5675

Varian AG  
Steinhauserstrasse  
CH-6300 Zug, Switzerland  
Telephone: 042-23 25 75



# INTRODUCING



## 48 Feet Of Technical Excellence!

- **13' x 8.5' x 48' Trailer**
- **5 IKEGAMI HK 357AT2 Cameras**
  - 4 40-1 Canon lenses
  - 2 18-1 Canon lenses
- **3 IKEGAMI HL79E Handheld cameras**
  - 3 13-1 x 2 Canon lenses
  - 1 17-1 x 2 Fujinon lens
- **4 Ampex VPR2B Recorders**
  - 1 VPR 20B
- **Grass Valley 300-2AN Switcher**
  - Dual Channel DVE
  - Chyron 4100 Series
- **ADM Custom Audio console**
  - 64 mic inputs to 16 mixers
  - RTS 40 station intercom
  - RTS 12 station IFB



# "CHALLENGER"

## **Challenger Productions, Inc.**


5727 S. Garnett, Tulsa, OK 74146

**(918) 250-7376**

## **Lerro Electrical Corporation**

3127 N. Broad St., Philadelphia, PA 19132

**(215) 223-8200**



**Acrodyne (1228)**

Continued

**TLV/10:** 10W VHF translator**TRU/10KA:** 10kW UHF TV transmitter**TRU/5KA:** 5kW UHF TV transmitter**TRU/100A:** 100W UHF modulated translator**TRU/1KA:** 1kW UHF modulated translator**TRU/1KA:** 1kW UHF transmitter**TLU/30:** Dual 30W UHF translators in hot-standby mode

New products \_\_\_\_\_

See at booth \_\_\_\_\_

**Circle (412) on Reply Card**

see ad on page 157

**Adams-Smith****(1724)**

Established products \_\_\_\_\_

**2600LG/LR:** Longitudinal time code generator/reader**2600VG/VR:** VITC time code generator/reader**2600TI:** Translator interface for VITC editing**2600CI:** Character inserter**2600CR:** Longitudinal time code restorer**2600SI:** RS-232/SMPTE RS-422 serial interface**2600SY:** Tape synchronizer

New products \_\_\_\_\_

**2600MTC/STC:** Master transport controller for automatic VCRs**2600DEC:** Digital data entry controller**2600EEC:** Event/edit controller for audio editing**2600CD:** Controller display**Circle (413) on Reply Card****ADDA****(1100)**

Established products \_\_\_\_\_

**ESPC:** Electronic still-store and graphics system**VIP:** Digital video effects system**AC20A:** Dual-channel TBC or synchronizer with production effects**VW2:** Frame synchronizer and TBC

New products \_\_\_\_\_

**ESP II:** Low cost broadcast still-store and graphics system with digital production effects**AC21A:** PAL dual-channel TBC with production effects**Circle (414) on Reply Card**

see ads on pages 296 and 297

**PRC-3:** Duplex, 2-way, wireless headset**Circle (416) on Reply Card****Agfa-Gevaert****(1608)**

Established products \_\_\_\_\_

**Broadcast Plus:** U-matic videocassettes, KCS and KCA types

New products \_\_\_\_\_

**PEM469:** Studio mastering tape**Circle (417) on Reply Card**

see ad on page 43

**Alan Gordon**

See Gordon, Alan

**Alden Electronics****(1336)**

Established products \_\_\_\_\_

**C200R/S:** Stand-alone color weather display system

New products \_\_\_\_\_

See at booth \_\_\_\_\_

**Circle (418) on Reply Card****Alexander Mfg.****(1714)**

Established products \_\_\_\_\_

**In-board battery packs:** BP20A-11, BP60A, JVC-1, BP90**Out-board battery packs:** 7600, 7700**CR90-1:** Battery charger

New products \_\_\_\_\_

See at booth \_\_\_\_\_

**Circle (419) on Reply Card****Allen Avionics****(1627)†**

Established products \_\_\_\_\_

# The unequalled equalizer.

Not all equalizers are created equal. You know that from experience. So do we. Our years of parametric design experience let us build so much performance and versatility into our 672A (mono) and 674A (stereo) graphic/parametric equalizers that *Modern Recording & Music* (October, 1981) described the 674A as "...the most powerful equalizing tool for pro audio work that I have yet to come across".

They clearly appreciated the versatility and functionality of eight bands of EQ with fully adjustable center frequency and bandwidth, plus the availability of 12dB/octave highpass and lowpass filters to limit signal bandwidth or to serve as a full electronic crossover.

No matter what your application—production, program shaping, room tuning, reinforcement work, or clean-up chores—you can count on Orban's heavy-duty professional construction and equally professional documentation and service. Find out why the Orban 672A/674A's are truly the "unequalled equalizers".

**orban**

Orban Associates Inc. 645 Bryant Street  
San Francisco, CA 94107 (415) 957-1067  
TLX: 17-1480

**Circle (284) on Reply Card**



# ADC's NEW SELF-NORMALLING COAX JACK:

## Delivered faster for less without leaving performance behind




In the past, many engineers felt that a 12-plus week wait was the price one paid for a reliable coax jack.

But the self-normalizing, multi-purpose ADC SJ2000 has changed all that. SJ2000 gives superior performance without the delays. Or the expense.

The SJ2000 has the features you want: nickel or gold plating, terminating or non-terminating versions, and you can purchase it individually or loaded in panels.

What the SJ2000 doesn't have is a high price tag. That's because ADC



manufactures most of its own parts, employing the latest CAD/CAM technology.

Our high volume manufacturing capabilities also let us deliver from stock, either from our distributors or Minneapolis order center.

Check our claims yourself. **To order, just call**

**(612) 893-3010.**

Custom orders are welcome.

### ADC's New Humbucker

*only \$95.00 list*

It will reduce up to 60dB of ground induced hum. Plus the price is less and the delivery fast. Call (612) 893-3010 for details.



**ADC/Magnetic Controls Co.**  
4900 W. 78th St.  
Minneapolis, MN 55435

**Be sure to visit us in Booth 1320 at the NAB Show,  
April 29 – May 2 in Las Vegas.**

Circle (24) on Reply Card

**Allen Avionics (1627)**  
Continued

Variable binary toggle switch delay lines  
Binary strappable variable delay line  
Infinitely variable delay lines  
Rotary switch delay lines  
Delay equalized low-pass filter  
Rack-mountable slide switch variable delay lines  
Rack-mountable strappable binary delay lines  
Hum eliminator coil  
Pre- and de-emphasis wave-shaping networks  
Random noise measurement networks  
Video delay lines  
Equalizers: cable and signal

**HEC-1000:** Hum eliminator  
New products \_\_\_\_\_  
See at booth

Circle (420) on Reply Card  
see ad on page 312

**Allied Broadcast Equipment (639)**  
Established products \_\_\_\_\_

Mics, mic mixers, audio amplifiers and audio monitors  
Audio recording equipment  
New products \_\_\_\_\_

**TELEMIX II:** Telephone interface with software control for 15-line fully conferenceable talk-show control  
Circle (421) on Reply Card

**Allied Tower Company (409)**  
Established products \_\_\_\_\_

Towers  
Tower equipment  
Tower services  
Prefabricated buildings  
New products \_\_\_\_\_  
See at booth  
Circle (422) on Reply Card

**Allsop (1177)**  
Established products \_\_\_\_\_

VHS and Beta video cleaners  
Ultraline audiocassette deck and deluxe cleaning system  
Orbitrac record cleaning system  
**58040:** Record stylus care kit  
**79000:** Microcassette cleaner  
New products \_\_\_\_\_  
**67000:** U-matic video cleaner with solution  
**67500:** U-matic cleaner refill kit  
**60200:** Ultraline VHS video cleaner  
**60210:** Ultraline VHS refill kit  
**10086:** Micro maintenance kits for computers  
Circle (423) on Reply Card  
see ad on page 241

**Alpha Audio (210)**  
Established products \_\_\_\_\_  
Sonex acoustic foam  
New products \_\_\_\_\_  
See at booth

Circle (424) on Reply Card  
see ad on page 275

**Altran Electronics (124)†**  
See at booth  
Circle (425) on Reply Card

**Amber Electro Design (422)**  
Established products \_\_\_\_\_  
**3501:** Distortion/noise measuring system  
New products \_\_\_\_\_  
**5500:** Programmable distortion/noise measuring system  
Circle (426) on Reply Card

**Amco Engineering (1218)**  
Established products \_\_\_\_\_  
Equipment racks, consoles, computer desks, desk-top cabinets, enclosures and work stations  
New products \_\_\_\_\_  
See at booth  
Circle (427) on Reply Card  
see ad on page 285

**AMEK Consoles (1620)**  
Established products \_\_\_\_\_  
**BCO-1:** Portable dc-powered field mixer  
**TeleVideo 1000/2500:** Stereo live/production consoles  
Matchless production/music mixer  
**M-4000:** Film console modules for re-recording  
New products \_\_\_\_\_  
**Telecine 7000:** Telecine transfer preliminary  
**CLO-1:** 2-stage limiters  
Circle (428) on Reply Card  
see ad on page 209

**American Horizon (1122A)†**  
See at booth  
Circle (430) on Reply Card

**American Image (653)†**  
Established products \_\_\_\_\_

# Stop using bad tape. Reduce tape dropouts. Improve video quality.

The RTI Videotape Evaluator/Cleaner finds control track and other physical damage that makes a tape useless. It can even print out exact damage locations. You'll know instantly which tapes shouldn't be used.

It eliminates up to 70% of temporary tape dropouts. Good tapes will look even better.

It also eliminates frequent head clogging by reducing tape-borne dirt and loose oxide.

Protect your tapes, your recorders and your reputation. This machine will pay for itself in tape costs alone. For detailed information, write or call us toll free at 800/323-7520.\*

Models available for U-Matic, VHS or Beta.



**RTI**

VIDEO  
PRODUCTS  
COMPANY

A Subsidiary of Research Technology International

4700 Chase Ave., Lincolnwood, IL 60466  
\*Illinois, Alaska, Hawaii or outside the U.S.A.,  
call 312/677-3000

Circle (25) on Reply Card



# "WHY?"

## WHY DO SEVEN MAJOR PRODUCTION HOUSES IN NEW YORK CITY CHOOSE **FUJINON** LENSES?

According to John Martin of Modern Telecommunications, Inc., MTI chose **FUJINON** P17 x 16.5ESM lenses because...*"the lens delivers the highest performance we've seen in any lens today...smooth zoom and focus...sharp, clear pictures..."***FUJINON** service before and after sales is unmatched by the competition. We deal with most of the major advertising agencies as well as all the networks and they are quite critical of the end product. We need great pictures to satisfy our customers. So, to get the best pictures, we chose the best lenses...**FUJINON**."

PRODUCTION HOUSE	FUJINON LENS	PRODUCTION HOUSE	FUJINON LENS
CGR VIDEO CORPORATION 135 East 55th Street	P44 x 18ESM P30 x 20ESM	REEVES TELETAPE 304 East 44th Street	P17 x 16.5ESM P30 x 20ESM
MATRIX VIDEO 727 11th Avenue	P17 x 16.5ESM	UNITEL VIDEO SERVICES 510 West 57th Street	P16 x 17ESM P30 x 20ESM
MODERN TELECOMMUNICATIONS, INC. 1443 Park Avenue	P17 x 16.5ESM	VCA TELETRONICS CENTER STAGE 503 West 33rd Street	P44 x 18ESM P14 x 16.5ESM
NATIONAL VIDEO CENTER 460 West 42nd Street	P14 x 16.5ESM		



# FUJINON


For more information on the P17x16.5ESM and other high quality **FUJINON** products, contact your **FUJINON** office nearest you.

672 White Plains Rd., Scarsdale, NY 10583  
2101 Midway, Suite 350, Carrollton, TX 75006  
4855 Atherton Avenue, San Jose, CA 95130  
118 Savarona Way, Carson, CA 90746

(914) 472-9800  
(214) 385-8902  
(408) 866-5466  
(213) 532-2861

Circle (26) on Reply Card

Photographed at Modern Telecommunications, Inc.





# LZR PUTS YOU IN CONTROL OF YOUR LIGHTING SYSTEM.

## LIGHTHESIZER

- FULL MANUAL CONTROL
- DUAL MEMORIES
- THREE POWERFUL CONTROL ZONES INTERCONNECT
- 120 PRESETS, SUBMASTERS
- IMMEDIATE ACCESS TO ALL FUNCTIONS
- RECORDS COMPLEX 'LOOKS' INSTANTLY
- CONTINUOUS LED ACTIVITY DISPLAY
- EASY TO LEARN, OPERATE
- WORKS FAST, FEELS GOOD, DOES MORE
- A BETTER CONTROL SYSTEM FOR TV, CONCERT, LIVE PERFORMANCE!

**LZR Lighthesizer**

DESIGNER CONTROLLED  
LIGHTING CONTROL

Write or call for more info.

THE  
GREAT  AMERICAN  
MARKET

826 N. COLE AVENUE HOLLYWOOD CA 90038  
TELEPHONE 213/461-0200 • TWX 910 494 1233

Circle (27) on Reply Card

### American Image (653)†

Continued

TV production  
Syndicated radio programs  
Broadcast consulting  
Music library  
New products \_\_\_\_\_  
See at booth

Circle (431) on Reply Card

### Amperex Electronics (1412)

Established products \_\_\_\_\_

XQ1427/2427/3427: 3/4-inch Plumbicon tubes

XQ1070/2170/3170: 1-inch Plumbicon tubes

XQ1410/4500: 30mm Plumbicon tubes

New products \_\_\_\_\_

XQ4087: 1/2-inch HS DG Plumbicon

83XQ: 30mm DG Plumbicon

XQ4187 (85XQ): 3/4-inch DG Plumbicon

XQ3457 (87XQ): 3/4-inch DG Plumbicon

S4083: 3/4-inch Plumbicon for low cost, high performance cameras

YK1263: Klystron

Circle (429) on Reply Card

see ads on pages 116 and 117

### Ampex Corporation (1400)

Established products \_\_\_\_\_

VPR-3, VPR-80 and VPR-2B: Type C VTRs

VPR-5: Portable type C VTR

FPC-10: Portable ENG VRC camera/recorder

ACE and HPE: Editing systems

AVC 4100 series: Video production switchers

ADO: Digital special effects system

ESS-3: Still-store and graphics system

New products \_\_\_\_\_

See at booth

Circle (432) on Reply Card

see ads on pages 110a, 110b, 111, 112, 113 and 114

### Ampex Tape Division (\*)

Established products \_\_\_\_\_

196: 1-inch helical videotape

197: U-matic videocassettes

456: Grand Master professional audiotape

406/407: Professional audiotape

101/102: Beta/VHS videocassettes

175: Quad videotape

New products \_\_\_\_\_

See at booth

Circle (433) on Reply Card

see ad on page 11

### Amtel Systems (1745)

Established products \_\_\_\_\_

ECM series: Edit code reader/generator, master with VITC and VITC reader/character inserter/translator

STG 300: Safe area/safe title generator

1260: Video character generator

1275A: Time display

Evertz time code products

New products \_\_\_\_\_

4900: VITC/longitudinal edit code reader/character generator

3600D: Edit code reader/generator/character inserter

4500: Portable VITC/longitudinal generator/reader

4600: VITC source identification system

DV8800 series: Modular DAs for audio, video, video clamping and equalizing.

and regenerative pulse

Circle (434) on Reply Card

### Anchor Systems (1618C)

Established products \_\_\_\_\_

AN100: Self-contained 25W sound system in walnut cabinetry

AN150: AN100 system in black vinyl

AN200: 55W sound system in walnut cabinetry

AN250: AN200 system in black vinyl

New products \_\_\_\_\_

Porta-Com: Cabled intercom systems

Snakes: Mic multi-input cables and boxes

Circle (435) on Reply Card

### Andrew (1201A)

Established products \_\_\_\_\_

UHF-TV transmitting antennas for all power levels

Microwave antenna systems

Coaxial cable and rigid transmission line

Circular waveguide for UHF-TV

Standby antennas

Guyed and self-supporting towers

Fiber glass and concrete equipment shelters

Project management and field installation services

New products \_\_\_\_\_

See at booth

Circle (436) on Reply Card

see ad on page 105

### Angenieux (1201)

Established products \_\_\_\_\_

TV and film zoom lenses, including:

15X7: System for 1/2-inch format

15X9 and 25X10: For 3/4-inch format

12X16: With 2X range extender

15X17: Lens assembly

New products \_\_\_\_\_

See at booth

Circle (437) on Reply Card

see ad on page 324

### Anixter Brothers (1171)†

Established products \_\_\_\_\_

Antennas, point-to-point

Antennas, satellite

Antennas, microwave

Antennas, 2-way

New products \_\_\_\_\_

See at booth

Circle (438) on Reply Card

see ad on page 125

### Antenna Technology (1737)

Established products \_\_\_\_\_

SIMULSAT: Multibeam antennas in 3.3m, 5m and 7m equivalent sizes

New products \_\_\_\_\_

SIMULSAT-7: 7m equivalent earth station antenna for TV broadcast

Circle (439) on Reply Card

see ad on page 271

### Anton/Bauer (1337)

Established products \_\_\_\_\_

ProPac13/14: Snap-On nicad. 4Ah battery packs

ProPac90: Pro VTR battery

SV-13: Snap-On silver 13.5V/12Ah battery

30/13: Universal battery belt

LSQC/LSQ4: Lifesaver 8-hour single and quad chargers

LSFC: Lifesaver 1-hour fast charger

SPS-3/SPS-5: ac power supplies



# To know how good your camera tube is, look it straight in the eye.

Saticon II




Plumbicon™



For better color pictures, compare the color of the photoconductors.

This simple comparison demonstrates why you'll get better broadcast quality with Saticon® II. The dark red faceplate of Saticon II shows its selenium-arsenic-tellurium photoconductor. The lighter reddish-yellow faceplate of the Plumbicon™ tube reveals its lead-oxide photoconductor.

This color difference indicates significant Saticon II advantages. Because the darker photoconductor absorbs more light, picture quality is enhanced. On the other hand, Plumbicon's lighter color photoconductor reflects more light at all visible wavelengths, as shown in the chart below.



Because Saticon II reflects less light, you benefit with reduced flare and less blooming. Low-light colors maintain their integrity and accuracy.

As a consequence, Saticon II does a remarkably good job of handling high contrast scenes in uncontrolled lighting conditions because of its low flare. What's more, Saticon II's photoconductor is a glassy, amorphous, high resistivity film. Its structure serves to ensure high resolution, high sensitivity and unmatched depth of modulation.

For more information on Saticon II, contact your RCA distributor or write to RCA Camera Tube Marketing, New Holland Avenue, Lancaster, PA 17603. Or call (800) 233-0155. In Penna., phone (717) 397-7661. Over-seas, contact RCA Brussels, Belgium. Sao Paulo, Brazil. Sunbury-on-Thames, Middlesex, England. Paris, France. Munich, W. Germany. Hong Kong. Mexico 16 DF, Mexico.

\*Used by permission of trademark owner.

# RCA

**Take out the doubt.**

Circle (44) on Reply Card

Anton/Bauer (1337)  
Continued

**SNDS:** Diagnostic battery evaluation unit  
**LG-UD:** Black Beauty universal light head  
**Micro Control:** Compact camera control unit  
New products \_\_\_\_\_  
**MicroLight:** Lightweight modular lighting system for universal portable applications  
**MicroControl:** Unit for Ikegami 79E  
Portable undercover VRC systems for up to 8-hour surveillance applications in any lighting situations  
Miniature camera/monitor safe area generator  
Circle (440) on Reply Card

**Anvil Cases** (1112)  
Established products \_\_\_\_\_  
Equipment transport cases for broadcast, teleproduction and cine equipment  
GSA cases  
New products \_\_\_\_\_  
See at booth  
Circle (441) on Reply Card  
see ad on page 170

**Apert-Herzog** (1703)  
Established products \_\_\_\_\_  
**Model A2:** Digital frame synchronizer  
**Model H2:** TBC-frame synchronizer  
**Model H:** TBC-frame synchronizer  
**VBB-1:** Distribution amplifier IC  
**1x24:** 1-in/24-out DA  
New products \_\_\_\_\_

See at booth  
Circle (442) on Reply Card

**Aphex Systems Ltd.** (513)  
Established products \_\_\_\_\_  
**AXII-S:** Studio aural exciter  
**AXII-B:** On-air aural enhancer  
**AX-B:** Low cost aural exciter  
**EQF-2:** 3-band sweep EQ in powering rack unit  
**CX-1:** Modular compressor-expander  
**15 37A:** VCA IC  
New products \_\_\_\_\_  
**Compellor:** Intelligent, inaudible compressor, leveler and peak limiter for broadcast and production  
**MP-1:** Quiet, ultrafidelity mic preamp  
Circle (443) on Reply Card

**Apis** (1762)†  
See at booth  
Circle (444) on Reply Card  
see ad on page 292

**Applied Digital Technology** (1730)†  
Established products \_\_\_\_\_  
Synchronizers, SMPTE time code  
New products \_\_\_\_\_  
See at booth  
Circle (445) on Reply Card

**Arbitron** (802)†  
Established products \_\_\_\_\_  
AID applications for sales  
Program and promotional graphics  
TV meter services  
New products \_\_\_\_\_  
See at booth  
Circle (446) on Reply Card

**Aries Antennas** (1770)  
Established products \_\_\_\_\_  
TV antenna systems and services, including installation, measurements, analysis and refurbishment of older systems  
New products \_\_\_\_\_  
See at booth  
Circle (447) on Reply Card

**Arrakis** (211)†  
Established products \_\_\_\_\_  
**100RS:** Routing switcher  
**150SC:** Audio console  
**5000SC:** Audio console  
**2000SC:** Audio console  
**2000R:** Audio console  
Mic mixers, pre-amps, power amps, audio DAs, LED/VU level indicators  
New products \_\_\_\_\_  
See at booth  
Circle (448) on Reply Card

**Arriflex** (1421)  
Established products \_\_\_\_\_  
**35BL-3:** 35mm motion picture camera  
**35-3:** 35mm MOS film camera  
**16SR-2:** 16mm film camera  
Zeiss motion picture camera lenses  
ARRI HMI lights  
**ARRI CineJib:** Crane for film and video cameras  
**BTM 616:** Film editor with video interface  
New products \_\_\_\_\_  
**ATC:** ARRI SMPTE time code unit for ARRI film cameras  
Wheeled base for CineJib  
**ARRILITE:** Portable tungsten lighting kits  
Circle (449) on Reply Card

## THE LEGEND LIVES



### LJ-12

#### AUDIO TAPE RECORDER/REPRODUCER

1. Complete microprocessor control of all transport and audio functions resulting in unprecedented operational stability and flexibility.
2. SMPTE compatible with versatile accessory connector containing all vital signals, including RS-232 serial input and output.
3. Digital adjustment and storage of audio parameters eliminates trimpots and allows front-panel adjustment and multiple alignment settings in non-volatile memory (no batteries).
4. Most accurate vari-speed ever offered, with precise digital control of capstan speed from 3 to 36, IPS, and real-time vari-speed correction of the tape timer display.
5. Simplicity by design — in operation and construction.

**LJScully**

THE L.J. SCULLY MFG. CORP.  
138 Hurd Ave., Bridgeport, Ct. 06604 U.S.A.  
203/368-2332

THE ORIGINAL SCULLYS

Circle (28) on Reply Card



# Now there's even more to look into



TM14-9RM

## Ikegami's new Broadcast Color Monitors

Ikegami has just made it impossible for any quality-minded high resolution color monitor user not to consider looking into an Ikegami monitor.

They call it the 9-Series, two new monitors (13V and 19V) with standard features that include a High Resolution Shadow Mask CRT with a Self-Converging In-Line Gun; American Standard Matched Phosphors; a Comb Filter to preserve luminance resolution; pulse cross and R-Y/B-Y outputs. We think you'll call it just what you've been looking for.

Along with its streamlined design and easily serviced modules, Ikegami's new monitors follow in a tradition of excellence. Each offers high stability, exceptional performance and proven reliability. Together with Ikegami's Delta-Gun Series, the 9-Series provides yet another reason to look into the monitors that more and more video users are spending their time looking into.

Isn't it time you looked into Ikegami monitors?



TM20-9RM

# Ikegami

9-Series monitors

*Ikegami is the supplier of Color Monitors to ABC for its coverage of the 1984 Winter and Summer Games.*

Ikegami Electronics (USA) Inc., 37 Brook Avenue, Maywood, NJ 07607; (201) 368-9171 • Northeast: (201) 368-9171  
West Coast: (213) 534-0050 • Southwest: (713) 445-0100 • Southeast: (813) 884-2046 • Canada: (201) 368-9179

Circle (29) on Reply Card





## PICK A VIDEO SYSTEM. ANY ONE!

Chances are we've already done one just like it! The fact is, we've designed, fabricated and installed video systems of every size and configuration—from ENG vans to large mobile production systems, from insert stages to multi-camera production studios, from 3/4" editing rooms to state-of-the art post-production suites, film-to-tape facilities, videotape duplication centers, satellite network playback facilities, etc.

That's why more and more production

and post-production companies, broadcasters, cable operators, corporate users and advertising agencies have come to rely on us—for our experience and engineering knowhow, and our ability to get the job done on schedule.

And they know it makes good economic sense, too. Because while we're doing what we do best, they can concentrate on doing what *they* do best!

So pick a video system. And then call us, today!




**A.F. ASSOCIATES INC.**

ADVANCED SYSTEMS AND PRODUCTS FOR THE VIDEO INDUSTRY  
AFA SYSTEMS DIVISION 100 STONEHURST COURT NORTHVALE NJ 07647 (201) 767-1000

Please See Us at NAB Booth 1611



# HE'S ALL YOU NEED TO START YOUR MARCONI FULLY DIGITAL TELECINE!



He's 5½ going on 6 and he isn't a genius. But the Marconi Line Array Telecine B3410 doesn't need a genius.

Unlike other telecines, the Marconi B3410 is fully digital. That means, among other things, it can deliver full performance within two minutes from the time you switch on. It does not require tweaking or day-to-day adjustments, and there is no registration drift or tubes to replace. The stability of its electronics is simply superb!

Once it's started, you'll appreciate the Marconi B3410 for its fully digital processing and CCD image sensors that provide an extraordinarily true video picture. Moreover, the Marconi B3410 has a light bias facility that resolves dark areas of the film. It converts into all international standards and interfaces with all available color correctors.

For more information on specifications and the cost of the Marconi B3410, call us in New Jersey (201) 767-1000 or in California (213) 466-5066.



Please See Us at NAB Booth 1611

## **A.F. ASSOCIATES INC.**

ADVANCED SYSTEMS AND PRODUCTS FOR THE VIDEO INDUSTRY  
AFA PRODUCTS DIVISION 100 STONEHURST COURT, NORTHVALE, NJ 07647

Circle (30) on Reply Card

**Artel Communications** (1163)†  
 Established products \_\_\_\_\_  
**SL-2000:** Fiber-optic transmission system for video/audio/data  
**EN-1000:** Portable fiber-optic ENG/EPF transmission system  
**T/R-2000:** Long distance video transmission plug-in modules  
**T/R-2150/2121:** Dual-channel audio subcarrier system for SL-2000  
**T/R-2210:** Data transmission subcarrier plug-in modules for the SL-2000  
**ACU-2000:** Alarm control unit for multichannel fiber-optic video/audio/data systems  
**T/R-2020:** Fiber-optic composite video/audio plug-in module system for the SL-2000  
**T/R-2013:** High resolution fiber-optic video transmission system for computer graphics communications and high definition RGB video  
**T/R-2000L:** Long distance transmission system for broadcast-quality video/audio  
**S-1000:** Low profile card frame for SL-2000 fiber-optic function modules HDVT/computer graphic products  
 New products \_\_\_\_\_  
 Long distance fiber-optic system  
**Circle (450) on Reply Card**

**Asaca/ShibaSoku** (1226)  
 Established products \_\_\_\_\_  
**925R:** Video noise meter  
**CMM20-14/11:** High-resolution color monitors  
**CMM20-14/7:** High-resolution in-line color monitors  
 Digital signal generators  
 Video production switchers  
 Portable signal generators  
 New products \_\_\_\_\_  
 Video monitor for 1125-line TV system  
**VS13AO:** 150MHz sweep generator  
**TG52A:** Digital signal generator  
**AEV-300:** Multi-image viewer  
**ACL-3000:** Broadcast cart system  
**Circle (451) on Reply Card**  
 see ads on pages 85, 327 and 338

**Associated Press** (419)†  
 See at booth  
**Circle (452) on Reply Card**

**Atlas Tower** (443)†  
 Established products \_\_\_\_\_  
**Series:** AM, FM and TV broadcast towers  
 New products \_\_\_\_\_  
 See at booth  
**Circle (453) on Reply Card**

**Auburn** (1711)†  
 Established products \_\_\_\_\_  
**MC/1:** Machine control system  
 New products \_\_\_\_\_  
 See at booth  
**Circle (454) on Reply Card**

**Audico** (1343)  
 Established products \_\_\_\_\_  
**System III:** Videocassette tape loader, reloader, rewinder for U-matic, VHS and Beta  
**619-P:** Cassette-to-cassette transfer unit accessory for System III  
**200-9:** Audiocassette timer, rewinder,

exerciser  
 Cassette labels  
 Video splicers for U-matic and 1/2-inch formats  
 Audiotape loaders for cassettes, broadcast and 8-track discs and Nagra reels  
 New products \_\_\_\_\_  
**619-R:** Video rewinder for U-matic, VHS and Beta formats to operate with other equipment in unloading and reloading cassette housings

**Circle (455) on Reply Card**  
 see ad on page 196

**Audi-Cord** (123)  
 Established products \_\_\_\_\_  
**A Series:** Cartridge tape recorders and reproducers  
**B Series:** Premium line cartridge recorders and reproducers  
 New products \_\_\_\_\_  
**TDS Series:** Twin-deck cartridge tape reproducers  
**Circle (456) on Reply Card**

**Audio + Design/Calrec** (402)  
 Established products \_\_\_\_\_  
**F769X:** Stresser compressor/limiter with expander, gate and EQ  
**Express Limiter:** Stereo compressor/limiter processor with expander  
**Easy-Rider:** Dual mono/stereo compressor/limiter  
**Transdynamic:** Multiband processor for AM, FM or TV  
**Ampak-8:** 8W monitor amp  
**Scamp:** Modular production processor  
**TCR1:** Portable EBU/SMPTE time code reader/regenerator  
**E900:** 4-band, dual mono or stereo EQ  
**CM2000 series:** Condenser microphones  
 New products \_\_\_\_\_  
**Scamp:** Enhancements to multiband processing system for AM, FM and TV  
**F601/D60:** Super-dynamic limiter and delay line  
**PROPAK:** Semi-pro to pro level interface plus EIAJ digital recording option  
**COMPEX-2:** Compressor/limiter with expander and gate for broadcast or production  
**Minimixer:** 2-output portable or studio mixer handles 8 to 16 inputs, with 19-inch, rack-mount model available  
**SOUNDFIELD:** Totally coincident stereo mic  
 Assignable console places more than 100 channels within easy reach of one operator  
**SCAMP:** Modules include S30 expander/gate and S31 compressor/limiter  
 Ambisonic mono/stereo compatible surround sound system with broadcast encoders  
**Circle (457) on Reply Card**  
 see ad on page 217

**Audio Broadcast** (637A)†  
 See at booth  
**Circle (458) on Reply Card**

**Audio Developments** (1737)  
 Established products \_\_\_\_\_  
**145:** Pico and field mixers with 4 and 6 inputs  
 New products \_\_\_\_\_  
 See at booth  
**Circle (459) on Reply Card**

**Audio Developments** (1743)  
 Established products \_\_\_\_\_

**AD-062:** Portable 8- to 16-input, 3-output audio mixer  
**AD-145:** Portable 4- to 6-input, 2-output audio mixer  
**AD-160:** Portable 3- to 4-input, 1-output audio mixer  
 New products \_\_\_\_\_  
 See at booth

**Circle (460) on Reply Card**

**Audio Kinetics** (1173)  
 Established products \_\_\_\_\_  
**Q-Lock 3.10-3/3.10-2:** Synchronizer  
**Q-Soft-SFX:** Sound effects assembly software  
**Q-Soft-ADR:** Dialogue replacement software  
**Q-Soft-Conform:** Audio track editing software  
 New products \_\_\_\_\_  
**Q.Lock 3.10** enhancements including software for digital audio editing  
**Mastermix:** Console automation system, using floppy disk-based memory, adaptable to various consoles with retrofit packages available for non-automation ready systems  
**Circle (461) on Reply Card**

**Audio-Technica US** (1141)  
 Established products \_\_\_\_\_  
**AT815a:** Battery-powered shotgun mic  
**AT835:** Battery-powered short shotgun mic  
**AT815R:** Phantom-powered shotgun mic  
**AT836:** Studio dynamic uni mic  
**AT802:** Studio dynamic uni mic  
**AT813R:** Studio electret condenser uni mic  
 New products \_\_\_\_\_  
**AT803a:** Battery/phantom-powered miniature omni lapel mic  
**AT831a:** Battery/phantom-powered miniature uni lapel mic  
**Circle (462) on Reply Card**  
 see ad on page 195

**Auditronics** (505)  
 Established products \_\_\_\_\_  
**200 Series:** On-air broadcast consoles  
**700 Series:** Multichannel audio mixing consoles  
**1100 Series:** Audio accessory systems  
 RTW peak program meters  
 New Products \_\_\_\_\_  
**300 Series:** Audio production console  
**Circle (463) on Reply Card**  
 see ads on pages 171 and 330

**Aurora Systems** (1312)  
 Established products \_\_\_\_\_  
**Aurora/100:** Digital videographics and animation system  
 New products \_\_\_\_\_  
 See at booth  
**Circle (464) on Reply Card**

**Autogram** (120)  
 Established products \_\_\_\_\_  
**AC Series:** 6- and 8-channel audio consoles  
**IC-10:** 10-channel audio console  
**Microgram:** Microprocessor-controlled console with live-assist and automation capabilities  
 New products \_\_\_\_\_  
 See at booth  
**Circle (465) on Reply Card** →





# Shure's new FP31 Mixer takes a big weight off your shoulders.

Introducing the most innovative field production mixer of its kind. Shure's FP31. You won't find another mixer this small with these features, dependability and ease of operation.

The FP31 measures only 6<sup>5</sup>/<sub>16</sub>" x 5<sup>5</sup>/<sub>16</sub>" x 1<sup>7</sup>/<sub>8</sub>", and weighs just 2.2 pounds! Incredibly, it offers the same important features as much larger mixers. Plus, a few of its own.

Every channel has a mic/line level and a low-cut filter switch. And to prevent overload distortion, there's a built-in limiter with adjustable threshold.

The FP31 can be powered by two internal 9-volt batteries, or from an external 12-volt source. A green LED flashes to remind you that the mixer is on. Phantom and A-B power are also provided to operate lavalier and shotgun microphones.

A slate tone can be laid

down on the tape for locating specific takes, and there's also a built-in mic for voice slating.

The mixer also has two separate mic/line outputs for 2-camera shoots and a tape output to feed a cassette. For monitoring, there are two stereo headphone jacks—one 1/4-inch and one for miniplugs. The FP31's rugged nylon carrying case allows you easy access to every mixer function and lets you piggyback the mixer on your VCR or other equipment.

For ENG, EFP and film use, Shure's FP31 has everything you need to make your mix a perfect success. Coming from a mixer this small, that's quite an accomplishment.

For more information on Shure's FP31 Mixer, call or write Shure Brothers Inc., 222 Hartrey Ave., Evanston, IL 60204, (312) 866-2553.



## SHURE

THE SOUND OF THE PROFESSIONALS®...WORLDWIDE

Circle (31) on Reply Card

April 1984 *Broadcast Engineering* 61

**Avantek**  
New products  
See at booth  
Circle (466) on Reply Card

(1742) **M1000:** Tannoy monitors  
New products  
See at booth  
Circle (467) on Reply Card

**B&K Instruments**  
See Brüel & Kjaer

**BIW Cable Systems** (1405)  
Established products  
Camera cables and assemblies  
VTR cables and assemblies  
Triaxial cable and assemblies  
New products  
VTR cables with quick disconnect  
and armored features  
Fiber-optic cables and assemblies  
Circle (468) on Reply Card

**BGW Systems** (421)†  
Established products  
75: 25W/channel stereo power amplifier  
150: 50W/channel stereo power amplifier  
250: 100W/channel stereo power amplifier  
750: 225W/channel stereo power amplifier  
2242: Distribution amplifier  
SRM10: Tannoy monitors  
SRM12: Tannoy monitors

**BSM Broadcast Systems** (637)  
Established products

**ADA Series:** Audio DAs  
New products  
**Series 200:** 10x1 audio routing  
switcher  
**Series 1000:** 10x10 audio routing  
switcher  
**Series 5000:** 150x150 audio-video routing  
switcher with computer control  
Circle (469) on Reply Card

**BTX** (1124)  
Established products  
4790: Softouch audio editing system  
4700: Shadow II synchronizer  
6000/6100: Cypher modular time code  
systems  
New products  
4735: Transport command console  
7000: The System intelligent  
synchronizer/controller editor  
4790 options: Mass storage unit  
and printer options  
Circle (470) on Reply Card


**B-W Lighting Systems** (1753)  
Established products  
ac power distribution equipment grid  
systems  
Fixtures  
Lighting control equipment  
Cyclorama track and curtain systems  
New products  
20-201/T: Cyclorama lights and  
accessories  
Circle (471) on Reply Card

**William Bal** (1614)  
Established products  
Custom carrying and shipping cases for  
audio and video equipment and  
accessories, featuring heavy-duty  
Survivor and Road case lines  
New products  
**Silverlan:** Superior strength and  
durability combined into carrying case  
line  
Circle (472) on Reply Card

**Barrett Associates** (103)  
Established products  
Reconditioned used broadcast equipment  
covering spectrum from transmitters to  
turntables  
New products  
**DB-8:** Davbar Space Saver broadcast  
automation system  
Circle (473) on Reply Card

**Basys** (1129)  
Established products  
**Newsfury:** Broadcast newsroom computer  
system  
**Clipfury:** Library system for videotape  
**Personal Assistant:** Single-user newsroom  
computer system  
New products  
See at booth  
Circle (474) on Reply Card

**Bayly Engineering Ltd.** (124)  
Established products  
**S3161:** 100W FM solid-state transmitter  
**S3169:** 500W FM solid-state transmitter  
**MDST3158:** Solid-state stereo encoder  
**FM15H:** 5W VHF hand-held transceiver



## Overvoltage - Undervoltage Deal With It.

Proper and steady voltage is essential to the  
operating efficiency and tube life of a transmitter.  
Automatic voltage regulators are the most over-  
looked components of a transmitter installation.  
Don't ignore your transmitter's needs.

**USE THE AVR  
MOST SUPPLIED BY  
TRANSMITTER MANUFACTURERS:**

**HIPOTRONICS  
AUTOMATIC  
VOLTAGE REGULATORS**

### Models Available


Voltage: 240 V, 380 V, 415 V,  
480 V, 2400 V, 4160 V  
Single & Three-Phase

Input Ranges: +9/-14%, ±20%  
Correction Rate: Up to 20 volts/sec.  
Amps: 40 A - 900 A

### Options:

Individual Phase Control  
Line Bypass Switch  
Special Output Adjustment  
(50-100%)  
Custom Design

NAB: Booth 1779



Route 22, P.O. Drawer A  
Brewster, New York 10509  
Phone: (914) 279-8091  
Twx: 710-574-2420 HIPO BRWS NY

Circle (306) "Send Literature Only"  
Circle (307) "Have Salesman Call"



# Now is the Time to Cut Your Land Lines!



**It's really very simple.**

**Just switch from expensive phone lines to Comtech's new DART 384 (Digital Audio Receiver Terminal) and receive your network audio directly from the satellite with full fidelity, less cost, and greater control than ever before.**

## Six Major Benefits

Ordering the DART 384 Terminal gives you six immediate benefits:

1. 10-20% lower cost than the other guys (Lease or Purchase).
2. Better performance under marginal conditions.
3. Immediate off-the-shelf delivery.
4. Avoid phone troubles—forever.
5. User-friendly.
6. Quick response to customer's problems.

DART 384 is priced 10-20% below the other guy's model and yet our bigger 3.8 meter antenna gives it more performance margin per dol-

lar. It gives you everything you need to match or exceed all network audio quality requirements. Comtech's 3.8 meter antenna also operates better under the proposed 2° satellite spacing compared to the competition's 2.8 meter.

The DART 384 is user-friendly. It is designed for easy installation and maintenance. The indicators are **really** useful for accurate antenna pointing and isolating problems. If you need help, Comtech and Allied are ready to respond quickly.

The DART 384 Terminal consists of Comtech's high-performance 3.8 meter antenna, low-noise amplifier, antenna-mounted down converter and demodulator shelf with 8-chan-

nel program capacity. Channels can consist of a mixture of audio channels and one voice cue channel.

And there you have it. Better service. Lower costs. The proven path to profits since the beginning of business.

For a closer look at this audio receiver terminal alternative, call Allied Broadcast Equipment toll free at 1-800-428-6954.



**ALLIED**  
Broadcast Equipment  
1-800-428-6954

The DART 384 is produced by


**COMTECH**

Comtech Data Corporation Comtech Antenna Corporation  
Subsidiaries of Comtech, Inc.

Circle (33) on Reply Card  
[www.americanradiohistory.com](http://www.americanradiohistory.com)

# COMREX®

## 2X

2X + 2  = PROGRAM LINE



With two dial telephone lines and the Comrex 2X, you can have a beautiful, quiet 5 KHz broadcast channel, instantly, easily and wherever you want.

For more information, call or write  
P.O. Box 269, 60 Union Ave., Sudbury, MA 01776 617-443-8811

Circle (34) on Reply Card

## AM BROADCASTING - HIGH FIDELITY Are these terms mutually exclusive?

☐ YES ☐ NO ☐ DON'T KNOW

Surprisingly, many broadcasters may not know that the correct answer to this question is no. Large sums of money are spent each year to purchase new transmitters, new studio equipment, new audio processing equipment and to modify antenna systems for improved AM sound. Unfortunately, until now, there has been no such thing as a professional quality AM monitor receiver. As a result, the perceived fidelity of an AM signal has been severely restricted by receiver performance.

**Potomac** has developed the SMR-11 Synthesized Monitor Receiver which will let you hear and measure the quality of your transmitted AM signal ... perhaps for the first time. Features include: Crystal Stability; 60 dB Signal to Noise Ratio; Audio Frequency Response  $\pm 0.5$  dB, 20 Hz to 8 kHz; Total Harmonic Distortion less than 0.2% (95% Modulation) at audio frequencies above 40 Hz ... please write for complete descriptive brochure.



THIS DIAL WILL TUNE YOU IN TO THE  
NEW SOUND OF AM BROADCASTING

# POTOMAC INSTRUMENTS

932 PHILADELPHIA AVE.  
SILVER SPRING, MD. 20910  
(301) 589-2662

Circle (35) on Reply Card

Bayly (124)

Continued

**FM14H:** 4W UHF hand-held transceiver

**FM25H:** 25W VHF mobile transceiver

**FM25H4:** 25W UHF mobile transceiver

**FM45V:** 45W VHF mobile transceiver

**Omniplexer:** STL system

New products

See at booth

Circle (475) on Reply Card

see ads on pages 303 and 325

**Beaveronics**

(1313)†

Established products

**712:** 4-bus, 12-input video production switcher with Eff/Key Amp and Mix Amp

**BI-154:** 4-bus, 15-input video production switcher with Mix/Eff/Key Amp and Mix/Key Amp

**BI-156:** 6-bus, 15-input video production switcher with two Mix/Eff/Key Systems

**QMS:** Favag precision master clock systems

**DSK-6-DL:** Stand-alone downstream keyer, specifically designed for character generator inserts

Clocks, master/slave

New products

See at booth

Circle (476) on Reply Card

**Belar Electronics**

(203)†

Established products

**Series:** AM modulation and frequency monitors

**Series:** FM modulation and FM stereo monitors

**Series:** TV modulation and frequency monitors

**Series:** FM and TV SCA monitors

**Series:** AM, FM, TV RF amplifiers

New products

See at booth

Circle (477) on Reply Card

see ad on page 312

**Belden Communications**

(1628)†

Established products

**Series:** Lee filters Colormedia

**HMI:** High wattage unit that replaces Brute arc lights

Lee resin camera filters

New products

See at booth

Circle (478) on Reply Card

**Beston/McInnis-Skinner**

(1020)

Established products

**NewsCan:** Computerized newsroom with unlimited workstations

**Data Prompter:** Prompting system for electronic newsroom

**Marquee 2000/3000:** Production character generators with optional font compose, animation programmer

New products

**Data-Graphics:** Direct-broadcast computer graphics system for maps, charts and graphics from bargraphs to intricate weather maps

Circle (479) on Reply Card

**Beyer Dynamic**

(426)

Established products

M series microphones

CV series microphones

CK series microphones



# Add Color to Your Audio

*In growing numbers, broadcasters and postproduction houses are using the 200 to add ambience to their audio. The 200's Hall and Chamber programs add reflected energy to dry voices, delivering fullness while maintaining clarity and articulation. Simple adjustments of the 200's size control can produce ambiances that identify an unlimited variety of spaces, such as a wooden cabin, an empty factory, a long corridor, or a stone temple. Scenes and dialog acquire more meaning – and the audience's ears appreciate ambience as much as their eyes appreciate color.*

A reliable, cool-running, affordable package.

Human-engineered panel controls for easy, intuitive operation.

On-board mixing.

Programmable nonvolatile memory for storing up to 10 user setups with instant recall.

**Now with the Lexicon Model 200 Digital Reverberator, broadcast audio takes on new color.**

Size control – from the smallest closet to grandest canyon.

Balanced input and output connections with a maximum signal level of +24 dBm – in full stereo.

Hall, Chamber, and Plate programs – each with 10 preset variations.



**Lexicon**

60 Turner Street  
Waltham, MA 02154 USA  
(617) 891-6790  
Telex 923468

Export:  
Gotham Export  
Corporation,  
New York, NY 10014

# COMREX

## Talk Show System



After You've Experimented,  
Call Us.  
We Know What It Takes.

The Only **Complete** Talk Show System.

P.O. Box 269, 60 Union Ave.  
Sudbury, MA 01776 617-443-8811

Circle (37) on Reply Card

What could you do with a  
**VHF-TV Transmitter**  
with 30% fewer parts?

In a word,  
**Relax.**

NEC PCN-1200 Series VHF-TV Transmitters with exciter output options have 30% fewer circuit parts than conventional-type transmitters. That's 30% fewer parts to worry about. You get more reliability, less maintenance.

And because conventional tuning capacitors and sliding-type inductances have been eliminated, you get broad-band frequency coverage with no tuning adjustment.

Find out what more you could do with a VHF transmitter with fewer parts. Call NEC at 1-800-323-6656.

**NEC**  
IMAGINE WHAT WE'LL DO NEXT.

NEC America, Inc.  
Broadcast Equipment Division  
130 Martin Lane  
Elk Grove Village, Illinois 60007  
In Illinois: (312) 640-3792

Circle (38) on Reply Card

### Beyer Dynamic (426)

Continued

DT series headphones and headsets

New products

**MC734:** Studio condenser mic

**MC736:** Short shotgun mic

**MC737:** Long shotgun mic

**MPC50:** Acoustical boundary mic

Circle (480) on Reply Card

see ads on pages 264 and 265

### Bird Electronic

(1625)

Established products

**460-490 Series:** Thruline wattmeters

**8700 Series:** Water-cooled Termaline  
coaxial load resistors

**8600 Series:** Moduload terminations

**6080:** Digital calorimeter

**4380 Series:** Digital RF power analysts

**3000-5000 Series:** FM coax filters

**3100 Series:** Wattcher RF power monitor/  
alarms

New products

**8572:** 225kW forced-air dry load resistor

**8570:** 15kW forced-air dry reject load  
and termination

**4030:** Relative field-strength Thruline  
plug-in elements

Circle (481) on Reply Card

### Bogen Photo

(1705)

Established products

**3069:** Fluid head/tripod/dolly system

**3145:** Video caddy

**3124:** Tripod/fluid head/dolly system

**3140:** Tripod with mini fluid head

**3126:** Micro fluid head

**3063:** Mini fluid head

**3061:** Heavy-duty tripod

**TSEL and TSELF:** Cases

**7000 and 7050:** Quartz Lamps

**3086:** 8-foot light stand

**2900:** Super clamp

New products

**7300:** M-100 portable video light

**2930:** Magic Arm

**7567:** Custom pack for TSE cases

Circle (482) on Reply Card

### Bogner Broadcast

(1319)

Established products

High-power UHF-TV transmitting  
antennas

Low- and medium-power UHF and VHF  
slot and dipole transmitting antennas

CP FM transmitting antennas

MDS and ITFS transmitting/receiving  
antennas

LPTV transmitting antennas

New products

Base station antennas for 800-900MHz

SMR and cellular radio

Circle (483) on Reply Card

### Robert Bosch

(1603)

Established products

**KBF-1/KCF-1:** QuarterCam VRC system

**TVS-2000:** Routing switcher

**FDL-60:** Telecine

**RGS-4000:** Graphics/animation system

**Mach One:** Videotape editing system

**MC Series:** Color video monitor

**BCN Series:** 1-inch B VTRs

**RME Series:** Production switchers

New products

**RME:** New switcher models

**FDGR:** Grain reducer for FDL-60

**FRP:** Color correction system for  
FDL-60

Circle (484) on Reply Card

see ads on pages 309 and 319





## A NEW DIMENSION IN MASTER CONTROL SWITCHING

*Utah Scientific, the industry's number 1 supplier of routing switchers, has now applied its talents to an allied area—Master Control Switching. Designed for immediate conversion to stereo and/or station automation, Utah Scientific Master Control Switchers are designed to deliver superior performance today while accommodating your future needs as well.*

- Two models: two bus and three bus
- The industry's best performance specs
- Full preset capability with "goof-proof" single-button execution
- Integral edge, shadow, outline and color matte
- 28 direct inputs plus two assignable from panel
- Alphanumeric readouts on assignable inputs
- All-digital interconnect via RS-422 lines
- Top quality switches
- Stereo-ready—just add the matrix and one card
- All panel functions software controlled
- Machine control for two telecines and ten VTR's included
- Available with or without station automation system
- Preroll times individually assignable and user alterable
- Full audio over/under capability
- Separate 8 x 3 audio only matrix included
- Four large LED VU meters

**US UTAH SCIENTIFIC**  
a DYNATECH company

1685 West 2200 South  
Salt Lake City, Utah 84119

Telephone: (801) 973-6840  
Toll Free: (800) 453-8782  
TWX: 910 925 4037

Circle 39 on Reply Card



"No-Stretch"  
Phillystran® HPTG

# the only flexible FIELD PROVEN electrically transparent tower-guy system

1. eliminates EMI and RFI at broadcast sites
2. simplifies installation of AM, FM, AM directional and TV towers. Made with DuPont's Kevlar®. Lightweight, flexible, yet as strong as extra-high-strength galvanized steel\* . . . negligible creep, negligible elongation with new HPTG\* for tension-once and walk-away installations.
3. maintenance free. Non-conducting, non-corroding, nonmetallic. No internal corrosion. No white-noise arcing across insulators. No insulators required.
4. no more expensive re-guying.

\*Comparative stress-strain data and information about other physical properties available on request.

**Call/write for:  
New literature  
and proven solutions  
to your tower guy problems.**

*Philadelphia  
Resins Corporation*

20 Commerce Drive  
Montgomeryville, PA 18936  
Telephone (215) 855-8450  
Telex: 84-6342

Circle (40) on Reply Card

**Bowen Broadcast Service** (1770)  
Established products \_\_\_\_\_  
Engineering design and consultant services  
Quad VTR repair services  
New products \_\_\_\_\_  
See at booth  
Circle (485) on Reply Card

**Broadcast Audio** (319)  
Established products \_\_\_\_\_  
Series II: 6- to 16-mixer modular stereo audio consoles  
System 14: Digitally controlled 14-mixer console  
System 20: 20-mixer advanced console  
System R: 8-mixer rotary pot console  
System 5: 5-mixer rotary pot console  
BA-235: Monitor amplifier  
BA-6x4: Audio DA  
New products \_\_\_\_\_  
BA-120: Rack-mount monitor amplifier/speaker system  
Circle (486) on Reply Card

**Broadcast Cartridge** (611)  
Established products \_\_\_\_\_  
Tape cartridges: Aristocart, Capitol/Audiopak, Fidelipac, 3M Scotchcart  
Storage systems  
Cart reloading service  
Alignment tools and accessories  
Fone box  
New products \_\_\_\_\_  
AA-4: Capitol/Audiopak cartridge  
Circle (487) on Reply Card

**Broadcast Electronics** (303)  
Established products \_\_\_\_\_  
FM transmitters with 1.5kW, 3.5kW, 5kW and 30kW power levels  
FX-30: FM exciter  
Control 16X: Program automation system  
SAT-16: Satellite automation system  
Series 3000/2100: Single-deck cart machines  
Series 5300: 3-deck cart machines  
Series 5500: 5-deck cart machines  
Series 12C: Turntables  
Series 50, 150, 250 and 350: Audio consoles  
Audio and transmitter accessories  
New products \_\_\_\_\_  
See at booth  
Circle (488) on Reply Card

**Broadcast Microwave Services** (1749)  
Established products \_\_\_\_\_  
TBT 50A/TBR-50A: 2-lb. frequency-agile ENG transmitter/receiver  
CGA-1: Gyro-controlled helicopter ENG system  
TBT-202/TBR-202: Intercity link T/R systems  
TBA-14: Low-cost video remote receiver  
TBR-2K: Frequency-agile full feature portable microwave receiver  
TBT-1K/TBR-1K: Rack-mount microwave T/R systems  
New products \_\_\_\_\_  
TBT-2K: ac/dc-powered, field serviceable microwave transmitter of modular, frequency-agile design  
BES-5,6,7: Remote-controlled earth station with 30-station memory and auto "go-to" capability  
Circle (489) on Reply Card

**Broadcast Music** (619)†  
Established products \_\_\_\_\_  
Syndicated radio program services  
New products \_\_\_\_\_  
See at booth  
Circle (490) on Reply Card

**Broadcast Programming Int'l** (200)  
Established products \_\_\_\_\_  
Music programming for automated and live-assist radio stations  
New products \_\_\_\_\_  
Newly developed adult contemporary, album rock, album rock/CHR crossover and country formats  
Circle (491) on Reply Card

**Broadcast Supply West** (112A)  
Established products \_\_\_\_\_  
Prorax all-mahogany cartridge racks in wall-mount or carousel styles  
Proamp PP220: Stereo phono preamp  
Probace turntable base for SP15 and SP25 Technics systems  
ME3009R: Tonearms  
S220: Syntec tonearms  
New products \_\_\_\_\_  
See at booth  
Circle (492) on Reply Card

**Broadcast Systems** (1500)  
Established products \_\_\_\_\_  
BJ-200: Pre-wired audio jack panels  
BJ-240A: Pre-wired audio jack panels  
Custom TV system design and construction services  
New products \_\_\_\_\_  
DC-8: Video cart machines, designed for low-cost automated playback of commercials, PSAs and programs  
PROPAK equipment consoles for editing suites, small production systems and mobile units  
MC Series: Machine control panels for film and VTR equipment  
Circle (493) on Reply Card  
see ads on pages 335 and 343

**Broadcast Technology** (1701)  
Established products \_\_\_\_\_  
AU3101: Line amp  
AD3108: 1x8 DA  
AP3210: 10W power amp  
AS3316: 16x1 audio crosspoint switch  
PS3400: Power supply card + 14V, 400mA  
EG3501: Remote control 10-band graphic EQ  
VU3722: 20-segment LED VU/peak indicator card  
MA110: Meter amp  
DA7111: 1x10 DA system  
CF9101: Card frame  
MM2121: Mix minus portable mixing console  
PI2320: Program interrupt director station  
HA1290: Battery-powered headphone amp  
New products \_\_\_\_\_  
Vector 4000: 24-channel single pair monitor DA system  
Vector 1: 12-channel hard-line amplified selectable monitor system  
MI2112: Mix minus console with 5-level priority interrupts  
MI2326: 6x6 mix minus with program interrupt  
Telephone hybrid with full AGC  
Circle (494) on Reply Card  
see ad on page 253



Let's face it. Listeners will never know that the Delta Series, ITC's new generation of cartridge machines, has improved cart guides, a crystal-referenced servo capstan motor with a vapor-honed non-magnetic shaft, and high-speed recue. They won't care that the Delta's modular design makes alignment and service convenient.


Listeners won't know about Delta's microprocessor-controlled digital cue tone detector and exclusive ITC playback head. Delta's compact size and choice of four configurations won't matter to them.

**Give  
people  
great sound  
and they'll  
come back  
for  
more!**

And the average listener won't know that ITC sells more professional cartridge machines than all other manufacturers combined. Or that the Delta Series replaces the Premium Line, previously the standard of value in the industry.

A lot of the things that make the Delta Series special. . . features that matter to you . . . don't matter to your listeners.

But that's okay. Because the thing your listeners care the most about is exactly what the Delta Series gives them . . . great sound.



**The Delta Series sounds great...  
for you and for your listeners!**



## **INTERNATIONAL TAPETRONICS CORPORATION**

2425 South Main Street / P.O. Box 241 / Bloomington, Illinois 61701

**Call Toll-Free: 800-447-0414**

From Alaska, Hawaii and Illinois call collect: 309/828-1381

3M hears you...

**3M**

Circle (41) on Reply Card

**Broadcast Video Systems (1326)****Established products****COX 600J:** Encoded color corrector with time code control**EV4060:** Combined waveform/vector monitor**SA-101:** Safe area generator**BVS** video delay lines and filters**COX 303:** NTSC/PAL encoder (dual standard)**New products****COX CVP-100:** Video processor, accepting RGB from computer regardless on scan rates, encoding NTSC/RS170A video**BVS D-1000:** NTSC decoder**COX** component color corrector**COX** component switcher

Circle (495) on Reply Card

see ad on page 342

**Brüel & Kjaer Instruments (511A)†****Established products**

Measuring microphones

Sound level meters

Acoustics analyzers

Sound sources

Sound measuring equipment

**New products**

See at booth

Circle (496) on Reply Card

**Bryston Ltd. (517)****Established products****2BLP:** 50W, single-rack unit audio amp**3B:** 100W audio amp**4B:** 200W audio amp**New products****2BLP enhancement:** 50W, single-rack unit

audio amp, with balanced XLR connections and front panel repair access

Circle (497) on Reply Card

**Byline Magazine (506)**

(CBS Radio Stations News Service)

**Established Services**

Multiple 90-second news feature

broadcasts on subjects important to today's news-oriented adult radio listener

**New services**

See at booth

Circle (498) on Reply Card

**CAT Systems (1014B)****Established products****5200/5250:** Computerized remote control system for satellite facilities**6200:** Computerized remote control system for broadcast**New products****6200A:** Broadcast remote control system using light pen for operation**6300:** Computerized RF switching schematic in color**7000:** Security system

Circle (499) on Reply Card

**CEI-Panavision (\*)†****Established products****Foton:** Studio color camera, 25mm and 30mm format**Panacam:** Electronic cinematography camera**310SP:** EFP color camera with "film look" special performance features**New products**

See at booth

Circle (500) on Reply Card

**CMC Technology (1425)****Established products**

Refurbishing services for audio and quad video heads

**Videomax TD-800:** Bulk tape demagnetizer

Quadhead and VTR accessories

**New products**


Replacement video heads for C-format machines such as VPR 2B, 3 and 80, featuring an auto-tracking record/reproduce video head

Circle (501) on Reply Card

**CMX/Orron (1639)****Established Products****CMX 3400 and 3400 +:** Large-scale editing systems**The Edge:** Medium-scale editing system**New products**

See at booth

Circle (502) on Reply Card

**CRL Audio (300)****Established products****SMP-900:** Matrix AM stereo limiter**APP-400/SPP-800:** Multiband mono and stereo AGCs**SEP-400A:** 4-band compressor/expander**SMP-800:** FM peak controller**PMC-300A:** AM mono peak controller**AT NAB '84 SHINTRON ANNOUNCES...****SHINTRON**

SHINTRON Europe, 198 Avenue Brugmann, 1180 Brussels Belgium Tel: 02-347-2629/Telex: 61202

**EMPRESS 2000**

A BRILLIANT NEW SWITCHER

**690**

A TIMECODE READER/GENERATOR

**270**

AUDIO FOLLOW VIDEO MIXER

And for component video people we will have...

**MC1** LONG-AWAITED INTERMATRIX CONVERTER**12X** SERIES ROUTING SWITCHER**VISIT US AT BOOTH #1417****SHINTRON Company Inc.**  
144 Rogers St., Cambridge, MA 02142  
Tel: (617) 491-8700 Telex: 921497

Circle (42) on Reply Card





Alphanumeric menus  
that prompt users  
through 18 reverb  
effects programs  
and their 59 variations

Soft-labeled sliders  
for complete control  
of up to 32 parameters  
per program

Interface for tape storage  
of user-created reverb  
and effects variations

Self-diagnostics

Splits — two independent,  
1-in/2-out, 15-kHz stereo  
reverbs in one package

Software expandable  
— ready to answer the  
needs of tomorrow

x c e l   w i t h   t h e   L e x i c o n

# 224 XL

## Reverberation/Effects Processor

the most critical recording  
and listening environments,  
the 224X has become the bench-  
mark for value, sonic quality, and  
creative potential. Now, with the  
addition of the Lexicon Alpha-

meric Remote Console (LARC),\*  
224XL users can enjoy unparal-  
leled ease of operation and  
expanded creative possibilities.

For more information, call or  
write for our new brochure that  
describes the XL's advanced fea-  
tures and includes a Lexicon  
"Glossary of Reverberation  
Terms."

Lexicon, Inc.  
60 Turner Street  
Waltham, MA 02154 USA  
(617) 891-6790  
Telex 923468

Export: Gotham Export Corporation  
New York, NY 10014

\*Field conversion to XL is available  
for owners of 224X systems.

Circle (43) on Reply Card

**lexicon**

[www.americanradiohistory.com](http://www.americanradiohistory.com)

**CRL Audio (300)**

Continued

**SCA-300:** SCA subchannel generator

New products \_\_\_\_\_

FM stereo generator using a new technology in FM transmission

**Circle (503) on Reply Card**

see ad on page 15

**CSI Electronics**

(507)†

Established products \_\_\_\_\_

**T-1-A:** AM transmitter**T2.5A1:** AM transmitter**T-10-A:** AM transmitter**T-1-F:** IPA FM transmitter**FM3000E:** FM transmitter**FM5000E:** FM transmitter**FM12000E:** FM transmitter**T-25-F:** FM transmitter**EX-20F:** FM exciter**T-25-A1:** AM transmitter**Alarms:** Status**Generators:** Stereo, SCA

New products \_\_\_\_\_

See at booth

**Circle (504) on Reply Card**

see ad on page 197

**Cablewave Systems**

(108)

Established products \_\_\_\_\_

4.5-inch jacketed coaxial cable

Wellflex coaxial cable in 7/8-inch,

1-inch, 3-inch and 3 1/2-inch OD

sizes, with air dielectric

New products \_\_\_\_\_

FLC low-loss foam dielectric Wellflex

coaxial cable, jacketed in 1/2-inch,

7/8-inch and 1 1/8-inch OD sizes

**Circle (505) on Reply Card**

see ad on page 261

**Calvert Electronics**

(125)

Established products \_\_\_\_\_

EIMAC transmitting tubes

RCA power and camera tubes

Thomson-CSF translator tubes

Miscellaneous replacement components

New products \_\_\_\_\_

See at booth

**Circle (506) on Reply Card**

see ad on page 165

**Calzone Case**

(1179)

Established products \_\_\_\_\_

Various types of shipping and carrying

cases for video production equipment

New products \_\_\_\_\_

See at booth

**Circle (507) on Reply Card**

see ad on page 244

**Cambridge Products**

(1328)†

Established products \_\_\_\_\_

**Series:** RF and UHF coaxial connectors

New products \_\_\_\_\_

See at booth

**Circle (508) on Reply Card****The Camera Mart**

(1018)

Established products \_\_\_\_\_

Numerous audio, video and film

production products available for

purchase or rental

New products \_\_\_\_\_

See at booth

**Circle (509) on Reply Card****Canare Cable**

(1732)

Established products \_\_\_\_\_

**L4E6S:** Starquad audio cable**3C-2VS/5C-2VS:** Low-loss video cables**R380:** Cable reels with three brake

positions

New products \_\_\_\_\_

See at booth

**Circle (510) on Reply Card**

see ad on page 30

**Canon USA**

(1012)

Established products \_\_\_\_\_

**J13X9BIE and J15X9.5B Series:** ENG

lenses

**J20X8.5BIE, J25X11.5BIE Series:**

EFP lenses including PV40X13.5BIE

and P40X18BIE Series: O/B lenses

Accessories for all types of broadcast

lenses

New products \_\_\_\_\_

**P18X15BIE and PV18X11BIE:** Studio

lenses for 1-inch and 1 1/4-inch format

cameras

**J40X9.5B:** Field lens for 3/8-inch format

cameras

**J18X9:** ENG lens for 3/8-inch camera

formats

**Circle (511) on Reply Card**

see ad on page 135

**Capitol Magnetic Products**

(206)

Established products \_\_\_\_\_

**A-2:** Broadcast cartridge**AA-4:** Broadcast cartridge

New products \_\_\_\_\_

**SGS-4:** Lubricated mastering tape**Circle (512) on Reply Card**

see ad on page 308

**CeCo Communications**

(1010A)

Established products \_\_\_\_\_

Distributor for Amperex, EIMAC, ITT,

RCA, Sylvania, Varian and

Westinghouse receiving, industrial and

transmitting tubes

New products \_\_\_\_\_

Video stocking department carries large

selection of video equipment and

accessories from Hitachi, NEC,

Panasonic and Sony

**Circle (513) on Reply Card****Celestial Mechanix**

(441)†

Established products \_\_\_\_\_

Marketing programs to promote radio

stations

New products \_\_\_\_\_

See at booth

**Circle (514) on Reply Card**

see ads on pages 248 and 249

**Celwave RF**

(202)

Established products \_\_\_\_\_

Antenna systems and hardware

Transmission lines and pressurization

equipment

Coaxial cable and wire

Patch panels and cables

New products \_\_\_\_\_

See at booth

**Circle (515) on Reply Card****Central Dynamics**

(1409)†

Established products \_\_\_\_\_

**CD480/4/16:** Compact Video production

switcher

**CD480-10/24:** Video production switcher**CAP2XL:** Computer-assist production

accessory

**MC990-7/24:** Master control switcher**APC-910:** Machine control**VS-14RB:** Small production switcher**APC-920:** True time broadcast automation system**2170:** 1-bus quadplexer-digital test signal generator**2300A:** Full range video and audio distribution**8000:** Amplifiers**CD480-65:** Video production switcher**VMK3700:** Video mixer keyer**VA2300:** Video and pulse DAs**CAP 2xL:** Computer assisted video

production system

**VMK 370:** Video mixer keyer**Flexikey:** Digital video effects

New products \_\_\_\_\_

See at booth

**Circle (516) on Reply Card****Centro**

(1101)

Established products \_\_\_\_\_

Teleproduction and post-production

facilities planning and design

Remote teleproduction units

New products \_\_\_\_\_

Broadcast facility design including

KHS-TV 46, Ontario, CA

45-foot teleproduction unit for One

Pass, San Francisco

Teleproduction facilities for

Paramount Pictures and Santa Fe

Communications

**Circle (517) on Reply Card**

see ad on page 277

**Century Precision Optics**

(1781)

Established products \_\_\_\_\_

Telephoto and wide-angle lenses for video

Custom lens service and modification

Wide-angle adapter for video zoom

lenses

New products \_\_\_\_\_

Periscope (snorkel) lens for cine and

video cameras features camera mount

and lens interchangeability. based on

f/3.8 (T/4) multicoated optical elements

**Circle (518) on Reply Card****Century 21 Programming**

(204)

Established products \_\_\_\_\_

Automation programming services

New products \_\_\_\_\_

**Super Cart:** Instant delivery of music

library on carts

**Super Schedule:** Music rotation schedules**Circle (519) on Reply Card****Cetec Antennas**

(509)

Established products \_\_\_\_\_

**JTC:** CP TV spiral transmitting

antenna

**JSCP:** CP FM antenna**JHCP:** CP FM super power antenna**JBCP:** CP FM broadband antenna**JSP:** CP FM spiral panel antenna

Radomes

New products \_\_\_\_\_

See at booth

**Circle (520) on Reply Card**

see ad on page 187

**Cetec Vega**

(1401C)

Established products \_\_\_\_\_

**77D:** Pocket transmitter**R-31:** Pro receiver



## April-June

A 4-day course on digital image processing offered by Integrated Computer Systems will present topics including image acquisition; enhancement; tracking and coding; and image processing software and database structures. The course will be offered as follows: April 10-13, Boston; April 24-27, Phoenix, AZ; May 1-4, Palo Alto, CA; May 8-11, Washington; and June 19-22, Los Angeles. For more information, contact Ruth Dordick, Integrated Computer Systems, 6305 Arizona Place, P.O. Box 45405, Los Angeles, CA 90045; 213-417-8888.

## April 8-12

National Public Radio (NPR) will hold its annual affiliates' convention at the Hyatt Regency Crystal City in Arlington, VA. Technical sessions are planned for two days of the convention, although at press time a listing was not available. Additional sessions are scheduled for programming and financial matters. A number of broadcast equipment manufacturers plan to attend the convention, although there will not be a formal equipment show.

## April 25-27

EDS-84 will be held in the Las Vegas Hilton Hotel, Las Vegas, NV. For the first time in the convention's 47-year history, distributors are invited as exhibitors. For more information, contact Electronic Industry Show Corporation, 222 S. Riverside Plaza, Suite 1606, Chicago, IL 60606; 312-648-1140.

## April 29-May 2

NAB-84 will be held in Las Vegas, NV. For more information, see our pre-convention coverage that begins on page 23, or contact NAB, 1771 N St., NW, Washington, DC 20036.

## May 5-9

The European Cable and Satellite Television Exhibition and Conference (EUROCAST-84) will be held in Basel, Switzerland. Awards will be presented for achievements in cable and satellite hardware and software. For more information, contact Cable & Satellite Television Exhibitions Ltd., Five Barratt Way, Tudor Road, Harrow, Middx United Kingdom HA3 5QG.

## May 13-17

The Anaheim Convention Center in Anaheim, CA, will be the site of Computer Graphics-84, the Fifth Annual Conference and Exposition of the National Computer Graphics Association. Included in the six technical sessions will be "Election-84: Network Videographics for Political Coverage" and "Videodisc and Computer Graphics." For more information, contact Department YY, National Computer Graphics Association, 8401 Arlington Blvd., Suite 601, Fairfax, VA 22031; 703-698-9600.

## May 14-17

The International Conference on Communications (ICC-84) will be held in Amsterdam, the Netherlands. Topics include communication switching, communication networks, radio communications, and satellite and space communications. For more information, contact Dr. T.A.C.M. Claasen, Secretary ICC-84, Philips Research Laboratories, WY-2, 5600 MD Eindhoven, the Netherlands.

## May 15-18

Communications 84, an international exhibition, will be held in Birmingham, England. The biennial trade fair attracted more than 430 exhibitors from 17 nations in 1982. A 3-day conference program, organized by the IEE, will complement the exhibition activity. For more information, contact Kallman Associates, US Representative, 5 Maple Court, Ridgewood, NJ 07450; 201-652-7070.

## May 20-23

The Grand Hyatt Hotel in New York City will be the site of the 24th Annual Broadcast Financial Management Association Conference. Topics at the approximately 33 general sessions and workshops will include accounting standards, fraudulent billing, cable television, automation, public broadcasting and special concerns of BFMA's Canadian members. Gene F. Jankowski, president, Broadcast Group, CBS, will be the luncheon speaker on Tuesday May 22.

## May 23-25

The Eighth Annual Conference on Teleconferencing and Interactive Media will be held in Madison, WI. The program will report on the current status of and trends in teleconferencing, computer conferencing, videotex and other interactive systems. For more information, call 608-262-2569.

## June-July

A series of film and video workshops will be held in Rockport, ME. For more information, call 207-236-8581.

## June 13-15

A course titled "Video Teleconferencing" will be held at George Washington University in Washington. The course covers progress in video teleconferencing technology and describes the latest systems. For more information, contact Chip Blouin at 202-676-8527, George Harrison at 202-676-6106, or either Blouin or Harrison at 800-424-9773 (Tuesday-Friday).

## September 21-24

Learn about audio techniques from professionals at the 13th Tonmeistertagung Muenchen. Subjects discussed will include radio, television, recording, film, video theater and public address audio applications. In addition to many technical sessions, an exhibition of sound equipment and practice-oriented field trips will round out the experience. For more details, contact das Bildungswerk des Verbandes Deutscher Tonmeister, Organisationsbuero, Postfach 101950, D-5000 Koeln 1 West Germany.

## Sept. 21-25

The 10th International Broadcasting Convention, IBC-84, will be held at the Metropole Conference and Exhibition Center in Brighton, United Kingdom. The growing interest in higher definition and enhanced TV pictures and the distribution of programs and information by cable and satellite will be covered in depth. For more information, contact the IBC Secretariat, the Institution of Electrical Engineers, Savoy Place, London WC2R 0BL United Kingdom.

[:?~:))]]


**THE REASON  
YOUR EDITING  
COMPONENTS  
DON'T WORK  
TOGETHER IS  
BECAUSE  
THE PEOPLE  
WHO CREATED  
THEM DIDN'T.**




# DEVELOPED BY ONE MANUFACTURER.



**BVM-1201  
BROADCAST  
MONITOR**




**GVG 300 SERIES  
PRODUCTION  
SWITCHER**




**CPD-5001  
DISPLAY  
TERMINAL**

**BVE-5000  
COMPUTERIZED  
EDITOR**



**BVH-2000  
1" RECORDER**



**BVT-2000  
1" TBC**

RS-422

You're looking at the utopian editing suite.

A system that takes you straight to productivity without passing through chaos.

One that truly breaks Murphy's Law. Because Sony mastered the seemingly impossible feat of asking a series of machines to work in perfect harmony with one another.

No longer must you take the hodgepodge approach to editing systems, which is purchasing one component from one company and another from a second. Through the Sony total system approach you're assured that all the interfaces will work perfectly. Because they're worked out in our labs, not your editing suite. So downtime is virtually eliminated.

Only Sony offers it. But then, only Sony developed each and every product on these pages. (Even the Grass Valley software interfaces for the 300 Series Switcher were co-developed by Sony.)

So if you want to spend more time counting profits and less time counting losses, contact Sony. And discover the joys of building an editing system that does what nobody else's can consistently do: Work.

**SONY**  
Broadcast





# INTRODUCING THE FIRST TOTAL SYSTEM

**BVH-2000  
1" RECORDER**



**BVT-2000  
1" TBC**



**BVU-820  
3/4" RECORDER**



**BVT-800  
3/4" DIGITAL TBC**




**BVW-40  
1/2" RECORDER**



**SONY/MCI JH-24  
24-TRACK  
AUDIO RECORDER**





**SONY/MCI  
JH-600 SERIES  
AUDIO CONSOLE**



**RS-422**

**BVE-5000  
CONTROL PANEL**



# A SYSTEM IS ONLY AS GOOD AS THE SUM OF ITS COMPONENTS.

## 1" EDITING



### BVH-2000 IN CONSOLE

- Multiple machine configurations, changeable and upgradable.
- Wide DT range: from -1 to +3 X standard speed
- Video/Audio confidence replay
- Self-diagnostics with visual and audible malfunction alarms

- Plug-in Time Code Generator/Reader (optional)
- Plug-in Timebase Corrector (optional)
- 2 hours record/play time

### BKH-2015 OPTIONAL PLUG-IN TIMECODE FOR BVH-2000

- Generator/Reader with VITC/LTC capability
- Character Generator
- User Bit Display




### BVH-2500 RECORDER

- All features of BVH-2000 plus:
- Full C Format compatibility
- Real time, variable and frame-by-frame recording, using DT head
- Full-color framing
- Instantaneous and repeatable re-writing by erasable DT head




### BVT-2000 TBC

- 9-bit, 4 Fsc sampling
- Drop-out compensation with Y/C separation
- Built-in Velocity Compensation, Sync Pulse Generator, Video Processor and automatic Advanced Sync Generator
- Full remote-control function
- DT playback with BVH-1100/1100A/1180/2000 and BVU-820 VTRs




### BKH-2100 OPTIONAL PLUG-IN TBC FOR BVH-2000

- Plug-in, 4-circuit board Digital TBC
- 8-bit 4x Fsc samplings
- Remote-control capability




## 3/4" EDITING



### BVU-820 RECORDER


- Built-in, full-scale editing functions
- Dynamic Tracking
- Playback from -1 to +3 X standard speed
- Simultaneous video playback in record mode (Video Confidence)



### BVT-800 DIGITAL TBC

- 15 H correction range
- DT operation with BVU-820 from -1 to +3 X standard speed
- Built-in digital DOC
- Single cable interconnect with BVU-800/820
- Remote-control facilities
- Recognizable monochrome pictures up to  $\pm 40$  X standard speed

## 1/2" EDITING



### BVW-40 BETACAM™ RECORDER

- Compressed Time Division Multiplex video recording system
- Built-in Timebase Corrector with Digital DOC
- Full Video/Audio insert and assemble editing, with preview/review, forward/reverse trim, selectable pre-roll and auto edit in/out functions
- 9-pin RS-422 serial and 36-pin parallel remote ports
- 7-pin Dub-in/Dub-out connection for BVU series U-matics™
- 12-pin Y/R-Y/B-Y component input/output
- Component and composite outputs



### BVW-10 BETACAM™ PLAYER

- Full Shuttle and Jog functions
- Built-in TBC with Digital DOC
- Built-in Time Code Reader and LED display
- Selectable Dolby™ noise reduction
- Plug compatible with wide range of external systems
- Only front access required
- Component and composite outputs

At Sony, we do more than guarantee the best total system. We guarantee the best individual components.

The machines you see on these pages, which comprise the three established formats of the broadcast industry, represent only a small sampling of the Sony universe of post-production products.

Each component, while different in price and scope of features, shares five things in common. Unsurpassed quality, reliability, durability, ease of maintenance, and excellence of value that Sony is famous for.

So whether you buy the Sony system piece by piece, or an entire system at a time, you can be assured peace of mind.

For all the details contact Sony in New York/New Jersey at (201) 833-5350; in the Northeast/Mid-Atlantic (201) 833-5375; in the Midwest (312) 773-6045; in the Southeast (404) 451-7671; in the Southwest (214) 659-3600; in the West (213) 841-8711.

© 1984 Sony Corporation of America. Sony is a registered trademark and Betacam is a trademark of the Sony Corporation.

**SONY**  
Broadcast



# CUSTOMIZED EXCELLENCE



WPMT Mohawk Broadcasting of York, Pa. had a clear vision of what they needed. They wanted a state of the art facility, turnkey operation, brought in on time and in budget. The Lerro Corporation came through on all counts.

The Lerro Corporation has the people, experience and creativity to design, engineer, install and provide the follow up support for your facility. Let us show you, face to face, what we can do for you.

For information, contact The Lerro Corporation, 3125 N. Broad Street, Philadelphia, Pa. 19132 • (215) 223-8200.





**Enough. From now on we  
make our own tape.**



# ...and here it is: **Dynamax™**

Here's Dynamax.™ A new brand of brilliant audio tape, formulated to satisfy the special requirements of the broadcast professional. And not the mass production standards of consumer tape.

To create Dynamax, we built a brand new manufacturing facility, and had each piece of production equipment designed to our own specs. Now we can monitor and control the manufacture of every inch of tape we put in our cartridges.

As a result, the mechanical and electrical properties of Dynamax are superior to those of any lube tape available in the world today.

The 1 mil Mylar® base film used for Dynamax broadcast tape is almost twice as thick, and twice the weight, as that used in the ScotchCart.™ And our cross-linked urethane resin binder system guarantees the best possible bonding of the oxide, totally unlike the cheap vinyl adhesives used by 8-track manufacturers in consumer tape.

The bonding is so positive, so permanent, that oxide shedding, and the problems shedding creates are virtually eliminated.

This combination of features means that tape life of 10,000 plays or more can be expected from

*Dynamax broadcast tape, in Fidelipac cartridges, will deliver 10,000 plays—or more!*



*Fidelipac is making a new brand of broadcast tape, Dynamax, formulated to satisfy the special requirements of the broadcast professional.*

Fidelipac cartridges loaded with Dynamax.

Phase stability is enhanced by maintaining constant tape width, and smooth, clean edges. On our own tape slitting equipment, we can control tape width to 1/1000 of an inch. So, the stereo phase performance of our Master Cart,™ loaded with Dynamax, is truer than ever.

I'd like to send you a sample Fidelipac Master Cart loaded with Dynamax broadcast tape. Just circle our number on the reader response card in this magazine, or write me, Arthur

Constantine, at the address below.

Test Dynamax broadcast tape yourself. Measure the long life. Delight in the transparent sound.

See us at NAB Booth 411.



**FIDELIPAC®**  
BROADCAST TAPE PRODUCTS

Fidelipac Corporation □ P.O. Box 808 □ Moorestown NJ 08057 □ U.S.A. □ 609-235-3900 TELEX 710 897 0254 □ Toll Free 800 - HOT TAPE

*® Dynamax™ trademark applied for. "ScotchCart" trademark applied for. \* Registered trademark of DuPont*

Circle (45) on Reply Card

April 1984 **Broadcast Engineering** 81

**Cetec Vega (1401C)**

Continued

**R-41/R-42:** Pro-plus receivers**QX-1/QX-2:** Wireless intercom master stations**QT-1/QR-1:** Wireless intercom transmitter/receiver system**C-466:** Quad case holds four 66D or 77D systems

New products

**66/D:** Portable dc-powered receiver with Dynex II**67-A/D:** dc-powered, diversity receiver  
**T-81:** Hand-held transmitter with Shure SM58 cartridge**T-82:** Hand-held transmitter with Shure SM85 cartridge**T-83:** Hand-held transmitter with AKG C-535 condenser cartridge**ZC-177:** Impedance converter for instrumental pickups

Circle (521) on Reply Card

see ad on page 84

**Chester Cable**

(1320A)

Established products

**Audio 22:** Single-pair foil shielded cable**Audio 22C:** Low capacity flexible audio cable**Audio 22PRJ:** Shielded, jacketed audio pair trunk cables**Video 20:** Precision 75Ω video cable**Video 20A:** Highly flexible Video 20

New products

Consultant services to assist with new cable concepts and design

Circle (522) on Reply Card

see ad on page 189

**Christie Electric**

(1403A)

Established products

**ReFLEX-20:** Series of 20-minute "burping" chargers and super nicad battery packs

New products

**SMT:** Low cost ReFLEX-20 system**maxERASE:** High-power bulk tape degausser, adjustable for various widths and types of high coercivity video and audiotapes

Circle (523) on Reply Card

**Chyron**

(1610)

Established products

**Chyron IV:** Graphics and titling system with Digifex effects and MGM**Chyron RGU-2** Graphics and titling system with camera font composer**VP-1:** Low cost character generator**VP-2:** Low cost character generator

New products

See at booth

Circle (524) on Reply Card

see ad on page 143

**Cine 60**

(1423)

Established products

Rechargeable nicad batteries for belts, packs, VTRs and on-camera use

Universal nicad fast chargers

30V Sun-Gun lights and belts

New products

Switchable Sun-Gun battery belts and packs for 30V, 4A/7A and 14.4V, 8A/14A

On-camera batteries for operating 14V cameras and 14V lights simultaneously  
4-channel lifeguard fast chargers for 2A and 7A batteries

On-camera battery light and Sun-Guns at 12V, 13.2V and 14.4V

Circle (525) on Reply Card

**Cinema Products**

(1221)

Established products

**Mini-Worrall:** Geared head**Steadicam Universal Model III:**

Lighter, more streamlined design of Steadicam

Ikegami EC-35 camera with Cinema Products accessories

**J-6:** Joystick zoom control**Camraprompter:** Portable camera prompting system

Universal studio matte box

GSMO 16mm camera

Co-ax digital remote control systems

in NTSC and PAL-B standards

RDS/HMI Fresnel spotlights

RDS/HMI Uni-focus lighting system

Todd-AO-Video anamorphic video lens system

New products

**Camraprompter L:** Prompter system for 35mm and studio cameras**Mini-Mote:** Remote controlled pan-tilt head for 16mm/35mm film and EFP/

electronic cinematography video cameras

**CP EFP** studio rig for film-style setup system for most popular EFP cameras

Skymount camera stabilizing system for aerial photography with film or video cameras

RDS/HMI dimmable, flicker-free ballasts and 6K Fresnel spotlight

RDS 4A, 6A and 8A batteries and quick charger

For more information, contact: Cinema Products Corporation, 2037 Granville Ave., Los Angeles, CA 90025

# CMX taste and a Convergence budget? ...Get Lightfinger™!



Now, the editor that made new technology, like touch-screen editing, affordable brings you Advanced List Management (ALM™). The result is a system that's ideal for both experienced pros and occasional editors. ALM features include:

**Cut and Paste:** Cut on an image instead of an edit boundary, to insert or delete material.

**Scene Note Sorting:** Evaluate and review alternative takes by using scene notes to sort, find or list.

**Reel Directory:** A touch-selectable "table of contents" for all of the information on your tape.

**Film Edge Reading:** Edge numbers from any format or brand of film can be

transferred to, or read from, user bits. Actual edge numbers will also appear on your list printout.

**Source/Record VTR Slaving:** Source-Trak™ allows you to match your source machine to your record machine at any point within an edit.

**List/VTR Sync:** ListTrak™ lets you sync-lock your list and your record VTR, and move them together for visual list management.

Lightfinger can be easily expanded from a basic two machine system up to one with more than 16 machines, and such added features as multiple roll, interface to mixed effects switchers and VITC. Prices for a complete, two machine system start at \$15,950. F.O.B. factory.

For full details, call or write.

**Control Video**  
1640 Dell Avenue, Campbell, CA 95008  
(408) 866-7447

Circle (46) on Reply Card



# 200 VIDEO GRAPHICS SYSTEMS INSTALLED & WORKING

## And We're Celebrating!



**Our *LiveLine* System is the *industry standard* for news, weather and sports electronic graphic production!**

### Who's Got #200?

Congratulations to KSAF-TV, San Antonio, Texas!

With over 200 systems now in use at stations coast to coast, ColorGraphics far outsells all other graphics systems! Here's a partial list of major **LiveLine** system purchasers: Gannett, Metromedia, the CBS Network and O&O's, Corinthian, Outlet, United Television, Post-Newsweek, Times-Mirror, The KING group, Taft...and most of the nation's major station groups. Many of our **LiveLine** systems are also in use at market sizes 100 and lower!

### Why Is *LiveLine* the Leader?

It's extremely fast; has an ultra-high resolution display; is simple to use; interfaces to major data bases like WSI, Accu-Weather, and Weather Central; has special graphics packages for live sports score display from National SportsTicker, election coverage results news graphics and weather animations; and is backed by our reputation for quality and service which is unequalled in the industry! In 1984, watch for new dial-up color radar and more!

**Join the electronic graphics revolution with**

# ColorGraphics Systems, Inc.

A Dynatech Broadcast Group Company

5725 Tokay Blvd., Madison, WI 608-274-5786

See Us at NAB Booth 1116

**Cinemills** (1140)  
 Established products \_\_\_\_\_  
**DeSisti:** Lighting kits  
**Daymax:** Gas discharge globes  
**Series:** Lee special effects gel and resin camera filters  
**Series:** Cine 60 on-board and belt-type nicad batteries  
 New products \_\_\_\_\_  
 See at booth \_\_\_\_\_

Circle (527) on Reply Card

**Cipher Digital** (1606)†  
 Established products \_\_\_\_\_  
**700:** SMPTE code reader with 4-keyer character generator  
**716:** SMPTE code generator with jam sync  
**722A:** SMPTE code reader/generator/character generator  
**733:** Portable SMPTE code reader  
**710A:** SMPTE/EBU code reader  
**735 Series:** Full function SMPTE/EBU readers  
**760:** State-of-the-art SMPTE/EBU reader  
**766:** State-of-the-art SMPTE/EBU code generator with VITC option  
**9010:** Vertical Interval Time Code generator/translator  
**9050:** VITC reader/translator  
**700-1000 Series:** High resolution character generator  
 New products \_\_\_\_\_  
 See at booth \_\_\_\_\_

Circle (528) on Reply Card  
 see ad on page 260

**Clear-Com Intercom** (1502)  
 Established products \_\_\_\_\_

**MS-808:** Mainframe housing up to eight intercom and eight IFB channels with a dedicated line  
**IFB Series:** 1-way program interrupt IFB system  
**PIC-4/820019:** Allows daisy-chain of two IFB program controllers for 8-channel outputs to talent  
**KB-112:** Remote intercom station  
**KB-111A:** 2-channel intercom station  
**CP-100:** Portable remote intercom station  
 New products \_\_\_\_\_  
**CP-300:** Portable remote station adaptable to Clear-Com and RTS systems, places two channels on a single mic cable  
**TW-12:** Interface enabling Clear-Com systems to work with RTS type equipment

Circle (529) on Reply Card  
 see ad on page 160

**Clyde Electronics** (204A)†  
 Established products \_\_\_\_\_  
**ALPHA:** Modular mixing desk  
**DELTA:** Logic-controlled auto level-controlled push-button mixer/switcher  
**C-DUB:** Multiswitcher IP mixer  
**CETB1:** Talkback unit  
 New products \_\_\_\_\_  
 See at booth \_\_\_\_\_

Circle (530) on Reply Card

**Colorado Video** (1222)  
 Established products \_\_\_\_\_  
**250CT:** Slow-scan/freeze-frame transmitter for 512x240-pixel stills in NTSC color within 7.5kHz bandwidth  
**250CR:** Slow-scan receiver

New products \_\_\_\_\_  
 See at booth \_\_\_\_\_

Circle (531) on Reply Card  
 see ad on page 186

**ColorGraphics Systems** (1116)  
 Established products \_\_\_\_\_  
**NewStar:** Computerized newsroom system  
**LiveLine III:** Real time graphics for TV  
 New products \_\_\_\_\_  
**ArtStar:** Paint-type graphics computer, featuring simultaneous work station, dual independent video, high resolution and low price  
**MiniStar:** Scaled-down version of NewStar, but fully upgradable  
**Frame storage:** Freeze-frame digital frame store

Circle (532) on Reply Card  
 see ad on page 83

**Colortran** (1205)  
 Established products \_\_\_\_\_  
**Pole OP** fresnel lights in 1kW, 2kW and 5kW sizes  
**Dimension Five** lighting control system  
**Patchman** portable lighting control system  
 New products \_\_\_\_\_  
**Color Arc 2000 ST:** Short-throw follow spot with xenon lamp  
**Dimension Five II** lighting control system  
**Designer** remote lighting system  
 Circle (533) on Reply Card  
 see ad on page 219

**Columbine Systems** (1323/118)  
 Established products \_\_\_\_\_  
**5360:** IBM S/36 CPU

**NEW**

## Your best value in wireless.



Cetec Vega's R-31 PRO is your best value in a wireless-microphone receiver. When you compare the price, compare the performance too. And the size. And the features:

- **"Infinite gain" receiver technology.** Improved performance in the critical threshold region, superior accommodation of multipath conditions, better signal-to-noise ratio, and constant receiver audio level output.
- **High signal-to-noise ratio and wide dynamic range.** 97 dB (103 dB A-weighted) with DYNEX® II; 77 dB (83 dB A-weighted) non-DYNEX.

- **DYNEX® II, a new standard in audio processing.** Can be switched in and out, to accommodate transmitters with or without DYNEX® II.
- **Power-source flexibility.** Dual 115/230 Vac, 50-60 Hz operation, and external +12 to +24 Vdc for vehicular and portable use.
- **Attractive, compact case.** Only 7.15 inches wide, 1.72 inches high, and 8.25 inches deep.
- **True helical-resonator front-end filter.** Plus all of the other standard features expected in Cetec Vega's professional

wireless equipment, famous for quality and reliability.

Write or call for further information on the R-31 PRO wireless-microphone receiver, and for the location of your nearest dealer: Cetec Vega, P.O. Box 5348, El Monte, CA 91734. (213) 442-0782. TWX: 910-587-3539.

**Cetec Vega**  
 the professional's wireless.


Circle (48) on Reply Card





## SMART

Asaca/Shibasoku's new high resolution monitors have the capability to deliver color performance other monitors simply cannot produce. Using R-Y, B-Y decoding no longer meets the demands of today's professional standards.



The Asaca/Shibasoku monitor like the human eye resolves certain colors best; reds, oranges, yellows, and flesh tones. The I-Q decoding system enables the monitor to display these colors at a higher resolution using wide band demodulation of 1.3 MHz rather than 0.5 MHz as in R-Y, B-Y systems.

We cared enough to give you a monitor with the I-Q to reproduce the best possible pictures. We know you're smart enough to buy it.

## SHARP



## COLOR

### FEATURES


- 20" and 14" models available—high resolution delta CRTs.
- I-Q wide band demodulation system.
- Complete board interchangeability between models.
- Switchable high performance comb filter and aperture correction.
- Multi-standard capabilities (NTSC, PAL, SECAM) on all models. Switchable from the front panel (20" model). No adjustments necessary because of digital sync circuitry.
- Dynamic focus insures perfect focus on all areas of CRT. Adjustable from the front panel.
- Special feedback circuits guard against color changes due to variations in temperature.
- Active convergence—40 controls allow precise adjustment on all areas of CRT.
- Pulse cross with expanded vertical blanking interval.
- OPTIONS... Built-in color bar or cross hatch patterns. Built-in safe title marker generator. Multi-standards. RGB inputs.
- TWO YEAR WARRANTY ON ALL PARTS AND LABOR INCLUDING THE CRT.



ASACA/SHIBASOKU CORP. OF AMERICA

12509 Beatrice Street Los Angeles, CA 90066 (213) 827-7144 (800) 423-6347

Circle (49) on Reply Card



**29 broadcasters bought  
the new Harris Medalist<sup>TM</sup> in  
its very first week! Here's why.**





Wide input switching flexibility. Transparent audio performance. Choice of attenuators. Adaptability to any application. Excellent cost/benefit ratio. Broadcasters across the country cite these as major reasons for choosing the new Medalist dual stereo audio console over all others.

### Switching Flexibility

Input selectors switch *after* the mic preamp, allowing intermix of mic and other types of sources on any channel. The Medalist also gives you six selector positions each for headphone and speaker monitoring.

### Superb Audio Quality

Harris engineering makes the Medalist remarkably trans-

parent. The Signal-to-Noise ratio of 95 dB beats the competition by 10 to 20 dB, and is typical of the Medalist's outstanding performance.

### Linear Or Rotary: Take Your Pick

Harris gives you a choice—two styles of linear and two styles of rotary attenuators. Intermix rotary with linear if you like, to suit *your* station's particular needs.

### Easy To Install... Easy To Maintain

The barrel terminals on the input and output circuits connect quickly and surely. Additional preamps and program amp interconnect with plug-in ribbon cables. Also, you can change

attenuator modules—even while you're on the air—in about the time it takes to cue up a record.

### Now In 8, 10 and 12 Channels

The Medalist is equally well suited for AM/FM/TV on-air and production applications. Take your choice of three models—8, 10 or 12 channels.

Learn more about the Harris Medalist family of audio consoles. Write Harris Corporation, Studio Division, P.O. Box 4290, Quincy, Illinois 62305-4290. 217-222-8200.



Circle (50) on Reply Card

# More Tests More Accuracy Less Time ...



## The QEI Model 691 Tuneable Stereo & SCA Modulation Monitor \*

That's right, QEI's 691 performs more than 40 proof-of-performance, sound quality and troubleshooting tests (up to 4 tests simultaneously) with greater accuracy and in less time than possible before.

Most functions and test connections are on the front panel in easy to read, easy to use groupings. QEI's auto-ranging meters guarantee correct readings every time and SCA capability is a simple matter of an optional plug-in module.

\* FCC Type Approval No. 3-244

For the full story and complete specs on the QEI 691, call us or write to:

## QEI Corporation

One Airport Drive  
P.O. Box D  
Williamstown, NJ 08094  
(609) 728-2020



Circle (51) on Reply Card

### Columbine (1323/118)

Continued

**5291:** IBM CRT display  
**522:** IBM printer  
Traffic system software  
Media, music, production billing software  
Accounting, payroll, general ledger software

New products

**5381:** IBM S/38 CPU with broadcast software

**5160:** IBM personal computer with broadcast system software

Circle (534) on Reply Card

### Comark Communications (1217)

Established products

UHF TV transmitters from 10kW to 220kW  
Waveguide and coaxial transmission systems and components

Modulators, excitors, IF correction systems, duplexing equipment and RF components

Turnkey RF installations capability worldwide

New products

**CTT-U-110S 110kW S Series:** UHF TV transmitter

**WTB-1500 Magic T:** RF power combiner with switchless bypass system

**CAP-110M:** Auto multiplexed diplexer system

**CBP-20:** BCD/ABC pulsing system

**GCP-145:** ED and ICPM corrector system

**CTE-20:** Exciter system

**CM-100S:** Modulator with IF SAW filter

**CTP-20:** Mod anode pulsing system

Circle (535) on Reply Card

see ad on page 3

### Comex Corporation (1508)†

Established products

Distributors for broadcast equipment, including Ultimatte, JVC, Texscan and Real World Technologies

New products

See at booth

Circle (536) on Reply Card

see ad on page 333

### Communications Graphics (630)

Established products

Promotional materials, including window decals and bumper stickers

New products

See at booth

Circle (537) on Reply Card

### Comprehensive Video Supply (1145)

Established products

**MX-1002:** Portable 3-channel mic mixer

**IR-1000:** Portable light dimmer wireless receiver

**IRT:** Portable light dimmer wireless transmitter

New products

**MS-2000:** Deluxe mini 2-camera switcher with effects

**MX-1001:** Pro 3-channel portable mic mixer

**Associate Producer:** Production/budget control software

**PowerScript:** Scriptwriting software

**Apple Edit Lister:** CMX-compatible editing software

**480:** Biflora fluid effect head and clamp assembly

**SC6000 MK II:** PAG sequential battery charger

Circle (538) on Reply Card

### Compucon (1405D)

Established services

Engineering services for

communications planning including:  
Satellite earth station interference analysis and coordination (TVRO, T-R)  
Terrestrial microwave frequency planning and coordination  
Cellular, land mobile, LPTV, MDS and DTS/DEMS engineering

License application preparation,

Continued frequency protection

On-site field support

Communications marketing research

Systems design

Time sharing services

FM engineering, applications preparation

New services

See at booth

Circle (539) on Reply Card

### Computer Broadcasting (624)†

See at booth

Circle (540) on Reply Card

### Computer Concepts (404)

Established products

Broadcast computer systems for traffic, sales/management, billing/accounts receivable, co-op/copy, payables, payroll, general ledger, word processing, database management, music management/playlist production, electronic spreadsheet, background music billing, linked with program automation systems

New products

Broadcast computer system copy and co-op management system

**Micro-Bridge 80:** Allowing Wang hardware to run programs written for personal computers

Rate card optimizer program, allowing combinations of rate, spot load, spot length and dayparts to be analyzed for maximum profitability

Circle (541) on Reply Card

### Computer Graphics Lab (1143)

Established products

**Images:** Image manipulation and graphic enhancement system

**Tween:** 2-dimensional computer-based animation

New products

**CAAS II:** Computer-assisted animation system, including hardware and software for full cartoon animation projects

**Images II:** Low-cost still-frame electronic graphics creation device

**3-DV:** 3-dimensional animation system for full-color shaded surfaces, multiple light sources and resolution to 1024x972 pixels

Circle (542) on Reply Card

### Comrex (400)

Established products

**PLX, RLX, TLX:** Frequency extenders

**SLX:** Remote sports console

**AGA:** Auto gain adjuster


**CTA, LPQRA:** Cue system

**CRA:** TV aural monitor

**202:** Studio/telephone conferencer integrator



# RVS-517 VIDEO PRODUCTION SWITCHER



**A SUPERB SWITCHER FOR STUDIO,  
POST-PRODUCTION, OR MOBILE USE.**

**Just one member of the Ross Video family**

CANADA:  
Ross Video Limited  
9 Plaza Drive, P.O. Box 220  
Iroquois, Ont. Canada K0E 1K0  
613-652-4889 Telex 05-811579

USA:  
Ross Video Inc.  
P.O. Box 880  
Ogdensburg, N.Y. 13669

Learn more about the complete line of  
Ross Video production switchers  
and the Encore Memory System  
at N.A.B. booth 1110



Circle (52) on Reply Card

April 1984 *Broadcast Engineering* 89

**Comrex (400)**

Continued

**450RA/TA:** Wireless microphone system

New products \_\_\_\_\_

**PTLX:** Portable 2-line frequency

extender transmitter

**RTLX:** Rack-mount 2-line frequency

extender receiver

**PLX II:** Frequency extender transmitter**RLX II:** Frequency extender receiver

Circle (543) on Reply Card

see ads on pages 64 and 66

**Comsearch**

(1136)

Established products \_\_\_\_\_

**Service:** Communication engineering services, satellite earth station interference studies with site acquisition, private network design,

terrestrial frequency planning including STL & TSL, frequency protection, FCC application preparation, DEMS/DTS frequency coordination, microwave path surveys and RFI/EMI measurements

**Service:** LPTV engineering services and cellular radio services

New products \_\_\_\_\_

See at booth

Circle (544) on Reply Card

**Comtech Data**


(314)†

Established products \_\_\_\_\_

**RCV 350:** Downconverter, SCPC, 3-channel converter

5m fiberglass transportable transmit/receive antenna

**Series:** 24-channel frequency agile receiver



**ARISTOCART**

## no other NAB cartridge meets these exacting standards

We designed the ARISTOCART cartridge 10 years ago. Its features have been widely copied but it continues to outperform competing products because we alone take the trouble to check each unit we ship for phase stability and frequency response in conformity with NAB specifications.

### our guarantee

If any ARISTOCART cartridge should fail to meet NAB AM/FM performance specifications on a properly aligned cart machine, we will replace it at our sole expense.



MANUFACTURED BY ARISTOCART DIV. WESTERN INTERNATIONAL COMMUNICATIONS LTD.  
505 BURNARD STREET, VANCOUVER, B.C., CANADA V7X 1M6 TEL: (604) 687-2844 TELEX: 04-54639

Circle (53) on Reply Card

**RCV 350-10:** Card-mounted frequency-agile receiver

**250 AU/AD:** Up/down converters**30 RO:** Receive-only terminals**RCU 360:** Local/remote receiver**900:** Uplink terminals**CDM 1120:** 52-88MHz channel modulator**CDM 1160:** A/V modulator**Antenna:** 7.3m, dual-axis

New products \_\_\_\_\_

See at booth

Circle (545) on Reply Card

see ad on page 63

**Com-Tek Communications**

(1122B)†

See at booth

Circle (546) on Reply Card

**Concept Productions**

(423)

Established products \_\_\_\_\_

**Concept 1:** Adult contemporary program format

**Concept 2:** Adult rock program format

**Concept 3:** AOR program format

**Concept 4:** Country music format

New products \_\_\_\_\_

**Concept 5:** MOR radio format

**Promotion:** The Disneyland Radioaction Telephone Game

Circle (547) on Reply Card

**Connect-Air Int'l.**

(1764)†

Established products \_\_\_\_\_

**Cable assemblies:** Camera, communications, broadcast, data

New products \_\_\_\_\_

See at booth

Circle (548) on Reply Card

**Connectronics**

(608)

Established products \_\_\_\_\_

**Musiflex:** Wire and cables, including:

Multipair audio, instrumentation and data cables

Speakerflex sound reinforcement, monitor, lighting and communication systems cable

Rockflex musical instrument cable

Quadflex 4-way interconnection cable

Phonoflex audio interconnect and patch cables

Studiflex audio studio cable

**Accessit:** Audio signal processors

**Great British Spring:** Reverb unit

**SECK Producer:** Mixing console

New products \_\_\_\_\_

Key Technology XLR-type connectors

Circle (549) on Reply Card

**Conrac**

(1401)

Established products \_\_\_\_\_

**Model 6142:** Master 19-inch color video monitor

**Model 7211:** 13- and 19-inch PIL CRT RGB monitors

New products \_\_\_\_\_

**Model 6200:** Class 1 master monitor in 13- and 19-inch PIL CRT sizes with switched NTSC/RGB inputs and Colormatch phosphors

**Model 2600:** 9-, 15- and 19-inch monochrome monitors for 800TVL resolution

**Model 7300:** RGB ultrahigh (1000-line) resolution, designed for flicker-free computer graphics

Circle (550) on Reply Card

see ads on pages 158 and 159



# When Choosing Quality The Choice Is LEMO Electronic Connectors



## LEMO Audio-Video Connectors

**Designed to maximize communication capabilities within a minimum of space. Available in coax, triax, multipin and mixed coax-multipin configurations.**

**RELIABILITY:** Positive locking mechanism and gold plated contacts assure consistent signal transmission to 1.5 GHz.

**SPACE SAVINGS:** Only finger clearance needed to engage and disengage connectors. No need to twist or turn locking ring.

**RUGGEDNESS:** Connector components are precision machined. Locking mechanism is totally protected by outer shell, virtually eliminating accidental disconnections and damage to locking mechanism, cables and contacts.

**SPEED:** Connectors engage and disengage simply and quickly by pushing and pulling axially on the outer shell of the plug.

Over \$1 million inventory stocked in Santa Rosa, California, sold by a network of representatives in North America.

For technical data and catalog, as well as the name of your local representative, please call or write LEMO U.S.A., INC. (707) 578-8811, TELEX 340-933, P.O. Box 11006, Santa Rosa, California, 95406.



Circle (54) on Reply Card



# NEW DTMF REMOTE CONTROL PRODUCTS FROM MONROE ELECTRONICS



## 6000 Series Remote Control From \$395

Systems available for either telephone or 2/4 wire and radio communications to monitor and control unattended equipment.

- Selectable access code.
- 6 or 12 independent relays and status inputs.
- Audio input to monitor remote audio source.
- Internal test tone generator.
- Power supply for 117 VAC, 60 Hz.

Write or phone for further information or literature. Dealer inquiries invited.

**M MONROE ELECTRONICS, INC.**

211 Housel Avenue  
Lyndonville, N.Y. 14098  
Phone: 716/765-2254 Telex 91-9188

In Canada: Maruno Electronics, Ltd.  
299 Evans Ave., Toronto, Ontario,  
Canada M8Z1K2  
416/255-8231 - Telex 06-967578

Circle (55) on Reply Card

**Continental Electronics** (101)  
Established products \_\_\_\_\_  
AM transmitters in 1kW, 5kW, 10kW  
and 50kW power levels  
FM transmitters in 2.5kW, 10kW, 20kW,  
25kW, 27.5kW, 40kW, 50kW and 55kW  
power levels  
302A AM stereo exciter  
802 FM exciter  
Audio consoles with eight and 10  
channels  
New products \_\_\_\_\_  
See at booth

Circle (551) on Reply Card  
see ad on page 268

**Control Concepts** (1751A)†  
Established products \_\_\_\_\_  
Islatron transient overvoltage  
suppressors  
New products \_\_\_\_\_  
See at booth

Circle (552) on Reply Card

**Control Video** (1157)  
Established products \_\_\_\_\_  
Light Finger computer-aided editing  
system  
Sword computer-aided cuts-only editing  
system  
Video sequencer for up to 31 VTRs  
Sabor spot editor for video  
sequencing system  
New products \_\_\_\_\_  
A.L.M.S. advanced list management  
system  
Film edge number writer  
Disk editing system

Circle (553) on Reply Card  
see ad on page 82

**Convergence** (1430)  
Established products \_\_\_\_\_  
**Super 90:** Single-source video editing  
system  
**202:** Sync roll/cuts-only video editing  
system with list management and auto  
assembly  
**203:** A/B roll video editing system  
with list management  
**204:** A/B roll advanced list  
management system with two auto  
assembly modes  
New products \_\_\_\_\_

**EditDroid:** Specialized post-production  
system for disk or tape, developed in  
conjunction with LucasFilm Ltd.  
**CI-90:** Character inserter placing time  
code digits into video being recorded,  
providing window dubs

Circle (554) on Reply Card

**Cool Light** (1329)  
Established products \_\_\_\_\_  
TTDR01 Tri-Lites  
New products \_\_\_\_\_  
MCKTSP improved Starpak lighting  
kit includes four Mini-cool lights,  
two stands, lamps, lenses, filters  
and other accessories and grip items  
Circle (555) on Reply Card

**Corporate Comm. Consultants** (1161)†  
Established products \_\_\_\_\_  
**System 80XL:** Computerized color  
correction: film-to-tape transfer  
**System 80B:** Computerized color  
correction system for the Bosch  
FDL-60A2

**System L-100:** Computerized color  
correction for positive and negative  
film  
**System 30:** Computerized color  
correction for the Sony BVX-30  
**System 60CZ:** Color corrector for  
film-to-tape and tape-to-film transfers  
New products \_\_\_\_\_  
See at booth

Circle (556) on Reply Card  
see ad on page 100

**Countryman Associates** (1720)  
Established products \_\_\_\_\_  
Microphones  
New products \_\_\_\_\_  
**ISOMAX TVH:** Hypercardioid lavalier  
mic  
**ISOMAX III:** Directional flexible  
extension tube recording mic  
**ISOMAX IV:** Directional flexible tube  
mic for high quality voice applications  
Circle (558) on Reply Card

**Crest Audio** (204C)†  
Established products \_\_\_\_\_  
Audio professional power amplifiers  
New products \_\_\_\_\_  
See at booth  
Circle (557) on Reply Card


**Crosspoint Latch** (1321)  
Established products \_\_\_\_\_  
**6112:** Production switcher  
**6112BH:** Incandescent lamp button  
version of 6112  
**6139 Series:** 8-, 16- and 24-input  
production switchers with LED or  
incandescent lamp buttons  
**6139K:** Microprocessor-controlled  
switcher with serial RS232/422 I/O  
**6403:** Programmable editor switcher  
interface  
**6124:** Production switcher  
New products \_\_\_\_\_  
**6116:** Component switcher, including  
four component and three encoded  
video inputs with optional  
microprocessor-controlled editor  
interfaces  
**7239:** Auto Drive controller for  
6139K switchers and serial control  
for editor inputs  
**6150:** Master control switcher for 16  
inputs, with microprocessor control,  
clock and 2-event take  
**7209:** 99-event controller for 6109  
switcher  
Printer driver option with serial I/O  
for editor control

Circle (559) on Reply Card  
see ad on page 352

**Crown Int'l** (428)  
Established products \_\_\_\_\_  
Audio power amplifiers, including D-75,  
D-150A-2, PS-200, PS-400 and  
DC-300A-3 systems  
PZM microphones  
New products \_\_\_\_\_  
**PZM-180:** Pressure zone microphone at  
reduced price for semi-pro and sound  
reinforcement market  
**12SP:** Microphone for recording,  
reinforcement, broadcast and ENG  
applications

Circle (560) on Reply Card






**TOMCAT** — The preeminent cartridge recorder and reproducer, offering superb reproductive quality. Matrix, 7½ and 15 IPS MONO/STEREO, 3 tones and fault detection are standard.

**BMX** — The undisputed leader of on-air audio consoles. Exacting design and construction yield optimal performance quality. Modularity combines user-friendliness with maintainability. Source machine control is standard in 10, 14, 18, 22 and 26-input consoles.



**ABX** — This new WORLD-CLASS OPERATIONS console is the first console designed for production requirements of radio broadcasting. In 18, 26, and 34-input sizes, the ABX provides the positive attributes of BMX in a 2, 4 or 8-TRACK production configuration. With additional busses, 2-MIX/MULTITRACKING, SLATE/OSCILLATOR, multi-studio TALKBACK, 4 SENDS/RETURNS, full metering, 4 telephone MIX-MINUSES and much more, the ABX is unique.



**PACIFIC RECORDERS  
& ENGINEERING CORPORATION**

Call TOLL-FREE 800-874-2127 for your full-color brochures on TOMCAT, BMX, ABX, STUDIO CABINETRY systems or quality PR&E products.

**NAB Booth 113**

**Custom Business Systems** (317)†  
 Established products \_\_\_\_\_  
 Radio Broadcast Business Computer System  
 Music Library Software  
 New products \_\_\_\_\_  
 See at booth  
 Circle (561) on Reply Card

**Cybernetic Data** (1134A)†  
 See at booth  
 Circle (562) on Reply Card

**dbx** (107A)  
 Established products \_\_\_\_\_  
 900 series signal processors  
 dBm meter  
 Voltage-controlled amplifiers  
 Type I and II noise reduction systems  
 Compressor/limiters  
 Sound enhancers  
 New products \_\_\_\_\_  
 700 digital audio processor  
 710 2-channel mic pre-amp module  
 700P playback-only digital audio processor  
 D700 digital disc-mastering delay  
 Circle (563) on Reply Card

**Peter W. Dahl** (612)  
 Established products \_\_\_\_\_  
 3-phase 5kW plate transformer  
 1kW and 5kW modulation transformers and reactors  
 High voltage rectifiers

Primary transient suppressors  
 New products \_\_\_\_\_  
 HV rectifiers for 40kV PIV and forward currents to 25A  
 Primary transient suppressors in MOV and selenium configurations  
 Circle (564) on Reply Card

**Dalsat** (1785)†  
 Established products \_\_\_\_\_  
 Earth stations: Transportable  
 Consulting: Engineering  
 Installations: Turnkey  
 New products \_\_\_\_\_  
 See at booth  
 Circle (565) on Reply Card

**Bill Daniels Company** (1706)  
 Established products \_\_\_\_\_  
 Catalogs: Broadcast equipment  
 New products \_\_\_\_\_  
 See at booth  
 Circle (566) on Reply Card

**Data Communications** (1014)  
 Established products \_\_\_\_\_  
 Business automation products and services for the broadcast industry  
 BIAS traffic system  
 REPLINE and SESAMI systems  
 New products \_\_\_\_\_  
 BUYLINE business automation, to link stations, representatives and agencies for speeding up the buy process  
 IBM PC software for financial

applications with BIAS system interfacing  
 Circle (567) on Reply Card

**Datatek** (1428)  
 Established products \_\_\_\_\_  
 D-2000: Video/audio routing switchers  
 D-4300: Video/audio routing switchers  
 D-701: TV transmitter color phase equalizer  
 D-663: Video DAs  
 D-660: Source ID system  
 New products \_\_\_\_\_  
 D-2200: Bidirectional data matrix, destination oriented, SMPTE standard, expandable to large system configurations  
 Circle (568) on Reply Card

**Datatron**  
 See Paltex

**Datatronix** (1504)  
 Established products \_\_\_\_\_  
 Series 300: Modular amp systems and audio components  
 Series 500: Modular compressor/limiter, EQ, oscillator systems  
 Series 440: Conductive plastic illuminated scale faders  
 Series 7000: Remote-controlled amp systems  
 Series 8000: VU and PPM meter amps  
 New products \_\_\_\_\_  
 Series 2000: Smart intercom systems  
 Series 1000: Small studio smart intercoms

## From Porta-Brace™ The Classic Case

### The PORTA-BRACE™ Video Recorder Case.

Our ENG/EFP special includes: leather handle • heavy-duty, non-skid shoulder strap • swivel hooks • waist belt • extra-capacity side pouch with mike pouch • front slip pocket • two sewn-in front pockets • cable strain-relief loops • velcro cable and headset hangers • sewn-in and removable white balance cards. It's protection and portability and we care about the details.



**K and H Products, Ltd.**  
 Box 246, North Bennington  
 Vermont 05257 (802) 442-9118



Circle (57) on Reply Card




# Why our new radio is heavier than you'd expect.

*When we introduce a brand new portable microwave transmitter with innovative features like continuously variable power from 3 to 12 watts and a linear GaAs FET power amp, our customers also expect it to be "bulletproof".*

So, we build in modular plug-in circuit boards for quick service; multilevel RFI shielding for superior integrity, and an integral heat sink to eliminate dependence on the antenna bracket. Plus, a linear power amp eliminates spurious response to provide excellent spectral purity, while its *one* stage (versus the usual 4) reduces still further the probability of failure.

You see, when you buy either our *Challenger* at three watts, or the *Challenger 12* with 3 to 12 watts variable, you get unexpected state-of-the-art features. But you also get what you expect from Harris—reliability, ease-of-service, and the best product support in the business.

For information about our complete line of ENG equipment call or write, **Harris Broadcast Microwave, 967 Stierlin Road, Mountain View, CA 94043. Phone: 415-969-9100. Telex: 17-2584 HARFARVID**



*Class A Linear  
GaAs FET Power Amp*

*Challenger 12  
with 3 to 12 watts  
variable power*



# The definition of the best color camera

No matter how you define your color camera needs, you will want to be certain you have chosen the best tube for the job. And no technical appraisal can be complete without EEV Leddicons.

## Highest picture quality

Lag or smearing under low-light conditions is a common effect with most tubes - but less with EEV Leddicons! Instead of the twin-light pipe used by some competitors, Leddicons incorporate a unique light bias arrangement with a 10-hole and sintered quartz diffusing disc system for minimal shading. Differential lag is minimised by balancing the response speeds of the green, red and blue channels; so a football in flight will always look like a football - not a flying saucer! Light biasing is variable on 30mm and 25mm Leddicons. On 30mm types, biasing is integral so there is no need for a clumsy adaptor.

## High resolution

EEV is the only manufacturer to make three different target layers to optimise resolution for each color channel. The advantage of this unique feature can be clearly seen in the Leddicon's much better performance.

## Faithful color imagery

Faithful color imagery is all about reproducing what the eye sees. And that is exactly what Leddicons do. Extended reds have a precisely-engineered response and a matched infra-red filter is incorporated to provide cut-off where you want it.

## Reduced highlight image retention

Highlight image retention can be a production team's nightmare - the wrong choice of tube and highly polished orchestra instruments can end up looking like the aftermath of an aerobatics display. With EEV Leddicons, the problem is minimised by a unique target manufacturing process. The result is you can rely on Leddicons, even in the very difficult extended red channel where other tubes are simply unable to cope.

## Better tube quality - plus longer life

At long last a manufacturer who is prepared to talk about blemishes - but then we know Leddicons average less spotting than other tubes! The secret lies in the fact that all Leddicons must satisfy the most exacting manufacturing, testing and quality control standards. These not only preclude loose particles from the inside of the tube but also ensure longer tube life.


## Optimised geometry and registration

The optimised electron optical design of Leddicons ensures the best possible geometry without distortion. Registration too is equally distortion free - we can, in fact, supply computer-matched sets for all three channels.

# LEDDIC

## Unique anti-microphonic features

Nothing tests a tube more rigorously than the range of frequencies generated by an orchestra. With EEV's unique anti-microphonic mesh assembly, Leddicons provide the cleanest pictures - even from cameras operating in areas of high ambient acoustic noise.



FOR FURTHER INFORMATION ON LEDDICONs, CALL US TODAY.

**IN USA** Toll free 800 431 1230 (except for NY State).

**EEV Inc Corporate Office**, 7 Westchester Plaza, Elmsford, NY 10523.

Tel: 914 592 6050. Telex: 6818096. **Mid. Western Sales Office**, 2073 Arleen Court, Schaumburg, IL 60194. Tel: 312 843 8417. **North-Eastern Sales Office**, 250 Hamill Drive, Snyder, NY 14226. Tel: 716 839 5959. **South-Western Sales Office**, 5455 Garden Grove Boulevard, Suite 420, Westminster, CA 92683. Tel: 714 895 3944. **South-Eastern Sales Office**, Suite 100E, 15 Dunwoody Park, Atlanta, GA 30338. Tel: 404 394 9201.

**Tri-State Sales Office**, 7 Westchester Plaza, Elmsford, NY 10523. Tel: 914 592 6111.

**Western Sales Office**, 19001 40th Place, N E Seattle, WA 98155. Tel: 206 363 2222.

**IN CANADA** **EEV Canada Ltd**, 67 Westmore Drive, Rexdale Ontario M9V 3Y6.

Tel: 416 745 9494. Telex: 06 989 363.

**REST OF THE WORLD** **EEV**, Waterhouse Lane, Chelmsford, Essex CM1 2QU, England. Tel: 0245 261777. Telex: 99103.



# tubes in the world.

## First for customer service

EEV is not only concerned with manufacturing the best tubes but also ensures the best delivery and after-sales service. Our reputation in this respect, like that of our Leddicons, is second to none.

To serve the needs of our broadcast customers in the USA and Canada best, we sell direct from our centers in New York and Toronto where we maintain a large inventory as well as full test facilities.

When you add up all the facts about EEV Leddicons, there is only one conclusion - namely, the definition of the best tubes for your camera. But don't leave it at that. Next time specify Leddicons for your new equipment and as replacements. Then find out what that definition really means in practice.

# LEDDICONS<sup>®</sup>

## Comprehensive range

EEV Leddicons are specified throughout the world for virtually every type of studio, EFP and ENG camera. The range covers 30mm (1 1/4 in), 25mm (1 in), 18mm (3/4 in) and 12mm (1/2 in) sizes. And the comprehensive choice of front- and rear-loading types includes diode gun, low output capacitance (LOC) diode gun, triode gun and tetrode gun highlight overload protection (HOP).

EEV Leddicons are fully interchangeable in most types of camera including:

BCC10/20/21	HL79/81/83	MNC80	TC80/85
BVP300/330	HK312/322	MKVIII/IX	TK47
CEI310	KCU/KCK40	SK91/96	TK76
FOTON 1	LDK5/15/25	SK110	TTV1515/1516

®Leddicon is the Registered  
Trademark of EEV Lead Oxide Camera Tubes



**EEV Camera Tubes** 

Circle (59) on Reply Card

See Us at NAB Booth 1335

**Datatronix (1504)**  
Continued

**318:** DA with high common mode reject  
**PTIS:** User programmable telephone interface  
**1604A:** Stereo production/post-production console  
**2424:** Summing crosspoint matrix, to 24x24  
**701A:** 18W audio power amp  
**941:** VCA automation fader  
Circle (569) on Reply Card

**Dataworld** (315)†  
See at booth  
Circle (570) on Reply Card

**Datum** (1708)  
Established products \_\_\_\_\_  
**9400-637:** Source ID encoder  
**9200-402:** Source ID reader  
**9520-150:** Digital time display  
New products \_\_\_\_\_  
**5303:** SMPTE/EBU longitudinal and VITC generator/reader  
**9550:** Multirow character generator/ inserter  
**9241:** Automatic videotape search system  
**9400:** Multiline video data encoder  
**9200:** Multiline video data reader  
Circle (571) on Reply Card  
see ad on page 318

**David Green Broadcast Consultants**  
See Green, David

**Davis & Sanford** (1751)  
Established products \_\_\_\_\_  
Tripods, stands and pedestals  
Tripod heads, fluid heads  
Dollies  
New products \_\_\_\_\_  
Fluid heads  
Circle (572) on Reply Card

**Delcom** (1638)†  
Established products \_\_\_\_\_  
**AE-3:** Auto effects interface  
**VO-5850D:** Delcom/Sony advanced U-matic VTR  
**Design:** Custom systems, studio or remote  
**Consulting:** Engineering  
**Vans:** Mobile, design/constructions  
New products \_\_\_\_\_  
Control room furnishings, consoles  
Cabinetry  
Circle (573) on Reply Card

**Delta Electronics** (105)  
Established products \_\_\_\_\_  
**TCA Series:** RF ammeter systems  
**CPB-1:** Common point bridge  
**FMC-1:** FM modulation controller  
**APC-1:** Automatic power controller  
**6730E:** Coaxial transfer switch  
**OIB-3:** Operating impedance bridge  
**AAM-1:** Antenna monitor  
**RCS-IV:** Microprocessor-based remote control system  
New products \_\_\_\_\_  
**ASE-1:** AM stereo exciter  
**ASM-1:** AM stereo modulation monitor  
**RG-4:** Receiver/generator

**RCS-IV:** ATS option for remote control system  
Circle (574) on Reply Card  
see ad on page 145

**Desisti Americas** (1131)  
Established products \_\_\_\_\_  
**DLK Series:** Portable lighting kits  
**2000/2010:** HMI softlights  
**RC110:** 1kW fiber-glass fill light  
**DC Series:** Molded polyethylene location light cases  
**OCM/DeSisti:** Motorized hoise rigging studio suspension system  
New products \_\_\_\_\_  
**Tiziano:** 200W CID Sun Gun with electronic ballast  
**Pilota Series:** Discharge follow spotlights in 1kW and 2.5kW sizes  
**90.100:** Brass super strong C-clamps  
**50.100:** Junior-size stand with wheels  
**Americas:** 200W sealed-beam hand-held HMI light and 1.2kW sealed-beam spot light  
Brass scenery clamp with adapters for lights  
**52 series:** Fresnel studio lights in 300W, 500W, 650W, 1kW and 2kW ratings  
Circle (575) on Reply Card

**DeWolfe Music Library** (1743)  
Established products \_\_\_\_\_  
Music library  
Sound effects library  
Prerecorded music for use in any A/V production

# film or video sound by



## NAGRA KUDELSKI

a passion for perfection

Sheer enthusiasm inevitably leads the Stefan Kudelski-Nagra design team to build the best, as with our IV-S. This portable, stereo master recorder incorporates all the functional specifics professionals need... Like instant read-out of channel level differences, weighted signals for disc groove depths, current consumption and battery voltages. And, there's a 6-position filter circuit to correct undesirable acoustical effects, plus two switchable, ganged potentiometers. Share the enthusiasm. Ask for details.

**NAGRA MAGNETIC RECORDERS, INC.**  
A Subsidiary of Nagra-Kudelski, Switzerland

**East Coast**  
19 West 44th St. Room 715  
New York, NY 10036 (212) 840-0999

**West Coast**  
1147 N. Vine St.  
Hollywood, CA 90038 (213) 469-6391

**SEE US AT  
BOOTH 1213  
NAB**

Circle (60) on Reply Card





# ANNOUNCES THE NEW ERA IN LOW COST EDITING

*Eagle*



**Breaking the  
price / performance  
barrier**

**Designed in the  
tradition of the  
famous Z6000  
series of editors**

**Compare these standard features with  
any competitive system**

**STANDARD FEATURES:**

- Distributed intelligence
- 250 event memory
- Animation
- Printer output
- Status display generator
- Frame accurate
- Built in sync generator
- Much more...

**OPTIONS:**

- List management
- Dual disk operating system
- Off line communications package (an industry first)
- A/B roll & sync roll
- General purpose interface (for external devices)

SEE US AT NAB BOOTH 1308

Circle (68) on Reply Card

**FOR THE DEALER IN YOUR  
AREA CALL (408) 745-1700**

**DeWolfe (1743)**

Continued

New products \_\_\_\_\_

See at booth \_\_\_\_\_

Circle (576) on Reply Card

**Dielectric Communications (455)**

Established products \_\_\_\_\_

Coaxial switches and patch panels

RF loads

Coaxial transmission lines

Dehydrators

New products \_\_\_\_\_

**DCR:** Circularly polarized FM ring antenna**CDP-B:** FM panel antennas

Circle (577) on Reply Card

**Digital Entertainment (1600)†**

Established products \_\_\_\_\_

Digital audio recorders and accessories

SAM series of audio mixers

Portable remote broadcast audio mixers

New products \_\_\_\_\_

See at booth \_\_\_\_\_

Circle (578) on Reply Card

**Digital Services (1302)**

Established products \_\_\_\_\_

**DFX2010:** FlexiKey digital effects key generator

New products \_\_\_\_\_

**16N4000:** Illusion full digital effects generator**PSP100:** Perspective option for illusion**PSP101:** Perspective option for FlexiKey**CDN1000:** Conductor-master control

automation

**STS100:** Statistician spots/electron statistical software

Circle (579) on Reply Card

**Digital Video Systems (1017)**

See Scientific-Atlanta

**DigiVision (1507)**

Established products \_\_\_\_\_

**DRGB-343:** Digital video converter.

Converts NTSC or RGB input video to 100-line resolution signal with noise reduction

New products \_\_\_\_\_

See at booth \_\_\_\_\_

Circle (580) on Reply Card

**Dilor Industries (\*)**

Established products \_\_\_\_\_

Full range of dimmers for permanent and portable installations

**LITEPAK series:** Dimmer systems

New products \_\_\_\_\_

Memory lighting control system

Advanced direct dimmer access

patching manual control system

Circle (581) on Reply Card

see ad on page 198

**Di-Tech (1301)**

Established products \_\_\_\_\_

**5840 Series:** AFV routing switchers**5800, 5500, 5400 and 5403:** AFV

routing switchers

**110:** Video DAs**150:** Pulse DAs**170:** Audio DAs

New products \_\_\_\_\_

See at booth \_\_\_\_\_

Circle (582) on Reply Card

**Dolby Labs (1311)**

Established products \_\_\_\_\_

**226:** Audio NR module for Ampex VPR-2**234:** Audio NR module for Sony BVH-2000**221:** Audio NR module for Sony

BVH-1000/1100

**360 Series:** Audio NR units for outboard applications**SP Series:** Audio NR system for multi-track recording**Model 372:** Portable NR unit for field recording**362:** 2-channel outboard NR system

New products \_\_\_\_\_

**Model 380:** Audio NR system for Ampex VPR-3 and VPR-80**Model 362:** Audio NR system for applications in which two channels are required

Circle (583) on Reply Card

**Dorrough Electronics (312)**

Established products \_\_\_\_\_

**610:** Discriminate audio processor**40-A/40-B:** Loudness meters**FM-81:** FM stereo generator

New products \_\_\_\_\_


See at booth \_\_\_\_\_

Circle (584) on Reply Card

**Drake-Chenault (\*)**

Established products \_\_\_\_\_

# SOMETIMES EVEN A MOTHER HAS TROUBLE RECOGNIZING HER OWN CHILD

**NAB BOOTH  
# 1161**

Why your Commercial doesn't look as good on the air as it did in the projection room. — There are many technical complex reasons, but the only thing you have to know is that your commercial is transferred using **THE SYSTEM 60XLB2** or **THE SYSTEM XL II** computerized scene-to-scene color correctors for **Film-to-Tape** and **Tape-to-Tape**, the *leaders and pacesetters* of "The State of the Art."

## CORPORATE COMMUNICATIONS CONSULTANTS, INC.

"Manufacturers of the hassle-free line of color correctors"


4250 Veterans Memorial Highway • Holbrook, New York 11741

Tel. No. (516) 737-0903

TWX 510-228-7416

Circle (62) on Reply Card





# Sachtler

## THE PERFECT HEADLINE

for your ENG- or EFP-camera

Sachtler

camera supporting systems

Offering

all-in-one – up to seven – steps of drag,  
independently adjustable for pan and tilt,

tilt in compensation for center of  
gravity displacements,

camera-adequate or dynamic counter-  
balancing, adjustable on the spot  
for all your possible requirements,

extreme positive, operational locks,  
not effecting camera orientation  
when operated,

leak-proof by design fluid system  
with guaranteed (for years) trouble free  
operation,

an all-in-one piece unit for easy handling  
and transport,

that is available when and where you need it  
worldwide.

is the Sachtler headline offering all  
these features, don't ask for less!

Call on your nearest Sachtler dealer

or write to

Sachtler Corporation of America  
10 Oser Avenue, Hauppauge NY 11788  
Phone (516) 231 0033, Tx 140170,


subsidiary of Sachtler GmbH  
Lieselstr. 16  
D-8046 Garching/München  
Phone (89) 320 40 41, Telex 5 215 340

Circle (63) on Reply Card


Panorama




Video 20




Video 25



Video 30



# THE FIRST NAME IN FILM



**Introducing video tape with the quality, dependability, consistency, and backup service you expect from Kodak.**

The virtues that have made Eastman Kodak Company the first name in film are now yours in new Eastman professional video tape.

A world leader in imaging technology for more than a century brings you a brand of video tape so good that we stake our reputation on it.

So can you. Because Eastman professional video tape offers you a unique combination of benefits.

**Quality.** Try our video tape and experience its quality. You'll see that Eastman professional video tape meets the same stringent performance standards that characterize all Eastman products.

**Dependability.** Establishing a reputation for reliability takes time and commitment. Our record speaks for itself. To satisfy your need for dependability, our products are made to our own demanding specifications.

**Consistency.** As the world's leading manufacturer of photographic film, Kodak appreciates the critical impor-

tance of video tape product consistency. Therefore, Eastman video tape is manufactured according to our strict uniformity requirements.

**Technical service.** You can count on our field force of skilled sales and engineering representatives to help you get the most from Eastman video tape products.

**Availability.** You don't have to wait for Kodak to set up shop. We already operate a worldwide marketing network. And a dealer organization also will soon be ready to supply you with Eastman pro-



# IS THE NEW NAME IN VIDEO TAPE



fessional video tape...when and where you need it.

You have the option of professional-quality and broadcast-quality Eastman professional video cassettes in both 1/2-inch (VHS and Beta) and 3/4-inch (U-Matic, standard and mini) cassette sizes. Broadcast-quality 1-inch tape (helical "B" and "C" format) is scheduled to be available in mid-1984. We offer an excellent selection of video cassettes and video tapes for use with NTSC as well as PAL/SECAM TV systems.

Now is the time for you to discover what the new name in professional video tape can do for you. To learn more, contact your Kodak sales and engineering representative.

ATLANTA (404) 351-6510  
CHICAGO (312) 654-5300  
DALLAS (214) 351-3221  
HOLLYWOOD (213) 464-6131  
HONOLULU (808) 833-1661  
MONTREAL (514) 761-3481

NEW YORK (212) 930-7500  
SAN FRANCISCO (415) 928-1300  
TORONTO (416) 766-8233  
VANCOUVER (604) 926-7411  
WASHINGTON, DC (703) 558-9220

Overseas, call the local Kodak company. Motion Picture and Audiovisual Markets Division, Eastman Kodak Company, 343 State Street, Rochester, NY 14650

Circle (64) on Reply Card



**EASTMAN Professional Video Tapes**



**Drake Chenault (\*)**

Continued

Syndicated music formats

Special features products

New products

History of Rock 'n Roll Series

Circle (585) on Reply Card

**Dreamdata**

(1728)†

See at booth

Circle (586) on Reply Card

**Dubner Computer Systems**

(1630)

Established products

**CBG-2:** Videographics generator**CCC-12:** Color corrector computer automation for film or tape to tape transfers

## New products

**CBG-2:** Enhancements include high resolution, more colors per image, dual keyboard operation, new 3-D software, hardware anti-aliasing and an optional third plane electronic still-store

Circle (587) on Reply Card

see ad on page 109

**Dynair Electronics**

(1404)

Established products

**Series 25:** 20x20 AFV routing switcher**System 21:** 50x10 AFV routing switcher**Series 10:** 10x10 A/V routing switcher**System 23:** Machine control and data switch**Series 5300:** Modular DA equipment**Series 1500:** DA and switching

equipment

**Series 1600:** Switching equipment

New products

See at booth

Circle (588) on Reply Card

see ad on page 119

**Dynamic Technology**

(1719)

Established products

**VIMACS:** Vertical interval machine control system**STATE:** Source transmitter and teletext encoder**VPA2646:** Video precision EQ/DA**SDA2656:** Audio DAs

New products

**VTR Library system**

Circle (589) on Reply Card

**E.A.R.**

See Emergency Alert Receivers

**EECO**

(1314)

Established products

**EECONOLINE:** Entry-level post-production time code generator, reader, character generator**MTG-550:** Time code generator**PTG-560:** Portable time code generator SMPTE/EBU time code source**TCR-650:** Time coder reader**VCG-750:** Video character generator for VITC and LTC code formats**VIG-850:** VITC/LTC generator/reader**VIR-950:** VITC reader**MQS-100A:** Multicue synchronizer for up to three transports**IVES:** Intelligent video editing system

New products

**IVES enhancements:** A/B capabilities and special effects control

Multimachine computer-assisted editing system with SMPTE/EBU LTC/VITC or control track control, with 9-machine capability

Circle (590) on Reply Card

see ad on page 107

**EEG Enterprises**

(1155)

Established products

**EN210 and EN230:** Line 21 captioning encoders**DE101:** Line 21 video decoder**MCZ-210:** Captioning computer**EDAC-1:** Line-21 text processor

New products

**EN230:** Dual-line encoder**DE201:** VBI addressable decoder**TE-510:** Teletext video data bridge

TV network alert system

TV network control system

Circle (591) on Reply Card

**EEV**

(1335)

Established products

**P8160/96:** 1-inch DG Leddicons**P8460:** 3/8-inch DG Leddicon**P8462:** 3/8-inch DG LOC Leddicon**P8440:** 30mm DG Leddicon**8134V1:** 1-inch vidicon**P8038:** 1-inch vidicon**8541A:** 1-inch vidicon**4CX10,000:** AM/FM transmitter power tubes**4CX15,000:** AM/FM transmitter tubes

## EVERTZ closes the Time Code price / performance gap!

Model 4000  
Edit Code Master

**EVERTZ** presents a new generation of LTC and VITC products at prices comparable to traditional longitudinal only systems, but with all the advantages that vertical interval time-code offers.

We have taken a quantum leap forward in time-code technology. These products combine the best of LTC and VITC to provide the ultimate in performance, flexibility and reliability.

Model 4900  
LTC & VITC Reader

Because longitudinal time-code remains popular as a powerful production tool we are also introducing several new LTC generators and readers combining our time tested designs with the latest advances in micro-chip technology to offer you superb edit code equipment at affordable prices.

Model 3600D  
LTC Generator / Reader

See our comprehensive line of time-code equipment at the AMTEL booth, #1745 at N.A.B.

**Distributors and Service Worldwide**  
In U.S.A.: AMTEL SYSTEMS INC.  
400 West Cummings Park  
Woburn, MA. 01801 (617)938-8551




**EVERTZ MICROSYSTEMS INC.**  
A Division of Dynaquip Ltd.,  
3515 Mainway, Burlington,  
Ontario, Canada L7M 1A9  
Telex: 061-8784 Tel: (416) 335-3700

Circle (65) on Reply Card





**LET US  
DO IT  
ALL!**



## SERVICES

- Project Management
- Total Site Construction
- Electronic Systems Integration
- Delivery Service on Specialized Vehicles
- Sales and Manufacturing Support  
—Worldwide

## PRODUCTS

- Equipment Shelters and Towers
- Broadcast Antennas and Transmission Lines
- Terrestrial Microwave Antennas
- Coaxial Cables and Elliptical Waveguides
- Earth Station Antennas

**LET US  
DO IT  
ALL!**

Our people in the booth wearing this button have all the answers.

**Let's talk. Stop by. Visit Booth 1201A at the NAB Show.**

Andrew Corporation, 10500 West 153rd Street, Orland Park, IL 60462.

Circle (66) on Reply Card

**ANDREW**

Our concern *is* communications.



**EEV (1335)**

Continued

**4CX35,000:** AM/FM transmitter tubes

New products \_\_\_\_\_

**K3372:** 55kW high efficiency broadband, external cavity UHF klystron with Beam Control Device for water or vapor cooled systems**P8490:** 1-inch, front-load DG Leddicon with barium aluminate cathode**P8496:** 1-inch, rear-load DG Leddicon**P8442:** 1-inch, rear-load DG LOC Leddicon**P8450:** 30mm LOC DG Leddicon**P8452:** 30mm LOC DG Leddicon with barium aluminate cathode**P4320:** Electronically shuttered

CCD camera

Circle (1500) on Reply Card  
see ads on pages 96 and 97**EG&G**

Established products \_\_\_\_\_

(1327)

**SS122:** Tower lighting controller**SS114:** Beacon power supply**SS115:** Omnidirectional beacon unit

New products \_\_\_\_\_

**SS124:** Photocell to sense ambient light and control tower lighting**SS125:** Flash head for strobe lighting applications

Circle (592) on Reply Card

**EMCEE Broadcast Products**

(1621)

Established products \_\_\_\_\_

**TTU1000CP:** 1kW LPTV transmitter**TTU100S:** 100W LPTV transmitter**TTS10SI:** 10W ITFS/MDS solid-state transmitter**TTU5000:** 5kW UHF TV transmitter

New products \_\_\_\_\_

See at booth

Circle (593) on Reply Card

see ad on page 179

**E-N-G**

(1022)†

Established products \_\_\_\_\_

E-N-G Van

E-N-G Suburban

**K-82:** Backpack

E-N-G remote control unit for microwave unit

New products \_\_\_\_\_

See at booth

Circle (594) on Reply Card

**ERA**

(1618)†

See at booth

Circle (595) on Reply Card

**ESE**

(116, 1757)

Established products \_\_\_\_\_

**ES160:** Master clock system**ES232:** Time calculator**ES302:** 100-minute up/down timer**ES790:** 1000-event programmable clock**ES254/255:** Multispeed, bidirectional

SMPT time code reader/video inserter

**ES256:** Smart SMPTE code reader**ES261:** SMPTE time code generator**ES207:** Video DA

New products \_\_\_\_\_

**ES212:** Phone patch telephone interface**ES257:** SMPTE reader/comparator**ES258:** SMPTE code comparator

Circle (596) on Reply Card

see ad on page 339

**Eastman Kodak**

(1214)†

Established products \_\_\_\_\_

Motion picture film products especially suited to origination for television

**Datkode:** Magnetic Control Surface Technology

Telecine Analysis Film (TAF)

Color monitor analyzer test set

New products \_\_\_\_\_

See at booth

Circle (597) on Reply Card

see ads on pages 102 and 103

**Echolab**

(1510)

Established products \_\_\_\_\_

**SE/3:** Microprocessor-controlled special effects generator with on-board memory and editing controller interfacing

New products \_\_\_\_\_

**AFS:** Audio switcher controlled from an edit controller, the SE/3 switcher system or from its own control panel

Circle (598) on Reply Card

**Econco Broadcast Services**

(1759)

Established products \_\_\_\_\_

Rebuilt transmitter power tubes

New products \_\_\_\_\_

See at booth

Circle (599) on Reply Card


# Strong, Tough, Versatile.

## TELESCOPING MAST SYSTEMS FOR ENG

Ski-Hi telescoping masts are precision engineered and the top of the line for ENG use. Because of their design, they can support a top load of 100 lbs. and be operational in moderately strong winds.

Ski-Hi telescoping masts are compatible with any ENG top load, including pan and tilts, cameras and other instrumentation. The standard ENG mast is 42', but sizes are available from 26' to 60' to fit your specific needs.

Call or write today for a free brochure.

*The Will-Burt Company*TMD Division 169 S. Main Street  
Orrville, Ohio 44667 Telephone: 216 / 682-7015**TMD  
DIVISION**

Circle (67) on Reply Card



# Q: WHAT'S THE BEST KEPT SECRET IN EDITING?



## A: EECO's Pioneering Past.

- 1967—EECO develops first television time code editing system, called ON-TIME™.
- 1970—EECO works with the SMPTE to help establish an industry standard for longitudinal time code.
- 1971—EECO is presented an Emmy Award citation for outstanding engineering achievement for the development of time code and equipment for videotape editing.
- 1972—EECO pioneers first synchronizing system utilizing time code and a microprocessor to control both sprocketed and non-sprocketed transports.
- 1974—EECO introduces first low power time code generator CMOS chip.
- 1976—EECO, jointly with RCA, develops first microprocessor controlled videotape editing system—the RCA AE600 for the RCA TR600 VTR.
- 1978—EECO receives an Academy Award citation for the application of code and control systems in motion picture production.
- 1980—EECO works with the SMPTE to help establish industry standard for vertical interval time code.
- 1980—EECO, jointly with RCA, develops videotape editing system incorporating longitudinal and vertical interval time code editing capabilities—the RCA AE800 for the RCA TR800 VTR.
- 1982—EECO introduces IVES™ Intelligent Video Editing System, a complete post-production system for two VCR's.

## A: EECO's Innovative Future.

EECO is unveiling new solutions in multi-machine editing control. Our latest innovative milestone: A computer-assisted videotape editing system, capable of multi-machine control of any mix of up to 9 professional 1/2", 3/4" and 1" VTR's or multitrack ATR's and a production switcher.

Providing ease and speed of operation, our new editing system utilizes distributed processing and multiple keyboard configurations for use by either videotape or film editors.

We've also expanded our IVES Editing System with the addition of complete A/B control of three 1/2" and/or 3/4" VCR's...the IVES A/B™ enhancement option.

EECO's forward direction in editing is backed by a history as an industry pioneer and product innovator, including a full line of longitudinal and vertical interval time code generator and reader peripherals to fit every price and capability range and a multi-cue synchronizer for enhancing audio for video.

For additional information or the name of your nearest EECO Authorized Distributor call (714) 835-6000 Ext. 419. EECO Incorporated, 1601 E. Chestnut Ave., P.O. Box 659, Santa Ana, CA 92702-0659.

# EECO®

Computer Controls For Video Production

SEE EECO'S NEW SOLUTIONS FOR EDITING AT  
NAB BOOTH #1314

**WIDEBAND COMPOSITE/  
NARROWBAND  
SINGLE & DUAL CHANNEL  
950 MHz**

**STL**  
INTER CITY RELAY



PTS-10C  
TRANSMITTER

PRS-10C  
RECEIVER

**\$5750**  
from  
**Micro Controls, Inc.**

Deliver the purest sound possible with MCI's Wideband Composite/Narrowband Single and Dual Channel Studio Transmitter Link. With superior phase response over the entire base-band and faithful performance even in congested and intense RF fields, MCI sets the industry standards for quality broadcasting. Ask about our 5 year pro-rated warranty.

**REMOTE  
CONTROL  
SYSTEMS**



**\$2450**  
Analog Display

- Digital Readout Available on Studio Unit

Visit Us at NAB Booth #104  
Call or write today for more information.

**mci**  
**Micro Controls, Inc.**  
P.O. Box 728  
Burleson, Texas 76028  
(817) 295-0965

Circle (69) on Reply Card

**Elcom-Bauer** (412)  
Established products \_\_\_\_\_  
AM and FM transmitters  
New products \_\_\_\_\_  
See at booth

Circle (600) on Reply Card

**Electro-Controls** (1631C)  
See at booth

Circle (1499) on Reply Card

**Electrohome Ltd.** (1744)  
Established products \_\_\_\_\_  
**EVM Series:** High resolution  
monochrome video monitors in 9-, 12-,  
15-, 17- and 23-inch sizes  
TV projection systems  
New products \_\_\_\_\_  
See at booth

Circle (601) on Reply Card  
see ad on page 298

**Electro Impulse** (117)  
Established products \_\_\_\_\_  
Dry, forced-air FM dummy loads  
Calorimeters  
Wattmeters  
Attenuators  
New products \_\_\_\_\_  
See at booth

Circle (602) on Reply Card

**Electro USA** (1707)†  
Established products \_\_\_\_\_  
CM22 NTSC color monitor  
CM33 HRC monitor  
CM51 HRC monitor  
CVTM D monitor  
New products \_\_\_\_\_  
See at booth

Circle (603) on Reply Card

**Electro-Voice** (1159)  
Established products \_\_\_\_\_  
**Sentry Series:** Broadcast studio or  
control room monitor speaker systems  
Professional microphones  
New products \_\_\_\_\_  
**Sentry 100EL:** Powered studio monitor  
speaker system  
**ELX-1:** 4-input, 1-output mic/line mixer  
in portable or rack-mount unit, internal  
limiting, oscillator and ac/battery supply  
**8000 Series:** Audio mixing consoles

Circle (604) on Reply Card  
see ad on page 317

**Electronic Research** (105A)†  
See at booth

Circle (605) on Reply Card

**Electronic Systems Labs** (406A)  
Established products \_\_\_\_\_  
**200:** Mixing console  
**EA803:** Telephone hybrid  
**1000:** Broadcast console  
**S20:** Reportophone  
**2000 Series:** Microphone stands  
Audio cables, cable drums, cable snakes  
New products \_\_\_\_\_  
See at booth

Circle (606) on Reply Card

**Emcor Products** (429)†  
Established products \_\_\_\_\_

Equipment cabinets  
EMI/RFI shielding  
ESQ cabinets  
New products \_\_\_\_\_  
See at booth

Circle (607) on Reply Card  
see ad on page 131

**Emergency Alert** (508)  
Established products \_\_\_\_\_  
67kHz and 92kHz SCA receivers with  
various decoders  
EBS receivers for homes, hospitals,  
industries, schools  
New products \_\_\_\_\_  
See at booth

Circle (608) on Reply Card

**Environmental Satellite Data** (1509A)  
Established products \_\_\_\_\_  
Dial-up weather satellite pictures  
from GOES East & West, with infrared  
and visible data and water vapor  
imaging  
Accu-Weather feature and forecast  
graphics to complement ESD real time  
imagery  
New products \_\_\_\_\_  
**PMT-100:** Weather graphics production  
system with high resolution graphic and  
font generation, more than 200 frame  
storage, animation, frame loops, RRWDS  
local color displays, Doppler radar  
displays, automated broadcast and/or  
dial-up data acquisition

Circle (609) on Reply Card  
see ad on page 300

**Euro Equipment** (1175)†  
See at booth

Circle (610) on Reply Card

**Eventide** (323)  
Established products \_\_\_\_\_  
**SP2016:** Programmable effects processor  
and reverb system  
**BD955:** Broadcast delay line  
**BD931/932:** Broadcast delay lines  
**H949:** Harmonizer for audio time  
compression, pitch change, delay,  
flanging, etc.  
**APX252:** Real time audio spectrum  
analyzer software for Apple computer  
**Timesqueeze Jr.:** Time compression  
system for audio film and video use  
New products \_\_\_\_\_

New effects software for SP2016  
Circle (611) on Reply Card  
see ad on page 14

**Excalibur Industries** (1106)  
Established products \_\_\_\_\_  
Reusable shipping containers  
New products \_\_\_\_\_  
See at booth

Circle (612) on Reply Card

**Farrtronics** (1709)  
Established products \_\_\_\_\_  
**M750 Series:** Audio patch panels with  
prewired jacks or punch blocks  
**M76-DA:** Distribution amplifiers  
**M82-P/L:** 8-channel P/L system  
**M81:** Intercom matrix  
**175:** Intercom stations in 1.75-inch  
rack-mount format



# The more you see, the more we hear



## Look who's talking about Dubner now.

While we claim no responsibility for the famous line, "Build a better mousetrap and they'll beat a path to your door," we'd like to think it might have been said about the Dubner CBG-2 video graphics/animation system. In any case, we thought you might like to hear what your colleagues are saying about us:

**"The CBG-2 is undeniably the most novel and flexible state-of-the-art real-time animation graphics device currently available."**

— Mark Bernardo, Chief Graphics Design Engineer, Olympics  
ABC Television

**"We needed a machine that would allow us to compete effectively in an already competitive market. The CBG-2 gave us the capability to create weather maps and news graphics quickly, it could be operated by department personnel, and it was the best buy on the market."**

— Bob Plummer, Director of Engineering, Fisher Broadcasting  
KOMO (Radio & Television, Seattle)

**"It's a digital computer and animation tool that allows artists to create quality animations independently. The CBG-2 is relatively inexpensive, it works fast and enhances the creative process with real-time imagery."**

— Elaine Schwartz, Computer Animator  
Atlantic Image (New York animation house)

**"The CBG-2 is much faster and less expensive than standard film animation. The real-time animation, clean key capability, expandability and great software support make it one of the best computers around."**

— Corinne Sousoulas, Art Director  
Motion Picture Laboratories (Memphis post production house)

**"The CBG-2 is a valuable tool due to its ability to create effective graphics quickly. It offers three dimensional animation, graphic enhancement, and character generation all in one unit. And these features are difficult to find in any one machine."**

— Victoria Henigman, Electronic Graphic Designer  
WPBT-TV (Miami PBS Affiliate)

**"The Dubner was purchased for its advanced animation capabilities, its ability to be upgraded via software, and its cost effectiveness. We love it!"**

— Dan Sokol, Vice President, Engineering  
Video Post & Transfer (Dallas post production house)

With all the nice things being said about Dubner, all we can say is thank you. We plan to keep up the good work. You'll keep seeing it and we'll keep hearing about it.

**For a free demonstration of the Dubner CBG-2, call (201) 592-6500, or write.**

DUBNER



Dubner Computer Systems, Inc. 158 Linwood Plaza Fort Lee, New Jersey 07024

Circle (80) on Reply Card



**Farrtronics (1709)**

Continued

New products \_\_\_\_\_

**Series 525:** Intercom station with or without tally system  
Intercom rack equipment  
New accessories

**Circle (613) on Reply Card**  
see ad on page 316

**Feldmar Watch & Clock (1777)**

Established products \_\_\_\_\_

Condor digital clocks and timers  
Gra-Lab interval timers  
Digital stopwatches by Accusplit,  
Heuer, Cronus and Minerva  
Seiko chronograph

New products \_\_\_\_\_

**RR-01A:** Seiko digital stopwatch with printer  
**RU-001:** Seiko digital stopwatch with memory

**Circle (614) on Reply Card**

**Fernseh**

See Bosch

**Ficon Broadcast (202A)†**

See at booth

**Circle (615) on Reply Card**

**Fidelipac (411)†**

Established products \_\_\_\_\_

**550:** Master Cart II NAB audiotape cartridge

**380:** Master Cart tape cartridge

**140:** Model 300 tape cartridge

**350:** Model 350 tape cartridge

**149:** Model 600 tape cartridge

**150:** Model 1200 tape cartridge

Alignment tapes and gauges, on-air lights, bulk tape eraser

Table-top bulk tape degausser

**Model 65-390:** Wow/flutter meter

New products \_\_\_\_\_

See at booth

**Circle (616) on Reply Card**  
see ad on pages 80 and 81

**Film/Video Equipment (1153)**

Established products \_\_\_\_\_

**Wide Eye I:** Wide-angle lens attachment

**Wide Eye II:** Wide-angle lens attachment

PEP Lead-acid battery packs and belts

PEP Solar chargers for lead-acid and nicad batteries

**BP90R:** Replacement battery

New products \_\_\_\_\_

**SLA12125:** PEP 12V 12.5Ah battery pack for cameras, recorders or monitors

**Circle (617) on Reply Cards**  
see ad on page 144

**Flash Technology (1619)†**

Established products \_\_\_\_\_

ElectroFlash beacons and hardware

Electro Flash lighting controller

New products \_\_\_\_\_

See at booth

**Circle (618) on Reply Card**

**FOR-A Corp. of America (1306)**

Established products \_\_\_\_\_

**VTW-210:** Character generator

**CI-10:** Color interface background and character colorizer

**TKY-4600:** Title keyer

**FVW-3000:** Video writer

**TCG-3200:** Time code generator

**TCR-3500:** Time code reader

New products \_\_\_\_\_

**FA-430:** TBC with digital image enhancement and color correction

**FA-600/690:** TBC with framestore or synchronizer

**FA-410:** TBC with dynamic tracking for BVU-820 and NV-8950 VCRs

**VTW-400:** Character generator

**CS-4300:** Color corrector system

**DEC-100:** NTSC to RGB color decoder

**VTG-12:** Video time, date, timer

**Circle (619) on Reply Card**  
see ad on page 299

**Ford Aerospace & Comm. (1507A)†**

Established products \_\_\_\_\_

Satellite communication equipment

New products \_\_\_\_\_

See at booth

**Circle (620) on Reply Card**

**Forox (1620D)**

Established products \_\_\_\_\_

**SSV:** Video animation system

**VMP 800S:** Video bar display on color CRT for eight to 16 tracks from audiotape

New products \_\_\_\_\_

See at booth

**Circle (621) on Reply Card**

**Fortel (1409B)**

Established products \_\_\_\_\_

**CCDHP/HPS/1H:** TBCs

**Y-688<sup>32</sup>:** Total error corrector

**C-YIQ<sup>32</sup>:** Component TBC

**TBC<sup>32</sup>:** TBC

**DIGIBLOC Series:** Including FS-1/FS-2 frame synchronizers, AS-1 audio synchronizer and RES-1 remote engineering station

**Color EX:** Chroma noise reducer

**Record 1/2:** Detail booster systems

New products \_\_\_\_\_

See at booth

**Circle (622) on Reply Card**

**Fort Worth Tower (1010)**

Established products \_\_\_\_\_

Communications equipment shelters  
Towers

Tower construction and maintenance services

New products \_\_\_\_\_

See at booth

**Circle (623) on Reply Card**

**Fostex (1765)**

Established products \_\_\_\_\_

**A2/A4/A8:** Reel-to-reel ATRs in 2-, 4- and 8-track formats

**350MB:** 8-channel recording console

**3030:** Equalizer

**250:** 4-track cassette recorder

**3050:** Digital delay unit

**3070:** Limiter, compressor, expander gate

**3180:** Reverberation unit

**6301:** Minimonitors

**3010:** Patchbay

**B-16:** ½-inch, 16-track recorder

New products \_\_\_\_\_

See at booth

**Circle (624) on Reply Card**

**Frank Wooley & Company**

See Wooley, Frank

**Frezzolini (1107)**

Established products \_\_\_\_\_

**OC1:** On-camera ½-inch VHS-C VTR

**BP-14:** On-board battery packs

**RSP2:** Dual-channel 40W ac adapter/charger

**RSP3:** Ultra-light 50W on-board ac adapter

**RBP90FC:** Fast charge BP90 replacement battery

**MBC2:** 13-battery multibattery charger

**FL650:** Universal 12V-240V portable light head and kit

**F30EC:** Lighting power belts/packs/kits

**HM90:** BP90 adapter for most ENG/EFP cameras and lights

New products \_\_\_\_\_

**MF12:** Ultralight 100W minifill light head and kit

**VB12V:** VB series of 12V battery packs and camera adapters

**BCD2:** 2-channel battery charger and conditioner

**FPC1:** Frezzi power chargers

**Circle (625) on Reply Card**  
see ad on page 270

**Fuji Photo Film USA (1413)**

Established products \_\_\_\_\_

**H701E:** 2-inch videotape

**H621:** 1-inch videotape

**H521/H521BR:** U-matic videotape cassettes

**H421:** VHS cassettes

**H321:** Beta cassettes

VHS and Beta Super HG videocassettes

Audiocassettes

Computer floppy disks

New products \_\_\_\_\_

**H451:** Super HG videocassettes in VHS T-120 type

**Circle (626) on Reply Card**  
see ad on page 29

**Fujinon (1411)**

Established products \_\_\_\_\_

ENG/EFP camera lenses, including:

A7X7RM, A12X9ERM, A12X9RM,

A14X9ERM, A30X11ESM and

A3.5x6.5RM

Studio zoom lenses, including:

P17x16.5ESM, P28x15ESM and

P44x18ESM

New products \_\_\_\_\_

See at booth

**Circle (627) on Reply Card**  
see ad on page 53

**GEC McMichael Ltd. (1514)**

Established products \_\_\_\_\_

**ACE:** 4-field TV standards converter

**GM7151/7137:** 20- and 14-inch color video monitors for PAL

**GM6001:** Clock/logo generator

**GM4001:** Precision PAL comb filter decoder

Continued on page 115



# **I want to hear more about Ampex Creative Command Centers.**



Please have a Sales Engineer contact me.


Name \_\_\_\_\_

Organization \_\_\_\_\_

Address \_\_\_\_\_

City \_\_\_\_\_ State \_\_\_\_\_ Zip \_\_\_\_\_

Phone \_\_\_\_\_



NO POSTAGE  
NECESSARY  
IF MAILED  
IN THE  
UNITED STATES

# BUSINESS REPLY MAIL


FIRST CLASS

PERMIT NO 168

REDWOOD CITY CA

POSTAGE WILL BE PAID BY ADDRESSEE

**Ampex Corporation**  
401 Broadway  
Redwood City, CA 94063  
M.S. 3-11





**Where Does An  
Editor Go to Discover  
More Creative  
Control with Fewer  
Technical Constraints?**





# Welcome to the Ampex

## Care-free Creative Control

Anyone who has ever integrated a complete post-production editing system knows that it's a complex, difficult and often confusing job. Products from different manufacturers don't always interface easily.

Ampex stands above the confusion by offering all the key elements of a sophisticated post-production system from one manufacturer, complete with fully integrated hardware and software. We call this the *Ampex Creative Command Center*.

This system consists of an Ampex ACE edit controller, Ampex switcher and VTRs and our Emmy-award-winning ADO digital special effects system. Since all these use SMPTE RS-422 serial communications, they are easily interfaced with each other and the peripheral equipment you need to fill out your system. No hidden costs for interface devices. Ampex products are designed from the ground up to work with each other in a fully compatible system.

This isn't exactly a new idea. Post-production facilities all over the world are discovering the business advantages of Ampex Creative Command Centers. A few of them are pictured above, and more are being installed every day.

More creative power and control is the name of the game with an Ampex Creative Command Center. With a system based on a sound technical groundwork, editors are free to put their full creative energy into every job, confident that they are free of technical constraints.

At the heart of the Center is the remarkable ACE editing system, fast enough and smart enough to satisfy the most creative editors in the business. Depending on individual preferences, you may choose the Touchscreen option, or either the dedicated or ASCII-style keyboards. Using the ACE joystick control, you're in command of all the other products in the system. With the optional General Purpose Interface (GPI) you can command any product activated by an electronic "trigger."

And there's more flexibility. ACE disks are interchangeable with any other ACE system of any configuration. ACE can even read and write CMX-format disks. You can schedule system time much more effectively and conveniently.

That's only part of the story. There's more creative power, control and flexibility inherent in all the Ampex products.

## System Flexibility

Product quality and reliability have long been associated with the Ampex name. In our Creative Command Center, you have a wide choice of Ampex products, each unsurpassed in its price/performance category. Complementing ACE, with its various options, you have a choice of Ampex production switchers, either 4100 Series, or the microprocessor-based AVC Series. AVC switchers offer awesome creative power, yet are simple and logical to operate.

You also can choose any of the Ampex VTRs: the VPR-2B, the VPR-80, or the VPR-3 (the mainstay of Olympic Games broadcasts) with unequalled speed and tape handling ability, or our ARC-40 M-format VTRs.

The very popular ADO has become the standard in the world of creative image manipulation, with over 250 in use around the world. Its abilities are constantly being expanded by the imaginations of its many users.

Your needs and budget determine the configuration of your own Ampex Creative Command Center. No matter what shape it takes, Ampex products will perform to support your business goals.





Ultimate Video International B.V.,  
Hilversum, Holland



Crawford Communications,  
Atlanta, Georgia



Atari, Inc.,  
Milpitas, California

# Creative Command Center

## Can Management Love a Creative Command Center?

Very Ampex Creative Command Center is, we agree, a tool to help you attain your business goals. Editors who use these systems every day find that their solid technical foundation allows more efficient use of time for creative experimentation, or to meet tight client budgets and deadlines.

All this helps keep clients happy. Not only is the Creative Command Center an impressive system to see, but its performance can help you build the kind of goodwill that pays off on the bottom line.

Captive facilities find that Creative Command Centers can be equally effective for their needs, turning out sales and training programs, internal communications and a variety of other software. One interesting application can be found at the coin-operated games division of Atari, where a complete Center has been installed to produce the very latest in laser video arcade games.

So don't be intimidated by the sophistication of these systems. They're practical first and foremost, and designed to make management smile, even the controller.

## Support That Keeps You Going

**X**ceptional dedication to the smooth working of your Ampex Creative Command Center is a characteristic of our service and support force. This tradition is well-known and appreciated by the many users of Ampex products.


It starts with the Ampex Sales Engineer you may call to explain how a Creative Command Center can fill your individual needs. He and your Ampex Service Engineer will work with you as your system is installed and checked out. They and all the other support people at Ampex in Spares, Technical Support, Training and Technical Documentation will be there when you need them, wherever you are.

Obviously, there's much more that you need to know about an Ampex Creative Command Center than we can tell you here. Your Ampex Sales Engineer is just the person to give you that information. Ask him to tell you everything you want to know.

## What Our Customers Are Saying About Us and the Creative Command Center.

- "With ACE, I can put more creative energy in my work with peace of mind. I don't have to worry about technical problems."
- "ACE is really an awesome editor. And the *system* is even more awesome than ACE alone."
- "The thing I'm most impressed with is the Ampex software and how user-friendly it is."
- "We purchased the Ampex equipment as a system, rather than stand-alone products, because we believed Ampex's innovative power can be most effectively demonstrated in the total system."
- "Interface on all equipment was a key factor in our decision to purchase a full ACE system. We wanted a single source."
- "In 20 working hours, we went from an empty room to an ACE system in full operation. That's due to the basic quality of the Ampex equipment and the use of the RS-422 buss."
- "We've gotten good support from both Ampex sales and service. They seem to be interested in what we're doing and what we think."
- "We've been with Ampex for 11 years. We're a small company; we need the support of a large manufacturer."

## Ampex ACE Post-Production System



The Ampex "Creative Command Center" featuring ACE joystick control is a sophisticated post-production editing system offering many outstanding advantages including: hardware and software components tailored to user applications, extremely fast system speed, field-proven reliability, compatible software, easy interfacing, expandability, and single-source spares and service worldwide.

**Call your nearest Ampex Regional Sales Office Today for more information about Our "Creative Command Centers."**

**CALIFORNIA**  
(415) 367-2296  
Redwood City  
(818) 240-5000  
Glendale  
**GEORGIA**  
(404) 491-7112  
Atlanta  
**ILLINOIS**  
(312) 593-6000  
Arlington Heights  
**KENTUCKY**  
(502) 239-6111  
Louisville

**MARYLAND**  
(301) 530-8800  
Bethesda  
**NEW JERSEY**  
(201) 825-9600  
Allendale  
(212) 947-8633  
New York  
**OHIO**  
(513) 254-6101  
Dayton  
**TEXAS**  
(214) 960-1162  
Carrollton  
**UTAH**  
(801) 487-8181  
Salt Lake City  
**WASHINGTON**  
(206) 575-0156  
Tukwila

**AUSTRALIA**  
(02) 887-3333  
North Ryde NSW  
**BAHRAIN**  
(973) 274139  
Manama  
**BELGIUM**  
067/22.49.21  
Nivelles  
**BRAZIL**  
(021) 274-8122  
Rio de Janeiro  
**CANADA**  
(416) 821-8840  
Mississauga, Ont.  
**COLOMBIA**  
236-7855  
Bogota  
**CYPRUS**  
021-65174  
Nicosia  
**FRANCE**  
(1) 270-55-00  
Paris  
**W. GERMANY**  
(0611) 60580  
Frankfurt (Main)

**HONG KONG**  
3-678051  
Kowloon

**ITALY**  
(06) 546991  
Rome

**JAPAN**  
(03) 767-4521/2/3  
Tokyo

**MEXICO**  
539-68-70/71/72  
Mexico D.F.

**NETHERLANDS**  
030-612921  
Utrecht

**SINGAPORE**  
2239241  
Singapore

**SPAIN**  
(91) 241-09-19  
Madrid

**SWEDEN**  
08/28 29 10  
Sundbyberg

**SWITZERLAND**  
(037) 81.31.11  
Fribourg

**UNITED KINGDOM**  
(0734) 875200  
Reading Berks

**VENEZUELA**  
782-3255  
Caracas

# AMPEX

Ampex Corporation • One of The Signal Companies



**GEC (1514)**

Continued

**New products**

Transportable elliptical Ku-Band T/R satellite terminal

**GM9015/A:** 150° Ku-Band GaAs-FET LNA/LNC**GM9060:** Satellite receiver**GM4001:** Precision NTSC comb-filter decoder**GM7151/1737:** 20- and 14-inch color video monitors for NTSC**GM8000:** Series of monochrome monitors with 5½- to 20-inch diagonal CRTs

Circle (628) on Reply Card

**GTE Spacenet****(1339)†**

See at booth

Circle (629) on Reply Card

**Garner Industries****(1233)**

Established products

**70/105/144/116:** Audio and computer tape erasers**270/1400:** Video, audio and computer tape erasers**3056:** Audiotape duplicator for ¼-inch reels

New products

**1200:** Video, audio and computer tape eraser

Circle (630) on Reply Card

see ad on page 100

**General Electric****(1007)†**

Established products

FEX Quartzline lamps

FEP lamps

FKK mogul bipost lamps

Multimiror Quartzline

Comband video bandwidth compression system

Large-screen color video projectors

Consumer electronics products

New products

See at booth

Circle (632) on Reply Card

**Generic Computer Systems****(308)**

Established products

Computer software for traffic and billing systems based on Apple IIe and IBM personal computers

New products

See at booth

Circle (631) on Reply Card

**Gentner Engineering****(636)**

Established Products

Pre-wired patch panels

**SPH-3:** Broadcast telephone hybrid system**SPH-4:** Broadcast telephone hybrid with caller control circuitry for talkshow and conferencing use

New products

**TELEMIX IX:** 15-line telephone interface system under microprocessor control, to mix and balance several lines simultaneously, offering remote control

via RS-232 port.

Stereo program mixer

Mono program mixer

Circle (633) on Reply Card

**Gerstenslager****(1347)**

Established products

Mobile production vans and trailers for TV

New products

See at booth

Circle (634) on Reply Card

see ad on page 267

**Giese Electronic****(327)†**

See at booth

Circle (635) on Reply Card

**Goldnugget****(628)†**

See at booth

Circle (636) on Reply Card

**Alan Gordon****(1726)†**

Established products

Goldtop power supplies and batteries

Elemack cricket dolly and accessories

Pearson fluid heads

Cool-Light nine light

Zeppelin windscreen and sound accessories

Nagra soundtote

Production accessories

Mini-crab dolly and accessories

Cool-Light mini-Cool for ENG/EFP cameras

# Rx for SFX

**At \$14,750, the totally new Chromafex 766 brings special effects within reach of every budget.**

Posterize. Compress. Invert. Position. Slide. These microcomputer controlled special effects, and many more performed by the expensive image processors, can be yours in the Chromafex 766. That's right. Outstanding special effects. And for only \$14,750.

There's more. The 766 also includes time base correction and frame store capabilities with infinite window performance along with freeze frame and two full fields of memory. Drop out compensation will clean up the noisiest

of tapes. Perfect for remotes, it consumes only 85 watts of power.

Chroma Digital Systems has the engineering, manufacturing,

**Chroma Digital Systems**

marketing and service expertise, drawn from years of experience in the television equipment industry, to provide you with the support you need now and in the future.

And the Chromafex starts you with the most attractive SFX price/performance package anywhere.

If you have a problem with the high cost of SFX, we've got the solution. Chromafex 766. High priced effects. Affordably priced.

Chroma Digital Systems, 2065 Martin Avenue, Suite 104, Santa Clara, California 95050 (408) 986-8270

Circle (82) on Reply Card

Circle (81) on Reply Card

With low key lighting, differential lag can be a problem. Amperex Plumbicon tubes with built in bias light increase the speed of response of the layer, and lag is virtually eliminated.



Comet tailing and loss of detail in highlights are minimized by using the Amperex patented Diode Gun or anti-comet tail (ACT) tube. Both solve this problem by providing high beam current to stabilize highlights.



High audio levels can produce the annoying problem of microphonics. Amperex attacked this at its source, and all Amperex Plumbicon tubes have a unique mesh designed to prevent the build-up of mesh vibrations—not just to dampen them.



## Six of TV's toughest shots and how



ie problem of image retention. By examining layer physics and semiconductor properties Amperex developed a new extended red layer. Now you can include brilliant reds in your scene without concern for image retention.

Low output capacitance Amperex Plumbicon tubes help maintain high signal to noise performance. This helps prevent loss of detail and increased video noise in low light areas of high contrast scenes.

Because of special photoconductive layers for each color and an optimized electron optics design, the Amperex Plumbicon provides the highest resolution for each image format. This resolution is measurably higher than earlier tubes.



## Amperex Plumbicon® camera tubes handle them.



Ordinary pick up tubes can handle ordinary TV shots. But when you have to contend with low light levels and bright highlights... the glare of reds and the blare of trumpets... you need the extended performance of Amperex Plumbicon camera tubes.

Amperex invented and refined the pick up tube technology that makes it possible to handle the 6 toughest shots in TV. Since the original Plumbicon cameras were introduced, your business has become more competitive, more demanding. Camera designs have become more complex. That's why we continued to invest in improving the performance of the Plumbicon. That's why we offer today's range of extended performance Plumbicon tubes.

Today, virtually every TV camera system— domestic or imported—is designed to use the Plumbicon tube. And that makes the handling of the toughest shots in TV very easy. Simply specify Amperex Plumbicon pick up tubes.

For more information call or write Amperex Electronic Corporation, Slatersville Division, Slatersville, Rhode Island 02876. (401) 762-3800. Made in Rhode Island, U.S.A. Delivered to you in twenty-four hours or less.

**Amperex®**  
**WE MAKE IT HAPPEN**

A NORTH AMERICAN PHILIPS COMPANY

Circle (83) on Reply Card

**Alan Gordon (1726)**

Continued

Cool-Light triple twilight  
Video test charts  
Super Grip 2  
Swintek mics  
Director's viewfinders  
Dollies and camera supports  
New products \_\_\_\_\_  
See at booth

Circle (637) on Reply Card

**Gorman Redlich (506)**

Established products \_\_\_\_\_  
CEB EBS encoder/decoder  
CE EBS stereo encoder  
CD EBS decoder  
CRW NOAA weather radio  
CM/CMR digital antenna monitors  
New products \_\_\_\_\_  
See at booth

Circle (638) on Reply Card

**Gotham Audio (509A)**

Established products \_\_\_\_\_  
**Neumann Collection:** Microphones,  
including KMR81, KMR82, KMS84,  
KMF4 and U89  
**EMT 938/948:** Direct-drive turntables  
**EMT266:** Transient limiter  
**EMT277:** AM broadcast limiter  
**EMT10.02:** Recording/broadcast console  
Klein & Hummel self-powered broadcast  
monitor speakers  
Colored microphone cable

10-, 19- and 27-pair snake cables  
New products \_\_\_\_\_  
3.5mm microphone cable  
**SYSTEX** digital audio system, featuring  
instant access to audio information  
stored on 14-inch Winchester disk  
drives from H-P host computer  
**Telefunken M21:** Microprocessor  
controlled ¼-inch analog ATR  
Circle (639) on Reply Card

**Graham-Patten (1227A)**

Established products \_\_\_\_\_  
**1231:** Downstream keyer system  
**612:** Post-production, editor-  
controlled audio mixer  
**1200 Series:** Video and audio DAs  
**9400 Series:** Video, pulse and  
subcarrier DAs  
New products \_\_\_\_\_  
**1203:** Video DA with remote control  
of gain and chroma level  
**1213:** Audio DA with remote control  
of gain

Circle (640) on Reply Card  
see ad on page 164

**Grass Valley Group (1207)**

Established products \_\_\_\_\_  
**300/MKII:** Video production system  
**1680:** Video production switcher  
**1600-CV:** Component video switcher  
(multiformat)  
**Horizon:** Audio/video routing switcher  
**440:** Audio/video routing switcher

**Ten-X:** Small audio/video routing  
system  
**3400:** Video DA equipment  
**3200:** Sync/video processing equipment  
**Wavelink:** Fiber-optic transmission  
system  
New products \_\_\_\_\_  
See at booth

Circle (641) on Reply Card  
see ads on pages 7 and 337

**Gray Communications (1618A)**

Established products \_\_\_\_\_  
Distributor of video equipment for  
broadcast, cable and professional users  
System construction and mobile  
production vehicle design  
New products \_\_\_\_\_  
See at booth

Circle (642) on Reply Card

**Gray Engineering (1755)**

Established products \_\_\_\_\_  
**DT-104F/113:** SMPTE/EBU time code  
generators  
**DR-107/109/115:** Readers for time code or  
user bit displays  
**VR-116:** Video reticle safe position  
generator  
**VIE-224/VID-225:** Translator encoder  
and decoder systems for LTC and VITC  
time code  
**FCM-227:** Film counter converter/  
multiplexer to VITC and LTC code  
New products \_\_\_\_\_  
**EDL-230:** Automatic editing logger  
reads, prints log of changes in frame,  
reel, scene or take numbers  
**FCG-241:** Film counter converter  
displays time code on video monitor  
**VCG-228:** VITC decoder and character  
generator

Circle (643) on Reply Card  
see ad on page 330

**Great American Market (1108)**

Established products \_\_\_\_\_  
**Scene Machine:** Scene projector  
**Colormax:** Computerized color  
changer  
**Stik-Up:** Single-source luminaire  
Projection patterns  
Instaset vacuum formed scenery  
Diamond lights low-voltage electric  
curtain and scenery  
Star Strobe  
New products \_\_\_\_\_  
**Lightesizer:** Lighting control equipment  
**Blackwrap:** Flexible matte black  
aluminum

Circle (644) on Reply Card  
see ads on pages 54, 196 and 200

**David Green (417)**

Established products \_\_\_\_\_  
**Audicom TC-100:** Telephone coupler  
**Rane HC-6:** Headphone amp  
Sennheiser and AKG headphones  
New products \_\_\_\_\_  
See at booth

Circle (645) on Reply Card

**Grosh Scenic Studios (1163A)†**

Established products \_\_\_\_\_  
Lighting stands, grips, modular

## WIRELESS COMMUNICATION SYSTEMS

- Continuous hands-free communications.
- Full duplex operation (talk and listen simultaneously).
- Unlimited system configurations with easy operation.
- VHF/UHF high band operation for less interference and noise, more reliable operation.
- Safe for hazardous environments.
- Interfaces to wired intercom systems and TELCO lines.
- Meets applicable government standards—NASA proven on the space shuttle.

The Swintek Mark 200 is the world's finest and most reliable wireless intercom system. It's simple to operate and exceptionally dependable utilizing the same technology as our systems used on the Space Shuttle. Each system is designed to meet your specific requirements using standard, fully tested, precision Swintek electronic components that are protected by rugged, industrial grade, all metal cases.

# Swintek

TELECOMMUNICATIONS DIVISION

1180 ASTER AVE., UNIT J / SUNNYVALE, CA 94086  
(408) 249-5594 / TELEX 172-150 SWINTEK SUVL  
CANADA Toronto, Ontario: Cinequip  
Vancouver, BC: Commercial Electronic Ltd.



See Us at NAB Booth 1502

Circle (84) on Reply Card





# Presenting the Major Maintenance Tool for Dynair's Series 10 Switch

**Right. A feather duster.**

We first placed the Series 10 audio/video switching systems in the field four years ago. Today, most are still maintenance-free. Unless, of course, you count dusting the buttons.

Nobody's perfect. But we're close.

In fact, this solidly reliable, solid-state Series 10 switching system is virtually transparent to broadband signals. And the specifications we publish are not "typical" or best case. They are guaranteed, off-the-shelf minimums.

Study them. Then consider your installation. The Series 10 uses a single coax cable for control. That's only one economy.

Compare the cost effectiveness:

- The Series 10 switches both standard and high definition signals.
- A 72-hour battery protects the memory.
- The "in use" status of each channel is constantly displayed.
- Up to four levels of switching are available, including video and multiple video, audio and multiple audio, audio-follow-video and time code.

The Series 10 is also flexible.

Select local or remote control. Panel or desktop operation. Or both. You can start with a single level, then add levels and controls with ease.

All this, and it's almost maintenance free. Ask us for a specification booklet.

**Feather duster optional.**

## DYNAIR

5275 Market Street, San Diego, California 92114 Telephone: (619) 263-7711; TWX:(910) 335-2040

Circle (85) on Reply Card

**Grosh (1163A)†**

Continued

studio/news sets, scenery, design/  
rigging

New products \_\_\_\_\_

See at booth

Circle (646) on Reply Card

**Grumman Aerospace**

(1631)

Established products \_\_\_\_\_

**Sync Proc 501:** Video processing

amplifier/sync generator

Machine control system with  
distributed microprocessor-based  
remote control and status monitoring

New products \_\_\_\_\_

Rainbow Sound places an additional  
audio channel into the video format,  
providing a full bandwidth audio path  
compatible with present transmitter  
configurations

Circle (647) on Reply Card

see ad on page 245

**James Grunder & Associates**

(1760)†

See at booth

Circle (648) on Reply Card

**H.A. Solutec**

See Solutec, H.A.

**HEDCO**

See Hughes Electronic Devices

**HM Electronics**

(1130)

Established products \_\_\_\_\_

**System 58:** Wireless mic with Shure

SM58 element

**System 85:** Wireless mic with Shure

SM85 element

**System 82:** Body-Pac wireless mic with  
Dynamic Expansion II**System 22RA:** Body-Pac wireless mic with  
90dB range and soft compressor limiter**System 25RA:** Hand-held wireless mic  
with 90dB range and software  
compressor limiter**700 Series:** Cabled intercoms**WL742:** 2-channel, wall-mount speaker  
station for 700 series**IC 150 Series:** Wireless intercom

New products \_\_\_\_\_

**System 580:** Hand-held SM58 wireless mic  
with RX752 flat-pac receiver**System 850:** Hand-held SM85 wireless mic  
with RX752 flat-pac receiver**System 820:** Body-pac wireless mic with  
RX752 flat-pac receiver**BH710W:** Wireless/cabled intercom  
interface

Circle (649) on Reply Card

**Hallikainen & Friends**

(208)

Established products \_\_\_\_\_

**TVA132/142:** Audio mixer for AFV TV  
applications**TEL171:** Digital metering conversion  
kit for Moseley TRC15A**TEL172:** Digital metering conversion  
for Moseley PBR-30A**PCC180:** Transmitter control and logging

computers

New products \_\_\_\_\_

**DRC190:** Digital remote control system  
capable of talking to 100 sites with 100  
channels of control per site

Circle (650) on Reply Card

**Harris Corporation**

(401)

(Broadcast/RF Divisions)

(Video Systems Division)

(Broadcast Microwave Division)

Established products \_\_\_\_\_

AM, FM and TV transmitters

FM and TV antennas

**STX-1:** AM stereo generator**916S:** Satellite antenna control  
system**TC-85:** Studio camera**TC-90:** ENG camera

Audio consoles

**Autotron Star:** Business automation**9000:** Program automation**9100:** Intelligent remote control  
system**IRIS II:** Digital still-store

Frame synchronizers

TBCs

**Global IX:** Portable microwavetransmitter 2GHz, 7GHz and 13GHz  
transmitter and receiver systems

TV STL systems

New products \_\_\_\_\_

**Medalist:** 12-channel audio consoles60kW UHF-TV transmitter with high  
efficiency klystron

30kW VHF high-band transmitter

Continued on page 124

# The New Garner 1400



The high-energy tape eraser that outperforms  
every other eraser on the market.

The revolutionary coil design of the Garner 1400 makes it the superior high-energy 1-inch tape eraser on the market. Independent tests prove it:

**Depth of Erasure:**

No eraser can match the Garner 1400's minus 90 db. erasure of a heavily saturated 14-inch reel of 1-inch high coercivity tape.

**Speed:**

It is no contest. The 1400 erases high-energy tapes completely in less than 16 seconds. Other erasers take four times as long.

**Ease of Operation:**

No one beats Garner 1400's ease of operation. Just touch the "on" switch and place the tape on the conveyor. There are no drawers, no spindles, and no height adjustments.

**Dependability, Guaranteed**

For over 12 years, Garner has set the standard for tape erasers. Just one look at the rugged construction of the Garner 1400 shows you why. Garner is so confident of the 1400's quality that it's backed with a 2-year warranty.

The Garner 1400...designed to meet the  
highest standards of the industry...yours.


**garner industries**

4200 North 48th Street, Lincoln, NE 68504  
(402) 464-5911/TELEX 438068

Circle (86) on Reply Card



**"Microdyne's satellite radio network gives us better signal quality and saves us over \$120,000 a year."**



*Paul Stone, General Manager, Georgia Radio News Service*

#### **Reduced costs — fast payback**

State and regional networks need all the money they can save. That's why the Georgia Radio News Service installed a Microdyne SCPC satellite radio network system.

They found that it reduced monthly distribution costs 80% while improving signal quality.



*At Microdyne we manufacture nearly everything in the system, from the precision-molded 5-meter uplink antenna . . .*

Where the network once paid 12,000 a month for land lines to feed their 105 affiliates, they now lease a 0-dBw carrier on Westar IV for about \$2,000 a month. That results in savings of \$120,000 a year.

"We expect a fast payback on

the equipment," General Manager Paul Stone adds.

#### **Greater programming flexibility**

But lower costs and superior performance aren't the only advantages of a Microdyne radio network. Our system is frequency agile and has an optional bandwidth selection feature that lets you change formats when you change channels.

That means you can receive any of the many radio programs now being carried on a single satellite. And that gives you more programming options and greater flexibility.

#### **Turnkey systems**

At Microdyne we manufacture nearly all of the components that make up a satellite radio network, from the uplink antenna to the downlink demodulator. And we not only design and build custom systems, we can also manage the complete instal-

lation. So all you have to do is tell us what you need and when you need it.



*. . . to the rack-mounted downconverter and unique bandwidth selectable, frequency-agile demodulator that lets you change formats when changing channels.*

And of course all of our products are backed by our 48-hour repair or replacement policy and our 24-hour toll-free number for emergency engineering support.

#### **Let us custom-tailor one for you**

If saving thousands of dollars a month while improving performance appeals to you, call our Marketing Department at the number below. Ask for our free brochure on satellite radio systems. It could brighten your budget for years.



**Microdyne Corporation**

P.O. Box 7213 • Ocala, FL 32672 • (904) 687-4633 • TWX: 810-858-0307

Circle (87) on Reply Card

# Introducing a high-performance mixer with a personality all your own.

## The Ramsa WR-8616.

**RAMSA**  
Audio Mixer WR-8616

Inside every engineer is the desire for more creative control at the board.

Now there's a post-production/recording mixer designed to make your sessions sound more like you. And less like everybody else's. The Ramsa WR-8616. And its modular design is as ambitious as your needs.

You can have 16 channels of either full stereo or mono modules. Or a combination of the two.

The WR-8616 will also save you valuable time. By letting you simultaneously monitor up to 16 channels on a multi-track machine while recording.

What's more, two discrete mixes give you full monitoring capability, which can be independent from the control room's mix.

And in the mixdown, you'll have access to all 16 inputs without having to repatch or reset the board.

You'll also find the 3-band continuously variable input EQ will give you more precise control over the highs, midrange and lows. And the six-channel remote start/stop capability lets you program materials using turntables, or tape and cart machines.

To make the WR-8616 even more compatible, we've given it a dual set of meters. Eight LED bar graphs will monitor the 16 input signals. While the six VU meters handle the Master, Group, Send, Echo outputs and Solo level.

And the balanced Mic and Line inputs and Main outputs won't let any unwanted noise come between you and your sound.

The Ramsa WR-8616. A post-production/recording mixer designed to treat you like an individual.

### SPECIFICATIONS:

- Frequency Response: 20-20,000Hz,  $\pm 0.5$  dB
- $\pm 4$  dBm, 600 Ohm Line Input and Output Signal Levels
- Noise: -128dB (IHF "A" WTD, 150 Ohm)
- THD: 0.05% typical at 1kHz,  $\pm 20$  dBm
- CMRR: Greater than 80dB typical

Please send me more information about the Ramsa WR-8616.

Name PLEASE PRINT

Address

City State Zip

Phone ( )

Return Coupon To: Panasonic Industrial Company, Professional Audio Systems, One Panasonic Way, Secaucus, N.J. 07094.


BE

**Panasonic**  
PROFESSIONAL AUDIO SYSTEMS

Circle (88) on Reply Card



# RAMCA



Supplier of Sound Systems  
to the 1984 Los Angeles Olympics

**Harris (401)**

Continued

**MW-50C:** 50kW medium wave transmitter  
**TTS-4:** Teletext origination system  
**IRIS:** Composition station  
**632C:** Component in/out frame synchronizer with DNR, compress/position control and digital keyer  
**540:** TBC with slow motion option for 3/4-inch non-segmented video recorders accepting sync and subcarrier inputs  
**DVE** system with bubble memory for curve and mosaic effects  
**Challenger:** 2GHz portable transmitter, allowing optional 3W or 12W power output  
 2GHz and 13GHz STL systems  
**Circle (651) on Reply Card**  
 see ads on pages 86, 87, 95, 132, 133, 152, 153 and 291

**Harrison Systems (1324)**

Established products \_\_\_\_\_

**TV-4:** Stereo production, post-production console with AFV capability  
**MR-4:** Multitrack production, scoring console with AFV capability  
**TV-3:** Multitrack stereo production, post-production console  
**MR-3:** Multitrack scoring and remix console  
**MR-2:** Dual multitrack scoring and remix console  
**PP-1:** Film sound post-production console  
 New products \_\_\_\_\_  
**PRO-7:** Stereo production console with AFV capability  
**AIR-7:** Stereo on-air console  
**VSI:** Video switcher interface for audio-follow-video operation  
**Circle (652) on Reply Card**

**Karl Heitz (1747)†**

Established products \_\_\_\_\_

**KINOPTIK:** Lenses cine/video  
**GITZO:** Cine/video tripods  
 Cnmhi tripods, tripods with counter-balanced heads, leveling balls, dollies, microphone booms, lightstands, projection stands, platforms  
**GITZO:** Spring-balanced video heads, tripods  
**GITZO:** Fluid heads, fluid base, tripods  
**GITZO:** Monopods with soft grips  
**380:** GITZO fluid head with 100% fluid front and rear tilt  
**385:** GITZO quick-release to be mounted on any fluid head  
**-252:** GITZO video combi tripods with spring-balanced head  
 Alpa Rotocamera system  
 New products \_\_\_\_\_  
 See at booth

**Circle (653) on Reply Card****Hipotronics (1779)†**

Established products \_\_\_\_\_

Voltage regulators  
 ac/dc test sets  
 Variable transformers  
 New products \_\_\_\_\_  
 See at booth

**Circle (654) on Reply Card**

see ad on page 82

**Hitachi Denshi America (1402)**

Established products \_\_\_\_\_

**SK-110:** Cnmputerized studio camera

**SK-97:** 3/4-inch 3-tube portable camera with on-board computer  
**SK-970:** 3/4-inch 3-tube ENG/studio camera

**SK-91DGS:** ENG/EFP 3/4-inch DG Saticon camera

**FP-15:** Low cost ENG/EFP 3-tube camera

**FP-22:** 3/4-inch ENG/EFP camera

**FP-50:** Low cost 3/4-inch 3-tube ENG/EFP camera

**HR-200/HR-211:** 1-inch C VTR for post-production and broadcast applications

**HR-100:** 1-inch portable C VTR for ENG/EFP

New products \_\_\_\_\_

**SR-1:** Solid-state VRC camera with 3/4-inch recorder

**SR-3:** 3/4-inch 3-tube VRC camera system with 3/4-inch recorder

**HR-230:** 1-inch C VTR for production and broadcast

**FP-7:** Low-cost 1-inch trielectrode camera  
**ECR-5:** 3/4-inch playback unit

**Circle (655) on Reply Card****Holaday Industries (206A)**

Established products \_\_\_\_\_

**HI-3001:** Isotropic broadband exposure meter

**HI-3004:** Isotropic broadband field strength meter

New products \_\_\_\_\_

**HI-3113:** Fiber-optic link for HI-3000 series meters

**HI-3008:** Isotropic broadband magnetic field strength meter

**Circle (656) on Reply Card****Holzberg (\*)**

Established products \_\_\_\_\_

Distributor for NEC, TFT, Logitek, Grumman Aerospace, HEDCO and Shively

New products \_\_\_\_\_

See at booth

**Circle (657) on Reply Card****Hotronic (1331B)**

Established products \_\_\_\_\_

**AD-51 Series:** TBC/frame synchronizer

New products \_\_\_\_\_

Digital dropout compensation option for the AD-51

**Circle (658) on Reply Card**

see ad on page 229

**Howe Audio Productions (321)**

Established products \_\_\_\_\_

**7012:** Rotary fader stereo audio 12-mixer console

**7012A:** Rotary fader console with audition and program metering

**7512A:** Linear fader 12-mixer stereo console, with timer and TTL logic machine control

**2100:** Phase Chaser phase error corrector  
 New products \_\_\_\_\_

Series of consoles using Howe VCA design in modular, expandable configurations from 6 to 24 3-input, mix-minus channels; digital machine control; spill-proof membrane switches; and various options

**Circle (659) on Reply Card**

see ads on pages 147, 148, 149 and 150

**Hughes Electronics Devices (1225)**

Established products \_\_\_\_\_

**AVM Series:** AFV monitoring switchers

Audio and video distribution and

signal control modular systems

Small routing switchers

New products \_\_\_\_\_

**IRS 24x48:** Video and 3-channel audio routing switcher system

**VAM-110:** Video alarm module

**VAF-110:** Video alarm frame

**SVS-401:** Self-powered active 4x1 video switcher

**SVD-108:** Self-powered audio DA

**SAS-401:** Self-powered active 4x1 audio switcher

**SAD-106:** Self-powered audio DA  
**Circle (660) on Reply Card**

**Hungerford & Company (310)†**

See at booth

**Circle (661) on Reply Card****IBM (1607C)†**

See at booth

**Circle (662) on Reply Card****ICM Video (1766)**

Established products \_\_\_\_\_

**VE-200C:** Video enhancer

**VP-300C:** Auto video processor

**DA-5000P:** Audio/video DA

**SR-4600P:** Satellite receiver

New products \_\_\_\_\_

**VC-2000P:** Video corrector

**Circle (663) on Reply Card**

see ad on page 322

**IGM Communications (403)**

Established products \_\_\_\_\_

**Go-Cart 24, 42, 78** random-access cart playback equipment

**Marc I:** Random-access controller

BASIC broadcast automation system

New products \_\_\_\_\_

Instacart systems, newly redesigned for 12, 24, 36 and 48 cart-tray needs

Custom controller system for Instacart in TV production

**Circle (664) on Reply Card****ITC/3M (311)**

Established products \_\_\_\_\_

**Delta series:** Line of audio cartridge tape recorder/reproducer systems

**Series 99B:** Audio cartridge machines with ELSA

New products \_\_\_\_\_

**Omega** stereo reproducer audio cartridge machine for budget-minded stations

**Circle (665) on Reply Card**

see ad on page 69

**Ikegami Electronics (USA) 1011/1013**

Established products \_\_\_\_\_

**TKC-970:** Telecine camera system

**VTN-110A:** Video/pulse DAs

**Series 3/8/9:** High resolution video monitors

**HK-322/357A:** Auto setup studio-field triax cameras

**HK-302:** Studio camera

**HL-79E:** ENG/EFP camera with auto setup, triax and accessories

New products \_\_\_\_\_

**HL-95:** Camcorder system with 3/4-inch




# LEADERS ARE ALWAYS FOUND AT THE TOP

AND YOU'LL FIND MARK ANTENNAS AT THE TOP OF THE WORLD.

Mark antennas are at work right now—not only throughout the world—but at the very top of it. You'll find them on the peaks of the world's highest mountain, Mount Everest. And also atop the world's tallest twin buildings, the World Trade Center.

Scaling such heights is the mark of a champion. And that's true of Mark Antennas.

It took over 30 years of innovative design and engineering, careful quality control, and superior long-lasting performance—backed by reliable on-time delivery—to get them where they are. And to keep them there. On top.



## MARK STEERABLE ANTENNAS

The Mark 5 meter hydraulically steerable antenna system is the only one of its kind. Covers the entire geostationary arc with no change to mount members. Meets 2 degree requirements with Scalar feed. Repositioning rate of 1 degree per second. Standard control has 20 programmable positions plus one position for manual override.



# ANIXTER-MARK

MANUFACTURERS OF A FULL LINE OF POINT-TO-POINT ANTENNAS.

SATELLITE • MICROWAVE • TWO-WAY

P.O. Box 1548 • 2180 S. Wolf Road, Des Plaines, IL 60018

(312) 298-9420 • 1-800-323-5273/Telex: 282557 (Anixmark)

© 1984 Anixter Bros., Inc.

Circle (89) on Reply Card

April 1984 **Broadcast Engineering** 125

**Ikegami (1011/1013)**

Continued

Lineplex and ½-inch M Format VTRs  
**ITC-730A:** ENG/EFP camera with 300M CCU  
 HDTV Studio/field camera and monitors  
**ML-83/79:** ENG microwave systems  
 High definition electronic cinematography camera with new lenses and accessories  
**Series 9:** High resolution monitors with 9V PIL CRT, as well as 13V and 19V Delta-dot CRTs  
**TKC-990:** Auto setup telecine camera system

Circle (1498) on Reply Card

see ads on pages 57, 279, 281 and 283

**Image Video Ltd.**

(1341)†

Established products

**8100:** Automated master control  
**4100:** Machine assignment system  
**7021:** Status generator  
**7100:** Universal serial data reader  
**4021:** Machine interface  
**6200:** Broadcast routing switcher  
**8105:** Border generator  
**AJF:** Prewired jackfield  
**M6010:** 10x1 self-contained broadcast routing switcher  
**7105:** Silence monitor  
 Custom-designed control panels  
**VMP-1:** Voltage monitor panel  
 Broadcast routing switcher  
**9100:** Routing switcher

**8200N:** Master control  
**7800:** Routing switcher control panel  
**7300:** Voltage monitor panel  
**7001:** Dual video mix amplifier  
**7707:** Status/character display

New products

See at booth

Circle (666) on Reply Card

see ad on page 293

**Industrial Acoustics**

(322)

Established products

Engineered prefabricated sound studio incorporating high acoustic isolation

New products

See at booth

Circle (667) on Reply Card

**Industrial Sciences**

(1232)

Established products

**903/904:** Video production switchers  
**831/899:** Master control switchers  
**2031:** Matrix wipe generator  
**9012:** Fade to black unit

New products

**5000/7000 Series:** Video, audio, pulse delay and subcarrier DAs

**9016:** Auto transition unit

**APE:** Automated production effects for the 904

Circle (668) on Reply Card

**Inflight Services**

(1316)†

Established products

**VSTAR4:** Control/projection system

New products

See at booth

Circle (669) on Reply Card

**Information Transmission**

(1734A)

Established products

**ITS-1:** TV IF exciter-modulator  
**ITS-20:** UHF exciter-modulator  
**ITS-610:** MDS/ITFS 10W transmitter

New products

**ITS-230:** 1kW UHF transmitter**ITS-254:** 50W UHF amplifier

Circle (670) on Reply Card

**Innovative TV Equipment**

(1215)

Established products

**T1 through T20:** Tripods  
**D3 through D20:** Dollies  
**P1 through P7:** Studio pedestals  
**H1 through H100:** Pan/tilt heads

New products

**P2:** Pneumatic pedestal**H100FD:** Fluid drag cam head**D8:** Dolly**T3:** Tripod

Circle (671) on Reply Card

**Inovonics**

(304)

Established products

**201:** Audio limiter  
**215:** Multifunction audio processor  
**231:** MAP-II multiband audio processor  
**250:** Programmable stereo audio processor  
**370:** Replacement audio recorder electronics  
**380:** Magnetic recording electronics for film/tape  
**405:** Tentrol tape recorder tension servo kit  
**500:** Real time and reverb acoustic analyzer

# Minolta

# Broadcast Meters

Remarkable versatility combined with superb accuracy—  
 Minolta meters conform to CIE Spectral Response Standard.

## MINOLTA TV COLOR ANALYZER II

Used for monitor set-up in TV control rooms and for on-line quality control in the manufacture of TV sets.

- Analyzer mode for white balance
- Chroma mode for setting white standard
- Matrix system eliminates cross-over interference
- Four white-memory channels; four CRT memory channels



## NEW CHROMA METER II INCIDENT



## ILLUMINANCE METER



## LUMINANCE METER 1°



## MINOLTA HAND-HELD INDUSTRIAL METERS ARE:

- Lightweight and compact
- Battery powered for portability
- Rugged—ideal for field use

For more information, write Minolta Corporation,  
 Industrial Meter Div., 101 Williams Drive, Ramsey, NJ 07446  
 Or call 201-825-4000  
 © 1983 Minolta Corp.  
 Product appearance and/or specifications subject to change without notice.

Circle (90) on Reply Card







Test & Measuring  
Instruments

PHILIPS

FROM THE INVENTORS  
OF THE PLUMBICON TUBE

## Objective Color Monitor Balance

At last, a practical solution to the age-old problem of color balancing your picture monitors—the PM5539 color analyzer.

Working directly off the screen with three color-sensitive photodiodes, the PM5539 gives you quick and easy readings of the three primary colors—separately or simultaneously—referred to a previously-set white standard.

This means that in a matter of minutes every color monitor you need to watch can be set up to have the

same color temperature and intensity.

Once the PM5539 matches all your monitors, you'll see all the difference in the world. The PM5539 is the quantitative way to eliminate the qualitative "calibrated eye-ball."

For nationwide sales and service information call 800-631-7172, except in Hawaii, Alaska and New Jersey. In New Jersey call collect (201) 529-3800, or write Philips Test & Measuring Instruments, Inc., 85 McKee Drive, Mahwah, NJ 07430.



Color temperature should normally be adjusted at both high and low light levels. Balance of the three primary colors should track at the "grey" levels in between. To facilitate "grey scale tracking," the PM5539 has a wide sensitivity range (1 to 300 NIT's full scale). **TRANS**

**For Philips rental information  
call 800-527-4334**


# PHILIPS

Circle (91) on Reply Card

# from B & K-PRECISION

## NTSC STANDARDS

### plus MULTIBURST for under \$1,000



**Model 1251 \$995**

- Generates standard NTSC color bars with or without -IWQ signal; five step linear staircase (with high or low chroma); dot, cross-hatch, dot-hatch, center cross and 8 raster patterns
- Multiburst — stepped, full field and variable
- External video input modulates rf or i-f carrier outputs
- Crystal controlled rf, i-f, NTSC sync
- 4.5MHz audio intercarrier modulation; selectable 1kHz, 3kHz or external

The B&K-PRECISION 1251 is a true NTSC standard generator designed for color broadcast, CATV and industrial applications. Its simple operation makes it a time-saving tool for aligning and trouble-shooting video tape recorders as well.

The quality, capability, dependability and precision of the Model 1251 equal or exceed that of much more costly generators.

**Prove it for yourself.  
See your local B&K-PRECISION  
Distributor for immediate delivery.**

**BK PRECISION**

**DYNASCAN  
CORPORATION**

6460 West Cortland Street  
Chicago, Illinois 60635 • 312 889-9087  
International Sales: 6460 W. Cortland St., Chicago, IL 60635  
Canadian Sales: Atlas Electronics, Ontario  
South and Central American Sales:  
Empire Exporters, Plainville, NY 11803

**Circle (286) on Reply Card**

#### Inovonics (304)

Continued

**GHM PPM:** Gordon Meter audio meter

New products

**260:** Low-cost audio processor for educational FM and LPTV

**387:** Multichannel magnetic reproduce amp for tape/film

**Circle (672) on Reply Card**

see ad on page 174

#### Interactive Motion Control

(\*)

New products

**IMC 3565:** Computer and modular motion control stage may be used for model or motion control photography as well as computer graphics, computer and traditional animation

**R/T** real time motion control system is a portable version of the 3565 motion control animation equipment

**IMI-500:** Interactive 3-D graphics system

**Circle (673) on Reply Card**

see ad on page 243

#### Interactive Systems

(1167 & 1132)

Established products

**11:** Edit control with list management

**21:** Off-line and industrial edit controller

**31:** On-line, 8-port edit control system

**41:** Large off-line system with Jogger Motion and Programmed Motion

New products

**51:** High performance edit control system with VPR3 RS-422 direct control and many other features

**Circle (674) on Reply Card**

see ad on page 191

#### Interand

(1016)

Established products

**Teletrator 100:** Electronics graphics system

New products

**Teletrator 440S:** Custom-designed graphics system and software to store preprogrammed charts and graphics, recalled from a stylus on a side menu panel

**Circle (675) on Reply Card**

#### Interface Electronics

(1405A)

Established products

**550:** Broadcast audio production mixer

**550-V:** Video production version of 550

**200:** Portable ac-dc-powered stereo mixer

**400:** 12x4x2 recording mixer

New products

See at booth

**Circle (676) on Reply Card**

#### Iteco USA

(1338)†

See at booth

**Circle (677) on Reply Card**

#### JBL

(615)

Established products

**4301:** 2 way broadcast monitor

**4401:** Compact studio monitor

**4312:** 3-way compact studio monitor

New products

**4411:** Direct radiator loudspeaker system using three transducers in a cluster for sound coherency

**Circle (678) on Reply Card**

see ad on page 31

#### JVC Company

(1234)

Established products

**KY-950U/900U:** Portable ENG/EFP cameras

**KY-310U:** Portable ENG/EFP cameras

**ESP-7:** Time code editing system for ¾-inch VTRs

**ESP-4B:** Basic ¾-inch editing system

**VEP-1:** VHS editing system

**TM-R9U:** 9-inch broadcast monitor

**KM-2000:** Special effects generator/switcher

**CR-4700U:** Portable ¾-inch recorder

New products

**DAS-900:** Digital audio mastering system

**Circle (679) on Reply Card**

see ad on page 199

#### Jefferson Data

(1629)

Established products

**System 90:** Sales, traffic and general accounting for radio and television

**Program Management System:** Complete inventory and control for all syndicated program materials

**Electronic News Processing (ENP):**

Complete newsroom computer system to handle wire services, story and script preparations, electronic teleprompter and archiving

New products

See at booth

**Circle (680) on Reply Card**

#### Jenel Consultants

(\*)

Established products

Monitor setup tape

Engineering consultant services

New products

See at booth

**Circle (681) on Reply Card**

#### Jensen Tools

(1747B)

Established products

**JTK-17:** Technician's tool kit

**JTK-87:** Field engineer's tool kit

New products

**377B145:** Heavy-duty shipping container for sensitive equipment

**Circle (682) on Reply Card**

see ad on page 333

#### Jingle Machine

(200A)†

See at booth

**Circle (683) on Reply Card**

#### John B. Rudy

See Rudy

#### J. Osawa & Company

See Osawa

#### Kahn Communications

(625)

Established products

**STR-77:** AM stereo exciter

**LP-2L:** LINES-PLUS remote telephone

pickup high and low frequency extender Modulation processor equipment

New products

See at booth

**Circle (684) on Reply Card**

#### Kaman Sciences/KBS

(1607)

Established products

Business management computer systems for broadcasters

New products

See at booth

**Circle (685) on Reply Card**

see ads on pages 183 and 184 →



And now  
a  
message  
on  
Yamaha's new  
RM1608  
recording mixer.



# RM1608

## SPECIFICATIONS

### TOTAL HARMONIC DISTORTION (T.H.D.)

Less than 0.1% at +4dB \*output, 20Hz to 20kHz (all Faders and controls at nominal)

### HUM & NOISE (20Hz to 20kHz) $R_s = 150$ ohms (INPUT GAIN "–60")

- 128dB Equivalent Input Noise (E.I.N.)
- 95dB residual output noise: all Faders down.
- 80dB (84dB S/N) PGM Master volume control at maximum and all CH PGM assign switches off.
- 64dB (68dB S/N) PGM Master volume control at maximum and one CH Fader at nominal level.
- 73dB (77dB S/N) STEREO Master Fader at maximum and all CH STEREO level controls at minimum level.
- 64dB (68dB S/N) STEREO Master Fader at maximum and one CH STEREO level control at nominal level.
- 80dB (70dB S/N) ECHO SEND volume at maximum and all CH ECHO volumes at minimum level.
- 75dB (65dB S/N) ECHO SEND volume at maximum and one CH ECHO volume at nominal level.

### CROSSTALK

- 70dB at 1kHz: adjacent Input.
- 70dB at 1kHz: Input to Output.

### MAXIMUM VOLTAGE GAIN (INPUT GAIN "–60")

PGM	74dB: MIC IN to PGM OUT.	ECHO C/R	70dB: MIC IN to ECHO SEND.
	24dB: TAPE IN to PGM OUT.		74dB: MIC IN to C/R OUT.
	34dB: ECHO RETURN to PGM OUT.		24dB: 2 TRK IN to C/R OUT.
	14dB: PGM SUB IN to PGM OUT.	STUDIO	74dB: MIC IN to STUDIO OUT.
STEREO	74dB: MIC IN to STEREO OUT.		24dB: 2 TRK IN to STUDIO OUT.
	24dB: TAPE IN to STEREO OUT.		
	34dB: ECHO RETURN to STEREO OUT.		

### CHANNEL EQUALIZATION

±15 dB maximum

HIGH: from 2k to 20kHz PEAKING. MID: from 0.35k to 5kHz PEAKING. LOW: from 50 to 700 Hz PEAKING.

HIGH PASS FILTER –12dB/octave cut off below 80Hz.

OSCILLATOR Switchable sine wave 100Hz, 1kHz, 10Hz

PHANTOM POWER 48V DC is applied to XLR type connector's 2 pin and 3 pin for powering condenser microphone.

DIMENSION (W x H x D) 37-1/2" x 11" x 30-1/4" (953 mm x 279.6 mm x 769 mm)

Hum and Noise are measured with a –6dB/octave filter at 12.47kHz; equivalent to a 20 kHz filter with infinite dB/octave attenuation.

\*0dB is referenced to 0.775V RMS.

•Sensitivity is the lowest level that will produce an output of –10dB (245mV), or the nominal output level when the unit is set to maximum gain.

•All specifications subject to change without notice.

The specs speak for themselves. But they can't tell you how natural, logical and easy the RM1608 is to work. All the controls and switches are logically arranged to help you get the job done quickly and accurately.

And in the tradition of Yamaha's sound reinforcement mixers, the RM1608 sets new standards of reliability as well as ease of operation. For complete information, write: Yamaha International Corporation, P.O. Box 6600, Buena Park, CA 90622. In Canada, Yamaha Canada Music Ltd., 135 Milner Ave., Scarborough, Ont. M1S 3R1.



Circle (92) on Reply Card



**Kangaroo Video Products (1151)**

Established products \_\_\_\_\_

**Kangaroo Video Pack:** Custom carrying cases for broadcast and industrial VCRs

**Kangaroo Nagra Pack:** Cases for Nagra recorders

**Gripper Strap:** Padded shoulder straps

**Kangaroo Semi-Tough:** Aluminum reinforced padded case for video cameras

New products \_\_\_\_\_

**Kangaroo Super-tough:** Top-loading camera case for video cameras and VCR combo systems, with Tri-Fast zipper opening, triple-hemmed, U-shaped aluminum frames, and closed-cell foam padding and hand/shoulder straps

Circle (686) on Reply Card

**Karl Heitz**

See Heitz, Karl

**Kavco (1509B)**

Established products \_\_\_\_\_

**KAVCART:** Broadcast video cart system with programmable microcontroller, vertical, interval switching and interfacing and separate recording console featuring label printer and Sony VO-5850 master recorder

New products \_\_\_\_\_

See at booth

Circle (688) on Reply Card

see ad on page 173

**Kavouras (1635)**

Established products \_\_\_\_\_

**Radac color weather radar remoting equipment**

**Real time Atmospheric Monitoring (RAM):** Meteorological services and database

**Triton X:** Animation and GOES weather satellite image processing system

New products \_\_\_\_\_

**Triton XL:** High resolution weather graphics and animation

High resolution real time colorization system interfacing to various radar systems, including Collins Doppler radar

High speed weather data transmission via Westar III

Circle (689) on Reply Card

**Kay Industries (122)**

Established products \_\_\_\_\_

**T-1300-A2:** Rotary phase converter

New products \_\_\_\_\_

See at booth

Circle (690) on Reply Card

see ad on page 328

**Keith Monks Audio (132)†**

Established products \_\_\_\_\_

**Series:** Range microphone stands

**RCM II:** Professional record cleaning machine

**RCM III:** Professional record cleaning machine

**LS18:** Powered monitor loudspeaker

**CR501/502:** RCM for radio station-production

**MT 2:** High tripod mic stand

New products \_\_\_\_\_

See at booth

Circle (691) on Reply Card

see ad on page 252

**Keylite Production Services (1220)**

Established products \_\_\_\_\_

Distributor for Strand-Century Janiro

HMI lights, Modulights, Lowel Light kits,

Rosco and Lee gels and Matthews studio grip equipment

New products \_\_\_\_\_

Stand-up/sit-down dolly

Circle (692) on Reply Card

**Kinematics/Truetime (115)**

Established products \_\_\_\_\_

**468-DC:** Satellite synchronized clock

**60-DC:** WWVB synchronized clock

**FTM-6:** Frequency/time deviation monitor

**468-FPC:** Field portable satellite sync clock

**WWVTR MKV:** Portable WWV receiver

**RD-B:** Remote display

New products \_\_\_\_\_

**Simplex Interface:** For master and remote timing

Circle (693) on Reply Card

**Kings Electronics (1623)**

Established products \_\_\_\_\_

RF, coaxial and triaxial connectors

Video patch panels and cords

Field service kits

New products \_\_\_\_\_

See at booth

Circle (694) on Reply Card

**George Kleinknecht (1769)†**

See at booth

Circle (695) on Reply Card



## WCCO puts its state-of-the-art equipment in Emcor's state-of-the-art enclosures.

WCCO-TV in Minneapolis/St. Paul has been a leader in broadcasting for many years and its new broadcast center is one of the finest in the industry. When it came to housing their equipment, the WCCO engineers chose Emcor enclosures.

Emcor is also a leader in its field, meeting the needs of broadcasters with high quality enclosures. Choose from six distinct product lines and more than 9,000 standard items. For those who need it fast, Instant Emcor is ready to ship in five working days. In addition to standard products, we manufacture modified designs for special needs.

Call us today with your requirements.



Crenlo, Inc.

**Emcor Products**

1600 Fourth Avenue N.W.


Rochester, MN 55901

(507) 289-3371

**EMCOR**

Circle (93) on Reply Card

**Adda, Ampex,  
Harris, and Quantel  
all make excellent  
Still Stores.  
But more and more  
the choice is Harris.**





**1 Harris' new IRIS Composition Station (ICS) solves your video production problems with these exclusive features:**

- Compression and Positioning
- 2X expansion
- Variable size
- Infinite border and background color
- Soft border capability
- H & V inversion
- Cut-and-paste
- Removable memory modules
- Single joystick control

*Adda doesn't. Ampex doesn't. Quantel doesn't.*

The ICS is sophisticated enough to complement an artist's imagination, yet simple enough for use in the hectic pace of on-air production. And it's based on Harris' new *four frame* synchronizer, the 650.

# Here's why.

**2 Harris' IRIS II offers you simultaneous access by up to six users, without costly networking of separate systems.**

*Adda doesn't. Ampex doesn't. Quantel doesn't.* Now when you want to expand, you can—cost effectively. Your system can grow just by adding inexpensive user stations.

**3 IRIS II lets you title stills from each user station.**

IRIS II gives you character generation with multiple fonts. It lets you title stills directly from *each* user station without tying up expensive character generation equipment.

**4 IRIS II solves your still sorting and locating problems with an integral library.**

In fact, IRIS II offers the most powerful search routines of *any* still store. Its library is also accessible by each user station, and has a capacity of over 80,000 stills.

**5 Problems with identifying stills are eliminated.**

You can get complete information on *all* the stills in your list, with full description, date, sequence, and I.D. information.

You also have the power you need to manipulate list order through addition, deletion and change of position. And, you can also link and loop your lists.

**6 IRIS II gives you the storage flexibility you need for future planning.**

IRIS II interfaces with the largest variety of storage drives of any still store. Several types of fixed and removable drives give you the capability of over 17,000 on-line stills. No other still store offers this flexibility. Period.

We think you get the idea. *We build the most powerful, and the most flexible, still store there is.* Whatever your business, if your problem is storing and manipulating video images, the best choice is the Harris IRIS II.

For more information about this superior solution to your video problems, call Dave Fabian, Product Manager at (408) 737-2100, or contact **Harris Studio Division, Video Systems Operation, 1255 E. Arques Avenue, Sunnyvale, CA 94086 Telex 4992172**



**Kliegl Brothers** (1604)  
Established products \_\_\_\_\_  
**K96 SCR:** Digital lighting dimmer  
**Performer II/III:** Memory lighting control consoles  
**Entertainer:** Manual/memory lighting consoles  
**Command Performance:** Memory lighting control console  
New products \_\_\_\_\_  
See at booth

Circle (696) on Reply Card

**Knox Video** (1511)  
Established products \_\_\_\_\_  
**K50:** Basic titler  
**K128:** High-resolution character generator  
**K500:** Audio corrector  
**K700:** Video corrector  
**Color Box:** Dual colorizer/keyer/edger  
New products \_\_\_\_\_  
**K40 Microfont:** Low cost character generator  
**K100 Chromafont:** Graphic titler  
Circle (697) on Reply Card

**Kobold of America** (1725)†  
Established products \_\_\_\_\_  
**DLF-200:** HMI lighting fixture  
**DLF-2500:** HMI lighting fixture  
**ST-1000:** Halogen lamp lighting fixture  
**DLF-2000:** Par 64 lighting fixture and ballast  
**FR-1000 and DLF-575:** 1000W Halogen lamp fresnel fixture  
**DL-PAR:** Bright beam lamp systems

**DL-1200:** PAR-Twin lighting system  
**SubLight** hand-held lamp  
New products \_\_\_\_\_  
See at booth

Circle (698) on Reply Card

**Kodak**  
See Eastman

**LPB** (405)  
Established products \_\_\_\_\_  
**Signature:** 5-, 8- and 10-mixer mono and stereo audio consoles  
**Monogram:** 5- and 8-mixer audio consoles for mono and stereo uses  
**Citation:** 8- and 10-mixer audio mixers in dual stereo configurations  
New products \_\_\_\_\_  
**AM-50/150:** Low power AM transmitters for PSRA, PSSA, STL and LPRTS applications  
**VS-TIS:** High performance 15M AM antennas  
Circle (699) on Reply Card

**LTM of America** (1518)  
Established products \_\_\_\_\_  
**LUXARC:** HMI Fresnel lights  
**AMBIARC:** HMI open face lights  
**Soft-D-Box:** HMI soft lights  
**MSL-250:** HMI fiber-optic lighting systems  
**Minette:** Low voltage camera and car lights  
**Peppers:** Miniature quartz halogen

lights  
**VARILUX:** Quartz focusing open face lights

**301 Series:** Lightweight microphone poles and suspensions

New products \_\_\_\_\_

**CINEPAR:** HMI Par lights, from 200W-1.2kW

**LUXARC 12000:** 12kW HMI Fresnel unit with 24-inch lens and 110Vac ballast

**Pepper Packs:** Fresnel lighting kits

**LT1000/LT10000:** Redesigned series of incandescent Fresnel fixtures from 1-10kW in manual, pole-operated or remote-controlled configurations

**A230:** 6-channel sound mixer

Circle (700) on Reply Card

**L-W International** (1602)  
Established products \_\_\_\_\_

**4500 M:** Multimedia film/video transfer system

**6000:** Professional 16mm telecine projector

**DS 2000:** 16mm film digitizer

**224-A MKVII:** 16mm analytic projector

New products \_\_\_\_\_

See at booth

Circle (701) on Reply Card

see ad on page 182

**Laird Telemedia** (1721)

Established products \_\_\_\_\_

**7200:** Communicator character generator

**5300:** Multiplexer film chain system

**3300:** Message generator

## THE RADICAL SOLUTION

**Efficient press feeds.** When your facility hosts the electronic press you need the Radical solution, the M-18 press mult box.

**One mic feeds entire press.** The M-18 features two inputs and 18 outputs each with the option of mic or line level on either industry standard XLR or 1/4" phone jacks for maximum versatility.

**Clean press feeds.** Each of the 18 outputs are fully transformer isolated and driven by individual buffer amps. A built-in, calibrated tone oscillator allows all outputs to be set at standard levels.

**Tough, portable.** A rugged, aluminum industrial case houses the M-18 assuring portability and efficient set up.

### The M-18

The Radical solution to a pressing problem.

Call or write today for detailed information.

Circle (95) on Reply Card



**RADICAL ELECTRONICS**  
Manufacturer of Audio Products

Distributed exclusively by Executive Communications, 2872 Hartland Road, Falls Church, Virginia 703/573-6948.




# New Standards

## The Widest Angle, The Highest Performance

Canon engineers have done it again, advancing the optical state-of-the-art so far forward that new standards must be considered.

The Canon P18 x 15 BIE offers the widest angle of any broadcast television zoom lens: 59° plus incredible edge-to-edge sharpness, fidelity and sensitivity throughout its 18X range.

Every one of these superb lenses will be supplied with both 1.5X and 2X built-in extenders and a pattern projector. Options include manual, semi-servo or full servo operation.



The Canon P18 x 15 is the most versatile studio lens ever made, setting new standards for years to come.

### P18 x 15 BIE F2.1 for 30mm Cameras\* KEY SPECIFICATIONS

■ Focal length:	15-270mm
■ Max. Relative Aperture:	1:2.1 (15-218mm)
■ Angular Field of View:	59° x 45.8° at 15mm 3.6° x 2.7° at 270mm
■ Minimum Object Distance:	0.6 meter (2 feet)

\*Also available: PV18 x 11 BIE F1.6 for 25mm Cameras



### Canon Studio Standards



SEE US AT NAB BOOTH 1012

# Canon®

Optics Division

Canon USA, Inc., Head Office: One Canon Plaza, Lake Success, N.Y. 11042 (516) 488-6700  
 Dallas Office: 2035 Royal Lane, Suite 290, Dallas, Texas 75229 (214) 620-2641 Chicago Office: 140 Industrial Drive, Elmhurst, Ill. 60126 (312) 833-3070  
 West Coast Office: 123 Paularino Avenue East, Costa Mesa, Ca. 92626 (714) 979-6000  
 Canon Canada, Inc., 3245 American Drive, Mississauga, Ontario L4V1B8, Canada (416) 678-2730

© 1983 Canon U.S.A., Inc.

Circle (96) on Reply Card

# Finally! A radio automation system for under \$5,000

- State-of-the-Art Ingenuity at Off-the-Shelf Prices.
- \$4,900 buys everything you need to operate your present live equipment. You get a Commodore™ 64 computer with the Automate-64 operating system on a plug-in ROM cartridge, a Commodore™ Datasette recorder, a Zenith™ Data Systems monitor, a 3"-high rack-mount interface unit, interconnecting cables, plus easy to understand installation and operating manuals. Low-cost printers and disk drives are optional.
- The Automate-64 system is easy for EVERYONE in your station to learn to use because you converse with it in English.
- No compromising of your format. You can air satellite networks, syndicated programming, or locally-produced music tapes, using almost any playback equipment.

## Automate 64

Call us, the price isn't the only good news.



## Mid-Am

**Mid-America Automation Corporation**  
206 Southwind Place Manhattan, Kansas 66502  
PHONE: 913-537-3289, call collect

Commodore is a registered trademark of Commodore Business Machines, Inc. Zenith is a registered trademark of Zenith Corporation.

Circle (282) on Reply Card



## The true measurement of success

If your business relies on precise audio reproduction, the Advantage 310 insures your success. Our Audio and Noise Level Meter is a low cost, high quality, measurement device capable of delivering greater accuracy than that achievable with more expensive general purpose equipment.

The features of the Model 310 are tailored for audio test and troubleshooting. It offers:

- Isolated, balanced, Trans-Amp™ differential inputs
- 10 Hz to 100 kHz "wide band" filter
- 20 Hz to 20 kHz multiple pole filter
- 400 Hz to 20 kHz multiple pole filter
- "A" weighting filter
- CCIR weighting filter
- Three detector response modes: Average, Peak, RMS
- Large, easy-to-read, dual scale analog meter
- Full scale range select
- Detector output
- Preamplifier output return

Want to hear more? Put the Advantage in your corner!



Valley People Inc. • P.O. Box 40306/2817 Erica Place • Nashville, TN 37204 • 615-383-4737 • TELEX 558610 VAL PEOPLE NAS  
Export: Gotham Export Corporation, NY, NY Telex 129269

Circle (97) on Reply Card

### Laird Telemedia (1721)

Continued

1040: Q board

1060: Pointer

New products

7204: Dual-channel option for 7200 Communicator

Circle (702) on Reply Card

### Lake Systems

(1165)

Established products

La-Kart: Matrix-10 random access video cart system

New products

La-Kart Matrix 6M: Random-access video cart system for 68K multi-event programming, including computer, floppy disk storage, three dual machine interfaces, six Type M VCRs, YIQ AFV matrix switcher, component TBC, ASACA video monitor and TEK waveform/vector monitors

Circle (703) on Reply Card

### Landy Associates

(1747A)

Established products

Distributor for:

Ikegami HK-79EAL camera and monitors  
Anton/Bauer ProPac 14 batteries and chargers

JVC KY-310/U camera

Sachtler camera support equipment

RAMSA WR-8210/WR-130 audio mixers

CB-1: Interphase slate/border generator

S-202: Interphase 10x1 video/2- audio and tally switcher

New products

M-400: Interphase machine control system conforming to SMPTE RP-113 and using RS-422 digital bus

Arben Designs Lebenset modular set design systems

Shure FP31 field production mixer

Circle (704) on Reply Card

### Lang Video Systems

(1780)

Established products

VSI-820: Video source identifier

One-Shot: Switcher, mixer, identifier

Two-Shot: Integrated switcher, mixer, identifier and V/A monitoring

VAX-700: Automatic 2x1 video-audio noise switcher

New products

60825: Video recording measurements generator

4070: Microprocessor-based video test generator

VSI-821E: Digital video source identifier with memory recall

Circle (705) on Reply Card

### Lansing, James B.

See JBL

### Larcan Comm. Equipment

(1626A)

Established products

TTC-30000FH: 30kW high-band VHF IF-modulated TV transmitter

New products

TEC-IV: VHF TV exciter, using SAW filtering

TTC-10000FH: 10kW high-band VHF IF-modulated TV transmitter, using





# Optimod / op'-tə-mod /

**Op-ti-mod** *n* [►Early Orbanian; deriv. of *optimum modulation*]

1. A broadcast audio processor built by Orban Associates to the highest standards of quality and reliability, incorporating patented circuitry to achieve a cleaner, brighter, louder airsound.

2. OPTIMOD-AM, Model 9100A; a high fidelity stereo or mono processor which achieves extraordinarily natural audio quality along with high loudness, remarkable source-to-source consistency, and FM-like brightness.

3. OPTIMOD-FM, Model 8100A/1 compressor/limiter/stereo generator; the industry's dominant choice for optimum FM processing, with or without the optional Studio Chassis and Six-Band Limiter Accessory Chassis.

4. OPTIMOD-TV, Model 8182A; a stereo processor that brings TV audio processing into the '80's by combining Orban's artifact-free multiband gated compressor with our clean "Hilbert Clipper" peak limiter and the commercial-taming CBS Loudness Controller.

5. OPTIMOD; a registered trademark.

**Orban Associates Inc.**, 645 Bryant Street, San Francisco, CA 94107,  
Toll Free (800) 227-4498, In California (415) 957-1067, Telex: 17-1480.


Optimod — AM Information Circle (301) on Reply Card  
Optimod — FM Information Circle (302) on Reply Card  
Optimod — TV Information Circle (303) on Reply Card

**orban**

ORBAN PROCESSING KEEPS YOU COMPETITIVE

Hear the Optimods live in  
N.A.B. Booth #607

# PRE-WIRED JACKFIELD



## In front...

Your engineering staff has more important things to do than soldering patch panels. That's why you'll find a big advantage in ADC's 100% pre-wired Pro-Patch™ jackfields and Ultra-Patch™ panels. Featuring ADC's new split cylinder contacts, these units allow for fast, reliable, hassle-free installation.

Fully assembled, computer tested and ready to hook up, Pro-Patch and Ultra-Patch completely eliminate labor intensive soldering or crimping operations.

In fact, hooking up to the back of a Pro-Patch unit is




*Pro-Patch jackfields and Ultra-Patch panels cut installation time from hours to minutes and allow circuit or normalling configuration changes in seconds.*

almost as easy as plugging into the front. Just a push on a special hand tool bares a wire, locks it into a split-cylinder contact inside an insulated


housing and trims off excess length.

Since their introduction last April at NAB, Pro-Patch jackfields and Ultra-Patch panels have appeared in virtually every segment of the Broadcast industry.






# READY TO PLUG IN.



## and back.




ADC's unique split-cylinder system features contacts that will accept 22, 24 or 26 AWG solid or stranded wires. The cylinders are housed in plastic insulating modules and are recessed to virtually eliminate shorting at the contacts. Both sides of the contact have two-wire capability providing for four gas-tight terminations per contact. The cylinders are also rated for a minimum 100 cycles and are easily replaceable. Triple strain relieving is provided on all units.

Pro-Patch and Ultra-Patch — as well as many custom configurations incorporating the split-cylinder contacts — are fast setting the stage for a new industry standard of wire termination.

For more information on these truly state-of-the-art audio patching systems — or our over 300 other standard audio and video patching systems — write or call ADC Magnetic Controls Co., 4900 West 78th Street, Minneapolis, Minnesota 55435, (612) 893-3000.

Custom orders welcome.



ADC Magnetic Controls Co.  
4900 W. 78th St., Minneapolis, MN 55435

Be sure to visit us in Booth 1320 at the NAB show, April 29-May 2, in Las Vegas.

Circle (99) on Reply Card

**Larcen (1626A)**

Continued

only one tube and solid-state aural section

Circle (706) on Reply Card  
see ad on page 221**Laumic**

(1771)

Established products

**CMX Edge:** Portable computer-assisted editing system

New products

Address track time code equipment for Sony VO-5850 editing recorders

Circle (707) on Reply Card

**Leader Instruments**

(1349)

Established products

**LCG-400M:** Video pattern/sync generator**LCG-400S:** Video generator with sweep marker unit**LVS-5850B:** 1/2-rack vectorscope**LBO-5860A:** 1/2-rack waveform monitor with line selector**LSG-216:** Synthesized AM/FM/FM stereo signal generator**LBO-525L:** 50Mz 2-channel, dual time base oscilloscope**LHC-909B/V:** Video head checker

New products

**LBO-5860L:** 1/2-rack waveform monitor with expanded front panel selection of Lines 7 to 21

Circle (708) on Reply Card

see ad on page 5

**LeBlanc & Dick Communications**

(1149)

Established products

Antenna tower construction and maintenance services

New products

See at booth

Circle (709) on Reply Card

see ad on page 263

**Leitch Video**

(1021)

Established products

**SPG-102/120:** Sync generators**ACO-131:** Auto sync changeover unit**660 Series:** Video DAs**SCH-730:** Sync/subcarrier phase monitor**IAD-750:** Vertical interval adder/deleter**VIP-1101:** Vertical interval processor**CBG-230:** Encoded color bar generator**VPA-330:** Video processing amp**DTS/DTD:** Digital TV scrambler/descrambler**CSD-510:** Master clock driver**CAC-511:** Clock auto change**CLK:** Series analog clock**UDC-508/512:** Universal digital clock**DCD-520/521:** Digital clock display

New products

**AVS-481:** Audio video switcher**CTG-240:** Combination calibration test generator**DTG-1010:** Digital test generator**VPA-331:** Video processing amp

Frame-store synchronizer

Circle (710) on Reply Card

see ad on page 151

**Lemo USA**

(1334)

Established products

Connectors in coaxial, triaxial and multipin configurations for audio and video applications

New products

See at booth

Circle (711) on Reply Card

see ad on page 91

**Lenco Electronic**

(1419)

Established products

**PVS-430:** Videoscope SC/H phase monitor**PMG-312:** RS170A sync generator**300:** Timing system**VNM-428:** Video noise meter**PSW-467:** Video switchers

New products

**PSG-412:** RS-170A sync generator**PSG-412P:** PAL sync generator**PCE-466:** NTSC encoder**PCE-466P:** PAL encoder**PCO-418:** NTSC auto sync changeover**PCO-418P:** Pal auto sync changeover

Circle (712) on Reply Card

**Lexicon**

(1139)

Established products

**Model 95:** Digital audio effects processor**Model 97:** Programmable digital audio effects processor**Model 224XL:** Digital reverb/effects processor**Model 200:** Digital reverb system

New products

**Model 1200C:** RS-422, high resolution audio time compressor system**Model 1300S:** Stereo audio/video delay compensator

Circle (713) on Reply Card

see ad on pages 65 and 71



# LIGHTNING BARRIER™

See LEA at NAB  
in Booth #302

Ⓟ Patented

## 100% LIGHTNING STRIKE PROTECTION. GUARANTEED.

You name it, LEA protects it.

Broadcast towers, buildings, power lines, plant sites, tank farms, substations, water towers, radar installations, missile launch pads...any application.

LIGHTNING BARRIER Dissipation Array Systems from LEA bleed off and control high energy electrostatic buildup between the clouds and the ground.

LIGHTNING BARRIER Dissipation Array Systems take full account of differences in structure size and height, storm patterns, altitude, and Keraunic Number.

And LIGHTNING BARRIER Dissipation Arrays are storm activated, so there is no power consumption.

No conventional lightning rod approach can possibly give you the protection that LEA'S LIGHTNING BARRIER Dissipation Array Systems provide.

So strike back at lightning. Get complete details today from LEA, Inc., a Dynatech Company, 12516 Lakeland Road, Santa Fe Springs, California, 90670 (213) 944-0916, TWX 910-586-1381.



LEA LIGHTNING BARRIER. Typical Hemispherical Dissipation Array in use at a broadcast site.

"the LEAders in pure power technology"

Circle (162) on Reply Card



# **BUICK IS ROLLING WITH MOTOROLA C-QUAM AM STEREO!**

GM's Buick division is the first domestic automaker to offer AM Stereo radios.

Delco single-system radios, using the Motorola C-Quam® decoder integrated circuit, will be introduced in selected 1984 models.

But one of the most enthusiastic responses to this news came from a man who isn't even a Buick dealer. He's Tom Cassetty, General Manager of WSM, Nashville. "I heard the Delco playing C-Quam AM Stereo at the National Radio Broadcasters meeting in New Orleans, and I was really impressed. The sound was terrific! If they'd been playing WSM, I never would've gotten out of the car!"

If your station had the choice, wouldn't you really rather be heard in the new Buicks? You can be. Just call Dick Harasek at (312) 576-2879, or Chris Payne (202) 862-1549.

**MOTOROLA AM STEREO. THE WINNING SYSTEM.**



Circle (287) on Reply Card

**Lightning Elimination** (302)†  
 Established products \_\_\_\_\_  
**SE-208-400:** Power line surge eliminator  
**MB-430/3:** Power line filtering system  
**TETM-39-1:** Transient eliminator plus RS-232 interface  
**CSE-HF-25K:** Coaxial surge eliminator  
**TE(VHF)75 B:** High frequency coaxial protector  
 Hemispherical dissipation arrays  
 Trapezoidal dissipation arrays  
**PP120-8-1:** Perfect power source  
 New products \_\_\_\_\_  
 See at booth \_\_\_\_\_

Circle (714) on Reply Card

**Listec** (1406)  
 Established products \_\_\_\_\_  
**MERLIN** remotely controlled crane arm  
**3200 Series:** Tripods  
 Fulmar, Tern and Teal Pedestals  
**A-2000 Series:** On-camera monitors  
 Avocet, Cormorant, Cygnet/Swan and Mark pan/tilt heads  
 New products \_\_\_\_\_  
**200 Micro Swift:** Remote camera control system with shot modification, time fade, custom control panels and storage to 99 shots for single-camera pan/tilt positions, pedestal heights, zoom, focus, iris and color balance settings  
**A-2100 Prompter:** 360 text-line memory and disk memory to 6000 lines, with variable roll speed, pause, negative/positive image and hard copy printer

Circle (715) on Reply Card

see ad on page 341

**Logica** (1405E)†  
 Established products \_\_\_\_\_  
 Teletext equipment  
 Video graphics generators and systems  
 New products \_\_\_\_\_  
 See at booth \_\_\_\_\_

Circle (716) on Reply Card

**Logitek** (613)  
 Established products \_\_\_\_\_  
**Audiorack:** Audio mixer  
**MAS Series:** Audio DAs  
**CAS Series:** Audio mixers  
 New products \_\_\_\_\_  
**Perfectionist:** 32-input mixer, featuring electronic switching, bus-swap, and pre-wired remote connection punch-block panel  
**PAI-4:** Pro audio balance/unbalance source interface  
**PWR-80:** Audio 80W power amp  
**MAS-ADJ:** 1-in/6-out DA module for MAS consoles  
**MAS-PAI:** Balance/unbalance interface module for MAS consoles  
 Pyramid MET-7 speakers

Circle (717) on Reply Card

see ad on page 222

**Pam Lontos** (120A)  
 Established products \_\_\_\_\_  
 Video sales training course, includes 16 videotapes  
 Audio sales training course, includes 24 audiotapes  
 New products \_\_\_\_\_  
 See at booth \_\_\_\_\_

Circle (718) on Reply Card

**Lowel-Light** (1309)†  
 Established products \_\_\_\_\_  
**01-10:** Omni-light  
**D2-10:** DP light  
**S2-10:** Softlight 2  
**T1-10:** Tota-light  
 Complete accessory and kit systems.  
 Lowel reflectors and Lowel clamping, support and rigging systems  
 New products \_\_\_\_\_  
 See at booth \_\_\_\_\_

Circle (719) on Reply Card

**Lyon Lamb Video** (1632A)†  
 Established products \_\_\_\_\_  
**VAS IV:** Video animation controller  
**VAS III:** VHS video animation testing system  
**3300:** Professional video animation stand  
**CCS:** 4-axis motion control system  
**Innovator 1000:** Animation control  
 New products \_\_\_\_\_  
 See at booth \_\_\_\_\_

Circle (720) on Reply Card

**M/A-COM MVS** (1004)  
 Established products \_\_\_\_\_  
**Skypod:** Airborne ENG system  
**SuperScan/MiniScan:** Auto track ENG central receive systems  
**2/2.5/7/13GHz:** Portable ENG microwave systems  
**2/7/12GHz:** intercity microwave systems  
**23GHz:** point-to-point microwave  
 High gain disc array manual track ENG receiver system  
 New products \_\_\_\_\_  
 See at booth \_\_\_\_\_

Circle (721) on Reply Card

## STOP GROUND-LOOP HUM!

### VIDEO HUM STOP COIL...HSC 1

Will ELIMINATE HUM and other INTERFERENCE in Video Lines caused by differences in Ground Potential.

- For Color and Black and White.
- FLAT-DC to 6.5 MHz.
- No Low-Freq. or Hi-Freq. Roll-off.
- No Differential Phase Distortion.
- No Differential Gain Distortion.
- No Envelope Delay.
- Passive Device - Failure Free-Low Price.
- Small Compact Package 4" x 4" x 2-1/4".


### ELIMINATES HUM AND INTERFERENCE:

#### IN STUDIO

- Between Buildings
- On long runs in Buildings
- Between Studio and Transmitter
- On Incoming Telco circuits
- On Outgoing Telco circuits

#### IN FIELD

- Betw. Remote Truck and Telco
- Betw. Remote Truck and Microwave
- For Intertruck Hookup
- For VTR Units
- For Monitoring Lines



NEW!

\$170  
F.O.B.  
N.Y.



Available on  
10 day free trial

AUDIO-VIDEO ENGINEERING COMPANY  
 65 Nancy Blvd., Merrick, N.Y. 11566  
 Tel. (516) 546-4239

Circle (164) on Reply Card

## FREE! ALL NEW 1984 MPCS VIDEO ALMANAC / CATALOG

THIS "INDUSTRY BIBLE"  
OF OVER 300 PAGES  
INCLUDES:

- The latest technical specifications and information on the latest models available from more than 100 manufacturers and suppliers of video products.
- Informational articles on the "Whys & Wherefores" of such products as Time Correctors, Special Effects generators, NiCad Batteries etc.
- Twenty-four pages of video equipment, systems and special packages available for rental—and their rates.
- Eight pages of video production, post-production and tape duplication services—and costs for such services.

\* To obtain your FREE copy of the 1984 MPCS Video Almanac/Catalog—a \$25.00 value—send your business card, or letterhead, with a check/money order for \$5.00 to cover shipping & handling costs to:




MPCS Video Industries, Inc. — Dept. B  
 514 West 57th St., New York, NY 10019  
 212-586-3690

Circle (165) on Reply Card



# Now the CHYRON® RGU-2



for  
under  
\$20,000.

**Now's the time to buy a brand new, latest model CHYRON RGU-2 graphics and tilting system at a price that's hard to resist.**

The high-quality RGU-2 provides many of the most-wanted features of the industry-standard CHYRON IV: unsurpassed character resolution of 27 nanoseconds...programmed graphics animation...color for background and text on a character-by-character message basis (with the optional CHYRON Color Encoder)...a versatile multi-font library...automatic color/font change...64 color choices...and much more.

With the optional Channel Control Module, mixes, wipes and fades are available at the touch of a key.

Operation is flexible and uncomplicated. Just load a software program and automatic instruction displays appear on the monitor to provide an interactive communications channel between operator and RGU-2.

So, don't delay. There may never be a better time to buy the character

generator that offers most of the features found in units costing twice as much—the CHYRON RGU-2.

Follow the Leaders with

**CHYRON**  
TELESYSTEMS

A DIVISION OF CHYRON CORPORATION  
265 Spagnoli Road, Melville, New York 11747  
• 516-249-3296 • Telex: 144522 Chyron Melv  
Amplex International is exclusive distributor for Chyron Graphics Systems outside the U.S.A.

Price subject to change without notice. Circle (166) on Reply Card

**MCI/Quantel (1631)**

Established products \_\_\_\_\_

**MIRAGE:** Free-form digital video manipulation system**PAINT BOX:** Digital art, graphic and animation system**DLS 6030:** Digital library system with production effects**DLS 6020/6010:** Digital library systems**CLL:** Central lending library for DLS 6000 Series and Paint Box**DPE 5000/5000SP:** Digital production effects systems**DSC 4000:** Family of standards converters including 6-field Silk**DFS 1750:** Digital framestore, synchronizer and TBC

New products \_\_\_\_\_

**CYPHER:** Free-form character and caption generator with animation capabilities

Circle (722) on Reply Card

**3M**

See "Three" M

**MPCS (1121)†**

Established services \_\_\_\_\_

**Rentals:** Production equipment**Services:** Post-production; modification of video cameras/monitors**Distributor:** Video equipment

New services \_\_\_\_\_

See at booth

Circle (723) on Reply Card

see ad on page 332

**MZB & Associates (1507A)†**

Established products \_\_\_\_\_

**MZB-14:** Production vehicle

New products \_\_\_\_\_

See at booth

Circle (724) on Reply Card

**Macrotel (1702)†**

See at booth

Circle (725) on Reply Card

**Magnasync/Moviola (1147)**

Established products \_\_\_\_\_

**V-1016/35:** Videola film-to-tape transfer system**V-500/16-35:** Videola film-to-tape transfer system**Edgewriter:** Creates edge numbers automatically during transfer process

New products \_\_\_\_\_

See at booth

Circle (726) on Reply Card

**Magnetic Media (1310)**

Established products \_\_\_\_\_

Cost-effective mobile production truck

New products \_\_\_\_\_

See at booth

Circle (727) on Reply Card

see ad on page 142

**Magnum Towers (119)**

Established products \_\_\_\_\_

**M-Series:** Prewelded triangular towersections from 18-inch to 42-inch faces  
**MKD-Series:** Knock-down tower sections from 48-inch to 120-inch faces

New products \_\_\_\_\_

See at booth

Circle (728) on Reply Card

**The Management (627)**

Established products \_\_\_\_\_

Simple Log, Prolog, New Electric Log and Super Log software packages for automated broadcast stations

New products \_\_\_\_\_

Prolog software for the IBM-PC

Circle (729) on Reply Card

**Marcom (306)**

Established products \_\_\_\_\_

**516:** Marcom audio monitor/switcher**110/112:** Rood BAX bandwidth extender**SC-203:** Rood FM stereo generator

New products \_\_\_\_\_

**114:** Rood portable BAX bandwidth extender system

Circle (730) on Reply Card

**Marconi Electronics (1609)†**

Established products \_\_\_\_\_

**MR2B:** 1-inch C Format VTR**B4624:** VTR monitoring unit**B3410:** CCD line array telecine with color corrector computer**2019:** Signal generator**2305:** Modulation meter**1650:** Eddystone receiver

# WITH OUR VERSATILE 'DUAL-TRUCK' VIDEO REMOTE PRODUCTION SYSTEM, YOU CALL THE SHOTS!


Take one. Or take both. Go just about anywhere a car can go, and park with ease. Join them together in various configurations. Or split them apart. Either way, our unique dual-truck system—featuring a self-contained electronic production truck and a control room truck—is more versatile and cost-efficient than any comparable system on wheels.

Designed to suit the difficult terrain and environmental conditions of the Mountain States, our system provides the same production capabilities as much larger, conventional tractor/trailer rigs. With enough flexibility to cover anything from small, low-budget shoots to full-blown sports events and concerts.

We can supply experienced crews and customized, cost-efficient equipment packages on a step-scale basis. Choose from broadcast-quality Sony ENG/EFP cameras, recorders and monitors, to sophisticated time code and character generators, switchers, intercoms, audio mixers, etc. And for back-up, we offer our extensive inventory of video and film rental equipment: power supplies, lighting and grip equipment, camera prompters, camera support equipment (including Steadicam), etc. All serviced by our own experienced technicians.

So go ahead and rent just what you need. That's all you will be paying for.

Rental • Sales • Service



**Film/Video  
Equipment  
Service Co.**


1875 South Pearl St., Denver, CO 80210 • (303) 778-8616

Be sure to visit our NAB Booth #1153

Circle (105) on Reply Card



# AM Stereo Without Compromise



## C-QUAM<sup>®</sup> AM Stereo System by Delta Electronics, Inc. FCC Type Accepted

Delta Electronics, Inc. introduces the ASE-1 AM Stereo Exciter and ASM-1 AM Stereo Modulation Monitor: FCC type-accepted C-Quam System transmission equipment for the AM Stereo broadcast market. C-Quam is the *Compatible* Quadrature Amplitude Modulation system developed by Motorola, Inc. C-Quam is the system of choice for more than 70 U.S. stations plus additional Canadian stations. Users range from kilowatt day-timers to full-time network flagships. These stations report enthusiastic response from listeners using multimode and full C-Quam stereo receivers as well as typical monophonic receivers. The key is compatibility without compromise. All listeners, stereo and mono, receive a clear signal with low distortion. Delta's twenty-year leader-

ship in the field of broadcast instrumentation solidly backs this technological advance.

The proliferation of receivers from GM's Delco Electronics, Inc., MacIntosh Labs, Sherwood Electronics, Chrysler Corporation, Concord Electronics, Samsung Electronics and others not yet announced, is creating a sizeable C-Quam audience. With the outstanding performance of this equipment, you can be sure that the audience will *stay* tuned to your Delta C-Quam AM Stereo transmission system.

For additional information, contact Bob Bousman at (703) 354-3350.


C-QUAM is a registered trademark of Motorola, Inc. Manufactured under license from Motorola, Inc.

See us at NAB Booth 105

## DELTA ELECTRONICS

5730 General Washington Drive, Alexandria, Virginia 22312  
Telephone: 703-354-3350 • TWX: 710-832-0273 • Telex: 90-1963

Circle (106) on Reply Card



**Marconi (1609)**  
Continued  
**Cameras:** Studio  
**Generators:** Blackburst and color bar  
**Transmitters:** AM/FM/UHF/VHF  
**Amps:** Pulse and DAs  
TBCs and color correctors  
New products \_\_\_\_\_  
See at booth \_\_\_\_\_  
**Circle (731) on Reply Card**

**Marconi Instruments (1615)**  
Established products \_\_\_\_\_  
**S1100:** AWA audio transmission test system  
**2305:** AM/FM modulation meter  
**2914A:** Insertion signal analyzer  
**2920:** TV interval timer  
New products \_\_\_\_\_  
**6960:** Automatic RF power meter  
**Circle (732) on Reply Card**

**Mark Electronics (1227)†**  
See at booth \_\_\_\_\_  
**Circle (1488) on Reply Card**

**Marshall Electronics (1331)†**  
Established products \_\_\_\_\_  
Distributor of A/V products, including digital audio effects; delay, reverb; A/V sync delay; time expansion/compression  
New products \_\_\_\_\_  
See at booth \_\_\_\_\_  
**Circle (733) on Reply Card**

**Marti Electronics (501)**  
Established products \_\_\_\_\_  
**RPT2:** Hand-carried RPU transmitter  
**RPT15:** Portable aircraft/mobile RPU transmitter  
**RPT25/40:** Portable RPU transmitters  
**ARS15:** Automatic repeater station  
**STL10:** Full back-up telemetry link  
**TSL15:** Return telemetry link  
**RMC15:** Digital remote control  
**ATS15:** Automatic transmitter switcher  
New products \_\_\_\_\_  
See at booth \_\_\_\_\_  
**Circle (734) on Reply Card**

**Matthews (1209)**  
Established products \_\_\_\_\_  
Aluminum and stainless stands, diffusion, lighting control hardware, grip/mounting equipment, dollies, track  
Cine-Vator  
Crank-O-Vator  
Tulip Crane  
New products \_\_\_\_\_  
C-boom clamp, expendable reflectors and brackets, newly designed reflector braking  
Stage stands, kit stands, grip heads and overhead frames  
Cam-Remote system  
**Circle (735) on Reply Card**

**Maxell (1624)†**  
Established products \_\_\_\_\_  
Blank audio and video recording tape; cassettes  
New products \_\_\_\_\_  
See at booth \_\_\_\_\_  
**Circle (736) on Reply Card**  
**see ads on pages 226 and 227**

**McCurdy Radio (207)**  
Established products \_\_\_\_\_  
**AVS-100:** Audio/video routing switcher  
**SS 8722:** Audio console  
**SS 8870:** Audio console  
**VDA-41:** Video distribution amplifier  
**VDA-42:** Video distribution amplifier  
**VDA-10:** Video distribution amplifier  
**VLG-10:** Video leader generator  
**8720-8:** Radio and TV production console  
**8808:** Edit booth console  
**8816:** Air console  
**8824:** Production/air console  
**CS 9000:** Intercom system  
**ARS 5020:** Audio routing switcher  
**CS 9400:** Digitally-controlled intercom  
**SS 8800:** Audio console  
**VSG-10:** Video signal generator  
**OL1930A:** Telephone hybrid  
**CB1950:** Conference bridge  
**EQ 1810:** Audio equalizer  
**EQ 1820:** Telephone channel simulator  
**Circle (737) on Reply Card**  
**see ad on inside back cover**

**McInnis-Skinner**  
See Beston

**McMartin Industries (701)**  
Established products \_\_\_\_\_  
**1000/500 Series:** 8- and 5-channel consoles  
**TBM Series:** FM monitors  
**RPU Series:** Remote pickup equipment  
**BFM-1521R:** FM stereo generator  
**BFM-2001:** SCA generator  
**TR Series:** SCA receivers  
**Accu-Five:** 5-channel mixer  
**BR-400:** 4-channel remote mixer amp  
New products \_\_\_\_\_  
**Comuni-quik Network:** Super-S transmission system for five simultaneous sub-channels from one FM station  
**UDC-1:** SCA data modem  
**TVR-2:** SCA receiver for TV  
**PS-1K/PS-5K:** Power reducers for daytime AM stations  
**BF-400:** 400W FM transmitter  
**BF-30M:** 30kW FM transmitter  
TV stereo monitoring system  
FM translator  
**Circle (738) on Reply Card**

**Meadowlands Communications (110)†**  
See at booth \_\_\_\_\_  
**Circle (739) on Reply Card**

**Media General (410)**  
Established products \_\_\_\_\_  
Station IDs, audio and video  
Production and sales services  
Contest/promotion packages  
Music formats/programming services  
Custom client jingle production  
Custom TV production  
New products \_\_\_\_\_  
See at booth \_\_\_\_\_  
**Circle (1485) on Reply Card**

**Media Service Concepts (622)†**  
Established products \_\_\_\_\_  
Station automation software including Recall, Electric, Log, Electric Bill and Management  
New products \_\_\_\_\_  
See at booth \_\_\_\_\_  
**Circle (740) on Reply Card**

**Meret (1331A)†**  
See at booth \_\_\_\_\_  
**Circle (741) on Reply Card**

**Merlin Engineering (1023)†**  
Established products \_\_\_\_\_  
**258:** Ultra-wide band VTR  
**238:** Extended play kits for 1-inch type C VTRs  
**Service:** Refurbished 2-inch quad VTRs  
**ME-278:** Digital audio delay  
**ME-288:** Standards converter  
**ME-298:** VDA system  
**ME-408:** Color film recorder  
**Distributor:** Apert-Herzog synchronizer, TBC  
New products \_\_\_\_\_  
See at booth \_\_\_\_\_  
**Circle (742) on Reply Card**


**Micmix Audio (106A)**  
Established products \_\_\_\_\_  
**D-2B:** Dynafex non-encode/decode noise reduction system  
**Master-Room Products:**  
**XL-515:** Multifunction reverb  
**XL-404:** Plate synthesizer/reverb  
**XL-305:** Acoustic chamber synthesizer  
**XL-210:** Stereo reverb system  
**XL-121:** Monaural reverb system  
**DC-2:** Variable decay control for reverb systems  
New products \_\_\_\_\_  
**DX-2:** Dynafex noise reduction system with new exciter circuitry  
**Circle (743) on Reply Card**

**Micro Audio Products (1122C)**  
Established products \_\_\_\_\_  
**TX-101:** Wireless mic transmitter  
**MR-1:** Wireless mic receiver  
**MDS-1:** Mobile diversity receiver  
**TRAM:** Microphone systems  
New products \_\_\_\_\_  
**TX-203:** Hand-held wireless mic transmitter with interchangeable mic heads  
**MDR-3:** Mobile diversity receiver  
**MDS-2:** Modular multichannel space diversity receiver  
**CM-1:** Camera mount attachment for MR-1 receiver  
**Mini-Max:** Collapsible microphone booms  
**Circle (744) on Reply Card**

**Micro Communications (1014A)**  
Established products \_\_\_\_\_  
High power UHF inside RF system  
Circular and rectangular waveguide  
LPTV UHF and VHF diplexers  
MDS and ITFS diplexer  
Coaxial switches  
LPTV antennas  
Microwave antennas  
Microwave interferometer  
New products \_\_\_\_\_  
**MDS/ITFS** multichannel combiner  
Combiner with phase shifter  
Diplexer with detunable aural cavities  
**Circle (745) on Reply Card**

**Micro Control (104)**  
Established products \_\_\_\_\_  
**PTS-10C:** Composite STL system  
**Continued on page 152**





Date: Today

**FOR IMMEDIATE ACTION!**

Subject: Howe Audio 7512A  
Stereo Console

Route To: **ALL BROADCAST  
ENGINEERS AND BUYERS**

All design and manufacturing features of the Howe Audio 7512A Stereo Console are Top Priority Sound Information. Carefully check all of the features and after comparing the 7512A with any competitive product, we are sure you will be convinced of the outstanding performance claims of the Howe Audio product. **We suggest Immediate Action in ordering your 7512A!**



Howe Audio Productions, Inc.  
3085 A Bluff Street  
Boulder, Colorado 80301  
(303) 444-4693

For more information: (800) 525-7520

☒ **Check our  
Features**





# HOWE AUDIO 7512A... The

**1** PROFESSIONAL-GRADE LINEAR SLIDE FADERS ... Custom made to our rigid specifications for years of reliable service.


**2** STEREO-CUE SPEAKERS ... For accurate starting of selections.

**3** VUE-METER DISPLAYS ... For left and right "program" plus left and right "audition." "Air" LED meter display.

**4** "UP-COUNT" TIMER ... Programmable to start from the fader buttons.

**5** "REAL-TIME" CLOCK ... Easy access to controls.

**6** MONITOR SELECTION ... For "audition," "program," and "air"; with two auxiliary monitor inputs and a headphone assignment control.



**"I'm a Howe Audio 7512A ... See me (plus others)"**



# Ultimate Audio Console


**REMOTE INPUT SELECTION** ... For Channels One and Two — six inputs per channel.

**8 DIGITAL LOGIC CONTROL** ... For all channels — allowing for remote control of equipment interfaced to the console. Two "talk back" circuits are programmable for your particular needs.

**9 LEVEL CONTROLS** ... For monitors, headphones, and cue circuits. Stereo/mono monitor switch also provided.

**10 OPTIONAL PANEL SPACE** ... Available for customizing to your station's needs; including A/B switching, etc.

**11 CLASSIC OAK CABINETRY** ... Lends elegance to the classic console design as it enhances the durable LEXAN® finish of the control surfaces.



standing attractions) at NAB Booth 321."



unrivalled in quality and cost efficiency. Their sleek styling and professional design assure years of dependable operation. All Howe Audio Consoles come complete with a three-year warranty backed by 24-hour-a-day, 7-day-a-week service. Equip your facility with the best... the HOWE AUDIO SOUND SOLUTION!

Join the hundreds of broadcasters such as Larry Irons, K-RENO Operations/Program Director, who have found the HOWE AUDIO products to be unequalled in quality and dependability.

**"We are certainly pleased with our Howe Audio 7500 Console. It's a beautiful board with all the features we need - and at a price that keeps the GM smiling. Thanks for making a quality product such a great value!"**



Larry Irons,  
Operations/Program Director  
Station K-RENO

### Howe Audio Dealers:

- |   |   |  |   |
|---|---|--|---|
| <ul style="list-style-type: none"> <li>■ <b>Mr. Chuck Spencer</b><br/>Spencer Broadcast<br/>P.O. Box 26899<br/>Phoenix, AZ 85020<br/>(602) 242-2211<br/>316 E. El Camino Dr. N.E. 85068</li> <li>■ <b>Mr. Brian Costello</b><br/>Funke &amp; Associates<br/>908 Marilyn Drive<br/>Campbell, CA 95008<br/>(408) 866-0648</li> <li>■ <b>Mr. Barrett Meyer</b><br/>Meyer and Associates<br/>800 Grand Ave.<br/>Carlsbad, CA 92008<br/>(619) 729-4957</li> <li>■ <b>Mr. Ted Tripp</b><br/>Marcom<br/>P.O. Box 66507<br/>Scotts Valley, CA 95066<br/>(408) 438-4273</li> <li>■ <b>Mr. Jim Menefee</b><br/>Broadcast Wholesale<br/>Electronics<br/>219 N. Roscoe Blvd.<br/>Ponte Vedre Beach, FL 32082<br/>(904) 285-3778</li> <li>■ <b>Mr. Vern Steed</b><br/>Steed Associates<br/>1403 Orange Ave.<br/>Ft. Pierce, FL 33450<br/>(305) 466-0000</li> </ul> | <ul style="list-style-type: none"> <li>■ <b>Mr. Larry Hall</b><br/>Hall Electronics<br/>P.O. Box 5031<br/>Boise, ID 83705<br/>(208) 343-3088</li> <li>■ <b>Mr. David Burns</b><br/>Allied Broadcast Equipment<br/>P.O. Box 1487<br/>Richmond, IN 47374<br/>(317) 962-8596</li> <li>■ <b>Mr. Bob Silver</b><br/>P. R. S.<br/>1616 Soldiers Field Rd.<br/>Boston, MA 02135<br/>(617) 254-2110</li> <li>■ <b>Mr. Bill Emery</b><br/>AVC Systems<br/>2709 E. 25th Street<br/>Minneapolis, MN 55406<br/>(612) 729-8305</li> <li>■ <b>Mr. Bob Cauthen</b><br/>Southern Coastal Marketing<br/>800 North Polk Street<br/>Pineville, NC 28134<br/>(704) 889-4508</li> <li>■ <b>Mr. Jim Lencioni</b><br/>Broadcast Service Company<br/>921 Desert View Lane<br/>Sparks, NV 89431<br/>(702) 359-8218</li> <li>■ <b>Mr. Bill Bingham</b><br/>Northeast Broadcast Labs<br/>15 Charles Street<br/>South Glens Falls, NY 12801<br/>(518) 793-2181</li> </ul> | <ul style="list-style-type: none"> <li>■ <b>Mr. Art White</b><br/>Audio Associates<br/>814 West Broad Street<br/>Bethlehem, PA 18018<br/>(215) 865-6013</li> <li>■ <b>Mr. Alan J. Winkler</b><br/>Processing Plus<br/>1701 Union Blvd.<br/>Allentown, PA 18103<br/>(215) 432-0671</li> <li>■ <b>Mr. Bernie Giesler</b><br/>Giesler Broadcasting Supply<br/>5914 Maple<br/>Houston, TX 77074<br/>(713) 774-3314</li> <li>■ <b>Mr. Gene Randolph</b><br/>Continental Electronics<br/>P.O. Box 270879<br/>Dallas, TX 75227<br/>(214) 381-7161</li> <li>■ <b>Mr. Gene Sudduth</b><br/>The Gene Sudduth Co.<br/>P.O. Box 1116<br/>Paris, TX 75460<br/>(214) 785-5764</li> <li>■ <b>Mr. Gene Sudduth Jr.</b><br/>The Gene Sudduth Co.<br/>P.O. Box 293<br/>Flint, TX 75762<br/>(214) 894-6303</li> <li>■ <b>Mr. L. Clark Partridge</b><br/>Partridge Sales<br/>P.O. Box 21205<br/>Salt Lake City, UT 84121<br/>(801) 272-3131</li> </ul> | <ul style="list-style-type: none"> <li>■ <b>Mr. David Green</b><br/>Broadcast Consultants Corp.<br/>P.O. Box 590<br/>Leesburg, VA 22075<br/>(703) 777-8660</li> <li>■ <b>Mr. Bob Gorjance</b><br/>Enterprises Broadcast<br/>155 Executive Drive<br/>Brookfield, WI 53005<br/>(414) 782-7996</li> <li>■ <b>Mr. Michael Leader</b><br/>Leader Broadcast<br/>Box 762<br/>Linwood, WA 98036<br/>(206) 355-8559</li> <li>■ <b>Mr. Carl Peterson</b><br/>IGM Communications<br/>4041 Home Road<br/>Bellingham, WA 98226<br/>(206) 671-3970</li> <li>■ <b>Mr. Tim Schwieger</b><br/>Broadcast Supply West<br/>7012 27th Street West<br/>Tacoma, WA 98466<br/>(206) 565-2301</li> <li>■ <b>Mr. Michael Beebe</b><br/>W. G. Leatham, LTD.<br/>P.O. Box 1284<br/>Wellington, New Zealand<br/>859-408</li> <li>■ <b>Mr. Wilf Rice</b><br/>Comad Communications<br/>LTD.<br/>7621 26A Street<br/>Calgary, Alberta, Canada<br/>T2C 1E6 (403) 236-3808</li> </ul> |
|---|---|--|---|

Dealers listed alphabetically by state  
or country

## HOWE AUDIO 7512A STEREO CONSOLES...



howe audio productions, inc.

3085 A Bluff Street

Boulder, Colorado 80301


(303) 444-4693 For more information: (800) 525-7520

Circle (107) on Reply Card

**the  
Sound  
Solution**



# HIGH PERFORMANCE



## Video Equalizing Amplifier VEA-662

**\$265.00**

This wideband, six-output amplifier is the latest addition to our comprehensive line of distribution equipment. It features differential input,

soft backporch clamping and easily set, continuously variable equalization from zero up to 300 meters (1000 feet) of Belden 8281 or equivalent coaxial cable. Delay trim and common mode hum null controls are also provided. A unique feature of this ultrastable, low power amplifier is a removable sub-module which contains the operational controls for gain and equalization. This allows instant, adjustment-free amplifier substitution.

## Here are some prominent SPECIFICATIONS

### Input

Return loss	> 54 dB to 5 MHz
	> 46 dB to 10 MHz
Common mode rejection	> 60 dB to 1 kHz

### Outputs

Return loss	> 40 dB to 5 MHz
	> 36 dB to 10 MHz
Output isolation	
Signal (3.58 MHz)	> 48 dB
Load	< 0.05 dB/load at 10 MHz
	< 0.15°/load at 3.58 MHz
Output DC	< ± 25 mV at back porch

### Timing

Delay	25.4 ns (32.7° at 3.58 MHz)
Adjustment range	typically 6° at 3.58 MHz

### Power Requirements

Total power dissipation	< 2 W
-------------------------	-------

### Performance

Frequency response	< ±0.02 dB to 5 MHz
	< ±0.1 dB to 10 MHz
	+0 -0.2 dB at 15 MHz
	typically -0.6 dB at 20 MHz
Differential phase	< 0.1° 10% to 90% APL
Differential gain	< 0.2% 10% to 90% APL
H tilt	< 0.25%
V tilt	< 0.25%
S/N ratio	> 70 dB to 20 MHz
	(rms noise/0.714 V)
	unweighted

### Equalization

Range	0 - 300 m (0 - 1000 ft)
	Belden 8281, Northern
	Electric 728, or equivalent
Response	< ±0.05 dB to 5 MHz
	< ±0.15 dB to 10 MHz
	typically -0.2 dB at 15 MHz
	typically -1.0 dB at 20 MHz

***Compare price and performance . . .  
then give us a call.***

**Leitch Video of America, Inc.**  
825k Greenbrier Circle  
Chesapeake, VA 23320  
Tel.: (804) 424-7920  
Telex II: 710 882 4342

**LEITCH**

Circle (108) on Reply Card

**Leitch Video Limited**  
10 Dyas Road  
Don Mills, Ontario M3B 1V5  
Tel.: (416) 445-9640  
Telex: 06 986 241

**Micro Control (104)***Continued*

**PTS-10N:** Narrowband STL link  
**RCR-9:** Remote control with nine channels  
*New products*  
**PTS-10CD:** 3-channel STL for AM stereo  
**2002:** STL Uniphase exciter  
**Circle (746) on Reply Card**  
*see ad on page 108*

**Microdyne (1612)**

*Established products*  
**PR 10:** 3m Ku-Band antenna  
**PR 12:** 3.7m SCPC antenna  
**1100BDC/DCR-12:** Ku-Band video receiving system  
**1100TVRX-24B-2:** C-Band video receiver  
*New products*  
**1100 SCM:** SCPC audio modulator  
**1100 TVE:** SCPC upconverter  
**1100 PCDR:** SCPC audio demodulator  
**PR-12T:** Transportable SCPC uplink system  
 Fully redundant SCPC uplink system  
**Circle (747) on Reply Card**  
*see ad on page 121*

**Microtime (1230)**

*Established products*  
**T2E-120:** A/B roll effects system  
**T-120D:** TBC for dynamic tracking and digital effects  
**T-120:** TBC for non-segmented ½-inch and U-matic VCRs  
**T-100:** TBC

**S-230:** TBC/frame synchronizer  
**S-130:** Frame synchronizer  
**2100:** Video image processor  
**C-150:** Commercial insertion system  
**Digitrol 2:** VTR machine controller  
*New products*  
**TSE-120:** A/B roll effects system, including one T-120D TBC, one S-230D TBC/frame synchronizer and the E-120 effects processor  
**S2E-120:** A/B roll effects system including two S-230D TBC frame synchronizer systems and the E-120 effects processor  
**S-230D:** Infinite window TBC for ½-inch and U-matic heterodyne VTRs with or without capstan servo, as well as in-house or remote signals  
**Circle (748) on Reply Card**  
*see ads on pages 168 and 169*

**Microwave Associates**

See M/A-COM

**Microwave Communications (1004)**

*New products*  
**MLV-I Series:** Transportable microwave link for transmission of video and four audio program channels for outside broadcast or emergency restoration  
**Circle (749) on Reply Card**

**Midwest (1710/1710A)***Established products*

Turnkey mobile units, broadcast facilities

*New products*

**M40:** 45-foot mobile broadcast production vehicles, fully operational with Type C and U-matic recorders with Ikegami studio and hand-held cameras with digital effects  
**Circle (750) on Reply Card**  
*see ads on pages 18 and 19*

**Milab (1018)**

*New products*  
**VIP-50:** Condenser microphone with rectangular capsul, variable patterns, transformerless and switchable between mic and line levels  
**Circle (751) on Reply Card**

**Mini-TP (1134)†**

See at booth  
**Circle (752) on Reply Card**

**Minolta (1113)**

*Established products*  
**Color Analyzer II**  
**Meters:** Chroma II; illuminance; luminance  
*New products*  
 See at booth  
**Circle (753) on Reply Card**  
*see ad on page 126*



*The heart of the 632 Series image processing system, a 4:1:1, Component-coded Frame Synchronizer.*



**Mitomo** (1509)  
Established products \_\_\_\_\_  
**MRD-100P:** Random-access changer for discs  
**MAX-31D:** Audio mixer (portable)  
**MAX-30:** Audio mixer (portable)  
**MRC-45:** Rapid charger  
**MVW-20E:** Videocassette winder with eraser  
New products \_\_\_\_\_  
**MRD-100P:** Random-access changer for discs  
**MAX-31D:** Portable audio mixer  
**MAX-30:** Portable audio mixer  
**MRC-45:** Rapid charger  
**MVW-20E:** VHS videocassette winder with eraser  
**Circle (754) on Reply Card**

**Modular Audio Products** (325)  
Established products \_\_\_\_\_  
**IMPAC** line of card amplifiers, including mic preamps, line amps, audio DAs, switcher cards, oscillators, noise generators and VCAs  
Rack-mount audio DAs and power supplies  
Panel mounted equalizers, compressor/limiters, oscillators  
Racks, op-amps, transformers, accessories  
New products \_\_\_\_\_  
**4824:** 1x8 audio DA  
**4046:** Line mix amplifier  
**2100:** Power supply  
**7102:** Stereo compressor

**7301:** Newsroom switcher  
**Circle (755) on Reply Card**  
see ad on page 342

**Modulation Associates** (1737)  
Established products \_\_\_\_\_  
**R-SAT:** Optimized SCPC satellite for regional radio networks  
**MC-SAT:** Multichannel-SAT for combinations of wideband and optimized SCPC audio/data demods with multiplex and downconverter options  
**SU-10:** 10W solid state broadcast audio and data uplink, with dual redundancy, portable and remote control options  
**AM-200:** Audio monitor for 6 program circuits  
New products \_\_\_\_\_  
**DATA-SAT:** Receiver for reliable reception of 56kbit/sec. data over satellite links  
**UC-10:** Satellite uplink controller, providing remote control and monitoring  
**SSTS-SAT:** Frequency-agile 24-channel video receiver with agile subcarrier receiver capable of selecting one of 12 frequencies  
**Circle (756) on Reply Card**  
see ad on page 161

**Modulation Sciences** (204B)†  
Established products \_\_\_\_\_

**CLD-2500:** Composite driver/receiver  
**Sidekick:** SCA generator  
New products \_\_\_\_\_  
See at booth  
**Circle (757) on Reply Card**

**Mole-Richardson** (1006)  
Established products \_\_\_\_\_  
**Solar-Arc** Solarspot fixtures  
**Molepar** fixtures  
**Molepole** Solarspot fixtures  
**Softlite** fixtures  
**Molite** and **Molekits**  
**Molequartz** Molelipso fixtures  
**Molefar** Super Quartz Cyc-Strips  
**Quartz** scoops, broads, **Nooklites**  
**Molefay** and **Molecool** fixtures  
**Hanger**, adapter and grip equipment  
New products \_\_\_\_\_  
**Molelectronic dimmer:** 12kW ac/dc dimmer units  
**Molescent light:** 160W 4-tube fluorescent fixture  
**Mole Solar-Arc Solarspot:** 6kW 14-inch HMI light  
**PAR36 Molepar:** 200W HMI light  
**Junior Moleremote Solarspot:** 2kW 8-inch wireless light  
**Circle (758) on Reply Card**

**Monks, Keith**  
See Keith Monks Audio →

# If you're a Decision Maker, here's an easy one:

REQUIREMENTS	YOU COULD PAY	HARRIS 632
Digital noise reduction	\$ 9,000	Included
Digital keying	7,500	"
Picture compression/position	18,000	"
Frame synchronization	12,000	"
Time base correction	10,000	"
Remote control	5,000	"
	<u>\$61,500</u>	<u>\$27,990</u>

**OK, what will it take to get the job done?**

The Harris 632 Series image processing system. It gives you a combination of signal processing capabilities and features that will add versatility to your studio, and imagination to your productions.

And at less than half what you could spend on separate pieces of equipment.

So, if you're trying to get a job done and stay within a budget, the *component-coded* 632 (for NTSC) or 631 (for PAL) may just be the right answer.

Try a 632. Then try to be without it.

For information contact: **Harris Studio Division, Video Systems Operation, 1255 E. Arques Avenue, Sunnyvale, CA 94086 (408) 737-2100**  
Telex 4992172

Harris Studio Division



**HARRIS**

Circle (109) on Reply Card

**Montage Computer (1775)**

New products \_\_\_\_\_

**Montage 5000:** Digital picture processor  
Circle (759) on Reply Card**Moseley Associates (301)**

Established products \_\_\_\_\_

**MRC-1/MRC-2/MRC-1600:**

Microprocessor-based remote control systems

**PCL-505/PCL-606:** STLs**RPL-4B:** Remote pickup link**TRL-1:** Telemetry return link**SCG-9/SCD-9:** Stereo generator/demodulator**SCG-8/SCD-8:** Subcarrier generator/demodulator**TFL-280B:** Audio limiter

New products \_\_\_\_\_

CRT and auto logging options for the MRC-1600 remote control system

**PCL-606/C:** STL system for 1.7GHz

Circle (760) on Reply Card

**Motorola (309)**

Established products \_\_\_\_\_

AM stereo exciter

AM stereo modulation monitor

Communications products

Mobile telephone equipment

New products \_\_\_\_\_

See at booth  
Circle (761) on Reply Card  
see ad on page 141**Multi-Track Magnetics (1712)†**

Established products \_\_\_\_\_

**108DCS:** Servo drives/torque motors**TD-106/DCS:** Reproducers, motor drives

New products \_\_\_\_\_

See at booth

Circle (762) on Reply Card

**Music Director Programming (709)**

Established products \_\_\_\_\_

Music library for pop and country formats

Weekly music supply service for adult-contemporary and country format stations

New products \_\_\_\_\_

Music research service, based on nationwide listener tests. 300 oldies for adult-contemporary and CHR/Top 40 stations

Circle (763) on Reply Card

**The Musicworks (209)**

Established products \_\_\_\_\_

Radio programming formats to give owner/managers control of station image and music content

Country Alive format

Country 80 format

Casual Country format

Pop Adult Lifestyle format

New products \_\_\_\_\_

Feature shows, including Ralph Emery Show, Jim Reeves Radio Special

Seasonal specials including Country Christmas Music Service

Circle (764) on Reply Card

**Mycro-Tek (1752)†**

Established products \_\_\_\_\_

Character generators

New products \_\_\_\_\_

See at booth

Circle (765) on Reply Card

**NEC America (1415)**

Established products \_\_\_\_\_

**E-FLEX DVE:** Video effects with perspective and rotation**SP-3:** 3-chip CCD camera**FS-18:** Frame synchronizer with TBC option**TVL-800:** 7GHz microwave system**Series:** UHF/VHF TV transmitters**Series:** FM transmitters and exciters

New products \_\_\_\_\_

**FBN-9000:** FM transmitter**AS-18:** Audio synchronizer

Circle (766) on Reply Card

see ads on pages 66 and 155

**NTI America (1014D)**

Established products \_\_\_\_\_

**525A12:** Signal generator

New products \_\_\_\_\_

**MEK-1000:** Multi-effect keyer**DSS-11:** Frame-store/still-store

Circle (767) on Reply Card

see ad on page 178

**Nady Systems (1133)**

Established products \_\_\_\_\_

**700/900/mic:** VHF wireless mic systems**Nady 49:** 49MHz wireless mic system**HM I & II:** Nady Headmics

# OUR ENHANCER DOES MORE THAN YOU THINK

suppression to reduce noise in dark areas

- Split-screen mode allows side-by-side comparison of enhanced and unenhanced video.



Before you judge our horizontal and vertical image enhancer solely by its moderate price, consider its features... some of them unusual:

- 4.5 MHz bandwidth, 2H-type vertical enhancement, plus horizontal aperture correction and detail enhancement, optimized for 1/2" & 3/4" formats
- Adjustable coring to suppress overall enhancement noise
- Adjustable enhancement-


- Loop-through video input with switchable 75 ohm termination
- Four video outputs
- Unique one line vertical chroma registration switch
- Enhancement signal gating and white/black level clippers to prevent picture tearing or recording level shifts caused by over-enhancement

- Special video output consisting of enhancement signal with 50% setup and sync
- Price: \$1295

Also note that the Vidicraft H &amp; V

image enhancer is constructed

for stand-alone or 1 3/4" rack-mount use. It is available in 120V or 220V, NTSC or PAL (4.43 MHz)/SECAM versions. For complete information or to order call 800-547-1491.


**vidicraft®****H & V VIDEO IMAGE ENHANCER**

TWX: 910-464-5156 • (503) 223-4884 • 0704 S.W. Bancroft Street • Portland, Oregon 97201

Circle (110) on Reply Card



# EVEN THE HAIRIEST SITUATION CAN'T SHAKE UP THE FIRST 3-CHIP CAMERA.



Some gripping news from NEC: the ENG camera has come of age. Our new SP3 packs so many features into 7.3 lbs., it's a small wonder.

With three CCD chips instead of tubes, the SP3 can take all the abuse your crew dishes out, and never needs registering. It produces broadcast quality pictures with over 500 lines of resolution. And better still, you can use it with any format — VHS, Beta,<sup>™</sup> or  $\frac{3}{4}$  inch.

To find out more about the SP3, the most newsworthy camera around, call NEC at 1-800-323-6656. In Illinois, call 312-640-3792.

## NEC

### IMAGINE WHAT WE'LL DO NEXT

NEC America, Inc., Broadcast Equipment Division  
130 Martin Lane, Elk Grove Village, Illinois 60007



Circle (1) on Reply Card





# ONE NEW MONITOR FOR BOTH



Your choice of input displays (A, B, Test or RGB) is only one of many advanced features in the new Conrac 6200 master video monitor. A simple front panel switch lets you use the same monitor to display computer graphic images or live action shots.

The Conrac 6200 is the first in-line monitor with full broadcast features that meets the demanding requirements of Class 1 performance levels. That includes Conrac's best-yet white field and brightness uniformities, consistent Colormatch™ phosphors, switchable comb filter and notch filter chroma separators and status indicator lights that reduce trouble-shooting time to almost nothing.





## KINDS OF ACTION.

And all this at prices under \$5000 list for a full 19-inch cabinet model, \$4675 list for 13-inch CRT models.

With the introduction of the 6200, Conrac continues its 37 year commitment to providing the highest quality professional monitors for technical and artistic evaluation of broadcast picture quality.

For Conrac 6200 Technical Specifications, use the Reader Service number or call Conrac Marketing Communications at (213) 966-3511.

Contact Conrac Division for a full color reproduction of this illustration which is suitable for framing.



IMAGE FROM DUBNER COMPUTER

Circle (113) on Reply Card

MIDWEST (312) 833-3310 • EAST (203) 348-2100 • NEW ENGLAND/CANADA (617) 485-7910 • SOUTH CENTRAL (214) 235-8933 • EUROPE (49) 0 79 34/70 71

[www.americanradiohistory.com](http://www.americanradiohistory.com)

Otari (601)

Established products \_\_\_\_\_

**MX-5050-BII/BQII:** ¼-inch open-reel ATRs

**MARK III Series:** ATRs in ¼-inch and ½-inch, 2-, 4- and 8-channel formats

**MTR-10/12:** ¼-inch and ½-inch ATRs

**MTR-90:** ATRs in 8-, 16- and 24-track formats

**DP-4050-C1:** 1-master/1-slave stereo cassette duplicator

**DP-4050-OM:** Open reel master tape duplicator for use with C1 system

**VL-Series:** Videotape loaders for VHS, Beta, U-matic and 8mm cassettes

New products \_\_\_\_\_

**EC-400:** Tape speed resolvers

**DP-80:** High speed duplication system  
Prototype ATRs in 1-inch, 8- and 16-

channel formats

Circle (785) on Reply Card

see ad on page 340

Otis Conner (414)†

Established products \_\_\_\_\_

**Services:** Production, ID, radio/TV

**Library:** Music

New products \_\_\_\_\_

See at booth

Circle (786) on Reply Card

Pacific Recorders & Engineering (113)

Established products \_\_\_\_\_

**TOMCAT:** Cartridge tape recorder/player

**BMX Series:** On-air consoles

**SDA-8:** Stereo audio DA

**LSM-10:** Line selection module for audio selection and editing

Furniture systems for combo, production and newsroom

New products \_\_\_\_\_

**ABX-18/28/34:** Audio production consoles featuring multitrack production facilities

Circle (787) on Reply Card

see ad on page 93

Paltex Ltd. (1005)

(formerly Datatron)

Established products \_\_\_\_\_

Vanguard videotape editing system

New products \_\_\_\_\_

Edit-Star videotape editing system

New generation of digital video equipment including dual and single TBC/field stores with multiple inputs per channel, digital mixing/effects, digital picture processing and enhancement

Circle (788) on Reply Card

see ad on page 295

Panasonic Industrial (1019)

(Broadcast Systems)

Established products \_\_\_\_\_

**AU-300A:** M Format studio VCR and editing system

**B-100:** M Format camera VCR

**MVP-100:** Multifunction video player

**WJ-5600B:** 1-piece special effects generator

**TU-200X:** Professional NABTS teletext decoder

**WV-555/WV-888:** 3-tube ENG/EFP prism-optics cameras

**AG Series:** ½-inch VHS VCRs

High performance video monitors

New products \_\_\_\_\_

See at booth

Circle (789) on Reply Card

see ads on pages 24, 25 32 and 33-40

Panavision

See CEI/Panavision

Patch Bay Designation (1773)

Established products \_\_\_\_\_

Preprinted labeling strips for use on patch panels

New products \_\_\_\_\_

Label products for use with illuminated switches

Circle (790) on Reply Card

Peerless Sales (1618B)

Established products \_\_\_\_\_

**4005:** Camera arm

Desk-, wall- and ceiling-mount security brackets

Single-arm design wall bracket

Yoke design wall bracket

New products \_\_\_\_\_

See at booth

Circle (791) on Reply Card

Penny & Giles (\*)

Established products \_\_\_\_\_

Linear faders using conductive plastic, series 1100, 1500, 1900 and 3000

Rotary faders, mono and stereo, linear and audio tapers, with or without cue detent

# Clear-Com Gives You...



# ...a Choice!

For more information, call or write:

**Clear-Com®**  
intercom systems

1111 17th St. / San Francisco, CA 94107

415-861-6666 / TWX: 910-372-1087

EXPORT DIV.: Box 302

Walnut Creek, CA 94596 / 415-932-8134

Telex: 176340 CLEAR-COM WNCK

In this demanding industry so abundant with incompatible formats, Clear-Com presents TWO barrier-breakers: a 2-channel belt-pack that works on standard mic cable and a Clear-Com-to-RTS System Interface!

Our CP-300 Two-Channel Belt-Pack is not only a high-intelligibility Clear-Com Remote Station, but it also provides the same pin-to-pin connections as RTS-type intercoms with *better performance*.

Ergonomically, the tough, lightweight CP-300 has been designed for camera operators and production people. Dynamic or carbon headset-compatible, it features rocker switches that place Clear-Com's popular features at your fingertips. Three-pin XLR input and output connectors allow simple, quick set-up.

The CP-300 works with any Clear-Com or RTS System. You decide: do you want one channel or two? Finally, you can enjoy two channels of communication in an RTS-type OR Clear-Com-type\* intercom system.

**The choice is yours!**


\*two channels when used with Clear-Com TW-12 two-wire interface

Come See and Hear for Yourself at NAB Booth #1502

Circle (114) on Reply Card



# IN SATELLITE RADIO EQUIPMENT ... **MODULATION ASSOCIATES** IS THE LEADER



- The SU-10 is the first completely portable SCPC solid state satellite uplink. It allows any earth terminal in a network to become a transmitting station for news collection, for regional program uplinking to the network, or for data transmission.
- The R-SAT is the first optimized SCPC satellite receiver specifically designed for state and regional networks. There are more R-SAT's in operation in regional networks than any other system.
- The DATA-SAT is the first receiver designed for reliable, low cost point-to-multipoint reception of 56 kbs data over satellite links. It allows affordable high speed data reception of weather, financial, commodity, and other broadcast data information to multiple users from a common originating uplink.
- The MC-SAT (Multichannel) can accommodate any combination of wideband or optimized SCPC audio and/or data demodulators along with an extensive line of multiplex and downconverter options. Its expansion capabilities make the MC-SAT the affordable choice of many networks.

MODULATION ASSOCIATES is the pioneer and leader in state-of-the-art satellite technology. Let the satellite network experts help you with your complete satellite package, including:

- Hardware
- Space Segment
- FCC Licensing
- Installation



SU-10

Contact Terry Sheffield  
Executive Vice President  
(415) 962-8000



Modulation Associates  
897 Independence Avenue  
Mountain View, CA 94043  
(415) 962-8000

**Penny & Giles (\*)**

Continued

Joystick quad pan potentiometers in X, XY or XYZ movement

New products \_\_\_\_\_

See at booth

**Circle (792) on Reply Card**

see ad on page 220

**PEP (1408)**

Established products \_\_\_\_\_

**PEP ENG Power Plus:** Batteries and chargers

Portable 12Vdc and 30Vdc lighting equipment

PEP On-Cam ½-inch VCR

New products \_\_\_\_\_

**PEP XL Super Charge:** A new generation of nicad batteries**PEP DAC2:** ENG battery conditioner, featuring 2-channel analyzer and charger**PEP ES800:** Alternate edit source, allowing direct interface of ½-inch VHS-C On-Cam VCRs to BVU800 editing control system**Circle (793) on Reply Card****Peter W. Dahl Company**

See Dahl, Peter W.

**Perrott Engineering (1729)**

Established products \_\_\_\_\_

**MP Series:** Silver-zinc battery packs**PE Series:** Nicad battery packs**Minichargers:** Fast, medium-fast and overnight minichargers for nicad and silver-zinc batteries

New products \_\_\_\_\_

**PE8204-2:** Universal-universal multiple fast charger**PE138D:** Cellmate discharger/analyzer**Circle (794) on Reply Card**

see ad on page 332

**Philadelphia Resins (126)**

Established products \_\_\_\_\_

Phillystrand HPTG tower guy material for high power operation

New products \_\_\_\_\_

See at booth

**Circle (795) on Reply Card**

see ad on page 68

**Philips TV Systems (1500A)**

Established products \_\_\_\_\_

**LDH 6200:** Color monitor**LDK-6:** Computerized TV camera**LDK-14/44:** TV cameras

TV transmitters

FM transmitters

Pro digital compact audio disc systems

New products \_\_\_\_\_

**LDK-614:** Portable computerized camera, companion to the LDK-6**LDK-26:** Midstudio camera using ¾-inch tubes, computer control, triax and LDK-6 compatible**LDK-54:** Video recording camera, using ¼-inch Lineplex tape format with playback and post-production systems**LDK-14RGB:** Lightweight production camera**LDH 6220:** 20-inch color monitor**LDM 1208:** 55kW TV transmitter  
FM transmitters from 100W-20kW with modular drive and comprehensive monitoring and control logic

HDTV demonstration

Optical disk mastering demonstration

**Circle (798) on Reply Card**

see ads on pages 232 and 233

**Philips Test & Meas. Instr. (1408A)†**

Established products \_\_\_\_\_

**PM5565:** Waveform monitor**PM5567:** Vectorscope**PM5539:** Color analyzer**PM5533:** Color signal generator**PM5560:** TV demodulator**PM5570:** Video test signal generator**PM5580:** IF modulator**PM5581/5582:** VHF/UHF converter**PM5583:** Converter base unit**PM3263X:** 100MHz oscilloscope with TV trigger

New products \_\_\_\_\_

**PM5630:** Color generator**PM5631:** Multipattern color generator**PM5632:** SECAM color generator**PM5645:** Teletext test generator**PM5634:** Sync/test generator**PM5651:** Studio VITS generator**PM5669:** TV test modulator**PM5671:** TV modulator**PM5672/73:** TV modulator with dual sound for CATV**Circle (799) on Reply Card**

see ad on page 127

**Phoebus (1331C)**

Established products \_\_\_\_\_

**UA120RH/LT:** Ultra Arc long-throw follow-spot**UA120RH/ST:** Ultra Arc short-throw follow-spot**UQ120/82:** Ultra Quartz fixture

New products \_\_\_\_\_

Ultra Arc series II fixtures

**Circle (800) on Reply Card****Phoenix Systems (609)†**

Established products \_\_\_\_\_

**Automation:** Station business, music format and word processing

New products \_\_\_\_\_

See at booth

**Circle (801) on Reply Card****Picture Element (1517B)†**

See at booth

**Circle (802) on Reply Card****Piher Electronic (1409A)**

Established products \_\_\_\_\_

**PM-4600 Series:** Color monitors**PM-3600 Series:** B/W monitors**IM-4300 Series:** Color monitors**HR-3600 Series:** B/W monitors**TP-4696B:** Color video titler**TR-4700 Series:** VHF/UHF transmitters up to 5kW**TT-4700 Series:** VHF/UHF transmitters, up to 5kW

New products \_\_\_\_\_

**CG-4721:** Character generator**AC4-4700:** RF automatic control/switcher**Circle (803) on Reply Card****Pinzone (1615A)**

Established products \_\_\_\_\_

**RCD-100:** Diagnostic system for the RCA TCR-100 videotape cart**8250:** Satellite receiver

Complete uplink and downlink satellite system

New products \_\_\_\_\_

**RCD-100P:** Computer printer option to diagnostic system**Circle (804) on Reply Card****Polar Research (511)†**

Established products \_\_\_\_\_

**Lil Slipper:** Communications/monitoring antenna mounts, UHF/VHF

New products \_\_\_\_\_

See at booth

**Circle (805) on Reply Card****Porta-Brace/K&H Products (1746)**

Established products \_\_\_\_\_

Recorder transportation cases for Sony BVU50, BVU110, VO-4800 and JVC CR4700

Camera cases for Ikegami HL79, JVC KY310, Sony DX3M3 and Sharp XC-800

New products \_\_\_\_\_

**CC Beta P:** Camera case for Sony Betacam system**CC B100 P:** Camera case for Panasonic

RECAM system

**Circle (806) on Reply Card****Porta-Pattern (1427)**

Established products \_\_\_\_\_

**001 Series:** TV test charts/systems**002 Series:** Telecine test slides**005 Series:** Telecine test films**006 Series:** 8x10 test transparencies**010 Series:** Spherical transparency illuminators**020 Series:** DuoChart test charts systems

New products \_\_\_\_\_

**001-45:** Zone plate chart for 525-line use**001-46:** Zone plate chart for 625-line use**001-41A:** Depth of modulation chart (upgraded)**030 Series:** Large studio test charts**Circle (807) on Reply Card****Potomac Instruments (100)**

Established products \_\_\_\_\_

**AT-51:** Audio test system**FIM-41:** AM field strength meter**FIM-71:** FM-TV field strength meter**SD-31:** Synthesized detector**AM-19:** Antenna monitors**SMR-11:** AM monitor receiver**DAP-11:** Data acquisition/logging system**ATS-11:** Automatic transmission system

New products \_\_\_\_\_

**RC-16+:** Automatic remote control system**MPC-11:** Automatic modulation and power controller for AM**FIM-72:** UHF field strength meter**Circle (808) on Reply Card**

see ad on page 64

**Precision Echo (1617)**

Established products \_\_\_\_\_





# 50

## YEARS



# EXCELLENCE



## EIMAC

## 1934-1984

# Supporting Broadcasting for 50 years

**50 years of quality and dependability from Varian EIMAC.**

EIMAC's tradition of high quality and dependability was firmly established in 1934 and continues on in 1984. Stringent manufacturing standards and controls, plus EIMAC's exclusive, long-term warranty reduces transmitter downtime and eliminates excessive operating overhead.

EIMAC backs its quality products with the industry's most comprehensive warranty program:

Warranty time for each EIMAC tube type is specified in writing and runs from the industry standard of 1,000 hours or 12 months to as high as 10,000 hours and 24 months.

Specific warranties for some popular tube types are:

4CX5000A	10,000 hours/24 months
4CX10,000D	10,000 hours/24 months

4CX15,000A	10,000 hours/24 months
4CX35,000C	10,000 hours/24 months
3CX2500A3	5,000 hours/12 months
4CX1500A	5,000 hours/12 months
5CX3000A	5,000 hours/12 months

Fourteen other EIMAC types have these extended use-time warranties. Specific warranties for each tube type are available from the Varian EIMAC worldwide sales organizations.

In all cases, EIMAC tubes are 100% warranted to be free of manufacturing defects. And, don't forget, EIMAC has a "carcass credit" return program for real savings on replacement tubes.

Compare EIMAC's 50-year record of outstanding performance. We guarantee EIMAC products will be here tomorrow for today's applications.

More information is available on EIMAC tubes and warranty program from Varian EIMAC, or any Electron Device Group worldwide sales organization. See your distributor or contact Varian EIMAC today.

Varian EIMAC  
301 Industrial Way  
San Carlos, California 94070  
Telephone: 415-592-1221

Varian EIMAC  
1678 S. Pioneer Road  
Salt Lake City, Utah 84104  
Telephone: 801-972-5000




Circle (116) on Reply Card

## If You Are Involved in Post Production You Should Visit Us at NAB

Our 1231 Downstream  
Keyer can give your video  
switcher all the keying  
capability you need for to-  
day's complex video editing.


4 units are now being used by ABC-TV  
for their 1984 Olympic coverage



- Up to 6 Simultaneous Keys
- Post Production Editor Interface
- Analog Type Key Bordering
- Key Masking
- Key Mix In and Out
- Program Fade to Black

Our 612 Post Production  
Audio Mixer will give you all  
the capability and flexibility  
you need to edit audio the  
same way you now edit  
video. And in stereo too!

10 units are now being used by ABC-TV  
for their 1984 Olympic coverage



- Post Production Editor Interface
- AFV Capability
- 12 Inputs
- Auto Transitions
- Dual Channel

**NAB Booth 1227A**



**GRAHAM-PATTEN  
SYSTEMS, INC.**

P.O. Box 1960, Grass Valley, CA 95945

**[916] 273-8412**

Circle (117) on Reply Card

### Precision Echo (1617)

Continued

**EFS-2:** Slide Stor/animotor

**Squeezer:** Low cost video image  
compression system

New products \_\_\_\_\_

**Video Store:** Video frame recorder  
capable of 400 still frames on a  
magnetic disc

Circle (809) on Reply Card  
see ad on page 181

**PrismaGraphics** (110A)

Established products \_\_\_\_\_

Manufacturer of presentation folders  
and media kits, including various styles  
and sizes, using offset, gold stamping,  
embossing and laminations

New products \_\_\_\_\_

Media kit folders with cassette holder  
affixed to the pocket

Circle (810) on Reply Card

**Procart** (112)

Established products \_\_\_\_\_

Procart audiotape cartridges featuring  
phase stability from cart to cart

New products \_\_\_\_\_

See at booth

Circle (811) on Reply Card

**Procommotion** (434)†

See at booth

Circle (812) on Reply Card

**Products Int'l.** (1125)

Established products \_\_\_\_\_

**Desoldering:** Pace Equipment

**Test:** Huntron equipment

**PCB:** Pace repair equipment

**Production:** 3M static control  
work station

New products \_\_\_\_\_

**Equipment:** Field portable electronic  
repair tool kit work station

Circle (813) on Reply Card

**QEI** (307)

Established products \_\_\_\_\_

**691:** FM modulation monitor

**695T1kW:** 1kW FM solid-state transmitter

**695T3.5kW:** 3.5kW FM single-tube  
transmitter

**ARC-27:** Automatic remote control  
system

New products \_\_\_\_\_

**695T25kW:** 25kW FM single-tube  
transmitter

**695:** FM exciter

Circle (814) on Reply Card  
see ad on page 235

**QSC Audio Products** (626)†

Established products \_\_\_\_\_

**Series one amplifiers:** Audio. 200W/  
channel

**Series three amplifiers:** Audio.  
110-285 W/channel

New products \_\_\_\_\_

See at booth

Circle (815) on Reply Card

**QSI Systems** (1325)

Established products \_\_\_\_\_

**CB9000/V:** SMPTE color bar generators  
with 8-character ID

**CB9105-V8/80:** Color bar generator with  
80 character ID and 8-character vertical  
ID

**VSID-822/103:** 24-character video source  
identifier

**BG208:** Full field color bar generator  
with 8-character ID

**Demod 400:** Off-air demod/tuner

**Demod 150:** 105 channel varactor tuner

**VI-7:** Countdown generator

**Tally-ID:** Routing switcher input  
identifier

New products \_\_\_\_\_

**AF1000 Phase III:** Blackburst generator  
with individual control of phase for  
each of the three outputs

Circle (816) on Reply Card

**Q-TV** (1401D)

Established products \_\_\_\_\_

**VPS-100:** Console transport prompting  
system

**VPS-300:** Conveyor transport prompting  
system

**Mini-Q:** Prompter system

New products \_\_\_\_\_

**VPS-500:** Computer prompting system

Circle (817) on Reply Card

**Quad-Eight/Westrex** (1636)

Established products \_\_\_\_\_

Audio mixing systems for portable  
studio and music applications

**248:** Component audio mixing console

**System 5LC:** Digitally controlled  
reverb processor

New products \_\_\_\_\_

**Westar I:** Music recording/TV post-  
production console for 24-track  
automatable applications

Circle (818) on Reply Card

see ad on page 231

**Quanta** (1432)

Established products \_\_\_\_\_

**Q8:** Face-loadable teleproduction  
graphic titling system

**Quanta News:** Broadcast newsroom  
computer system.

**Select 7:** Teleproduction graphic titler

**Microgen:** Teleproduction graphic titler

New products \_\_\_\_\_

See at booth

Circle (819) on Reply Card

see ads on pages 210 and 211

**Quante** (1216A)†

See at booth

Circle (820) on Reply Card  
see ad on page 185

**Quantel**

See MCI Quantel

**Quantum Audio Labs** (509A)

Established products \_\_\_\_\_

**Series 22:** Modular broadcast and  
production audio consoles

New products \_\_\_\_\_

See at booth

Circle (821) on Reply Card

**Quickscan Systems** (1405B)

Established products \_\_\_\_\_

**Electronic publishing:**

NTSC/PAL/SECAM data transmission



**NAB SPECIAL**

**IT'S THE ONLY  
GAME IN VEGAS  
YOU CAN'T LOSE.**

**WIN \$25.**

*Negotiate your best deal for RCA or EIMAC tubes with any of their authorized dealers in the U.S.A. and if we can't beat their price we'll pay you \$25.00!*

**HOUSE RULES**

1. Quotes must be current and valid throughout the IAB Convention dates.
2. The tubes offered must be factory new 1983 or 1984, late coded, made by RCA or Eimac.
3. The quote must be verifiable and at our option may require a copy of dealer's invoice showing Part Number, date of shipment, date codes, serial number and brand.

***If you beat our price you win \$25.00. If you can't beat our price your tubes cost you less. Either way you win!***

**SEE US AT BOOTH 125**



Authorized Dealer

**RCA**

Authorized Dealer

**CALVERT ELECTRONICS, INC.**

One Branca Road, East Rutherford, NJ 07073  
TOLL FREE: 800-526-6362 • IN NJ: 201-460-8800

# ELECTRONIC TUBES



**All major brands  
at the lowest prices.**

Transmitting, receiving, camera and cathode ray tubes, sockets, chimneys, capacitors and related components in stock for immediate delivery world-wide.

**AMPEREX • CEI • EIMAC • GE • HITACHI • ITT  
JRC • MACHLETT • RCA • RAYTHEON • SYLVANIA  
TOSHIBA • VARIAN • WESTINGHOUSE**

Calvert set new standards by supplying components with factory-backed guarantees at the lowest prices. We ship within 24 hours of order acceptance.

**NEW CUSTOMERS—WE ACCEPT TELEPHONE ORDERS.**  
*Inquire about our convenient Net 30 terms. We give special attention to new accounts and will expedite opening your account.*

**COAST TO COAST TOLL FREE NUMBERS:**

To call NJ office **800-526-6362** (except from NJ)  
To call CA office **800-421-7549** (except from CA)  
**800-824-6232** (from CA only)

**CALVERT  ELECTRONICS, INC.**

One Branca Rd., E. Rutherford, NJ 07073  
201-460-8800 • TWX 710-989-0116  
Telex 4990274

1355 Redondo Ave., Suite 6.  
Long Beach, CA 90804  
213-498-3504



484

Circle (18) on Reply Card

# Let WHUT radio help you pick the right Audio Console... The first time.



**PRIMUS/RAMKO RESEARCH WARRANTY REGISTRATION CARD**

All RAMKO products carry a limited warranty of from 2 to 4 years as outlined in the back of your equipment manual. To validate this warranty, please complete and mail this card within 15 days of purchase.

NAME **WHUT BROADCASTING CORP.**  
 COMPANY **EASTERN** STATE **IND** ZIP **46015**  
 ADDRESS **P.O. BOX 151** Number **644-1255**  
 CITY **ANDERSON** SERIAL NO **11085**  
 COMPANY TELEPHONE Area Code **317** Year **1983**  
 MODEL NO **DC-38/105** Date  
 PURCHASED Month **SEPT** Year  
 PURCHASED FROM **RAMKO RESEARCH**

1. Why did you select this equipment?  
☐ Recommended by an associate  
☐ Recommended by a distributor  
☒ Like other RAMKO products used  
☐ Saw an advertisement in  
☐ Broadcast Engineering  
☐ Broadcast Communications  
☐ Broadcast Video Contractor  
☐ Sound and Video Contractor  
☐ Sound and Communications  
☐ Other

2. Where will this equipment be used?  
☒ Radio Station  
☐ TV Station  
☐ Recording Studio  
☐ Personal Use

3. Would you like to receive additional literature?  
☒ Audio Distribution Amps  
☐ Audio Mixers  
☐ Turntable Preamps  
☐ Noise Gate/Compressor  
☐ Primeus Tape Cart Machines  
☐ Phase Master Tape Cart Machines

4. What are the main features of this equipment which interested you?  
☐ Package Size  
☐ Performance Specs  
☒ Warranty Period  
☐ Price

5. What other products would you like to see manufactured by RAMKO RESEARCH?

6. Are there any general comments you would like to make?  
**EXCELLENT PRODUCT! ESPECIALLY SUPPORT**  
**APPEAL THE ~~DESIGN~~ OF PRODUCT AND**  
**OF YOUR COMPANY FOR YOUR PRODUCT AND**  
**CUSTOMERS. NOT ALL MANUF. DO THIS! (John)**

## The DC-38 series of Audio consoles — the fourth for WHUT/WLHN-FM.

Although Mr. Hood's comments indicate what you can expect with a RAMKO console, there is a lot more to the story. Features, for example, that in many cases can only be found in these truly superb consoles. Here's a short sampling; Mono or stereo — 5, 8 and 10 mixer, dual channel — four inputs per mixer — each input gain selectable — mono mix/phase meter on stereo units — DC control via dbx® voltage controlled amplifiers — all solid state switching — multiswitch programmable CUE, MUTE and on air relay — op-

tional digital clock/production timer — optional plug in remote equipment start/stop — and much, much more. All this and our exclusive 4 year parts and labor warranty.

For the whole story, contact your nearest rep or dealer today, or call RAMKO RESEARCH toll free, (800) 821-2545, for your full color, descriptive brochure. Let us help you do it right the first time.

## RAMKO RESEARCH

11355-A Folsom Blvd.  
 Rancho Cordova, California 95670  
 (916) 635-3600

Circle (119) on Reply Card

## Quickscan (1405B)

Continued

New products

See at booth

Circle (822) on Reply Card

## Quickset

(1105)

Established products

Complete line of camera support equipment, including tripods, pedestals, dollies, fluid heads, cam heads  
 Video switchers, CCTV equipment  
 Microwave antenna and dish control positioners  
 Remote control studio camera positioners  
 New products  
 Modular tripods for studio and remote  
 Fluid heads for 10- to 60-pound cameras  
 Fluid-damped cam head  
 Remote controlled positioners with telephone or audio signal control  
 Modified tracking devices  
 Microprocessor-based control and data feedback for microwave

Circle (823) on Reply Card

## RCA Broadcast Systems

(1000)

Established products

TK-47B: Automatic studio camera  
 TR-800: 1-inch Type C VTR  
 TH-400: Low cost 1-inch Type C VTR  
 TK-29: Broadcast telecine, multiplexer, film and slide projector  
 TK-290: Broadcast telecine using TK-47 automatics  
 Hawkeye VRC with portable VTR, studio VTR, edit controller and accessories  
 Antennas for VHF and UHF TV  
 Transmitters and filter equipment for VHF and UHF TV

New products

TH-900: Full-feature 1-inch VTR  
 TKS-100: Solid-state telecine  
 CCD camera, production model of camera demonstrated in 1983

Circle (824) on Reply Card

## R-Columbia Products

(1111)

Established products

TR-50: Wireless intercom headphones  
 T4/1C: Self-powered wired intercom headphones  
 TP/1C: Remote powered wired intercom headphones  
 52/TA: Camera operator headphones  
 SB/2: Sports broadcaster headphones  
 System 50: Wired-to-wireless intercom interface  
 System 10: Wired intercom with remote power supply source  
 CC/1C: Headphones for use with ClearCom, RTS, Telex and other intercom systems

New products

UL-85: Ultralight headphone/mic  
 UL-85/2: Ultralight stereo headphone  
 CC/1C-85: Ultralight replacement unit, as CC/1C headphones  
 658T: Compact telephone for IFB and ENG applications

Circle (825) on Reply Card

see ad on page 244

## ROH

(1634)†


Established products

Model 190: Switcher/line monitor



# A DECADE OF PROGRESS... A DESIGN FOR THE FUTURE

VIDEOTEK



Videotek, in only 10 years, has emerged as an industry leader on the strength of quality products, competitive pricing, and an unprecedented record of delivery and customer service.

The Studio 13 is the latest example of this Progress by Design, incorporating more features and a higher level of quality than any color monitor in its class.

Line Select and 1H/2H Mode highlight the 1984 refinements to the ever-popular TSM-5A Waveform Monitor and VSM-5A Vectorscope.

As we enter our second decade, our commitment to offer the best products, prices, delivery, and service remains an uncompromised goal.



125 North York Street, Pottstown, PA 19464, (215) 327-2292, TWX 710-653-0125/9625 North 21st Drive, Phoenix, AZ 85021 (602) 997-7523 TWX 910 951 0621

© copyright 1984 Videotek, Inc.

See Us at NAB Booth 1633

Circle (120) on Reply Card



The new S-230D easily interfaces with new or existing Microtime T<sup>2</sup>E-120 A/B Roll Effects Systems to provide the ultimate in input signal flexibility and freeze effects capability.



The S-230D allows inputs such as in-house camera signals, external ENG, microwave, satellite, network and remote studio feeds, as well as 1/2" and 3/4" heterodyne VTR formats with or *without* capstan servos. You also have the choice of operating in either standalone heterodyne or 3.58 MHz sub-carrier feedback modes. And by using the S-230D on one or both channels of the E-120 A/B Roll Effects System, you get the additional "effect" of manual or automatic freeze.

Now there are three E-120 A/B Roll Effects configurations:

**T<sup>2</sup>E-120.** This established configuration consists of two T-120D TBCs capable of

DYNAMIC TRACKING\* operation with a SONY\* BVU-820 U-MATIC\* VTR.

**TSE-120.** This new configuration consists of:

- ☐ one T-120D TBC capable of DYNAMIC TRACKING\* operation with a SONY\* BVU-820 U-MATIC\* VTR and
- ☐ one S-230D TBC/Synchronizer with freeze and auto mode switching.


**S<sup>2</sup>E-120.** This new configuration consists of two S-230D TBC/Synchronizers with freeze and auto mode switching for maximum flexibility in both channels.

\*DYNAMIC TRACKING, SONY and U-MATIC are registered trademarks of Sony Corp.®

# Flexibility is on a roll.

## E-120 A/B Roll Effects System.


TBC/FRAME SY





# E-120 System

## Typical A/B Roll Applications with Effects



DT\* operation is possible with the T-120D with a single cable interface to the SONY\* BVU-820 U-MATIC\* VTR.

Visit Us at NAB Booth 1230

from the systems for standalone operation. Each E-120 System includes the E-120 A/B Roll Effects Processor and Effects Control with a 75' cable. Each features an 8 bit 4x subcarrier design for high reliability and transparent performance and is controllable by VTR editor for preview and record. Each contains a RS-170A gen-lock sync generator to assure precise output timing. Each is made in the U.S.A., rigorously tested throughout the manufacturing process, and comes with a full one-year warranty on all parts and labor.

Microtime is on a roll. Contact us today. MICROTIME, INC., 1280 Blue Hills Ave., Bloomfield, CT 06002. (203) 242-4242. TWX 710-425-1165.

**MICROTIME**

A Subsidiary of ANDERSEN GROUP

Circle (121) on Reply Card

RONIZER S-230D

na Phase

Setup

**ROH (1634)**

Continued

**Series 180:** Audio routing switchers**Series 300:** Intercom systems**Series 211:** Audio distribution amplifiers**Series 200:** Modular packaging system**Series 120:** Audio distribution amplifiers

New products \_\_\_\_\_

See at booth \_\_\_\_\_

Circle (826) on Reply Card

**R/Scan**

(1740)†

Established products \_\_\_\_\_

**LPATS:** Lighting detedim system

New products \_\_\_\_\_

See at booth \_\_\_\_\_

Circle (827) on Reply Card

**RTNDA**

(1501)

Association \_\_\_\_\_

Professional association exclusively  
for broadcast journalists

Circle (828) on Reply Card

**RTS Systems**

(1142)

Established products \_\_\_\_\_

**Series 800:** Microprocessor-assisted  
intercom master station**Series 4000:** IFB system**Series 400:** Pro audio amplifiers**HPM41 mixer:** 4x1 mic/line mixer

TW Intercom system

New products \_\_\_\_\_

**Series 17:** Conference line intercom  
system for single-channel permanent or

portable applications

**System 2500:** Amplifier system with 1x6  
audio DA, 1x6 stereo DA, quad stereo  
buffer amp, quad line amp with VCAs  
and tone signal generator

Circle (829) on Reply Card

see ad on page 301

**Radio Arts**

(418)†

Established products \_\_\_\_\_

Syndicated program, radio

New products \_\_\_\_\_

See at booth \_\_\_\_\_

Circle (830) on Reply Card

**Radio Systems**

(213)

Established products \_\_\_\_\_

**PA-1:** Audio Metrics stereo phono  
preamp**DA-8/DA-16:** Audio DAs**TM-1:** Audio Metrics studio timer**TR-20:** Phase II 20W post-sunset  
transmitter**PP-10:** Pre-wire patch panel

New products \_\_\_\_\_

**ESA-10:** Audio Metrics broadcast  
console**TR-70:** Phase II 70W post-sunset  
transmitter

Circle (831) on Reply Card

see ad on page 275

**Radio-TV News Directors Association**

See RTNDA

**Ram Broadcast/Wheatstone**

(121)†

See at booth \_\_\_\_\_

Circle (832) on Reply Card

**Ramko Research**

(415)

Established products \_\_\_\_\_

**DC38-10S:** 10-mixer, audio console**PhaseMaster:** Record/play and play phase  
correcting stereo cart machines**RP-1S/P-1S:** Primus stereo cart machines**P-3S/6M:** 1x3 stereo or 1x6 mono audio  
DA**P-8S/16M:** 1x8 stereo or 1x16 mono audio  
DA**P-VG1:** Primus single-channel compressor  
with noise gate**P-93S:** Lab standard turntable preamp**P-21/P-42MX:** Mic/line amps, mixers

New products \_\_\_\_\_

**P-4M:** Primus 4-channel mixer with  
metering**P-4M Portable:** Primus 4-channel mixer  
with intercom and slate cueing**P-5MX:** 5-channel mic/line mixer with  
send receive**P-1612:** Audio router, modular expandable  
system**P-2080:** Primus modular 20x80 DA with  
provisions to mix other audio modules  
into the same frame

Circle (833) on Reply Card

see ad on page 166

**RAMSA/Panasonic**

(437)

Established products \_\_\_\_\_

**WR-130:** Portable 8x2 mixer**WR-500:** Remote 8x2 mixer for dc/ac  
operation**WR-8112/8118:** 12 or 18x4x2x1 mixer for  
remote and recording applications**WR-8210A:** 10x4 recording mixer →**THE SHOCK ABSORBERS...from ANVIL®**

ANVIL® produces literally thousands of case designs for the audio/visual, television, and broadcast industries. Whether your professional needs call for a totally operational video system that is permanently installed in an ANVIL® CASE, or a simple transit case to insure against shipping damage, ANVIL® can meet the test. ANVIL® has been assuring safe transit for video producers, sound teams, and engineers for over 30 years.

It takes a lot to build a top quality case worthy of the ANVIL® brand name. ANVIL® utilizes only the finest raw materials which must conform to exacting standards. ANVIL® stocks these materials in huge quantities for its entire line of ATA, Forge II™, Anvilite™, and Fibre cases so even the largest orders can be produced without interruption to ANVIL®'s renowned service.

The machinery used to manufacture ANVIL® CASES is the finest in the travel case industry. Only the most advanced pneumatically operated tools are used. Precision foam slicing and sculpting is facilitated by high speed, accurate electronic cutting devices. The result is a case that stands up to the bumps and grinds of life on the road—so your delicate instruments don't have to.

But cases don't build themselves. People do. And ANVIL® has the most highly-skilled and dedicated design staff, assemblers, field sales design personnel and customer service people you'll find anywhere.

So, if your delicate, sensitive equipment has to get there and back in one piece, every time, just take our word for it—ANVIL®—The #1 name in travel cases for over three decades.



ANVIL CASES, INC., 4128 TEMPLE CITY BLVD., ROSEMEAD, CA 91770 818-575-8614


Please Visit Us at NAB Booth 1112

Circle (122) on Reply Card



DETAILED POWER

CONRAC



# High Definition Audio

## *For the complete picture*

The new 300 Series Audio Production Console has been specifically designed to complement the latest audio and video technology. It's the only console in its class, offering mono or stereo inputs each available with or without equalization, output submastering, audio-follow-video capability, a comprehensive user-programmable logic system, and a wide range of accessories for custom tailoring to your specific requirements. Available now. Call us collect for further information.



**audiotronics, inc.**

3750 Old Getwell Rd.  
Memphis, TN 38118 USA  
Tel: (901) 362-1350  
Telex: 533356

Circle (123) on Reply Card

**RAMSA (437)**

Continued

**WP-9120:** Dual-channel 200W power amp  
**SP-10MKII/SP-15:** Direct-drive phono turntables (Technics)

New products

**WR-8616:** Post-production and recording mixing console, 16x4x2x1

Circle (834) on Reply Card

see ads on pages 122, 123 and 223

**Rank Cintel Ltd. (1219)**

Established products

**MK IIIC:** Film-to-tape transfer telecine

**Amigo:** Software-based control system for Mk IIIC

**FeRRIT:** Separate magnetic sound follower for audio record/replay on 16mm, 17.5mm and 35mm magnetic film

New products

**ADS 1:** 16/35mm solid-state telecine for broadcasting from film, including dirt/scratch concealment, multiplexing of 3 dual-gauge transport mechanisms from one control unit, variable speed and negative/positive operation

Circle (835) on Reply Card

**Reach (341)**

Established products

Nationwide message/data distribution service, based on FM subcarrier transmissions

New products

See at booth

Circle (836) on Reply Card

**Real World Technologies (1520)**

Established products

**V-01/P-02:** uniVUer analog VU or PPM bargraph keyed over video on picture monitor

Custom ballistic configurations of uniVUer, compatible with EBU standards

Broadcast facility/systems design and construction

Remote truck design/construction

New products

**uniMonSter:** uniVUer option for mono-stereo coherency evaluation

**MonSter:** Stand-alone mono-stereo coherency evaluator

Circle (837) on Reply Card

see ad on page 290

**Recortec (1416)†**

Established products

**VTE-210:** 2- and 1-inch combination video tape evaluator/cleaner

**VTE-101:** Low cost 1-inch videotape evaluator/cleaner

**VTT-211:** Replacement electronic videotape timer for Ampex 2-inch VTRs

**VTT-212:** Replacement electronic videotape timer for RCA TR70

**VTT-221:** Replacement electronic videotape timer for RCA TR60

**RMOD:** Automated reel servo modification for Ampex and RCA 2-inch VTRs

**HBU:** High band U-matic VTR

**DTG-100:** Low cost video date/time character generator

**FRU-750:** Fast rewinder for ¾-inch U-format cassettes

**VCE-500:** Measures dropouts and tape quality on ½-inch VTRs tape

New products

See at booth

Circle (838) on Reply Card

**Rees Associates (1727)†**

Established services

Consultants specializing in planning, architectural design and engineering services. Facilities renovation and LPTV packages are specialties

New services

See at booth

Circle (839) on Reply Card

**Register Data (128)†**

Established products

**RDS-III-HD:** Broadcast computer system**RDS-5000:** Hard disc computer system**RDS-8000:** Business system

New products

See at booth

Circle (840) on Reply Card

**Research Technology (1626)†**

Established products

**TV-120:** The total film care system

**Data-Film:** Computerized timing/reporting system

**Cinescan:** High-speed 16mm film viewer

¾-inch videocassette evaluator/cleaner

**10512:** CineScan high speed 16mm film viewer/previewer

**TV-2000:** Complete film editing system

**Data-Film 820:** Computerized information reporting system

**VT3100:** Professional videotape evaluator/cleaner for U-matic

**Retec-410:** Self drive liquid film cleaner/conditioner

CF series film cleaners

Film storage cans

New products

See at booth

Circle (841) on Reply Card

see ad on page 52

**Restoration/Sprague Magnetics (705)**

Established products

Replacement tape heads for reel-to-reel,

cart, duplicator, film and R/V recorders

Refurbishment of all magnetic tape heads

Alignment tapes

Recorder care products

New products

Replacement heads for MCI ¾-inch and

½-inch 2- to 24-track recorders

Replacement heads for Mincom M-79 recorder

Replacement heads for high-speed duplicators

Replacement audio for video heads

Circle (842) on Reply Card

**Richardson Electronics (212)**

Established products

Camera and transmitting tubes

RF power amplifiers

RF power transistors

New products

See at booth

Circle (843) on Reply Card

**Riviera Broadcast (1784)†**

Established products

Services: equipment leasing

New products

See at booth

Circle (844) on Reply Card

**Rockwell Int'l. (1767)†**

Established products

**Microwave video radio:** STL for TV**MVR:** Systems for common carrier,

CARS and government

New products

See at booth

Circle (845) on Reply Card

**Rohde & Schwarz (1203)**

Established products

**UPSF2:** Video noise meter**EKF2D:** Demodulator**EKF2K:** Relay receiver**DZF:** TV data distortion meter**LFM2:** Group delay measuring set**MUF2:** TV transcope

**SPF2:** Digital video signal generator

**SBTF/SBUF:** Test transmitter**UPF:** Auto video analyzer

New products

See at booth

Circle (846) on Reply Card

**ROHN (1605B)**

Established products

Rohn towers

Equipment shelters

Antenna supports for cable and STV

Tower obstruction lighting

New products

See at booth

Circle (847) on Reply Card

**Rosco Laboratories (1235)**

Established products

Color and diffusion filters for lighting

Gobo patterns

Specialized paints and scenic materials for TV

New products

Precision chroma-key and Ultimatte Paints for coloring muslin for video requirements

Circle (848) on Reply Card

**Roscor (1181)†**

Established products

Rental equipment

Post-production equipment

Engineering/sales

Elite Fleet vehicles

New products

See at booth

Circle (849) on Reply Card

**Ross American Logic (1332)†**

See at booth

Circle (850) on Reply Card

**Ross Video (1110)**

Established products

**RVS 524:** Video production switcher**RVS 508:** Video production switcher

New products

Memory system for storing all crosspoint and analog data about a multilevel



## KAYCO

[illegible]

**Ross Video (1110)**

Continued

effects unit with serial interface

**Circle (851) on Reply Card**

see ad on page 89

**John B. Rudy**

(1776)†

Established products \_\_\_\_\_

Distributor of audio and video wiring/  
cabling, microphones, connectors and  
custom cables.

New products \_\_\_\_\_

See at booth \_\_\_\_\_

**Circle (852) on Reply Card****Rupert Neve**

See Neve

**Russco Electronics**

(413)†

Established products \_\_\_\_\_

**Cue-Master:** 3-speed broadcast turntable**Studio Pro:** Deluxe 2-speed broadcast  
turntable**Mark V:** Electronic speed control—  
deluxe 2-speed turntable**RTA-12:** Broadcast tonearm**Phono-Mate Series:** Phono preamps**Fidelity-Pro Series:** Phono preamps**505 Series:** Audio consoles**RTQ-7:** Turntable

New products \_\_\_\_\_

See at booth \_\_\_\_\_

**Circle (853) on Reply Card****SMPTE**

(\*)

Established products \_\_\_\_\_

Test materials \_\_\_\_\_

**Publications**

Technical standards \_\_\_\_\_

New products \_\_\_\_\_

See at booth \_\_\_\_\_

**Circle (854) on Reply Card****SWR**

(1644)†

Established products \_\_\_\_\_

Coaxial transmission line

Transmission line components

New products \_\_\_\_\_

See at booth \_\_\_\_\_

**Circle (855) on Reply Card****Sachtler**

(1648)

Established products \_\_\_\_\_

**Panorama 7 + 7:** Lightweight fluid head  
for ENG**Video 20:** Fluid head**Video 25:** Medium-sized fluid head for  
ENG and field production**Video 30:** Medium-sized fluid head for  
field production and studio production  
with dynamic counterbalancing

New products \_\_\_\_\_

**Video 14:** Lightweight fluid head  
pedestal optimized for the single  
tube camera or non-broadcast pro-  
camera with all typical features**Circle (856) on Reply Card**

see ad on page 101

**Saki Magnetics**

(416)

Established products \_\_\_\_\_

Long-life hot-pressed glass-bonded  
ferrite heads for Ampex, Mincom, Otari,  
Revox, Scully, Studer and Technics

New products \_\_\_\_\_

Long-life metal cartridge heads,  
constructed of long-wearing core  
materials**Circle (857) on Reply Card****Sansui Electronics**

(130)†

Established products \_\_\_\_\_

**Receivers:** AM stereo**PC-X1:** Digital audio processor**B-2301:** Audio power amplifier

New products \_\_\_\_\_

See at booth \_\_\_\_\_

**Circle (858) on Reply Card****Schneider**

(1403)

Established products \_\_\_\_\_

**TV44:** 14x9mm zoom lens with 2x  
extender for standard 2/3-inch ENG/EPF  
cameras and VRC systems**TV54:** 14x6.5mm ENG/EPF zoom lens for  
2/3-inch cameras**TV39:** 30x26mm zoom lens system for  
2/3-inch and 1/2-inch ENG/EPF cameras

New products \_\_\_\_\_

**TV53/63:** 15X studio lens with integral  
diascope and 2X extender for auto-setup  
cameras with 1-inch and 1 1/4-inch  
formats**Circle (859) on Reply Card**

see ad on page 274

**Scientific-Atlanta**

(1017)

Established products \_\_\_\_\_

**Model 7500:** Video receiver**Model 7620:** Receiver protection switch**Model 7630A:** LNA protection switch**Model 7550:** Video exciter

# What is this man doing?



## ...he is readjusting his audio processing!

You no longer need to compromise your station's audio quality. Format changes, audience profile variations and cut-to-cut music inconsistencies present problems that no ordinary processor can hope to deal with. That's why Inovonics developed the *Programmable Processor*.

Our Model 250 behaves just like five independent audio processing chains. The AGC action, compression, equalization and overall limiting of each of these chains can be custom-tailored to any specific audio feed or to any station format. This gives precisely the proper processing to make any program source or format sound its very best. No compromise!

Controlled by station automation, a time clock, or simple manual selection, the 250 provides processing which can change with your station throughout the broadcast day. What's more, our RS-232 Interface Option puts the 250 under continuous computer control with almost endless processing possibilities.

The 250 is a fully L/R correlated stereo unit with slow, gain-riding AGC, a five band compressor, five band equalizer and either a split-spectrum peak limiter for FM or a true matrix, phase-following AM peak limiter. Each of the five preset groups is remotely selected by simple contact closures to ground.

Is the Inovonics 250 ahead of its time, or aren't you keeping up?



## Inovonics 250 audio processor

INOVONICS, INC.  
503-B Vandell Way, Campbell, CA 95008  
(408) 374-8300

**Circle (125) on Reply Card**



# The best equalizer is no equalizer.

## It's Belden fiber optic cable.

Now a video signal can go two miles on a Belden optical cable with 60dB SNR and no hint of high frequency roll-off. That means a cleaner picture without equalizers, and less maintenance than alternative transmission systems—coax or microwave.

For tower installations, Belden's high-strength, all-dielectric optical cable design doesn't have the problems generally associated with coax, such as ground loops, lightning and other E.M.I. problems. Plus, it's rated for full performance from  $-40^{\circ}\text{C}$  to  $+60^{\circ}\text{C}$ .



Belden optical fiber cable is also thinner and up to 30% lighter than conventional cable. That makes it easier to install on transmission towers, or through underground ducts. A recent installation of Belden cable on a 1500 ft. vertical tower was accomplished in less than one day.

For remote applications, Belden optical cable is much easier to carry around the golf course, or the metropolitan sports arena. Its toughness has been proven in rapid deployment cables designed by Belden for military applications in desert terrain.

Put Belden optical fiber cables and experience to work for you. They'll put you ahead with cleaner signals, better reliability and total system economy. For information on our fiber optic line and application reports or system design guide, contact your local Belden distributor or write: Belden, Fiber Optics, 2000 S. Batavia Ave., Geneva, IL 60134. Phone: 312-232-8900.

Circle (126) on Reply Card



# BELDEN



**Scientific-Atlanta (1017)**

Continued

**Model 7640:** Uplink protection switch**Model 7600:** Remote control system**Model 8010C:** 7m antenna**Model 8840A:** Antenna control system**Model 8251:** 11m transportable earth station

Satellite TV products

TBC and frame synchronizers

New products

**Model 7555:** Ku-Band video exciter**Model 8252:** Transportable TV earth station**Model 7622:** RF matrix switch

Circle (860) on Reply Card

**Scribe Recorders (214)**

New products

**Scribe NewsCorder:** Newsgathering machine includes custom-designed cassette tape recorder for audio news operation in the field with talk-over capability

Circle (861) on Reply Card

**Sennheiser Electronic (1137)**

Established products

Professional microphones and headphones

New products

New line of broadcast microphones, including hand-held and body pack units

**HME41:** Headset/mic combo using lightweight headphone and Sennheiser MKE-2 ultra-miniature mic

Circle (862) on Reply Card

see ad on page 236

**Sescom (1616)**

Established products

**ADA-1/ADA-2:** Audio DAs**MB-1:** Newsbridge**IC-100/IC-300:** Intercom systems**MLD-1/2/3:** Mic-line drivers

Mic splitters

Field mixers

Various transformers and audio modules

New products

**SAT-1:** Audio levelers for satellite receivers**MLD-5:** 2-channel mic/line driver**TST-1:** Field tester

Circle (863) on Reply Card

**Sharp Electronics (1102)**

Established products

**XC-900D:** Diode-gun plumbicon TV camera**XC-800:** 3-tube Saticon II camera**XC-803TX:** Triax camera system

New products

**XM-1300:** High resolution 13-inch broadcast color monitor

Circle (864) on Reply Card

**Shintron (1417)**

Established products

**375:** Super switcher**374:** Super 80 switcher**372:** Special effects generator**505:** Character generator**641:** SMPTE time code generator**644:** SMPTE time code reader**350:** Encoded chroma-keyer**316:** Audio distribution amplifier**336:** Video distribution amplifier**515:** Character generator**508:** Subtitler**Series:** Modular distribution amplifiers**390:** YIQ switcher**646:** Time code reader**647:** Time code generator**200 Series:** Distribution amplifiers**400:** Computer/NTSC interface

New products

See at booth

Circle (865) on Reply Card

see ad on page 70

**Shively Labs (623)**

Established products

**6814:** Super power FM CP antenna**6810:** High power FM CP antenna**6813:** Medium power FM CP antenna**6811:** Low power FM CP antenna**6811NP:** Low power, non-pressurized CP FM antenna**6010:** Broadband CP FM panel antenna**CMM-03:** 1½-inch 4-port rotary switch**UTV-01:** Broadband UHF panel antenna

Rigid coax line

New products

**2120:** AM/UHF and AM/VHF isolation

couplers

**4420:** Reflectometer display and

protection system

**6813NP:** Medium power non-pressurized

CP FM antenna

Circle (866) on Reply Card

see ad on page 323

**Shook Electronics (1310)**

Established products

**14-22/E:** Mobile TV production system with equipment from Magnetic Media**45-60:** Full feature network production trailer**18-27:** Full feature mobile TV production system with equipment from Magnetic Media

New products

See at booth

Circle (867) on Reply Card

**Shure Brothers (1401A)**

Established products

**M267:** Microphone mixer**SM632:** Omnidirectional dynamic mic**SM82:** Line-level condenser mic**SMS7:** Unidirectional dynamic mic

New products

**SM83-CN:** Lavalier mic**FP31:** Compact microphone mixer for ENG/EFP applications

Circle (1496) on Reply Card

see ad on page 61

**Sigma Electronics (1333)**

Established products

**CSG-365A:** Color sync generator**BBG-144:** System timing module**System 500:** Modular DA equipment**Series 100:** Self-contained DA equipment

New products

**GLC-100:** Gen-locking computer, character generator and graphics system**VPA-380:** Video processing amplifier

Circle (868) on Reply Card

**Singer Broadcast (101A)**

Established products

1kW AM transmitter

FM exciter with phase-locked loop synthesizer, broadband RF amplifier, 30W output

25kW FM transmitter

3kW FM transmitter

5kW AM transmitter

**ST30F:** Stereo generator**SC30F:** SCA generator

New products

See at booth

Circle (869) on Reply Card

**Skotel (1126)**

Established products

**PTC-100:** Portable time code reader/generator with jam/slave and time of day

New products

**TCG-80N:** Time code generator with jam/slave on time and/or user data**TCR-80:** Time code reader with dub output**DM-1000:** Digital metronome with 0.001 frames/beat setting for film and video

Circle (1495) on Reply Card

**Warren R. Smith (1717)†**

Established products

**Leases:** Telecine and snorkel**Stands:** Animation**Positioners:** Slide/title

New products

See at booth

Circle (870) on Reply Card

**Society of Motion Picture & Television Engineers**

See SMPTE

**Solid State Logic (1723)**

Established products

**SL6000E Series:** Live and post-production audio console**SL4000E Series:** Multitrack recording and OB console

Primary studio computer-mixing automation and audio edit controller

**Total Recall:** Retains details of console setups**Events Controller:** 16 multirepeatable contact closures activated by SMPTE protocol

New products

**SL688V:** Mix and machine matrix for SL6000E systems

Programmable equalizer with time code control of 3-band parametric EQ

Synchronizer controller for multiple machine control via SSL computer

Circle (871) on Reply Card

see ads on pages 192 and 193

**H.A. Solutec (1517)†**

Established products

**SOL 6800:** Automated broadcasting system**SOL 8200:** Co-channel filter

New products

See at booth

Circle (872) on Reply Card

**Sono-Mag (707)**


Established products

**MSP:** Automation programmer



# To Totally Appreciate A Video, Audio/Visual or Teleconferencing Communications System Created By Avtec, You Have To Take It Apart.

Whether it's a conference room, a training center, a video studio or an audio/visual center, to fully appreciate the thought and care that went into a total communications system created by Avtec, you have to take it apart. And when you do, you'll begin to appreciate why Avtec has been acknowledged as a worldwide leader in total communications systems.



## Design

Avtec designers begin a system at the very beginning. They will work with you, your architect and/or your communications consultant during initial planning. They'll study your requirements and provide all of those little details that ultimately lead to a system's successful operation.

## Engineering

Avtec's engineering department is comprised


of dedicated, talented professionals. Together, they control every facet of every system designed by Avtec. They'll consider the designer's concepts and translate those concepts into the technology a system specifically calls for.

## Procurement

Avtec considers every communications system individually. We realize each has a specific purpose. We keep in mind the client's specific requirements, so we select and procure all system components on the basis of the best available technology and technical compatibility.

## Fabrication

Avtec procured equipment is tested individually as well as a total system and retested to make certain it meets our client's requirements and Avtec's demanding standards. Enclosures, consoles and alike are fabricated and finished and the system's



components are assembled and shipped to the installation site.

Once the system is on site, Avtec personnel test every function. When we're absolutely certain the system is performing as it should, only then will we approve it for operation.

## Documentation And Training

We don't consider our job to be over until our clients fully understand how to operate their systems. So we document every piece of hardware and software. Avtec engineers will remain at the installation as long as necessary to train all client personnel and we'll return to the site

to repeat training sessions on an as needed basis.

## Maintenance

If you appreciate the fact that during the life of any communications system problems sometimes arise, you'll appreciate Avtec service. Avtec's service group is available virtually anytime, anywhere in the world to solve problems quickly, efficiently and professionally.

## AVTEC In Total

Each individual part of any Avtec communications system can be considered a specialty. The fact that Avtec can and does have proven expertise in each of these specialties, has established Avtec as a premier company in video, audio/visual and teleconferencing communications systems.

So if you are considering creating parts of a communications system or a total system, consider Avtec—the total company for total communications systems.



**AVTEC**  
INDUSTRIES, INC.

5 Audrey Place, Fairfield, NJ 07006  
(201) 882-9460 • Telex: 134421 AVTEC FFLD

Regional Offices: Orlando, Florida;  
Riyadh, Kingdom of Saudi Arabia

Circle (127) on Reply Card

**Sono-Mag (707)**

Continued

New products

**ESP-2:** Automation programmer  
Circle (873) on Reply Card**Sony Corporation (1200)**

(Sony Video Communications)

(Sony Broadcast Products)

Established products

**VO-5800 Series:** U-matic VCRs**RM-440:** Video editing controller**DXCM3:** 3-tube MF Saticon camera**SEG-2000A:** Special effects generator**WEX, CRK:** Chroma-keyer**LPP-1000A:** Videodisc players, digitizers

and graphics tablet

**PVM/CVM/KX/VPH:** Color monitors and  
TV projectors**SL/SLO Series:** Betamax players and  
recorders**BVH-2500:** 1-inch C VTR with animation  
capabilities

Digital video multiprocessing equipment

**ENG/EFP cameras**

Betacam VRC with playback and editing

equipment

Computerized editing controllers

TBCs

Time code reader/generators

New products

**DXC1820:** SMF Triniton color camera  
with 10:1 zoom lens, 1.5-inch  
viewfinder, auto white balance andpreset ABO system, featuring versatile  
interfacing**SMC-70G:** Microcomputer titler, featuring  
gen-lock, sync mode select, loop-through  
BNC connectors, NTSC output, RGB  
superimpose and 3.5-inch micro  
floppy disk memory**IF-500:** Intelligent remote control  
interface box, allowing interconnection  
of institutional and broadcast equipment  
Beta-format multicassette system  
HDTV video production system

Circle (874) on Reply Card

see ads on pages 44, 45, 73, 74,  
75, 76 and 77**Sony Professional Audio (605,1200)**

Established products

**DASH:** Digital audio/video post  
production system

Portable and ENG/EFP mixers

UHF wireless mic systems

Wired mics

Broadcast audio production system

Audio lay-back recorder

Audio consoles

Audiotape recorders

New products

**WRT/WRR-200:** VHF wireless system  
with frequency synthesis**AVS/AVP-500:** Syncmaster SMPTE/EBU  
synchronizer for audio, video and film  
special effects**JH800/Opt23:** Video editor interface  
allowing control of the audio console**CDP/CDS-300:** 2-player compact disc  
control system for radio broadcasting,  
allowing precise index search and  
programming capability

Circle (875) on Reply Card

**Soper Sound Music Library (1620B)**

Established products

Music library

MusicSelector software for Apple II

New products

**Series IX:** 2-album series of nine  
themes and 54 cuts in contemporary  
upbeat tempo**Series X:** 2-album series of 10 themes  
and 59 cuts, covering various  
orchestrations of a medium tempo**Series XI:** 3-album series including  
12 themes and 60 cuts of electronically  
synthesized music beds, all up-tempo,  
progressive in nature and New Wave  
in style**MusicSelect software:** For Apple II,  
II+ and IIe computer for  
simplified location of selections  
in Soper library

Circle (876) on Reply Card

**Soundcraft Electronics (219)**

Established products


**200:** 8-, 16- and 24-channel stereo  
mixing consoles**400B:** 16- or 24-channel mixing  
console**1600:** Recording mixer**SCM 760:** Multichannel audiotape  
recorder

New products

**SAC-2:** Stereo on-air broadcast console**Series 20:** 2-channel master recorder

Circle (877) on Reply Card

# The Only Digital Still Store for Less than \$40,000

**MODEL DSS-11**Shot Box  
Control PanelDSS-11  
Control Panel

The DSS-11 is the world's only digital still store with the quality and resolution required for broadcasting applications priced under \$40,000. Although the DSS-11's compact modular design is ideal for OB vans, an on-board Winchester disk drive provides 160 megabytes of storage for up to 1,000 fields. It can also be simultaneously interfaced with up to seven additional disk drives. Superb stills reproduction is guaranteed by the CC-SPF system. And the fast access time of 0.35 sec even for frames makes the DSS-11 perfect for either studio or OB applications. Call NTI America for a free demonstration. The DSS-11: the most cost-effective digital still storage on the market.

**NTI America, Inc.**1680 North Vine Street, Los Angeles, California 90028  
Phone: (213) 462-8945 Telex: 215468**SEE US AT NAB BOOTH #1014D**

Circle (128) on Reply Card



**When you need to know anything  
about low or medium-power TV...**

**Design  
Installation and Check-outs  
Field Service  
Parts Availability  
Microwave  
Solid-State Transmitters  
Translators  
LPTV  
MDS  
ITFS  
OFS  
Towers\*  
1 and 5kw (medium-power)  
transmitters**

EMCEE has been accumulating knowledge and experience for over two decades. Along the way, we've recorded a number of singular accomplishments. Like putting the first LPTV station on the air in 1981. And being chosen over all others for the Salt Lake City multi-channel experiment in MDS in 1982. At the same time, we've earned a reputation for quick response to any customer need.

**You  
need  
to know  
us.**



EMCEE BROADCAST PRODUCTS a division of ELECTRONICS, MISSILES & COMMUNICATIONS, INC.  
White Haven, PA 18661 717-443-9575 • 800-233-6193 • TWX: 510-655-7088

Try us. All it takes is a toll-free phone call to 1-800-233-6193 (in Pennsylvania, call 717-443-9575). If it has to do with low or medium-power TV, EMCEE has already done it. And we'll be happy to put our unparalleled knowledge and experience to work for you.

**Visit our booth,  
#1621 at NAB convention.**

\*Through Del's Tower Service,  
a wholly-owned subsidiary

Circle (129) on Reply Card

**Sound Ideas** (1620C)  
Established products \_\_\_\_\_  
Sound Effects library with more than  
3000 stereo effects and more than 30  
hours of recorded sounds  
New products \_\_\_\_\_  
See at booth \_\_\_\_\_  
Circle (878) on Reply Card

**Soundolier** (1704)†  
See at booth \_\_\_\_\_  
Circle (879) on Reply Card

**Sound Technology** (500)  
Established products \_\_\_\_\_  
1510A: Tape recorder/audio test system  
1710A: Distortion analyzer

**1020A: AM/FM stereo generator**  
New products \_\_\_\_\_  
170: Precision audio filter set  
Circle (880) on Reply Card  
see ad on page 188

**Spectrum Planning** (510)  
Established products \_\_\_\_\_  
Engineering services \_\_\_\_\_  
New products \_\_\_\_\_  
See at booth \_\_\_\_\_  
Circle (881) on Reply Card

**Spencer Broadcast** (406)  
Established products \_\_\_\_\_  
Distributor for Howe Audio 7512 console  
and Phase Chaser, Audio-Path  
Associates audio power amplifiers  
EFI electrical filters

**New products** \_\_\_\_\_  
DA-1: Digital audio recorder  
Circle (882) on Reply Card

**Stage Lighting** (1128)†  
Established products \_\_\_\_\_  
Lighting products: Lycian line  
New products \_\_\_\_\_  
See at booth \_\_\_\_\_  
Circle (883) on Reply Card

**Stainless** (1315)  
Established products \_\_\_\_\_  
Towers for FM and TV broadcast to 2000  
feet  
AM towers for single and array  
applications  
Microwave towers for stringent deflection  
specs and environmental conditions  
New products \_\_\_\_\_  
VERDA lightning deterrent unit for  
protection of any structure from damage  
Circle (884) on Reply Card  
see ad on page 289

**Stanton Magnetics** (102)  
Established products \_\_\_\_\_  
Standard phono cartridges, plug-in  
cartridges and replacement styli  
Stereo headphones, announcer earphones  
Phono preamps  
Equalizers  
Record card products  
New products \_\_\_\_\_  
Stereowafer 80: Open audio design  
with samarium cobalt driver  
Stereowafer 45: Lightweight headphone  
Dynaphase 60A: Open audio headphone  
with samarium cobalt high-velocity  
drivers  
SP-98: Headphone amp for signals  
delivered from low impedance moving  
magnet cartridges  
ARC-5: Antistatic carbon brush  
employs aerospace quality carbon fiber  
to clean records  
Circle (885) on Reply Card

**Stantron** (1123)  
Established products \_\_\_\_\_  
VCRK6331: Mobile VTR/VCR racks  
VCAS5020: Sloping front consoles  
VCAS5025: Wedge organ-style console  
VCDR21/31: 1/2- and 3/4-inch VCR racks  
VCMB9000: VTR monitor bridge consoles  
VCKD70-2: Knock down vertical cabinets  
VC800-L: Editing consoles  
VCSD4267-MB: Sloping desk with  
monitor bridge  
VCAS70-1: Vertical cabinet assemblies  
New products \_\_\_\_\_  
See at booth \_\_\_\_\_  
Circle (886) on Reply Card

**Steenbeck** (1424)  
Established products \_\_\_\_\_  
ST1B: Film-to-video transfer unit  
with counter, loop programming and  
interlock  
New products \_\_\_\_\_  
ST941V: Video-sound editing table,  
contains U-matic videocassette machine  
mechanically locked with two or three  
16mm or 17.5/35mm magnetic film  
transports and time code accessories  
Circle (887) on Reply Card

**Storeel** (1008)  
Established products \_\_\_\_\_  
Setup trucks  
Storage racks for film and tape  
containers  
New products \_\_\_\_\_  
See at booth \_\_\_\_\_  
Circle (888) on Reply Card

*Just what you'd expect:  
Innovation in Digital Audio.*

TC-5 INDUSTRIAL DIGITAL PROCESSOR  
TC-4 BROADCAST PROCESSOR  
TC-3 PROCESSOR

• PRODUCT DIVERSITY  
• NO COMPROMISE QUALITY  
• PRICE

**audio digital**

84692 SARVIS BERRY RD • EUGENE, OR 97405  
(503) 687-8412

Circle (321) on Reply Card



# The Squeezer

## Precision Echo Presents The Video Compression System With One Feature All Others Lack: Affordability.

Everyone today is facing the budget squeeze one way or another. Networks, affiliates and independents. Cable companies. Production and post production houses. One curious thing about budget squeezes is that they have a way of making equipment purchase decisions both easier and harder. Easier when it's clear that a particular item costs too much for the times. But harder when you are looking at equipment you know you need, but can't find the bucks for.

## The Squeezer: Meeting Your Needs With A Unique Set of Special Effects Features.

The Squeezer, from Precision Echo, is a programmable video compression and positioning system that compresses an image down to four selectable sizes, places that image anywhere within the


screen on command, crops any part of it to any size, and puts a variable-sized border of any color around it on request. It can even flip the image horizontally or freeze the action. Exclusive dual joy stick controls make image manipulation simple. And the utility of its design makes The Squeezer a versatile tool whether rack mounted in a production facility or used in mobile applications.

## The Squeezer: An Affordable Alternative.

There's very little that you'll find on The Squeezer that you couldn't find on an ADDA, Vital, or a Quantel system. Except the price tag. Those other systems cost anywhere from \$40,000 to \$200,000. The Squeezer costs under \$20,000. For broadcast programming, news and

sports production, cable TV, educational and industrial applications, nothing comes close to the cost efficiency of The Squeezer.

The Squeezer from Precision Echo. High on quality and cost efficiency.



## PRECISION ECHO

A Name Worth Repeating

3105 Patrick Henry Drive  
Santa Clara, CA 95054 (408) 988-0516, TWX: 910/338-2328

Circle (130) on Reply Card

# athena

## 4500

**"The" cost-effective  
film-to-tape transport**

See us  
at NAB,  
booth 1602

- Phase-locks to NTSC, PAL or SECAM
- Constant T-V pull-down time at all frame rates.
- 1-2-4-6-8-12-24 FPS stop and single frame
- Capable of computer or programmable control
- Two-year warranty
- Modular design

For more information contact:

L-W INTERNATIONAL  
5416 Variel Ave.  
Woodland Hills,  
California 91367 U.S.A.  
Telephone: (818) 348-8614

Circle (131) on Reply Card

## MX-84

### BROADCAST REMOTE MIXER



- 8X4 Portable Mixer
- Strictly Professional Specs.
- IFB for Studio Communications
- Headphone Monitor Feeds for Talent and Producer
- AC/Battery Automatic Silent Switchover
- Built-In Charger
- Expandable Intercom System

**RCI ENGINEERED  
AUDIO SYSTEMS**

8550 Second Avenue  
Silver Spring, MD 20910  
(301) 587-1800

Circle (132) on Reply Card

**Strand Century (1418)**

Established products \_\_\_\_\_

**Light Palette:** TV lighting control system

**MiniLight Palette:** Lighting control system

Mantrix Memory

Mantrix 25

**CD80:** Portable dimmer packs

Ianiro portable lighting kits

Ianiro studio lighting fixtures

Ianiro remote and HMI lighting equipment

New products \_\_\_\_\_

Solid-state ballast for 575W and 1.2kW

**PARLITE:** HMI PAR fixture, customer selectable between 575W and 1.2kW

Circle (889) on Reply Card

**Studer Revox (201)**

Established products \_\_\_\_\_

**A800:** Microprocessor-controlled multitrack recorder

**A810:** 2-track recorder with center-track SMPTE code

**A710/B710MKII:** Professional cassette deck

**900:** Broadcast audio consoles

**169/269:** Portable audio consoles

**TLS2000:** SMPTE synchronizer

**A80 VU:** Multitrack recorders

**2706:** Studio monitor

**A68:** Monitor amplifier

**B67:** 2-track recorder

**B77SLS:** Broadcast logger

**PR99RO:** Automation logger

Telephone audio system and hybrid

New products \_\_\_\_\_

**PR99MKII:** Compact pro recorder with real time counter

**TLS4000:** Modular SMPTE synchronizing system

**A726:** FM monitor tuner

New input module options for 900 series consoles

Circle (890) on Reply Card

see ad on page 255

**Swintek Enterprises (1503)**

Established products \_\_\_\_\_

Hand-held radio microphones

VHF/UHF wireless headsets

RF switching diversity antenna systems

Lavalier VHF/UHF wireless microphones

**MARK Q:** Series of wireless mic operating with all video cameras

New products \_\_\_\_\_

See at booth

Circle (891) on Reply Card

see ad on page 118

**Switchcraft (427)**

Established products \_\_\_\_\_

Switches and indicator lamps

Connectors

New products \_\_\_\_\_

See at booth

Circle (892) on Reply Card

see ad on page 313

**Sylvania GTE (1401B)**

Established products \_\_\_\_\_

T-H Lamps for studio, theater, TV and

video in 5kW and 10kW ratings

Brite Arc/Brite Beam HMI lamps

New products \_\_\_\_\_

**BB200 200W PAR36:** Brite Beam metal

halide lamp for ENG

Ruggedized versions of T-H lamps

**DNV/DNT:** T-H versions of incandescent models

Rim-mount lamps for video camera lighting

**Design 50:** 5000k fluorescent lamp for studio, printing and lithography lighting

**Lighting Handbook:** 7th edition

Circle (893) on Reply Card

**Symetrix (616)**

Established products \_\_\_\_\_

**T1-101:** Telephone interface

**511:** Single-ended audio noise reduction system

**501:** Peak-RMS compressor/limiter

**CL-150:** Fast-RMS compressor/limiter

**A-220:** Stereo amplifier

**SE-400:** Stereo parametric equalizer

**DCS-16:** Remote control system

**522:** Compressor/limiter/expander with gate and ducker

New products \_\_\_\_\_

See at booth

Circle (894) on Reply Card

see ad on page 220

**Symtec (1522)**

New products \_\_\_\_\_

**PGSIV:** Text and graphics generator combination, featuring RS-170A signal output with animation capability, 22 fonts, cut/paste, scaling/rotation, gen-lock, A/D conversion, slide/print production of graphics and RGB outputs

Circle (895) on Reply Card

**System Associates (1331E)**

Established products \_\_\_\_\_

Distributor for a wide variety of equipment for the radio and TV broadcast industry

New products \_\_\_\_\_

See at booth

Circle (896) on Reply Card

**TFT (109)**

Established products \_\_\_\_\_

**8300:** Studio transmitter link

**701:** TV monitor

**753/754:** AM monitor

**763/764/724A/730:** FM monitors

**7900 Series:** Microprocessor remote control system

**8100:** Transmitter studio link

**760:** Emergency broadcast system equipment

**8020/8010:** AM/FM E-alert equipment

New products \_\_\_\_\_

**840/841:** AM stereo exciter/monitor

**830:** SCA generator for voice and data

Circle (897) on Reply Card

see ad on page 269

**TV Equipment Associates (1216)**

Established products \_\_\_\_\_

Matthey delay lines and low pass video filters

RACAL headsets for broadcast and intercoms

Elcon videotape cleaner profiler for

2-, 1- and 3/4-inch formats

VG Zone plate generator



# HERE'S WHY THE KAMAN BROADCAST MANAGEMENT SYSTEM IS THE CHOICE OF THE INDUSTRY.



**The KAMAN Broadcast Systems are designed to be the most comprehensive and advanced in the industry. They are truly state of the art.**

The Kaman Broadcast Systems are a "Station Operations" solution designed for today and the future. The interactive data base ties together all the various departments within your station. Information can be put in the systems anywhere . . . is immediately part of the systems everywhere. Speed is one of its greatest attributes!

The Kaman Broadcast Systems are totally "in-house," and are available at all times, unlike other systems which have operating hours and days. Timely, deci-

sion-producing information is now available at your fingertips anytime. Your sales staff can log spots immediately when a buy is made and avails will be updated. Information ripples through the entire system: to traffic, billing, and even production. The Kaman Systems are designed for your station's future needs: to produce information, data, and reports in an ever-changing industry.



1500 Garden of the Gods Rd. • Tel. 303/599-1500 • Telex 452412  
Mailing Address: P.O. Box 7463 • Colorado Springs CO 80933-7463

The Kaman Broadcast Systems are designed exclusively for the IBM System/38 which can provide uninterrupted, multiterminal access for your entire station. The System/38 has outstanding capacity for data and is backed by IBM's reputation for superior service.

The Broadcast Management System reflects Kaman's in-depth broadcasting background . . . a background unique among broadcast computing companies. Kaman has a strong commitment to the broadcasting industry and it shows through a solid reputation for service and reliability of its products.

**At Kaman, today's quality is tomorrow's reputation.**

# KAMAN BROADCAST SYSTEMS

## A TOTAL SOLUTION FROM A SINGLE SOURCE

### REPORTS TO INCREASE PRODUCTIVITY

#### AVAILS:

- Multiple formats
- 365 days
- Budgets
- Average pricing
- Constant updating

#### PROJECTIONS:

- 9 different calendars
- By salesperson, agency or advertiser
- Budgets
- History
- Pace

#### LOGS:

- Complete pre-logs, engineers logs, final logs

#### CONTRACT/CONFIRMATIONS

#### PSA/PROMO LISTS AND AFFIDAVITS

#### DAILY LOG VALVE

#### FCC LOG ANALYSIS

#### COMPLETE PREEMPT/MAKEGOOD HANDLING

#### TAPE CARTRIDGES:

- Automatic allocation
- Inventory control
- Dub lists
- Cartridge labels

#### BILLING:

- Invoices – airtime/production
- Statements
- Accounts receivable
- Cash receipts
- Co-op reports
- Salesperson journal
- Rep report
- Revenue analysis by:  
Time, Show, Salesperson,  
Agency, Advertiser, Product,  
All with history

Standard reports are formatted but may be changed, and other reports can be tailored by the user through the use of the IBM System/38 "Query" function.

#### FLEXIBILITY

The Broadcast Management System is completely interactive and geared to maximize sales. As a contract is being input, it immediately checks the avails

and places every spot according to the station's priorities; i.e., highest rate, client preference, length of unit, national or local, rate section, personal preference, length of contract. The priorities are set by the station to their sales philosophy. Each time a spot is ordered, the spot is placed according to these steps and according to space availabilities on the log or avails. If space is not available but can be acquired by moving or juggling spots, the system will maximize the area by the station's logging priorities. The system logs and avails spots automatically in horizontal and vertical rotations following sports programs, specials, etc.

### THE IBM SYSTEM/38

The IBM System/38 is engineered to grow as your station work load and business requirements change and grow. It is a system that can adapt easily to the addition of a work station in one of your satellite offices or the addition of a new disk file ... all without major programming changes. The System/38 has integrated many large system features into a single system design ... at an affordable price.

For various station departments, it can provide accurate, timely information where it is needed, when it is needed, and in the desired form, without support from data processing personnel.

The IBM System/38 lends itself to networking with other IBM Systems and multistation operation from a single site. Our programs incorporate the ability for corporate reporting and electronic mail.



1500 Garden of the Gods Rd. • Tel 303 599 1500 • Telex 452412  
Mailing Address: P.O. Box 7463 • Colorado Springs, CO 80933 7463

Let us show you more about how the Kaman Broadcast Systems can provide you with present and long-term solutions to your problems now. Developing software for broadcasters is our business. Call us at 303-599-1470.

Security is also built into its operation ... users enter their assigned password, and the system determines the information they can use. Your employee files, for example, can be restricted to a select few.

### OTHER KAMAN BROADCASTING PRODUCTS

**Autoswitching Interface System:** passes the log directly to engineering and retrieves following airing for automatic billing.

**Accounting:** includes capabilities for General Ledger, Payroll, Fixed Assets and Accounts Payables.

**Film System:** inventories feature and syndicated films. Amortizes as you prefer. Includes payables to vendors. The system is unique in that it is designed to forecast for your station ... what you have

contracted for the future, costs versus cash flow so you know what you can afford to bid. This system is scheduled for release in late 1984.

Interface your Broadcast Management System with your National Reps. Your Reps will be able to have access to whatever you want them to have (and no more) to help them close sales on your hot avails. Currently under research and design.

All new Kaman Systems software modules can be interfaced with all other Kaman Broadcast Systems software, even if added at a later date.

### THE KAMAN DIFFERENCE

We pride ourselves on the fact that our training, installation and customer services people are broadcasters. Our systems are designed from the user point of view and in broadcast language. All Systems are easy to learn, operate, and bring up. Our program consists of station personnel being in Colorado Springs for advanced training, and our installation team being at the station for instruction and live conversion. We have Customer Service personnel available thereafter.

**At Kaman, today's quality is tomorrow's reputation.**



## TV Equipment Associates (1216)

Continued

Link audio and video DAs  
IRT color monitor comparator, dc-  
powered

MATEL auto multiplex phone/intercom  
New products

RACAL Suregard headset for noise  
exclusion with noise canceling  
electret microphone

RACAL emergency field phone for party  
line operation

Circle (898) on Reply Card

## Taber (711)

Established products

409: Tabererase, manual

Audio head replacements

New products

1500 Taberaser, automatic

Circle (899) on Reply Card

## Tamron Company (1640)

Established products

265H 10X: Zoom lens

665H 10X: Zoom lens

466H 14X: Zoom lens

181H 10X: Zoom lens

81H 10X: Zoom lens

466HB 14X: Zoom lens

New products

See at booth

Circle (900) on Reply Card

## Tandberg of America (614)

Established products

TDC-910: Cassette recorder

TD-20L: Logging recorder

TDC-621: Duplicator machine

TES: Telephone enhancement system

TD20A-SE: Recorder

New products

See at booth

Circle (901) on Reply Card

## Tapscan (106)†

See at booth

Circle (902) on Reply Card

## TASCAM (1304)

Established products

M16: 24-input, 16-channel mixer

M30/M35: 8-track mixers

Series 22: Audio recorders

Series 30: 2-, 4- and 8-track  
recorders

85-16B: 16-track audio recorder

Portastudio 244: 4-track mixer with  
integral 4-track audiocassette recorder

122: Stereo cassette recorder

133: 3-channel cassette recorder

Line amps, equalizers, mics

New products

Series 40: +4dBm balanced, 2-, 4-  
and 8-track audio recorders

Series 50: +4dBm balanced, 2- and  
8-track recorders


M-520: 20x8x16 modular-construction  
studio or production mixing console,  
featuring one clean feed, four side  
chain systems for processing, prefader  
listen cue and stereo solo in place

122B: Balanced input/output stereo  
cassette recorder

133B: Balanced input/output 3- →

Circle (145) on Reply Card

# Fibre Optic Multichannel Digital Video



## MULTISTANDARD TRANSMISSION OF COMPONENT OR COMPOSITE VIDEO

### Component Video

### Multistandard sources

### Multiple video feeds

All create challenges for the Video  
Transmission Engineer

Quante's QLT 1000 Series Digital  
Fiber Optic Transmission System  
provides four transparent channels  
per fiber, ensuring maximum flex-  
ibility to meet new standards as  
they evolve.

- Single fiber for 4 video and up  
to 56 digital audio channels
- Multistandard transmission with  
any mix of component or com-  
posite channels
- Fully bi-directional
- Reach 11 to 50km with choice  
of wavelengths
- RS 250 B performance

See us at NAB '84-booth 1216A

**Quante**  
CORPORATION

3350 Scott Boulevard  
Building 15  
Santa Clara, CA 95051  
(408) 727-2077

Norkshäuschen 25  
D-5600 Wuppertal 1 (West Germany)  
Tel. (0202) 704001-03  
Tx. 8591542

Circle (133) on Reply Card

## TASCAM (1304)

Continued

channel cassette recorder

**234:** Multichannel production cassette recorder

**Series:** Patch bays

2-piece 1/4-inch 1/2-track transport in floor-standing console with optional broadcast/monitor editing system

Circle (903) on Reply Card

see ads on pages 27 and 315

## Teatronics

(1786)†

Established products

**Genesis 2400:** Dimmer systems

**Marathon 1200:** Dimmer systems

## New products

See at booth

Circle (904) on Reply Card

## Tektronix

(1601)

Established products

**110-S:** 10-bit frame synchronizer

**1910:** Digital signal generator/ inserter

**1980A:** Option 04 NTSC video monitoring software

**690SR:** Color video monitor

**2445:** Portable 150MHz oscilloscope with TV option

**AA501:** Audio analyzer with support equipment

**380:** Test monitor, combining waveform, vector and oscilloscope functions

New products

**1740 Series:** Waveform/vector monitor for NTSC, PAL and PAL-M with portable battery pack capabilities


**1750 Series:** Waveform/vector monitor with SC/H-phase capability in NTSC, PAL and PAL-M formats

**494:** Spectrum analyzer with 'HELP' mode for 10kHz-325GHz measurements

**118-AS:** Digital audio synchronizer, complementing the 110-S, to compensate audio-to-video delay differentials incurred when video passes through cascaded and/or extended memory (4-field) video synchronizers

Circle (905) on Reply Card

see ads on pages 17, 18, 19, 20 and 21



## REACH THE WORLD WITH SSTV

High quality programming can be provided to a national audience using Slow-Scan television (SSTV). Both the digital Model 285C and analog Model 290C transmit still video color images over the subcarrier of a satellite transponder—at a fraction of the cost of full-motion satellite delivery.

With the addition of inexpensive earth stations, SSTV can be used to reach specialized audiences, like academic institutions, religious groups, or professional associations.

Slow-Scan television offers rapid "slide-show" programming. Use it for topics such as news, travel, weather, finance, art, real estate or geography.

To learn how specialized programming becomes affordable with SSTV, contact Colorado Video, Inc. Box 928, Boulder, CO 80306 303/444-3972.

COLORADO VIDEO

See Us at NAB in Booth #1222

Circle (288) on Reply Card

## For simplified phasing

Certifying the SC/H-phasing in a TV facility is not that difficult, but even for an engineer or knowledgeable technician, the process does take time. More than a glance at the waveform monitor or CRT display is needed to set the phase adjustments correctly. For less well-trained personnel, the process could be a major undertaking. As an answer to the task of SC/H phasing the facility, Tektronix will introduce its 1750 series at NAB '84/Las Vegas.

Closely paralleling the design of the TEK 1740, the 1750 waveform monitor/vectorscope includes the capability for measuring and monitoring subcarrier-to-horizontal (SC/H) sync phase. The instrument allows quick determination of proper composition of individual signals and their compliance with NTSC RS-170A, as well as relative color framing of two signals. The phasing display is available at the touch of a front-panel mode select button.

Easily understood front-panel controls allow normal waveform and vector displays, as well as R-Y differential phase and new SC/H mode. Sweeps allow 1H, 2H, 1-field and 2-field displays, along with a magnification mode. Dc restore is switched and vertical filtering provides for flat, IRE and chroma selections, just as on the 1480 waveform monitor. Also, line selections from Fields 1 or 3 and Fields 2 or 4 may be made, allowing VIRS, VITS and other vertical interval signals, such as teletext, to be monitored.

In the SC/H-phase monitor mode, the 1750 uses the vectorscope graticule, with the subcarrier reference burst indicated as on a vector display. When controls are properly set, the phase error is determined by the position of a spot lying on the outer circle of the vector display. The number



# FM BROADCASTERS, IS YOUR SIGNAL REALLY ON TARGET?

You know your market numbers, and the demographics that tell you where you should have your best signal coverage.

That's good, because your competition knows them too.

But, are you certain that you're delivering every watt into those numbers? Do your field-strength numbers raise a few doubts? And, what about the quality of your station's sound? You've spent all that money on the studio equipment. You've fine-tuned your transmitter. Great. But those improvements really don't count for much if your programming is hitting the open pastures while your competition is zeroing-in on the key demo sectors. This is where a CETEC FM Antenna comes in.

## INTRODUCING OUR "HAVE IT YOUR WAY" PROGRAM FOR FM BROADCASTERS

Because your market has changed since your antenna was first put into service, or it's come time to directionalize, it makes good sense to look into the benefits of upgrading with CETEC ANTENNAS. Here's three different ways:

1. Our Pattern Optimization Service;
2. Directionalization on any of our standard antennas;
3. Upgrading to our patented Series JSCP antennas.


With pattern optimization, we can give you more uniform coverage and better signal quality. Typical nulls and peaks can be virtually eliminated. All of our work is done fullscale to eliminate errors too. Parasitic elements are precisely determined on a custom basis for your particular site. When you optimize your signal our way, you optimize your market reach and penetration—your way.

Cetec Antennas meet FCC requirements for directionalizing. With us, FM antennas aren't a sideline. All of our FM's are CP and can be directionalized. From 4KW to 360KW, one bay to large, multiple bay systems, we're one of the largest suppliers to the industry. With a CETEC directional, we can place your signal right where you want it.

When you upgrade with CETEC, you get more than 20 years proven experience in engineering ability that has delivered more than 1,000 JSCP model FM antennas. Other important features you gain when you plan with CETEC are factory tuning on a customer-type structure, and the comfortable feeling of a two-year material and workmanship warranty.

Now that the FCC 80-90 Docket is part of your planning, it makes all the more sense to talk with CETEC ANTENNAS. There's no obligation for complete technical information.

We'll see you in Las Vegas at Booth 509 as well as our suite at the MGM Grand. At the NAB Convention, or all year long at the Sacramento factory, we're ready to serve with speed and a high quality product. Let us show you how we can give you—**THE EDGE IN COVERAGE.**



**Cetec Antennas**  
*The Edge In Coverage!*

6939 Power Inn Road, Sacramento, California 95828  
(916) 383-1177 Telex: 377321

SEE US AT NAB, LAS  
VEGAS...BOOTH 509

© 1982 CETEC.

Circle (134) on Reply Card

of degrees of error are read from graticule marks.

Intended for rack-mount or bench use, the new instrument is sized similar to the 1740 and 528A waveform monitors or 1420 vector-scope. The half-rack-width monitor is 18.13 inches deep, weighs 16 pounds and is operable only on ac power. It will sell for approximately \$5600 in NTSC. A 1751 PAL version and a PAL-M model, 1752, will follow the NAB introduction. In each case, the cost is slightly more than the combined cost of a 528A/1420 set, or PAL equivalent, in half the space.

Circle (400) on Reply Card

Telemet (1202)

Established products

**7934:** A/V routing switcher with computer control option

**3710:** Broadcast demodulator with tester and synchronous detector

**3706:** TV sideband analyzer

**4501:** Precision demod

**4503:** Demod tester

**4504:** Synchronous detector

**4500:** Off-air demodulator

**4400:** Modulator

**4210:** Fiber-optic system

**4600:** Video signal conditioner

**3538:** Multifunction test set

**5300:** Isolation amplifier

New products

See at booth

Circle (906) on Reply Card

see ad on page 194

Telescript (1407)

Established products

**MPS-1000:** Monitor prompting system

Telecue and Telescript transports

New products

**DIGIS:** Digital prompting system using current manufacture personal- and briefcase-type computers

Circle (907) on Reply Card

Telesource (1607B)

Established products

In-station election reporting system with vote computation and on-air display with unlimited number of races

New products

**BUZ Series 2000:** Comprehensive TV and radio newsroom management/editing system, featuring a local area network, redundant processors and terminal work stations

Circle (908) on Reply Card

Television Engineering (1700)

Established products

TV remote vehicle, equipped with

state-of-the-art equipment

Professionally designed TV systems

Individual production items

New products

New design in remote vehicles, planned and designed to save on replacement cost

Circle (909) on Reply Card

Television Information Office (806)†

See at booth

Circle (910) on Reply Card

Telex Communications (600/1605A)

Established products

Wireless mic systems

Microphones

Closed circuit intercom systems

Headsets

Open reel and cassette ATRs and loggers

Tape duplicators

A/V projection film equipment including front and rear screen combinations with cassette audio and dissolve control

New products

See at booth

Circle (911) on Reply Card

Tennaplex (1127)

Established products

Kathrein broadband dipole panels for

FM and TV antennas

Hybrid combiner modules

New products

Kathrein broadband dipole panels suited for arrays of three panels per bay on triangular masts

Circle (912) on Reply Card

Tentel (1613)

Established products


**Tentelometers:** Tape tension gauges for C, U-matic, Beta, VHS, M-format and quad VTRs and reel-to-reel audiotape

**TUSH:** Spindle height gauges for VHS, Beta and U-matic formats

New products

**T2-H18-CBD:** Tentelometer for Sony and

## The All-in-One Audio Test System— Model 1510A by Sound Technology



IF...

...you're involved with production or post-production of audio for video, or on-location taping for television or CATV

...your equipment maintenance is an on-going, in-house responsibility

...your firm is ultimately concerned with the audio quality of your projects...

**Then the 1510A Audio Test System belongs in your facility!**

Leaders in Test and Measurement  
for over a Decade

**SOUND  
TECHNOLOGY**

1400 Dell Avenue, Campbell, CA 95008

(408) 378-6540 Telex: 357445

©Sound Technology, 1984

### WHY?

Sound Technology's 1510A tells you EVERYTHING YOU NEED TO KNOW ABOUT YOUR AUDIO. It insures delivery of a sound product each & every time!

### DESIGNED TO GIVE YOU THE COMPLETE PICTURE

The 1510A quickly and precisely evaluates and analyzes audio quality for VTRs. Microprocessor control, differential inputs, electronically-balanced outputs with a clean, low-distortion signal source (typically .005%) from +30 to -70 dBm... all contribute to the 1510A's ability to fulfill ALL your audio requirements.

### MORE FOR LESS

Why invest \$17K in a collection of test gear when the 1510A can do it all? Call Sound Technology to find out more about THE ONLY ALL-INCLUSIVE, TWO-CHANNEL TEST INSTRUMENT in today's market!

Circle (135) on Reply Card



# DID YOU KNOW CHESTER CABLE MAKES AUDIO AND VIDEO CABLE?

Many people don't.

But that's changing. We've committed ourselves to the broadcast industry by offering a full line of custom-designed and standard audio and video cables. We didn't just get started either. We've been manufacturing wire and cable for over 40 years. Today, Chester products are carrying critical signals in network broadcast studios and for field broadcast coverage. They've been used to cover the Olympic Games, the U.S. Open in golf and in numerous everyday news and sports coverages.

We gained our knowledge and experience by designing quality wire for use in atomic submarines, jet aircraft and life support systems and diagnostic equipment in the medical field to name just a few. Of more importance to you, we build coaxial and triaxial video cables, shielded multi-pair audio cables and multi-conductor control cables. But, we don't stop there. We will design a cable for you as well, for that special application that needs something more than the standard designs. So, you can design a cable to fit your project rather than design your project to fit a cable. We also don't go into slow motion when the word "special" comes up. We understand the needs of the broadcast industry and are ready to react to your timetable demands. So when your next cable requirement comes up, think of Chester. We've got what you're looking for.



## CHESTER CABLE

P.O. Drawer D, Chester, New York 10918  
(914) 469-2141

A unit of Chester Cablewave Systems Corporation.

### Proven reliability.

Circle (136) on Reply Card

[www.americanradiohistory.com](http://www.americanradiohistory.com)



# MAKE YOUR MOBILE 1 NUMBER ONE IN MOBILITY.



## HANNAY REELS GET YOU IN AND OUT FAST.

Save precious seconds in set-up, tear-down time. Just pick up the durable, lightweight Hannay Portable Cable Reel, and go. When the story's in the can, direct rewind makes pick-up easy. And the Portable Cable Reel is compact to take up minimal storage space.

It's the newest addition to our complete line of cable reels, for an even bigger selection of unlimited sizes, shapes and capacities to choose from.

When it comes to getting in and out fast, no other reel is "remotely" as efficient as a Hannay Reel!



Send Today  
For A Free Catalog.



### HANNAY REELS

CLIFFORD B. HANNAY & SON, INC., 600 EAST MAIN STREET  
WESTERLO, NEW YORK 12193 • TELEPHONE (518) 797-3791

Circle (137) on Reply Card

#### Tentel (1613)

Continued

- Ampex 1-inch C VTRs
- T2-H7-UMS:** Tentelometer for Sony Betacam
- HPG-1:** Universal head protrusion and drum eccentricity gauge for Beta, VHS and U-matic systems
- WS120:** Field calibration weight set for field checking of Tentelometer accuracy

Circle (913) on Reply Card

see ad on page 240

#### Theatre Service/Supply (1513)

- Established products \_\_\_\_\_
- Cyclorama backdrop curtains and cyc track systems
- Overhead track systems for light fixture support and electrical power distribution
- New products \_\_\_\_\_
- See at booth \_\_\_\_\_

Circle (914) on Reply Card

#### Thermodyne (1637)†

- Established products \_\_\_\_\_
- Shok-Stop:** Shipping and storage cases
- Rack-Pack:** Shipping storage and operating cases
- Rack-Pack:** With new 3-tiered sliders
- New products \_\_\_\_\_
- See at booth \_\_\_\_\_

Circle (915) on Reply Card

#### Thomson-CSF Broadcast (1001)

- Established products \_\_\_\_\_
- 4101/4111:** FM Volumax peak controllers
- 4300:** AM Volumax peak controller
- 4440A:** Audimax level controller
- 1602:** Dual audio DA
- 5500B:** NTSC color corrector
- 8010:** Image enhancer
- 9010NM/9020NM:** Videoplex encoder/decoder
- TTV-2705:** Color slide scanner
- MC-613:** 3-tube Betacam with 1/2-inch VTR
- Vidifont V:** Character generator and graphics system
- NABTS teletext system
- UHF and VHF TV transmitters
- 4-program TVRO system
- New products \_\_\_\_\_
- TTV-1525C:** Color studio camera
- TTV-1623:** Automatic 3-tube Betacam Editing suite
- TTV-4400:** Auto contrast corrector
- TTV-5305:** Special effects image processor
- TTV-8400:** Thom. C.A.T. computer-aided test instrumentation
- TTV-7650/7660:** D/A and A/D converters
- 2kW VHF TV transmitter
- 200W, 1kW and 2.5kW FM transmitters

Circle (916) on Reply Card

see ad on page 251

#### Thomson-CSF Components (1003)

- Established products \_\_\_\_\_
- Klystrons
- TH-3591B and TH-3640 TWT amplifier systems for satellite communications
- Tetrode for UHF and VHF applications
- New products \_\_\_\_\_
- TH-2417C:** 24-channel 3.35kW C-Band klystron for satellite uplinking stations

**TH-2426:** 2kW Ku-Band klystron for uplink ground stations

**TH-2445:** DBS klystron for transmitter amplifiers in the DBS satellite services in the 17.3GHz to 18.1GHz spectrum

**TH-547:** 1kW UHF tetrode for LPTV service

**TH-582:** 20kW UHF tetrode, using the Pyrobloc grid structure

**TH-371:** 20kW VHF tetrode with Pyrobloc grid structure

Circle (917) on Reply Card

#### Thorn EMI (1331D)†

- Established products \_\_\_\_\_
- Lamps:** For studio use
- Lamps:** hand-held fixtures
- New products \_\_\_\_\_
- See at booth \_\_\_\_\_

Circle (918) on Reply Card

#### 3M Company (1002)

- (3M Magnetic Audio/Video Products)
- (3M Broadcasting and Related Products)
- (3M Optical Recording Project)
- Established products \_\_\_\_\_
- 250/226:** Audio mastering tape
- Cinetrak:** Tape cycling
- Anti-static treatment of cassettes
- Custom mastering/replication of laser videodiscs from 1-inch and U-matic videotape
- New products \_\_\_\_\_
- 480:** Master broadcast videotape
- D-1000/D-5000:** Character generator systems
- BFA:** Video graphics paint system
- 210:** Sync generator
- Additional models of H-Hybrid routing switcher series
- EECO converter to provide 150 hours of audio programming from optical video discs

Circle (919) on Reply Card

see ad on page 311

#### Tiffin (1422)

- Established products \_\_\_\_\_
- Complete line of special effects and standard filters for video and film cameras
- New products \_\_\_\_\_
- See at booth \_\_\_\_\_

Circle (920) on Reply Card

#### Toby Arnold & Associates (107)

- Established products \_\_\_\_\_
- Music program syndication service
- New products \_\_\_\_\_
- See at booth \_\_\_\_\_

Circle (921) on Reply Card

#### Toshiba (1631A)

- Established products \_\_\_\_\_
- PK-41:** Computer-controlled camera
- PK-60:** ENG/EFP TV camera
- WG-V:** Wipe pattern generator
- CKG:** Soft chromakey signal generator
- New products \_\_\_\_\_
- PK-70:** Color camera with VTR
- PK-61:** Portable color TV camera
- D-VSW 1000:** Digital video switcher
- Power amplifiers for transmitters

Circle (922) on Reply Card


see ad on page 239



# ONE OF THE INDUSTRY'S BEST KEPT SECRETS . . .

ISC EDITING SYSTEMS ARE CONTROLLING MORE VPR-3'S  
THAN ALL OF OUR COMPETITORS COMBINED.

SURPRISED?



THEN YOU SHOULD GET TO KNOW US BETTER.

ISC is the only company that can control both the newest Ampex and Sony's VTR's through RS422 Direct Control protocol, and simultaneously control a host of other equipment through Calaway and CMX RS232 interfaces.

Visit us at NAB. We will demonstrate the industry's most flexible interfacing and most sophisticated VTR and switcher control. ISC provides precise, easy to use control permitting you to expand your creativity.


ANOTHER BEST KEPT SECRET . . .

In fact, our new model 51 is still a secret . . . until NAB.

See it at NAB booth No. 1167

ISC—the strong, quiet company setting the pace.

INTERACTIVE SYSTEMS COMPANY  
5601 N. BROADWAY, BOULDER, CO 80302 (303) 447-2013  
Sold Exclusively in Canada by:  
GLETRONIX, Toronto, Ontario (416) 444-8497



# Buying an audio post-production system. The long and the short of it.

BUY AN AUDIO MIXING  
CONSOLE.

ADD 6 BUS MIX MATRIX  
ADD PATCHFREE ROUTING  
SYSTEM.

ADD COMPRESSORS/  
LIMITERS.

ADD NOISE GATE/  
EXPANDERS.

ADD MULTITRACK TRACK  
REMOTES.

ADD AUTOLOCATOR.

ADD AUTOMATED MIX  
PACKAGE.

ADD SYNCHRONISER  
CONTROLLER.

ADD MASTER TRANSPORT  
SELECTOR.

ADD REAL TIME MIX  
SYSTEM.

ADD EVENTS CONTROLLER.

ADD PROGRAMMABLE  
EQUALISER.

ADD VIDEO SWITCHER

ADD COMPUTERISED LIST  
MANAGER.

ADD PRINTER.

ADD EFFECTS RACKS

ADD AUTOMATIC DIALOGUE  
REPLACEMENT SYSTEM.

EMPLOY A FULL TIME  
SOFTWARE ENGINEER.

OR  
BUY AN SL 6000 E SERIES  
STEREO VIDEO SYSTEM.



In the competitive world of video production, providing the facilities is one of the first requirements for success.

Getting it right can prove difficult, however. Especially in the area of audio post-production.

For people expect the same sophisticated standards of sound that they hear from the recording industry. But they usually expect it in a fraction of the time.

Which means a post-production studio, if it is to meet these demands, must not only give first-rate stereo sound, it must be streamlined to give it as quickly and efficiently as possible.

Unfortunately, because the video business is still young, much of the equipment on offer is new and unproven. With different suppliers working to differing standards.

And even if you choose the individual components of your system wisely, they won't work together with maximum efficiency. Because they weren't designed to do so.

So, at best, assembling your audio facilities will be complicated, time consuming and not entirely satisfactory. At the worst, it will be very costly and potentially catastrophic.

Unless of course you choose the Solid State Logic SL 6000 E Stereo Video System. The world's first fully integrated audio post-production system.

Designed in consultation with several leading post-production houses and broadcasters, the SL 6000 E provides outstanding audio quality. Combined with systematic design and practical innovation, aimed specifically at the needs of the video and broadcasting industries.

The Stereo Mix Matrix, for example, contains three stereo mix buses. Allowing the simultaneous creation of separate music, effects and dialogue mixes, and giving the greatest possible flexibility for both stereo and mono post-production.



Master Logic Control enables the console to be reconfigured instantly for track laying, overdubbing or remixing. Ingenious switching



on each input/output module gives easy patchfree routing and sub-grouping.

The SSL Primary Studio Computer handles automated mixing, autolocation, and list management. It interfaces with the remarkable Total Recall system and links with the Synchroniser Controller to provide direct control of the entire system via its keyboard and in-built TV monitor.

As a result, an enormous amount of time (and money) is saved. Giving the engineer a new freedom to concentrate on the more creative aspects of his work.

These features, incorporated into the SL 6000 E's cohesive and comprehensive design, are of great benefit to post-production and broadcast studios alike.

And because of the system's modular nature, it can be built up from the basic mainframe as your needs and budget dictate. Making it an affordable proposition for any size of studio.

So if you're in the market for an audio post-production system, you can fall into the trap of trying to assemble one piece by piece.

Or you can drop a line or call Antony David in the UK or Piers Plaskitt in the USA, and find out more about SSL's Stereo Video System.

# Solid State Logic

Please send me further information on the SL 6000 E Series Stereo Video System.

Name \_\_\_\_\_  
Position \_\_\_\_\_  
Company \_\_\_\_\_  
Address \_\_\_\_\_

Solid State Logic, Churchfields, Stonesfield, Oxford OX7 2PQ, England  
Tel: (099) 389 8282. Telex: 837400 SSL OX G. Facsimile: (099) 389 8227.  
Solid State Logic, 228 East Main, Milan, Michigan 48160, USA.  
Tel: (313) 439 8866. Telex: 230504 SSL MILAN. Facsimile: (313) 439 8516.

Circle (139) on Reply Card

**Townsend** \_\_\_\_\_ (1420)†

Established products \_\_\_\_\_

**Phaestar:** 100W low-power UHF transmitter-antenna system.  
Plug-in vacuum contactor for klystron beam voltage power supplies.

**TMP-3-10:** All solid-state mod anode pulser for UHF klystron transmitters.

**TA-10NTH:** 10kW high-band UHF transmitter

**PE-250:** Perveac klystron beam voltage control system

**TMP-2-10:** Solid-state pulser

**TMC-10-XT:** 10W MDS/ITFS transmitter

**TA-55TE:** 55kW UHF TV transmitter

**TA-10ATH:** 10kW VHF TV transmitter

**TA-100ASU:** 100W UHF TV transmitter

**TMD-100XT:** 100W solid-state MDS/ITFS transmitter

**TC-800:** 800A vacuum contactor

**TA-5ATU-M:** 5kW UHF TV transmitter

**IR-500:** Impedance plotter

New products \_\_\_\_\_

See at booth \_\_\_\_\_

Circle (923) on Reply Card

see ad on page 257

**Transimage Int'l.**

(1512)†

See at booth \_\_\_\_\_

Circle (924) on Reply Card

**Trident**

(333)†

Established products \_\_\_\_\_

**Series 80:** Production/recording console

**Trimix:** Expandable portable/studio

console system

**Limiter/compressor:** 2-channel limiter/compressor

**Parametric equalizer:** 3-band fully parametric equalizer

**Trimix:** Expandable portable/studio console system

**Series 70:** Audio consoles

**VFM:** Audio consoles

New products \_\_\_\_\_

See at booth \_\_\_\_\_

Circle (925) on Reply Card

**Trompeter**

(1211)†

Established products \_\_\_\_\_

**Series:** Patching and patching accessories, coax, twinax and triax BNC-type connectors

**J-18:** Miniature 70Ω jacks

**TRS:** Connector systems

New products \_\_\_\_\_

See at booth \_\_\_\_\_

Circle (926) on Reply Card

**Turner Broadcasting**

(621)†

See at booth \_\_\_\_\_

Circle (927) on Reply Card

**Tweed Audio**

(313)†

Established products \_\_\_\_\_

**Service:** Specialize in custom-designed systems for radio and TV broadcasting studios

New products \_\_\_\_\_

See at booth \_\_\_\_\_

Circle (928) on Reply Card

**UMC Electronics**

(114)

Established products \_\_\_\_\_

**Type 100:** A/AA size audio cart machines

**Type 200:** Audio cart machines

**Type 300:** Triple-deck audio cart machine

**SFE-100:** Splice finder with or without eraser

**BC-16:** Stereo on-air console

**Beaucart II:** Economy line cart machine

**System 8:** Operator-assist automatic news recording system

New products \_\_\_\_\_

**Type 200MA:** Motorized azimuth cart machine with built-in white noise generator

Circle (929) on Reply Card

see ad on page 327

**UREI**

See United Recording Electronics

**US Tape & Label**

(602)

Established products \_\_\_\_\_

Pressure sensitive products for broadcast industry promotional use: bumper strips, window labels and concert patches

New products \_\_\_\_\_

See at booth \_\_\_\_\_

Circle (930) on Reply Card

**Ultimate**

(1642)


Established products \_\_\_\_\_

**Ultimate-4:** Video compositing device

**Newsmatte:** Video compositing system for live broadcast

# Think Telemet

## for Test & Measurement Equipment



model  
3581

## Portable Multiburst Generator

And, we mean PORTABLE!

This rugged, solid state Multiburst Generator is designed to go where you go.

It's a self contained test package which allows you to check your frequency response—anywhere!

It has 75Ω unbalanced output and 124Ω balanced.

The frequency bursts are from 0.5 to 4.2 MHz.

Internal sync, blanking and white bar are sine-square filtered to avoid overshoots.

It even has its own rough, tough carrying case for added protection.

This is just one  
of over 175 products  
that we make.



Free catalogs are  
available upon request.  
Please call or write...

# Telemet

A Geotek Company

185 Dixon Avenue, Amityville, L.I., New York 11701

(516) 842-2300 TWX 510-227-9850

Eastern Area Office—(914) 279-3231

At Booth #1202 we have a free "Test Manual" for you

Circle (140) on Reply Card



When you'd give  
an arm and a leg  
for an extra foot...

A-T  
gives you  
a hand!

## The new AT835.

Now there's a new way to reach out and hear. The Audio-Technica AT835 Condenser Line + Gradient Microphone. It's barely longer than a legal pad, but it zeroes in on the sound you want to hear, while blocking out noise from the sides and rear.

### Baby Brother


The new AT835 is 4 inches shorter than our famed AT815a and its remote-powered brother, the AT815R. Yet its performance in the field is remarkably close. The major difference is a slightly wider (60°) acceptance angle at higher frequencies. Credit a sophisticated "Fixed-Charge" element for the truly impressive sound and excellent directional control. The AT835 short "shotgun" fits in whether you are recording "actualities" for the evening news, picking up dialogue for film or A/V, or eavesdropping from the sidelines.

### With Guts

Our FET impedance converter is super quiet, and runs for months on a single "AA" flashlight cell. The balanced, phased output matches any remote or studio input from 150 to 1000 Ohms without problems. And the AT835, like all A-T condensers, is built to take real punishment. Even so, it weighs just 7½ ounces for easy fishpoling or extended hand-held use.

If your goal is better control of your sound at moderate cost, your Audio-Technica sound specialist has a brand new answer. The AT835.

audio-technica®



AUDIO-TECHNICA U.S., INC., 1221 Commerce Dr., Stow, OH 44224 • 216/686-2600

Circle (141) on Reply Card

[www.americanradiohistory.com](http://www.americanradiohistory.com)

## YOUR RECORDS ARE STILL DIRTY!

The only professionally accepted method of record cleaning employs a powerful fluid, a special brush, and a 100% effective vacuum. Nitty Gritty now offers such a system that is designed to meet the demands of your radio station.

The Nitty Gritty PRO is the only available professional record cleaner that simultaneously washes and vacuums dry both sides of a record. It takes just 60 seconds per disc. \$599 each.

## SEE US AT NAB!

### NITTY GRITTY



RECORD CARE PRODUCTS, INC.

4650 ARROW HWY - F4  
MONTCLAIR, CA 91763  
714/625-5525

Circle (314) on Reply Card

## UNIVERSAL SURGE PROTECTOR FOR ALL LINE VOLTAGES!

Never obsolete! Unique re-settable strapping protects on all power systems—even 3-phase—if you should change line voltage. "On" all the time, to protect constantly. Immediate shipment. Quantity discounts. Money back guarantee. Order today.



CALL BILL JOHNSON  
215/544-8879

### EAGLE HILL ELECTRONICS, INC.

41 Linden Avenue Rutledge, PA 19070

Circle (209) on Reply Card

20 MINUTE RELOAD (tape only)	UMATIC \$3.30	VHS & BETA 55¢
LOAD (tape & housing)	\$7.85	1.70

Your typical costs when you load yourself with our Video Tape Loader/Re-loader/Rewinder. When reloading old tape is removed without taking the housings apart.

SEE OUR SYSTEM AT BOOTH  
NAB/LAS VEGAS 1343  
L.A. VIDEOSHOW (May 22-24) 638  
Audico, Inc. 219 Crossen, Elk Grove, IL 60007  
Phone 312/640-1030 Telex 4992690 AUDCO UI

Circle (210) on Reply Card

FREE 32pg Catalog & 50 Audio/Video Applic.

PWR SUPP. EQ.  
PHONO, MIC,  
TRANS, ACH,  
TAPE, VIDEO,  
LINE, OSC

Stereo Mono Pwr Ampl.

Video & Audio Dist. Ampl.

8-in 2-out, 12-in 4-out, 16-in 4-out  
TV Audio & Recd Prod Consoles

OPAMP LABS INC (213) 934-3566  
1033 N Sycamore Av LOS ANGELES CA, 90038

Circle (211) on Reply Card

## CASES FOR DELICATE EQUIPMENT

PRICE LIST ON REQUEST  
818/899-2547

EXCALIBUR INDUSTRIES

12427 Foothill Blvd Lake View Terrace, CA 91342

Circle (212) on Reply Card

Want more information on  
advertised products? Use  
the Reader Service Card.

### Ultimatte (1642)

Continued

#### New products

**Ultimatte-5:** Video compositing system with additional features

**Newsmatte-2:** Newsmatte system with digital memory

Circle (931) on Reply Card

### Union Connector

(1783)

Established products

**20PS/60PS:** 20A and 60A outlet panels and boxes

**2P&G Series:** 20A, 30A, 60A, 100A 3-wire plugs/connectors, UL-listed, with pin and sleeve

**60-620L:** 7.2kW portable distribution box

**G4100:** 4-pole, 5-wire grounding 100A, plug, connector, receptables, inlets, UL-listed

New products

**SU-I:** Dimmer at the light source, rated 2.4kW, modular, silent without RF interference or control cables

**DIGI-I:** Digital remote controller for SU-I, allows switcher/dimmer control through ac circuitry for up to 256-dimmer capability in a hand-held model

Circle (932) on Reply Card

see ad on page 287

### Uni-Set

(1236)

Established products

**Uni-Set** modular studio staging system, providing a variety of settings from cycloramas, risers, etc

New products

See at booth

Circle (933) on Reply Card

### United Media

(1300)

Established products

**Commander II:** Computer-assisted multisource SMPTE/EBU editing system

**The Director:** Auto dialog replacement controller with cueing for six actors

**205:** Time code generator/character generator

**210:** Time code generator

**215:** Time code character generator

**305:** Time code reader/character generator

**310:** Time code reader

**425:** 8-crosspoint audio router and dissolver interfaceable to Commander II

New products

**Minicomm:** Compact computer-assisted 2- or 3-machine editing system with time code or control track timing, expandable to Commander II.

**500:** Sequencer, providing contact closure for 16 devices, programmable from Commander II or front panel, with RS-232 port

Circle (934) on Reply Card

### United Press Int'l

(430)

Established products

UPI custom news

UPI radio network

New products

UPI broadcast computer system

Circle (935) on Reply Card

### United Research

(604)

Established products

**Auto-Tec:** Reel-to-reel recorder

**D-75:** Crown power amplifier

Nortronics recorder care products

**3001:** ASC cassette deck

**ML-6:** Coated pinch rollers

**MC-II:** Telex broadcast cart machines

Ampex replacement parts, video and audiotape

3M broadcast cartridges

New products

See at booth

Circle (936) on Reply Card

### Ursa Major

(512)

Established products

**SST-282:** Reverb, delay and effects system

**8x32:** Reverberation system

New products

**StarGate 323:** High quality, low priced digital reverberation system

Circle (937) on Reply Card

### Utah Scientific

(1114)†

Established products

**AVS-1:** Switching system and various party line control panels.

**PLMC-1:** Machine control system.

New line of software

**MC-502** panel provides three

buses while MC-501 provides preset and program buses only.

Station automation system with master control switchers

High performance 8-output video and

and audio distribution amplifiers

**ADA-8:** Audio distribution amplifier

**VDA-8:** Video distribution amplifier

New products

See at booth

Circle (1494) on Reply Card

see ad on page 67

### Utility Tower

(703)

Established products

18-inch to 4-foot face tower products for AM, FM, TV, microwave, CATV and LPTV installations

Tower lighting equipment

Base insulators

New products

See at booth

Circle (1492) on Reply Card

### Valentino

(1231)

Established products

Production music library

Sound effects library

New products

See at booth

Circle (938) on Reply Card

### Valley People

(318)

Established products

**810 Kepex II:** Keyable program expander/noise gate

**811 Gain Brain II:** Compressor/limiter and voice-over device

**812 Maxi-Q:** 3-band parametric equalizer with tune mode

**813 QLZ:** Low impedance transformerless



**BOOTH 507**

**CSI**  
ELECTRONICS INC.

# See us at the **NAB** Show

We are  
looking forward  
to seeing our old  
friends and making new.  
Don't miss the  
unveiling of our  
new product line.  
See you April 29th.

**CSI** — ELECTRONICS INC. —

18248 EAST ROGERS CIRCLE  
BOCA RATON, FLORIDA 33431  
PHONE (305) 994-6511 TWX 510-953-7603

Circle (142) on Reply Card

**Valley People (318)**  
Continued

quad mic preamp  
**430 Dyna-Mite:** Multifunction dynamics processor  
**432 Dyna-Mic:** Dual transformerless preamp/mixer  
**610:** Dual compressor/expander  
**HH2X2:** Level matching interface  
New products  
**310 Advantage:** Audio noise and level meter for verification and specification of audio spectrum data  
**HH2X2B:** Balanced level matching interface

Circle (939) on Reply Card  
see ad on page 136

**Varian Associates (1605)**  
(Microwave Tube Division)  
(EIMAC/Salt Lake City)  
(EIMAC/San Carlos)  
(Microwave Equipment Division)  
Established products  
**VCP-7858:** Variable visual coupler  
**VA-890:** 30kW UHF TV klystron  
**4KM150:** LAH external cavity UHF TV klystron  
**VKU-7791J:** 2kW Ku-Band klystron  
**Y834/Y831:** Tubes for LPTV transmitters  
**Y730/Y570:** Tubes for LPTV transmitters  
**3CX800A7:** HF 800W power triode  
**3CX800U7:** VHF 800W power triode  
**8973:** Megawatt power tetrode

**8974:** Megawatt power tetrode  
**4CW300,000G:** 300kW power tetrode  
**VAW-6700:** Klystron test set  
**VZU-2701G:** GEN II klystron high power amplifier  
**VZJ-2700G:** GEN II klystron high power amplifier  
**VKC-7980:** Klystron for 5.925-6.425GHz  
**VZV-6995A2:** 14-14.5GHz. 500W power combined TWT HPA  
New products  
**VKP-7553S:** Super high efficiency UHF TV klystron  
**VKP-7853:** 100kW UHF TV klystron  
**VKC-7980B12:** 3kW C-Band broadband klystron  
**2CX1200A7:** Small ceramic triode for FSB, AM and amateur radio  
**4-500B:** Economical version of 4-500A  
**4CX3500A:** 3.5kW power tetrode  
**4CX7500A:** 7.5kW power tetrode  
**4CM25,000G:** 25kW multiphase power tetrode  
**4CM100,000G:** 100kW multiphase power tetrode  
**4CM400,000A:** 400kW multiphase power tetrode  
**4CM40,000G:** 40kW power tetrode  
**Klystrode:** VHF power amplifier  
**Cavities:** Six new VHF cavity amplifiers

Circle (940) on Reply Card  
see ads on pages 47, 163 and 237

**Video Associates Labs (1303)**  
Established products  
Apple computer based products, including:  
MicroKey system computer graphics  
New products  
IBM-PC MicroKey applications for shape manipulation, weather graphics and title generation  
Circle (941) on Reply Card

**Video Composition (1775)†**  
See at booth  
Circle (942) on Reply Card

**Video Data Systems (\*)**  
Established products  
**MPC-II/MPC-2500:** Multichannel character generator with file management, 512-page memory and VCR control  
New products  
**VID-STAR:** Broadcast-quality display channel  
Circle (943) on Reply Card

**Video Int'l. (1524)**  
Established products  
**STC-2003:** PAL/SECAM/NTSC standards converter  
New products  
**STC-1003:** PAL/SECAM/NTSC standards converter  
Circle (944) on Reply Card

**Videomagnetics (1109)**  
Established products  
Quad video head refurbishing services  
New products  
Random-access videocassette changer

*"Our  
Litepak®  
is the best  
equipment  
investment  
we've made.  
It's never let  
us down."*

Marc Raymond,  
Westsun Media Ltd.



For years, the Litepak® 1224 high density dimming system has been the choice of discriminating users of permanent and touring equipment. Now it's available in a competitive twelve-pack for the portable rental market. All models have plug in control and dimmer modules, a separately breakered hot pocket and pin, TLG or PBG receptacles. Main power is fed from the rear by cable or optional G4100 connector. Packs can be stacked in any combination and still allow access to all parts and controls.

The DMD 324 three phase dimmer module has output voltage regulation, a full sized pregrounding pin, digital continuous self trimming and short circuit protection.

The new 1200 series expandable manual control console has direct or cross fade submaster selection, split dipless crossfader and bump/solo buttons.

For the full story on our complete range of equipment contact us at:



**DILOR INDUSTRIES LTD.**  
"Leading Edge Technology For The Arts"  
Box 2169, 37749 2nd Ave., Squamish, B.C. V0N 3G0  
Telephone: (604) 892-9301 Telex: 04-53383

*See us at the  
NAB Booth 1134B*

Circle (143) on Reply Card



**Testing**  
**1...2...3...4...**

**Exciting new  
audio and video products  
from JVC.**

**Test them yourself at  
Booth**

**1 2 3 4**

**NAB**  
**JVC**

JVC COMPANY OF AMERICA  
Professional Video Division

41 Slater Drive, Elmwood Park, NJ 07407 Phone 1-800-JVC-5825

With a Reply Card

# NAB BROADCAST TUBES Special Offering

\*\*\*

## TRANSMITTING

3CX2500F3	460.00 ea
3CX1000A7	1465.00 ea
4-125A	126.50 ea
4CX1000A	420.00 ea
4CX3000A	908.75 ea
4CX5000A	998.00 ea
4CX15000A	1428.00 ea
5CS1500A	875.00 ea
833A	99.00 ea
6166A/7007	2875.00 ea

## CAMERA TUBES

TK27 Film Camera	
81344V1	495.00 ea
8480V1	1400.00 ea

TK-28 Film Camera	
4809	695.00 ea
4809B	695.00 ea

PE240/TK26 Film Chain	
7038V4	590.00 ea
8572V4	590.00 ea

ENG Cameras	
XQ1427 series	call for price
XQ1428 series	call for price

STUDIO Cameras	
XQ1070 series	call for price
XQ1075 series	call for price
XQ1020 series	call for price
XQ1025 series	call for price

WE CAN SUPPLY NEW & "DEMO" TUBES  
— ALWAYS WITH WARRANTY!

**ALL OTHER TUBES**  
CAN BE SUPPLIED BY US — CALL  
TOLL FREE FOR PRICES

## QUARTZ LAMPS!

up to **60% OFF** List!  
Send for new free catalog!

**Temtron**  
Electronics Ltd  
15 MAIN STREET EAST ROCKAWAY, N.Y. 11518  
Toll Free: 800-645-2300  
New York: (516) 599-6400

Circle (277) on Reply Card

## Stik-Up

COMPACT SINGLE SOURCE LUMINAIRE  
• Small Light Weight  
• Mounts in any Position  
• Kit, Accessories



**THE GREAT AMERICAN MARKET**  
826 N. COLE AVE. HOLLYWOOD CA 90038 213 461-0200

Circle (214) on Reply Card

## AUDIO PATCH BAYS

- ☑ PREWIRED
  - ☑ MULTIPIN GOLD CONNECTORS
  - ☑ BROADCAST QUALITY
  - ☑ DEALER PROGRAM
  - ☑ CUSTOM WORK
- BITTREE 1337 GREENBRIAR ROAD  
GLENDALE CA 91207 213-507-0418

Circle (289) on Reply Card

NAB-'84/Las Vegas

**BROADCAST**  
engineering

**Radio y**  
Televisión

广播工程

**VIDEO**

**S&VC**  
sound & video contractor

# Convention exhibitor guide

This removable Exhibitor Guide form has been designed to help you organize your plans for NAB-'84/Las Vegas. The exhibitors have been located on the Convention Center floor plan by an abbreviated name and booth number. Handy alphabetical listings give quick references to exhibitors' booths.

This special section will prove valuable in planning your convention coverage—a convention that promises to be exceptional in terms of exhibits, attendance and sessions showing trends in broadcasting, especially in digital technology.

An attempt has been made at the Las Vegas Convention Center to maintain a consistency in organization of the exhibits by rows and aisles, using a crosshatch pattern. Aisles are easily identified.

### Show aids

To locate a specific exhibitor, look it up on the alphabetical listings on the map to get the booth number. Then just "walk" through the map to find it. It's that simple. (Advertisers in this issue are identified in red ink; you can find their ads in the Advertisers' Index near the back of this issue to obtain further details of what they are showing.)

To ascertain what all exhibitors are showing, study the Exhibitor Roundup

section elsewhere in this issue. (In that section, Reader Service Numbers are provided and advertisers' positions are designated.)

To make sure that you have thoroughly covered a product line of interest at the convention, use the Product Directory section that collects exhibitors and their booth numbers under selected product categories. If you wish, circle these booths on your map to be sure you don't miss an exhibitor important to your purpose of attending NAB-'84.

### Final notes

The exhibitor lists given here are up-to-date as of press time, but daily changes are still being made at NAB headquarters. Consequently, BE will print a map update to be distributed at the show that will contain all the latest changes. After you've registered, pick up your copy and also check NAB's notices for any late bulletins and/or revisions.

Map out your plan of attack for NAB-'84 now and fine tune it after registration to optimize your time.

Whether you attend NAB-'84/Las Vegas or not, look for our June issue for a Convention Wrap-up with its emphasis on new equipment and technology. Our July issue will carry highlights of the technical radio and TV sessions.

!:-:~)))



# AMEK TELEVIDEO

## On-Air Production and Post-Production Mixing Consoles

Media Recorders  
Hollywood, CA  
(213) 463-5000

### CONSOLE CONFIGURATIONS

- **BC-01** Portable DC Powered Field/ENG Mixer  
4 Buss, 8-16 Inputs
- **M-1000** 8 Buss, 8, 16, or 24 Monitor  
8 to 32 Inputs
- **M-1000A** 24 Buss, 24 or 48 Monitor  
16 to 56 Inputs, opt. VCA Automation
- **M-2500TV** 24 Buss, 24 or 48 Monitor  
24 to 56 Inputs, VCA Automation
- **M-3500TV** 24 or 48 Buss, 24 or 48 Monitor  
24 to 120 Inputs, VCA or optional  
Motorized Fader Automation
- **M-5000AIR** 24 or 48 Buss, 24 or 48 Monitor  
36 to 120 Inputs, VCA or optional  
Motorized Fader Automation

**L**ook to AMEK for on-air, live to tape, or video post-production audio mixers. Amek consistently delivers more matchless transparent sound and user-friendly features than any other console maker.

Since 1970, Amek has designed and built more than 600 consoles for virtually every application in professional audio mixing and recording.

To find out more about Amek Consoles or to arrange a personal demonstration, contact us at (818) 508-9788 for the name of your nearest Amek dealer.

In the US: AMEK CONSOLES, Inc., 11540 Ventura Boulevard  
Studio City, California 91604 • (818) 508-9788 • Telex 662526

**AMEK**  
TELEVIDEO

Circle (146) on Reply Card

In the UK: AMEK SYSTEMS & CONTROLS, Ltd., Islington Mill,  
James St. • Salford M3 5HW, England • 061-834-6747 • Telex 668127

**CREATE  
WITH Q8**



# from the keyboard:

- roll it** - instant readout for roll timing - "elastic" roll pages - insert/delete with auto ripple
- shade it** - 4-quadrant shadow or fine and bold border edging - any color
- crawl it** - continuous compose with horizontal scroll - instant insert/delete with no retyping
- fade it** - built-in downstream fade in and out at selectable rates
- key it** - keyboard selectable upstream/downstream operation
- change it** - no retyping to redefine font characteristics - tuck characters horizontally - tuck rows vertically
- call it** - rapid sequence recall - any list of pages - page selectable dwell time
- stamp it** - rapid duplication of any row - "cut and paste"
- step it** - assign a series of keystrokes to a single key for effects and animation
- store it** - dual 8" floppy double-density discs - up to 400 pages per disc
- underscore it** - emphasize with variable weight and underline
- color it** - 16 million interactively mixed colors - background, edge, characters
- size it** - instant keyboard sizing from 16 to 64 scanlines - instant condense/extend
- italicize it** - instant italics left and right

**The QUANTAFONT® Q8 Face-Loadable  
Teleproduction Graphic Titling System . . .  
26 nsec. Base Resolution . . . priced from  
\$32,500.00.**

a decade of commitment



**QUANTA®**

QUANTA CORPORATION, 2440 SOUTH PROGRESS DRIVE, SALT LAKE CITY, UTAH 84119

Circle (147) on Reply Card

# Conference personal agenda

**Saturday April 28**  
Registration: 9-5  
Exhibits Closed

7	
8	
9	
10	
11	
12	
1	
2	
3	
4	
5	
6	
7	
8	
9	

**Sunday April 29**  
Registration: 8-5  
Exhibits: 9-6

7	
8	
9	
10	
11	
12	
1	
2	
3:00 Opening Ceremonies	
4	
5	
6	
7	
8	
9	

**Monday April 30**  
Registration: 8-5  
Exhibits: 9-6

7	
8	
9	
10	
11	
12	
1	
2	
3	
4	
5	
6	
7	
8	
9	

**Tuesday May 1**  
Registration: 9-5  
Exhibits: 9-6


7	
8	
9	
10	
11	
12	
1	
2	
3	
4	
5	
6	
7	
8	
9	

**Wednesday May 2**  
Registration: 9-Noon  
Exhibits: 9-2

7	
8	
9	
10	
11	
12	
1	
2 (Exhibits Close)	
3	
4	
5	
6	
7	
8	
9	



# Protect your investment with a cannon.



An audio connector by any other name is simply not an ITT Cannon audio connector. Which is precisely why so many audio engineers continue to specify Cannon<sup>®</sup> connectors for use with their audio equipment.

The XLR, the new XLB and XLA series are small, rugged, quick-disconnect connectors designed for use in audio/video and other low-level circuit applications where reliability, quiet operation, elimination of mechanical interference and ease of use are necessary. Four different plug styles are available.

The EP connector is ideally suited to applications where extreme ruggedness and versatility are required. The new AP connector is a popular choice for heavy-duty audio applications and is interchangeable and intermateable with the EP series. Both the EP and AP series may be used where as few as 3, or as many as 18 contacts are required.

## Audio Connectors from Cannon



The AP LNE and AX LNE are specifically designed to handle the special needs of mains and other power supply applications.

For more information, please contact Commercial/Industrial Products Marketing Manager, ITT Cannon, a Division of ITT Corporation, 10550 Talbert Avenue, Fountain Valley, CA 92708, (714) 964-7400. For the sales office nearest you, call toll-free (800) 845-7000.

Now available at the following stocking locations:

XLR/XLB at:  
Time Electronics  
Ramtronix

EP/AP at:  
Ritchey Electronics  
Yale Electronics  
Connector Corp.  
Ramtronix

**CANNON ITT**  
The Global Connection

Circle (148) on Reply Card

**Videomagnetics (1109)**  
Continued from page 198  
for Sony U-matic format  
**Circle (945) on Reply Card**

**Videomedia (1308)**  
Established products \_\_\_\_\_  
**Z6000A-E:** Video editing systems  
**Eagle 1-3:** Video editing systems  
**Q-Star:** Sequencer-station automation system  
**VMC-200:** Total automation control  
New products \_\_\_\_\_  
Version 2 software for DOS systems  
**Circle (946) on Reply Card**  
see ad on page 99

**VideoStar Connections (1122)**  
New products \_\_\_\_\_  
Ku-Band transportable uplink and downlink equipment  
Satellite networking services  
**Circle (947) on Reply Card**

**Videotek (1633)**  
Established products \_\_\_\_\_  
**VM-13 PRO:** 13-inch rack-mount color monitor  
**Delphi I:** dc-powered digital waveform monitor  
**VSM-5A:** Vectorscope  
**RS-10A:** 10x1 AFV routing switcher with two audio channels and breakaway  
**RS-12:** 12x1 video routing switcher

**RM-8A:** 8-inch ac/dc portable color monitor  
Audio, video, pulse and subcarrier DAs  
Audio program monitors  
Demodulators  
New products \_\_\_\_\_  
**Studio-13:** 13-inch rack-mount color monitor  
**TSM-5A:** Waveform monitor with switchable line select  
**VSG-100:** Sync generator with helical scan gen-lock and color bar output  
**APM-2RA:** Dual input audio program monitor with simultaneous monitoring  
**Circle (948) on Reply Card**  
see ad on page 167

**Viking Cases (1731)**  
Established products \_\_\_\_\_  
Heavy-duty shipping cases  
Light-duty carrying cases  
Molded cases  
Rack-mount cases  
Custom cases  
New products \_\_\_\_\_  
See at booth  
**Circle (949) on Reply Card**

**Vital Industries (1212)†**  
Established products \_\_\_\_\_  
**SqueeZoom:** Digital effects  
**VIX-114-4A1:** Production switcher  
**VIX-114-2A1:** Production switcher  
**VIX-114-10A:** Production switcher  
**VIX-114-16A:** Production switcher

**VIX-115:** On-air switcher  
**250P/N:** Production switcher  
**SAM:** Station Automation System  
**SANDI:** Serial Access Network Data Information  
**PSAS:** Production Switcher Automation System  
New products \_\_\_\_\_  
See at booth  
**Circle (950) on Reply Card**

**WSI Corporation (1104)**  
Established products \_\_\_\_\_  
Weather graphics/weather-sports data  
SuperSat GOES satellite imagery  
Superadar  
SuperSports scores and standings  
New products \_\_\_\_\_  
Meteosat European weather satellite imagery  
New weather graphics software  
**Circle (951) on Reply Card**

**Ward-Beck Systems (1224)†**  
Established products \_\_\_\_\_  
**T1202:** Transportable audio console  
**M1204B:** Production audio console  
**M2484B:** Broadcast/multi-track audio console  
**L2042:** TV audio console  
**R1200:** Radio audio console  
**MicroCOM:** Microprocessor-controlled communications systems  
**R1000:** Radio audio console  
**R2000:** Radio audio console

## You'll meet your match with our EDITING CONSOLES

No matter what VTR equipment you use, Winsted offers Editing Consoles to match your requirements! Our designs are based on consultations with professional users like yourself.

You've chosen your VTR equipment carefully, to meet your specific needs. Now choose the Editing Consoles that fit your equipment - quality consoles from Winsted.

For our free full-color FULL-LINE CATALOG call us toll free:  
**800-328-2962**  
TELEX: 910-576-2740


# Winsted

9801 James Circle  
Minneapolis, MN 55431



Please See Us at NAB Booth 1238  
**Circle (149) on Reply Card**

## TOWER WARNING LIGHTS



### Complete Kits

New/Improved solid state microwave control for easier maintenance. Many special features. 300mm Beacons • Flashers • Obstruction Lights • Photo Controls • Isolation Transformers • Lamp Failure • Alarm Systems • Meets all FCC/FAA Regulations • Technical Support Provided.

## HUGHEY & PHILLIPS

3050 N. California St., Burbank, CA 91504

**Circle (150) on Reply Card**



# Audio Transformers

Choose from a wide variety of types and packages


**Computer optimized design**

**100% tested – consistent quality**

**Low distortion**

**Wide bandwidth**

**Minimum transient distortion (overshoot & ringing)**



## INPUT TRANSFORMERS AND SPECIAL TYPES

Model	Application	Impedance Ratio Pri:Sec	Turns Ratio Pri:Sec	20 Hz Max Input Level <sup>1</sup> (dBu)	Typical THD Below Saturation (%) 20Hz/1kHz	Frequency Response (dB ref. 1 kHz) 20Hz/20kHz	Band-Width <sup>2</sup> -3dB @ (kHz)	20 kHz Phase Response (degrees)	Over-Shoot (%)	Noise Figure (dB)	Magnetic Shield <sup>4</sup> (dB)	Number of Faraday <sup>4</sup> Shields	Package <sup>5</sup>	PRICES		
														1-19	100-249	1000
JE-16-A	Mic in for 990 opamp	150-600	1:2	+ 8	0.036/0.003	- 0.08/ - 0.05	170	- 10	<1.75	1.7	- 30	1	A = 1 B = 2	63.61	42.49	29.32
JE-16-B														68.25	45.60	31.46
JE-13K7-A	Mic in for 990 or I.C.	150-3750	1:5	+ 8	0.036/0.003	- 0.10/ - 0.22	85	- 20	<3	2.3	- 30	1	A = 1 B = 2	63.61	42.49	29.32
JE-13K7-B														68.25	45.60	31.46
JE-115K-E	Mic in for I.C. opamp	150-15K	1:10	- 6	0.170/0.010	- 0.50/ + 0.10	115	5	<7	1.5	- 30	1	3	41.48	27.72	21.65

### MICROPHONE INPUT

JE-11P-9	Line in	15K-15K	1:1	+ 26	0.025/0.003	- 0.03/ - 0.30	52	- 28	<3		- 30	1	1	102.86	68.72	47.42
JE-11P-1	Line in	15K-15K	1:1	+ 17	0.045/0.003	- 0.03/ 0.25	85	- 23	<1		- 30	1	3	39.53	26.41	20.62
JE-6110K-B	Line in bridging	30K-1800 (10K-600)	4:1	+ 24	0.005/0.002	- 0.10/ - 0.30	75	- 15	<1		- 30	1	B = 1 BB = 2	62.31	41.63	30.56
JE-6110K-BB														70.95	47.38	32.70
JE-10KB-C	Line in bridging	30K-1800 (10K-600)	4:1	+ 19	0.033/0.003	- 0.11/ - 0.08	160	- 9	<2		- 30	1	3	40.98	27.37	18.89
JE-11SSP-8M	Line in/ repeat coil	600/150-600/150	1:1 split	+ 22	0.035/0.003	- 0.03/ 0.00	120	9	<3.5		- 30	1	4	151.90	101.47	70.01
JE-11SSP-6M	Line in/ repeat coil	600/150-600/150	1:1 split	+ 17	0.035/0.003	- 0.25/ - 0.00	160	- 5	<3		- 30	1	5	78.62	52.52	36.24

### SPECIAL TYPES

JE-MB-C	2-way <sup>3</sup> mic split	150-150	1:1	- 2	0.180/0.005	- 0.25/ - 0.20	88	- 15	<1		- 30	2	3	34.08	22.78	17.78
JE-MB-D	3-way <sup>3</sup> mic split	150-150-150	1:1:1	- 2	0.180/0.005	- 0.25/ - 0.16	100	12	<1		- 30	3	3	59.57	39.80	31.08
JE-MB-E	4-way <sup>3</sup> mic split	150-150-150-150	1:1:1:1	+ 10	0.050/0.002	- 0.10/ - 1.00	40	- 18	<1		- 30	4	1	96.29	64.32	44.38
JE-DB-E	Direct box for guitar	20K-150	12:1	+ 19	0.096/0.005	- 0.20/ - 0.20	80	- 18	<1		- 30	2	6	43.04	28.76	22.46

1. Max input level - 1% THD; dBu = dBv ref. 0.775 V

2. With recommended secondary termination

3. Specifications shown are for max. number of secondaries terminated in 1000 ohm (typical mic preamp)

4. Separate lead supplied for case and for each faraday shield

5. Except as noted, above transformers are cased in 80% nickel mu-metal cans with wire leads.

### PACKAGE DIMENSIONS:

	W	L	H
1	1 1/16" Diam.		1 1/16"
2	1 3/16" x 1 3/16"		1 1/8"
3	1 1/8" Diam.		1 1/16"
4	1 1/2" x 1 3/4"		2 1/2" w/ solder terminals
5	1 5/8" Diam.		1 3/4"
6	1 1/8" Diam.		1 5/16"

## NICKEL CORE OUTPUT TRANSFORMERS<sup>6</sup>

Model	Construction	Nominal Impedance Ratio Pri:Sec	Turns Ratio Pri:Sec	20Hz Max Output Level <sup>7</sup>		600Ω Termination Loss (dB)	DC Resistance per Winding (Ohm)	Typical THD Below Saturation (%) 20Hz/ 1kHz	Frequency Response (dB ref. 1kHz) 20Hz/ 20kHz	Band-Width -3dB @ (kHz)	20 kHz Phase Response (degrees)	Over-Shoot <sup>8</sup> (%)	Package <sup>9</sup>	PRICES		
				(dBu)	across (n) windings									1-19	100-249	1000
JE-123-BMCF	Quadfilar 80% nickel	600-600 150-600	1:1 1:2	+ 28	2	- 1.1	20	0.002/0.002	- 0.02/ - 0.02	>450 158	- 2.1 - 4.1	<1	7	87.41	44.17	30.47
JE-123-DMCF	Quadfilar 80% nickel	600-600 150-600	1:1 1:2	+ 21	2	- 1.0	19	0.004/0.002	- 0.02/ - 0.00	>450 230	- 1.2 - 2.5	<1	8	50.71	33.88	23.38
JE-123-BLCF	Quadfilar	600-600 150-600	1:1 1:2	+ 32	2	- 1.1	20	0.041/0.003	- 0.02/ - 0.01	>450 168	- 1.9 - 4.0	<1	7	61.30	35.79	24.70
JE-123-DLCF	Quadfilar	600-600 150-600	1:1 1:2	+ 27	2	- 1.0	19	0.065/0.003	0.02/ - 0.01	>450 245	- 1.2 - 2.5	<1	8	39.61	26.45	19.42
JE-123-SLCF	Quadfilar	600-600 150-600	1:1 1:2	+ 23.5	2	- 1.1	20	0.088/0.003	0.03/ - 0.01	>450 245	- 1.2 - 2.8	<1	9	33.48	22.35	15.43
JE-112-LCF	Quadfilar	600-600 150-600	1:1 1:2	+ 20.4	2	- 1.6	29	0.114/0.003	0.03/ 0.01	>450 205	- 1.2 - 3.2	<1	10	25.48	17.01	12.49
JE-123-ALCF	Quadfilar	66.7-600 150-600	1:3	+ 26.5	3	- 1.3	8	0.125/0.003	0.04/ + 0.06	190	- 4.6	<6	8	42.14	28.15	19.42
JE-11S-LCF	Bifilar w/ split pri.	600-600 150-600	1:1 1:2	+ 30	1 (sec)	- 1.7	63	0.058/0.002	0.02/ + 0.01 - 0.02/ - 0.05	>10MHz 155	+ 1.1 - 4.1	<1	8	42.14	28.15	19.42

6. Multifilar construction has no faraday shield.

All specifications are for 0Ω source, 600Ω load.

7. Max output level - 1% THD; dBu = dBv ref. 0.775 V

8. Source amplifier - 3dB @ 100kHz

9. Output transformers are horizontal channel frame type with wire leads, vertical channel frames available.

### PACKAGE DIMENSIONS:

	W	L	H	Mounting Centers
7	1 1/2" x 2 5/16"		1 15/16"	2 13/16"
8	1 5/16" x 1 15/16"		1 5/8"	2 3/8"
9	1 1/8" x 1 11/16"		1 3/8"	2"
10	1 1/8" x 1 7/16"		1 3/16"	1 3/4"

These charts include the most popular types which are usually available from stock. Many other types are available from stock or custom designs for OEM orders of 100 pieces or more can be made to order. Certified computer testing is available for OEM orders. Call or write for applications assistance and/or detailed data sheets on individual models.

Prices shown are effective 2/1/84 and are subject to change without notice.

**jensen transformers**  
By REICHENBACH ENGINEERING

10735 Burbank Blvd./N. Hollywood, CA 91601  
(213) 876-0059 Closed Fridays, visitors by appointment only.

Circle (151) on Reply Card

**Ward-Beck (1224)**

Continued

**L3242:** TV audio console  
Custom designed audio consoles  
New products \_\_\_\_\_  
See at booth \_\_\_\_\_

**Circle (952) on Reply Card**  
see ad on back cover

**Wavetek****(1782)†**

Established products \_\_\_\_\_  
**1880:** CATV system analyzer  
**5120A/5130A:** Frequency synthesizers  
New products \_\_\_\_\_  
See at booth \_\_\_\_\_

**Circle (953) on Reply Card**

**Wegener Communications****(515)**

Established products \_\_\_\_\_  
Satellite audio transmission products  
for subcarrier, SCPC and band-edge  
SCPC applications  
**Panda II:** Noise reduction system  
Multiple audio transmission systems for  
international satellite circuits  
SCPC and subcarrier data transmission  
systems to 220kbits/sec  
Vertical interval data transmission  
systems for data insertion, bridging,  
deletion and reception applications  
New products \_\_\_\_\_  
See at booth \_\_\_\_\_

**Circle (954) on Reply Card**

**Whirlwind****(329)**

Established products \_\_\_\_\_  
Audio and video cabling for industrial  
systems and portable equipment  
Bulk connectors, bulk wire, transformer  
devices, interface panels and services  
New products \_\_\_\_\_  
See at booth \_\_\_\_\_

**Circle (955) on Reply Card**

**White Instruments****(1318A)**

Established products \_\_\_\_\_  
Audio equalizers  
Real time audio analyzers  
Pink noise generators  
New products \_\_\_\_\_  
See at booth \_\_\_\_\_

**Circle (956) on Reply Card**

**Wilkinson Electric****(305)†**

See at booth \_\_\_\_\_  
**Circle (957) on Reply Card**

**Wilk Power & Video****(1229)**

Established products \_\_\_\_\_  
**CG-3350:** Character generator and  
production titler  
**CG-3300:** Character generator and  
production titler  
**CG-3330:** Production titler  
**CG-3540:** Character generator  
**CG-3550:** Computer-controlled character  
generator  
**VAR-15X10:** Audio-follow-video switcher  
**VAR 1201:** Audio-follow-video switcher  
**VAR 0601:** Audio-follow-video switcher  
**VAR 0602:** Audio-follow-video switcher  
New products \_\_\_\_\_  
**Routing switcher:** 10x10 expandable  
**Character generator:** With full color  
graphics

**Circle (958) on Reply Card**

**William Bal Corporation**

See Bal, William

**Winsted****(1238)**

Established products \_\_\_\_\_  
**E9303:** Mobile editing console  
**D4502:** Editing rack  
**V8501:** 70-inch vertical rack  
**U5000:** Tape truck for videotape or  
film  
**System/85:** Editing/production consoles  
Super density storage cabinets  
New products \_\_\_\_\_  
**H8520:** Oak-trimmed editing console  
**System/85:** 30-inch-wide consoles for  
large top loading VTRs  
High capacity tape and film storage  
cabinets

**Circle (959) on Reply Card**  
see ad on page 214

**Wireworks****(1014C)**

Established products \_\_\_\_\_  
**MS/MR Series:** Multibox and multitrack  
input units  
**MSB/MSR Series:** Transformer-isolated  
mic splitters  
**MK Series:** Main and extension cables

**MT Series:** Multitails interface  
components

**MC Series:** Chassis-mount multipin  
connector interfaces

New products \_\_\_\_\_

**MSJ/MSC Series:** Multipin input mic  
splitters

**MPS Series:** Phantom power supply  
components

**MYJ/MYC Series:** Prism components,  
allowing six, nine, 27 or 36 channels  
as inputs or outputs to be integrated  
into one system

**Circle (960) on Reply Card**

**Wold Communications****(1515)**

Established products \_\_\_\_\_  
Wold Satellite TV Network  
News and sports basic delivery services  
Mobile microwave and uplink services  
SSTS system for radio play-by-play  
Production services  
Videoconferencing  
New products \_\_\_\_\_  
Syndicated programs, including 28  
recurring weekly series and news  
services, motion pictures for TV and  
1-time ad-hoc network TV specials

**Circle (961) on Reply Card**

**Wolf Coach****(1317)**

Established products \_\_\_\_\_  
**S-102:** Suburban ENG vehicle  
New products \_\_\_\_\_  
**B-103:** Wolf Coach B-series ENG  
vehicle

**Circle (962) on Reply Card**

**Frank Woolley & Company****(1405C)**

Established products \_\_\_\_\_  
**113-16:** Motionmaster video animation  
system, using polarized light for  
motion illusion  
Animation system training  
New products \_\_\_\_\_  
See at booth \_\_\_\_\_

**Circle (963) on Reply Card**

**World Tower****(519)**

Established products \_\_\_\_\_  
Towers for TV, AM, FM, CATV,  
microwave, LPTV and 2-way  
communications  
New products \_\_\_\_\_  
See at booth \_\_\_\_\_

**Circle (1490) on Reply Card**

**Yamaha Int'l.****(1340)**

Established products \_\_\_\_\_  
**PC Series:** Power amplifiers  
**RM Series:** Recording mixers  
**PM2000:** Audio console  
**M1500:** Audio console  
**M Series:** Audio consoles  
**Producer Series:** Audio components  
with 4-track cassette system  
**MQ Series:** Audio consoles  
**EMX Series:** Powered mixers  
New products \_\_\_\_\_  
**REV-1:** Digital reverberator  
**YDD2600:** 8-tap digital delay  
**R1000:** Preset digital reverberator

**Circle (1491) on Reply Card**  
see ads on pages 129 and 130

||:|:->))))

**Want  More  
information  
on advertised  
products?**

Just refer to the reader ser-  
vice # beneath each ad. Cir-  
cle the appropriate number  
on the Reader Service Card  
in the back of this issue.  
Complete the remaining in-  
formation and mail!

**BROADCAST**  
engineering

P.O. Box 12901, Overland Park, KS 66212  
U.S.A.





# One of the world's smallest digital still stores is also one of the largest.

Introducing "Snapshot" from MCI/Quantel. Only 12¼ inches high by 19 inches—including removable cartridge Winchester disk drive!

Snapshot is not only the smallest of MCI/Quantel's DLS 6000 series units—it's one of the smallest digital still stores in the world.

Snapshot lets you capture pictures from live asynchronous feeds, store up to 400 of them with titles, and replay them on demand. You can prepare and edit sequences or stacks of sequences. And you can search by title.

Need more? You can increase Snapshot's storage to 1,600 pictures. Or you can upgrade it to

a DLS 6020 with on-air cuts and dissolves. Or upgrade it further to a DLS 6030, the most powerful still store available with production effects that bring an exciting look to your stills.

If that's not enough, you can integrate up to seven Snapshots—or other DLS 6000 series units—as workstations into our Central Lending Library (CLL). Now you can store over 10,000 stills at each

workstation and have simultaneous access to 100,000 more from the CLL. Plus unlimited off-line storage on disc cartridges or videotape.

You can even include MCI/Quantel's Paint Box as one of the workstations. So you can create the finest electronic graphics ever seen in television and have them instantly available for on-air use as well as library storage.

So whether you want a small system or a big system, Snapshot is the place to start.

Call your local MCI/Quantel office for more details. Or get in touch with us directly at 415/856-6226. Micro Consultants, Inc., P.O. Box 50810, Palo Alto, California 94303.



## MCI/QUANTEL

The digital video people.

MCI, Quantel and "Snapshot" are trademarks of Micro Consultants, Inc.

Circle (152) on Reply Card

# Product directory

This special section provides a directory to the NAB-'84/Las Vegas exhibitor products. Each exhibitor was asked to complete a comprehensive checklist of products to be shown. The following section is a compilation of that data. It shows major equipment headings followed by the exhibitor name and booth number (when provided before deadline).

This special section will be an aid in finding equipment of special interest at the show. But a word of caution: As **BE** goes to press, there are still changes being made daily

in the exhibitor sign-ups, equipment being displayed and booth assignments. So, although every attempt has been made for accuracy in this section, double-check the final program at NAB-'84 to organize your show coverage and visits.

For those not attending NAB-'84/Las Vegas, the June issue of **BE** will provide a wrap-up of equipment trends at the show and the July issue will carry highlights of the technical radio and TV sessions.

## ACOUSTICAL MATERIAL

AVC Systems (331)  
Alpha Audio (210)  
Broadcast Supply West (112A)  
Centro Corporation (1101)  
Industrial Acoustics (322)

## AMPLIFIERS, PREAMP, POWER, DA (AUDIO)

ADM Technology (1223)  
AVC Systems (331)  
Allied Broadcast (639, 641)  
Amtel Systems (1745)  
Aphex Systems (513)  
Arrakis (211)  
Audio + Design/Calrec (402)  
Auditronics (505)  
BSM (637)  
Robert Bosch (1603)  
Broadcast Audio (319)  
Broadcast Supply West (112A)  
Broadcast Technology (1701)  
Bryston Ltd. (517)  
Camera Mart (1018)  
Circuit Research (300)  
Clyde Electronics (204A)  
Connectronics (608)  
Crown (428)  
Datatek (1428)  
Datatronix (1504)  
Dynair (1404)  
ESE (116, 1757)  
Electronic Systems (406A)  
Electro-Voice (1159)  
Farrtronics (1709)  
Fostex (1765)  
Graham-Patten (1227A)  
David Green (417)  
Harris (401)  
HEDCO (1225)  
Holzberg (\*)  
Howe Audio (321)  
ISI (1232)  
Image Video (1341)  
JBL (615)  
LPB (405)  
Laumic (1771)  
Lenco (1419)  
Logitek (613)  
McCurdy (207)  
McMartin (701)  
Modular Audio (325)

Neve (1410)  
Omicron (1748)  
Pacific Recorders (113)  
RAMSA/Panasonic (437, 1019)  
RTS Systems (1626)  
Radio Systems (213)  
Ramko (415)  
Sescom (1616)  
Shure Brothers (1401A)  
Sigma Electronics (1333)  
Sony (605, 1200)  
Spencer Broadcast (406)  
Stanton Magnetics (102)  
Symetrix (616)  
Telemet (1202)  
Television Equipment (1216)  
Telex (600, 1605A)  
Thomson-CSF (1001)  
UREI (615)  
United Research (604)  
Valley People (318)  
Videotek (1633)  
Ward-Beck (1224)  
Yamaha (1340)

## AMPLIFIERS, PREAMP, POWER (RF)

Robert Bosch (1603)  
Broadcast Microwave Services (1749)  
Broadcast Supply West (112A)  
Comark (1217)  
Continental Electronics (101)  
Elcom-Bauer (412)  
Gray Communications (1618A)  
Harris (401)  
Information Transmission Systems (1734A)  
McMartin (701)  
Modular Audio Products (325)  
Modulation Associates (1757)  
Nurad (1426)  
Ramko (415)  
Richardson Electronics (212)  
Scientific-Atlanta (1017)  
System Associates (1331E)  
Sony (605, 1200)  
Townsend Associates (1420)  
Varian Associates (1605)

## AMPLIFIERS, PROCESSING, DA (VIDEO)

Amtel Systems (1745)  
Apert-Herzog (1703)

Broadcast Video Systems (1326)  
Robert Bosch (1603)  
Datatek (1428)  
Di-Tech (1301)  
Dynair (1404)  
Dynamic Technology (1719)  
ESE (116, 1757)  
FOR-A (1306)  
GEC McMichael (1514)  
Graham-Patten (1227A)  
Grass Valley Group (1207)  
David Green (417)  
Grumman Aerospace (1631B)  
Harris (401)  
HEDCO (1225)  
Holzberg(\*)  
ICM Video (1766)  
ISI (1232)  
Ikegami (1011, 1013)  
Landy Associates (1747A)  
Laumic (1771)  
Leitch Video (1021)  
Lenco (1419)  
Marconi Electronics (1609, 1615)  
Midwest (1710)  
Montage Computer (1131)  
NTI America (1014D)  
Omicron (1748)  
QSI Systems (1325)  
Shintron  
Sigma Electronics (1333)  
Symetrix (616)  
Sony (1200, 605)  
TEA (1216)  
Telemet (1202)  
3M Company (1002)  
Ultimatte (1642)  
Valley People (318)  
Videotek (1633)

## ANALYZERS, AUDIO & VIDEO

Amber Electro (422)  
Asaca (1226)  
B & K Instruments (511A)  
Eastman Kodak (1214)  
Electronic Systems Labs (406A)  
Eventide (323)  
Fidelipac (411)  
Inovonics (304)  
L-W International (1602)  
Laumic (1771)





Dimension Five  
**System Two**  
by Colortran

**A MARKED  
IMPROVEMENT**

See All Our Cards  
At NAB Booth 120  
Or Write For A Hand  
Of Your Own



**Colortran, Inc.**

HEADQUARTERS - 1015 Chestnut St., Burbank, CA 91506-9983 • INTERNATIONAL - P.O. Box 5, Burrell Way, Thetford, Norfolk, IP24 3RB, England

# NOW!

## The Penny & Giles Feel in a Rotary Fader.

Compare and there's no comparison.

Nothing compares with Penny & Giles' world-famous smooth-as-glass feel. These totally new rotary faders

1640 Fifth Street, Santa Monica, CA 90401 • Phone: (213) 393-0014 • Telex: 652337

Circle (154) on Reply Card



As seen at NAB, Las Vegas.



from Penny & Giles continue a tradition of incomparable performance, matchless quality, total reliability. They'll give you the same level of excellence you've come to expect with Penny & Giles' linear faders.

### Discover a new standard of rotary action.

Nothing approaches the technology of Penny & Giles' new rotary faders:

- Ultra-smooth rotary action
- Mono or stereo (optional)
- Maintenance-free
- Fully sealed construction
- Up to eight outputs per fader
- Audio, linear or pan pot taper
- Detents and switches (optional)

For the complete story on Penny & Giles' new rotary fader, call or write:

**Penny & Giles**

## Talk Isn't Cheap

On the other hand, a really good telephone interface doesn't have to be expensive. Our Model TI-101 Telephone Interface isolates your send and receive signals and performs level and impedance matching to help you get the best possible audio quality from your phone lines. The TI-101 features send limiting, adjustable caller EQ, caller compression and expansion, and true hybrid (two way)



operation. If telephones are an important part of your operation then you know talk isn't cheap. So don't let yourself down. Call Symetrix or your favorite broadcast equipment supplier to get complete details and specifications on the Model TI-101 Telephone Interface.

**Symetrix**

Symetrix, Inc.  
109 Bell Street  
Seattle, WA. 98121. USA  
Telephone: (206) 624-5012  
Telex: 32-0281 GLOBECEN SEA

Circle (155) on Reply Card

### Analyzers, audio & video Continued

Leader Instruments (1349)  
Marconi Instruments (1615)  
Minolta (1113)  
Philips Test (1408A)  
Potomac Instruments (100)  
Rohde & Schwarz (1203)  
Sound Technology (500)  
System Associates (1331E)  
Tektronix (1601)  
Thomson-CSF (1001)  
UREI/JBL (615)  
White Instruments (1318A)

### ANIMATION/ELECTRONIC GRAPHICS

Accu-Weather (1134C)  
Alden Electronics (1336)  
Aurora Systems (1312)  
Beston/McInnis-Skinner (1020)  
Robert Bosch (1603)  
Chyron (1610)  
Colorgraphics Systems (1116)  
Computer Graphics Lab (1143)  
Convergence (1430)  
Dubner Computer Systems (1630)  
Forox (1620D)  
GEC McMichael (1514)  
Interactive Motion Control  
Interand (1016)  
Logica (1405E)  
Lyon Lamb (1632A)  
MCI/Quantel (1631)  
Precision Echo (1617)  
Sony (1200)  
System Associates (1331E)  
Thomson-CSF (1001)  
Video Associates Labs (1303)  
Frank Woolley (1405C)

### ANTENNAS

AVC Systems (331)  
Aries Antenna Services (1770)  
Antenna Technology (1737)  
Andrew (1201A)  
Bogner Broadcast Equipment (1319)  
Broadcast Microwave Services (1749)  
Broadcast Supply West (112A)  
CSI (507)  
Cablewave Systems (108)  
Celwave RF (202)  
Cetec Antennas (509)  
Comark Comm (1217)  
Continental Electronics (101)  
Dielectric Communications (455)  
Fort Worth Tower (1010)  
GEC McMichael Ltd. (1514)  
Harris (401)  
Holzberg (\*)  
Lang Video Systems (1780)  
Larcan (1626A)  
LeBlanc & Dick (1149)  
Marconi (1609)  
Marti (501)  
M/A-COM (1004)  
Microdyne (1612)  
Micro Communications Inc. (1014)  
Nurad (1426)  
RCA (1000)  
Scientific-Atlanta (1017)  
Shively (623)  
Tennaplex (1127)  
Townsend Assoc. (1420)  
Wilkinson Electric/TTC (305)

### ATTENUATORS

ADM (1223)  
Apex Systems (513)



# How Boston took advantage of us.

Boston is the home of a wealth of history: Paul Revere, the Boston Tea Party, and Harvard University. But respect for all that tradition didn't stop WNEV-TV from seeking equipment from other than the traditional suppliers.

After a thorough examination of the transmitters available today by the station's Engineering group led by Karl Renwanz, Vice President of Engineering and Operations, WNEV-TV decided to take advantage of the sophisticated simplicity of Larcen's Model "F" transmitter. They chose a pair of 30 kW

TTC30000FH transmitters in parallel, backed up by a single TTC30000FH.

In today's competitive environment, a station such as WNEV-TV needs the performance and reliability that is designed into every Larcen transmitter. It also needs the back up and commitment to the business which Larcen, a company that specializes in RF, can provide.

Increasingly broadcasters in large and small markets are joining the new tradition by taking advantage of Larcen's Model "F" transmitters.

Find out what it can do for you by contacting:


**LARCEN COMMUNICATIONS EQUIPMENT INC.**

6520 Northam Drive  
Mississauga, Ontario  
Canada L4V 1H9  
Telephone (416) 678-9970  
Telex 06-968055

In the USA:  
Lewis F. Page  
14440 Cherry Lane Court  
Suite 201  
Laurel, Maryland 20707  
Telephone (301) 490-6800

**LARCEN**

See us at the NAB Convention,  
Booth 1626-A



WNEV-TV's TTP60FH transmitter  
(two TTC30000FH's in parallel  
for a total output of 60 kW visual,  
6 kW aural)

Circle (156) on Reply Card

## Attenuators

Continued

Bird Electronic (1625)  
Datatronix (1504)  
Electro Impulse (117)  
Electro-Voice (1159)  
HEDCO (1225)  
Omicron (1748)  
Penny & Giles (\*)  
Sescom (1616)  
Shure (1401A)  
Valley People (318)

## ATS & EQUIPMENT

Camera Mart (1018)  
Continental Electronics (101)  
Delta Electronics (105)

Hallikainen & Friends (208)  
Moseley (301)  
Potomac (100)  
QEI (307)  
TFT (109)

## AUDIO BANDWIDTH EXTENSION EQUIPMENT

Comrex (400)  
Kahn Communications (625)  
Marcom (306)  
McCurdy (207)  
Spencer Broadcast (406)  
Valley People (318)  
Ward-Beck (1224)

## AUDIO CONSOLES

ADM Technology (1223)

AMEK (1620)  
AVC Systems (331)  
Allied Broadcast (639, 641)  
Arrakis Systems (211)  
Audio Developments (1743)  
Audio + Design (402)  
Audio-Technica (1141)  
Auditronics (505)  
Autogram (120)  
Broadcast Audio (319)  
Broadcast Electronics (303)  
Broadcast Supply West (112A)  
Broadcast Technology (1701)  
Camera Mart (1018)  
Clyde Electronics (204)  
Comprehensive Video Supply (1145)  
Comrex (400)  
Connectronics (608)  
Continental Electronics (101)  
Datatronix (1504)  
Elcom Bauer (412)  
Electro-Voice (1159)  
Electronic Systems Labs (406-A)  
Fostex (1765)  
Gotham Audio (509A)  
Graham-Patten (1227A)  
Gray Communications (1618A)  
David Green (417)  
Hallikainen & Friends (208)  
Harris (401)  
Harrison Systems (1324)  
Holzberg (\*)  
Howe Audio Productions (321)  
Interactive Systems (1167/1132)  
Interface Electronics (1405-A)  
LPB (405)  
LTM (1518)  
Laumic (1771)  
Logitek (613)  
McCurdy Radio (207)  
McMartin Industries (701)  
Microtime (1230)  
Micro Trak (\*)  
Neve (1410)  
Pacific Recorders (113)  
Quad-Eight/Westrex (1630)  
Quantum Audio Labs (509A)  
RTS Systems (1142)  
Radio Systems (213)  
Ramko Research (415)  
RAMSA/Panasonic (437)  
SESCOM (1616)  
Solid State Logic (1723)  
Sony (1200, 605)  
Soundcraft Electronics (219)  
Spencer Broadcast (406)  
Studer/Revox (201)  
TASCAM (1304)  
UMC Electronics (114)  
UREI (615)  
Valley People (318)  
Ward-Beck (1224A)  
Yamaha International (1340)

## AUDIO LEVEL INDICATORS

AMEK (1620)  
ATI (420)  
Auditronics (505)  
AVC Systems (331)  
BSM (637)  
Broadcast Supply West (112A)  
Broadcast Technology (1701)  
Clyde Electronics (204A)  
Camera Mart (1018)  
Dorrough Electronics (312)  
ESE (116, 1757)  
Gotham Audio (509A)  
Harrison (1324)  
Holzberg (\*)  
Inovonics (304)

NEW

**Better than BMX!  
Ahead of Auditronics!  
Astounding Price!**

TO BE  
UNVEILED  
AT NAB

## The Logitek *PERFECTIONIST* Broadcast Studio Console

	<i>PERFECTIONIST</i>	Audi. 200	BMX
Max THD	<.1%	<.15%	<.3%
Inputs/ mix channel	4	2	2
Fader Type	rotary or slide	slide only	slide only
Connectors	remote punch blocks	internal plugs	rear panel Molex
Switches	hall-effect	hall-effect	mechanical
Warranty	5 years	1 year	not listed
Price	<\$10,000	much more	even higher

**SEE US AT NAB BOOTH 613  
OR CALL 800-231-5870**

(Texas, Alaska, Hawaii call 713-782-4592 collect)

for full information and the name of your  
Logitek *Instant Action Dealer*.

**Logitek** Electronic Systems, Inc.

Circle (157) on Reply Card



# Let a leader in sound technology lead you through the commercial sound barrier. Introducing Panasonic Commercial Sound Systems.



For more than 40 years, the parent company of Panasonic, Matsushita Electric, has supplied the international commercial sound market with products. Dependable, quality products that are the result of the engineering expertise, sophisticated testing and rigorous quality-control standards of Matsushita—one of the largest and most innovative electronics companies in the world.

And now, Panasonic is introducing a line of quality compact sound amplification/paging units that offer some of the most advanced features available today.

Our 30, 60 and 120 watt 5-input Mixer Power Amps (Models WA-735P, WA-745P, WA-755P respectively) feature a built-in AM/FM tuner, three low impedance microphone inputs, a transformer balanced auxiliary input for telephone paging, a voice-activated priority circuit and a tone generator for sound level setting. Plus a two-tone calling chime for paging.

Many of these features are offered without an AM/FM tuner in our other 60 and 120 watt 5-input Mixer Power Amps (Models WA-740P, WA-750P).

Our 15 and 30 watt 4-input Mixer Power Amps (Models WA-300P, WA-320P) feature two low impedance microphone inputs and a transformer balanced auxiliary input for telephone paging. And both can be powered by a DC 13.2 volt source for portable operation.

Remember: Panasonic is a leading name in advanced sound technology. So, if you're looking for Commercial Sound System equipment, follow a leader: Panasonic.

For more information on Panasonic Commercial Sound Systems, please contact: Commercial Sound Systems Department, Audio-Video Systems Division, Panasonic Industrial Company, One Panasonic Way, Secaucus, NJ 07094.

**Panasonic**  
Industrial Company

Circle (312) on Reply Card

#### Audio level indicators

Continued

Marcom (306)  
McCurdy (207)  
McMartin (701)  
Microtime (1230)  
Pacific Recorders (113)  
Ramko (415)  
Real World Technologies (1520)  
Sescom (1616)  
Sony (1200, 605)  
Sound Technology (500)  
Thomson-CSF (1001)  
Videotek (1633)  
White Instruments (1318A)

#### AUDIO PROCESSORS & EFFECTS

ADM Technology (1223)  
AMEK (1620)  
AVC Systems (331)  
Advanced Music Systems (1330)  
Aphex Systems (513)  
Audio + Design (402)  
Audio Technologies (420)  
Broadcast Supply West (112A)  
CRL (300)  
Camera Mart (1018)  
Continental Electronics (101)  
Connectronics (608)  
dbx (107A)  
Dorrough (312)  
Electronic Systems (406A)  
Electro-Voice (1159)  
Eventide (323)  
Fostex (1765)  
Gotham Audio (509A)  
Harris (401)  
Holzberg (\*)

Inovonics (304)  
Kahn Communications (625)  
Knox Video (1511)  
Lexicon (1139)  
Marti Electronics (501)  
McMartin (701)  
Micmix (106A)  
Modulation Associates (1737)  
Moseley (301)  
Orban (607)  
Ramko (415)  
Sescom (1616)  
Sony (605, 1200)  
Spencer (406)  
Symetrix (616)  
TASCAM (1304)  
Thomson-CSF (1001)  
UREI (615)  
URSA Major (512)  
Valley People (318)  
Wegener Communications (1782)  
White Instruments (1318A)  
Yamaha International (1340)

#### AUTOMATION EQUIPMENT (AUDIO)

AVC Systems (331)  
Adams-Smith (1724)  
AMEK (1620)  
Barrett Associates (103)  
BTX (1124)  
Beston/McInnis (1020)  
Robert Bosch (1603)  
Broadcast Electronics (303)  
Century 21 (204)  
Data Communications (1014)  
Digital Services (1302)  
Datatronix (1504)

Gotham Audio (509A)  
Harris (401)  
Harrison Systems (1324)  
IGM Communications (403)  
Microtime (1230)  
Quad-Eight/Westrex (1636)  
Solid State Logic (1723)  
Sono-Mag (SMC) (707)  
Studer Revox (201)  
UMC Electronics (114)  
Valley People (318)

#### AUTOMATION (BUSINESS)

AF Associates (1611)  
Basys (1129)  
Broadcast Electronics (303)  
Columbine Systems (1323, 118)  
Computer Concepts (404)  
Data Communications (1014)  
Dynamic Technology (1719)  
Harris (401)  
IBM (1607C)  
Kaman Sciences (1607)

#### AUTOMATION (NEWSROOM)

AF Associates (1611)  
Colorgraphics Systems (1116)  
Data Communications (1014)  
Dynamic Technology (1719)  
Harris (401)  
Quanta (1432)  
UMC Electronics (114)  
Video Magnetix (1109)

#### AUTOMATION (VIDEO)

AF Associates (1611)

Continued on page 228

## HOW DO YOU IMPROVE ON A GOOD THING?



### Peter Lisand follows a tough act ...

Peter-Lisand has learned from its successes. Proof of this can be seen in our two new camera support systems. Our heavy-duty camera head has a 30-50 pound capacity, while the light-duty style holds 15-30 pounds. Here are a few reasons both heads deserve your attention:

- True fluid action maintains a smooth regulated motion by a sensitive system without brake shoes, bands, or other mechanical parts to interfere with its operation. Separate positive locks and drag are featured on the pan and tilt. Tilt achieves a full 90° vertical position.
- Sealed leak-proof chamber assures long-lasting, problem-free operation.
- Adjustable quick-release will counterbalance camera and lens requirements. (optional)
- Versatile control—use right, left or dual handles.
- New reversible foot, rubber-tipped for interiors and standard metal points for outside use, can be ordered with either of the JRA tripods. (optional)
- Tripods come with various top castings to accommodate existing systems.
- Complete the light-duty system with the JRA-83M, a new light-weight tripod that weighs in at 7 lbs., with a total combined weight of 16 lbs.

These Peter-Lisand products reflect our highest standards and are backed with our one-year no-hassle guarantee.

**Peter Lisand** <sup>TM</sup> <sup>®</sup>  
MACHINE CORP.

352 RIVER ROAD, EDGEWATER, N.J. 07020  
Phone: 943-5600 (Code 201)

Circle (299) on Reply Card





Dictaphone's Veritrac™ voice communications recorder systems are as important to stock brokers as they are to public safety agencies. In fact, wherever people rely on phones they rely on Dictaphone's Veritrac loggers. They record up to 60 channels of telephone and radio messages simultaneously so verification of who said what is both simple and sure.

And Dictaphone microprocessor technology means you get a host of useful features along with Dictaphone reliability and service. Call your Dictaphone representative today.

# When it comes to who said what, Dictaphone's Veritrac™ loggers give you the last word.



## Dictaphone

A Pitney Bowes Company

For more information,  
fill in the coupon or call toll-free:

**1-800-431-1708**

(Except Hawaii and Alaska)  
In New York call 914-967-2249

Name

Title  Phone

Company

Address

City  State  Zip

Mail to: Dictaphone Corporation  
120 Old Post Road  
Rye, New York 10580

PBE-44  
DICTAPHONE® and Veritrac® trademarks of  
Dictaphone Corporation, Rye, N.Y. ©1984 Dictaphone Corp.





**We couldn't improve the  
conditions you work under.  
So we improved  
the tape you work with.**

**maxell®**  
PROFESSIONAL  
INDUSTRIAL P/I

*Epitaxial™*  
Videocassette **VHS**

**HGX  
PRO**  
For ENG  
Recording


**T120**



# HGX Pro 1/2" Videocassettes.

## Differences you can see, hear. And retain.

At last, tape performance impervious to the whims of weather and the rigors of editing. Maxell has harnessed new tape technology and with it, given ENG dramatic improvements you can see, hear and retain. In the field or under freeze frame.



### The Epitaxial™ contribution: higher video, brighter chroma.


Unique, uniform cobalt ferrite oxide particles, now even smaller (a mere 3 microns long), yield unprecedented packing density. Expect enhanced signal-to-noise ratios in audio and video. Better definition. Brighter chroma. And no significant signal loss despite endless editing replays.

### Molecular Fusion Binder: longer life bonding for truer-to-life performance.

Gone are conventional adhesives that time and temperature tempt to the surface. In their place, self-curing resins fuse oxides to the base film. It's a bond immune to time and mechanical stress. Anticipate far fewer dropouts, less clogging and extended tape and head life.

### New base, binder, backcoating. Better support for the signal.

No static. No noise. No dust. The molecular-fused backcoating provides a perfect balance between inside and outside surfaces. For controlled friction. Less mechanical and magnetic noise. And optimum running smoothness, even in high heat.



### A shell made to the industry's toughest standards.

Ours. The transport is smooth, quiet and jam-proof. The housing immune to temperature extremes. The construction leaves nothing to chance.

From open reel tapes to a complete line of KCS/KCA U-Matics, audio and VHS/Beta cassettes, we're getting quality down to a science. And in your hands, our science turns to art.

**HGX Pro 1/2" Videocassettes are available in Beta and VHS formats.**



# maxell®

Maxell Corporation of America  
60 Oxford Drive, Moonachie, N.J. 07074 201-440-8020

See Us at the NAB Show, Booth 1624  
Circle (159) on Reply Card

**Automation (Video)**

Continued  
 BTX (1124)  
 Robert Bosch (1603)  
 Broadcast Systems (1500)  
 Control Video (1157)  
 Data Communications (1014)  
 Digital Services (1302)  
 Grass Valley Group (1207)  
 Grumman Aerospace (1631B)  
 Harris (401)  
 ISI (1232)  
 Kavco (1509B)  
 Lake Systems (1165)  
 Microtime (1230)  
 System Associates (1331E)  
 Videomedia (1308)

**BATTERY PACKS & CHARGERS**

Alexander Mfg (1714)  
 Anton/Bauer (1337)  
 B-W Lighting (1753)  
 Camera Mart (1018)  
 Christie Electric (1403A)  
 Cinema Products (1221)  
 Cine 60 (1423)  
 Cinemills (1140)  
 Colortran (1205)  
 Comprehensive Video Supply (1145)  
 Film/Video Equipment (1153)  
 Frezzolini (1107)  
 Gray Communications (1618A)  
 Harris (401)  
 Ikegami (1011/1013)  
 Keylite Production (1220)  
 LTM (1518)  
 McMartin (701)  
 Nalpak Video Sales (1722)  
 PEP (1408)  
 Perrott (1729)  
 Sony (1200)

**BROADCAST LOGGERS**

Delta Electronics (105)  
 Harris (401)  
 QSI (1325)  
 Studer (201)  
 Telex (600/1605A)

**BUILDINGS, PREFABRICATED,  
EQUIPMENT SHELTERS**

Andrew (1201A)  
 Allied Tower (409)  
 Fort Worth Tower (1010)  
 Harris (401)  
 Industrial Acoustics (322)  
 Rohn (1605B)

**CABINETS, CASES, RACKS**

AMCO Engineering (1218)  
 Anvil (1112)  
 William Bal (1614)  
 Bogen Photo (1705)  
 Broadcast Cartridge Service (611)  
 Broadcast Supply West (112A)  
 Broadcast Systems (1500)  
 Calzone Case (1179)  
 Camera Mart (1018)  
 Centro (1101)  
 Excalibur Industries (1106)  
 Gray Communications (1618A)  
 Harris (401)  
 Kangaroo Video Products (1151)  
 Lang Video (1780)  
 Nalpak Video Sales (1722)  
 Pacific Recorders (113)  
 Restoration/Sprague Magnetics (705)  
 Stantron (1123)  
 Storeel (1008)  
 Viking Cases (1731)  
 Winsted (1238)

**CABLE, COAXIAL, WIRE**

AVC Systems (331)  
 Andrew (1201A)  
 BIW Cable Systems (1405)  
 Belden Communications (1628)  
 Broadcast Supply West (112A)  
 Calvert (125)  
 Camera Mart (1018)  
 Canare (1732)  
 Cablewave (108)  
 Celwave RF (202)  
 Chester Cable (1320A)  
 Comprehensive Video Supply (1145)  
 Continental Electronics (101)  
 Connectronics (608)  
 Electronic Systems (406A)  
 Gotham Audio Corp (509A)  
 Harris (401)  
 Keylite Production Services (1220)  
 M/A-COM (1004)  
 Micro Communications (1014)  
 Nalpak Video Sales (1722)  
 Whirlwind (329)  
 Wireworks (1014C)

**CAMERA LENSES & OPTICAL  
ACCESSORIES**

Angenieux (1201)  
 Arriflex (1421)  
 Robert Bosch (1603)  
 Camera Mart (1018)  
 Canon (1012)  
 CeCo (1010A)  
 Century Precision (1781)  
 Film/Video Equipment (1153)  
 Fujinon (1411)  
 Harris (401)  
 JVC (1234)  
 Minolta (1113)  
 Schneider (1403)  
 Tamron (1640)  
 Tiffen (1422)

**CAMERA/RECORDER, COMBINED  
SYSTEMS VRCs**

Ampex (1400)  
 Robert Bosch (1603)  
 Camera Mart (1018)  
 CeCo (1010A)  
 Forox (1620D)  
 Frezzolini (1107)  
 Gray Communications (1618A)  
 Hitachi Denshi (1402)  
 Ikegami (1011/1013)  
 JVC (1234)  
 NEC (1415)  
 PEP (1408)  
 Panasonic Industrial (1019)  
 RCA (1000)  
 Sony (1200)  
 System Associates (1331E)  
 Thomson-CSF (1001)  
 Toshiba (1631A)

**CAMERA DOLLIES, STANDS,  
TRIPODS, HEADS**

Arriflex (1421)  
 Bogen Photo (1705)  
 Camera Mart (1018)  
 CeCo Electronics (1010A)  
 Cinema Products (1221)  
 CineMills (1140)  
 Comprehensive Video Supply (1145)  
 Davis & Sanford (1751)  
 Gray Communications (1618A)  
 Harris (401)  
 Innovative TV Equipment (1215)  
 Keylite Production (1220)  
 Listec TV Equipment (1406)  
 Matthews Studio Equipment (1209)

Midwest (1710)  
 O'Connor Engineering Labs (1103)  
 Porta Brace/K&H Products (1746)  
 QuickSet (1105)  
 Sachtler (1648)  
 System Associates (1331E)

**CAMERAS, COLOR ENG/EFP, STUDIO**

Ampex (1400)  
 Robert Bosch (1603)  
 Camera Mart (1018)  
 Cinema Products (1221)  
 Gray Communications (1618A)  
 Harris (401)  
 Hitachi Denshi (1402)  
 Ikegami (1011/1013)  
 JVC (1234)  
 Midwest (1710)  
 NEC Broadcast (1415)  
 Panasonic (1019)  
 Philips TV Systems (1500A)  
 RCA (1000)  
 Sharp (1102)  
 Sony (1200)  
 System Associates (1331E)  
 Television Engineering (1700)  
 Thomson-CSF (1001)  
 Toshiba (1631-A)

**CAMERAS, FILM/CINE**

Arriflex (1421)  
 Robert Bosch (1603)  
 Camera Mart (1018)  
 Cinema Products (1221)  
 Forox (1620D)  
 Ikegami (1011/1013)

**CARTRIDGE RELOADING SERVICES**

Broadcast Cartridge Service (611)  
 Broadcast Supply West (112A)  
 Century 21 (204)  
 Pinzone Communications (1615A)

**CARTRIDGE TAPE & ACCESSORIES**

AVC Systems (331)  
 Allsop (1177)  
 Audico (1343)  
 Broadcast Cartridge Service (611)  
 Broadcast Supply West (112A)  
 Camera Mart (1018)  
 Capitol (206)  
 Century 21 (204)  
 Continental Electronics (101)  
 Fidelipac (411)  
 Harris (401)  
 ITC/3M (311)  
 Procart (112A)  
 Restoration/Sprague  
 Magnetics (705)  
 Spencer Broadcast (406)  
 UMC Electronics (114)  
 United Research Labs (604)






**CARTS, MOBILE EQUIPMENT**

AVC Systems (331)  
 Anvil (1112)  
 Broadcast Supply West (112A)  
 Camera Mart (1018)  
 Centro (1101)  
 Gray Communications (1618A)  
 Nalpak Video Sales (1722)  
 Peerless Sales (1618B)  
 Porta-Brace/K&H (1746)  
 Storeel Corporation (1008)  
 Systems Associates (1331E)  
 Winsted (1238)

**CHARACTER GENERATOR & TITLERS**

Amtel Systems (1745)





# FLEXIBILITY, PERFORMANCE,

In adaptability, state-of-the-art technology, and price the Hotronic AD 51 leaves other TBC/frame synchronizers in a blur.

The AD 51 series gives you a full range of options to fit your budget. Start with a TBC with a full 525 line correction window. Or the TBC + freeze field-freeze frame. Or the TBC + frame synchronizer. Or the complete TBC + frame synchronizer + freeze field-freeze frame. But, for real adaptability, you can pick any configuration which fits your current needs and budget, and upgrade later all the way to the top of the line. Incidentally, all upgrades are done by your technician at your facility.

The AD 51 series uses the newest digital signal processing with a full bandwidth comb filter. And yes, you get the digital noise reduction inherent in the comb filtering process. Check

the rest of the AD 51 specs . . . All are full professional video quality.

And now, to add to this impressive menu, Hotronic offers a pixel by pixel DOC which corrects both luminance and chrominance signals every 70 nanoseconds. Correction can be performed by sampling the RF envelope or detecting drop-outs in the digital words. In addition, a full function remote control unit is available to operate your AD 51 up to 100 feet from the TBC/frame synchronizer.

And this comes at a surprisingly low price. Compare Hotronics price/performance with any TBC/frame synchronizer on the market today and you'll find it offers the flexibility for your future, the performance you demand, and the affordability you need. Call Hotronics now!



# and CHANGE.



**HOTRONICS, INC.**  
1210 South Bascom Ave. #128  
San Jose, California 95128  
(408) 292-1176

See us at NAB booth 1331B  
Circle (160) on Reply Card

## Character generators

Continued

BTX (1124)  
Beston/McInnis (1020)  
Robert Bosch (1603)  
Camera Mart (1018)  
Chyron (1610)  
Dream Data (1728)  
Dubner (1630)  
FOR-A (1306)  
Gray Communications (1618A)  
Knox Video (1511)  
Laird Telemedia (1721)  
Laumic (1771)  
Listec (1406)  
MCI/Quantel (1631)  
Midwest (1710)  
NTI (1014D)  
Panasonic (1019)  
QSI Systems (1325)  
Quanta (1432)  
Sigma (1333)  
Symtec (1522)  
System Associates (1331E)  
3M (1002)  
Thomson-CSF (1001)  
Video Associates Labs (1303)  
Video Data Systems (\*)

## COMPONENTS; CAPACITORS/ INDUCTORS

EEV (1335)  
Richardson Electronics (212)  
Thomson-CSF/Tubes (1003)

## COMPUTER HARDWARE

Andrew Corporation (1201A)  
BASYS (1129)  
Robert Bosch (1603)  
CAT Systems (1014B)  
Colorgraphics Systems (1116)  
Columbine Systems (1323 and 118)  
Computer Concepts (404)  
Computer Graphics Labs (1116)  
Data Communications (1014)  
Dream Data (1728)  
Dubner Computer Systems (1630)  
Dynamic Technology (1719)  
EEG Enterprises (1155)  
Environmental Satellite Data (1509A)  
Eventide (323)  
IBM (1607C)  
Interactive Systems (1167/1132)  
Interand (1016)  
Quanta (1432)  
Sigma Electronics (1333)  
Solid State Logic (1723)  
Sony (1200)  
Telesource (1607B)  
United Press International (430)

## COMPUTER SOFTWARE

Audio Kinetics (1173)  
BASYS (1129)  
Robert Bosch (1603)  
CAT Systems (1014B)  
Century 21 (204)  
Colorgraphics Systems (1116)  
Columbine Systems (1323/118)  
Comprehensive Video Supply (1145)  
Computer Concepts (404)  
Computer Graphics Labs (1143)  
Data Communications (1014)  
Digital Services (1302)  
Dream Data (1728)  
Dubner Computer Systems (1630)  
EEG Enterprises (1155)  
Eventide (323)  
Generic Computer Systems (308)  
IBM (1607C)

Interactive Systems (1167/1132)  
Interand (1016)  
Kaman Sciences (1607)  
The Management (627)  
Quanta (1432)  
Sigma Electronics (1333)  
Solid State Logic (1723)  
Sony (1200)  
Telesource (1607B)  
UPI (430)

## DELAY SYSTEMS (AUDIO)

AVC Systems (331)  
Advanced Music Systems (1330)  
Broadcast Electronics (303)  
Electronic Systems Labs (406A)  
Fostex (1765)  
Gotham Audio (509A)  
Lexicon (1139)  
Orban Associates (607)  
Pacific Recorders (113)  
Sony (605, 1200)  
Spencer (406)  
TASCAM (1304)  
Yamaha (1340)

## DELAY SYSTEMS (VIDEO/PULSE)

Allen Avionics (1627)  
Broadcast Video Systems (1326)  
Di-Tech (1301)  
GEC McMichael (1514)  
Gray Communications (1618A)  
HEDCO (1225)  
Leitch (1021)  
Lenco (1419)  
TV Equipment (1216)

## EDITING CONTROLLERS

AVC Systems (331)  
Adams Smith (1724)  
Ampex (1400)  
BTX (1124)  
Robert Bosch (1603)  
Broadcast Systems (1500)  
CMX/Orrox (1639)  
Camera Mart (1018)  
Control Video (1157)  
Convergence (1430)  
EECO (1314)  
Forox (1620D)  
Gray Communications (1618A)  
Harris Video Systems (401)  
Interactive Systems (1167/1132)  
JVC (1234)  
Laumic (1771)  
Omicron Video (1748)  
Paltex (Datatron) (1005)  
Panasonic (1019)  
RCA (1000)  
Solid State Logic (1723)  
Sony (1200, 605)  
System Associates (1331E)  
United Media (1300)  
Videomedia (1308)

## EDITORS, FILM

Arriflex (1421)  
Robert Bosch (1603)  
Camera Mart (1018)  
Cinema Products (1221)  
Control Video (1157)  
Steenbeck (1424)

## ENG MICROWAVE EQUIPMENT

Andrew (1201A)  
Broadcast Microwave (1749)  
GEC McMichael (1514)  
Gray Communications (1618A)  
Harris (401)  
Ikegami (1011/1013)  
Lang Video (1780)

M/A-COM (1004)  
Marti Electronics (501)  
Micro Communications (1014A)  
NEC (1415)  
System Associates (1331E)

## ENCODER, COLOR VIDEO (& DECODER)

Asaca (1226)  
Robert Bosch (1603)  
Broadcast Video Systems (1326)  
Camera Mart (1018)  
Datum (1708)  
FOR-A (1306)  
GEC McMichael (1514)  
Gray Communications (1618A)  
Lenco (1419)  
NTI (1014D)  
QSI (1325)  
System Associates (1331E)  
Telemet (1202)  
Thomson-CSF (1001)  
Video International (1524)

## ENCODERS/DECODERS (TONE/EBS)

Broadcast Supply West (112A)  
Gorman Redlich (506)  
David Green (417)  
Holzberg (\*)  
McMartin (701)  
Sescom (1616)  
TFT (109)  
UMC Electronics (114)

## ENGINEERING/CONSULTING SERVICES

AF Associates (1611)  
B-W Lighting (1753)  
Bowen (1770)  
CAT Systems (1014B)  
Centro (1101)  
Compucon (1405D)  
Datatronix (1504)  
Dubner Computer Systems (1630)  
Electronic Systems Labs (406A)  
Gray Communications (1618A)  
Jenel Consultants (\*)  
Kahn Communications (625)  
Laumic (1771)  
Micro Communications (1014A)  
Perrott Engineering Labs (1729)  
Real World Technologies (1520)  
Spectrum Planning (510)  
Tennaplex (1127)

## ENGINEERING & DESIGN SERVICES

AF Associates (1611)  
B-W Lighting (1753)  
Bowen (1770)  
Broadcast Systems (1500)  
CAT Systems (1014B)  
Centro (1101)  
Comark (1217)  
Compucon (1405D)  
Comsearch (1136)  
Dubner (1630)  
Graham-Patten (1227A)  
Gray Communications (1618A)  
Harris (401)  
IGM Communications (403)  
Jenel Consultants (\*)  
Laumic (1771)  
Micro Communications (1014A)  
Midwest (1710)  
RCA (1000)  
Real World Technologies Group (1520)  
Spectrum Planning (510)  
Tennaplex (1127)  
Valley People (318)

Continued on page 234



# C R E A T I O N



**Westar I™**

*...the shape of audio to come.*

Now, QUAD EIGHT/WESTREX gives you the first affordable world class console, and a fourth generation automation system which provides the user with an intelligent microprocessor based fader, a 10-megabyte hard disk, and more. Call for the QEW dealer nearest you.

See us at the Paris AES Convention and at NAB in Las Vegas.



**quad eight / Westrex**

11929 Vose Street, No. Hollywood, CA 91605 USA • Telephone: 818-764-1516 Telex: 662446

Unit 1, Fairway Dr., Greenford, MIDDX. UB6 8PX England • Telephone: (01) 578-0987 Telex: 923903

Circle (161) on Reply Card

ZAINES 84



# Pre-eminence





# Philips LDK 6

A giant leap forward in concept and design. So far ahead of its time that it will stay state-of-the-art for years to come due to its software-based system. The LDK6. The computer-controlled studio and field camera from Philips.

With the brilliant picture quality assured by optimized digital scan correction. With the distributed intelligence of four microprocessors. With production memories of your day-to-day set-ups giving unrivalled operational flexibility and creative freedom. With triax reliability and economy. With multi-level diagnostics. And with minimum cost of ownership.

Reader enquiry no. 100



## ..and the perfect portable partner

The LDK614 is the perfect portable partner. This rugged yet lightweight triax or multi-core RGB camera is equally at home in the studio or mobile unit. It operates independently or via the standard LDK6 control units for compatible colorimetry, performance and versatility.

Reader enquiry no. 101

## A world of experience

### Monitors of quality & economy



High stability, quality, reliability – at a very reasonable price. These are the reasons for the international success of the Philips LDH6200 14" color monitors.


These rugged yet stylish monitors have a high specification and many operational features only found on more expensive units. And monitor to monitor matching is excellent.

Reader enquiry no. 102

### Transmitters a story of success

Pye TVT is famous for its UHF television transmitters.

Thousands in many countries of the world perform to perfection every hour of every day of the week. State-of-the-art development – such as cost-saving beam control klystrons – ensures that the family covers the requirements for reliable and efficient medium and high power transmission.



Reader enquiry no. 103



### Television systems

Philips Television Systems Inc. supply complete customized systems for the studio or mobile unit. Designed to the highest engineering standards. Complementary to the quality of all Philips broadcast products.

Reader enquiry no. 104

For further information use the reader reply nos or send the coupon to:

## PHILIPS TELEVISION SYSTEMS, INC.

900 Corporate Drive, PO Box 618, Mahwah, New Jersey 07430, USA

Tel: 201-529-1550 Telex: 37-62558

Canada. Electro & Optical Systems Ltd., 31 Progress Court, Scarborough, Ontario, Canada M1G 3V5 Tel: (416) 439-9333 Telex: 065-25431

Please send me further information on

- ☐ LDK6 cameras
- ☐ LDK614 cameras
- ☐ LDH6200 Color monitors
- ☐ UHF Television transmitters
- ☐ Television systems

Name \_\_\_\_\_  
Inquiry no. \_\_\_\_\_  
Organisation \_\_\_\_\_  
Address \_\_\_\_\_  
\_\_\_\_\_

BE 3-4-84

# PHILIPS

**ENHANCERS, VIDEO IMAGE**

Asaca (1226)  
 Robert Bosch (1603)  
 Digivision (1507)  
 Fortel (1409B)  
 Gray Communications (1618A)  
 Microtime (1230)  
 Sony (1200)  
 System Associates (1331E)  
 Telemet (1202)  
 Thomson-CSF (1001)

**EXCITERS (AM, FM, TV)**

AVC Systems (331)  
 Bayly (124)  
 Broadcast Electronics (303)  
 Broadcast Supply West (112A)  
 Comark (1217)  
 Continental Electronics (101)  
 Delta Electronics (105)  
 David Green (417)  
 Harris (401)  
 Holzberg (\*)  
 LPB (405)  
 McMartin (701)  
 Micro Control (104)  
 Microdyne (1612)  
 Motorola (309)  
 NEC (1415)  
 QEI (307)  
 Scientific-Atlanta (1017)  
 Spencer Broadcast (406)  
 Townsend Associates (1420)

**FIBER-OPTICS**

Artel (1163)  
 Camera Mart (1018)  
 Grass Valley Group (1207)  
 LTM (1518)  
 Landy Associates (1747A)  
 Telemet (1202)

**FILM CHAIN/TELECINE**

AF Associates (1611)  
 Robert Bosch (1603)  
 Camera Mart (1018)  
 Dubner (1630)  
 GEC McMichael Ltd. (1514)  
 Gray Communications (1618A)  
 Ikegami (1011/1013)  
 Laird Telemedia (1721)  
 MagnaSync/Moviola (1147)  
 Rank Cintel (1219)  
 Steenbeck (1424)  
 System Associates (1331E)

**FILTERS (ELECTRICAL/ELECTRONIC)**

Audio + Design/Calrec (402)  
 Bird Electronic (1625)  
 Datatronix (1504)  
 Dielectric (455)  
 Gotham Audio (509A)  
 Micro Communications (1014A)  
 White Instruments (1318A)

**FRAME SYNCHRONIZERS**

ADDA (1100)  
 Apert-Herzog (1703)  
 Robert Bosch (1603)  
 Camera Mart (1018)  
 Digital Video Systems (1017)  
 Fortel (1409-B)  
 GEC McMichael Ltd. (1514)  
 Gray Communications (1618A)  
 Harris (401)  
 Holzberg (\*)  
 Leitch Video (1021)  
 MCI/Quantel (1631)  
 Microtime (1230)  
 Midwest (1710)  
 NEC (1415)

Sony (1200)  
 Systems Associates (1331E)  
 Tektronix (1601)  
 Video International (1524)

**GENERATOR (SCA, STEREO)**

Broadcast Electronics (303)  
 Broadcast Supply West (112A)  
 CRL (300)  
 Delta Electronics (105)  
 Dorrough Electronics (312)  
 Elcom Bauer (412)  
 David Green (417)  
 Harris (401)  
 Holzberg (\*)  
 Marcom (306)  
 Marti (501)  
 McMartin (701)  
 Moseley (301)  
 Orban (607)  
 Reach (341)  
 Sound Technology (500)  
 Wegener Communications (1782)

**GENERATORS (VIDEO, PATTERN, SYNC)**

Asaca (1226)  
 Robert Bosch (1603)  
 Camera Mart (1018)  
 Central Dynamics (1409)  
 Grass Valley Group (1207)  
 Gray Communications (1618A)  
 Grumman (1631B)  
 ISC (1132/1167)  
 ISI (1232)  
 Lang Video (1780)  
 Laumic (1771)  
 Leitch Video (1021)  
 Lenco (1419)  
 Midwest (1710)  
 NTI (1014D)  
 Omicron Video (1748)  
 Philips/Test (1408A)  
 Porta-Pattern (1427)  
 Rohde & Schwarz (1203)  
 Sigma (1333)  
 Sony (1200)  
 System Associates (1331E)  
 Tektronix (1601)  
 Telemet (1202)  
 United Media (1300)  
 Videotek (1633)  
 Vital (1212)

**GENERATORS (VIDEO SPECIAL EFFECTS)**

ADDA (1100)  
 Ampex (1400)  
 Aurora Systems (1312)  
 Robert Bosch (1603)  
 Camera Mart (1018)  
 Chroma Digital Systems (\*)  
 Chyron (1610)  
 Colorado Video (1222)  
 Comprehensive Video Service (1145)  
 Digital Services (1302)  
 EchoLab (1510)  
 FOR-A (1306)  
 Graham-Patten (1227A)  
 Grass Valley Group (1207)  
 Gray Communications (1618A)  
 Harris (401)  
 ISI (1232)  
 Interactive Systems (1132/1167)  
 Interand (1016)  
 JVC (1234)  
 Knox Video (1511)  
 Laird Telemedia (1721)  
 Laumic (1771)  
 Leader Instruments (1349)  
 MCI/Quantel (1631)

NEC (1415)  
 NTI (1014D)  
 Omnicron Video (1748)  
 Paltex (1005)  
 Panasonic (1019)  
 Precision Echo (1617)  
 Sony (1200)  
 Symtec (1522)  
 System Associates (1331E)  
 Thomson-CSF (1001)  
 3M Broadcast (1002)  
 Toshiba (1631A)  
 Vital (1212)

**HEAD & REFURBISHING SERVICES**

Ampex (1400)  
 CMC Technologies (1425)  
 Gray Communications (1618A)  
 Restoration/Sprague Magnetics (705)  
 Saki Magnetics (416)  
 System Associates (1331E)  
 Taber (711)  
 United Research Labs (604)  
 Videomagnetics (1109)

**HEADPHONES**

AVC Systems (331)  
 Advanced Video (\*)  
 Audio-Technica (1141)  
 Beyer Dynamics (426)  
 Broadcast Supply West (112A)  
 Camera Mart (1018)  
 Continental Electronics (101)  
 Fostex (1765)  
 Gray Communications (1618A)  
 Midwest (1710)  
 Nalpak Video Sales (1722)  
 R-Columbia (1111)  
 Sennheiser (1137)  
 Sony (605, 1200)  
 Stanton Magnetics (102)  
 Telex (600/1605A)  
 TV Equipment (1216)

**HELICOPTER, SALES & RENTAL**

Broadcast Microwave (1749)

**INTERCOMS, WIRED**

AVC Systems (331)  
 Anchor Systems (1618C)  
 Camera Mart (1018)  
 Clear-Com Systems (1502)  
 Datatronix (1504)  
 Farrtronics (1709)  
 Gray Communications (1618A)  
 HM Electronics (1130)  
 McCurdy Radio (207)  
 Midwest (1710)  
 Nalpak Video Sales (1722)  
 Neve (1410)  
 Olesen (1307)  
 Pacific Recorders (113)  
 R-Columbia (1111)  
 RTS Systems (1142)  
 Swintek (1503)  
 Telex (600/1605A)  
 Theatre Services & Supply (1513)  
 Ward-Beck (1224)

**LIGHTING DIMMERS & CONTROLLERS**

B-W Lighting (1753)  
 Camera Mart (1018)  
 Colortran (1205)  
 Comprehensive Video (1145)  
 Desisti Americas (1131)  
 Dilor Industries Ltd. (\*)  
 Dynamic Technology (1719)



# IN SEARCH OF EXCELLENCE.

Long before it was a popular management theory, broadcasters were searching for excellence.

Excellence of Sound.

The search is still on, but the goal is now within the reach of every FM broadcaster.


The 695 is an exciter without equal . . . in quality sound . . . in versatility . . . and in value. Any type of distortion you can name (THD, TIM, IMD) is less than .025 percent. This isn't an environmentally controlled lab figure, but rather one that is measurable over the operating temperature range of the equipment. Moreover, noise is so low that it's virtually impossible to measure.

QEI's 695 offers features that the competition has never even dreamed of. A peak counter with LED display, modulation measurements on the front panel, and a measurements grade linear demod built in. It is synthesized, has wideband circuitry, a 3-color LED bar graph for modulation display, a 10-position meter, and many other features that are best described in our new brochure.

For more information on QEI and the 695 Exciter just write or call us. You'll see why our search for excellence has produced the best value on the market today.

## QEI Corporation

One Airport Drive | P.O. Box D  
Williamstown, NJ 08094 | (609) 728-2020




NAB Booth 307

Circle (167) on Reply Card

# THE SOURCE

## For all your equipment needs



- AKG • Ampex • Ampex
- Atlas • Audiopak
- Audio Technica • Belden
- Broadcast Electronics
- CRL • CSI • Crown
- Cablewave Systems • DBX
- Deltalab • Electro-Voice • EXR
- Fidelipac • Inovonics
- Jampro-Cetec • JBL • Leader
- Instruments • Lexicon • 3-M
- Marti • Micro-Trak • Nortronics

Orban Associates • Otari • Phelps Dodge • Revox • Russco

- Shure • Sola • Staco • Stanton • Surcom • Tapco
- Technics • Telex • Urei • VIF and many more.

Call us for fast shipments  
from stock

**305-651-5752**



Telex 51-4733 ELECTREX MIA


**ELECTREX COMPANY** © 1983

18680 N. E. 2nd Avenue, Miami, Florida 33179

Circle (168) on Reply Card

# NO OVERLOAD. NO MATTER WHERE YOU USE IT.

In-studio or on-location  
from a whisper to the  
roar of a full-blown rock  
concert, nothing can  
overload our MD 421.  
*Nothing.*



Visit us at NAB Booth 1137

**SENNHEISER**®

Sennheiser Electronic Corporation (N.Y.)  
48 West 38th Street • New York, NY 10018 • (212) 239-0190  
Manufacturing Plant: D-3002 Wedemark, West Germany

© 1980, Sennheiser Electronic Corporation (N.Y.)

Circle (169) on Reply Card

## Lighting dimmers Continued

Electro Controls (1631C)  
Electronic Systems Labs (406A)  
Gray Communications (1618A)  
Great American Market (1108)  
Keylite Production (1220)  
Mole-Richardson (1006)  
Olesen (1307)  
Strand-Century (1418)  
Theatre Service & Supply (1513)  
Union Connector (1783)

## LIGHTING GELS, FILTERS, GOBOS, EFFECTS

Camera Mart (1018)  
Cinemills (1140)  
Colortran (1205)  
Desisti Americas (1131)  
Great American Market (1108)  
Keylite Production Services (1220)  
Mole Richardson (1006)  
Olesen (1307)  
Rosco Laboratories (1235)  
Theatre Service & Supply (1513)  
Tiffin (1422)

## LIGHTS, PORTABLE & STUDIO

Anton/Bauer (1337)  
Arriflex (1421)  
B-W Lighting (1753)  
Bogen Photo (1705)  
Broadcast Supply West (112A)  
Camera Mart (1018)  
Cine 60 (1423)  
Cinema Products (1221)  
CineMills (1140)  
Colortran (1205)  
Comprehensive Video (1145)  
Cool Light (1329)  
Desisti Americas (1131)  
Electro Control (1631C)  
Frezzolini (1107)  
General Electric (1007)  
Gray Communications (1618A)  
Great American Market (1108)  
Keylite Production (1220)  
Kliegl Brothers (1604)  
LTM (1518)  
Mole-Richardson (1006)  
Olesen (1307)  
Perrott (1729)  
Phoebus (1331C)  
Strand-Century (1418)  
Sylvania GTE (1401B)  
Theatre Supply & Services (1513)

## LIGHTNING PROTECTION/POWER CONDITIONING

Peter Dahl (612)  
Gray Communications (1618A)  
Lightning Elimination (302)  
Mole-Richardson (1006)

## MACHINE SYNCHRONIZERS (ATR & VTR)

AVC Systems (331)  
Adams-Smith (1724)  
Audio Kinetics (1173)  
BTX (1124)  
Robert Bosch (1603)  
Interactive Systems (1132/1167)  
Omicron (1748)  
Sony (605, 1200)  
System Associates (1331E)

## METERS (ALL TYPES)

Audio Technologies (420)  
Bird Electronic (1625)  
Camera Mart (1018)





## Varian GEN II KPA. Pushing earth terminal technology through the 80's.

Designed specifically for today's modern world of earth terminal communications, the new Varian GEN II KPA simplifies complex communications problems with its advanced computer interface options. Easily adaptable, GEN II can be programmed to IEEE 488, RS-232 and RS-422 data busses.

**Smaller, more modern design.** Modular construction includes a proprietary,\* digitally-controlled, all solid-state, low noise regulated power supply.

Integrated in the RF section is a digitally-controlled PIN diode attenuator to provide precise setting of the RF output.

Controls/Monitors/Logic section circuits use C-MOS high

noise immunity digital techniques to energize, protect, control and monitor KPA performance. The modern front panel features all-LED indicators and digital meter displays.

### Enhanced Varian klystron for high efficiency.

GEN II utilizes the original, field-proven Varian VA-936 series klystron, with enhanced specification including 24-channels for top performance.

GEN II provides high efficiency with only 12 kVA for a full 3.35 kW tube, less than 1 kVA in standby and automatic 10% reduction of heater voltage for extended klystron life.

\* Patent applied

More information on the new GEN II KPA for the 80's is available from Varian Microwave Components and Subsystems Division. Or the nearest Electron Device Group sales office. Call or write today.

Electron Device Group  
Microwave Components and  
Subsystems Division  
3200 Patrick Henry Drive  
Santa Clara, California 95050  
Telephone: 408-496-6273



Circle (170) on Reply Card

**Meters (All types)**

Continued

CineMills (1140)  
dbx (107A)  
Gotham Audio Corp (509A)  
Harrison Systems (1324)  
Inovonics (304)  
Keylite Production Services (1220)  
Pacific Recorders (113)  
Radio Systems (213)  
Ramko Research (415)  
Real World Technologies (1520)  
Rohde & Schwarz (1203)  
Tentel (1613)

**MICROPHONES, MIXERS,  
ACCESSORIES**

AVC Systems (331)  
Accurate Sound(\*)  
Allied Broadcast Equipment (639, 641)  
Anchor Systems (1618C)  
Audio + Design (402)  
Audio-Technica (1141)  
Beyer Dynamics (426)  
Broadcast Supply West (112A)  
Camera Mart (1018)  
Comprehensive Video Service (1145)  
Continental Electronics Mfg. (101)  
Countryman Associates (1720)  
Electro-Voice (1159)  
Electronic Systems Labs (406A)  
Fostex (1765)  
Gotham Audio (509A)  
Gray Communications (1618A)  
David Green (417)  
Harris (401)  
Holzberg (\*)  
LTM (1518)  
Marti Electronics (501)  
Micron Audio (1122C)  
Midwest (1710)  
Milab (Camera Mart) (1018)  
Nady Systems (1133)  
Nalpak Video Sales (1722)  
Sennheiser Electronic (1137)  
Shure Brothers (1401A)  
Sony (1200, 605)  
Spencer Broadcast (406)  
Swintek (1503)  
Telex (600/1605A)  
Valley People (318)

**MICROWAVE SYSTEMS (MDS, ITFS)**

Andrew (1201A)  
Broadcast Microwave Service (1749)  
GEC-McMichael (1514)  
Harris (401)  
Information Trans. Systems (1734A)  
Lang Video Systems (1780)  
M/A-COM (1004)  
Micro Communications (1014)  
Micro Controls (104)  
System Associates (1331E)  
Varian Associates (1605)

**MONITORS (AUDIO)**

AVC Systems (331)  
Asaca (1226)  
Allied Broadcast Equipment (639, 641)  
Anchor Systems (1618C)  
Audio Technologies (420)  
Broadcast Supply West (112A)  
Broadcast Technology (1701)  
Camera Mart (1018)  
Continental Electronics (101)  
Electro-Voice (1159)  
Fostex (1765)  
Gray Communications (1618A)

David Green (417)  
Harris (401)  
Holzberg (\*)  
Interactive Systems (1132/1167)  
JBL (615)  
Laumic (1771)  
Logitek (613)  
Marcom (306)  
McMartin Industries (701)  
Midwest Corporation (1710)  
Modular Audio Products (325)  
Ramko Research (415)  
Sescom (1616)  
Sony (1200, 605)  
Spencer Broadcast (406)  
Studer Revox America (201)  
TFT (109)  
Telemet (1202)  
UMC Electronics (114)  
Videotek (1633)  
Yamaha International (1340)

**MONITOR (TEST EQUIPMENT/  
METERS)**

Bird Electronics (1625)  
Broadcast Video Systems (1326)  
Camera Mart (1018)  
CeCo (1010A)  
Delta Electronics (105)  
Gray Communications (1618A)  
Laumic (1771)  
Leader Instruments (1349)  
M/A-COM (1004)  
McMartin Industries (701)  
Midwest (1710)  
Motorola (309)  
Rohde & Schwarz (1203)  
System Associates (1331E)  
TV Engineering (1700)  
TV Equipment (1216)  
Valley People (318)  
Videotek (1633)

**MONITORS (VIDEO/PICTURE)**

Asaca (1226)  
Robert Bosch (1603)  
Broadcast Systems (1500)  
Camera Mart (1018)  
CeCo (1010A)  
Conrac (1401)  
Elector/Band (\*)  
Electrohome Limited (1744)  
GEC McMichael (1514)  
Gray Communications (1618A)  
Harris (401)  
Ikegami (1011/1013)  
Interactive Systems (1167/1132)  
JVC (1234)  
Landy Associates (1747A)  
Laumic (1771)  
Lenco (1419)  
Midwest (1710)  
Panasonic (1019)  
Philips/Test (1408A)  
Rohde & Schwarz (1203)  
Sharp (1102)  
Sony (1200)  
System Associates (1331E)  
Tektronix (1601)  
TV Equipment (1216)  
Videotek (1633)

**MULTIPLEXING SYSTEMS,  
AUDIO/VIDEO**

BTX (1124)  
Bayly (124)  
Camera Mart (1018)  
Datatronix (1504)  
Gray Communications (1618A)  
L-W International (1602)

McMartin (701)  
NEC (1415)  
Sescom (1616)  
Spencer Broadcast (406)  
System Associates (1331E)  
Thomson-CSF (1001)  
Wegener Communications (1782)  
Whirlwind (329)

**MUSIC LIBRARIES, SOUND EFFECTS**

Comprehensive Video Supply (1145)  
DeWolfe (1743)  
Drake Chenault (2875)  
Media General (410)  
Music Director (709)  
Music Works (209)  
Network Productions Music (1138)  
Soper Sound (1620B)  
Sound Ideas (1620C)  
Valentino (1231)

**NOISE REDUCTION SYSTEMS  
(AUDIO)**

Audio + Design (402)  
Broadcast Supply West (112A)  
Camera Mart (1018)  
Connectronics (608)  
dbx (107A)  
Dolby Laboratories (1311)  
Fostex (1765)  
Gotham Audio (509A)  
Gray Communications (1618A)  
Inovonics (304)  
McMartin (701)  
Micmix (106A)  
Midwest (1710)  
Ramko (415)  
Symetrix (616)  
Valley People (318)  
Wegener Communications (1782)

**NOISE REDUCTION SYSTEMS  
(VIDEO)**

Camera Mart (1018)  
Digivision (1507)  
Fortel (1409B)  
Gray Communications (1618A)  
Harris (401)  
ICM Video (1766)  
Midwest (1710)  
Philips TV Systems (1500A)  
Sony (1200)  
Thomson-CSF (1001)

**PATCH PANELS, JACKS, PLUGS**

ADC Magnetic Controls (1320)  
ADM Technology (1223)  
AF Associates (1611)  
B-W Lighting (1753)  
Broadcast Systems (1500)  
Broadcast Supply West (112A)  
Celwave RF (202)  
Comark (1217)  
Comprehensive Video Supply (1145)  
Connectronics (608)  
Electronic Systems Labs (406A)  
Farrtronics (1709)  
Fostex (1765)  
Gentner Engineering (636)  
Gray Communications (1618A)  
Harris (401)  
Kings Electronics (1623)  
Kliegl Brothers (1604)  
Lemo (1334)  
Micro Communications (1014A)  
Mole Richardson (1006)  
Oleson (1307)  
Patch Bay Designation (1773)  
Potomac Instruments (100)



# TOSHIBA Color TV Camera PK-41

**Our PK-41 is a microprocessor-controlled fully automatic color camera with digital circuit reliability.**

Controlled by a microprocessor with a non-volatile memory and over 100 controllable items, the fully automatic PK-41 can do practically everything for you. It also holds a data filing function for over 400 items.

The thinking PK-41 not only offers a fully automatic setup, it also displays the control and diagnostic data of the camera operating conditions on the picture monitor. Experience our incomparable 58dB high broadcast quality pictures.

CAMERA NO. 1		
ITEM	FAULT CHECK	PAGE 1/9 JUDGMENT
REGI		
G REF		
H CENT		OK
H SIZE		OK
H LINI		OK
H CENS		OK
V SIZE		OK
V RO		OK
SK		OK

CAMERA NO. 1		
ITEM	DATA CHECK	PAGE 1/6 ACCURACY
REGI		
R-G		
H CENT		0.0 NS
H SIZE		0.0 NS
H LINI		0.0 NS
H CENS		0.0 NS
V SIZE		0.0 NS
V RO		0.0 NS
SK		0.0 NS



**See Us  
at NAB  
Booth No. 1631A**

**A name that communicates.**

**TOSHIBA**

TOSHIBA CORPORATION

1-1, SHIBAJIRA 1-CHOME, MINATO-KU, TOKYO, 105, JAPAN

TELEX: J22587 TOSHIBA CABLE: TOSHIBA TOKYO

Circle (171) on Reply Card

#### Patch panels

Continued

Radio Systems (213)  
Sescom (1616)  
Shively (623)  
TASCAM (1304)  
Union Connector (1783)  
Whirlwind (329)

#### POWER SUPPLIES

Anton Bauer (1337)  
Robert Bosch (1603)  
Broadcast Microwave Services (1749)  
Camera Mart (1018)  
Peter Dahl (612)  
Frezzolini (1107)  
Gray Communications (1618A)  
Kay Industries (122)  
Modular Audio Products (325)  
Mole Richardson (1006)  
Perrott Engineering (1729)

#### PROGRAM SERVICES

BPI (200)  
Byline Magazine (CBS) (606)  
Century 21 (204)  
Concept Productions (423)  
Drake Chenault (2875)  
Media General (410)  
Music Director (709)  
Music Works (209)  
UPI (430)

#### PROJECTIONS (TV LARGE-SCREEN)

Camera Mart (1018)  
Cinema Products (1221)  
Electrohome (1744)  
General Electric (1007)  
Gray Communications (1618A)  
JVC (1234)  
Listec (1406)  
Panasonic (1019)  
RCA (1000)  
Sony Video (1200)

#### PROJECTORS (TELECINE & ACCESSORIES)

Camera Mart (1018)

Gray Communications (1618A)  
L-W International (1602)  
Laird Telemedia (1721)  
System Associates (1331E)  
Telex (600/1605)  
Thomson-CSF (1001)

#### PROMOTIONAL

Communication Graphics (630)  
Concept Productions (423)  
Media General (410)  
Prismagraphics (110A)  
US Tape and Label (602)  
Wold Communications (1515)

#### PROMPTING SYSTEMS

Beston/McInnis (1020)  
Cinema Products (1221)  
Colorgraphics Systems (1116)  
Dream Data (1728)  
Gray Communications (1618A)  
Laird Telemedia (1721)  
Listec (1406)  
Q/TV (1401D)  
Telescript (1407)

#### RECEIVERS (ALL TYPES)

Broadcast Microwave Services (1749)  
Broadcast Supply West (112A)  
Comrex Corporation (400)  
Emergency Alert Receivers (508)  
GEC-McMichael (1514)  
Gorman Redlich (506)  
Gray Communications (1618A)  
JVC (1234)  
M/A-COM (1004)  
Marti Electronics (501)  
McMartin (701)  
Microdyne (1612)  
Midwest (1710)  
Modulation Associates (1737)  
Motorola (309)  
Panasonic (437, 1019)  
Pinzone (1615A)  
Potomac (100)  
Sansui (130)  
Scientific-Atlanta (1017)

Sescom (1616)  
Sharp (1102)  
Sony (1200)  
Studer Revox (201)

#### RECORD CARE PRODUCTS

Allsop (1177)  
Audio-Technica (1141)  
Broadcast Supply West (112A)  
Camera Mart (1018)  
Restoration/Sprague  
Magnetics (705)  
Stanton (1123)

#### RECORDER/CAMERA COMBINED SYSTEMS

Ampex (1400)  
Robert Bosch (1603)  
Camera Mart (1018)  
Frezzolini (1107)  
Gray Communications (1618A)  
Hitachi Denshi (1402)  
Holzberg (\*)  
Ikegami (1011/1013)  
JVC (1234)  
NEC (1415)  
PEP (1408)  
Panasonic (1019)  
RCA (1000)  
Sony (1200)  
System Associates (1331E)  
TEC (1700)  
Thomson-CSF (1001)  
Toshiba (1631A)

#### RECORD CARE PRODUCTS

Allsop (1177)  
Broadcast Supply West (112A)  
Camera Mart (1018)  
Comprehensive Video Supply (1145)  
Restoration/Sprague  
Magnetics (705)  
United Research Lab (604)


#### RECORDERS (AUDIO, REEL CARTRIDGE, CASSETTE)

AVC Systems (331)



AUDIO PROCESSORS  
MODULAR COMPRESSOR - DA

FREE DETAILED BROCHURES



DISTRIBUTION AMPLIFIERS



PHONO  
PREAMPLIFIERS



DUAL MIKE,  
LINE, & POWER AMPLIFIERS  
RACK MOUNTING

*Micro Amp Series*

by



AUDIO  
TECHNOLOGIES  
INCORPORATED

328 MAPLE AVENUE  
HORSHAM, PA. 19044  
(215) 443-0330

#### HEAD PROTRUSION GAUGE

The TENTEL HPG-1 measures drum eccentricity & tip projection in both microns and ten thousandths of an inch. Universal mount for Beta, VHS, U-matic recorders.

**TENTEL**

1506 Dell Avenue, Campbell, CA 95008  
(800) 538-6894 • (408) 379-1881

Circle (304) on Reply Card

#### PRIME SOURCE PRECISION MAGNETIC



Standard Tape Laboratory, Inc.  
26120 Eden Landing Road #5, Hayward, CA 94545  
(415) 786-3546

Circle (311) on Reply Card

#### HEAD RE-LAPPING AND NEW HEADS FOR AMPEX

Worn cartridge and reel to reel heads re-contoured and re-lapped for original performance. Send for free brochure.

R.K. Morrison Co.  
819 Coventry Road • Kensington, CA 94707  
(415) 525-9409

Circle (313) on Reply Card



# ALLSOP'S AWARD-WINNING TECHNOLOGY COMES TO 3/4" U-MATIC.



Four years of extensive research produced Allsop's exclusive four-layer Lam-Tech cleaning ribbon. It has put Allsop at the forefront of 3/4" U-Matic cleaning. The top layer removes contaminants without abrasion—less than a conventional tape, while the second layer helps disperse solution. The nylon backing cleans guides, pins and rollers. Unique wetting windows allow an alternating wet/dry wiping action, first dissolving, then removing debris. Additional access windows enable easy replacement of the entire cleaning ribbon. Once again, Allsop ingenuity has produced a winning product professionals can trust. Look for it at your local video dealer's.

**See Allsop at the N.A.B. Booth 1177**

*World leaders in Hi-Tech Care Products*



**ALLSOP 3**

**ALLSOP INC.** P.O. Box 23, Bellingham, WA 98227 USA. (206) 734-9090, Telex 15-2101/Allsop BLH

Circle (173) on Reply Card

**Recorders (audio)**

Continued

Allied Broadcast (639, 641)  
 Accurate Sound (\*)  
 Audi-Cord (123)  
 Broadcast Electronics (303)  
 Broadcast Supply West (112A)  
 Camera Mart (1018)  
 Continental Electronics (101)  
 Postex (1765)  
 Gotham Audio Corp (509A)  
 Gray Communications (1618A)  
 David Green (417)  
 Harris (401)  
 Interactive Systems (1167/1132)  
 ITC/3M (311)  
 Midwest (1710)  
 Nagra (1213)  
 Otari (601)  
 Pacific Recorders (113)  
 Ramko (415)  
 Scribe Recorders (214)  
 Sonomag-SMC (707)  
 Soundcraft (219)  
 Sony (605, 1200)  
 Spencer (406)  
 TASCAM (1304)  
 Telex (600)  
 UMC Electronics (114)  
 United Research (604)

**RECORDER (DIGITAL AUDIO)**

AVC Systems (331)  
 Broadcast Supply West (112A)  
 dbx (107A)  
 JVC (1234)  
 Sony (1200, 605)  
 Spencer Broadcast (406)  
 Studer (201)

**RECORDERS (VIDEODISC, SLOW MOTION REPLAY)**

Camera Mart (1018)  
 Forox (1620D)  
 Gray Communications (1618A)  
 Midwest (1710)  
 Panasonic (1019)  
 System Associates (1331E)  
 3M Optical (1002)

**RECORDER (VIDEOTAPE)**

AF Associates (1611)  
 Ampex (1400)  
 Robert Bosch (1603)  
 Camera Mart (1018)  
 Forox (1620D)  
 Frezzolini (1107)  
 Gray Communications (1618A)  
 ISC (1132/1167)  
 Ikegami (1011/1013)  
 Hitachi Denshi (1402)  
 JVC (1234)  
 Lake Systems (1165)  
 Laumic (1771)  
 Midwest Corporation (1710)  
 NEC (1415)  
 PEP (1408)  
 Panasonic (1019)  
 RCA (1000)  
 Sony (1200)  
 System Associates (1331E)  
 3M (1002)  
 Thomson-CSF (1001)

**REMOTE-CONTROL SYSTEMS**

Andrew (1201A)  
 Anton/Bauer (1337)  
 BTX (1124)  
 Robert Bosch (1603)  
 Bowen Broadcast (1770)

Broadcast Supply West (112A)  
 CAT Systems (1014B)  
 Camera Mart (1018)  
 Continental Electronics (101)  
 Delta Electronics (105)  
 Dynair (1404)  
 Graham-Patten (1227A)  
 David Green (417)  
 Grumman (1631B)  
 Harris (401)  
 Holzberg (\*)  
 Hallikainen & Friends (208)  
 IGM (403)  
 Listec (1406)  
 McMartin (701)  
 Marti (501)  
 Micro Control (104)  
 Moseley (301)  
 Neve (1410)  
 Potomac (100)  
 Scientific-Atlanta (1017)  
 Swintek (1503)  
 Symetrix (616)  
 TFT (109)  
 UMC Electronics (114)

**SATELLITE COMMUNICATIONS (EARTH STATIONS AND ANTENNAS)**

Andrew (1201A)  
 Antenna Technology (1737)  
 Avantek (1742)  
 Broadcast Microwave Services (1749)  
 GEC McMichael (1514)  
 Harris (401)  
 Lang Video Systems (1780)  
 M/A-COM (1004)  
 Microdyne (1612)  
 Midwest (1710)  
 Modulation Associates (1737)  
 Pinzone (1615A)  
 Scientific-Atlanta (1017)  
 Sescom (1616)  
 Spectrum Planning (510)  
 UMC Electronics (114)  
 VideoStar Connections (1122)  
 Wegener Communications (1782)  
 Wold Communications (1515)  
 Varian Associates (1605)

**SECURITY SYSTEMS**

CAT Systems (1014B)  
 FOR-A (1306)  
 Gray Communications (1618A)  
 Lang Video Systems (1780)  
 M/A-COM (1004)  
 Panasonic (1019)  
 Peerless Sales (1618B)

**SEQUENCE CONTROLLERS**

AVC Systems (331)  
 BTX Corp (1124)  
 Harris (401)  
 United Media (1300)  
 Videomedia (1308)

**SETS & BACKDROPS**

Desisti Americas (1131)  
 Great American Market (1108)  
 Olesen (1307)  
 Theatre Services & Supply (1513)  
 Uni-Set (1236)

**SOUND SYSTEMS**

Anchor Systems (1618C)  
 Electro-Voice (1159)  
 Postex (1765)  
 JBL (615)  
 Sescom (1616)  
 Spencer Broadcast (406)

UMC Electronics (114)  
 Wireworks (1014C)  
 Yamaha (1340)

**SPEAKERS & ENCLOSURES**

AVC Systems (331)  
 Anchor Systems (1618C)  
 Broadcast Supply West (112A)  
 Continental Electronics (101)  
 Electro-Voice (1159)  
 Postex (1765)  
 Gotham Audio (509A)  
 David Green (417)  
 Holzberg (\*)  
 JBL (615)  
 Logitek (613)  
 Midwest (1710)  
 Studer Revox (201)  
 United Research Labs (604)  
 Yamaha International (1340)

**STL EQUIPMENT**

AVC Systems (331)  
 Andrew (1201A)  
 Broadcast Microwave Services (1749)  
 Continental Electronics (101)  
 Cablewave (108)  
 David Green (417)  
 Harris (401)  
 Holzberg (\*)  
 Lang Video Systems (1780)  
 M/A-COM (1004)  
 Marti Electronics (501)  
 Micro Communications (1014A)  
 Micro Control (104)  
 Modulation Associates (1737)  
 NEC (1415)  
 Spencer Broadcast (406)  
 System Associates (1331E)  
 TFT (109)  
 Thomson-CSF (1001)

**STANDARDS CONVERTERS**

AF Associates (1611)  
 GEC McMichael Ltd. (1514)  
 MCI/Quantel (1631)  
 Marconi (1609)  
 OKI Electric (1505)  
 System Associates (1331E)  
 Video International (1524)

**STILL/FRAME STORE EQUIPMENT**

Abekas Video Systems (1620A)  
 ADDA (1100)  
 Ampex (1400)  
 Robert Bosch (1603)  
 Camera Mart (1018)  
 Colorado Video (1222)  
 Colorgraphics (1116)  
 Dubner (1630)  
 FOR-A (1306)  
 Fortel (1409B)  
 Harris (401)  
 MCI/Quantel (1631)  
 Midwest (1710)  
 NTI (1102A)  
 Precision Echo (1617)  
 System Associates (1331E)  
 Video International (1524)

**STUDIO FIXTURES**

B-W Lighting (1753)  
 CineMills (1140)  
 Desisti Americas (1131)  
 Keylite Production Services (1220)  
 Mole-Richardson (1006)  
 Olesen (1307)  
 Peerless Sales (1618B)  
 Theatre Services & Supply (1513) →



---

# IMC IMPROVES YOUR IMAGE



---

Let us make your video images cleaner and sharper with the IMC 3565 motion control computer. Coupled with a high-speed animation stand, the 3565 provides you with total animatic capabilities: true



Digital zoom

perspective movements, pans across large artwork, zooms that don't degrade

image quality, real three-dimensional effects, and a variety of smooth-flowing moves...



Camera zoom

all in real time. So let IMC show you how to improve what's coming out of your editing suite by improving the images that go into it. The difference you see will be perfectly clear.



COMPUTER CONTROLLED  
VIDEO ANIMATION

Video images courtesy Windsor Video




## INTERACTIVE MOTION CONTROL

8671 Hayden Place Culver City, California 90230 213/559-6146

Circle (174) on Reply Card

**"I NEEDED A REALLY SPECIAL CUSTOM CASE  
AND CALZONE CAME THROUGH FOR ME."**



This may seem like utter nonsense, but we really can custom-build any kind of flight case for your next location shoot. And we work fast. Our super-tough Escort and Convoy cases feature Calzone's patented Double-Angle construction to give your most expensive and fragile equipment the best protection available today. More of today's production companies, radio/TV/film crews and sound contractors depend on Calzone to make sure their gear arrives at the job in perfect working order.



225 Black Rock Avenue, Bridgeport, CT 06605 1(800) 243-5152

Circle (176) on Reply Card

#### SWITCHERS, ROUTING (VIDEO AND AUDIO)

ADM Technology (1223)  
AVC Systems (331)  
American Data (1409)  
Arrakis Systems (211)  
BSM (637)  
Robert Bosch (1603)  
Broadcast Supply West (112A)  
Datatek (1428)  
Datatronix (1504)  
Di-Tech (1301)  
Dynair (1404)  
Electronic Systems Labs (406A)  
Farrtronics (1709)  
Gentner Engineering (636)  
Grass Valley Group (1207)  
Gray Communications (1618A)  
HEDCO (1225)  
Holzberg (\*)  
ISI (1132, 1167)  
Lang Video (1780)  
Laumic (1771)  
Leitch (1021)  
Logitek (613)  
Marcom (306)  
Midwest (1710)  
NTI (1014D)  
Neve (1410)  
Panasonic (1019)  
Patch Bay (1773)  
QuickSet (1105)  
Ramko Research (415)  
Scientific-Atlanta (1017)  
System Associates (1331E)  
3M Broadcast (1002)  
Telemet (1202)  
United Media (1300)  
Utah Scientific (1114)  
Videotek (1633)

#### TBCs


ADDA (1100)  
Ampex (1400)  
Apert-Herzog (1703)  
Digital Video Systems (1017)  
FOR-A (1306)  
Fortel (1409B)  
GEC McMichael (1514)  
Gray Communications (1618A)  
Harris (401)  
Holzberg (\*)  
Hotronics (1331B)  
Laumic (1771)  
MCI/Quantel (1631)  
Microtime (1230)  
Midwest (1710)  
NEC (1415)  
Nova Systems (1345)  
Paltex (1005)  
Sony (1200)  
System Associates (1331E)  
Video International (1524)

#### TAPE DUPLICATING EQUIPMENT

AVC Systems (331)  
Accurate Sound (\*)  
Garner Industries (1233)  
Inovonics (304)  
Otari (601)  
Sony (1200)  
System Associates (1331E)  
Telex (600/1605)  
United Research Labs (604)

#### TAPE ERASERS

AVC Systems (331)  
Broadcast Supply West (112A)  
CMC Technologies (1425)  
Camera Mart (1018)  
Christie Electric (1403A)



## IFB/ENG "ULTRA-LIGHT" TELEPHONE for "HANDS-FREE" COMMUNICATION


Model 6058/T - A complete electronic "Touch-Tone" telephone which uses R-Columbia's 1 ounce headphone/mic. Unit operates directly into any modular telephone jack, and can be clipped to the user's belt. Features include a mic mute switch, auxiliary mic input, and auxiliary headphone output. \$149.95

Model UL-85/M - 1 ounce headphone/mic - Ideal for broadcast, communication or telephone work. Available in impedances from 8 to 2K ohms, with or without mic boom. Request bulletin 2X. (As pictured above). \$129.95

VISIT US AT NAB BOOTH 1111 or ICA BOOTH 2168

Intercom Systems: Self Powered, AC Line Powered, FM Wireless, Infrared. Headphones: Cameraman's, Broadcast, Professional, and Ultra Light. Impedances from 8 to 50K ohms. Request new SHORT FORM CATALOG bulletin 1X.

R-COLUMBIA PROD. CO., 2008 St. Johns Ave. Highland Park, IL 60035-2499  
Phone: (312) 432-7915 TWX: 910-692-2160



Circle (175) on Reply Card



**WE'VE DEVELOPED  
A WAY TO  
ELIMINATE  
HORIZONTAL SHIFT.  
AUTOMATICALLY.**

the problem of horizontal shift caused by improper SCH timing. And solved it in a way that's not only economical, it's automatic. With our SYNC PROC™ unit you won't waste time, people and test equipment establishing SCH. And editors won't have to use trial and error to get the correct matched frame edit between two video signal sources.

SYNC PROC™ solves the problem in a simple way. It generates a color field identification signal that's positioned on the "front porch" of the TV signal. The ambiguity with RS-170A is thereby ended; you get positive identification for one field of the four-color field sequence. With color field identification, the SYNC PROC™ automatically maintains proper SCH timing, eliminating horizontal shift.

SYNC PROC™ provides the

most economical method of maintaining an SCH timed plant.

And it comes packaged with normally required features: a processing amplifier and sync generator and other optional features. Our expanding line of unique process and control products for the broadcast industry include color encoding, satellite transmission processing, machine control and many other state-of-the-art developments, and beyond.

For more information, write Business Development, Mail Stop A24-43, Grumman Aerospace Corporation, Great River, NY 11739, or call (516) 435-6001.



See us at the NAB Convention Booth #1631,  
April 29-May 2, Las Vegas, Nevada.

**GRUMMAN**

**Tape erasers**

Continued

Continental Electronics (101)  
 Garner Industries (1233)  
 Gray Communications (1618A)  
 David Green (417)  
 Restoration/Sprague  
   Magnetics (705)  
 Spencer Broadcast (406)  
 System Associates (1331E)  
 Taber (711)  
 UMC Electronics (114)  
 United Research Labs (604)

**TAPE EVALUATORS/CLEANERS/  
GAUGES**

Accurate Sound (\*)  
 Allsop (1177)  
 Asaca (1226)  
 Chyron (1610)  
 Gray Communications (1618A)  
 RTI (1626)  
 System Associates (1331E)  
 TV Equipment (1216)  
 Tentel (1613)

**TAPE, RECORDING (AUDIO)**

AGFA (1608)  
 AVC Systems (331)  
 Ampex (1400)  
 Broadcast Cartridge Service (611)  
 Broadcast Supply West (112A)  
 Camera Mart (1018)  
 Continental Electronics (101)  
 Fidelipac (411)  
 Fostex (1765)  
 Gray Communications (1618A)  
 David Green (417)  
 IGM Communications (403)  
 Inovonics (304)  
 Pam Lontos (120A)  
 Maxell (1624)  
 Midwest (1710)  
 Nagra (1213)  
 Restoration/Sprague  
   Magnetics (705)  
 Sescom (1616)  
 Sony (1200, 605)  
 Spencer Broadcast (406)  
 3M Magnetic (1002)  
 UMC Electronics (114)  
 United Research Labs (604)

**TAPE, RECORDING (VIDEO)**

Ampex (1400)  
 AGFA (1608)  
 BASF  
 Camera Mart (1018)  
 Fuji (1413)  
 GEC-McMichael Ltd. (1514)  
 Gray Communications (1618A)  
 JVC (1234)  
 Pam Lontos (120A)  
 Maxell (1624)  
 Midwest (1710)  
 Panasonic (1019)  
 Restoration/Sprague  
   Magnetics (705)  
 Sony (1200)  
 Spencer Broadcast (406)  
 System Associates (1331E)  
 3M Magnetic (1002)  
 United Research Lab (604)

**TELEPHONE INTERFACES**

AVC Systems (331)  
 Broadcast Technologies (1701)  
 Comrex (400)  
 Datatronix (1504)  
 ESE (116, 1757)

Electronic Systems Labs (406A)  
 Gentner Engineering (636)  
 David Green (417)  
 RTS Systems (1142)  
 Spencer Broadcast (406)  
 Studer (201)

**TELEMETRY EQUIPMENT**

Broadcast Microwave Services (1749)  
 Continental Electronics (101)  
 Datum (1708)  
 Hallikainen (208)  
 Marti (501)  
 Spencer Broadcast (406)

**TELETEXT & CAPTIONING  
EQUIPMENT**

Beston/McInnis-Skinner (1020)  
 Datum (1708)  
 EEG (1155)  
 Harris (401)  
 Logica (1405E)  
 Thomson-CSF (1001)  
 Wegener Communications (1782)

**TEST PATTERNS, CHARTS**

Camera Mart (1018)  
 Gray Communications (1618A)  
 Nalpak Video Sales (1722)  
 Porta-Pattern (1427)  
 SMPTE (1632)  
 Sigma Electronics (1333)

**TEST EQUIPMENT MONITORS &  
METERS (AUDIO)**

Asaca (1226)  
 Amber Electro (422)  
 Broadcast Cartridge Service (611)  
 Broadcast Supply West (112A)  
 Camera Mart (1018)  
 Continental Electronics (101)  
 Electronic Systems Labs (406A)  
 Electro-Voice (1159)  
 Eventide (323)  
 Inovonics (304)  
 Marcom (306)  
 Marconi Instruments (1615)  
 McMartin (701)  
 Potomac Instruments (100)  
 Real World Technologies Group (1520)  
 Sescom (1616)  
 Shively (623)  
 Sound Technology (500)  
 Tektronix (1601)  
 Tentel (1613)  
 Valley People (318)  
 Videotek (1633)  
 White Instruments (1318A)

**TEST EQUIPMENT, MONITORS &  
METERS (VIDEO)**

Anchor Systems (1618C)  
 Anton/Bauer (1337)  
 Asaca (1226)  
 Audio Technologies (420)  
 Broadcast Video Systems (1326)  
 Camera Mart (1018)  
 EEV (1335)  
 Gray Communications (1618A)  
 HEDCO (1225)  
 Hitachi (1402)  
 Inovonics (304)  
 Lang Video Systems (1780)  
 Laumic (1771)  
 Leader Instruments (1349)  
 Marconi Instruments (1615)  
 Midwest (1710/1710A)  
 Philips/Test (1408A)  
 Rohde & Schwarz (1203)  
 Tektronix (1601)

Telemet (1202)  
 TV Equipment (1216)  
 TFT (109)  
 Tentel (1613)  
 Valley People (318)  
 Videotek (1633)

**TEST EQUIPMENT (RF)**

Asaca (1226)  
 Bird Electronic (1625)  
 Broadcast Supply West (112A)  
 Camera Mart (1018)  
 Comark (1217)  
 Continental Electronics (101)  
 Delta Electronics (105)  
 Electro Impulse (117)  
 Gray Communications (1618A)  
 Holaday Industries (206A)  
 Marconi Instruments (1615)  
 Potomac Instruments (100)  
 Rohde & Schwarz (1203)  
 Shively (623)  
 Sound Technology (500)  
 System Associates (1331E)  
 Tektronix (1601)  
 Telemet (1202)

**TIME CODE EQUIPMENT**

AVC Systems (331)  
 Adams-Smith (1724)  
 Amtel Systems (1745)  
 Arriflex (1421)  
 Audio + Design (402)  
 BTX (1124)  
 Robert Bosch (1603)  
 Camera Mart (1018)  
 Control Video (1157)  
 Datum (1708)  
 ESE (116, 1757)  
 Evertz (1945)  
 For-A (1306)  
 Gray Engineering (1755)  
 Gray Communications (1618A)  
 Interactive Systems (1167/1132)  
 JVC (1234)  
 Kinometrics (115)  
 Laumic (1771)  
 Paltex (1005)  
 QSI Systems (1325)  
 Skotel (1126)  
 Sony (1200)  
 System Associates (1331E)  
 United Media (1300)

**TIMERS & CLOCKS (PROGRAM)**

AVC Systems (331)  
 Amtel Systems (1745)  
 Broadcast Supply West (112A)  
 Camera Mart (1018)  
 Continental Electronics (101)  
 Datum (1708)  
 ESE (116, 1757)  
 Feldmar Watch (1777)  
 FOR-A (1306)  
 GEC-McMichael (1514)  
 Gray Communications (1618A)  
 David Green (417)  
 Kinometrics/Truetime (115)  
 Leitch Video Systems (1021)  
 Midwest (1710)  
 Pacific Recorders (113)  
 Radio Systems (213)  
 Spencer Broadcast (406)

**TOOLS**

Broadcast Supply West (112A)  
 Jensen Tools (1747B)  
 Tentel (1613)

Continued on page 250



# Spectrum Analyzer & Tracking Generator

## AL-51C SPECTRUM ANALYZER

Frequency range from 1-1.000 MHz

60 dB on-screen dynamic range

Selectable resolution settings (500 Hz, 10 KHz, 200 KHz)

Stepped rotary attenuators, 1 and 10dB

Switchable LIN/LOG Display

Internal battery power

Phase lock for added stability

Built-in markers (1 MHz, 10 MHz, 50 MHz)


Optional digital storage with freeze and store modes

Optional AM/FM audio recovery with squelch and built-in speaker

## COMPATIBLE TG-51 TRACKING GENERATOR

Swept response measurements from 1-1.000 MHz

60 dB swept dynamic range



## OTHER TEXSCAN PRODUCTS

SWEEP SYSTEMS

RF MILLIVOLTMETERS

SYNTHESIZED SIGNAL GENERATORS

BROADBAND RF AMPLIFIERS

ROTARY ATTENUATORS

VSWR BRIDGES AND ACCESSORIES

TUNABLE FILTERS

DETECTORS

FIXED PADS

SPECTRUM ANALYZERS

SWEEP GENERATORS

YOUR KIND OF WORK DEMANDS OUR KIND OF QUALITY

# Texscan

Texscan Instruments • 2446 North Shadeland Avenue • Indianapolis, Indiana 46219 • (317) 357-8781  
Texscan Instruments, Ltd. • One Northbridge Road • Berkhamsted, Hertfordshire, UK • PH: 04427-71138  
Texscan GmbH • Peschelanger 11 • D8000 Munchen 83, W. Germany • PH: 089/6701048

Circle (178) on Reply Card

April 1984 Broadcast Engineering 247





**CELWAVE... The oldest new**





Get to know us!

We're CELWAVE, the newest name in communications, replacing another of impeccable reputation: Phelps Dodge.

That places at your disposal the entire array of premium quality equipment, the engineering know-how and the attentive service that you've always depended on. From a bright new corporate entity devoted exclusively to communications. And very eager to please.

CELWAVE brings you technologically advanced, durably constructed base station antennas: omnidirectional, directional, downtilt and special pattern. We also offer a wide range of FM and educational antennas, as well as rigid transmission lines.

CELWAVE is your international source of marine and vehicular antennas, of duplexers for land mobile and marine communications, of transmitter combiners and receiver multicouplers.

From broadcast to cellular, "ham" to RCC operator, you get Phelps Dodge performance from the industry's newest company. CELWAVE.

Corporate toddler.

Antenna systems giant.

# CELWAVE

Route 79, Marlboro, NJ 07746 • Tel (201) 462-1880 • TWX (710) 722-3861

In Europe: Frejasvej 30 DK-3400, Hillerød, Denmark • Tel (02) 26 36 36 • Telex 42164 PDHMP DK

Circle (204) on Reply Card

# company in communications

Please Visit Us at NAB Booth 202

[www.americanradiohistory.com](http://www.americanradiohistory.com)



**Tools****Continued**

Restoration/Sprague  
Magnetics (705)

**TOWERS & TOWER EQUIPMENT**

Allied Tower (409)  
Andrew (1201A)  
Aries Tower Services (1770)  
Cetec Antennas (509)  
Comark (1217)  
Continental Electronics (101)  
EG & G (1327)  
Fort Worth Tower (1010)  
Harris (401)  
Magnum Towers (119)  
Philadelphia Resins (126)  
Rohn Towers (1605B)  
Stainless (1315)  
Utility Tower (703)  
World Towers (519)

**TRANSFORMERS (ALL TYPES)**

Calvert Electronics (125)  
Peter Dahl Company (612)  
Fostex (1765)  
Gotham Audio (509A)  
Mole Richardson (1006)

**TRANSISTORS, ICs, SOLID-STATE DEVICES**

Calvert Electronics (125)  
CeCo Electronics (1010A)  
Gray Communications (1618A)  
Valley People (318)

**TRANSMISSION LINE PRESSURIZATION EQUIPMENT**

Andrew Corporation (1201A)  
Cablewave (108)  
Celwave RF (202)  
Cetec Antennas (509)  
Continental Electronics (101)  
Dielectric (455)  
David Green (417)  
Harris (401)  
Micro Communications (1014)  
Microdyne (1612)

**TRANSMISSION LINE, WAVEGUIDE, COAXIAL SWITCHES**

AVC Systems (331)  
Andrew Corporation (1201A)  
Bird Electronic (1625)  
Cablewave (108)  
Celwave RF (202)  
Cetec Antennas (509)  
Comark (1217)  
Continental Electronics (101)  
Dielectric (455)  
David Green (417)  
Harris (401)  
Marti Electronics (501)  
Micro Communications (1014)  
Microdyne (1612)  
Pinzone Communications (1615A)  
Scientific-Atlanta (1017)  
Shively (623)  
Sigma (1333)

**TRANSMITTERS (AM & FM)**

AVC Systems (331)  
Bayly (124)  
Broadcast Electronics (303)  
Continental Electronics (101)  
Elcom-Bauer (412)  
David Green (417)  
Harris (401)  
Holzberg (\*)  
LPB (405)

Larcen Communications (1626A)  
McMartin (701)  
NEC (1415)  
QEI (307)  
RCA (1000)  
Radio Systems (213)  
Rohde & Schwarz (1203)  
Spencer Broadcast (406)  
Thomson-CSF (1001)  
Wilkinson-TTC (305)

**TRANSMITTER (TV & TRANSLATOR)**

Acrodyne (1228)  
Comark (1217)  
EMCEE (1621)  
Gray Communications (1618A)  
Harris (401)  
Information Transmission Systems (1734A)  
Larcen Communications (1626A)  
M/A-COM (1004)  
McMartin (701)  
NEC (1415)  
RCA (1000)  
Rohde & Schwarz (1203)  
Thomson-CSF (1001)

**TURNTABLES, TONEARMS & PHONO CARTRIDGES**

AVC Systems (331)  
Audio-Technica (1141)  
Broadcast Electronics (303)  
Broadcast Supply West (112A)  
Continental Electronics (101)  
Gotham Audio (509A)  
David Green (417)  
Harris (401)  
LPB (405)  
Ramko Research (415)  
RAMSA (437)  
Spencer Broadcast (406)  
Stanton (102)

**VACUUM TUBES (CRTs, RECEIVING)**

Calvert (125)  
CeCo (1010A)  
EEV (1335)  
Gray Communications (1618A)  
Richardson Electronics (212)  
Thomson-CSF Tubes (1003)  
Varian Associates (1605)

**VACUUM TUBES (CAMERA)**

Amperex (1412)  
Calvert (125)  
CeCo (1010A)  
EEV (1335)  
Gray Communications (1618A)  
Hitachi (1402)  
RCA (1000)  
Richardson Electronics (212)  
Thomson-CSF (1003)

**VACUUM TUBES (TRANSMITTING AND CAVITIES)**

Amperex (1412)  
Calvert (125)  
Camera Mart (1018)  
CeCo (1010A)  
Comark (1217)  
Continental Electronics (101)  
EEV (1335)  
Econco Broadcast Service (1759)  
Richardson Electronics (212)  
Thomson-CSF (1003)  
Varian Associates (1605)

**VANS & ACCESSORIES**

AF Associates (1611)  
Camera Mart (1018)

Centro Corporation (1101)  
GEC McMichael (1514)  
Gerstenslager (1347)  
Gray Communications (1618A)  
Magnetic Media/Shook (1310)  
Midwest Corporation (1710)  
Mole Richardson (1006)  
Shook Electronic Enterprises (1310)  
System Associates (1331E)  
Television Equipment (1216)  
Whirlwind (329)  
Wolf Coach (1317)

**VIDEO SWITCHERS, PRODUCTION**

American Data (1409)  
Ampex Corporation (1400)  
Asaca (1226)  
Beaveronics (1313)  
Robert Bosch (1603)  
CeCo (1010A)  
Camera Mart (1018)  
Comprehensive Video (1145)  
Crosspoint Latch (1321)  
Echolab (1510)  
Gray Communications (1618A)  
Grass Valley Group (1207)  
ISI (1232)  
ISC (1167/1132)  
JVC (1234)  
Laumic (1771)  
NTI (1014D)  
Panasonic (1019)  
Ross Video (1110)  
Sony (1200)  
System Associates (1331E)  
Toshiba (1631A)  
TV Equipment (1216)

**WEATHER SYSTEMS**

Alden Electronics (1336)  
Beston/McInnis Skinner (1020)  
Broadcast Supply West (112A)  
Colorgraphics Systems (1116)  
Dubner Computer Systems (1630)  
Environmental Satellite Data (1509A)  
Kavouras (1635)  
Thomson-CSF (1001)  
Video Assoc Labs (1303)  
WSI (1104)

**WIRELESS MICROPHONES, INTERCOMS, REMOTE PICKUP SYSTEMS**

AVC Systems (331)  
Broadcast Supply West (112A)  
Camera Mart (1018)  
Cetec Vega (1401C)  
Clear-Com Systems (1502)  
Comrex (400)  
Countryman Associates (1720)  
Gray Communications (1618A)  
David Green (417)  
Harris (401)  
HM Electronics (1130)  
McMartin (701)  
Marti Electronics (501)  
Micon Audio (1122C)  
Nady Systems (1133)  
R-Columbia (1111)  
Sennheiser (1137)  
Sescom (1616)  
Sony (1200, 605)  
Spencer (406)  
Swintek (1503)  
Telex (600/1605A)





## Vidifont® Graphics V. Performance that's picture perfect.

Picture crisp, clean, coordinated graphics that capture attention, provide information and create a distinct perspective that sets you apart.

Picture the Vidifont Graphics V. Combining the features and functions of character generation, graphics, animation and information displays into a single integrated system. All the creative tools you need for news, dial-up services such as satellite weather and sports, commercial spots, promos, elections and special programs.

Vidifont Graphics V allows multiple-user access of up to eight channels. On-line creativity is combined with off-line input, making it easy to update and display new information.

Vidifont. The picture of performance in over 500 TV and production studios around the world. Call or write Thomson-CSF Broadcast, Inc., 37 Brownhouse Rd., Stamford, CT 06902. Tel. (203) 965-7000. TWX (710) 474-3346. Telex 6819035-Answer Back 6819035 TCSB UW.

 **THOMSON-CSF BROADCAST, INC.**

Circle (180) on Reply Card



## The Cadillac of Exciters for under \$5,000<sup>00</sup>



The SMX-40 is a fully frequency synthesized, FM Stereo Multiplex Exciter with over 30 watts of absolute RF drive power and extensive status indication and protection, rivaling *all* competitive exciters presently available *at any price*.

### FEATURES:

- Frequency Synthesized in 10 kHz Increments
- DC Switching Power Supply
- 5-30 Watt (Adjustable) Wideband Power Amplifier
- Harmonic Filter in Output for Stand Alone Transmitter

### PARAMETER: SPECIFICATION:

FM Signal-To-Noise Ratio	- 70 db below 100% mod at 400 Hz (75 db typical)
Composite Intermodulation Distortion	.2% or less (.09% typical)
Composite Audio Response	± 0.2 db, 30 Hz-100 kHz
Composite Slew Rate	12 V/usec (symmetrical)
Frequency Stability	± 300 Hz 0° to 50°C. Direct FM


Write for Sales Literature  
and complete Specifications

**FF SYSTEMS INC.**  
P.O. Box 694, Cleburne, TX 76031  
(817) 295-7771

Circle (184) on Reply Card



**KEITH MONKS**  
Record Cleaning Machines  
the Original,  
the Best.  
for Years.



Trusted and used around the world, wherever valuable record libraries are found. A Keith Monks Record Cleaning Machine is an investment. It is supported by our fast, competent Parts and Service Department.

**KEITH MONKS AUDIO (USA) INC**  
P.O. Box 1069 • Palatine, IL 60078

CALL TOLL FREE

1-800-562-5872

TELEX

280 502

In: IL, AK, HI, CAN.

Call: 312-359-9240

Also Available Studio Mar III Double Duty

Circle (185) on Reply Card

## AM stereo

Continued from page 14

and, therefore, be suitable for station give-away promotions. The company said orders placed to date for the Kahn adapter have been contingent on sales of minimum quantities of Motorola-only car receivers in each station's market.

The decoding of all the systems except Motorola is automatic on the converter. When the listener wants to hear a C-QUAM signal, a button must be pushed. Kahn Communications president Leonard Kahn said the switching arrangement was not designed to embarrass Motorola, but instead had a good engineering basis.

### Group W selects Motorola

Westinghouse Broadcasting has selected the Motorola AM stereo system for use at its AM music stations. According to Harrison Klein, Group W director of radio engineering, the selection follows more than a year of tests of various AM stereo systems at WBZ, the company's AM radio outlet in Boston. The Motorola C-QUAM equipment currently is installed at WBZ and will be installed in the near future at KDKA, Pittsburgh. All other AM stations in the Group W chain use news/talk formats, and will not be converted to stereo operation at this time.

Klein said he thinks the emergence of a single AM stereo system would best serve the long-term interests of the industry. However, he said he has no objections at this point to the multi-mode receiver concept. "The more AM stereo receivers (single- or multi-mode) we get out in the field, the better," he said.

||:~:~)))))

## Satellite update

Continued from page 16

works that will transmit two or three TV channels per transponder, reducing the network's annual transmission costs significantly. For example, a 6-channel hotel network would reduce its transponder lease costs by \$5 million to \$6 million a year if two TV channels were transmitted per transponder instead of the normal single channel. The savings over an 8-year period would be far greater than the total added cost of larger receiving antennas.

The next decade in satellite TV broadcasting promises to bring a wide variety of transmission techniques, a far different scenario than has been the case to this point.

||:~:~)))))

**IF YOU NEED  
ATTENUATORS  
YOU NEED THIS  
CATALOG!**



### AUDIO AND RF ATTENUATORS TO MEET ANY REQUIREMENT

Here in one compact and informative 24 page booklet is all the data you need to select a Precision Audio and RF Attenuator for your application.

Reference Charts, Circuit Diagrams, Types and Uses, Current and Voltage Ratio Tables, Ratings, Etc., make this a handy and invaluable reference.

SEND FOR YOUR FREE COPY TODAY.

**TECH LABS, INC.**

Bergen & Edsall Blvds.  
Palisades Park, N.J. 07650  
Tel.: (201) 944-2221

Circle (230) on Reply Card

**3/4" Video  
Cassettes**



**RELOADABLE!**

Only COARC rebuilds and reloads your 3/4" U-Matic video cassettes with new 3M Scotch Brand Videotapes in this special way:

1. ALL labels are removed from used cassette by special COARC process which does not scratch or damage cassette.
2. Many reloaders spool directly into the cassette without inspecting or cleaning the inside. COARC opens, inspects and rebuilds every cassette. INSIDE and out.
3. Friction pads, tape wipers and door latches are replaced if necessary. Tape guides are inspected for excessive wear.
4. Under clean room conditions new videotape is placed in cassette already on the spool with tension rigidly controlled.
5. COARC will custom load any length from 3 minutes to 62 minutes.

COARC "like new reloads" cost considerably less than new cassettes, and custom loading lets you save even more by getting exactly the length of tape you need. Both 3M Color Plus or Agfa 297 MB Videotape available. Contact:


**COARC™**

P.O. Box 2, Route 217 Dept. D3  
Mellenville, New York 12544 (518) 672-7202

Circle (231) on Reply Card



# INTRODUCING A SIMPLE SOLUTION TO A COMPLICATED PROBLEM



## THE VECTOR 4000

Imagine monitoring up to 24 different audio programs or communication lines on one single pair of wires, telephone "dry pair" or a video coax. The incredible Vector 4000 Monitor System gives you 24 simultaneous, selectable channels of audio with a 50Hz to 5kHz bandwidth at distances of over a mile. The new Vector 4000 accommodates over 300 listening stations without any degradation.

Install the Vector 4000 in field or fixed locations in a fraction of the time and at considerable savings over current bulky systems. The possibilities are endless from multi-camera events to newsroom monitoring. All because of unique BTI technology.

Be the first on line at the N.A.B. with the new Vector 4000. See it in use at booth 1701.



**broadcast technology, inc**

33 Comac Loop, Ronkonkoma, NY 11779 • (516) 588-6566

Circle (181) on Reply Card


BTI is proud to be a supplier of IFB equipment to ABC for the 1984 Summer Games.

One of a new wave of high technology manufacturing plants, the United Media facilities in Anaheim, CA, are designed conservatively to handle R&D and manufacturing needs.



# Conversations

## An interview with Bob Ricci of United Media



The modular design of the Commander II edit controller adds flexibility to the total system.

After the 1983 fall SMPTE meeting in Los Angeles, Carl Bentz, **BE** television editor, toured the United Media facilities in Anaheim, CA, and interviewed president Bob Ricci. The discussion focused on trends in videotape editing, Ricci's corporate philosophy and his plans for NAB-'84/Las Vegas. This report, which combines elements of the interview and plant tour, results from that meeting.

**Q:** How old is United Media?

**A:** I founded the company in 1976 to be a systems house. People could come in and state their needs, and we would develop a system to meet those requirements. I handled several lines of products from which the systems would be built.

**Q:** What was your background for such work?

**A:** Before forming United Media, I worked for Datatron. There I gained a good understanding of what was required in a reliable editing system. I also was involved in developing the Tempo system, which the company manufactured.

**Q:** When did United Media become a manufacturer, rather than a systems assembler?

**A:** Our first product, the Commander I, went on the market in 1979, and the first unit was sold in June.

**Q:** Do you remember the first sale?

**A:** Very well. The contract, from a Canadian post-production house, included a clause requiring the system to pass certain engineering tests before it would be accepted. Needless to say, I was pleased when, within three days of the equipment's arrival, the editing controller had passed acceptance and payment was on its way.

**Q:** Was the Commander I a successful product?

**A:** Yes. Its shortcoming was that it was not an upgradable system, as is the Commander II. There are a number of them still in the field and in use in facilities that do 2-machine editing jobs.


**Q:** What about the Commander II?

**A:** We introduced the Commander II at NAB '80/Las Vegas. From the beginning, it was conceived as modular. The system could be configured in various ways, from a 2-machine system up to an 8-VTR operation, with integrated time code readers and generators. Any combination of VTR formats, quad, 1-inch or U-matic were possible, along with a switcher interface.

We stressed the upgradability factor at NAB-'82/Dallas. The buyer could



# The Studer for Tomorrow's Teleproduction



**Introducing the A810 stereo recorder with center track SMPTE code...from Studer, the world leader in audio recording equipment.**

## **Stereo + SMPTE Code on 1/4" Tape**

This is the one recorder made to meet your demand for better quality stereo audio for video productions. With a Studer A810 you can produce state-of-the-art audio tracks, then use any SMPTE-based synchronizing/editing system to lock the A810 to your VTR's.

You don't need a 4-track recorder. You don't need 1/2" tape. And you don't have to program offsets into your synchronizer.

It's all possible because the A810's optional center-track SMPTE code system uses a separate set of code heads, working in conjunction with a microprocessor controlled digital delay. The separate heads assure code-to-audio crosstalk rejection of better than 90 dB. And the digital delay automatically compensates for the tape travel time between code and audio heads at all four tape speeds.

## **Total Microprocessor Control**

The on-board CPU controls all A810 transport functions, all audio status switching, and all audio parameter settings. Design flexibility lets you program the A810 to do what you want it to do. A zero locate and one autolocate position are fixed, but three additional "soft keys" may be programmed for a variety of functions, including up to three more locate positions and two different edit modes. All audio parameters (bias, level, EQ) are set digitally and stored in memory, with memory storage for two different formulations at all four speeds. After initial set-up, you can switch to your alternate tape simply by pushing a button.

## **External Computer Control**

With the optional serial interface, you can control all transport and audio functions with your personal computer (RS232) or with any device conforming to the forthcoming EBU/SMPTE standard (RS422 modified).

## **Studer Performance and Reliability**

Using all-new electronics with advanced phase compensation circuits, the A810 delivers audio performance that is — compared to most other recorders — just short of phenomenal. And, as with all Studer products, the A810 is made from solid components and assembled with Swiss precision.

Get your production room ready for tomorrow's stereo audio. Call today for the location of your nearest Studer dealer.

# STUDER REVOX

Studer Revox America/1425 Elm Hill Pike/Nashville, TN 37210/(615)254-5651

Circle (183) on Reply Card

[www.americanradiohistory.com](http://www.americanradiohistory.com)





start with the basic 2-machine system and build up to the full 8-machine configuration. From basic to expanded, the Commander II included almost every editing feature that the industry has requested. Obsolescence was avoided.

**Q:** How well was the second generation system accepted?

**A:** There are more than 100 Commander II systems installed in facilities around the world. They involve various grades of expansion, and have proved to be quite reliable.

**Q:** In talking with people experienced with United Media systems, each has stressed reliability. Why?

**A:** When an editor sits down to do a project, he has enough things to think about besides his equipment. The design should include every possible way to reduce failures. But electronic equipment will fail. So in major sections such as the power supply, for example, we use heavier duty components than normally needed. In case of a power outage, batteries protect the 500-event internal memory.

**Q:** I have also been told that your systems generally are lower priced than equivalent ones. How do you keep the price down?

**A:** Our products, which all are editing-related, use several basic common modules so that we can save on design costs, and, for product support, on the cost of storing an inventory of spares.

**Q:** What products are included in the line now?

**A:** All our products are involved in editing. Besides edit controllers, we have time code systems, an audio router/dissolver and automatic dialogue replacement equipment.

**Q:** When I talk to people in the industry, many are not acquainted with

United Media. Why?

**A:** Our marketing efforts have been at a rather low-profile level to date. In fact, our best promotion has been word-of-mouth. It's slower, perhaps, than splashy advertisements, but effective.

**Q:** Will you be showing new items at NAB-'84?

**A:** The major new product will be the new Mini-Comm edit controller. It is a compact A/B roll, full-featured system for up to three VTRs or ATRs. It is upgradable with SMPTE time code, list management and switcher interfacing.

We also will show a model 500 sequencer, or digital electronic programmer, and a user-definable key enhancement for the Commander II. Each of two keys may recall a sequence of 120 keyboard entries for often-used routines.

**Q:** What about the redefinable keys others are stressing? Why haven't you gone to that concept?

**A:** I do not think that redefining or reassigning keys gains anything. Once an operator is oriented to a particular system, why would he want or need to change it, to have to reorient himself? There are arguments that reassignment is of value for right- or left-handed and multiple operator situations, but I have not been convinced.

The same situation is true of other features that have been introduced in the last couple of years. For example, the touch-sensitive screen concept is interesting, but, in my opinion, somewhat of a restraint to the user. I find the touch screen approach to be slower, because it requires me to reorient myself all of the time.

**Q:** What about voice actuation and recognition systems?

**A:** They also are interesting. We looked at that approach several years

ago. At the present time, I don't think that it is practical.

**Q:** How practical are large editing systems, such as your Commander II, fully implemented with the maximum number of VTRs, switcher and mixer interfacing, etc.?


**A:** In the editing business, time is money. Let's suppose that you purchase eight 1-inch VTRs to go with your edit controller, each with a TBC, for an investment of approximately \$800,000. The majority of editing projects will only involve one or two source machines at a time with one recording VTR. In addition, the editing systems usually are limited to a single mix/effects amp control. With that in mind, most large systems simply are not cost-effective.

**Q:** Could you state your concept of the ideal editor control system?

**A:** I instruct my design group to think in terms of the complete system. The purchaser should be able to take the equipment out of the box, plug it in, connect the various record and source units to the assigned plugs and jacks, turn the equipment on and begin editing. As such, the controller should be a black box, designed and constructed in a manner that leaves the operator's concern to focus on the editing task. His technical staff should only need to worry about the sources, the recorders and other equipment attached to the black box.

Then, with the system operating, product support becomes important. We have developed a system, for example, in which users that call for help before 3 p.m. and need replacement parts to get their systems operating will have the parts on their way by 10 a.m. the next day.

It is my opinion that systems design, backed by a good customer service program, is what has made United Media successful.



Circuit boards are etched by an outside supplier, but United Media assembles the final systems and provides QC before shipment.

||:~:)))||





# Forty-three station installations in the last 24 months!

**Not bad for a company you may hardly know.**

But more and more broadcasters are getting to know us every day! There's good reason why we've grown so fast. We call it "station orientation" . . . the basic philosophy of George Townsend, whose background is station engineering. Now it's practiced by all our design engineers, most of whom have had hands-on broadcasting experience.

## We know staying on the air is everything.

We've been there when things go to black. We know the pressure to correct the problem fast. Who needs ulcers! You don't. We don't. So we design maximum redundancy into all our equipment.

But when servicing becomes necessary, we've made it so you can get to the trouble fast — and have room to work. It would be so easy to make smaller cabinets for our equipment. But we haven't forgotten that normal size hands do the service work.

## Maybe you too should get to know us.

As so many broadcasters have lately, perhaps you should get to know us, too. Write for a catalog. But if you're in a hurry or have a technical question, call one of our executive group. At Townsend, you won't have trouble getting through to the top.

**Please See Us at NAB Booth 1420**

Circle (186) on Reply Card

**MAIN OFFICE AND MANUFACTURING:** 79 Mainline Drive, Westfield, MA 01085, Tel. 413-568-9581 TWX# 710-356-1521 **OFFICES:** California: 1080 Los Molinos Way, Sacramento, CA 95825, Tel. 916-972-9969 • Indiana: 7725 "C" South River Rd., Indianapolis, IN 46240, Tel. 317-255-7049 • Far East (Bangkok): Box 11-1240, Nana, Thailand 10112, Tel. 2-251-8834

### TOWNSEND T.V. TRANSMITTERS

**Our record of station installations in just the last 2 years:**

Modesto, CA	Tampa, FL	Topeka, KS
Los Angeles, CA	Lima, OH	Denver, CO
2 transmitters	Albany, NY	Yorkton, CAN
Milwaukee, WI	Gainesville, FL	Portland, OR
Clarksburg, WV	Eugene, OR	Sacramento, CA
Merion, IL	Ibadan, Nigeria	Alabama
Waterbury, CT	Oyo, Nigeria	Palm Springs, CA
Augusta, SC	Tallahassee, FL	Ensenada, Baja, CA/Mexico
Salinas, CA	St. Cloud, MN	Tijuana, Baja, CA/Mexico
St. Louis, MO	Chicago, IL	Canada — 2 transmitters
Derry, NH	2 transmitters	India — 10 transmitters



Howard G. McClure  
Vice President/  
General Manager



Robert J. Anderman  
Director of  
Sales and Marketing



Andrew V. Juettner  
Director of  
Engineering



George R. Townsend  
President

**TOWNSEND**  
ASSOCIATES, INC.

*The Television  
Transmission  
Specialists*



An aerial photograph of the Chicago skyline, featuring the Sears Tower (now Willis Tower) prominently in the foreground. The city's dense urban landscape is visible in the background, with various skyscrapers and buildings. The sky is clear and blue.

# Plant tour:

# Cetec Antennas

By Jerry Whitaker, radio editor


The Antenna Division of Cetec Corporation, with sales and manufacturing facilities located in Sacramento, CA, specializes in transmitting antennas for TV and FM broadcasting. The company is one of 11 divisions of Cetec, based in El Monte, CA.

Cetec Antennas has a long and distinguished record of accomplishments in FM and TV antenna technology. The company began more than 25 years ago as the Jampro Antenna Company, manufacturing a line of FM and TV transmitting antennas. The company introduced its patented JSCP Penetrator series of FM circularly polarized (CP) antennas in 1967. The design has served broadcasters around the world, with more than 1000 sold to date. The company began testing CPTV antennas in 1974 and, once authorized by the FCC, began selling its patented spiral antenna in 1977.

Cetec's spiral CPTV antenna is lowered into position on top of the Sears Tower in Chicago. The antenna was manufactured for WLS-TV.



# Rodney Kobayakawa uses SONEX a little differently...



## and so do thousands of others.

**Just Listen** — 1. You might even say that Rodney Kobayakawa's use is off-the-wall. He lines the ceiling of KGMB-TV's remote video truck with SONEX. "Controls the high ambient noise...Close speaker mounting caused problems with sound orientation...and they look so nice! White audiotiles match the chrome look of our equipment." He's the Audio Engineer at KGMB, Honolulu.

2. "Musicians are always impressed by your SONEX products." Dennis Scott of Chelsea Entertainment Organization, who won a Grammy in 1981 for *Sesame Country*, an album featuring Crystal Gayle, Loretta Lynn, Glen Campbell and the Muppets.

3. "Takes the 'ping' out of hard walls." Don Bachmeier, KFYT-TV, Bismarck, N.D. uses SONEX on wheeled, portable panels to kill voices on adjoining news sets.

4. "Delighted with SONEX's effectiveness...pleasing aesthetics...audio professionals notice reduced standing waves...increased sound-proofing." Sherrie Thomas, Producer, recording studio for the General Conference of Seventh-Day Adventists, Washington, D.C.

5. "Good!...in radio station's master control and production room." Craig Falkenstine, WJCF, Morgantown, W.V.

Pictures do speak louder than words.

When we asked our customers to show us how they used SONEX, we weren't surprised to hear that SONEX did the job. We knew that SONEX's special acoustical foam — with its sculptured anechoic design — absorbs sound successfully. What really amazed us was the number of different SONEX applications they showed us.\* See (and hear) for yourself: **Wherever** sound is the problem, SONEX is the solution.

SONEX is manufactured by Illbruck/usa and distributed exclusively to the pro sound and A/V industries by Alpha Audio.

Get all the facts by calling or writing:

**Alpha Audio®**  
2049 West Broad Street  
Richmond, Virginia 23220 (804) 358-3852  
Acoustic Products for the Audio Industry

\*SUBMITTED BY FIRST GROUP OF SONEX PHOTO CONTEST WINNERS

Circle (201) on Reply Card

www.americanradiohistory.com





- ☐ More than a high speed reader
- ☐ More than a video character inserter
- ☐ More cost-effective than you thought possible

## CIPHER DIGITAL'S MODEL 710A TIME CODE PERIPHERAL

### The Model 710A — an evolution in Time Code Reader technology

Reads longitudinal time code forward & reverse at tape speeds from 1/30th to 80X • Updates from Control Track/Tach Pulse input • Compensates 1-frame serial decoding delay in forward & reverse • Displays Time or User data using easy-to-read front panel LEDs • Multi-function video character inserter displays both Time & User data simultaneously • Decodes and displays Field number • Full raster positioning of video display • Multi-size characters • Automatically deletes Field & Frame display at unreadable speeds • Switchable inverse video display • Incorporates Intelligent Error Bypass for glitch-free frame accuracy • Automatic sense of Frame Rate — 30-Frame SMPTE, 25-Frame EBU, 24-Frame Film • Reads burst code format for film • Locks in & retains last valid Time Code Reading • Restored Time Code Output or optional True regenerated Time Code Output • Optional Frame accurate program segment calculator • Optional Parallel/Serial RS-232/422 Data Outputs • Rack mounting — 1-3/4" high.

### Price: an evolutionary \$2450

And there's more! For a complete Data Sheet listing all the benefits or for an in-house demonstration, contact: Cipher Digital's Sales department at (617) 267-1148 or write:



Sales/Marketing Headquarters:  
150 Huntington Avenue • Boston, MA 02115  
Tel: (617) 267-1148 • Telex: 940536

See us at NAB, Booth #1606

The Cetec facility is impressive to the visitor in that virtually all machining and manufacturing work necessary to construct an antenna is done on-site. Raw stock goes in one side of the building and finished antennas come out the other side. Some specialized procedures, such as galvanizing and custom-order Teflon coating, are done by an outside company under contract to Cetec.

An important part of the company's 17-acre manufacturing facility is a sophisticated turntable measurement assembly used to conduct performance tests on antennas of various designs. The assembly allows engineers to check the radiation patterns and VSWR performance of full-scale production antennas with great accuracy.

The company currently is concentrating its efforts on multistation (or community) FM transmission systems and CPTV antennas. Cetec has installed spiral CPTV antennas at stations in several major cities in the United States. The spiral design gives viewers better reception, including reduced ghosting and less critical front-end tuning.

The FCC's 80-90 decision has forced many FM stations to consider improving their facilities to avoid reclassification at a lower level. The requirement for minimum height above average terrain often can be met by a community arrangement in which a single broadband transmitting antenna, located on a tall tower, is shared by several stations. Such cooperation results in better coverage for all stations participating in the project, and helps defer the costs of constructing the new facilities. Cetec offers several products aimed at meeting this need.

#### Building an antenna

Although each antenna manufactured at the Sacramento facility is unique, all follow a similar route through the construction process, as follows.

The company maintains a large supply of copper, brass and Teflon stock. As needed, the hardware is cut and machined into components that make up an antenna. The parts store also contains cast mechanical components, O-rings, brackets of various sizes, deicing elements and stainless steel hardware.

Machining is a critical stage in constructing an antenna. It is often necessary for parts to be cut to tight tolerances for low VSWR, as well as a proper fit. Some components machined at this stage carry the entire power load for portions of an antenna system.

Circle (188) on Reply Card



# "WHY USE WELLFLEX"

## Optimum Design

Cablewave Systems offers Wellflex Transmission Lines designed to meet your most stringent electrical and mechanical requirements.

Highly reliable, the unique Wellflex construction provides a combination of strength and flexibility with optimum performance.

Outstanding electrical parameters include extremely low RF loss, smooth impedance coefficient, and conservatively rated power handling capability.

Wellflex is available with either air or foam dielectric with copper corrugated outer conductor, solid and corrugated inner conductor (depending on size), and with a tough, durable, corrosion resistance polyethylene jacket suitable for burial and prolonged life.

Air Dielectric Wellflex in smaller diameters, ( $\frac{1}{2}$ " and  $\frac{7}{8}$ ") offer a field proven, fixed helix design called Spirafil II—a single, continuous extrusion which locks the center conductor coaxially within the outer conductor, resulting in a near perfect impedance coefficient throughout the entire length of line.

RF transmission lines with welded and corrugated conductors are also manufactured by our associated companies in West Germany and Brazil.

Kabel-und Metallwerke  
Gutehoffnungshütte AG  
Radio Frequency Systems Division  
Kabelkamp 20  
3000 Hannover  
West Germany

KMP  
Cabos Especiais e  
Sistemas Ltda.  
Caixa Postal 7 163  
Sao Paulo SP, Brasil

## Optimum Performance

Larger Diameter Air Dielectric Wellflex Cables, ( $1\frac{5}{8}$ ", 3",  $3\frac{1}{2}$ " and  $4\frac{1}{2}$ ") feature a unique vertebra helix design to achieve optimum crush and tension strength. Its "pillar effect", using less volume of dielectric, provides lower loss and higher power handling capability due to the more rapid dissipation of heat from the center conductor.

Wellflex has it all: low loss, low VSWR, higher power handling, smoother impedance coefficient, and rugged, long dependable life.

Cablewave System's Wellflex is type accepted for sampling systems in accordance to FCC Part 73.68.

Cablewave Systems, Inc., 60 Dodge Ave., North Haven, Conn. 06473, Phone (203) 239-3311

In Canada: LeBlanc & Royle Communications Towers Ltd., 514 Chartwell Rd., Oakville, Ontario, Canada L6J 5C5, Phone (416) 844-1242.

### Antenna/Transmission Line Systems Catalog




Complete in every detail, total information needed to plan, specify and purchase a complete system or component, plus complete engineering data and more!

## Cablewave Systems

Circle (189) on Reply Card

See us at NAB Show






A spiral CPTV antenna, similar to the antenna installed on the Sears Tower, is checked at the field measurement test site.



Shown is part of the supply of raw stock used in constructing an antenna.



The machine shop at the Sacramento plant is shown here.

The antenna begins to take shape in the plant's welding area. The radiating elements and line sections are cut to size and formed in this stage. The tungsten inert gas (TIG) process, also known as *heliarc*, is used to give a good electrical and mechanical bond to the members. All welders are state-certified, an important factor in assuring mechanical quality.

Radiating elements for FM antennas are assembled in individual bays, while the transmission line used for support and power distribution is constructed in another area of the plant. The inside surfaces of all power-carrying members are polished during production to assure maximum efficiency. Power loss can result from contaminants on the inside surfaces of antenna elements and power-carrying hardware.

TV antennas are built in sections of varying lengths, depending on the gain required and the frequency of operation.

Once assembled, the antenna elements are hot-dip galvanized to protect against corrosion.

If requested, Cetec will supply FM antennas with a baked-on Teflon coating, as an alternative to deicing elements or radomes. Field reports indicate that Teflon-coated elements shed ice more rapidly than those with the conventional finish.

Once the antenna has been built, one or more elements is fine-tuned on a support tower identical to the tower used by the station placing the order. Any antenna irregularities then can be tuned out, and adjustments made for minimum VSWR. Directional antennas, when desired by the station, are created by adding parasitic elements. Cetec produces a large number of directional FM antennas each year. Pattern measurements required for FCC approval are done on the company's test range.

Pattern optimization work also is done on the Cetec test range. Often, simply changing the antenna mounting slightly will benefit the pattern requirements. Parasitic elements sometimes are added to correct radiation pattern problems. This service does not directionalize an antenna, but seeks to optimize radiation in a desired direction by removing any nulls found in the pattern.

Shipping containers are constructed at the Sacramento facility and all FM antennas are shipped disassembled (unless specially ordered), because of the finished product's large size. A complete set of drawings and instruc-

*Continued on page 266*



# We go to any heights to put you on the air!

In 1984 U.S. broadcasters have an inspired new company to call upon for their tower and antenna needs.

From roots that stretch sky high we have pulled together the resources of LeBlanc & Royle and Alan Dick to form LeBlanc & Dick Communications Inc., based near Washington, D.C.

By drawing upon the expertise of these two world class companies we are able to bring broadcasters the team that provided antennas for the world's tallest building, the Sears Tower in Chicago, and the world's tallest free-standing structure, the CN Tower in Toronto.

While our main activities include the design and construction of communications towers and antenna systems for broadcasters all over the world, our unique reputation has been built on mastering the really big challenges.

LDC is geared to provide complete turnkey systems. You'll find us at NAB Booth 1149. Be sure to come by and see how we can build a part of your future!



**LeBlanc & Dick  
Communications Inc.**

**"The Height of Technology"**

**14440 Cherry Lane Court  
Suite 201**

**Laurel, MD. 20707  
Tel. (301) 498-2200**

**Circle (190) on Reply Card**







## Beyer provides typical condenser accuracy

At Beyer, we maintain the singular notion that a condenser mic *can* combine typical precision and sensitivity with a smooth, natural sound. Beyer Condenser Microphones give you the accuracy and higher output of a condenser without a "hyped," larger-than-life sound. Beyer condensers offer the high-performance specs required by digital recording without reinforcing the occasionally clinical aspect of this process.

### More Options – More Versatility

The Beyer MCM Condenser System's comprehensive selection of interchangeable mic capsules means total applications versatility in the most logical and cost-effective format. A choice of mics with cardioid, lobe, omni or figure-8 patterns and

the option of integral shock-mounting is instantly available for use in the studio *and* out in the field.

### New Super High Performance Mics

The ongoing technical evolution of Beyer condensers has produced several newly designed mics offering matchless performance and long-term reliability. The new MC 737 long shotgun (lobe pattern) and MC 736 short shotgun (cardioid/lobe) utilize a built-in switchable bass rolloff to effectively suppress low end noise and rumble below 200 Hz and provide increased intelligibility for optimum speech and music recording. A 12 dB attenuator prevents high sound pressure levels from overloading the mic's internal electronics without coloration. These mics also feature an extended frequency

## The Dynamic Decision





## without typical condenser sound.

response of 40 Hz to 20 kHz ( $\pm 2.5$  dB) and an excellent signal-to-noise ratio of 74 dB.

The new MC 734 is the only "studio" condenser mic that delivers the highest standards of performance in any recording or live concert situation. An extremely flat frequency response from 20 Hz to 18 kHz ( $\pm 2.5$  dB) insures total accuracy while a 3-step filter compensates for proximity effect in close-miking situations. To maximize the MC 734's performance onstage, a unique stage resonance filter which reduces rumble and extraneous noise is combined with the mic's ability to withstand sound pressure levels of 138 dB (1 kHz  $\leq 0.5\%$  THD).

### Condenser System Accessories

For added back-up flexibility, the Beyer Condenser

System includes a full complement of accessories including windscreens, power supplies, pistol grips, suspension mounts and our one-of-a-kind MZA 716 telescoping "fishpole" boom with an adjustable tilt variable from 0 to 360°.

Beyer Dynamic has firmly established itself as a leading force in moving-coil and ribbon microphone technology, but don't let our name mislead you. Instead, consider the uniquely natural sound, applications versatility and wide variety of accessories that make up the Beyer Condenser System.

Visit one of our select professional dealers for a complete demonstration. To obtain a Beyer Condenser Dealer List, please write to: Beyer Dynamic, Inc., 5-05 Burns Avenue, Hicksville, New York 11801 or call us at (516) 935-8000.

**beyerdynamic** 

Circle (191) on Reply Card

April 1984 *Broadcast Engineering* 265



A welding turntable is used when working with line sections to ensure an even bond.



A production run of JSCP model FM antennas is readied for final assembly and testing.

tions is provided for the tower crew at the transmitting site.

TV antennas are shipped fully or partially assembled, so the units can be lifted directly onto the supporting tower. A flat-bed trailer transports these sectionalized antennas.

In addition to building new antennas, Cetec regularly receives FM transmitting antennas for refurbishment and repair. Sometimes the antenna has been damaged by lightning or vandalism, and requires repair that is not practical in the field. Other times, a station wants to change frequency and needs the main antenna retuned, while operating on a standby system.

A number of items are taken into consideration in the process of repairing an antenna. A visual inspection of the condition of the elements, feed line and mounting hardware reveals the more obvious problems. Elements, and sometimes entire bays, are replaced as needed and all internal power-carrying components are cleaned thoroughly. Deicer elements are checked for proper operation and the system's electrical cabling is inspected.

#### Antenna system maintenance

Cetec estimates that a well-built antenna will provide about 20 years of service, if properly maintained. The company recommends the following measures to guarantee long life:

- The transmission line and antenna should be pressurized with nitrogen gas. Not only will pressurization keep contaminants out of the system, but also will provide a means to monitor the integrity of the line and antenna. Pressure loss should be charted, and any increase in loss values should be investigated.

- The antenna system's VSWR should be measured regularly and charted to determine whether any long-term changes are occurring in the system. Likewise, the incidental AM (also known as synchronous AM) should be measured regularly and charted. An increase in either of these two parameters may indicate antenna or transmission line problems.

- A visual inspection should be made every year by an experienced tower worker of the transmission line and antenna system. Deicer cables should be checked and a determination made that each heater element is working properly. Particular attention should be given to the individual antenna bays. Any bent elements or other physical damage should be repaired as soon as possible. Assembly



# Flexibility... *on the move*



## with Gerstenslager

Mobile studios designed for quick setup and strike so you can get all the action, all the time. Proven capabilities. State-of-the-art communications technology. Meeting the changing demands of on-location, whether at the concert hall or the sports arena.

Tell us your needs. We'll custom design to your exact specifications. Install the equipment you want — where you want it. And we'll deliver when you want it. A mobile unit that's as dependable as your home base.

Talk to us! About our transit bus, expandable semi-trailer, modular and semi-trailer style units. For a complete planning kit, write or call collect: Earl Daye (216) 262-2015; TWX 810-433-9242.



**GERSTENSLAGER**  
The Gerstenslager Company  
1425 E. Bowman Street, P.O. Box 390  
Wooster, Ohio 44691


Circle (192) on Reply Card





A JSCP FM antenna undergoes final testing and adjustment at the field measurement range.

# Introducing the ultimate FM Exciter!



## Continental's Type 802A solid-state FM Exciter offers broadcasters unmatched performance.

Modulation performance of this new exciter exceeds all currently known or marketed FM exciters.

No tuning adjustments are required other than selecting the operating frequency.

Power output is 50 watts into a 50 ohm load at all FM frequencies.

The exciter may be used as a low power transmitter.

Special circuits protect amplifier from mismatched loads. Automatic power control maintains output at preset levels from 5 watts up to the maximum level.

The Type 802A FM Exciter accepts composite baseband signal from a stereo generator, STL system or monaural and SCA programming.

A digitally-programmed, dual-speed, phase-locked frequency synthesis system generates exciter frequency.

Case design is very clean: front panel analog or digital meters and LED readouts give clear, accurate indications of system status and performance. A digital LED display shows true peak level of modulating signal in 5% increments with an accuracy of better than  $\pm 2\%$ .

Modular subassemblies may be removed from the exciter without removing the exciter from the transmitter. The exciter moves on slides for easy access from front of transmitter.

Call us for specs and prices.

© 1983 Continental Electronics Mfg. Co./5286

See Us At The NAB Show, Booth 101

*Continental Electronics*

Continental Electronics Mfg. Co. Box 270879 Dallas, Texas 75227 (214) 381-7161

Circle (310) on Reply Card







# TFT 8300 STL

## Clearly Above The Crowd

### In Price and Performance



The 8300 STL outperforms *any* other STL, even in the densest RF environment. Yet, it's priced way below the nearest competitor.

The 8300's superiority is clear in its overall performance. Like a 75 db SNR and stereo separation of 50 db, or better.

The transmitter features IF modulation for low distortion and high stereo performance, a technique pioneered by TFT, which has been further refined in the 8300.

In the receiver, too, the TFT 8300 stands above the rest, with a sensitivity of 30  $\mu$ v or less for a 60 db SNR; front panel selection of wide or narrow I.F. bandwidth; and a Surface

Acoustics Wave (SAW) filter to ensure outstanding selectivity.

Additionally, the 8300 receiver features continuous, independent display of signal strength and a bargraph display of modulation.

The 8300 is also ready for AM stereo. An optional, plug-in demodulator provides both R and L channel without any external devices.

So, be selective about your STL and specify TFT to put your station clearly above the crowd. Call or write today.

#### Exclusive Two Year Warranty

The TFT 8300 carries a full two year warranty, which is backed by around-the-clock factory service.

\* Free computer STL path analysis at NAB Booth 109.



**Committed to keeping you, on the air!**

3090 Oakmead Village Dr., Santa Clara, CA 95051 • (408) 727-7272 • TWX 910-338-0584

"Creating broadcast-quality portable products for 50 years."

# Frezzi: your "one-stop source" for high- tech batteries, ac adapters, chargers, camera lights.


MADE IN  
U.S.A.

Multi-function  
Dual-channel AC Adapter-  
Battery  
Charger



Two independent  
ac adapters or chargers  
in one unit. Model RPS-2

Full 4AH Premium Battery  
Packs for portable cameras.



Model BP-14 (shown)

13 Oz. "Mini-Fill"  
camera light &  
accessories.



100 W.  
12-volt

Used by ABC Sports



FBP-90FC  
High-Tech  
Battery Pack

Exclusive: extra output  
connector for  
portable  
lights



1-hour charge.

For recorders, cameras, lights.

Frezzi™ manufactures and sells a complete line  
of professional portable power & lighting equipment &  
accessories. For comprehensive catalog call (201) 427-1160.



**Frezzolini Electronics Inc.**

7 Valley St. Hawthorne, N.J. 07506-2084 USA • TWX: 710-988-4142

See FREZZOLINI products at N.A.B. Booth 1107

Circle (196) on Reply Card

## The British Are Coming!

The British  
are here!

Coles 4038, the  
ribbon microphone  
par excellence of the  
BBC, is now available  
exclusively through  
Audio Engineering  
Associates. The Coles  
4038 produces that warm  
ribbon sound without sacri-  
ficing highs. It features high  
output, low self-noise, excellent  
hum shielding, smooth frequency  
response, and uniform polar patterns.

Call AEA for details.



**audio engineering  
associates**  
1029 north allen avenue  
pasadena, ca 91104  
(213) 798 - 9127

User list available upon request.  
Dealer inquiries welcome.



A batwing-style TV antenna takes shape  
as the mounting brackets and radiating  
elements are secured to the mast.

### New products


Cetec currently is working on  
several new antenna designs, in-  
cluding a spiral FM panel radiator.  
The antenna is a broadband CP design  
intended for multistation use. It will  
handle about 30kW per panel, and  
mounts on each face of the support  
tower. (See Figure 1.)

Dr. Ray DuHamel, a consultant to  
the company on antenna design, is  
directing research and development  
on the project. DuHamel also de-  
signed Cetec's spiral CPTV broadcast  
antenna.

Circle (197) on Reply Card



# "WITH SIMULSAT, WE CAN PICK UP 5 SATELLITES AT ONCE."



SIMULSAT, the multi-beam antenna from Antenna Technology Corporation, that can simultaneously see all domestic satellites at once with consistent broadcast quality performance. It is being heralded as a major breakthrough by broadcast and cable operators everywhere.

Listen to what Chief Engineer Gerald Dreger of KTVO, one of SIMULSAT's more than 200 nationwide customers has to say:

"We purchased SIMULSAT 8 months ago. We're very pleased with it. SIMULSAT does everything



**Mr. Gerald Dreger**  
Chief Engineer  
KTVO, (ABC affiliate)  
The Post Corporation  
Kansas City, Missouri

I was told it would do and more. We now pick up 5 satellites simultaneously, and also run our low power station K40AI off SIMULSAT, which, before was impossible. On top of that, it has the capabilities to help us

expand even more. We could reach 13 (domestic) satellites at once. SIMULSAT will pay for itself over and over again."


Call or write Antenna Technology Corporation for a full-color brochure, and information on turn-key installation and two-year warranty for 3m, 5m and 7m SIMULSAT. SIMULSAT sees all C-Band satellites simultaneously and has K-Band capabilities.

Circle (198) on Reply Card

**ANTENNA TECHNOLOGY CORPORATION**  
8711 East Pinnacle Peak Road, C-103  
Scottsdale, Arizona 85255  
Call (602) 264-7275



REFLECTIVE PANEL SCREEN



FEEDPOINT

RADIATING ARMS  
(held above the reflecting  
screen by stand-offs)



The carpentry shop is where shipping containers are made for the antennas and other Cetec products.

**Figure 1.** The design of Cetec's new FM CP spiral panel antenna, which is being developed at the Sacramento plant. The spiral arms form the radiating elements, which sit in front of a reflector screen.

The main benefits of the new design are its true circular polarization and mechanical simplicity. The reduced number of machined parts and feed lines should make the new spiral FM CP antenna more reliable in the field and less expensive to manufacture. Tests to date on the antenna show that it has outstanding broadband characteristics, easily covering the FM broadcast band.


In addition to FM and TV antennas, Cetec also manufactures transmitter combiners and notch filters of various designs.

1-7-80]]



# Buying an AM, FM or SW transmitter?

Let's talk company, product and price.



## A good company gets better.

When TTC bought Wilkinson Electronics, back in 1981, we acquired a company with a good transmitter line, satisfied customers worldwide, and an expanding market. Since then, we've moved the company to a modern new facility in Colorado, increased production capacity, improved reliability, and basically, made a good company even better.

## Call us for price.



We recognize that price is a very important specification of any transmitter. That's why we will quote you on any size order, anywhere in the world, in one week or less. So whether you're buying a new transmitter, a replacement transmitter or a standby transmitter, we'd like to talk with you.

Just call (303) 465-4141 or  
TWX: 910-938-0396.

## Long live our transmitters.

Today there are over 2,000 Wilkinson transmitters in operation around the world. Many of these have been in continuous operation since 1964.

The reason for this long life is simple. Simple, proven design. Simple straightforward construction. And simple maintenance and repair.



Wilkinson Radio Division

Circle (203) on Reply Card

2360 Industrial Lane  
Broomfield, Colorado 80020  
(303) 465-4141  
TWX: 910-938-0396

# MOVING?

If you're planning a move in the near future, don't risk missing a single issue of Broadcast Engineering. Please give us 6-8 weeks notice if you're planning on changing your address. Just mail in the ADDRESS CHANGE CARD from the front of this issue ALONG WITH YOUR SUBSCRIPTION MAILING LABEL from the cover.

**BROADCAST.**  
engineering

## feedback

### Corrections


- In the February 1984 issue of **BE**, clarification should be made on a few points in the article, "Stages of SCA." Under the subheading "SCA for Data Transmission" (page 68), it is said that error rates for SCA delivery of data can be as much as five orders of magnitude **higher** than standard telephone data lines. This should be corrected to state that SCA delivery provides data error rates **less** (that is to say, **better**) than telco circuits. A similar discrepancy occurs at the bottom of page 70. The corrected paragraph should read as follows:

"Error rates (for SCA data transmission) are less than one in 10 million (1:10<sup>7</sup>), as opposed to the telephone company typical figure of one in 100,000 (1:10<sup>5</sup>), or **higher** in some cases."

- Environmental Satellite Data (ESD) was not included in "Electronic Videographics Systems: An Update" (February 1984 **BE**). ESD provides the PMT-100 Professional Model Terminal for access, storage, analysis and display of color weather information via the GOES East and West weather satellites. Sixteen-bit computer technology includes 128kbyte RAM, 10Mbyte hard disk and floppy disk storage with RS-232C interfacing, repeating image loop sequences and a graphics tablet for the artist's input. CP/M-86 allows data processing and business applications of the system as well. For more information, circle (1497) on the Reply Card.

- The manufacturer name for the Emph-a-sizer audio processor on page 27 of the 1983 **Spec Book** issue should have read ATI/Audio Technologies Inc. For those having used Reader Service Numbers, your requests have been properly directed to the Horsham, PA, company.

**BE staff**



**Schneider**  
KREUZNACH  
**YOUR ULTIMATE  
OBJECTIVE  
STUDIO/OB  
ENG/EFP**

Jos. Schneider Optische Werke Kreuznach GmbH & Co. KG · P.O. Box 947 · D-6550 Bad Kreuznach · Fed. Rep. of Germany ☎ (06 71) 60 10 Telex 42 800  
Schneider Corporation of America · 400 Crossways Park Drive · Woodbury, N.Y. 11797 · U.S.A. ☎ 516-496-8500 Telex 960102

See Us at NAB Booth 1403  
Circle (200) on Reply Card





# THE CHOICE FOR '84


	Electronic Switching & Attenuation	Number of Inputs per Channel	Number of VU Meters	Simultaneous Pgm. & Aud.	Single Button Chan. & Remote Functions Control	Cue Detent On Fader	Mic processing loop-thru	Clock	Timer	Mono Mixdown (pgm. & aud.)	Peak Audio Flasher	Mics on any input	Input level trims	Tone Oscillator	Price*
<b>RADIO SYSTEMS ESA-10</b>	Yes	3	6	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	\$ 8,950
Pacific Recorders BMX-10	No	2	2 (3 op)	Yes	Yes	No	Yes	No	Op	Op	No	No	Yes	No	\$13,250
Auditronics 212	Yes	2	3	Yes	Yes	No	Yes	Op	Op	1	No	No	Yes	No	\$12,389
LPB Citation C-10SL	No	3	2 (5 op)	Yes	No	Yes	Yes	Op	Op	Op	Yes	Yes	Yes	Cp	\$10,205
Broadcast Audio System 12	No	3	5	Yes	Yes	Yes	No	No	No	1	No	Yes	Yes	No	\$ 9,600
Howe 7512A	Yes	1	4	No	Yes	No	No	Yes	Yes	1	No	No	Yes	No	\$ 9,100

The Radio Systems ESA-10 has more standard features than any other console in the industry.

\*Consoles priced comparably equipped.  
See us at NAB booth number #213.

Call Toll Free 800-523-213

In PA (215) 356-470



## RADIO SYSTEMS

P.O. BOX 356 • EDGEMONT, PENNSYLVANIA 19028

ferent in appearance. We thought of a space-station that invited people to come off the wide aisles and experience the Sony family of broadcast products that were currently available and those high technology items coming in the near future.

After visiting with us, many people said it was like visiting the World's Fair. You could wander around and interact with the equipment, experience it and ultimately leave the area satisfied that you were able to see everything from a highly complex editing suite and a demonstration of the Betacam 1/2-inch camera/recorder system to a professional audio production studio designed for broadcast applications. It was a revolutionary concept, and much of the credit should go to Sony Broadcast president Neil Vander Dussen, who had the foresight to support the idea, and the company's management people who made the ideas into reality.\*

Usually the gestation period for an NAB exhibit of this size is six months; our 1983 booth was created in four. Management gave us the go-ahead in late December 1982, and, in the next 12 weeks, the space center was designed, produced, shipped, erected and then stocked with 250,000 pounds of equipment. It was a remarkable feat accomplished thanks to the hard work of many dedicated people at Sony and Lynch Exhibits (Pensauken, NJ).

\*In July 1983, Vander Dussen was appointed president of Sony Consumer Products company. William G. Connolly currently is president of Sony Broadcast Products Company.



**Q:** Can you discuss the design of the Sony exhibit in detail?

**A:** We received several competitive submissions by exhibit houses and selected the one by Lynch Exhibits to create a unique triad complex comprised of two circular space stations and the Sony Vision Theater, covering one-third of an acre.

We also designed a different treatment for housing equipment on the floor. We call it space frames. It makes the equipment seem to just be there without the customary walls and counters.


The larger space unit was 58 feet in diameter with an 18-foot engineering core at its center. Like slices of a large

The larger space center was 58 feet in diameter, and included a complete BVE-5000 editing suite (shown here). Note the tape machines behind the glass doors to the right.

pie, five interlocking areas around the central hub offered displays of the Betacam 1/2-inch camera/recorder system, including the BVW-40 recorder/editor, the BVW-20 portable field player and all accessories for the BVP-3 Betacam recording system; three editing suites (which combined 1-inch U-matic VTR and Beta); and a complete MCI/Sony multi-track studio. A combination of TV monitors, overhead projectors and a small sound system enabled people on the periphery of the editing suites to observe the activities without obstruction. Editing generally is a one-on-one type of demonstration.

Completing the configuration of the larger space center, two finger-like space frames extended from the sides of the structure: one displayed 1-inch equipment arranged in ascending levels of sophistication; and the second finger was devoted to U-matic hardware.

The sister space unit, the smaller of the two, was 42 feet in diameter, divided into four sections, with a 10-foot engineering core at its center. One section displayed additional Betacam accessories; two sections were camera stages for ENG and EFP operations and applications; and the fourth module introduced our new BHV-2500 animation machine. The



Shown is the floor plan of Sony's 1983 NAB booth. The complex included a reception area, theater center and two circular space stations built around their own engineering core.



# Centro does it all...

**your best "turnkey" source for  
video editing, production and broadcast  
facilities...fixed or mobile.**

A 35,000-square-foot plant... a staff of electronic engineers that know all the complex aspects of systems technology... a fully integrated architectural, design, construction and installation team... a demonstrated history of providing clients with telecommunications systems... and advancing the state of the art... that's what we're all about.

Centro "softens" the impact of high technology by designing and providing the comfort and special needs that make the difference for your operational staff.

We can deliver you a system that integrates today's highly sophisticated equipment into a productive and profitable telecommunications tool.

Call or write today:

Centro Corporation  
9516 Chesapeake Drive  
San Diego, California 92123  
Telephone: (619) 560-1578  
TWX: 910-335-1734 CENTRO SDG

 **Centro**

a subsidiary of SKAGGS TELECOMMUNICATIONS SERVICE  
Circle (202) on Reply Card





entire exhibit had a staff of sales engineers on hand to interact with visitors and explain special features and operation of all equipment.

The third part of the exhibit was the Sony Vision Theater, a separate entity from the two space stations. Traditionally, we have an audio-visual presentation that gives a brief overview of our entire product line. In 1983, the show included an on-stage performer and video segment, and was capped by a dramatic demonstration of HDTV. People lined up for tickets and even returned for performances later

in the day. Showings were continuous from 9:30 a.m.-5:30 p.m.; 3800 NAB attendees saw the show.

**Q:** Mounting such an ambitious exhibit must have required a tremendous amount of coordination.

**A:** Pre-show activity always involves a great deal of pressure. Traditionally, NAB opens on a Sunday. However, Sony has a special preview of the exhibit a day before for the press and members of International Sony Broadcast Companies (Canada, England, Japan, Australia and South America),

cutting our time by one-half day to prepare. We also use this time to familiarize our own personnel who run the show with the intricacies of the exhibit.

The structure was so complex that, until the actual setup date, we never knew how long it would take to assemble. Working with teams of 10-16 people, it took approximately 1800 man-hours to erect it. We began construction a full 1½ weeks before NAB opened. Working 24 hours a day in two shifts, it took four days to prepare the exhibit for the arrival of more than \$6 million worth of equipment. We ran about 35 miles of cable. Last-minute problems were worked out and we counted down to the opening.

As a sidenote, our assembly procedure was so well-coordinated that we actually were ahead of schedule. More than once we completed a section and had to wait for the next truck to unload. We only had to redrill one hole in our entire steel structure.

**Q:** Were there any unexpected problems?

**A:** Of course. Our one shortcoming was that we did not adequately design the reception/check-out area to handle the large numbers of people. It was an unanticipated bottleneck. Another thing we learned, once the exhibit opened, was that the traffic patterns of booth visitors were far greater than anticipated, and created some minor traffic jams. At one point, we estimated that more than 2000 people were in the booth at the show's peak.

**Q:** Was Sony pleased with the results?

**A:** Everyone was extremely pleased. Our goal was to emphasize the company's position as a leader in the industry by showcasing our line of products and future technology in the most efficient and original way possible for our customers to learn the most about our products. Lynch Exhibits helped us dramatically demonstrate how an innovative display can serve those ends. We expect that our space center will influence the design of major exhibitors at NAB and other shows for many years to come.

**Q:** How do you top such an exhibit?

**A:** We hope you'll come to NAB '84 and see!

#### Editor's note:

This is how Sony prepared for its NAB '83/Las Vegas convention spectacular. But remember, many exhibitors can relate similar stories. This year, when you see something you like at the convention in Las Vegas, let the exhibitor know. Much effort has gone into making your show the best in the world, and your words of acknowledgement will be appreciated.

Have a good show!

! : ? : )))



Extending from the larger space station were two fingerlike corridors (above), one of which displayed 1-inch tape equipment arranged in ascending levels of sophistication. Note the uncluttered open-space design of the exhibit layout.

The smaller space station included the company's new BVH-2500 model (below), a SMPTE Type C 1-inch machine that features still-frame recording and playback without pre-roll. The BVH-2500 is designed for animation applications.





# GET BEHIND THE CAMERA THAT'S OUT IN FRONT



## THE IKEGAMI HL-79E

The HL-79E, Ikegami's crowning technological achievement continues to run ahead of all other cameras in its class.

That's why more and more top-of-the-line EFP camera buyers are getting behind the winner. Only by seeing this remarkable camera in action can it be fully appreciated.

Just how great is this camera? To begin with, it is the culmination of all that has gone into creating the legendary 79 Series cameras, the reference standard of the broadcast industry for both ENG and EFP applications.

HL-79E features—Dynamic Detail Correction, Chroma Aperture Correction, Highlight Aperture Correction and Auto Contrast Compression. Plus the HL-79E offers superior contrast range, S/N ratio, registration accuracy, resolution, viewfinder performance and more.

Available accessories include the ADC-79E Auto Set-Up Unit and the RDC-79E Remote Control—both digitally interfaced. The HL-79E is compatible for use with existing HL-79A and HL-79D Triax and Multi-core cable base stations, lenses, power supplies, VTRs, and other accessories.

The HL-79E is part of the great and proud family of Ikegami products serving many satisfied users worldwide. For a complete demonstration of Ikegami Cameras and Monitors, contact us or visit your local dealer.

# Ikegami HL-79E

Circle (318) on Reply Card

Ikegami Electronics (U.S.A.), Inc., 37 Brook Avenue, Maywood, NJ 07607  
East Coast: (201) 368-9171 ■ West Coast: (213) 534-0050 ■ Southeast: (813) 884-2046  
Southwest: (713) 445-0100 ■ Midwest: (314) 878-6290

# ***We promise to tell the truth the whole truth and nothing but the truth. So help us BPA.***

As a member of BPA (Business Publications Audit of Circulation, Inc.) this magazine subscribes to the principle that it takes more than good faith to earn the business of advertisers. It takes good figures.

BPA, an independent, not-for-profit organization, audits our circulation data to make sure that advertisers get exactly what they pay for: you.

Once a year, BPA auditors examine our circulation list to make sure it's correct and up to date.

The audit makes sure you are who we say you are. It verifies your name, your company, your industry and your job title. This information enables our advertisers to determine if they're saying the right thing to the right people in the right place.

It also gives us a precise picture of who you are and, therefore, a good idea of what you want as a reader.

BPA. For readers it stands for meaningful information. For advertisers it stands for meaningful readers. Business Publications Audit of Circulation, Inc.

360 Park Ave. So., New York, NY 10010.



***We make sure you get what you pay for.***



# THE ONE PIECE THAT SOLVES THE PUZZLE



## THE ALL-NEW IKEGAMI HL-95 UNICAM®

If you're confused by the many tape formats and conflicting manufacturers claims, relax.

Ikegami's new HL-95 Unicam® is the only universal camera system that accepts all professional on-board VCR formats, 1/4-inch and 1/2-inch, and solves your buying puzzle by putting the picture you want into place.

Engineered to offer performance beyond the most rigid expectations, the HL-95 utilizes new 2/3-inch SM diode gun Plumbicons®, resulting in a camera with higher sensitivity and S/N ratio, greater resolution, lower operating power requirements and less registra-

tion error than previously possible in a camera of its size and weight.

The HL-95 is also available as a stand-alone ENG camera, and in systems configurations using Triax or Multi-core cable base stations, or with the ML-95 ENG Microwave Link. Once you examine the HL-95 Unicam®, you'll agree that the system flexibility and picture quality puts it in a class all by itself. The standard of excellence continues at Ikegami.

For a complete demonstration of Ikegami Cameras and Monitors, contact us or your local Ikegami dealer.

# Ikegami HL-95 UNICAM®

Ikegami Electronics (U.S.A.), Inc., 37 Brook Avenue, Maywood, NJ 07607

■ East Coast: (201) 368-9171 ■ West Coast: (213) 534-0050 ■ Southeast: (813) 884-2046

■ Southwest: (713) 445-0100 ■ Midwest: (314) 878-6290

Plumbicon:™ N.V. Philips  
Unicam is a registered TM of Ikegami Electronics (U.S.A.), Inc.

Circle (319) on Reply Card

# The videodisc revolution

By Arthur Schneider, A.C.E., post-production consultant, Agoura, CA

This year at the NAB convention in Las Vegas, several editing systems manufacturers may show videodisc-based editing systems. However, based on my research, the big splash for disc-based systems will occur at next year's NAB show.

Without a doubt, the most time-consuming part of videotape editing is finding and locating material. Many  $\frac{3}{4}$ -inch VTRs used in editing take more than 12 minutes to go from one end of a 1-hour tape to the other. Even the most sophisticated of these machines will take more than two minutes to perform the same task.

Currently, 1-inch broadcast VTRs will search at speeds of 50X play speed or greater, but the majority of editing time still is devoted to threading VTRs or searching back and forth until the desired material is located. Even at 50X play speed, it takes more than a minute to go from one end of a 1-inch tape to the other.

If one were to analyze the various functions of the editing process, locating the material to edit takes most of the time and making decisions takes the rest of the time. Finding the right reel or cassette, winding down to the desired material and rewinding each reel consume much time during the so-called creative period of editing.

Most decision-making occurs or should occur during the work-print stage, using low cost editing controllers and VTRs. For obvious reasons, the cost of off-line or work-print editing generally is about one-quarter that of mastering or on-line editing.

What if you were to dramatically reduce the editing time by virtually eliminating search time? This presumes that adequate notes would be taken during production to allow production people to tell the editor to go to a specific take based on time code information or slate identification.

Let's assume that a point of reference has been selected. If a mass storage medium such as an optical laser videodisc were interfaced with the appropriate edit controller, access to this spot would take only a fraction of a second, instead of more than a minute with today's fastest VTR. Wouldn't it be great to be able to access material 60-600 times faster than

with present-day VTRs? Think of the time and money saved in editing.

You can quickly see the tremendous advantages of such a system. Decision-making will be improved immeasurably, and I predict an immediate improvement in the aesthetic quality of the product because the creative juices would not be lost waiting for tape machines to find the material.

Science fiction you say? That is not so. Believe it or not, in 1971 CMX announced such a system, the CMX-600. Although its specifications were not quite what I have described, it did work and was in a class by itself. In fact, it could locate any frame of information within its videodisc storage banks in one-seventieth of a second (twice as fast as the human eye blinks).

For all practical purposes, it allowed instantaneous retrieval of picture and sound information. You may ask why it is no longer around. There are a number of reasons. First, its initial price tag was close to \$500,000. Second, its high maintenance costs limited its sale to only a few facilities that had the resources to keep it running. Third, the 600 only produced pictures in black-and-white. And, finally, it had a capacity of only about 27 minutes, limiting the amount of raw material the editor had to work with. This meant that you had to carefully select only the takes with which you planned to work.

The CMX-600 was designed for one particular purpose: to edit commercials and other short segments. It was an amazing device, but producers, seeing the potential for editing programs, wanted to use it for more sophisticated editing.

I was pleased to be among the first users of this system. Once I had learned to operate the system, I was able to edit the first cut of a 1-hour program in one 8-hour day. It took me only another four hours to refine it. Today, that same process takes about five days to complete. Although no longer in production, there is one CMX-600 disc system still operating at One Pass Video in San Francisco.

CMX plans to show additional videodisc interfaces to its 3400 editing system at NAB-'84. Last year, CMX was the first to introduce a videodisc interface for its editing system.

Because of the tremendous technological advances in electronics and related fields, mass storage, quality and capacity have been improved greatly. To date, there are 17 announced manufacturers of videodiscs and related components. Not all of them, however, are building videodisc units for editing systems. Some of them are for industrial use in interactive applications and others are strictly consumer-oriented.

Some features that I as a film and tape editor would like to see included in a videodisc-based editor are light pen control with plain English editing commands, no visible time code so that the user may call up material by scene or take number, and the capability for editing at 24fps, allowing conversion back to film edge numbers.

Features needed for video editing applications include a videodisc player that has a minimum capacity of 30 minutes per side, preferably 2-sided. The capability for scanning the video and audio at any rate selected by the user; for freezing a clean usable field or frame indefinitely; and for making edits from disc to disc or within the same disc in real time are some other features required by such an editing system. Another required feature is instant random access of any material recorded on any disc within the system. It also must be easy to use and reliable. The industry does not need another piece of hardware that takes a staff of engineers to maintain it.


Thirteen years ago, when the CMX-600 was introduced, the picture quality was mediocre, black-and-white and of limited capacity. Today the laser disc has come into its own. For example, disc storage now is up to an hour per side. Color with resolution of 4.5MHz or more is available. Disc players are less complex than a VTR. Even the slowest disc access time now is only a few seconds.

There are some limitations to the current crop of videodisc units. The most obvious one is the inability to get a videodisc made within a short time, such as overnight. You cannot use a videodisc as a source in post-production if the turnaround time is not within the constraints of the show's time schedule. Access time is the second limitation. The 70ms access time of the CMX-600 is not yet available for the video laser disc, although I am sure that eventually will be achieved. A third problem is that of cost. Some disc mastering costs more than \$2000 per disc, out of the range of most TV editing budgets.

During my recent research on this subject, I contacted a number of com-



# INTRODUCING THE CAMERA YOU'D BUY AT TWICE THE PRICE



## THE NEW BROADCAST QUALITY IKEGAMI ITC-730A

When you examine the quality of the Ikegami ITC-730A and then hear the price, you'll probably ask to hear it again.

The new ITC-730A is a truly low-cost, lightweight ENG/EFP camera that's designed to give you exceptional performance and value. Video gain has been boosted to +9dB/ +18dB for a maximum sensitivity of 4-foot candles when using an f/1.4 lens, while signal-to-noise ratio has been improved to -57dB. Center horizontal resolution now exceeds 650 TV lines, with corners optimized by dynamic focus. Dynamic range has also been expanded—without sacrificing resolution or S/N ratio in low-light image areas—through highlight compression circuitry. In addition, the ITC-730A generates Split Field Color Bars in accordance with EIA RS-189A and sync waveform meets the SC-H criteria of RS-170A. And for multi-camera setups an adjustable color video matrix

permits accurate color matching between cameras.

Yet the ITC-730A still incorporates features that made the ITC-730 the ENG/EFP camera for budget-conscious, high-quality ENG and production. Features that give you the edge, such as Saticon II® pickup tubes, dynamic beam stretch, a 2-H vertical detail corrector, and a host of automatics. In addition, the ITC-730A CCU lets you operate up to 1000 feet away through a flexible 13 mm cable in AC mode and up to 300 ft. away using DC at the camera head or CCU. And its well-balanced, lightweight design lets you work comfortably in the field.

The ITC-730A: Great value never looked so good. The standard of excellence goes on at Ikegami. For a complete demonstration of Ikegami Cameras and Monitors, contact us or visit your local Ikegami dealer.

## Ikegami ITC-730A

Circle (320) on Reply Card

Ikegami Electronics (U.S.A.), Inc., 37 Brook Avenue, Maywood, NJ 07607

■ East Coast: (201) 368-9171 ■ West Coast: (213) 534-0050 ■ Southeast: (813) 884-2046

■ Southwest: (713) 445-0100 ■ Midwest: (314) 878-6290

Saticon: TM Hitachi, Ltd.



panies designing and building videodisc interfaces for their editing controllers. As of this writing, the following provides information on companies, many of whom will be at NAB'84/Las Vegas, that are building systems.

One of the companies working on a videodisc editing system is Spectra Image. Gary Matz, executive vice president, said that the company is building an interactive and catalog-type disc-based system. This will include equipment to provide motion control and capability for handling up to 30,000 individual slides. Another

service to be offered will be disc-based presentations. The company is building videodisc-based editing systems that will be leased to users. Input from industry film and tape editors helped this company develop a user-friendly system. According to Spectra Image, the TV industry is moving so fast that the company periodically will have to update its systems to be competitive.

Spectra Image plans to provide mastering to videodisc on a 1-shot basis with overnight turnaround for a cost per half-hour disc of \$150. By 1985, it expects to lower that price to

\$100. According to Matz, Spectra Image may show its system at NAB'84.

One of the most well-kept secrets in this industry to be unveiled at this year's NAB show is the Edroid videodisc-based editing system. This joint venture between LucasFilm and Convergence, if nothing else, should have people lined up at the booth to get a look. I have asked for information describing the system, but Convergence, as well as all other editing systems manufacturers, is not furnishing it.

According to Deborah Harter of Convergence, the Edroid editing system will be manufactured and distributed by Convergence. The system has been designed by George Lucas and his engineers and is aimed primarily at the film editor. There is no keyboard or light pen for input to the system. However, Harter said that the input device is mechanical. The number of disc players seems to be virtually unlimited. The system also will interface with existing VTRs. Although the Edroid seems to be designed for film editors, it also will be compatible with SMPTE time code and will allow the editing of TV programs on videotape.

The Control Video Corporation (CVC) has announced that it will introduce a new disc-based editing system, the Competitor. It is a high level editing system with the capability for interfacing up to 30 videodisc players, using an enhanced CVC editing controller.

At this time, CVC is interfacing to the Panasonic direct read after write (DRAW) videodisc recorder/player, which has a capacity of 13.8 minutes of material in real time. Some of the announced features include an interface to four videodisc players, real time playback, multiple record capability and variable speed playback in either direction. It also will allow film-to-video-to-film editing with the 24- to 30-frame conversion software included in the base price of the system, which is expected to be from \$50,000 to \$55,000. Another feature will be the transfer function, allowing auto duping of material to another disc for dissolves or for editing between disc players in real time.

The CVC Competitor also includes complete edit list management capabilities. This includes finding an edit by anything stored in the list from edit number to names stored as a note. Data is put into the system by the Lightfinger screen or an optional keyboard.

NAB'84 promises to unveil some of the most interesting and innovative post-production tools broadcasters have ever seen.




Photo Courtesy of Compucon, Inc.

## THE PROBLEM

### Radio Frequency Interference.

Your horizontal transponders are being eaten up by RFI in the 3.950 GHz band. Levels as shown would be difficult to filter and require shielding.

## THE SOLUTION

### RFI Shielding™ and Edge Treatment.™

Proprietary edge and shielding designs optimize the diffractive and absorptive qualities of lightweight, cost effective materials in modular configurations.

## THE SOURCE

### VSC Corporation.

VSC offers RFI Shielding™ and Edge Treatment™ in a variety of configurations for C Band Transmit and Receive applications. Write or call Terry Lynch at VSC. Telephone (505) 869-2922.

### VSC CORPORATION

Box 9340 International Airport  
Albuquerque, New Mexico 87119



© 1984 VSC

Circle (206) on Reply Card



# 5-DAY QUALITY ENCLOSURE SYSTEMS

---

## Introducing the AMCO 500-A Series.

- Vertical Consoles
- Sloped Front Consoles
- Low Silhouette Consoles
- Computer Desks
- Desk Top Cabinets
- Blowers
- Accessories & Hardware

**AMCO Engineering Co.**  
3801 N. Rose Street  
Schiller Park, Illinois 60176

312-671-6670



"Quality Is No Accident"®

AMCO's new expanded 500-A Series combines structural integrity with refinement in style in this quick-delivery enclosure program. Generous standard features with many optional sizes allow flexibility in designing over a thousand assemblies. Complementing these virtually unlimited combinations is a large selection of optional accessories, including blowers. All consoles and desks feature an attractive textured finish with black frames and light blue panels. Optional white writing surfaces available.

Plus... every credit approved or C.O.D. order is shipped from stock within 5 work-days!

Write or call AMCO today for your free copy of our 36 page Catalog 500-A in full color.




**See Us at NAB Booth 1218**

Circle (207) on Reply Card

[www.americanradiohistory.com](http://www.americanradiohistory.com)

# NEC's new 3-chip CCD color camera

By Masao Mitsui, director of engineering, NEC America, Elk Grove Village, IL




Shown is one of the new NEC interline CCD chips used in the SP-3 video color camera. The registration of the three CCD imaging chips is permanently set in the factory.

Since they were introduced in the late 1970s, video cameras using solid-state charge-coupled device (CCD) image sensors have generated a great deal of excitement in the broadcast industry. With their mechanically locked registration, CCD cameras seemed particularly suitable for electronic newsgathering, in which camera operators often are required to carry out tough ENG assignments in difficult circumstances with little or no time to set up.

Furthermore, CCD cameras promised to be considerably more rugged and reliable in operation, as well as lighter in weight and lower in power consumption, effectively easing the load of equipment ENG camera operators need carry with them.

Video cameras using solid-state CCD image sensors were expected to provide performance superior to that available from most conventional  $\frac{3}{4}$ -inch pickup tubes. However, until recently, their use was confined mostly to industrial applications because their resolution was still inferior to that of Vidicon-type pickup tubes. One of the problems that needed an immediate solution was the blooming phenomenon. The application of an overflow drain and barrier positioned beside the photosensitive area has made it possible to suppress the blooming phenomenon in CCD image sensors. However, this method was found to sacrifice photosensitivity and dynamic range.

To produce its first broadcast-quality CCD color camera, the SP-3, NEC has developed a totally new interline CCD chip, in which the contents of the multiple solid-state data registers are read out during the video picture's vertical interval. The NEC interline CCD chip features a vertical



Compact and lightweight, the SP-3 is shown in the stand-alone configuration.



**"The Only Truly Modular Wireless Remote Controlled Lighting System"**

**NO DIMMER RACKS REQUIRED – NO CONTROL WIRING REQUIRED  
NO PATCH PANEL REQUIRED – NO CONTRACTOR INSTALLATION COSTS  
NO MAINTENANCE REQUIRED – NO OPERATIONAL TRAINING REQUIRED  
NO ADJUSTMENTS OR TUNING – INSTALLS IN MINUTES BY STAGE CREW**



**THIS IS SU-1 and DIGI-1**

*"The Dawn Of The Digital Lighting Revolution"*

**A SMALLER, LIGHTER,  
TRULY MODULAR, DIGITALLY REMOTE CONTROLLED  
AND MORE ECONOMICAL LIGHTING SYSTEM**

**(EITHER PORTABLE or HARD WIRED)**

**THAT CAN HANDLE  
ALL YOUR SWITCHING and DIMMING NEEDS  
(CONTROLS UP TO 256 CIRCUITS)**

**AND IT'S TOTALLY SILENT**

**(CAN ALSO BE AN INEXPENSIVE ADD-ON TO YOUR EXISTING SYSTEMS)**

With Solid-State digital technology revolutionizing every facet of the theatre, broadcast and music worlds, it's about time lighting joined the revolution. And it's no wonder that it finally took Union Connector in conjunction with Stephen J. Skirpan to pick up the banner.




It's this simple, Plug light source into SU-1 . . . Then plug SU-1 into any outlet . . . Now plug DIGI-1 into any outlet anywhere on the same wiring system . . . And you are ready to go.

SU-1: Weight 12 lbs. (Including C clamp)  
Size 12" H x 6" W x 6" D

DIGI-1: Weight 2/3 lb.  
Size 2 1/2" H x 4 5/8" W x 3 1/2" D

- FEATURES:**
- Expands Your Present System Without Excessive Costs
  - The Only Truly Modular and Expandable System Available
  - More Economical Than a Rack System
  - Controls up to 256 Circuits
  - Wireless R/F Line Carrier Control
  - Solid-State Dimmers
  - Handles up to 2400 Watts (2.4KW)
  - Can be used on a 3 Phase System

© Copyright 1984 • Union Connector, Roosevelt, New York



**UNION CONNECTOR CO., INC.**

149 BABYLON TURNPIKE  
ROOSEVELT, NEW YORK 11575  
Tel: (516)623-7461

BE-44

Circle (208) on Reply Card




Figure 1. Diagram of the VOD sensor.

overflow drain (VOD) positioned under, rather than beside, the photo diode, thus effectively increasing the cell area that can be used for photo electron generation and storage. Three of these interline VOD CCD image sensors are used in the SP-3 ENG color camera: two for the green channel alone, and one for the combined red/blue (RB) channels. This dual green system, which can only be realized with a mechanically locked registration system, provides much higher resolution and sensitivity than can be obtained from a conventionally structured RGB system.

#### The CCD image sensor

Figure 1 shows the basic composition of the new interline CCD image sensor used in the SP-3 camera.

The sensor features a photoelectronic conversion system that consists of an array of 490(V) x 384(H) photo diodes, a transfer gate region (TG) controlled with a vertical transfer pulse, a buried channel vertical register (V-CCD), a horizontal register (H-CCD) and a gated charge detector for the output signal.

The photogenerated signal charges are transferred to the corresponding V-CCD through the TG region during

the vertical blanking period. There are two ways to accomplish the transfer: One is the *field mode*, which transfers all photogenerated signal charges at the field rate; and the second is the *frame mode*, which transfers half of the photogenerated signal charges during the first field period and the remaining half of the signal charges during the second field period. The signal charges transferred to the V-CCD register subsequently are transferred to the horizontal register at the horizontal line rate and sent out to the output stage at the clock rate of the horizontal register.

A unit cell (indicated by the dotted line) consists of a photo diode, a half-stage V-CCD register and a VOD in which all of the photogenerated excess charges are drained into the substrate without flowing into the V-CCD. By means of the vertical overflow drain, the cell area can now be used effectively for photo electron generation and storage, and increased photosensitivity and dynamic range can be maintained. In effect, this technique eliminates the blooming phenomenon.

#### A dual green image pickup system

In a conventional 3-tube elements camera, each of the elements is assigned to the RGB channels respectively. However, this method of one channel/element assignment is not effective if applied to the 3-chip CCD camera, yielding resolution problems, as well as signal aliasing problems, which are created by the use of solid-state chips as the image pickup elements. Aliasing occurs in the CCD image sensor when the spatial fre-




Figure 2. Pixel arrangement.



Designed as a broadcast-quality stand-alone ENG camera, the SP-3 (shown here with Sony Betacam 1/2-inch recorder) offers universal interface to all videotape formats: 1/2-inch Beta or VHS, 3/4-inch U-matic, as well as 1/4-inch VCRs. Solid-state operational characteristics feature accurate and permanent registration that is free from geometric distortion.

means of a time sharing multiple process with an RB vertical strip filter.

The dual green system attempts to approximate the performance of the human eye as it perceives color, taking into account the following: The light value ratio of green to red/blue is approximately 1.5:2; and in the NTSC color system, the bandwidth ratio of the luminance channel to the chrominance channels is about 4:1. Conse-

## THE TOUGH GUYS... in tower building.

In the designing and building of superior communications towers, there is simply no room for compromise. At Stainless, the tough, uncompromising approach is a way of life. It always has been. It always will be.

This approach calls for "tough" people—people who never settle for less than the best: the best materials, the best designs, the best and most efficient state-of-the-art production methods. We have that kind of people, and that's one of the reasons we're a world leader in our industry today.

Whether your need is for AM, FM, TV, microwave, CATV or radar transmission, think of Stainless when deciding who should build your next tower.

Over 1,000,000 feet of construction has earned us the reputation of being "the Tough Guys in Tower Building."

### The Tower People

Exclusive distributor of the VERDA™ Lightning Deterrent\* for the TV Broadcast Industry in the United States and South America.

\*Patent Pending

See us at the NAB Show. Booth 1315.



CO184



# Stainless, inc.

North Wales, PA 19454 U.S.A.

Telephone: (215) 699-4871

TWX: 510-661-8097

Circle (217) on Reply Card

quently, in spite of the limitations inherent in having only 384 pixels for the horizontal picture elements (per CCD chip), with the dual green system it was possible to obtain a horizontal resolution of more than 500 TV lines.

#### The optical system

Refer to Figure 3 for the composition of the optical system employed to split the incoming light beam by

prism. In front of the prism there is a series of filters: an ND filter (to help increase the camera's dynamic range), an IR cut filter and an optical low-pass filter (LPF).

The optical low-pass filter is used to minimize the aliasing problem, which is mainly caused by green light. In effect, the optical low-pass filter suppresses the spatial frequency of the image that causes aliasing on the CCD

image sensor.

Because the dual green system is employed, the SP-3 camera uses a unique prism-optics block to split the incoming light beam into three beams: two greens for the G1 and G2 CCD image sensors and one magenta for the RB CCD image sensor. One-half of all incoming green light is reflected at the first dichroic surface, and the remaining one-half of the green light is reflected at the second dichroic surface. Only magenta light passes straight through the prism without any reflection. In this system, two green lights are reflected to precisely opposite directions against the light axis, thus minimizing achromatic effects that may occur when the image is out of focus and the iris is wide open.

Past the prism, another low-pass filter is inserted in the red/blue optical path to prevent aliasing and ghosting from the RB CCD image sensor. This is done because the bandwidth of the red or blue channel is effectively only one-quarter of the green channel bandwidth.

The CCD imaging chips are mounted directly on the optical assembly. The registration of the imaging chips is permanently set in the factory. No adjustment is ever needed.

#### Signal processing circuits

• **Combining the G signals and splitting the RB signal**—Refer to Figure 3 for a block diagram of the SP-3 camera. Because the horizontal shift registers of the CCD image sensors for G1 and G2 are driven by the two clock pulses (7.16MHz) with 180° phase shift, a 1H delayed signal and a 2H delayed signal for G1 and G2 can be obtained just through two 1H CCD-type delay lines without requiring a special delay line for phase matching respectively.

The non-delayed original signal, the 1H delayed signal and the 2H delayed signal for G1 and G2 are all combined, respectively, by three sample-and-hold (S.H) blocks, each consisting of two sample circuits and one hold circuit. Therefore, the data rate of the output signal from each of the sample-and-hold blocks is twice the rate of the output signal from each of the green CCD image sensors.

On the other hand, because the output signal from the red/blue CCD image sensor consists of alternating red and blue pictures at a rate of 7.16MHz, the red and blue signals can be easily split by using two sampling

### uniVUer™ puts an end to audio monitoring problems



## Right before your eyes... Audio on Video

Not magic, but a creative use of contemporary technology. The uniVUer takes your audio signal, and puts it on the video monitor.

The stereo vertical bargraphs, with graticule markings keyed over the monitor video, can be positioned and sized to meet any requirement. Whether your application is for an editing suite, master control room, switching center, VTR bridge, production and audio control or the boss' office, uniVUer puts an end to audio monitoring problems.

For complete specifications and performance characteristics contact us today. Ask about our field portable uniVUer for ENG/EFP application.

#### Technical Highlights

- Choice of VU or PPM ballistics
- Peak Flasher
- Adjustable silence sense
- Transparent to monitor video
- Compatible with European standards

See Us  
at  
NAB  
Booth  
#1520



**THE REAL WORLD  
TECHNOLOGIES  
GROUP, INC.**

3176 Pullman St., Suite 106, Costa Mesa, CA 92626 (714) 957-1061

Circle (218) on Reply Card



# The new 30-kilowatt high band overachiever

The Harris TV-30H does it better at 30 kilowatts than any other high band TV transmitter. By design.

## Better Performance

Specifications approach the measuring limits of the very best television test demodulators to easily handle the demands of new technology.

For example, highly linear amplifiers and the Harris Quadrature Corrector hold incidental phase modulation to  $\pm 1.5^\circ$ .

Our unique VIDEO\* SAW filter provides visual sideband attenuation of -10 dB at 4.5 MHz.

\*Visual IF Delay Equalized Output

These specs—vital for transmitting high-quality multi-channel (stereo) sound—are unmatched in the industry.

## Greater Reliability

Because of the VIDEO SAW filter's built-in FCC receiver group delay pre-correction, the TV-30H is the only 30-kilowatt high band transmitter that needs no complicated receiver equalizer circuitry. Fewer circuits mean greater reliability.

And this is the only 30-kilowatt design linear enough to combine aural and visual signals at the exciter outputs for emergency multiplex operation (available as an option).

## More Headroom

Other than the visual cavity and the cooling system—which were redesigned for maximum efficiency at 30 kilowatts—the TV-30H uses the same components and circuits as our field-proven 50-kilowatt high band transmitter. Result: a greater degree of headroom for added dependability, longer component life.


Find out more on why the new Harris Overachiever is your best buy at 30 kilowatts. Contact: Harris Corporation, Broadcast Transmission Division, P.O. Box 4290, Quincy, Illinois 62305. 217/222-8200.



# HARRIS

See the TV-30H at NAB '84

Circle (219) on Reply Card



# For the first time, ultra high-resolution color graphics for less than \$10,000

APIS now brings you full-screen color graphics at *less* than 20 nsec resolution. And at a price any teleproducer can afford.

**A**PIS calls it GRAPH-PAC. Using a unique approach in microcomputer technology, GRAPH-PAC gives you full screen, color graphic display at a resolution that has to become a new industry standard.

But GRAPH-PAC does not stop there. In addition to graphic display, GRAPH-PAC also gives you:

- Real-time graphic positioning.
- Full screen 10-sec countdown display.
- Graphic color bar display.
- SMPTE Time Code Read/Write Generator with full screen positioning.
- Self-standing RS-170A operation with color genlock.
- Graphics keyed over external video.
- Full-screen slate with high-resolution alpha/numerics.
- Graphic framing overlay displaying 90% safe picture, 80% safe title, and 5% gradicules to picture center.



APIS CORPORATION  
2960 S. West Temple  
Salt Lake City,  
Utah 84115  
Telephone:  
(801) 467-2727

Examine GRAPH-PAC at  
NAB, Booth 1762.

Circle (220) on Reply Card






Figure 3. SP-3 camera block diagram.

## THE HIGH DENSITY SWITCHER EVOLUTION CONTINUES...HERE'S A SNEAK PREVIEW!

Introducing the 16 X 16 RGB Switcher that's the economical solution to the high density dilemma. It's a high density, broadband video switcher. A switcher that handles parallel (RGB) or component signals, and serial component coded or multiplex component system! And simultaneous vertical interval switching.


A switcher loaded with excellent specs and neatly packaged to fit into 12 RU!

See it at NAB Booth 1341. Just ask for the 9300.

While there, see our complete line of master control switchers and routing switchers.



Model 9320 16X16 Single Level Video Switcher



Model 9300 16X16 RGB Switcher



# IMAGE VIDEO LIMITED

BOOTH 1341

705 Progress Avenue, Unit 46, Scarborough, Ontario, Canada M1H 2X1, Tel. No. (416) 438-3940, P.O. Box 102 Harvest, Alabama 35749, Tel. No. (205) 852-9252, Telex: 065-25392, 2440B Embarcadero Way, Palo Alto, California, 94303, Tel. No. (415) 424-1642, TWX: 910-3731782

## SP-3 Performance Specifications

Color System	NTSC Color Signal
Pickup Image Devices	CCD Solid-State Image Sensors $\mu$ PD 3511 Green Channel $\mu$ PD 3512 Red/Blue Channel
Optical System	F1.4 Prism Optics
Signal-to-Noise Ratio	More than 55 dB
Sensitivity	f/5.0 2000 Lux, 3200°K, 89.9% Reflectance
Resolution	Horizontal — More than 500 Lines Vertical — More than 350 Lines
Operating Temperature Range	−20°C to +45°C
Power Consumption	Approx. 12W
Dimensions (Camera Only)	90mm (W) × 178mm (H) × 155mm (D)
Weight (Camera Only, with Viewfinder, less Lens)	Approx. 2.7kg (5.9 lbs.)

pulses (3.58MHz) with a 180° phase shift.

- **Image sharpener circuit**—The camera features a 2H-line type image sharpener by means of a high performance CCD delay line (DL) which has a 400% dynamic range and a 62dB signal-to-noise ratio.

The CCD delay line and the green image sensors are driven in parallel with the same clock signal to maintain proper timing between the signal coming from the green CCD image sensors and the delayed signal through the CCD delay lines. The output of the three sets of sample-and-hold blocks (non-delayed, 1H delayed and 2H delayed video) is then fed to a comb filter and image sharpener to peak the high frequency components of the green channel signal and to generate edge component signals. In this system, the high frequency component of the green channel is also used to feed the red and blue channel signals to enhance their frequency content.

- **Output signals**—The camera provides the following output signals:

- Y, R - Y and B - Y signal for component VTR;
- composite video signal with SP-1AD adapter; and
- direct RGB output signal with SP-2AD adapter.

An NTSC composite signal is also available as monitor for the built-in VTR system in camera/recorder combinations.

## Camera functions

The SP-3 camera incorporates auto and preset white balance, auto black balance, black stretch and auto iris.

### The camera system

The CCD color camera is designed to be used as a broadcast-quality ENG stand-alone camera, as well as in camera/recorder combined systems using on-board component VTRs for ENG applications.

Enhancing the versatility of the camera, available camera adapter attachments interface to external conventional portable VTRs, as well as to RGB image processing systems as a special application.

The SP-1AD camera adapter attachment is used to generate composite video signal output for conventional VTR recording. The SP-2AD camera adapter provides direct RGB output for use as a document camera or for image processing applications.

Because the SP-1AD camera adapter contains gen-lock and I/Q type encoder modules, it will generate a burst signal and a color frame pulse that will meet the RS-170A standard, as well as NTSC color signal requirements.

Remote-control functions are available for gain, pedestal, iris, SC and horizontal phase control, etc.

## Features

Compared with conventional 3-tube video cameras, the CCD camera offers several distinct advantages:

- Solid-state operational characteristics feature accurate and permanent registration that is totally free from geometric distortion. In normal operation, no CCD chip ever requires replacement or adjustment.<sup>1</sup>

- Disturbances such as electrical circuit deviations or the earth's

magnetism that can affect registration and cause geometric distortion in conventional magnetically deflected cameras are totally ignored by the SP-3 camera.

- Furthermore, the CCD camera is completely free from burn-in, sticking and comet-tail that may occur in conventional pickup tube cameras when high intensity objects are viewed. Even if you were to shoot directly at the sun, no damage would be incurred to the elements.<sup>2</sup>

The SP-3 offers a complete freedom of choice in videotape interface. Its compact size, light weight, and outstanding resistance to shock and vibration make it an extremely durable and versatile system that can be employed effectively in ENG applications as well as other applications where conventional 3-tube video cameras cannot perform adequately.

With its high resolution and quality color reproduction, NEC's new CCD camera represents a big step forward in available broadcast-quality cameras, and points the way for the next generation of broadcast camera technology.

<sup>3</sup>As noted, under normal operation, the CCD chips of the SP-3 camera should never need replacement. If, for any reason, such replacement should ever become necessary, the camera should be returned to NEC for inspection and service. Although such service seems unlikely, BE explored the possibilities with NEC. The company said that individual chip replacement is possible. If the camera has been seriously mistreated, the entire optical block and all its CCDs can be replaced. In this worst-case situation, the cost would be approximately what you would expect for replacing the optics in a traditional tube-type camera. In any event, if your camera has been extensively damaged, you would probably want to replace it rather than service it.

<sup>2</sup>Aiming your expensive video camera at the sun, or at its reflection from a shiny surface, is not a recommended practice. However, according to NEC experts, such action, accidental or deliberate, does not have any apparent adverse effect on the immediate or long-term performance of the SP-3 camera. It is our understanding that NHK in Japan set up a CCD camera to tape an eclipse of the sun. A segment of the resulting tape was subsequently broadcast so that the public could view the event. BE is researching this work and will report details when they become available.

**Editor's note:**

This article on the SP-3 CCD camera was provided courtesy of NEC America and excerpted from the *NEC Synchronizer*, Volume 2, No. 1, Winter 1984. A production version of the SP-3 camera was introduced at the SMPTE '83/Los Angeles Convention, Oct. 30-Nov. 4, 1983. The camera is available now from NEC, essentially from stock, for approximately \$19,000 (without lens). For a quotation, contact the Broadcast Equipment Division, NEC America, 130 Martin Lane, Elk Grove Village, IL 60007.





## WAIT 'TIL YOU GET YOUR HANDS ON OUR EDITORS.

We will be displaying our current line of video editing equipment at the NAB show this month.

Paltex invites you to visit our booth, look around, then sit down for a hands-on demonstration of the **VANGUARD,\* EDIT-STAR,\* ST-3,\*** and the introduction of the first in a series of digital products—**GEMINI.**

We'd like nothing better than to allow you to put your creativity to the test.

**NAB BOOTH #1005**

### ***Advanced Technology in Video Communications***

2942 Dow Avenue  
Tustin, California 92680  
(714) 544-9970



California Paltex Corporation

For Sales Information contact:

Joseph Horning  
National Accounts Manager  
(213) 464-2222


S. Douglas Sorensen  
Northeast Regional Sales Manager  
(617) 681-7777

Thomas A. Greaves  
Southeast Regional Sales Manager  
(404) 299-2333

Circle (222) on Reply Card

# ADDA does it again.

ESP II . . . dual-channel digital still store combines high signal transparency and modular convenience for cost-conscious graphics generation, still storage and retrieval . . . *plus digital effects transitions.*



ESP II is a significant contribution to still store technology, combining improvements in disk storage with innovative work in integrated circuits and electronic packaging to create a low-cost, modular system which extends this versatile production tool to users with smaller budgets.

The two-channel system with digital effects and a 400-still capacity is priced at \$25,990 plus drives.

ESP II can function as two independent freeze frame synchronizers, with a separate third channel for digital effects transitions . . . horizontal and vertical wipes, fades and dissolves and *pushes and pulls* (effects not found on normal production switchers).

Now, smaller TV stations, cable operations and production houses . . . even industrial and educational systems can move up to the benefits of quality still store graphics generation and control.



ADDA ESP II . . . Affordable Excellence!

**ADDA CORPORATION**

Affordable Excellence

130 Knowles Drive, Los Gatos, CA 95030 (408) 379-1500


Circle (223) on Reply Card



# ESP Graphics

ADDA's ESP-C . . . the industry's most popular on-air still store system . . . creates multi-generation, multi-layer digital television graphics using conventional art techniques.

Create exciting graphics for news, features and commercials in half the time with ESP-C from ADDA.



See ESP Graphics generation in action.

10-minute demo tape is available from ADDA which illustrates simplified techniques for building quality multi-layer news graphics, feature intros and weather maps in step-by-step fashion.

Call or write for demonstration.

Working with ESP, an artist can use conventional "cut and paste" techniques while storing art as digital images . . . viewing the composition at each stage.

ESP Graphics take advantage of unusually high-quality, multi-generational transparency of ADDA still store technology. Art elements are added electronically, layer-by-layer with no apparent signal-to-noise or bandwidth degradation.

ESP is especially designed for use by non-technical people, with dedicated keys and prompter panel which guides artists through the system's store and recall logic.

The ESP-C and new ESP II . . . ADDA's low-cost, modular system . . . are the practical answer to quality electronic graphics generation, storage and retrieval.

**ADDA CORPORATION**

**Affordable Excellence**

130 Knowles Drive, Los Gatos, CA 95030 (408) 379-1500

# Audio crosspoint switching: A design example

By Bob Zavrel, applications engineer, Siliconix, Santa Clara, CA

The audio crosspoint switching system described here can be used not only for recording studio and broadcast mixer applications, but also in a diverse range of circuits requiring low switch cost and small size. Such applications include audio-follow switches for video systems, audio synthesizers, high quality multiplexers and home entertainment systems.

Recent advances in analog switch integrated circuits have resulted in devices that can deliver superior audio performance for the most demanding applications. A high quality audio frequency switch should have a reasonable cost, unity or variable gain, low harmonic distortion (less than 0.01%) and flat response (from dc




Figure 1. Basic analog switch design for the 8x2 stereo crosspoint matrix. Circuit input impedance is determined by  $R_L$  and output impedance is determined by  $R_O$ .

## PROVEN FOR 40,000 HOURS

**ELECTROHOME EVM SERIES  
MONITORS HAVE BEEN PROVEN  
RELIABLE WITH 60,000 HOUR  
MTBF TESTING.**

Other Electrohome strengths for the broadcast industry include—

- High resolution, precise linearity and geometry
- Switchable dual differential inputs
- D.C. restoration
- Convenient front controls
- Switchable underscan
- Wall, ceiling and rack mount accessories
- 9", 12", 15", 17" and 23" screen sizes
- Switchable power supply 110/220/240 volt 50/60 Hz operation
- Custom design service available to meet your specifications or requirements



BE/EVM-4

Please send me more information on the Electrohome Video Monitor.

Electrohome Limited  
Advertising Department  
P.O. Box 1663  
Buffalo, New York 14203

Name \_\_\_\_\_

Company \_\_\_\_\_

Street \_\_\_\_\_

City \_\_\_\_\_

State \_\_\_\_\_

Zip Code \_\_\_\_\_

Phone \_\_\_\_\_

\*Support documentation available upon request.

## ELECTROHOME ELECTRONICS

See us at NAB booth #1744

Electrohome Limited, 809 Wellington Street North, Kitchener, Ontario, Canada N2G 4J6. Telephone (519) 744-7111. Telex 069-55449.

Circle (226) on Reply Card



# THE BEST DIGITAL TBC IS NOW DYNAMICALLY BETTER!

FOR-A's Digital Time Base Corrector (FA-410) now offers Dynamic Tracking<sup>1</sup> compatibility for both the SONY Broadcast U-Matic<sup>1</sup> (BVU-820) and the PANASONIC VHS (NV-8950)<sup>2</sup> VTRs.

All of the FA-410 features from extraordinary transparency in operation to good human engineering (not to mention price!) are now enhanced with the ability to fully utilize Dynamic Tracking modes for fast and slow motion and still frame. For broadcast, cable and editing, the FA-410 is dynamically better than ever.

This, in addition to FOR-A's Performance-Plus features like 8-bit component encoding for highest signal-to-noise ratio and lowest

distortion, a digital dropout compensator and full compatibility with  $\frac{3}{4}$ " and  $\frac{1}{2}$ " VTRs, makes the FA-410 the first choice of professionals.


Call or write today for your copy of the new FOR-A Digital TBC brochure which covers all performance and engineering specifications including details on the new Dynamic Tracking options.

Seeing is believing. Comparing is convincing. Arrange for a demonstration by your

FOR-A representative or dealer by calling your closest

FOR-A Sales Office. **FOR-A**® INNOVATIONS IN VIDEO

**FOR-A**®



## FOR-A CORPORATION OF AMERICA

East Coast: 49 Lexington St., Newton, MA 02165 (617) 244-3223  
West Coast: 1680 N. Vine St., Los Angeles, CA 90028 (213) 467-8412

<sup>1</sup>Dynamic Tracking and U-Matic are trade names of Sony Corporation.

<sup>2</sup>The Panasonic VHS NV-8950 is V-locked with modification by FOR-A Corporation. Contact FOR-A Sales Department for complete information.

Circle (227) on Reply Card

See Us at NAB Booth 1306

# Now, a weather graphics and production system that does it all!

**ESD**  
**PMT-100**

**The most powerful standalone  
weather system for the money**

- Hi-res Graphics, Animation,  
Font-Generation,
- Local Color Radar and  
Doppler Displays,  
• Dial-up or Broadcast Acquisition\* of . . .

**SATELLITE VIEWS** — updated hourly from GOES East and West.  
None more accurate, more flexible, more dependable.

**CONVENTIONAL WEATHER DATA** — updated hourly from surface  
observations. None more complete, more useful, more in-  
formative.

## Compare Performance . . . Price There's nothing near the PMT-100

The cost of the basic PMT-100 system plus two full  
years of **UNLIMITED DATA SERVICE** from ESD . . . is  
less than the cost of the hardware alone from our  
nearest competitor.

See the **ESD** difference  
NAB Booth #1509A

Stop by. Or call us to see how the leader in broadcast  
weather can help you broadcast the leading weather.

### ENVIRONMENTAL SATELLITE DATA, INC.

In the U.S. —  
Call Ken Geremia  
Terry McClain or  
Terry Hambrick  
(301) 423-8247


World Weather Building, 1st Floor  
Suitland, Maryland 20746

In Canada —  
Call Lorne Kenney  
(705) 743-1804

884 Terrace Road  
Peterborough, Ontario  
K9J 1J5

\*Via Zephyr Weather Transmission Service

Circle (228) on Reply Card



A magnified view of the circuit pattern  
for the SD5002 quad analog switch chip.

to greater than 1MHz). Low cross-talk, high off-state isolation, excellent phase linearity and high switching speed (less than 1ns) also are desirable characteristics. Finally, the switch should be free of popping, directly controllable by digital gates and use dc coupling only.

The size of a complex audio switching array can be reduced greatly by using integrated circuit (IC) technology. The analog array described here is an 8x2 stereo crosspoint switch mounted on a 4"x7" printed circuit board (PCB). Other switch configurations may be fabricated with little effect on the switch characteristics. This single board can replace a score of rotary switches and the bundles of audio cables often found in audio mixers. Furthermore, eliminating long cable runs often will reduce ground-loop problems.

#### The switching system

SD5002 switching elements are used in this application because of their low on-resistance, low switch capacitance and fast switching characteristics. The LF-347 quad op-amp is used as a buffer and output amplifier.

Figure 1 shows how a single SD5002 is configured as a 2x1 stereo switch. The LF-347 functions as a summing and output amplifier for each stage. The analog switches are held normally open by biasing the control gates to ground potential through 10kΩ resistors. For any configuration, the appropriate switches are closed by biasing their gates to the positive voltage supply.

In this circuit, pairs of switches are operated together to control the left and right channels of a stereo input simultaneously. This is accomplished by tying the applicable switch gates together and using a common bias resistor. The capability for directly interfacing the SD5002 gates to digital integrated circuits presents multiple design options for switch control.

Figure 2 shows how the basic circuit



# Between You And Everyone Else **WE'RE THE ONE.**



## **TW INTERCOM SYSTEM**


**A** high performance conference-line communications system featuring over 25 different components and accessories that allow an almost infinite variety of system configurations. It's universally designed for demanding applications in teleproduction and broadcast as well as industrial and commercial installations.

Standard TW features include: up to 75 user stations on line with minimum loading, powerful headphone amplification, carbon/dynamic headset capability, mic-level limiting, and two-channel operation on standard microphone cable. Sophisticated circuitry permits 12-volt power operation, two-, three-, and four-wire line formats, and balanced line operation. A series of versatile options are also available to meet virtually all special requirements.



## **SERIES 800**

**T**he 802 Master Station is a unique micro-processor-assisted communications network providing 22 independent signal paths operating in up to six modes. It offers an impressive array of features including intercom, squawk, IFB/SA, station iso, and signalling. An intelligent combination of hardware and software programmability allows the user to conveniently structure an individualized operating format. Since the 802 is completely self-contained, it does not require space-consuming central electronics. Currently used in teleproduction, broadcast, theatre, security, aerospace and other industries, the 802 is both powerful and versatile enough to meet almost every communications requirement.



## **SERIES 4000 IFB SYSTEM**

**A** one-way communications system created especially to meet the critical requirements of the television broadcast industry. This "program interrupt" system is used primarily to cue on-air talent. It provides program source material to the person on camera that can be interrupted with messages from the producer or director. Its modular building-block design allows the user to configure a system to meet specific requirements. A typical system combines User Stations, Central Electronics, and Control Stations. An essential broadcast tool.



## **SERIES 400 AMPLIFIERS**

**A**pplication, performance, and reliability have all been carefully designed into the Series 400. The results: outstanding sound and unique versatility.

**MODEL 405 PROFESSIONAL PHONO PREAMPLIFIER:** High performance for broadcast stations and high-quality commercial installations.

**MODEL 410 10-WATT MONITOR AMPLIFIER:** A compact unit designed to power loudspeakers and headphones.

**MODEL 424 DISTRIBUTION AMPLIFIER:** High performance 1x4 audio D.A. with balanced input and four individually amplified transformer balanced outputs.

**MODEL 416 DISTRIBUTION AMPLIFIER:** Expanded version of the 424 with six outputs.

**MODEL 444 DUAL TWO-CHANNEL BUFFER AMPLIFIER:** Provides the necessary electronic interface between +8dBm balanced and -10dBv unbalanced circuits.

**MODEL 465 MICROPHONE PREAMPLIFIER:** A single-channel wideband preamp with transformer-balanced input and output.

*See our new products at NAB '84*  
*\* The System 2400, Super high-performance amplifiers*  
*- The Series 17, a low cost, easy-to use intercom system*  
*- RTS/Plantronics Super light headsets*  
**Booth 1142**

**RTS Systems**  
INC

**See Us at NAB Booth #1142**

RTS SYSTEMS, INC • PROFESSIONAL INTERCOMMUNICATIONS • PROFESSIONAL AUDIO PRODUCTS  
 1100 WEST CHESTNUT STREET • BURBANK, CA 91506 • 213/843-7022 • TWX 910-498-4987 • TELEX 194855

A COMPACT VIDEO COMPANY

Circle (229) on Reply Card

www.americanradiohistory.com

**INPUTS**

$R_s$  INPUT RESISTORS

INPUT BUSES

SWITCH INPUTS

SD5002

SUMMING NODES

LF-347

LEFT CHANNEL A OUTPUTS

RIGHT CHANNEL B OUTPUTS

**Table I.**  
The measured performance of the 8x2 stereo audio crosspoint switching system. Note that cross-talk and off-state isolation are down a minimum of 62dB within the audio frequency band.

Frequency(Hz)	Cross-talk(dB)	Off-isolation(dB)	% THD
50	-74	-75	0.006
100	-74	-75	0.005
200	-74	-75	0.004
500	-74	-75	0.003
1k	-74	-75	0.003
2k	-73	-74	0.003
5k	-70	-71	0.003
10k	-67	-68	0.004
20k	-62	-62	0.006
50k	-55	-55	0.020
100k	-50	-49	0.045

### How it works

Each channel input requires resistor  $R_L$  for termination and a second resistor ( $R_s$ ) to feed the signal from the inputs to the various switches. The junction of these resistors forms an input bus.

The SD5002 drains are connected to the summing nodes located at the inverting inputs of the summing amplifiers. As array size increases, system performance normally would suffer from longer lead lengths and increased circuit capacitance. However, the SD5002 allows large matrices to be designed with little performance compromise because of the low switch capacitance.

The value of  $R_L$ , which should reflect the value of the source impedance, influences cross-talk and off-state isolation between channels. Both specifications improve with lower values of  $R_L$ . The feedback resistor for the output amplifier stage,  $R_c$ , can be adjusted to give a wide range of system gain values. Unity gain is achieved when  $R_c$  is equal to  $150\text{k}\Omega$ . Resistor  $R_D$  in the output circuit determines the value of the output impedance. If the switch feeds a high impedance load,  $R_0$  is necessary to maintain good system performance.

Electrolytic and mica capacitors are suggested for use on the circuit board to provide power supply bypassing functions. This reduces low frequency and supersonic noise, and helps to stabilize the system. The entire circuit should be well-shielded, particularly if it is exposed to strong RF or power-line fields. Conductors carrying high currents should be isolated from the card, and a double-sided PC board should be used to create a ground plane on the component side for added protection.

Table I shows the measured switch performance of the 8x2 crosspoint configuration. For test purposes, the value of  $R_L$  was 10k $\Omega$ , matching the high impedance to the test oscillator output. Regulated power supply voltages of  $\pm 9$ -15V may be used with this design. Peak-to-peak signal voltages at the input should be less than 3.5V for optimum switch performance.

A variety of other switching arrangements can be devised for the SD5002. This example can serve as a circuit guideline for other requirements a station might have.

[www.americanradiohistory.com](http://www.americanradiohistory.com)



# Between the hits most stations waste energy and money.



## The AEG-TELEFUNKEN PANTEL System can save you up to 40% of your transmitter power needs.

Radio stations of all power ratings are of basic importance for the distribution of information – fast and reliable. More and more, however, rising energy costs demand improving their efficiency.

The PANTEL System from AEG-TELEFUNKEN improves efficiency and cuts costs. By reducing the power needs of a 600 kW transmitter by up to 150 kW it can save enough energy to meet the monthly power requirements of about 200 households. Translated into dollars

and cents that's quite a tidy sum.

But that's not all. To save even more money, there's D.A.M., the dynamic-controlled amplitude modulation. Together with the PANTEL

System it controls a transmitter's power output. In only fractions of a second the exact energy needs of a particular transmission are met. Unnecessary wastes are avoided. Whether it be between the sober tones of a news announcer or within the fortissimo of a philharmonic orchestra.

Finding new ways to increase performance in the field of radio technology is only a small part of what AEG-TELEFUNKEN is all about.

We're also leading innovators when it comes to: FM, TV and communications transmitters. Equipment and systems for receivers and direction finders. Radio and data communications for official, commercial and private use. Radar systems and equipment. As well as guidance and control systems.

We will gladly inform you in more detail on the many potentialities and decisive advantages of cooperation with AEG-TELEFUNKEN. Please write to us.



600 kW MF transmitter employing the PANTEL (PDM ANode Modulation System TELEFUNKEN) System



## AEG-TELEFUNKEN

Radio and Radar Systems

Please send me further information on how AEG-TELEFUNKEN transmitter systems improve our cost effectiveness.

Name: \_\_\_\_\_

Company: \_\_\_\_\_

Department: \_\_\_\_\_

Address: \_\_\_\_\_

To AEG-TELEFUNKEN, Attn. Mr. J. Graaff, A11V,  
Transmitter Division, Sickingenstrasse 20-28, D-1000 Berlin, W. Germany

Circle (232) on Reply Card  
[www.americanradiohistory.com](http://www.americanradiohistory.com)

# Frequency coordination put to the test

By Richard Rudman, BE spectrum management consultant, and chief engineer, KFWB Radio, Los Angeles, CA


In 1984, frequency coordination will play a key role in three US events that will receive worldwide attention. Never before have this many events of global interest, so dependent on back-stage Part 74 2-way and microwave transmission, taken place. New ideas, along with methods used since the dawn of ENG interference, will be tested literally before the eyes of the world.

## The 1984 Olympics

Olympic coverage and frequency coordination for the event are the responsibility of the American Broadcasting Companies (ABC), which bought exclusive broadcast rights. Along with the responsibility of getting the Olympics on the air from Los Angeles (the country's RF congestion capital), ABC will host broadcasters from the rest of the world who will provide electronic coverage for their respective countries. The word has gone out that anyone planning to bring wireless broadcast equipment into Los Angeles, even so much as a hand-held transceiver, must contact ABC's Olympics RF coordinator, Michael LoCollo.

LoCollo has been busy for more than a year planning ABC's Part 74 coverage. Because the Olympics will take place in the backyard of the Southern California Frequency Coordinating Committee (SCFCC), he has worked closely with that organization at key stages in the planning process. A prerequisite for the coordination planning was that Olympic coverage should have minimal impact on day-to-day operations in the Southern California area.

With more than 14 regular users of the 10 2GHz channels in the Los Angeles region, and more than 70 licensees in the two 1MHz slices of the 450MHz remote pickup unit (RPU) bands, you must resort to special measures to accommodate Olympian needs. With this in mind, the FCC has granted a special temporary authority (STA) to ABC for temporary use of frequencies not included in the Part 74 channels. The STA allows ABC to use a vacant UHF TV channel for voice communications related to its broadcast coverage. Protection for licensees



The upcoming Olympics in Los Angeles and the political conventions in San Francisco and Dallas/Fort Worth will be supreme tests of the capability of frequency coordination for squeezing 10 pounds of RF into a 5-pound bag. This complicated coordination of transmission equipment of all types involves not only the networks and local stations, but also out-of-town and foreign broadcasters.

in the 2GHz, 7GHz and 13GHz bands will be provided by close coordination with Los Angeles area TV licensees and other non-broadcast microwave users.

The FCC has formally recognized ABC as the principal coordinating body for Olympic activity by announcing that it will waive the 30-Day Rule (Part 74.24). This means that any broadcaster from outside the Los Angeles area will be required to perform prior coordination with ABC. The SCFCC will support this waiver fully. ABC has worked closely with the regional coordinating body to guarantee that coverage of the Olympics will mesh smoothly with local broadcast activity, and ABC will continue to do so. LoCollo, a member of the Society of Broadcast Engineers' National Frequency Coordinating Committee (NFCC), has worked closely with the SBE group on coordination planning.

## The political conventions

The three networks traditionally have shared the frequency coordinating chairmanship for political conventions, since the need for prior planning was recognized some years

ago. This year, Richard Harvey of CBS has an immense task, Olympian in its own right. Harvey will be responsible for making sure that coverage in two different cities, each experiencing RF saturation, goes off without a hitch.

Both Dallas/Fort Worth, scene of the Republican convention, and San Francisco, where the Democrats will meet, have local frequency coordinating committees. Gerry Dalton of KKDA-FM has organized the Dallas/Fort Worth database, which makes coordination information available from any computer terminal equipped with the proper modem. Joe Berrini of KRON-TV in San Francisco is the Northern California Frequency Coordinating Committee chairman. These local organization efforts are important to the upcoming political convention activity. They have proved that local broadcasters in both regions can work together.

Harvey has held meetings of his National Political Frequency Coordinating Committee (NPFCC) in both convention cities. He has reassured local broadcasters that his group's coordination plan will affect daily operations as little as possible. STAs for unused UHF TV channels have



been approved by the FCC for both convention cities. The NPFCC will be responsible for coordination of these STAs. Unlike the STA that ABC obtained for the Olympics, the San Francisco and Dallas/Fort Worth STAs stipulate that all broadcasters needing extra channels for their coverage are eligible.

The 30-Day Rule also will be waived during the conventions in Dallas/Fort Worth and San Francisco, making the NPFCC the official coordinating body for these two events in the eyes of the FCC.

### Sharing the spectrum

There is growing recognition that frequency coordination's time has come. The First Report and Order on Docket 82-334, which, at SBE urging, protected 2GHz and 7GHz microwave users from potentially disastrous requirements to share their channels with other users, is a milestone. Another milestone is FCC approval of a 450MHz channel split plan administered by the SCFCC that increased the number of users that could be accommodated in the UHF RPU band. An indication of the commission's interest in and support of industry-run frequency coordination efforts came at a January meeting of the NPFCC. Among the persons attending was Jim Durst, broadcast analyst for the FCC. He was there at the direction of James McKinney, chief of the commission's Mass Media Bureau.

### Notice to the Industry

Any organization that intends to cover the 1984 political conventions in Dallas/Fort Worth or San Francisco using RF transmitters or wireless microphones of any type, power or frequency, should contact Richard Harvey, chairman of the National Political Frequency Coordinating Committee, at CBS, 555 W. 57th St., New York, NY 10019.

Any group that plans to cover the Los Angeles Olympics using RF transmission gear should contact Michael LoCollo, chairman of the World Broadcasters RF Committee, at ABC-TV, 1313 N. Vine St., Hollywood, CA 90028.

Harvey has developed a set of guidelines for operation during the two conventions. Carrying the blessings of the SBE's NFCC, these guidelines incorporate many ideas that all Part 74 licensees should take to heart. A complete list of these guidelines is available. Requirements of special interest include a power restriction that all parties must observe within the con-

vention centers, and a promise that everyone operating a microwave link outside the halls will use a visual identifier when the link is up but programming is not being transmitted.

Although prior coordination has been used on major events in the past, never have such events taken place where the level of radio and TV ENG activity, plus satellite transmission, will be as high as we will see later this year. It will be a test of the technical competence of all broadcasters involved, the patience of the frequency coordinators and the trust of local broadcasters who are working closely

with frequency coordinators for the events.

With hard work, good will and the proven elements of regional coordination, all participants in the sporting and political dramas of 1984 should see their efforts on the air with a minimum of problems—to themselves and others.


#### Editor's note:

The author is chairman of the National Frequency Coordinating Committee, under the auspices of the Society of Broadcast Engineers. He also has joined the BE masthead as spectrum management consultant.

(-Z-)))))

# SPECIFY MCL

## NEW TWTA HIGH POWER AMPLIFIER



TWTA C-Band Satellite Transmitter System-Model 10717, delivers 2.8KW of usable power throughout the C-Band frequency range (5.85-6.45GHz). Innovative design and exclusive engineering techniques have produced this new MCL TWTA SYSTEM for extended reliable commercial service in the satellite communications earth terminals.

Quality features include the Thomson #3640 traveling wave tube, protective circuitry, solid state IPA, RF input and output impedance matching, necessary power supplies, and controls and monitor circuits as required.

MCL stands behind all of its equipment. Included is a one-year warranty against defects and workmanship from date of shipment. The TWT tube is warranted by the tube vendor. Operations and maintenance manual are provided.

This advanced system includes so many advantageous features (including a Linearizer to give system performance equal to a 6KW system) to users throughout the world that we suggest you write for the technical, illustrated literature on MCL HIGH POWER TWT AMPLIFIERS which also describes the full line of MCL SATCOM TWTA's in 'C' and 'Ku' Band.

Join the rapidly growing list of users of MCL equipment. SPECIFY "MCL"; you'll be glad you did.

WRITE for complete illustrated, technical reference brochure.

MCL, INC. Ten North Beach, La Grange, Illinois 60525

(312) 354-4350 TWX 910-683-1899



Circle (233) on Reply Card

# The Klystrode:

## An old idea with new applications

By Merrald B. Shrader and Donald H. Priest, Varian Associates, EIMAC Division, Palo Alto, CA

Today's increasing cost of energy has forced power tube designers to incorporate energy-saving features into their newest designs and re-evaluate the merits of older models. In their search for a way to improve UHF TV transmitting tubes, the authors—without knowing it—resurrected an idea that had remained dormant for more than 40 years. Called the Klystrode,\* the result of their efforts is seen as a promising source of energy-efficient power that already has generated more than 30kW (CW) at 775MHz, and conceivably could deliver hundreds of kilowatts in the UHF range.

The Klystrode, which combines the features of a tetrode and a klystron, consists of a magnetically focused electron beam bunched by an RF cavity-driven grid, an output cavity and a collector.

The device can be operated as a Class B linear amplifier, similar to a tetrode, but with the reliability and high power-handling capability of a klystron. Power gain is in the range of 18-25dB, depending on the input RF circuitry, and efficiency at full drive power is in the range of 50% to 63%.

For example, at an operating frequency of 775MHz and an RF drive power of 150W, the new tube delivers an RF output power of 30kW. This represents a power gain of 23dB. The conversion efficiency is 58% minimum. In pulsed operation, output power has been measured at 45kW, with a peak RF drive power of 225W, representing a power gain of 23dB. Conversion efficiency is 60%.

### Best of both worlds

Recent testing of the Klystrode has indicated that it is well-suited to UHF

\* The Klystrode is a trademark of Varian's EIMAC Division.



The Klystrode amplifier tube offers UHF TV users greater efficiency than the klystron or conventional tetrode. Long life also is expected from the Klystrode.

TV service as an aural or visual channel amplifier. In aural FM service, the high power gain and efficiency, as well as long life expectancy, make it especially attractive. The fact that the tube operates with a high voltage (HV) power supply having the positive end grounded makes it particularly suitable for use with a klystron visual amplifier, which uses a similar positive-ground configuration. The Klystrode can operate at the same beam voltage as the associated visual klystron, thus a common beam power supply may be used, further reducing cost.

In visual service, the Klystrode offers the possibility of greater overall efficiency than conventional tetrodes or even the most advanced klystrons. Compared with the tetrode, its efficiency and power gain at all signal levels and peak of sync is measurably higher. Because of its lower emission density (resulting from high voltage/low current operation), and the absence of a heavily stressed screen grid and anode (caused by high dissipation of energy due to current interception), the Klystrode also is expected to have a much longer life expectancy, and may prove to be as durable as the klystron.

Compared with a klystron, which has an input beam current that stays constant and high at all picture levels, the Klystrode—like the tetrode—has a dc power input that varies with the level of the video signal (lower at white, higher at black). Thus, even though the klystron has much higher power gain, long life expectancy, more-than-sufficient bandwidth and far more power output than necessary for today's TV needs, its operating cost is increased drastically by its relatively low average picture efficiency.

Initially, the Klystrode's cost seems to fall somewhere between the less-expensive tetrode and the more-expensive klystron. The Klystrode also is shorter than a klystron, an advantage in some applications.





# 10th International Broadcasting Convention

## 21-25 September 1984

IBC 84 will be held at the Metropole Conference and Exhibition Centre  
BRIGHTON UK

The TECHNICAL PROGRAMME of papers by specialist authors and discussions will cover new technologies including satellite, cable systems and other developments for sound, television and related information services.

The IBC EXHIBITION complementing the technical sessions will have the latest professional broadcasting equipment on display and demonstration by leading world manufacturers.

The SOCIAL PROGRAMME during the Convention will include a Reception and a special Ladies Programme of talks and demonstrations and visits to places of interest.

FURTHER INFORMATION can be obtained by returning the reply coupon below.



The IBC Secretariat, The Institution of Electrical Engineers,  
Savoy Place, London, United Kingdom WC2R 0BL.  
Telex: 261176      Telephone: 01 240 1871



*Please send further details of IBC 84 to:*

Name ..... Position .....

Company/Organisation .....

Address .....

.....

EIMAC offers a low power, external-cavity series of Klystrodes rated for FM sound at levels up to 7.5kW (25kV beam voltage), and a medium power series, also external-cavity-type, for power levels up to 27kW (25kV maximum). A series of Klystrodes rated at up to 30kW power output at 32kV beam voltage is being developed for production. In all, two

tubes and cavities are required to cover the UHF TV band (470-600MHz and 600-806MHz).

With the growing interest in the potentially lucrative UHF TV market, there is a realization that any source of high power must be efficient, therefore cost-effective, to be a viable competitor with the firmly established VHF TV base. The broadcasting in-

dustry may have found such a contender in the Klystrode.

#### How it works

Developed by Varian Associates' EIMAC Division, the Klystrode actually is a pentode (five elements) that has a round-disc cathode, planar grid and apertured anode. (See Figure 1.) A re-entrant cavity has been placed between the anode and the next electrode, called the tail pipe. Insulated from this is the final electrode or collector. A solenoid or permanent magnet then is used to immerse the tube in a uniform magnetic field. At first glance, then, the tube is similar to a conventional tetrode, except the spent electrons are dissipated separately from the output resonant circuit.

In operation, an alternating RF voltage is applied between the cathode and grid, using one of several possible circuit arrangements. The resulting bunched, or density-modulated, electron beam then is accelerated toward the apertured anode at high potential, passing through it without being intercepted. Continuing through a field-free region at constant velocity, the beam next passes through an output gap in the resonant cavity as the electric field induced by its passing is decelerating.




Figure 1. The structure of the Klystrode, which combines the features of a klystron and a tetrode.



## FOR ALL YOU WANT A CART TO DO, THIS CART'S FOR YOU!

- For ... The best sound a cart can reproduce
- For ... The exclusive SGS-4 broadcast mastering tape.
- For ... Superb copies of CD's and digital masters
- For ... Outstanding high frequency sensitivity and headroom
- For ... Stable stereo phasing
- For ... Maximum reliability and longest life
- For ... Compatibility with all cart machines
- For ... Stations who care how they sound

## THE AUDIOPAK AA-4 IS FOR YOU

The True Blue Cart - From Capitol

© 1983 Capital Magnetix Products, a division of Capital Records, Inc. All Rights Reserved

Circle (235) on Reply Card



**BOSCH****FGS 4000**

# UPDATE

**VIDEO GRAPHIC SYSTEM**

The FGS-4000 Produces Video Image Quality  
Unsurpassed in the Industry.

**B**osch, looking to the future, introduced at the 1983 NAB, the ultimate graphics system, the FGS-4000. A system so limitless, it provides a medium for the graphic artist to accomplish effects yet to be imagined, both today and tomorrow.

*A video graphic system so limitless that wonders will become realities.*

Bosch developed technology to introduce real time 3-dimensional animation. Highly defined 3-dimensional objects move in a real 3-dimensional world. Move the object, move the viewer, move the light source, travel within objects, see it with "reality."

The FGS-4000 is a powerful computer graphic system. Its versatility in combining the functions of a character generator, graphic art system, 2D and 3D animation into one unique system is, to date, unparalleled in the television industry.

The FGS-4000 will have a tremendous impact on the way you are doing business today. Imagine the time savings and increased productivity of your creative people that can be realized. This is due to the ease of image entry and the real-time interactive workstation, allowing you to actually see and manipulate the images, to establish your animation sequences, and to play them back in real time.

The image quality of this system is the highest in the industry. Our special anti-aliasing circuitry maintains edge quality at all times.



### 84' NAB Highlights

In addition to the now existing 2-Dimensional Editor, Real-Time Text Editor, Off-Line Text Editor, and Animation Editor, Bosch will highlight at the 1984 NAB:

**3-Dimensional Editor:** This editor gives complete freedom in the generation of true 3-D objects. With the extruder, the operator can take any 2-D object and make it thick. With ROB (Read Object), the operator can type in X, Y, and Z coordinates and produce any 3-D object, or 3-D objects can be produced via surfaces of revolution or by redefining objects by gluing existing 2-D and 3-D objects together.

**HQAS:** High Quality Animation System gives the operator tools for enhancing previously created animations by adding glows, sparkling effects and streaking capabilities. Also, texture mapping and multiple, moveable light sources will be included.

**Paint:** Also available at this year's NAB is a Basic paint system. By using the stylus and the system's tablet, the operator may paint with all the FGS-4000's 16 million colors, change brush size or shape, air brush or blend. This is an expandable package with more features to be introduced.

**Single Framing Editor:** Single frame machine control allows automatic control of VTR's via the FGS-4000. This gives the operator the ability to record frame-by-frame and then play them back in real time.

### Things You Should Know

**Ease of operation:** Bosch enlisted the talents of professional graphic artists to help design the operational functions of the FGS-4000, thus making this graphic system as easy to operate as a pencil and paper.

**Image quality:** Images of the FGS-4000 are indistinguishable from actual video. No aliasing, stair stepping, breaking up or tearing of edges when scaling, positioning, or rotating objects.

**Animation:** The FGS-4000 allows the artist to create, animate and display 2- or 3-dimensional objects together or independently, as well as automatically assigning special effects such as transparency, light source and perspective.

Robert Bosch Corporation  
Video Equipment Division  
P.O. Box 31816, Salt Lake City, Utah  
84131 (801) 972-8000

**BOSCH**

Circle (236) on Reply Card

www.americanradiohistory.com

## The history of the Klystron

During the 1930s, the state of the art in transmitting and receiving tubes had attained a maturity and cost-effectiveness that served most needs of contemporary radio communications. At that time, attention began to turn to higher frequencies, which offered advantages that later culminated in the development of such now-commonplace industries as television and radar.

As frequencies became higher, conventional transmitting tubes became necessarily smaller, with resulting lower power outputs. Some designers began to look for newer approaches, turning away from the classical gridded density-modulated tube. Two innovators who continued to do research on gridded tubes, however, were A.V. Haef and L. Nergaard, who then were working for RCA in Harrison, NJ.

What they discovered was that a major output limitation involved wasted power dissipation by the grids and anodes of then present-day tubes. They perceived that if non-intercepting electrodes (apertures, for example) could replace wire grids, and the electron beam could be contained by a coaxial magnetic field, more-efficient, higher level power could be produced.

Similar to the developers of the klystron, they saw that power could be removed from a bunched electron beam by passing it through a resonant cavity in which the kinetic energy of the high velocity electron beam could be transformed to electromagnetic energy, without having to collect the electrons on the walls of the cavity.

Invented by Haef, the inductive output tube (IOT)—precursor of the Klystron—was first described by him in 1939 (*Electronics*) and again, with Nergaard, in 1940 (*Proceedings IRE*). When built, the tube delivered 100W (CW) at 450MHz, with a 10dB power gain and 35% efficiency, remarkable performance for its time.

Unfortunately for the IOT, during World War II, VHF triodes and microwave cavity magnetrons became popular, followed by increasing interest in velocity-modulation (V-M) tubes. The IOT remained forgotten until Shrader and Priest, searching for new ways to improve UHF TV transmission, independently resurrected the tube. It was only after reading Haef's published papers that they realized their creation (the Klystron) was none other than the basic IOT embellished by more-sophisticated tube and materials technology.




Figure 2. The potential, potential gradient and electron velocity vs. beam distance, for a tetrode and a Klystron. In the top two drawings, the solid line indicates the tube characteristics at minimum conduction and the broken line shows the tube at maximum conduction.

Finally, the beam passes through a second field-free region (the tail pipe), again with minimal interception, and then crosses the gap between tail pipe and collector.

The differences between the Klystron and a conventional tetrode can be demonstrated graphically in a comparison of their potential, electric field and electron velocity. (See Figure 2.) Observe that the Klystron acts similar to a klystron between the anode and collector, but closely resembles a tetrode between the cathode and anode. Six important differences should be elaborated on:

- The Klystron's anode potential is higher than the tetrode's screen grid potential.
- There is a strong decelerating field in the output gap of the Klystron compared with an almost zero field associated with the tetrode at the time of maximum current flow.

These different profiles for the potential and field (potential gradient) reveal fundamental differences in

operation. Think of the tetrode as a switch that closes every half cycle, allowing current to flow from the power supply through the resonant load. By taking advantage of the energy storage properties of the resonant circuit, the dc energy is converted to RF energy in the circuit.

In contrast, the Klystron (and the klystron) changes the kinetic energy of the high velocity electrons directly to electromagnetic energy in the output gap. Also, although the tetrode conversion efficiency is maximized at low frequencies, efficiency is decreased markedly at higher frequencies, when the screen-grid voltage must be made high enough to supply sufficient electron beam velocity.

An important result of the different potential profiles is the Klystron's much larger average electron velocity, which makes the use of a relatively long beam possible.

- Another difference between the two devices is the presence of the field-free regions before and after the



# IN THE BATTLE OF THE ROUTING SWITCHERS, THERE'S A NEW HEAVYWEIGHT CHAMPION.

	3M Series H 128 x 32	Fernseh TVS-TAS 2000	Grass Valley GL 440	Grass Valley Horizon	Utah Scientific AVS-1
VIDEO					
Crosstalk Video to Video	-65/4.43	-60/4.43	-60/5	-60/5.5	-60/4.4
Hum & Noise (0-4.2 mHz)	-75	-75	-65	-75	-
(IRE WEIGHTING)	-82	-	-	-	-75
Frequency Response (dB to mHz)	±.1/5.5	±.1/5.5	±.1/5	±.1/5	±.1/5
Diff Gain (10-90%)	3.58	1%	25%	1%	1%
Diff Phase	.1°	.1°	25°	1°	.12°
AUDIO					
Crosstalk (dB / kHz) Audio to Audio	-88/20	-85/15	-80/15	-80/15	-75/20
Hum & Noise (dB below out) / FILTER	-122/15k	-109/*	-92/15k	-104/15k	-109/15k
Freq Resp @ Max Out (dB/dBm)	±.1/30	±.2/24	±.1/24	±.1/24	±.2/24
Over Freq Range	20-20k	30-15k	20-20k	30-15k	30-15k
Com Mode Rej Ratio (dB)	-80	-75	-80	-65	-70

\*Data not available.

Data based on manufacturers specification as of 4/83

Compare our Series H Hybrid Switching Systems to the competitors and the advantages are easy to see. If you'd like to compare a few more specs, call us toll-free at 1-800-321-1684. In Minnesota, call toll-free

1-800-792-1072. Outside the continental U.S., call International Operations collect at 1-612-736-2549. You'll be knocked out by all our advantages. Broadcast and Related Products Division.

3M hears you...

Circle (281) on Reply Card

**3M**

## When accuracy Counts...Count on Belar for AM/FM/TV MONITORS



**BELAR**  
AM MODULATION MONITOR



**BELAR** CALL ARNO MEYER (215) 687-5550  
**ELECTRONICS LABORATORY, INC.**  
LANCASTER AVENUE AT DORSET, DEVON, PA. 19333 • BOX 826 • (215) 687-5550


Circle (238) on Reply Card

## RACK MOUNTABLE VIDEO DELAY LINES

A complete Rack Mountable series of Video & Pulse Delay Lines, with the capability of replacing up to 1450 feet of 75 ohm coaxial cable. The units reduce size, weight, installation costs, save time and effort in making delay changes.

Part No.	Delay Range (Nano-Sec.)	Delay Steps (Nano-Sec.)	Method of Variation	Maximum Insertion Loss @ 100 KHz (db)	Amplitude Flatness At Any Delay Setting 100 KHz to 5.5 MHz (db)	Max. Rise Time (Nano-Sec.)
VRM0255	0-255	1.0	Slide Switch	.40	.4 Max.	20
VRM0637	0-637.5	2.5	Slide Switch	*1.00	.4	28
VRM1275	0-1275	5.0	Slide Switch	*3.00	.4	33
VRM2270	0-2270	10.0	Slide Switch	*3.00	.5	40
VRS0317	0-317.5	2.5	Strap	.40	.5	26
VRS0635	0-635	5.0	Strap	.75	.5	35
VRS1270	0-1270	10.0	Strap	1.50	.5	37
VRS2260	0-2260	20.0	Strap	3.00	.5	40

\*±.2db variation at any delay setting.




Call/Write for Catalog  
See us at NAB Show  
BOOTH 1627

**ALLEN AVIONICS, INC.**  
224 EAST SECOND ST.  
MINEOLA, NY 11501  
Phone: 516-248-8080

Circle (239) on Reply Card

## RELIABLE ROTARY ATTENUATORS



- PREMIUM MATERIALS
- QUALITY WORKMANSHIP
- PROVEN PERFORMANCE
- MANY STYLES
- ALL IMPEDANCES

**SHALLCO, INC.**

P. O. BOX 1089

SMITHFIELD, N. C. 27577

919/934-3135

Circle (240) on Reply Card

## OUTPUT Model 200/210 Universal Distribution Amplifier

- Modular designed main amplifier module for composite video, non-composite video, R.G.B. video, pulse, and sub-carrier distribution.
- Self powered.
- Six plug-in special purpose sub-modules.
- High input/output voltage range: typical ± 5V, suitable for data transmission for SMPTE timecode, TTL & ECL level digital information.

Model 240/250 Audio DA

- 12 output, self powered

Model 410 Sync Generator

- RS170A, 4 black output

Model 500 Series Util. Switcher

- 10 x 1 video, audio, AFV with audio split control

See Us at NAB Booth 1748

**OMICRON VIDEO**

9700 OWENSMOUTH AVE., CHATSWORTH CA 91311 (213) 700-0742

Circle (241) on Reply Card

Klystrode output gap. These ensure that the output interaction space is isolated from the input space (grid-anode), as well as the collector. In practice, this isolation is important because, without it, input circuit conditions could be affected adversely by variations in tuning or loading of the output circuit.

• The Klystrode tail pipe essentially is non-intercepting as compared with the tetrode's anode, which also functions as a collector. It becomes obvious, then, that the Klystrode's collector can be made large (unlike the anode of the tetrode) and, therefore, can operate at lower power density and greater power output.

• With the Klystrode, there is no need for a blocking or bypass capacitor, because there is no dc voltage across the output gap. The fact that the high voltage dc and RF fields are separated means that the gradient in each gap is about half the gradient in the output space of a conventional tetrode. This, coupled with the fact that no blocking capacitor is needed to carry the RF circulating current in the output cavity (which can be at ground potential), is an advantageous operational feature of the Klystrode.

• Unlike the tetrode, the Klystrode uses a magnetic field. Although the Klystrode would perform well without such a field (look at the electrostatically focused klystron, for example), the advantages of a magnetic field are considerable.

For one, the natural tendency of the beam to spread is curtailed, especially in the output gap, where the exit electron velocity is low and the space-charge forces are high. Without such focusing, the tail pipe would have to be much larger in diameter to avoid its interception with the beam, which could generate secondary electrons that would cross the gap in a direction opposite that of the main beam, thus tapping energy from the main load. The larger tail pipe also would increase the output gap capacitance and decrease bandwidth. Finally, the beam-to-gap-coupling coefficient between the beam and cavity fields would be reduced, decreasing conversion efficiency.

### A bright future

Experimental results conducted at Varian EIMAC have proved the viability of the Klystrode tube as an excellent source of high power and efficiency for the broadcast industry, especially UHF TV. With the development of more powerful units, there is reason to expect that other applications requiring the performance and efficiency capabilities of this high frequency power source will emerge.

[!:->)]



# ANNOUNCING FORTY YEARS OF BROADCASTING EXCELLENCE... SWITCHCRAFT.

That statement should come as no surprise to anyone in broadcasting. For over forty years, we have been supplying broadcast engineers and technicians, studios and stations with efficient, durable audio components of every shape, size and design. As a broadcast professional you already know, and probably use, our products.

Just look around your studio for a moment. From the simplest audio connectors and patch cords to more sophisticated jack field and impedance matching transformers, Switchcraft products are an integral and basic part of the broadcasting and recording industries.



As you have grown, so have we. Our commitment to quality and excellence has led us to technological advances such as the "QG" Quick Ground connectors, a product innovation that has yet to be surpassed. All of our components are designed for convenience, durability and perfect sound transmission to insure broadcast and recording excellence.


Today, our product line encompasses thousands of standard and miniaturized components serving the full spectrum of audio requirements. Call us or your Switchcraft Representative today for complete details on all of our components and plug into forty years of experience.

**SWITCHCRAFT INC.**

A Raytheon Company

5555 N. Elston Avenue • Chicago, Il. 60630 • (312) 792-2700

Circle (237) on Reply Card



# Updating FM facilities

By Jerry Whitaker, radio editor

New technology and tougher-than-ever competition are causing station managers and engineers to look closely at their technical plants for ways to improve the performance and reliability of their systems. With the FCC's Docket 80-90 decision and the expected increase in subsidiary communication authorizations (SCAs), FM transmission systems that were acceptable in the past may no longer be adequate.

One of the potential bottlenecks to high quality, wideband transmission overlooked many times is the antenna. Unless presented with a serious an-



Photo: James Hoff

Constructing an FM transmitting facility is an expensive project that should be carefully planned for maximum service area coverage and long-term reliability. Shown is the construction of the transmitting tower and antenna for KPDJ-FM, Eureka, CA. The station's transmitting facility, located atop Kneeland Mountain, CA, operates with 100kW ERP from 2600 feet. A 10-bay circularly polarized antenna is used in the installation.





At TASCAM, we know how exasperating the hi-fi deck can be in any professional environment. The audio quality doesn't approach that of the machines with which it attempts to interface. The biggest hassle is balancing the entire juggling act with transformers and cables that allow the deck to be imposed into the system in the first place.

Well, the fighting's finally over. Whether your needs are for broadcast, recording studio, or multi-image applications, production, on-air, or sound reinforcement systems, TASCAM's professional 122-B and 133-B Cassette Recorder/Reproducers have got your balancing act wired. Out of the box, ready to go, no modifications. With the flick of a switch, each machine offers full compatibility with both high level +4 dBm, XLR balanced and line level unbalanced systems.

Both machines are built to take the most punishing production/dubbing demands. Each delivers professional audio quality far superior to either hi-fi or cart decks. And each offers the features you expect, helping to improve both the precision and ease of your work.

Why fight the system, when there's a truly professional answer to your stereo or stereo-plus-cue cassette machine needs. TASCAM's 122-B or 133-B. See your TASCAM dealer or write TASCAM Production Products, 7733 Montebello, CA 90640, (213) 726-0303.

# FINALLY, CASSETTE MACHINES FOR PROFESSIONALS WHO'D RATHER SWITCH THAN FIGHT.

**TASCAM**  
TEAC Production Products

Copyright 1983—TEAC Corporation of America

**Circle (245) on Reply Card**

April 1984 **Broadcast Engineering** 315

tenna or transmission line problem, the performance of "outside" equipment often is ignored.

A wide variety of antennas is available for use in the FM broadcast band. Although these antennas differ from one manufacturer to another, some generalizations can be made that apply to any FM antenna.

Circular polarization (CP) of the transmitted signal almost universally is employed for FM broadcasting. CP results from equal electric fields in the vertical and horizontal planes of radiation that are out-of-phase by 90° and rotating a full 360° in one wavelength of the operating frequency. The rotation can be clockwise or counterclockwise, depending on the antenna system design. This continuously rotating field gives the CP signal good penetration capabilities, because it can be received by an antenna of any random orientation.

Propagation of RF energy in the FM band is governed by many different factors, such as free-space loss, vegetation, soil conductivity, the Brewster angle and Fresnel zone, multipath and type of terrain. These concerns must be considered when choosing a transmitting site or antenna type.

The need for careful planning of an

FM transmitting facility cannot be overstated. Mistakes in site selection or antenna gain design can be costly to correct after construction has been completed. This word of caution applies especially to stations trying to increase their antenna height or effective radiated power (ERP) to avoid classification at a B1, C1 or C2 level, because of the FCC's 80-90 ruling.

The solution to a low ERP is not necessarily additional bays on the transmitting antenna. Likewise, the solution to a low height above average

terrain (HAAT) is not necessarily additional sections on the present tower. Although these two actions may avoid classification of the station at a lower level, the end result may be disappointing (or even disastrous) when coverage patterns are considered. Safety factors also must be taken into account, such as the capability of the present tower for supporting additional antenna bays. Extending the height of an existing tower is a project that should not be entered into lightly. Unless the structure was designed for

**Table I.**  
**Various combinations of transmitter power and antenna gain to achieve 100kW ERP.**

# Bays	Antenna gain	Transmitter power*
3	1.5888	66.3kW
4	2.1332	49.3kW
5	2.7154	38.8kW
6	3.3028	31.8kW
7	3.8935	27.0kW
8	4.4872	23.5kW
10	5.6800	18.5kW
12	6.8781	15.3kW

\*Transmitter power based on 95% line efficiency.

## AMPRO/SCULLY IS BACK

**TO ORDER PARTS  
AND NEW EQUIPMENT  
CALL**

**(303) 465-4141**



**AMPRO/SCULLY DIVISION**

**2360 INDUSTRIAL LANE  
BROOMFIELD, COLORADO 80020  
(303) 465-4141  
TWX: 910-938-0396**

Circle (243) on Reply Card

**PRE-WIRED**

## AUDIO PATCHFIELDS

**Eliminates Tiresome  
Christmas Tree Blocks**



- **EASIER TO INSTALL • EASIER TO USE**
- **EASIER TO PAY FOR**

**FARRTRONICS MANUFACTURES QUALITY INTER-COM SYSTEMS, AUDIO PATCHFIELDS, DISTRIBUTION AMPLIFIERS AND AUDIO CONSOLES.**

**Ask for our customer list.**



**See Us  
at NAB  
Booth 1709**

**151 BENTLEY ST., UNIT 1, MARKHAM, ONTARIO, CANADA  
L3R 3X9, (416) 475-6720**

**Write for our free folder of Product Data**

Circle (244) on Reply Card



# Your studio is unique. That's why there's a family of Electro-Voice® Sentry® Studio Monitors. Meet the new addition!

Electro-Voice is proud to announce the addition of a fourth member to the SENTRY family of studio monitors. The new MODEL 100EL combines the superb audio reproduction of the SENTRY 100A with an integral 50 watt power amplifier. The SENTRY family now includes a model to meet the requirements of every professional studio.

## **SENTRY 100EL—with an integral power amplifier**

The SENTRY 100EL adds a 50 watt power amplifier to the SENTRY 100A. The internal amplifier has both balanced and unbalanced line-level inputs, an infrasonic filter to reduce distortion and a torroidal transformer—but nothing to get in the way of the trusted SENTRY performance. The SENTRY 100EL is a solution to problems like limited rack space, equipment transport on remotes, or cramped spaces in video editing booths.

## **SENTRY 100A—for tight spaces**

The compact 8-inch, two-way SENTRY 100A is the ideal choice where space is limited but sonic accuracy cannot be compromised. Flat 45-18kHz frequency response, excellent imaging, true rack-mountability, high efficiency and incredible power handling are some of the features that have made the SENTRY 100A the standard of respected studios everywhere.

## **SENTRY 500—for wider coverage**

The Constant Directivity SENTRY 500 broadens the "sweet spot," allowing more than one person to hear the same accurate sound without "beamy" high frequency problems. The 12-inch, two-way SENTRY 500 will produce 96dB at one meter with only a one



watt signal, yet can handle 100 watts of continuous power with 6dB of headroom—400 watts on peaks.

## **SENTRY 505—for "quarter-space" environments**

The SENTRY 505 is the acoustical equivalent of the SENTRY 500 when mounted in a "quarter-space" environment such as the intersection of a wall and ceiling. The front baffle angles downward at either a 30° or 60° angle making this a large monitor that can be easily used in some of the tightest control room and production environments.

## **"Test equipment philosophy" of design.**

Each of the four SENTRY monitors is a consistent, dependable audio reference combining high efficiency, high power handling

and low distortion. All deliver the linear response and uniform polar patterns that are mandatory for stringent quality control.

## **Greg Silsby talks about the SENTRY monitor family:**

"Consistent quality audio requires the test equipment accuracy we've built in to every SENTRY Studio Monitor. If you need quality you need SENTRY."

"Accept the Sentry challenge. Write to me today for the complete SENTRY family story: Greg Silsby, Electro-Voice, Inc., 600 Cecil Street, Buchanan, MI 49107."



*Greg Silsby*

Market Development Manager, Professional Markets



**When quality really counts, professionals count on Electro-Voice.**

Circle (242) on Reply Card

April 1984 *Broadcast Engineering* 317


additional height, a careful engineering study should be conducted to determine how much higher the tower can go, and what reinforcing would be needed to preserve the present mechanical strength.

### Antenna gain


The ideal combination of antenna gain and transmitter power for a particular installation is something few engineers or consultants ever agree on. A variety of different pairings can be made, and predicting which one would be best is a difficult proposition. Because the trial-and-error method is expensive in this case, broadcasters must make an educated guess on the right combination, based on the recommendation of a qualified consultant and the present coverage patterns of other broadcasters in the same market (preferably transmitting from the same general area).

If the presence of the ground could be disregarded, there would be virtually no difference between any combination of antenna gain and transmitter power that yielded the same effective radiated power. This, however, is not the case.

Often it is suggested that the best coverage patterns result from the highest reasonable transmitter power



**Figure 1(a).** The effects of antenna gain on flatland service area coverage. In this application, a low gain antenna with beam tilt should be used. The scale is exaggerated to illustrate the principle involved.



**Figure 1(b).** The effects of antenna gain when applied to a mountainous region. A high gain antenna with beam tilt should be used in this application. The scale is exaggerated to illustrate the principle involved.

## THE DATUM COMMITMENT: Time Generation, Reading, Recording, and Display for Video Applications



### SMPTE TIME CODE EQUIPMENT

- Longitudinal and Vertical Interval Time Code generation and reading including user bits
- Jam sync, dubbing and external control capabilities
- NTSC/EIA RS170A and PAL/EBU 3079-E color video signal compatible
- Internal character generation of decoded or generated frame number and time-of-day or user bits



### NETWORK SOURCE IDENTIFICATION CODE ENCODERS AND READERS

- Encodes input SMPTE Serial Time Code and 8 bit source number into the 48 bit SIO code
- Reader automatically scans the vertical blanking interval and, displays and outputs the decoded source number and time




### DIGITAL TIME DISPLAYS

- Up to nine decimal digits on 7-segment LED display
- Up to 2 inch high LED display configurations
- Parallel BCD input at TTL compatible levels
- Can be shelf, rack cabinet, wall or ceiling mounted

**datum inc** TIMING DIVISION

1363 State College Blvd., Anaheim, CA 92806  
(714) 533-6333



### AUTOMATIC VIDEO MAGNETIC TAPE SEARCH SYSTEMS

- Remotely controls operation of attached video magnetic tape recorder/reproducer
- Automatic searching for selected start and stop times by reading and comparing time code recorded on video magnetic tape
- Industry standard computer compatible interfaces available for programmable control of tape search operations

TD109

Circle (246) on Reply Card





## Quartercam™ from Bosch. If you're going half-inch, you're only going half-way.

**Bosch Quartercam leapfrogs half-inch technology with a remarkable quarter-inch recorder-camera**

Here's your current choice in recorder-camera combinations: either of two incompatible half-inch formats, or the breakthrough Bosch KBF-1 Quartercam.

Quartercam is smaller than the half-inch systems. Lighter—just 16 pounds including lens and battery. More maneuverable.

And the 20-minute quarter-inch cassette is about *one-fourth* the size of a Beta-cam cassette. *One-fifth* the size of a VHS. So small you can stuff it in your pocket. A couple in each pocket!



Quality? Outstanding. Bosch's unique Lineplex™ format produces quality so good you have to see it to believe it. Far better than current three-quarter inch tape. And the audio is beautiful, too.

There's a lot more including field editor, studio VTR, and other system components. Quartercam is a full system.

Is there any point in going half-way with half-inch? Go all the way with Quartercam—the new video recording standard.

Call your local Bosch-Fernseh office. Or get in touch with us directly: Fernseh Inc., P.O. Box 318186, Salt Lake City, UT 84131 (801) 972-8000.

# BOSCH

Circle (247) on Reply Card

April 1984 *Broadcast Engineering* 319

[www.americanradiohistory.com](http://www.americanradiohistory.com)

# THE LEGEND LIVES

**LJ-10**  
**14 INCH  
EXTENDED PLAY  
REPRODUCER**

**LJ Scully**  
THE L.J. SCULLY MFG. CORP.  
138 Hurd Ave., Bridgeport, Ct. 06604 U.S.A.  
203/368-2332  
**THE ORIGINAL SCULLYS**

Circle (248) on Reply Card

**Polyline Corp.**  
**REELS & BOXES**  
FOR AUDIO AND VIDEO TAPE  
PROFESSIONAL QUALITY  
ALL SIZES  
Shipped from Stock  
(312) 297-0955  
1233 Rand Road  
Des Plaines, IL  
60016

Circle (249) on Reply Card

## FM classifications simplified

By Bob Weirather, Harris Corporation, Quincy, IL

FCC Docket 80-90 has caused much confusion among FM operators regarding new station class designations. The commission's order requires FM stations to meet certain minimum antenna height and effective radiated power (ERP) requirements or be permanently declassified at a lower level. Stations have, in the past, had the option of beginning operation with facilities below the full licensed power and height allowed by FCC rules and, when

economics permitted, improving their plant to the licensed level. Docket 80-90, however, places a time limit on updating facilities for stations currently operating at less than full capacity.

Docket 80-90 gave FM broadcasting three new classifications: B1, C1 and C2. Figure 1 and Figure 2 graphically show the new divisions. (For a more complete understanding of the implications and requirements of 80-90, see the docket itself.)




Figure 1. The Docket 80-90 classifications for Zone 1 and Zone 1A stations.




Figure 2. The Docket 80-90 classifications for Zone 2 stations.

### Reading the charts

Stations located in Zone 1 and Zone 1A should use Figure 1, and Zone 2 stations should use Figure 2. The respective charts show the minimum and maximum facilities for each classification. Mark your antenna height above average terrain (HAAT) on the vertical axis and ERP on the horizontal axis of the proper zone chart. Plot the in-

tersect point and read your current classification. Further examination of the chart will show the minimum facilities that must be met to avoid being permanently placed in the lower position.

Note that to be a Class C station, you must have 100kW ERP from an elevation of at least 300 meters (984 feet).



and the lowest antenna gain needed to give the licensed ERP. This is not necessarily true, however, as demonstrated in Figure 1(a) and Figure 1(b).

The lower the antenna gain, the broader the radiation pattern. This is a requirement for the situation shown in Figure 1(a), but it is a waste of money and power for the example shown in Figure 1(b). A good share of the energy from the transmitter to city B would be radiated above the horizon if a low gain antenna were used. A high gain antenna, which will narrow the beam, should instead be paired with the transmitter serving city B. If the same high gain antenna were used at location A, however, the chances are fairly good that acceptable performance would not be available to the city of license because the majority of the transmitter energy would skim over the top of the city.

For greatest efficiency, electrical beam tilt can be designed into a high gain antenna. A standard antenna radiates more than half its energy above the horizon, thus losing it for practical purposes. Electrical beam tilt, caused by delaying the current to the lower elements of the antenna, can be used to provide more useful power to the service area.

Mechanical beam tilt sometimes is

used by a station in a particularly difficult mountainous location. In this arrangement, the antenna itself is mounted at an angle from the tower. Any attempt at substantial mechanical beam tilt should be closely examined by a structural engineer.

Another method used occasionally to increase the field strength over the primary service area is to employ a directional antenna with a radiation pattern specifically designed for the particular location. This is accomplished by special construction of the antenna using radiating and reflecting parasitic elements. Figure 2 shows a typical directional pattern available from one antenna supplier, Harris Corporation. The antenna consists of two driven horizontal elements, one horizontal parasitic reflector and one driven vertical element. In certain applications, vertical parasitic elements can be added to further shape the vertically polarized component.

#### Pattern correction

Another method to maximize radiation to the service area is pattern optimization. The characteristics of the transmitting antenna are affected, sometimes greatly, by the presence of the tower, if side-mounted, or by nearby tall obstructions (such as another




Figure 2. A typical radiation pattern (horizontal plane) for a Harris directional antenna.


transmitting tower) if top-mounted. Unless the antenna was tuned at the factory on a tower identical to the one it finally would be mounted on, the presence of the supporting structure can severely distort the radiation pattern. The tower causes reflections of

## More DB's Per Dollar!

### Highest Power Across All Broadcast Bands.

R.F. Technology, Inc. introduces the new Powerline series of solid state, weatherproof RF Power Amplifiers. When the broadcaster wants microwave RF power . . . R.F. Technology is the company to turn to. The new Powerline series really delivers: 10 watts at 7GHz is commonplace for us!

But, there's much more to R.F. Technology than amplifiers. We manufacture a complete range of fixed and portable broadcast microwave equipment. With our good delivery times and our excellent service, come to the company that gives more DB's per dollar!



See us at Booth 171 at the NAB Show




145 WOODWARD AVENUE, SOUTH NORWALK, CT 06854  
PHONE: (203) 866-4283 TELEX: 3722030 RFTECH

TECHNOLOGY, INC.  
A CONTINENTAL MICROWAVE PLC COMPANY





# Field report:



Shown are one of the A-810 tape tension sensor elements and its associated electronics circuit card (in the foreground). The deck headblock assembly also can be seen. Note the shielding used on the playback head audio cable.

# Studer A-810 tape recorder

By David Smith, chief project engineer, audio, Editel, New York, NY

The audio post-production room at Editel is an audio-for-video facility based on Studer tape machines, so it came as no surprise when Studer Revox America offered our company an in-house demonstration of Studer's new 2-track unit, the A-810. I had heard repeatedly that although this new machine's transport was microprocessor-controlled (as in previous Studer models), the audio setup also was under the supervision of the microprocessor. In other words, there were no screwdriver adjustments. I have been carrying a tweaker around for some 11 years, and I am a great believer in techniques such as non-standard equalizations, underbiasing and generally playing the tape deck as a musical instrument. The idea of a

self-aligning machine left me skeptical and somewhat apprehensive.

The day the A-810 arrived, I saw it aligned for record and playback with the push of several buttons. The alignment procedure demonstrated a heretofore unseen synthesis of tape recorder and computer that was fully programmed to converse with inhabitants of the real world, human and electronic. The level of software development immediately quashed my fears about automated alignment. The machine is managed entirely by microcomputer, including the establishment of audio parameters. Operational settings are dictated by the user. The computer's primary purpose is to execute instructions and store them in memory for later access.

## SHIVELY LABORATORIES FM and TV ANTENNAS



FM MODEL 6814 25KW PER BAY



FM MODEL 6810 10KW PER BAY



SIRA TV MODEL UTV-01/24

PATTERN STUDIES AND  
OPTIMIZATIONS AVAILABLE

WRITE OR CALL FOR INFORMATION ON  
ANTENNAS  
TRANSMISSION LINE  
FILTERS  
PATCHING SYSTEM  
COAXIAL SWITCHES  
DIPLEXERS  
POWER COMBINERS

SHIVELY LABORATORIES  
A DIVISION OF HOWELL LABORATORIES  
36 HARRISON ROAD  
BRIDGTON, MAINE 04009



(207) 647-3327  
TWX 710-223-8910  
Shively BRGT

Circle (252) on Reply Card

### SMPTE time code feature

The main reason for demonstrating the A-810 at Editel was to spotlight an optional feature of the unit that uniquely suits it to video post-production, where SMPTE time code is employed universally for synchronization. This is the first production machine that uses biphase recording to place time code signals between stereo audio tracks on 1/4-inch tape. The technique allows the code to be recorded without the cross-talk usually associated with time code. So successful was the A-810 in this respect that within two weeks of installing the demonstration model, the machine had become indispensable.

The Studer system records the SMPTE time code on a center track 0.33mm wide, using specially designed combination heads placed on either side of the audio record and reproduce heads. As shown in Figure 1, the combi-head to the left side of the headblock (when facing the recorder) performs the time code reproduce and audio erase functions. The combi-head on the right side functions as the time code erase and subsequent record device. It also performs code reading functions when the transport is in the shuttle mode, allowing rapid access to a particular section of tape. Because the time code and audio




Figure 1. The Studer time coincident center channel SMPTE code system used in the A-810 tape recorder. According to the company, this arrangement keeps code-channel-to-audio-channel cross-talk at less than 90dB.

## The world sees more through Angénieux than through any other lens

That 7 of every 10 video cameras used to shoot the '84 Winter Olympic Games in Sarajevo were equipped with Angénieux lenses shouldn't surprise you. Or that the COPAN Olympics were shot with 39 Angénieux lenses. After all, Angénieux was the first video lens to send pictures from the moon and is still NASA's prime choice in space.

Obviously, reliability is a major factor in choosing Angénieux. But, there's much more.

Innovation for one thing. Angénieux has never believed in leaving well enough alone. We invented the retro-focus design and the finest practical zoom lens.

We have a lifelong commitment to optical superiority in everything we design and make. That's why cameramen, broadcasters and major studios consistently look to Angénieux to enhance their images.



**angénieux** Corp. of America

FOR MORE INFORMATION ON OUR WIDE RANGE OF PRODUCTS  
CONTACT THE FOLLOWING ANGÉNIEUX BROADCAST SALES OFFICES

**North/South Americas** 7700 N. Kendall Drive  
Miami, FL 33156  
Tel. (305) 595-1144 Telex 80-8425

**Canada** 190 Don Park Road  
Markham, Ontario L3R-2V8  
Tel. (416) 475-5454

**Remainder of World** Opticam S.A.  
Case Postale 91  
1211 Geneva 17, Switzerland  
Tel. (22) 362266  
Telex 27670-Opti-CH

Circle (253) on Reply Card



heads are separate, the Studer system is capable of maintaining cross-talk rejection (between audio channels and the time code channel) greater than 90dB, according to company specifications.

Figure 1 also shows the delay line system used to compensate for the tape travel time between the audio and time code heads. This compensation is automatic at all speeds, even in the variable speed mode. The time code system used in the A-810 also allows tape splicing in the normal manner without fear of cutting off the corresponding time code information.

#### Machine design

The A-810 is a compact, rack-mountable tape machine constructed around a light alloy transport casting that holds three motors, a precision-machined mount for interchangeable head blocks, a tape-tension servo system, stabilizer and tachometer rollers, and various power supplies. The capstan operates at all four professional tape speeds (3.75ips, 7.5ips, 15ips and 30ips) and is servo-controlled by a phase-locked loop (PLL) with a natural frequency of 9.6kHz. The spooling motors form servo loops with their associated tension arms. Supply and takeup reel motor torque are controlled by individual switching power


supplies (a first for Studer), allowing more precise tension adjustment and reduced heat dissipation. An air-damped pinch roller gives the tape deck the silent start feature required in on-air control rooms.

Attached to the transport casting is a card cage of motherboard-backplane construction containing all analog and digital electronics. This assembly is protected by a hinged cover, which also contains the transport operating keys and various displays. Large backlit VU meters are standard on the A-810, and their ballistics can be switched electronically to European

The electronics chassis for the A-810 is shown here. Plug-in circuit boards, accessible from the front of the unit, are used for easy field service.

Broadcasting Union (EBU) peak program characteristics, if desired.

The machine can be ordered as a free-standing portable, console or rack-mounted unit. The console configuration has lockable casters and an adjustable deck position feature, which allows the transport to be operated within a 90° arc from full horizontal to full vertical. The console model includes an overhead meter bridge that holds the audio controls at a fixed operating angle independent of the transport. All models of the A-810 include a switchable amplifier and loudspeaker, allowing local moni-




Courtesy of Studer Revox America

## AEG-TELEFUNKEN

Since 1883

invites you to the latest in Broadcast Technology  
at N.A.B. Las Vegas. April 29th-May 2nd  
Visit us at Booth 124



**BAYLY ENGINEERING LIMITED**  
a member of the AEG-TELEFUNKEN group

167 Hunt St., Ajax, Ont., Canada L7S 1P6 (416) 683-8200 Telex 06-981293

## VIDEO PROBLEMS?

## SEE US FIRST



**FIRST WITH SOLUTIONS**

We manufacture a wide range of products designed to interface, monitor, and improve your video system. VAC can show you how to achieve the video quality you demand in your individual application.

**FIRST WITH RELIABILITY**

VAC products have been proving their reliability throughout the video industry for over twelve years. And with a nationwide dealer network of over 160 representatives, you can depend on personal service.

## FIRST WITH SAVINGS

Best of all, you don't have to wait until next year's budget. The low cost and immediate availability of VAC equipment can enhance your system today.

CALL US TOLL-FREE TODAY  
(800) 821-0426

FOR LOCAL SERVICE OR  
TECHNICAL ASSISTANCE

**Video Aids of Colorado**  
2450 Central Avenue  
Boulder, Colorado 80301  
(303) 443-4950

## WE HAVE YOUR SOLUTIONS

## SEE FOR YOURSELF

toring and cueing in the record or playback mode.

A variable speed control is available as an option on the tape deck. It can be mounted in the overbridge assembly on the console version of the A-810, or adjacent to the speed selector switch in other configurations.

## The microcomputer system

The brain of the A-810 is a Motorola 6803 8-bit microcomputer operating on three levels simultaneously. It monitors the operational status of all controls and systems, runs all transport tape handling functions and keeps track of all audio parameters. (See Figure 2.) When the machine is switched on, the microcomputer begins a self-test of all circuits to determine any problems. This routine includes checks of all indicator lamps, push-buttons, random access memory (RAM), power supplies, audio channels and erasable-programmable read-only memory (EPROM) chips. Once these tests are passed, the microcomputer sets all machine controls to their last memorized positions.


In the event that a power supply rail or the spooling motor power controller has failed, the machine is rendered inoperative. Other problems can be handled by the computer under de-rated (limited mode) operating conditions. In such cases, the computer indicates the location of the problem to the operator via an electronic error (EE) visual message and disables that

section of the system. Functions not affected by the failure continue uninterrupted.

The microcomputer has full control of the transport, in that the functions of certain control keys are programmable (or soft) and can be changed. The machine contains a 4-memory autolocator, and the last three autolocate position keys can be reprogrammed to perform tape-dump, remote-control, fader-start, pause and code-channel-ready functions. Certain combinations of buttons read out the elapsed time of the capstan motor and power supplies in hours. When not being used for special functions, the liquid crystal display (LCD) indicates tape position.

A universal serial interface port is optional on the A-810. The port is compatible with RS-232, RS-422 and RS-422 modified. The interface permits external computer control of all transport functions, audio switching and electronic alignment parameters. The serial port also can be used for comprehensive monitoring and testing of all recorder functions.

In the A-810, the typical potentiometers used to set audio parameters have been replaced by 8-bit digital-to-analog converter (DAC) chips. These integrated circuits function as precision 256-step attenuators and give the system microcomputer control over what once was a manual adjustment. Eliminating the alignment pots removes one of the last vestiges of



**Figure 2.** The block diagram of the microprocessor-controlled functions of the Studer tape transport and audio electronics. Note the use of data bus connections between the various circuit cards.



electronic drift, rendering this machine more stable and resettable than any other I have dealt with. Record and playback level, equalization and bias are set by pressing raise or lower buttons corresponding to the chosen parameter. These settings then are stored in non-volatile memory for later recall.

While electrical adjustments are being made, the LCD display reads out the setting values, allowing the user to compile a handwritten log that can be used to re-align manually the tape deck without having to put tape on it. The A-810 stores parameters for two types of tape at all four speeds with NAB equalization and also for two types of tape with CCIR equalization at 7.5ips and 15ips, giving a total of 12 alignment registers. In the event that the deck's registers contain no settings (due to failure of the operator or the machine), the factory has placed a full set of Agfa PER-525 parameters into the operating program. These values automatically will be downloaded into the alignment registers at powerup.

An optional 5-frequency (60Hz, 125Hz, 1kHz, 10kHz and 16kHz) tone generator is available for audio system alignment and routine performance tests. A special feature automatically adjusts the generator output and playback amplifier gain for operation with increased electronics and tape headroom, if desired.

#### The audio system

The audio circuits in the A-810 are analog, and have been perfected to give superb sonic performance. Specifications for major parameters are shown in a sidebar. Tests conducted at Editel indicate that the A-810 easily meets its published specifications. I found the head assembly to be stable and not subject to loss of alignment caused by vibration encountered in normal use. I also have found that there is ample headroom in the electronics portion of the playback system. Levels normally used with the machine leave 18dB or more headroom in the output section. Gain control of the amplifiers contained in the A-810 is accomplished through use of a variable element in the feedback loop of the particular stage, rather than a passive attenuator network. This arrangement preserves maximum headroom throughout the amplifier chains. All electronic circuits in the A-810 are phase-compensated. Gapless timed recording in and out can be programmed by the computer, further increasing the system's flexibility.

The audio input and output stages can be supplied in transformer or active-balanced configurations, depending on the user's preference.

## THE TRUE MEASURE OF PERFORMANCE



### ASACA/SHIBASOKU • CC-5 Color Encoder

The CC-5 is the new world standard color encoder for use with all character generators, chroma keyers and computer graphics systems.

- 2 RGB inputs plus 3 composite video outputs. Additional outputs include R-Y, B-Y, chroma, Y, I and Q.
- Split field color bars generated internally.
- Aperture correction.
- Phase of output signal may be varied from 0°-360°.
- Remote controllable.
- Available in NTSC; PAL B, M, N; and SECAM Systems.

Measure your performance with the best.

**ASACA/SHIBASOKU CC-5.** From RGB to a clean, accurate, composite color signal.



ASACA/SHIBASOKU CORP. OF AMERICA  
12509 Beatrice Street, Los Angeles, California 90066  
Sales, Service: (800) 423-6347 • (213) 827-7144


Circle (256) on Reply Card

## Systemize Your Network Feed

### System 8 from Beaucart

Beaucart combines computer control with 8 top quality recorder-reproducers to bring you the System 8. This low cost system edits and records AP Radio and other network wire services . . . automatically. Its simple and flexible keyboard entry allows you to specify the exact cuts you wish to record. Then the pre-programmed micro-computer controls the recording and provides air-ready cart-ridges.

Beaucart saves you time and effort while giving you the most reliable, flexible way to systemize your network feed.



BEAUCART DIVISION

# UMC

UMC Electronics Company  
460 Sackett Point Road  
New Haven, Connecticut 06511  
Phone: (203) 288-7144

Outside Connecticut,  
toll free: (800) 243-6178

Circle (257) on Reply Card

# Manufacturer's specifications: Studer A-810

Tape speeds:	crystal controlled $\pm 0.2\%$ 3.75, 7.5, 15, 30 ips			
Reel type:	DIN. CINE. NAB. up to 11.1" (282 mm) diameter			
Tape slip:	0.1% max.			
Tape width:	1/4" (6.3 mm)			
Wow & flutter:	30ips	15ips	7.5ips	3.75ips
Peak weighted according to DIN 45507	.03%	.04%	.06%	.12%
Tape timer:	$\pm 0.5\%$ indicating hours, minutes and seconds real time for all speeds			
Rewind time:	approx. 100 seconds for 2500 ft reel			
Stopping time:	less than 2 seconds			
Line inputs:	balanced and floating; optional: transformer or transformerless			
Line outputs:	balanced and floating; optional: transformer or transformerless			
Output level:	max. undistorted output level + 28dBm into 600 ohms			
Equalization:	NAB or CCIR switchable; special (non standard) time constants can be programmed			
Equalization Time Constants:	30ips	15ips	7.5ips	3.75ips
CCIR:	17.5 $\mu$ s	35 $\mu$ s	70 $\mu$ s	90/3180 $\mu$ s
NAB:	17.5 $\mu$ s	50/3180 $\mu$ s	50/3180 $\mu$ s	90/3180 $\mu$ s
Frequency response:	30ips	15ips	7.5ips	3.75ips
(record-reproduce)	30Hz-33kHz	20Hz-30kHz	10Hz-23kHz	10Hz-16kHz
$\pm 2$ dB	35Hz-31kHz	30Hz-28kHz	20Hz-21kHz	10Hz-12kHz
$\pm 1$ dB				
Signal to Noise Ratio:	30ips	15ips	7.5ips	3.75ips
RMS record-reproduce (referred to 6dB above operating level of 510 nWb) unweighted according to NAB standard two track; 2mm track width	72dB	72dB	72dB	68dB
Distortion: at 1kHz (3rd Harmonic)	30ips	15ips	7.5ips	3.75ips
NAB equalization at operating level	1%	1%	1%	1.5%
Crosstalk rejection: (stereo)	70 dB or greater at 1kHz			
Erase efficiency: (15ips)	82dB at 1kHz			
Erase and Bias Frequency:	153.6kHz			

For broadcast applications in which RF is present, I recommend using transformers on the inputs and outputs to minimize interface problems and ground loop possibilities. For most other applications, I suggest using the active-balanced configuration, which gives slightly better sonic performance.

## Maintenance considerations

This tape machine seems to be easy to service, with all electronic assemblies on plug-in cards using plug-in integrated circuits (ICs). As of this writing, I have not received a complete instruction and maintenance manual, but I am told one is forthcoming. A detailed set of operational instructions was supplied with the deck. However, schematic diagrams for the system and troubleshooting procedures had not been completed.

Most electronic parts used in the A-810 appear to be common types that can be obtained from local supply houses. Some of the ICs are somewhat specialized, though, and would have to be ordered from a major semiconductor distributor. Most mechanical parts and transformers used in the machine must be obtained from Studer. Troubleshooting the microcomputer system in the field is not practical because of the system's com-

## BEAT THE OPEN DELTA BLAHS...

If you're running a 3-phase transmitter on open delta electrical service, chances are you're getting inferior results.

Open delta is often provided as a substitute for 3-phase, but unbalanced line impedance degrades performance and switching transients can damage solid-state rectifiers.

A simple, cost-effective solution is a Phasemaster® rotary phase converter. Phasemaster® closes the delta, eliminates undesirable fluctuations and regulates all three lines. It's been proven reliable in 15 years of broadcast applications, worldwide.

## ... AND WHIP THE 3-PHASE DOLLAR-GOBBLER.

Have you found it's going to cost an arm and a leg to run 3-phase lines to your station? It doesn't have to. You can get true 3-phase power from a single-phase source with a Phasemaster® rotary phase converter.

Cost of a Phasemaster® can be as little as 5% of the expense of bringing in utility-supplied 3-phase lines. Phasemaster® regulates voltage, buffers spikes and transients and will operate indefinitely on a 24-hour-a-day basis.


## UNIQUE DESIGN FEATURES PUT PHASEMASTER® FIRST

Phasemaster's® patented features give it unmatched performance, economy and reliability. For more information and a list of radio and TV stations using Phasemaster®, call, toll-free, 800/348-5257, or write to Kay Industries, Inc.


**KAY INDUSTRIES, INC.** 604 North Hill Street  
South Bend, Indiana 46617

Circle (258) on Reply Card

## CHARGE UP THOSE BATTERIES



## WITH TELAN thermoelectric generators



**SINGLE UNITS  
10 TO 90 WATTS  
COMBINE UNITS  
FOR HIGHER  
POWER RATINGS**

- Long term unattended operation ● Safe ● Automatic operation

### APPLICATIONS

- Telecontrols ● VHF and UHF repeaters ● Microwave relays
- Cathodic protection ● Data stations

## TELEDYNE ENERGY SYSTEMS

110 W. Timonium Rd., Timonium, MD 21093-3163  
Phone: (301) 252-8220 Telex: 8-7780 (Tdyener Tima)  
DDD: (301) 252-7926 (Tdyener Timo) Cable: TELISES

Circle (259) on Reply Card



Courtesy of Studer Revox America



The control panel of the A-810 is shown in the portable configuration. Some of the transport buttons are soft and can be programmed to perform various functions.

plexity. Repair of that section is a replace-the-card proposition.

The keyboard command switches are non-contacting Hall elements for long life and reliable performance. They appear to be relatively coffee-proof. However, I am somewhat concerned that the electronics bay (which sits below the command buttons) could be subject to damage from coffee spills when the machine is ordered in the console configuration. Operators of this deck should put their coffee cup somewhere else.

The A-810 contains a large amount of electronic hardware, and the heat generation from the system is substantial for a 2-track deck. The company has assured me that this is normal. It does seem somewhat unusual, however.

### Editing

Editing is an important subject for broadcasters and production facility personnel, and the Studer A-810 offers an array of features to ease the burden of an editor working with time code or razor blades.

Spooling through a section of tape can be done in either direction at any of four speeds (10m/s, 7m/s, 4m/s and 1m/s). With practice, tape can be moved along one word at a time with the toggled spooling feature, a micro-processor routine that exerts precise control over the reel motors. Tape lifters prevent excessive wear of the heads while the machine is in the shuttle mode. The lifters can be defeated for cueing purposes, if desired. A 4-position autolocator system helps the operator find fixed points in the tape reel.

The tape deck comes with a splicing block. However, the position leaves something to be desired.

### Limitations

Although the A-810 is an excellent machine, it is not without its limitations. The transport will not handle 14-inch-diameter reels, making it difficult to produce long music shows recorded at high tape speeds. Also, at this time no pilot tone 60Hz synchronizer is available for the machine, requiring the use of an alternate deck for this task. TV facilities increasingly are subject to film-type synchronization procedures, as film-to-tape transfers proliferate. Other problems with the tape machine include the LCD readout, which is not illuminated and therefore cannot be read in low light environments. An extra in-

**Excellent results and simple operation have made telcom c4 the standard audio noise reduction for Type B VTR's. telcom c4 is now available for the c-format. Call for an evaluation unit today.**

**The telcom challenge to Professional Digital Recorders**

**\$650.00 per card\***

telcom c4 challenges professional digital recording systems to offer for the same price:  
half the dynamic range of telcom c4,  
comparable serviceability,  
similar standardisation,  
interchangeability and  
last but not least the telcom quality of natural sound.

Take an existing analogue recorder (two track or multitrack), add telcom c4 and listen to the results! telcom c4 is the exceptional compander. Only this noise reduction system surpasses digital without the cost of completely new equipment and problems usually associated with implementing new technology. telcom c4 creates improved headroom, and high frequency resolution; lower distortion from tape, better crosstalk attenuation plus a 30dB gain in dynamic range.

telcom c4 is used in connection with ATR's, VTR's, line and satellite transmissions. telcom c4 in its new format will fit your standard noise reduction frame. Find out more about telcom and how you can make the telcom test.

\*Price is subject to change

Contact: Solway Inc., P.O. Box 7647, Hollywood, FL 33081. Tel: (305) 962-8650, Telex 467257

**TELEFUNKEN**  
**ANT**  
Nachrichtentechnik  
Lindener Str. 15 D-3340 Wolfenbüttel  
Phone (05331) 83-1 Telex 95651 ant d

Circle (260) on Reply Card



There has been much discussion at Editel regarding the soft key arrangement. Broadcasters might prefer a simpler arrangement with fewer keys.

machine is ordered in the console form.

In conclusion, the Studer A-810 is a machine that is unparalleled in performance and versatility. I think that the unit's innovative design points the way to the future for audio recording.

The field report is an exclusive **BE** feature for broadcasters. Each will be prepared by the staff of a broadcast station, production facility or consulting firm. The intent is to have the equipment tested on-site. The author is at liberty to discuss his research with industry leaders and to visit other broadcasters and/or the manufacturer to track down pertinent facts.

In essence, these field reports are prepared by the industry and for the industry. Manufacturer's support will be limited to providing loan equipment and to aiding the author if support is requested in some area.

It is the responsibility of **Broadcast Engineering** to publish the results of any piece tested, whether positive or negative. No report should be considered an endorsement by **Broadcast Engineering** for or against a product.

The tape deck reviewed in this report was purchased by Editel for use in its New York City facilities. After this field report was completed, Studer Revox answered two questions brought out in the author's examination of the A-810. Thomas Mintner, director of Studer products in the United States, says an optional LED will be available in the near future to indicate the presence of time code signals. He also said that the digital readout display will be available soon in an LED format, instead of the present LCD, if desired.


For more information on the Studer A-810 tape recorder, contact: Studer Revox America, 1425 Elm Hill Pike, Nashville, TN 37210. **1-7-0000**

1:7-9))))



The A-810 shown is installed in one of Editel's studios. The machine (here in the console configuration) also is available in portable and rack-mount models.

# RTW Peak Meter



# Stereo Peak Program Meter Model 1206

- 101 segment display permits precise peak level metering
- Automatic ON/OFF switching dependent on signal presence
- Auxiliary input for full scale metering of low level inputs

audiotronics. inc.


3750 Old Getwell Rd.  
Memphis, TN 38118, USA  
Tel.: (901) 362-1350  
Telex: 533356

Circle (261) on Reply Card

## VITC ENCODE-DECODE



## MODEL VIE-224 ENCODER



## MODEL VID-225 DECODER

- **Decodes longitudinal and/or VITC and outputs a SMPTE longitudinal code at a rate proportional to either input to provide an automatic interface with most edit controllers.**
- **Encodes VITC on any combination of vertical interval lines from 10 through 20 on either or both fields.**
- **Two separate modular instruments for maximum flexibility and economy.**
- **Works in conjunction with your existing SMPTE longitudinal code equipment.**



**GRAY ENGINEERING LABORATORIES**

**NAB  
Booth  
1755**

504-P West Chapman Avenue  
Orange, CA 92668 • 714/997-4151

Circle (262) on Reply Card



## Adding blue-gun-only capability to the Sony PVM-1900

Carl Armon  
Technician  
WNEV-TV  
Boston, MA

Being able to display only the blue channel has advantages in setting up videotape equipment. Blue, being most susceptible to noise, simplifies optimizing adjustments of the VTR, particularly in matching head settings of quadruplex machines. Unfortunately, the blue-gun-only mode is not available in many monitors that otherwise are well-suited to many areas of a TV facility.

A simple modification may be made to the Sony PVM-1900. The components are inexpensive (about \$35), and the procedure requires less than an hour to complete. The result allows a PVM-1900 or CVM-1900 with tuner to be used in the studio with a blue-gun-only display mode.


The added circuitry removes the red and green signals from the CRT by breaking the circuit paths and inserting equivalent circuit conditions in place of the signals. This leaves only the blue signal to reach the CRT screen.

Only one component, a diode found on the main printed circuit board (PCB) of the monitor, is replaced in the modification. Of the additional parts, the most expensive are two relays. Potter and Brumfield HP11D relays were chosen at \$16 each, because their small size allows easy attachment to the CRT PCB.

The modification has been made on seven PVM-1900 monitors at WNEV-TV. These monitors, used in the 1/2-inch YIQ format edit suites, have been in continuous 24-hour operation for more than six months. To date they have been trouble-free.

Modification procedures are performed as follows:

- Remove the back cover (five screws). Two screws at the rear of the chassis must also be removed to allow the chassis to slide out of the cabinet. Sufficient slack is provided in chassis cabling to allow the chassis to be



PVM-1900 monitor with blue-gun-only switch.




Figure 1. PCB location guide. Control switch mounts in front of the M board. Relays and components mount on the C board.

#### Editor's note:

The interior of a video monitor contains a high vacuum CRT and the ever-present possibility of stored, residual high voltages. Use care when working inside the unit. Also, this modification may void a warranty on the equipment.




Figure 2. Partial schematic of the main (A) PCB. TP92 and the location of D349 are shown.

pulled out far enough to perform the modification.

- Disconnect a black ground wire between the chassis and CRT housing at the CRT end.

- Release the following cables from their plastic guides: a red high voltage cable leaving the flyback transformer (two guides); all wires going from the main PCB to the CRT yoke and to the CRT socket PCB (three guides); and all cables running along the bottom of the CRT housing (five guides).

- Lift the plastic chassis locking tab at the right of the chassis and carefully slide the chassis out of the cabinet about 10 inches.



- Remove six control knobs from the front of the set (V Hold, Sharp, Hue, Color, Bright, Picture); then completely loosen the five screws that hold the control chassis to the front of the set. (See Figure 1.) The screws are captive to the circuit board. The board may be carefully pulled back, with the right end being moved out of the way to expose the portion of the case where the blue-gun-only switch will be mounted.

- Drill a 1/2-inch hole about three-quarters of an inch above the center of the panel. Viewed from the front, it will be to the left of the Auto color switch and at about an 11 o'clock position from the Subvolume control. Viewed from inside the set, the posi-

tion is at the center of a 3/8-inch circle that appears slightly indented into the plastic. Alternative to drilling, a round-tipped soldering iron may be used to melt a hole through the plastic, working from the inside. Remove any burrs from around the hole.

- Solder a 30-inch and an 18-inch length of wire to the toggle switch that

**Figure 3.** Schematic for the blue-gun-only modification addition to the CRT (C) PCB. Dotted lines indicate where components attach to relay coils for a ground connection.



**Figure 4.** Layout of the C PCB, showing placement of the relays and ground foil.

**When YOU want  
NICKEL CADMIUM**

*RELIABLE AND INEXPENSIVE*

**PE 200**

Kwik-Klip® Battery

also available  
with Snap-On™  
Mount



**Rugged  
Compact  
Built-in  
Charger**

**Visit Us at  
NAB 1729**


Available in 13.2V 4AH; 14.4V 4AH  
and 12.0V 2.2 AH

**YOU want  
PERROTT**  
a name you can depend on

7201 Lee Highway, Falls Church, Va. 22046 (703) 532-0700

Circle (263) on Reply Card

**YOU'LL BE SURPRISED  
AT NAB —**



When you see what Magnetic Media, Shook, & Hitachi have put together for 1984, Visit the Cost Effective Team at **Booth #1310** during the NAB-84 Convention in Las Vegas.

**MAGNETIC MEDIA**

**VIDEO SYSTEMS PROFESSIONALS**


4801 KELLER SPRINGS RD.  
DALLAS, TEXAS 75248

**(214) 931-0404**


Hitachi Denshi America, Ltd.

Circle (264) on Reply Card





The completed blue-gun-only circuit mounted on the CRT PCB.



**Figure 5.** Partial schematic of the CRT (C) PCB indicates where the red and green signal wires are severed for attachment to added relays.

will be installed in the hole. Loosely twist the wires together before mounting the switch in the hole.

- Remount the front-control-panel PCB and tighten all five screws. Replace the control knobs.
- Replace diode D349 on the main PCB with a 1N4003, keeping the same polarity. (See Figure 2).
- Slide the main chassis toward the front of the set, leaving it out about three inches to give working room. Reinsert the cables from the bottom of the CRT housing into their respective cable guides and tighten the guides.
- Solder the free end of the 18-inch wire to TP92, and 15Vdc source on the main PCB. (See Figure 2).

- Cut the 30-inch wire near the TP92 location. Slide a short section of heat-shrink tubing over one end and attach the cut ends of the wire to the ends of a 39 $\Omega$ , 1/2W resistor. Solder the connections and shrink the tubing over the resistor and wire junctions.

## CRT PCB preparation and wiring

- Install a 1N4003 diode and 1.2k $\Omega$  resistor (in series) from one normally open (NO) terminal of each of the relays. (Note the polarity of the diode in Figure 3.) Install a 1.2k $\Omega$  resistor from the other NO terminal of each relay. Use one of the relay-coil terminals as the ground connections for the components.

- Use a short section of insulated wire to connect the normally closed (NC) terminals on each relay, as indicated in Figure 3.

- With 5-minute epoxy or a super

## PLANNING AN MMDS SYSTEM?

Come to *Booth #1508* at the NAB convention and discuss the world's first operational multi-channel MDS system, see some of the equipment used, and go over any technical questions you may have with our engineers.



COMEX CORPORATION  
P.O. Box 17011  
Dulles International Airport  
Washington, D.C. 20041  
(703) 471-4215

**Circle (265) on Reply Card**

## The Mean Little Kit




New compact 24-piece kit of electronic tools for engineers, scientists, technicians, students, executives. Includes 7 sizes screwdrivers, adjustable wrench, 2 pair pliers, wire stripper, knife, alignment tool, stainless rule, hex-key set, scissors, 2 flexible files, burnisher, miniature soldering iron, solder aid, coil of solder and desoldering braid. Highest quality padded zipper case, 6 x 9 x 1 3/4" inside. Satisfaction guaranteed. Send check, company purchase order or charge Visa or Mastercharge. We pay the shipping charges.

**JTK-6 Tool Kit . . . . . \$95.00**

## Free Catalog!

Page after page of hard-to-find precision tools. Also contains complete line of tool kits and tool cases. Send for your free copy today!



**JENSEN TOOLS INC.**  
7815 South 46th St., Phoenix, AZ 85040  
Phone: 602-968-6241 TWX:910-950-0115

**Circle (266) on Reply Card**

## NEW FROM RCI PRO ADAPTER MODEL 440




A complete two channel amplifier system providing proper interface of pro and semi-pro gear. Its balanced output drives 600 ohm lines at +4 or +8 dBm, keeps on going to +24 dBm before clipping. Dual fixed attenuators provide -10 dB nominal return. A tight  $\pm 1/4$  dB response in a 20-20 KHz bandwidth provides remarkably transparent sound. A super tool at an affordable price. Just **\$219.95** at better Pro Audio Dealers

**RCI ENGINEERED  
AUDIO SYSTEMS**


8550 Second Avenue  
Silver Spring, MD 20910  
(301) 587-1800

Circle (267) on Reply Card



**CORNELL  
DUBILIER**

### Mica Capacitors


**LARGE**



**STOCK**



### VACUUM CAPACITORS



**SURCOM ASSOCIATES, INC.**

305 Wisconsin Avenue  
Oceanside, California 92054  
(619) 722-6162

Circle (268) on Reply Card

glue, attach the relays to appropriate areas of the CRT PCB, as shown in Figure 4. Allow the adhesive to set.

- Attach the remaining end of the 30-inch wire to the hot ends of the relay coils.

- Connect a wire between the ground ends of each relay coil (the common point to which the components were previously attached) and to the ground foil of the CRT PCB. A black wire from the main PCB attaches to that foil to aid in the point identification.

- Cut the green wire that connects to the CRT PCB at three inches from the board, then solder the ends of the

green wires to the common (CO) terminals of the relay closest to them. (See Figure 5).

- Cut the red wire that connects to the CRT PCB at two inches from the board and solder the ends of the red wires to the CO terminals of the second relay. (See Figure 5).

- Carefully plug the CRT PCB onto the CRT.

- Place all cables removed from cable guides at the beginning back into the guides and secure them.

- Slide the chassis back into the monitor cabinet and secure with the two screws. Then, replace the back cover. (1:7:~)))

## Simple remote-control tally drivers

Robert Ramsaur  
Engineer  
KBYU-TV  
Provo, UT

Most modern-day broadcasting equipment is designed to be remote controlled. You usually can find a connector on the rear panel labeled *Remote*. If your equipment has this feature, you should be able to connect switches to the appropriate pins and operate the device from some distant location. If you are fortunate, the remote connector also will provide tally information to indicate what operation the machine currently is performing.

Unfortunately, not all equipment you wish to control will have fully remotored control and tally lines. To add remote control to a particular device, you may only need to add a remote switch that parallels a local switch. If, however, that switch does not cause a tally lamp to light, you have no ready source for a remote tally.

We encountered this problem and designed a \$5 circuit to solve it. Figure 1 shows a basic circuit for latching command information and driving tally lamps. If we push the *Play* push-button (S1), the flip-flop is set, and Q goes high turning Q1 on, lighting the *Play* lamp. If the *Stop* button (S2) is pushed, the flip-flop is reset and Q goes low, which turns off Q1 and the *Play* lamp goes out. At the same time, Q goes high, turning on Q2 and lighting the *Stop* lamp. Resistors R1 and R2 limit the base-to-emitter current. This basic circuit can be adapted to many remote-control applications.

In the case of our Sony 2800/2850 VCRs, the remote connector had full remote-control lines and partial tallies. Tallies for *Play*, *Stop* and *Re-wind* were missing. The machines were easy to remote control because the VCR used momentary switches for all commands. We connected the remote switches directly to the remote




Figure 1. Basic RS flip-flop latch and lamp driver circuit.






Figure 2. Remote control and tally for Sony 2800/2850.

connector, placing them in parallel with the command switches on the VCR itself. The remote connector on the VCR provided 6V power and Record and Pause tallies. We needed a way to remember which command had been issued and to tally Stop, Play and Rewind.

Figure 2 shows the basic flip-flop and driver circuit modified to serve the VCR's remote-control needs. IC-1 forms two flip-flops, one for Play/stop and one for Rewind/stop. Q1-Q3 are used to drive the Stop, Play and Rewind lamps. IC-2 sets the circuit logic so that it follows the VCR's logic. If you are in Play, you must push Stop before you can go to Rewind. The tally circuit indicates what mode the VCR is in, whether the command was issued at the machine or at the remote-control location. This happens because the remote switches parallel the local control switches and either can set or reset the flip-flops.

The basic circuit shown in Figure 1 can be used to generate tally logic and lamp drivers for many remote-control applications found in broadcasting. The circuits are simple to construct and easily can be modified for special applications. They draw little energy and usually can be powered from the equipment they are tallying. [:-:~)]

## MAXIMUM SERVICE IN MINIMUM TIME!

Every day, ECD Industries, Inc. rapidly meets worldwide electronic component needs via up-to-date computer and communication systems.

LOOK NO FURTHER!

NOW STOCKING

The most complete line of CAMERA READY BROADCAST TUBES

for every major color and black & white camera!

Please contact our world corporate headquarters for a catalog and brochure.

ECD INDUSTRIES, INC. 2034 Armacost Avenue Los Angeles, California 90025 U.S.A.

Phone: (213) 820-3009 Call Toll Free: 800-421-7152


Outside of California within the U.S. and Canada: (213) 820-3009

CABLE: ECDI TEL: 194537 FAX: 9103427550

## NEW! PRO PAK Solid Wood, Rackmount Cabinets

20/2  
\$1,295

20/3  
\$615



9 rack units/section

22 rack units

Designed for editing suites, small systems and mobile units. Practical, rugged and attractive.



Call us now for more information at Broadcast Systems Inc. Austin, Texas

800/531-5232 or 800/252-9792 (Tx)

SEE US! NAB Booth 1500

Circle (269) on Reply Card

Circle (270) on Reply Card

## CORPORATE DATA

**Audio & Design Recording Ltd. and Calrec Audio Ltd.** have concluded an agreement in which Calrec acquired a substantial stake in the US subsidiary **Audio + Design Recording**, based in Seattle. Nigel Branwell, formerly vice president of the US corporation, becomes president. To reflect the Calrec involvement, the name has changed to **Audio + Design Calrec**.

A new company, **Knudson & Benson Associates**, specializing in the design and specification of TV studios, performing arts facilities and places of public assembly, has been formed. Knudson, a registered architect, was formerly the associate director of plant facilities planning for CBS Television Network in New York, and is a graduate of the Yale University Theater Engineering Program. Benson is a professional lighting designer, author and teacher, with 20 years' experience in studio lighting control system design and specification. He was president of Skirpan Lighting Systems before establishing this practice with Knudson. The company is located at 3002 89th Place SE, Mercer Island, WA 98040; telephone 206-232-2273.

A special license from the US Department of Treasury enabled **Wold Communications** to proceed with live telecasts from Reno, NV, to Emtelcuba, Cuba's international telecommunications carrier. Boxing matches between amateur teams of the United States and Cuba were featured in the 4-hour telecast from Lawler Event Center in Reno. The transmission plan used a domestic satellite (Telstar 301) from the West Coast to Miami, then terrestrial microwave for the 90-mile Caribbean Sea link to Havana. Normally, TV from the United States to Cuba is routed through international satellite, but Intelsat was unable to provide the four hours required by Emtelcuba.

**RCA's Broadcast Systems Division and Rank Cintel Ltd.** have announced an agreement that gives RCA's Broadcast Systems Division non-exclusive rights to market NTSC, PAL and SECAM versions of Rank Cintel's solid-state broadcast telecine worldwide as the RCA TKS-100. RCA will sell the unit through its sales representatives and will then provide warranty coverage, installation, servicing, spare parts and training. Rank Cintel also will market the telecine as the ADS 1 through its own outlets worldwide, including Rank Precision Industries in the United States.

**Innovative Concepts Int'l.** has been appointed to represent **EECO** time code products in the 13 Western states. ICI also represents Anton/Bauer, Audiotechnics, Video Aids of Colorado, Knox Video Products, Nova Systems and Zie-Mark.

**ADDA Corporation** has agreed in principle to acquire **Control Video Corporation**, Campbell, CA. Control Video will continue to operate under the direction of Wayne J. Lee, president, and founder Larry Seehorn, as vice president.

**RCA and Ampex** have announced an OEM agreement that will allow RCA to begin worldwide marketing of the Ampex VPR-80 1-inch helical-scan videotape recorder. **RCA's Broadcast Systems Division** also will provide servicing, warranty coverage, installation assistance, training and spare parts for the recorder, which RCA will

market as the TH-400. The TH-400 will be available in NTSC, PAL and SECAM standards.

## EQUIPMENT SALES

Under an agreement announced by CBS, **Scientific-Atlanta** will provide satellite earth stations to CBS and some of its affiliated stations. The earth stations will be installed at various CBS locations and at CBS Television Network affiliated stations across the country as part of a plan to convert the network distribution system from the existing terrestrial network to a satellite-based system. The network conversion plan was initiated in the fall of 1983 and will continue with a roll-out plan that will be completed in 1986. A number of stations in strategic locations across the country also will be equipped with occasional transmission capability. The first 10 installations in the United States were scheduled to be completed and operational early this year, and other installations will proceed at the rate of about 20 per quarter.

**Spar Aerospace Ltd.** of Ste. Anne de Bellevue, Quebec and Toronto, has reached agreements worth more than \$20 million for the sale of 26 satellite earth stations and the transfer of related technology to the People's Republic of China. The earth stations will form a major part of China's planned satellite communications system.

**Comtech Antenna Corporation** of St. Cloud, FL, has delivered 3.8m and 5m transportable audio uplink antenna systems to the IDB Communications Group of Los Angeles, CA. Both transportable systems were used to uplink SCPC audio for a number of the major college bowl football games this past season.

**Microdyne** has announced a \$300,000 order from Anixter UK Ltd. for satellite TV receiving equipment to be used in Great Britain. Anixter UK was to take delivery of 70 1100BDC-12 block downconverters and 90 1100DCR-12 receivers in the first months of this year. The equipment ultimately will be used in Britain for distributing TV programming via Intelsat V and ECS satellites.

**Comark Communications**, of Southwick, MA, and Colmar, PA, has announced the receipt of a major contract award from JP Communications for the manufacture and installation of a 30kW UHF TV transmitting facility to serve KPOL-TV/Channel 40 in Tucson, AZ.

**Arch Communications Corporation**, Hartford, CT, has placed an order valued at more than \$3 million for UHF TV transmission and control equipment with the **Broadcast Transmission Division of Harris Corporation**. The equipment will be used at Arch's new TV station, WETG-TV/Channel 61, Hartford. The equipment package includes the first two omnidirectional pattern Wavestar antennas. Also included in the order are a Harris 220kW UHF TV transmitter, which is equipped with multi-channel (stereo) sound capabilities; a Harris 9100 facilities control system for intelligent remote control of the transmitter; and a Harris fully protected hot standby STL/TSL microwave system. Harris will install all the equipment except the antennas.

Recent orders of **Bogner** high power TV broadcast antennas include: Channel 23, Decatur, IL; Channel 51, Ocala,



# THE AGONY AND THE ECSTASY




## AGONY:

You work hard to keep your plant clean. A little tweak here, another adjustment there.

It's an endless maze of video paths, and you're the guy in the hot seat.

To make matters worse, everytime you

have things just the way you want them, somebody decides to plug in a new video source. It's tweaking time again and the longer it takes, the more it costs. Agony, pure agony.



## ECSTASY:

The Grass Valley Group Proc Amp. Always SC/H phased. You get full regen-

eration of sync and burst, adjustable blanking width, soft and hard clippers, independent adjustability of

chroma and luminance, external reference and much more. Ecstasy.

To find out how our solution can solve your problems, contact the nearest Grass Valley Group regional office listed below. Tell them you're tired of being the tweaker of the house.

## THE GRASS VALLEY GROUP, INC.®

P.O. BOX 1114 GRASS VALLEY CALIFORNIA 95945 USA • TEL (916) 273-8421 TWX 910-530-8280


A TEKTRONIX COMPANY

Offices: **Eastern Regional:** 499 Thornall St, Edison, NJ 08817, (201) 549-9600 • **Southeastern District:** 1644 Tullie Circle N.E., Ste 102, Atlanta, GA 30329 (404) 321-4318 • **Midwestern Regional:** 810 West Bristol St, Elkhart, IN 46514 (219) 264-0931 • **Northwestern District:** 3585 North Lexington Ave, Ste 238, Arden Hills, MN 55112 (612) 483-2594 • **Southwestern District:** 316 Seminary South Office Bldg, Fort Worth, TX 76115 (817) 921-9411 • **Western District:** 1032 Elwell Court, Ste 244, Palo Alto, CA 94303 (415) 968-6680 • **Western Regional:** 21243 Ventura Blvd, Ste 206, Woodland Hills, CA 91364 (213) 999-2303

Circle (271) on Reply Card

April 1984 *Broadcast Engineering* 337

# THE TRUE MEASURE OF PERFORMANCE



## ASACA/SHIBASOKU SV11A Video Sweep Generator

The SV11A measures frequency response on high resolution, wide-band color video equipment. It has a frequency band ranging from 100 kHz to 30 MHz. You also get a choice of two amplitude ranges: wide range covering the whole band in one sweep, and narrow range centered on a particular frequency. Sweep signals may be selected by the switching V sweep of the built-in sync signal and power line frequency. A variable marker and six fixed marker waves are built-in and may be set to desired frequencies.

- Generates sweep (0.1–30 MHz), Wide sweep width (3–30 MHz), Narrow sweep width (1–10 MHz).
- 6 pre-settable fixed frequency markers plus variable marker with digital readout.
- 22.5 db level marker can be inserted to 0.5 db steps, facilitating readout.
- Composite sync signal and VD signal available.
- On-off switch for sync signal, color burst signal and setup.
- CW output.
- Available in NTSC; PAL B, M, N; and SECAM systems.

Measure your performance with the best.  
**ASACA/SHIBASOKU SV11A.** Wide band video sweeps up to 30 MHz.

For complete specifications, write:



ASACA/SHIBASOKU CORP. OF AMERICA  
12509 Beatrice Street, Los Angeles, California 90066  
Sales, Service: (800) 423-6347 • (213) 827-7144

Circle (272) on Reply Card

FL; Channel 28, Columbus, OH; Channel 28, Corkville, TN; Channel 43, Bridgeport, CT; and Channel 52, Oklahoma City.

Microdyne has announced an agreement to supply a new \$1 million, 2-channel satellite radio distribution system for Florida Network. The initial agreement calls for a permanent single-channel-per-carrier (SCPC) uplink to be installed at WKIS in Orlando, FL, and for approximately 50 downlinks to be installed statewide at the network's various affiliates. Microdyne also will supply a transportable audio-only uplink for the network's second channel.

Toyo Recording Company Ltd. in Tokyo has installed a complete Ampex post-production system valued at more than \$1.1 million in its new editing suite. The suite features five Ampex VPR-3 1-inch helical-scan videotape recorders, a 2-channel Ampex Digital Optics (ADO) system, an ACE computerized editing system, an AVC-33 production switcher and ATR-102/ATR-104 and MM-1200 audio recorders.

### NEW ADDRESSES, DIVISIONS

Atlanta-based **VideoStar Connections** has expanded its staff and opened a Midwest regional office just outside of Chicago. Johan Praats, VideoStar's Midwest region sales manager, will be in charge of the new office. The new address is Suite 400, 999 Plaza Drive, Schaumburg, IL 60195. Telephone number is 312-843-7323.

**Comprehensive Video Supply Corporation** has opened a West Coast distribution center. The new facility is located at 14731 Franklin Ave., Tustin, CA 92680; 714-669-1138.

**Fortel** has moved to a new, larger facility at 2985 Gateway Drive, Norcross, GA 30071. The phone number is 404-449-4343. The new facility has more than twice the floor space than the old location.

**Digital Entertainment Corporation** has announced the opening of its latest sales and service facility located at 2200 Hillsboro Road, Nashville, TN 37212. The phone number is 615-298-6613.

!:-:-)))))

### News

Continued from page 4

#### ITFS to see increased activity

Agreements between Microband Corporation of America and a number of educational institutions soon may result in additional TV programming for US viewers. Following regulatory changes in the Instructional Television Fixed Service (ITFS) allowing ITFS licensees to lease their excess channel capabilities to other organizations, Microband already has made arrangements with institutions in at least 24 US cities to transmit the new signals before the end of this year.

The ITFS spectrum, authorized by the FCC in 1963, set 2500-2690MHz aside as a supplemental band for educational TV broadcasting services. License holders have been limited to educational, institutional, governmental and non-profit organizations, and programming has been held to instructional and cultural materials. The new regulations and arrangements will allow Microband's Urbanet, a wireless CATV service, to transmit "the Pay TV programs consumers want, as well as the instructional programming America needs," according to Mark Foster,



Microband board chairman.

The program fare to be provided by Urbanet will be a combination of satellite-relayed premium programming and instructional material produced by the institutions to which the licenses are assigned. Because each licensee holds more than one 6MHz channel, simultaneous multi-channel operation is possible, with as many as 12-18 specialized program services being provided to a community.

Working with Microband in the venture are such educational institutions as the Network of Instructional Television (NITV), Harvard University, the University of California, the Pennsylvania Hospital Television Network, the Hispanic Information and Telecommunications Network, and a number of public schools and community colleges. Some of the cooperating organizations previously have operated limited power ITFS systems during the 20 years of the service's existence.

The 1983 re-regulation of the ITFS concept by the commission may bring to an end a running battle that has waged between Microband and other multipoint distribution service (MDS) operators and ITFS proponents. Not only has MDS been given eight of the originally available 31 channels in the 2GHz band, but now the commercial operation will use from 1-4 additional channels of what was strictly non-commercial spectra.

Waivers also have been given to ITFS operators to use non-standard transmission modes on the channels. These include a SECAM/60 color system in the Anaheim City School District of the Los Angeles area, and non-NTSC-compatible formats for specialized needs in transmission of medical programs. In the commission's re-regulation of ITFS, a relaxation of technical standards allows licensees the choice of standards and corresponding equipment appropriate to individual instructional goals involved.

Because the service operates between 2.5-2.69GHz, special receiving equipment is needed. Subscribers to the service must use a special microwave receiving antenna that generally will be roof-mounted to receive the strictly line-of-sight signals. A downconverter will change the signals to an unused VHF channel and feed a set-top converter. Through a 2-way telephone link, pay-per-view and other transactional programs may be delivered live or to a subscriber's VCR for delayed use.

### Downtown teleport to be built

The world's first downtown satellite communications teleport—to be constructed on top of the National Press Building in Washington, DC—was announced recently in a news conference at the National Press Club.

The new satellite communications complex, called The National Teleport, will provide direct access to US and Canadian satellites from the heart of the nation's capital. For the first time, domestic and international broadcasters, news organizations, corporations, associations and government agencies will have a convenient and low cost means to transmit video, voice and data to and from Washington.

The National Teleport will be the first teleport located in a downtown area. Such facilities usually are situated in outlying, suburban locations to escape other telecommunications interference. But, because The National Teleport will use state-of-the-art Ku-Band technology, its satellite earth stations can operate in a congested metropolitan area interference-free.

Initial plans call for installing two 5m Ku-Band transmit/receive earth stations with multiple interconnections via fiber-optics, coaxial cables and microwave to locations throughout the greater Washington area. There will be expansion space for as many as six additional earth stations.

1:~:~)))))

# Perfect Timing

## CLOCKS AND TIMERS

FROM \$166



TO \$471



(213) 322-2136

142 Sierra Street, El Segundo, CA 90245

Circle (273) on Reply Card

## IN 1994, YOUR STATION IS SURE TO HAVE ONE FAMILIAR FACE.

The compact console version of the legendary OTARI 5050 "B" is built to be around for many years. It's the 1/4" two-channel professional machine that has been designed with the performance, features and flexibility a broadcaster needs—today and well into tomorrow.

The rugged MARK III-2 has three-speed capability (field-selectable in pairs of 7.5/15 or 3.75/7.5 ips) with  $\pm 7\%$  vari-speed, dynamic braking for gentle tape handling, and it's the only machine in its price category that's available with a full-func-

tion autolocator. The MARK III-2 also features an external machine control interface connector for use with SMPTE time code-based synchronizers or the autolocator. Front panel record calibration adjustments, two-frequency oscillator and an extra 1/4-track playback head are just a few of the helpful production features we've built in.

After you compare features, performance and price, you can feel comfortable making an investment in the machine that's built for the real world.

We're confident of our new MARK III-2. And you can be too.

Contact your nearest dealer who represents The Technology You Can Trust.

**Otari Corporation**  
2 Davis Drive  
Belmont, California 94002  
(415) 592-8311  
Telex: 910-376-4890

**OTARI**

Circle (316) on Reply Card



*Technology you can Trust.*



## Associations

Continued from page 12

randomly selected radio stations will be contacted.

No previous studies have sought to measure comprehensively the amount and manner of use stations make of technologies that support routine program and signal transmission essential to providing service. The use of spectrum and non-spectrum-based applications will be measured. Spectrum applications refer to telecommunications that occur in an open system and make use of the electromagnetic spectrum, such as the broadcast auxiliary services and satellites. Non-spectrum applications include telephone, fiber-optics and coaxial cable.

Applications relating primarily to broadcast signals to the public, as well as those of secondary uses such as data communication, energy management and other new services, will be measured. In each area, present and planned usage levels, satisfaction with technical quality and cost variables will be considered.

### SMPTE

Society of Motion Picture & Television  
Engineers

862 Scarsdale Ave.  
Scarsdale, NY 10583  
914-472-6606

### Component analog tests conducted

Tests of a new time division multiplexed component analog video signal were conducted by the Working Group on Component Analog Video Standards of the SMPTE. The tests were held in a studio of the Canadian Broadcasting Corporation in Montreal during the week preceding the 18th SMPTE Television Conference.

The working group is developing a series of interface standards for parallel and serial interconnections at the studio level and for parallel interconnections of cameras and recorders in the field. The tests were designed to validate choices the group has recommended regarding the form of the signal to be used for single-cable, serial interconnections in the studio, and the waveform to be used to carry that signal.

A special, parallel-component system was assembled to support the tests of the serial component analog video (CAV) signal and waveform. Incorporated were several picture sources, including two cameras, a slide scanner, a character generator and two small format videotape machines for playback of pre-recorded tapes with live action. Also available were a number of test signal generators, including zone plate, a component production switcher and a color matting device.

A specially built multiplexer and demultiplexer were used to convert the parallel component signals to a serial  $Y, C_B, C_R$  signal having an 11MHz bandwidth. The resulting CAV signal then was passed through an environment that included reduced bandwidths (using filters with various corner frequencies and shapes), severe amplitude and phase non-linearities, and a variety of interferences such as hum, noise, line and field rate tilt.

Regarding the test results, Weiss said, "A majority of observers was startled by the robustness of the signal, even under severe distortions in the CAV environment. Distortions which would have destroyed NTSC signals had very little effect upon the CAV signal, aside from the expected reduction in resolution when the bandwidth was reduced."

The group will next proceed to tests of the stability of

# THE MOST COMPREHENSIVE CAMERA MOUNTING AND PROMPTING CATALOG EVER!

LISTEC HAS A COMPLETE  
COMPLEMENT OF VINTEN PAN AND  
TILT HEADS, PEDESTALS, JIB ARMS,  
TRIPODS AND LISTEC PROMPTERS  
THAT WILL HELP YOU ACCOMPLISH  
YOUR MOST DEMANDING  
PRODUCTION REQUIREMENTS.



CALL OR WRITE FOR THE COMPLETE LISTEC  
CATALOG OF VINTEN CAMERA MOUNTING  
EQUIPMENT AND LISTEC MONITOR PROMPTING  
SYSTEMS.

EAST COAST:

**LISTEC TELEVISION EQUIPMENT CORPORATION**

39 CAIN DRIVE, PLAINVIEW, N.Y. 11803

(516) 694-8963 • TX. 640470

WEST COAST:

**LISTEC (WEST) CORP.**

1619 COSMIC WAY, GLENDALE, CALIFORNIA 91201

(213) 247-9247 • TX. 182686

**See Us At NAB Booth 1406**

Circle (275) on Reply Card

April 1984 *Broadcast Engineering* 341

# MAR AUDIO

## A COMPLETE LINE OF FIELD-PROVEN AUDIO COMPONENTS

### IMPAC SERIES FRAME 4900 FOR:

- Preamps • VCA's
- Dist. Amps • Switchers • Line Amps
- Phono/Tape Preamps • And More!

### DISTRIBUTION AMPLIFIER SYSTEM 7821-33

- Single or Dual
- With Compressor • With Mic Pre

### NEWS ROOM SWITCHER 7301

- 10 Source taping fax • Mic Pre for intro

### STEREO COMPRESSOR 7102

- For Master Control or TX Facilities

### CONSOLE MODULES

- Oscillators • Equalizers • Compressor/Limiters
- Power Supplies - AND MORE!

SEND FOR DATA

Visit us at  
NAB Booth 325

100%


## MODULAR AUDIO PRODUCTS

A UNIT OF MODULAR DEVICES, INC.  
50 Orville Drive • Airport International Plaza  
Bohemia, New York 11716 • 516-567-9620

Circle (315) on Reply Card

## THE LAST WORD IN SAFE AREA GENERATORS

### SA-101



- Five separate video channels
- Legal blanking markers • Center cross
- Action/title areas displayed simultaneously
- Remote pattern selection, black/white, on/off for each channel
- Digitally generated • Drift-free
- 10 rectangles can be programed from remote panel—any size, any position and stored in internal memory for display on any channel

## **broadcast video systems ltd.**

1050 McNicoll Avenue, Agincourt, Ontario M1W 2L8  
Telephone: (416) 497-1020 Telex: 065-25329

Circle (194) on Reply Card

the synchronizing waveform proposed to carry the CAV signal. The tests will include compatibility with existing TV facilities.

## NRBA

**National Radio  
Broadcasters' Association**  
2033 M St., NW, Suite 506  
Washington, DC 20036  
202-466-2030

### Inclusion of NAB Programming Conference with NRBA Convention approved

"In recognition of the fact that NRBA has always supported any move that solidifies and unifies the radio industry, the NRBA board of directors invites the NAB's Radio Programming Conference to stage a joint all-radio convention at the NRBA's previously scheduled convention in Los Angeles, with instructions to our Executive Committee to negotiate any agreement which is sensitive to the financial needs of NRBA."

So read the NRBA board of director's resolution unanimously approving the joint effort, at the board's semiannual meeting in February. The board empowered president Bernie Mann and the NRBA staff to work out details with NAB on the matter. The music industry also will be invited to participate in the convention, according to another resolution.

### Radio sales university to be created

NRBA will work to establish a radio sales university in a first-ever program of its kind to train those interested in radio sales. "This will be a sales university on a professional level taught by professionals in the industry," according to the NRBA board of directors.

Specific points remain to be developed for the program. It is expected that the university courses will be taught on a regional basis on college and university campuses within each region.

### Translator action sought

NRBA has petitioned the FCC to begin a rulemaking proceeding to prohibit the assignment of FM translator facilities to communities that already receive primary service from two or more commercial FM stations and to clarify commission rules on the non-commercial nature of FM translators to make it clear that the use of such facilities for commercial profit is prohibited.

In light of the deluge of FM translator applications—650 in October and November—many for markets well-served by full-service stations, NRBA said it believes that without action by the FCC, a new low power FM broadcast service will develop and that the effects of the service could be harmful to the radio broadcasting industry.

NRBA also has asked the FCC to look at some 400 applications that have been filed by one entity using three applicant names.

||:-?>)))||

**Broadcast Engineering's "Help  
Wanted" ads are well-read. Call  
today to place your low-cost ad.**



# people

**Chuck Pope** has been named product manager, 1/2-inch videotape, by Ampex Corporation. In his new position, Pope will be responsible for the VHS and Beta product lines.

**Daniel Antonellis** has joined Videotek as national sales manager. He will direct all sales efforts for Videotek's color monitor, test equipment and terminal equipment product lines. Also, Antonellis will work directly with Videotek's dealers in metropolitan New York, New Jersey, Eastern Pennsylvania, Maryland and Washington, DC.

**Ronald L. Arendall** has been named president of Dynavid Corporation, Indianapolis, IN. Arendall will be responsible for system design, application engineering, marketing and sales for the Broadcast and Industrial Divisions of DVC. Arendall, a registered professional engineer, had been director of engineering at WTHR-TV, Indianapolis, since 1976. He is immediate past president of the Society of Broadcast Engineers.

**Joseph C. Volpe** has been appointed division vice president and general manager of the RCA Broadcast Systems Division. Volpe succeeds **Joseph B. Howe**, who has been named staff vice president and chief engineer on RCA group vice president John D. Rittenhouse's staff. Volpe had been division vice president, operations, Broadcast Systems Division, since October 1983. Before heading the Broadcast Systems Division, Howe served as division vice president and general manager of the RCA Commercial Communications Systems Division since 1981.

Sony Broadcast Ltd. has announced the appointment of **Jeff Meadows** as managing director designate. Early in 1977, Meadows joined NBC News and, based in London, was in charge of its operations throughout Europe, Africa and the Middle East. Returning to New York in 1979 to manage all ENG operations for NBC News, he was appointed managing director of news operations in 1980, with additional responsibilities for studio operations, graphics and news archives. During 1982, he became vice president of engineering and technical services, responsible for development, design and installation of technical facilities for the NBC network generally and the electronic maintenance of its New York facilities. He vacated this post to join Sony Broadcast.

ADM Technology has promoted **Murray Shields** to the new position of vice president of corporate sales. Shields has been with ADM for 11 years and most recently was vice president of sales. **Larry Mandziuk**, who has been with ADM eight years, has been promoted to the new position of staff vice president of advanced programs. Mandziuk was formerly manager of systems engineering. **William Keely** has joined ADM in the new position of vice president of engineering. Most recently, he held several engineering management positions in the electronics group of the Advanced Development Center of National Water Lift in Kalamazoo, MI.


New Media Graphics Corporation has announced the appointment of **James A. Frantzreb** as Northeast sales manager. Before joining the company, Frantzreb held senior sales management positions with Pioneer Video, Unicom, MP Video and Crimson.

The appointment of **Stuart Rauch** as national sales

## PREWIRED AUDIO JACK PANELS

**BJ-240A**

\$545



**BJ-200**

\$350

Rear View

- Prewired and pretested
- Cable strain relief
- Easy cleaning
- All jacks wired to back plane

**BJ-240A**

- 24 normal-thru (selectable)

**BJ-200**

- Economical
- 26 normal-thru circuits
- Occupies 1 rack unit

Connectorized and Bantam versions available.



Broadcast Systems Inc.  
Austin, Texas  
800/531-5232 or 800/252-9792 TX

**SEE US! NAB Booth 1500**

Circle (276) on Reply Card

## THE KEY TO YOUR SYSTEMS

Whatever your systems needs

**Victor Duncan, Inc.**

can provide it TURNKEY... Design, Installations, Supervision and Service of complete television packages including:



VIDEO CAMERAS & RECORDERS  
SWITCHERS & SPECIAL EFFECTS  
EDITING EQUIP. & SUITES  
TIME BASE CORRECTORS  
TEST & TERMINAL EQUIP.

CUSTOM RACKS & CABINETS  
VIDEO MONITORS & PROJECTION SYSTEMS  
TRIPODS & PEDESTALS  
LIGHTING & AUDIO  
POWER SUPPLIES  
REMOTE TRUCKS



**VICTOR DUNCAN, INC.**

Chicago • 661 N. LaSalle  
Chicago, IL 60610 (312) 943-7300  
Dallas • Four Dallas Communications  
Complex, Irving, TX 75039 (214) 869-0200  
Detroit • 32380 Howard  
Madison Hgts., MI 48071 (313) 589-1900

FILM VIDEO AUDIO

**RENTALS**

**SALES**

**SERVICE**

Circle (278) on Reply Card

# One **SPIKE** Can Cost **DOWNTIME!**

Overvoltage transients can bring the biggest installation down in a microsecond, or damage it cumulatively.

**Surge-Master Heavy Duty Power Line Protectors** give complete protection against all transients.

All audio and video transmission equipment is vulnerable to transients on AC power lines caused by heavy motors starting up (even elevators or testing your auxiliary power system), power company load adjustments—and of course, lightning. Even if your equipment operates from batteries charged by a UPS, you're not safe. If lightning knocked out your UPS, how long could you keep going?

The MCG Surge-Master offers two stage protection. The first reacts in nanoseconds to absorb lesser transients and the leading edges of major ones. The second stage absorbs the big ones, and has three modules on each line. So, in the unlikely event that one module should be knocked out, there are still two protecting you. And a system of indicator lights tells you not only when a fault has occurred, but exactly where it is. Modular construction (and the fact that Surge-Master is connected in parallel) makes replacement of damaged modules quick and easy. Initial installation requires minimal power interruption.

Available with capabilities from 100 to 3000 amps; for 120, 240 and 480 VAC; and for single, 3-phase, wye and delta power systems. MCG also manufactures smaller units for protecting individual pieces of equipment. To learn more, contact Department 31020 at 516/586-5133 or at the address below.

*Protecting industry since 1967*

**MCG**

ELECTRONICS, INC.  
12 Burt Drive  
Deer Park, N.Y. 11729



OPTIONAL  
REMOTE UNIT DUPLICATES  
FRONT PANEL

Circle (279) on Reply Card

manager for broadcast and color CCTV dealers for Ikegami Electronics (USA) has been announced.

**Beverly McGill** and **Stephen Dunwoody** have joined Mycro-Tek as representatives for the company's Mycro-Vision video display information system. McGill will be based in Dallas. Her sales territory includes Texas, Arkansas, Oklahoma and New Mexico. Dunwoody will be based in Indianapolis and will cover Indiana, Michigan, Ohio, Kentucky, Tennessee and the metropolitan Chicago area.

**Jon Bart**, national marketing manager of Listec TV Equipment Corporation, Plainview, NY, will join the broadcast equipment staff at Listec (West) Corporation, Glendale, CA. Bart will be responsible for consulting and sales for Vinten camera mounting equipment and Listec visual prompting systems.

EECO has announced the appointment of **Eloy Chairez** to product specialist, video products marketing, Video Products Division. Chairez's primary responsibilities involve new product planning, market research/analysis, and sales and technical support. Before joining EECO, Chairez was associated with Fernseh.

**Joseph M. Bradley** has been appointed vice president of marketing for Varian Associates' Electron Device Group (EDG). Bradley will manage the EDG central marketing organization, which includes a network of field marketing and sales offices in the United States and Europe. He also will be responsible for coordinating divisional marketing activities among the nine operating divisions of the group.

Acrodyne Industries has appointed **Stephen Wozniak** as electrical design supervisor. Wozniak will be responsible for the design of Acrodyne's low power and medium power TV broadcast equipment.

Harris Corporation, Broadcast Group, has announced the appointment of **John F. Delissio** as vice president of systems and service operation. In his new position, Delissio will have general management responsibilities for the operation. Delissio comes to Harris after serving 18 months as vice president/general manager of the Broadcast Division of M/A-COM Video Systems.

**Attila C. Bitto** has been appointed editing products manager for Sony Broadcast Products Company. Bitto's responsibilities will include management of Sony's broadcast editing system, time code products and broadcast audio products. **Jerry Cohen** has been named product manager for cameras by the company. Cohen will be responsible for all marketing aspects of cameras, from interfacing with development and design engineers to supporting the activities of Sony sales engineers.

Ampex Corporation has announced the appointment of **Morgan Rees** as product manager of 3/4-inch videotape. His promotion follows three years of service with Ampex as sales representative for magnetic tape in Florida.

Leitch Video of America has announced the appointment of **Gary Becknell** to the position of marketing manager for the United States. Becknell brings with him 10 years of experience in all phases of TV broadcast engineering.

**Glenn P. Wolk** has been named national sales manager of the Visual Products Division, Hitachi Denshi America Ltd. Wolk joined the company more than a year ago as Eastern regional sales manager for the Visual Products Division.

||:~>))))



# professional services

**VIR JAMES P.C.**  
CONSULTING ENGINEERS  
Applications and Field Engineering  
Computerized Frequency Surveys  
3137 W. Kentucky Ave. — 80219  
(303) 937-1900  
**DENVER, COLORADO**  
Member AFCCE & NAB

**STEIGER, HURRAY &  
ASSOCIATES INC.**  
Broadcast Technical Consultants  
**ANTENNA SYSTEM SPECIALISTS**  
6816 Westview Drive  
Cleveland, OH 44141  
(216) 526-7187

**EVANS ASSOCIATES**  
CONSULTING TELECOMMUNICATIONS ENGINEERS  
AM-FM-TV-CATV-ITFS-LPTV SATELLITE  
216 N. Green Bay Road  
Thiensville, Wisconsin 53092  
Phone: (414) 242-6000 Member AFCCE

**R. L. HOOVER**  
Consulting Telecommunications  
Engineer  
11704 Seven Locks Road  
Potomac, Maryland 20854  
301-983-0054  
Member AFCCE

**ATLANTIC RESEARCH CORPORATION**  
Jansky & Bailey  
Telecommunications Consulting  
Member AFCCE  
5390 Cherokee Avenue  
Alexandria, Virginia 22314  
(703) 642-4000

FCC DATA BASE  
**dataworld™**  
AM • FM • TV • LPTV • MDS  
• Tower Location/Height  
• Allocation Studies  
1302 18th St., N.W. Suite 502  
Washington, D.C. 20036  
(202) 296-4790 800-368-5754

**D. L. MARKLEY**  
& Associates, Inc.  
CONSULTING ENGINEERS  
206 North Bergan  
Peoria, Illinois 61604  
(309) 673-7511  
Member AFCCE

**SULMAR SYSTEMS ENGINEERING**  
WE TURN IDEAS INTO PROTOTYPES  
P.O. BOX 530 BELMONT MASSACHUSETTS 02178  
ELECTRONIC DESIGN CONSULTANTS  
IMAGE PROCESSING DIGITAL VIDEO MICROPROCESSORS  
(617) 862-6358 JOSEPH J. SULMAR

## Radiotechniques

RADIO CONSULTING ENGINEERS  
STATION DESIGN AND SERVICE  
ELECTRONIC PRODUCT DESIGN  
Edward A. Schober, P.E.  
402 Tenth Avenue, Haddon Heights, NJ 08035  
(609) 546-1841

 **RADIO ENGINEERING CO.**  
CONSULTANTS  
NORWOOD J. PATTERSON  
BOX 420  
SANTA YNEZ CA 93460  
(805) 688-2333  
Serving Broadcasters over 35 years

**MIDWEST ENGINEERING ASSOCIATES**  
Consulting Engineers  
150 Wesley Rd.  
Creve Coeur, Illinois 61611  
Phone (309) 698-3160  
F. W. Hannel, P.E.  
Member AFCCE

SINCE 1952 **MSI** Tel. 201-627-7400  
**MICROWAVE SERVICES  
INTERNATIONAL, INC.**  
SATELLITE AND TERRESTRIAL SYSTEMS  
CONSULTANTS • ENGINEERS • CONSTRUCTORS  
FREQUENCY COORDINATORS  
VICTOR J. NEXON, PE 266 W. MAIN ST.  
PRESIDENT DENVER, NJ 07834  
MEMBER AFCEE

**BROADCAST ENGINEERING  
SERVICE COMPANY**  
TV-FM-AM Field Engineering —  
Emergency Maintenance — Turnkey Installation —  
System Design — Survey and Critique —  
Interim Maintenance or Chief Engineer  
**B E S COMPANY**  
100 Star Trail, New Port Richey, Fla 33553, 813-868-2989

**SMITH and POWSTENKO**  
Broadcasting and Telecommunications  
Consultants  
2000 N. Street, N.W.  
Washington, D. C. 20036  
(202) 293-7742

**John Aalto, P.E.**  
Consulting Engineer  
TELEVISION PRODUCTION  
AND POST PRODUCTION SYSTEMS  
(213) 664-9790 1755 North Dillon Street  
Los Angeles, CA 90026

**Dr. Jeremy K. Raines, P.E.**  
Consulting Electromagnetic Engineer  
Antennas, arrays, parasitics, top loading,  
guy wires, and reradiating obstacles  
analyzed using the method of moments.  
13420 Cleveland Drive  
Potomac, Maryland 20850 (301) 279-2972  
Member AFCCE

**T & G OPTICS, INC.**  
71-01 INGRAM STREET  
FOREST HILLS, NY 11375  
COMPLETE REPAIR SERVICE FOR COLOR TELEVISION  
CAMERA BEAMSPLITTER OPTICS, LENSES, COATINGS,  
MULTIPLEXER MIRRORS, FILTERS AND PROJECTORS:  
WRITE OR CALL GERALD PINCUS (212) 544-8156 twenty  
four hour service with pleasure.

**BLAIR BENSON**  
Engineering Consultant  
TV Systems Design and Operation  
23 Park Lane  
Norwalk, CT 06854  
203-838-9049

Why not run  
your business card  
here?  
Only \$50.00  
per insertion.  
Frequency discounts  
available.  
Call 913/888-4664

Reconfirm  
your involvement in  
the broadcast industry!  
**Renew**  
your subscription  
today.

For additional  
advertiser  
information, use  
the Reader Service  
Card in the back of  
the magazine.

ADC Magnetic Controls . . . . .	51,138-139	Celwave . . . . .	248-249	Fujinon Inc. . . . .	53
ADM Technology, Inc. . . . .	IFC	Centro Corp. . . . .	277	Fuji Photo Film U.S.A., Inc. . . . .	29
ADDA Corp. . . . .	296-297	Cetec Antennas . . . . .	187	Garner Industries . . . . .	120
AEG Telefunken . . . . .	303	Cetec Vega . . . . .	84	Gerstenlager Co. . . . .	267
A.F. Associates . . . . .	58-59	Chester Cable . . . . .	189	Graham-Patten Systems, Inc. . . . .	164
AMCO Engineering Co. . . . .	285	Chroma Digital Systems . . . . .	115	Grass Valley Group . . . . .	7,337
ANT Telecommunications . . . . .	329	Chyron Telesystems . . . . .	143	Gray Engineering Laboratories . . . . .	330
Acrodyne Industries . . . . .	157	Cipher Digital . . . . .	260	Great American Market . . . . .	54,196,200
Agfa-Geveart . . . . .	43	Circuit Research Labs, Inc. . . . .	15	Grumman Aerospace Corp. . . . .	245
Allen Avionics, Inc. . . . .	312	Clear Com Intercom Systems . . . . .	160	Clifford B. Hannay & Sons . . . . .	190
Allsop Inc. . . . .	241	Colorado Video . . . . .	186	Harris Broadcast Microwave . . . . .	95
Alpha Audio . . . . .	259	Colorgraphics Systems Inc. . . . .	83	Harris Corp. . . . .	86-87,291
Amek Consoles, Inc. . . . .	209	Colortran, Inc. . . . .	219	Harris Video Systems . . . . .	152-153,132-133
Amperex Electronic Corp. . . . .	116-117	Comark . . . . .	3	Hipotronics . . . . .	62
Ampex Corp. . . . .	11,110-A,110-B,111-114	Comex Corp. . . . .	333	Hotronics, Inc. . . . .	229
Andrew Corp. . . . .	105	Comrex Corp. . . . .	64,66	Howe Audio . . . . .	147-150
Angenieux Corp. of America . . . . .	324	Comtech Antenna Corp. . . . .	63	Hughey and Phillips . . . . .	214
Anixter-Mark . . . . .	125	Conrac Corp. . . . .	158-159	IBC '84 . . . . .	307
Antenna Technology Corp. . . . .	271	Continental Electronics Mfg. Co. . . . .	268	ICM Video . . . . .	322
Anvil Cases . . . . .	170	Control Video Corp. . . . .	82	ITC/3M . . . . .	69
Apis Corp. . . . .	292	Corporate Communication Consultants, Inc. . . . .	100	ITT Cannon . . . . .	213
Aristocart . . . . .	90	Crosspoint Latch Corp. . . . .	352	Ikegami Electronics (USA) Inc. . . . .	57,279,281,283
Asaca/Shibasoku Corp. of America . . . . .	85,338,327	Datron . . . . .	295	Image Video Ltd. . . . .	293
Audico, Inc. . . . .	196	Datum Inc. . . . .	318	Inovonics, Inc. . . . .	174
Audio Engineering Associates . . . . .	270	Delta Electronics . . . . .	145	Interactive Motion Control . . . . .	243
Audio-Technica U.S., Inc. . . . .	195	Dictaphone Corp. . . . .	225	Interactive Systems Co. . . . .	191
Audio Technologies . . . . .	240	Dilor Industries Ltd. . . . .	198	JBL, Inc. . . . .	31
Audio Video Engineering . . . . .	142	Dubner Computer Systems Inc. . . . .	109	JVC Corp. . . . .	199
Auditronics, Inc. . . . .	171,330	Victor Duncan, Inc. . . . .	343	Jensen Tools, Inc. . . . .	333
Avtec Industries . . . . .	177	Dynair Electronics Inc. . . . .	119	Jensen Transformers . . . . .	215
B & K Precision, Dynascan Corp. . . . .	128	ECD Industries, Inc. . . . .	335	K & H Products Ltd. . . . .	94
Bayly Engineering Ltd. . . . .	325	EMCEE Broadcast Products . . . . .	179	Kaman Sciences Corp. . . . .	183-184
Belar Electronic Labs . . . . .	312	EECO Inc. . . . .	107	Kavco Inc. . . . .	173
Belden Fiber Optics . . . . .	175	EEV, Inc. . . . .	96-97	Kay Industries, Inc. . . . .	328
Beyer Dynamic, Inc. . . . .	264-265	ESE . . . . .	339	LEA, Inc. . . . .	140
Bittree . . . . .	200	Eagle Hill Electronics . . . . .	196	L.W. International . . . . .	182
Robert Bosch Corp. . . . .	309,319	Eastman Kodak . . . . .	102-103	Larcen Communications Equipment Inc. . . . .	221
Broadcast Systems, Inc. . . . .	335,343	Electrex . . . . .	236	Leader Instruments . . . . .	5
Broadcast Technologies, Inc. . . . .	253	Electrohome Ltd. . . . .	298	LeBlanc and Dick Communications, Inc. . . . .	263
Broadcast Video Systems . . . . .	342	Electro-Voice Inc. . . . .	317	Leitch Video Ltd. . . . .	151
C.O.A.R.C. . . . .	252	Emcor Products . . . . .	131	Lemo USA Inc. . . . .	91
CSI Electronics Inc. . . . .	197	Environmental Satellite Data, Inc. . . . .	300	Lerro Corp. . . . .	48-49,79
Cablewave Systems . . . . .	261	Eventide, Inc. . . . .	14	Lexicon, Inc. . . . .	65,71
California Paltex Corp. . . . .	295	Evertz Microsystems Inc. . . . .	104	Peter-Lisand Machine Corp. . . . .	224
Calvert Electronics Inc. . . . .	165	Executive Communications . . . . .	134	Listec Television Equipment Co. . . . .	341
Calzone Case Co. . . . .	244	Farrtronics Ltd. . . . .	316	Logitek Electronics Systems, Inc. . . . .	222
Canare Cable . . . . .	30	Fidelipac Corp. . . . .	80-81		
Canon USA Inc. . . . .	135	Film Video Equipment Service Co. . . . .	144		
Capitol Magnetics . . . . .	308	For-A Corp. . . . .	299		
		Frezzolini Electronics Inc. . . . .	270		



3M Professional Audio/  
Visual .....311  
MCG Electronics, Inc. ....344  
MCI/Quantel .....217  
MCL, Inc. ....305  
McCurdy Radio Industries ..IBC  
MPCS Video Industries,  
Inc. ....142  
Magna Tech Electronics Co.,  
Inc. ....22  
Magnetic Media .....332  
Maxell Corp. of America 226-227  
Micro Controls .....108  
Microdyne Corp. ....121  
Microtime, Inc. ....168-169  
Mid-America Automation  
Corp. ....136  
Midwest Corp. ....1,8-9  
Minolta Corp. ....126  
Modular Audio .....342  
Modulation Associates ....161  
Keith Monks Audio (USA)  
Inc. ....252  
Monroe Electronics, Inc. ....92  
R.K. Morrison .....240  
Motorola, Inc. ....141  
NEC America, Inc. ....66,155  
NTI America, Inc. ....178  
Nagra Magnetics Recorders,  
Inc. ....98  
Rupert Neve .....12,13  
Nitty Gritty Record Care  
Products, Inc. ....196  
Omicron Video .....312  
Opamp Labs .....196  
Orban Associates Inc. ....50,137  
Otari Corp. ....340  
PTSI .....232-233  
Pacific Recorders and  
Engineering .....93  
Panasonic  
Corp. ....24-25,32-40,122-123,223  
Penny & Giles .....220  
Perrott Engineering Labs ...332  
Philadelphia Resins Corp. ...68  
Philips Test and Measuring  
Instruments .....127  
Polyline Corp. ....320  
Potomac Instruments .....64  
PowerPak Systems .....252  
Precision Echo .....181  
Q.E.I. ....88,235  
Quad Eight/Westrex .....231  
Quanta Corp. ....210-211  
Quante .....185  
RCA Camera Tube  
Marketing .....55  
RCI Engineered Audio  
Systems .....182,334

RF Technology .....321  
RTI Video Products Co. ....52  
RTS Systems .....301  
R-Columbia Products Co. ...244  
Radio Systems .....275  
Ramko Research .....166  
Real World Technologies ...290  
Ross Video Ltd. ....89  
Sachtler .....101  
L.J. Scully Mfg. Co. ....56,320  
Jos. Schneider Optische  
Werke Kreuznach .....274  
Sencore .....40-A,40-B,41  
Sennheiser Electronics  
Corp. ....236  
Shallco, Inc. ....312  
Shintron Co. Inc. ....70  
Shiveley Labs .....323  
Shure Brothers .....61  
Solid State Logic .....192-193  
Sony Corp. ....44-45,73-77  
Sound Technology .....188  
Stainless, Inc. ....289  
Standard Tape Lab .....240  
Studer ReVox .....255  
Surcom .....334  
Swintek Enterprises Inc. ....118  
Switchcraft .....313  
Symmetrix .....220  
TFT Inc. ....269  
TTC/Ampro Scully .....316  
TTC/Wilkinson .....273  
Tascam div TEAC Corp. ...27,315  
Tech Labs .....252  
Tektronix, Inc. ....17-21  
Teledyne Energy Systems ...328  
Telemet .....194  
Temtron .....200  
Tentel .....240  
Texscan Corp. ....247  
Thomson CSF Broadcast  
Inc. ....251  
Toshiba Corp. ....239  
Townsend Associates Inc. ...257  
UMC Electronics .....327  
Union Connector Co.,  
Inc. ....287  
Utah Scientific .....67  
VSC Corp. ....284  
Valley People, Inc. ....136  
Varian EIMAC .....47,163,237  
Video Aids of Colorado ....326  
Videomedia .....99  
Videotek, Inc. ....167  
Vidicraft .....154  
Ward-Beck Systems Ltd. ....BC  
Will-Burt Co. ....106  
Winsted Corp. ....214  
Yamaha .....129,130



## IN OUR CONTINUING EFFORTS TO SERVE YOU...

From time to time, Intertec Publishing Corp. makes its subscriber lists available to carefully screened companies or organizations whose products, services, or information may be of interest to you. In every case, list users must submit their promotional material for approval. They may use the list only once.

No information other than name and address is ever divulged, although names may be selected by segments to which the particular offer might appeal.

We are confident that the majority of our readers appreciate this controlled use of our mailing lists. A few people may prefer their names not be used.

If you wish to have your name removed from any lists that we make available to others, please send your request, together with your mailing address.

**Direct Mail Mgr.**  
**Intertec Publishing Corp.**  
**P.O. Box 12901**  
**Overland Park, KS 66212**



# classified

Advertising rates in Classified Section are \$1.00 per word, each insertion, and must be accompanied by cash to insure publication.

Each initial or abbreviation counts a full word. Minimum classified charge, \$25.00.

For ads on which replies are sent to us for forwarding (blind ads), there is an additional charge of \$25.00 per insertion, to cover department number, processing of replies, and mailing costs.

Classified columns are not open to advertising of any products regularly produced by manufacturers unless used and no longer owned by the manufacturer or distributor.

## TRAINING

**ELECTRONICS DEGREE** by correspondence. Earn A.S.E.T., then B.S.E.T. Free catalog. Grantham College of Engineering, 2500 La Cienega, Los Angeles, California 90034. 7-82-tfn

**FCC GENERAL RADIOTELEPHONE** operators license through cassette recorded lessons at home plus one week seminar in Boston, Washington, Detroit or Philadelphia. Our twentieth year teaching FCC license courses. Bob Johnson Radio License Preparation, 1201 Ninth, Manhattan Beach, Calif. 90266, Telephone (213) 379-4461. 8-81-tfn

**GET YOUR DEGREE IN VIDEO TECHNOLOGY** after only 14 months of "hands-on" training. VTI, 1806 Royal Lane, Dallas, Texas 75229. Call Bill 214/263-1613. 2-84-3t

**ASPEN AUDIO RECORDING INSTITUTE** accepting applicants for summer 1984. Three 3-week sessions June-August. Intensive hand-on experience in live recording techniques. Noted faculty. Write for brochure: Aspen Audio Recording Institute, Aspen Music Festival, 1860 Broadway, Suite 401, New York, NY 10023. 2-84-3t

## SERVICES

**ONE STOP FOR ALL YOUR PROFESSIONAL AUDIO REQUIREMENTS.** Bottom line oriented. F.T.C. Brewer Company, P.O. Box 8057, Pensacola, Florida 32506. 7-71-tf

**HELIAX-STYROFLEX.** Large stock—bargain prices—tested and certified. Write for price and stock lists. Sierra Western Electric, Box 23872, Oakland, Calif. 94623. Telephone (415) 832-3527. 1-73-tf

**TRANSMITTER TUBES REPROCESSED**—Save 40 to 50%. 3CX2500, 4CX5000, 4CX15000 and many others. Write for details. FREELAND PRODUCTS CO., Rt. 7, Box 628, Covington, LA 70433. (504) 893-1243. 6-79-tfn

**HEAD RE-LAPPING SERVICE.** We expertly refinish all professional non-glass heads. Compare our new low prices over buying new. Two day turnaround. Tucker Enterprises, P.O. Box 10120, Alexandria, Virginia 22310-0120, 703/971-2321. 8-83-tfn

## MISCELLANEOUS FOR SALE

**BROADCAST CRYSTALS** for AM, FM and TV transmitters, hundreds in stock. Vacuum types and special crystals available. Crystal and oven service. Eidson Electronic Co., Box 3751, Temple, Tx. 76501. (817) 773-3901. 12-83-eom

**SURPLUS EQUIPMENT: SCA-EQUIPMENT.** Monitors: TFT-730A, Belar SCM-1; Receiver: McMartin, TR-66C1 (Tuned to 107.3 MHz). Misc. Equipment: FM, RF-Amp; Belar Model RFA-1 (Tuned to 107.3 MHz); Stereo Phone Preamp; Audio Metrics PA-1; Composit Clipper; Modulation Sciences MD-1. Will take best reasonable offer on any of the above items. Contact Dave Good, KKRD-FM, 905 N. Main, Wichita, Kansas 67201. 4-84-1t

**COPPER**—Broadcasting's largest stock of strap, soft-drawn wire, ground screen, flyscreen. All sizes. 317-962-8596. Ask for copper sales. 4-84-4t

Reconfirm  
your involvement in  
the broadcast industry!  
Renew  
your subscription  
today.

## EQUIPMENT FOR SALE

**NEW EQUIPMENT IN UNOPENED** shipping containers. Includes Grass 300 switcher, CMX editor, ADM audio console, etc. Call Clyde Parker WOKR 716-334-8700 for listing and information. 4-84-1t

**IKEGAMI HK-357 STUDIO CAMERA** TV-81 equipped. Mint Condition, very low hours. Attractive Price. APPLIED ELECTRONICS LTD., 299 Evans Avenue, Toronto, Ontario, Canada. R. Kokkila, 416-252-3761. 4-84-1t

**FOR SALE: SONY PS-B80 TURNTABLE**—world's most advanced system, \$1,800.00 less 50%. Lerro Corporation, 3125 N. Broad St., Phila., PA 19132, (215) 223-8200. 4-84-1t

**FOR SALE: 5 RCA TK-44 STUDIO CAMERAS** (Serial #8086-8090) with 30mm plumbicons and Varotal 30 (16-160mm, f 2.2) lenses and manual zoom. All in excellent condition. Asking \$10,000 each. Call Joe Berini, Chief Engineer, KRON-TV. (415) 561-8636. 4-84-1t

**ONE-INCH PORTABLE VTR.** Hitachi HRJ-100. Less than 200 hours. Excellent condition. Includes color playback adaptor, batteries, charger, AC adaptor, cases. Package price \$19,500.00. Also, Sony DXC-1800/VO-4800 package. \$2,000.00. Call Douglas Clapp, (716) 546-5417. 4-84-1t

**TWO HITACHI SK-90 BROADCAST CAMERAS**, 14x1 lenses, digital camera control units, O'Conner 50' & sticks, new tubes, 3000' cable, excellent condition, \$9000 each. 916-926-5620. 4-84-1t

**TWO RCA TK44B CAMERAS WITH CAMERA CONTROL UNITS**, F.18-180 MM Lens, set up for drop in lens...One RCA TPR-10 with heater...Eight Winsted Modesty Panels for 30" racks. Contact: Joe Sweeney, Television Productions and Services, 617-965-1626, TWX710-335-1518. 4-84-1t

**THE UNIVERSITY OF MISSOURI—COLUMBIA** will accept SEALED BIDS until Tuesday, April 10, 1984, for the Sale of Two Used Film Chain General Electric PE-24 (modified to 240) and One Used Sarkes Tarzian Model #75 Multiplexer. For more information contact William J. Reagan, Manager, Broadcast Engineering, KOMU-TV Station, Highway 63 South, Columbia, Missouri 65211. Telephone (314) 442-1122. 4-84-1t

## RENTAL EQUIPMENT

david green

RENT broadcast test gear from the largest inventory in America. Potomac field strength meters and proof of performance systems, Delta operating impedance bridges. Belar modulation monitors, Orban Optimod, Moseley remote control and STL links. Marti RPU equipment. David Green Broadcast Consultants Corporation, 703-777-8660 or 703-777-6500. Box 590, Leesburg, VA 22075. 8-83-tfn

## WANTED TO BUY

**WANTED:** Pre-1923 radio equipment and tubes. August J. Link, Surcom Associates, 305 Wisconsin Ave., Oceanside, CA 92054. (619) 722-6162. 3-76-tf

**HIGHEST PRICES PAID** for 112 Phase Monitors and for clean, one kw or greater powered AM and FM Transmitters. All duty and transportation paid. Surplus Equipment Sales, 2 Thorncliffe Park Dr., Unit 28, Toronto, Canada M4H 1H2, 416-421-5631. 2-79-tfn

**WANTED: STATION LIBRARIES OF MUSIC**, 16" ET's, 12" Transcriptions, 45's, 78's, LP's. Boyd Robeson, 2425 W. Maple, Wichita, KS 67213, (316) 942-3673, 722-7765. 5-82-tfn

**PROGRAM AUTOMATION, ATS**, 1kW FM, 5 bay antenna, STL, audio board, monitoring devices for stereo FM operation. No junk. 122 Starlane, Butte, MT 59701. 2-84-3t

**WANTED**—Reasonably priced equipment to start a student FM radio station at the Florida State University. Donations accepted. Charles Paxton, 310 N. Gadsden, Tallahassee, FL 32301. 4-84-1t

## WANTED TO BUY (CONT.)

**WANTED: ONE INCH VIDEOTAPE Recorder** Type "C" with Time Base Corrector, Ampex or Sony. Good Condition. Mr. Ferrari, Television Latina, Inc. (305) 591-1818. 4-84-1t

**NEEDED FOR MISSIONARY RADIO STATIONS** in Honduras the following used Gates Cartrape II Cartridge systems, 2-4 Bay FM Antenna for 97.3, Turntables, and a 5KW AM transmitter. Contact Don Moore, Evangelistic Faith Missions, P.O. Box 609, Bedford, Ind. 47421. 4-84-1t

## EMPLOYMENT SERVICES

WE PLACE  
**TV and Video Engineers**  
COAST TO COAST

[All Levels, But Not Operators]  
ALL FEES PAID BY EMPLOYERS  
Phone/Resume

**KEY SYSTEMS**

Westminster Road  
Wilkes-Barre, PA 18702

Phone Alan Kornish at  
**(717) 655-1458**

10,000 **RADIO AND TV JOBS** a year for men and women are listed in the American Radio job market weekly paper. Up to 300 every week. Engineers, DJs, Newspeople, Program Directors, Production, Sales. All markets, all formats. One week computer list, \$6.00. Special bonus 6 weeks, \$14.95. You save \$21.00. American Radio Job Market, Dept. 3, 6215, Don Gaspar, Las Vegas, Nevada 89108. 3-84-2t

## HELP WANTED

**ENGINEER: FULL TIME POSITION** for innovative, creative engineer. Need someone who knows video cameras, theory and doesn't mind getting hands dirty. BSEE or MSEE background preferred. Salary negotiable. NISUS Video, Incorporated, 6329 Lomas Blvd. N.E., Albuquerque, N.M. 87110. (505) 268-4587. 4-84-1t

**OPERATING ENGINEERS** wanted for fast growing 37th Market NBC Affiliate. Good benefits plus excellent southern location. Beach or mountains just two hours drive. 1-2 years experience as Tape Operator or Master Control Operator with General Class License. Send resume and salary requirements to Director of Engineering, Durham Life Broadcasting Inc., P.O. Box 1511, Raleigh, NC 27602. 4-84-2t

**CHIEF ENGINEER.** Small market VHF station on the northern coast of California needs strong self starter, experienced in transmitter and studio maintenance and operation. Mild climate, pleasant living in small town atmosphere. Year-round hunting, fishing, camping, hiking. Salary range commensurate with experience and market size. Send resume to Dept. 606, Broadcast Engineering, P.O. Box 12901, Overland Park, KS 66212. 4-84-1t

**SAN FRANCISCO BASED** Audio/Video facility seeks experienced Video Engineer for maintenance and troubleshooting of cameras, VTR's, editing systems, and other production equipment. Many varied responsibilities and occasional travel. Send resume to Dennis Minnick, McCune Audio/Visual, 951 Howard Street, San Francisco, CA 94103. 4-84-1t

**ASSISTANT CHIEF ENGINEER** for second shift at around the clock post-production/production house to do hands on maintenance of two CMX editing suites, EFP gear, etc. Provide engineering support for nighttime editing staff, but no operations work. Should have two to three years experience in post-production facilities, and knowledge of Sony 1" and BVU, Grass Valley switchers, ENG cameras, etc. Send resume to Videosmith Inc., 2006 Chancellor St., Philadelphia, PA 19103, c/o Steve Beuret, (215) 864-0658. 4-84-1t



# There's more than one reason why top engineers want to work with us.

---

## Let's meet at NAB.

Stop by our booth and introduce yourself to a world leader in television switching, signal processing and distribution systems. Broadcasters and production houses repeatedly sing our praises. Our systems enhance their programming capabilities and keep them competitive. Not to mention make their jobs a lot easier.

At Grass Valley Group, state-of-the-art is our starting point for the next generation of broadcast electronics including fiber optics, advanced special effects, and other systems. We're involved in an exciting technological challenge that will have a visible impact on the future of broadcasting.

### Look at a career with us.

We offer security and growth, plus room for personal achievement — features that are actually built into our management policy. That says a lot about

how we care for our employees, and the following available positions are no exception.

Immediate opportunities are now open for digital hardware design engineers, analog design engineers, project managers for video and switching groups, and Division Engineering Manager.

### Leave the city behind.

And take the technology with you. GVG is a high-tech company located in the beauty of the Sierra foothills, about 60 miles northeast of Sacramento. Clean air, affordable housing and the charm of the Gold Country create an ideal lifestyle for your family.

Imagine driving to work each day without the usual traffic jams. And, when the week is over, you can take advantage of varied recreational activities — skiing at Lake Tahoe, gambling in Reno, even opera in San Francisco!

GVG offers outstanding benefits, in addition to challenging career opportunities, growth, security and a scenic, rural setting. We are celebrating our 25th anniversary at NAB. Come see our booth and meet our people. We'll be at NAB in a big way. Interested and qualified applicants may ask for Sylvia Shelton who will take time to explore

career opportunities with them. Or send your resume to her at The Grass Valley Group, Inc., P.O. Box 1114, Dept. AA56, Grass Valley, CA 95945. An equal opportunity employer M/F/H/V.



---

# Grass Valley Group

A TEKTRONIX COMPANY

## HELP WANTED (CONT.)

**U.S. INFORMATION AGENCY, WASHINGTON D.C. TV BROADCAST TECHNICIANS—HELP US BUILD A WORLDWIDE TELEVISION SATELLITE NETWORK.** Apply now for an opportunity to work in international television broadcasting. If you are a technician with experience in computerized videotape editing, you may be eligible to work at the USIA's broadcast TV production facility in Washington D.C. Six years experience in broadcasting or at a broadcast quality production facility required. Work hours 8:45 a.m. to 5:30 p.m. with periodic overtime. Starting salary: \$30,402. Indicate announcement PDP-293-83. Interested applicants are requested to send a standard U.S. Government application form SF-171 to USIA, Attn.: M/PDP, Room 518, 301 4th Street, S.W., Washington, D.C. 20547. Moving expenses to Washington, D.C. must be provided by selected applicant. USIA is an Equal Opportunity Employer. 4-84-11

**MAINTENANCE TECHNICIAN** Knowledgeable with analog and digital circuiting. Maintenance experience with all tape formats, switchers and cameras. UHF transmitter experience and FCC license preferred. Contact Director of Engineering, KSEE TV, P.O. Box 24000, Fresno, CA 93779, (209) 237-2424, EOE, M/F. 4-84-11

**POST-PRODUCTION MAINTENANCE ENGINEER.** Established NYC facility seeks responsible individual preferably familiar with Sony 1" VTRs, CDL Switchers, CMX, Chyron, Quantel, and ADO. Excellent salary and benefits. Reply to Dept. 607, Broadcast Engineering, P.O. Box 12901, Overland Park, KS 66212. 4-84-11

**EXPERIENCED TRANSMITTER SUPERVISOR:** Transmitter supervisor for VHF Television Transmitter. First or General Class FCC License required. Experience in tuning TV Transmitters is essential. Top 100 Station. Mitchell/Sioux Falls, South Dakota. Contact Donald Sturzenbecher at (605) 996-7501. E.E.O. 4-84-11

**SR. CMX EDITOR—**For Commercial Production House. Experience required. Southern Productions, Inc., P.O. Box 121583, Nashville, TN 37212. (615) 248-1978. 4-81-11

**VIDEO TAPE ASSOCIATES AND VTA TECHNOLOGIES—**Video Tape Associates with television production facilities in Atlanta, Georgia and Hollywood, Florida and VTA Technologies a research, development, and manufacturing firm in Hollywood, Florida, are accelerating their expansion plans and therefore have the following openings: **VTA TECHNOLOGIES, HOLLYWOOD, FLORIDA—DIGITAL DESIGN ENGINEERS,** Challenging opportunity for engineers with a television engineering background and the ability to apply advanced technologies to new areas of teleproduction equipment needs. If you are not satisfied with today's methods and equipment help us develop tomorrow's. **SOFTWARE ENGINEERS—**Join the software development team responsible for real time control and manipulation of television signals and equipment. Must be familiar with 68000, 6502 assembly language. **ANALOG ENGINEERS—**Experience with operational amplifiers, linear and non-linear circuits and video signal processing. **VIDEO TAPE ASSOCIATES—ENGINEER IN CHARGE OF REMOTE OPERATIONS, HOLLYWOOD, FLORIDA.** Management position for maintenance engineer with good knowledge of all areas of teleproduction. Only moderate travel required. The position involves the management of remote engineers and teleproduction trucks. Good client relation skills necessary. **MAINTENANCE ENGINEERS, ATLANTA, GEORGIA; HOLLYWOOD, FLORIDA.** Experience and current digital skills necessary. Work with the latest equipment, from computer graphics and ADOs, to Betacam with wireless time code. **TELECINE COLORIST, HOLLYWOOD, FLORIDA.** Film knowledge and experience as well as a strong television background are needed for this position. Work with the Bosch FDL 60 and scene-by-scene computer assisted color correctors. If you are still excited about your profession, and would enjoy working for a company that rewards self-motivation, creativity and innovation contact Michael Orsburn, 2040 Sherman Street, Hollywood, Florida 33020, Phone 305-920-0800. 2-84-31

**TV MAINTENANCE ENGINEER—**Requires experience with Sony 3/4" tape and Ikegami cameras. RF, 1" and microwave experience preferred. Requires FCC General License. Send resume to Marty Peshka, WTNH-TV, Box 1859, New Haven, CT 06508. Equal Opportunity Employer. 4-84-11

**TRANSMITTER MAINTENANCE ENGINEER—KRIV-TV, Metromedia Houston, Texas** has an immediate opening for a conscientious individual. Must have strong UHF background and the desire to advance to supervisory position. New facility with modern equipment. Apply to Wendell R. Wyborny V.P./C.E., KRIV-TV Metromedia, Inc., P.O. Box 22810, Houston, TX 77227, (713) 626-2610. EOE.

**MAINTENANCE SUPERVISOR FOR UHF STATION** in northeastern Ohio. Must have FCC first or general class license and minimum of four years experience in TV broadcasting, with emphasis on transmitter and telecine maintenance. No studio or ENG maintenance necessary. Competitive salary with extraordinary benefits, including university tuition for dependents. Send resume to: John Cervone, WNEO-TV, 275 Martine Drive, Kent, Ohio 44240. An affirmative action/equal opportunity employer. 4-84-11

**ENGINEER FOR MODERN UNIVERSITY TEMECOMMUNICATIONS center/Public television joint facility.** Responsibilities include maintenance and limited operations. Facility includes FM, UHF TV, ITFS, CCTV and production studios. BS in related field and demonstrated technical expertise required. Competitive salary plus university fringe benefits. Apply to: John V. Kuderka, Chief Engineer, Bradley University, WTVP-TV, Peoria, IL 61625, (309) 676-7611 X235. An Affirmative Action/Equal Opportunity Employer. 4-8-11

## POSITION WANTED

**VIDEO MAINTENANCE ENGINEER,** editor, cameraman seeks freelance news or production work overseas. Peter White, 610 Waller St., San Francisco, CA 94117, (415) 552-3780. 4-84-11

# WANT ADDITIONAL COPIES OF SPEC BOOK?

You can easily obtain extra copies of Broadcast Engineering's Spec Book. With its many uses, this special issue is a must for **everyone** interested in comparison data on a multitude of broadcast products.

Spec Book is your basic reference source for broadcast equipment comparisons. To order your additional copies, in their easy-to-use, convenient format, send a check or money order for \$15 to:

**Spec Book**  
P.O. Box 12901  
Overland Park, KS  
66212

Spec Book — for **everyone** involved in buying and specifying products.



# CHINA

## An Exclusive Invitation

**Broadcast Engineering invites you to join this high level delegation.**

You and a limited number of other select international broadcast executives and equipment manufacturers will have a rare opportunity to meet with China's top broadcast station and equipment manufacturing officials and specialists. You will participate in one of the most complete technical tours of the Chinese broadcast industry ever organized. And the first such tour ever offered to the entire broadcast industry.

Sponsored by BROADCAST ENGINEERING in cooperation with The Ministry of Broadcasting and Television, this exclusive technical tour delegation is open to international broadcast station executives, consultants, equipment manufacturers and prominent educators.

### **Itinerary:**

Organized with your needs and interests in mind, the itinerary includes visits to key technical facilities in each Chinese city visited. Delegates will have the opportunity to talk frankly with Chinese broadcast facility and plant operators at the plant and facility sites.

### **China Broadcast Tour Cities:**

- Beijing
- Shanghai
- Guangzhou
- Hong Kong

### **Some China Broadcast Tour Highlights:**

- Radio Peking
- Broadcast Technical Institute
- Central Broadcasting Station
- R&D Foreign Language Dept.
- Shanghai Radio and Television
- Guangzhou Radio and Television
- Broadcast equipment factories
- And more



### **NEW Date:**

14 day tour departs  
May 28, 1984

### **Tour Leader:**

Cameron Bishop, Publisher, Broadcast Engineering, Intertec Publishing Corp.

### **Contact:**

George H. Roman, Roman Specialty Tours, P.O. Box 1607, Lafayette, CA, 94549 USA (415) 284-9180

### **Special Note:**

The number of tour delegates will be strictly limited. Persons interested in participating should inquire early.

### **Mail to:**

#### **China Broadcast Tour**

Roman Specialty Tours  
P.O. Box 1607  
Lafayette, CA 94549 USA

Please send me without obligation information about the  
**CHINA BROADCAST TECHNICAL TOUR:**

Name \_\_\_\_\_ Title \_\_\_\_\_

Company Name \_\_\_\_\_

Address \_\_\_\_\_

City \_\_\_\_\_ State or Province \_\_\_\_\_

Country \_\_\_\_\_ Postal Code \_\_\_\_\_

Telex \_\_\_\_\_ Telephone \_\_\_\_\_

Sponsored by **BROADCAST**  
engineering

Ask  
About the  
Early Registration  
Discount!

# THE 6139

VIDEO PRODUCTION SWITCHER  
ELEGANCE AND DEPENDABILITY



**8, 16 OR 24 INPUTS**  
**LED OR INCANDESCENT LAMP BUTTONS**  
**OPTION FOR FULL MICROPROCESSOR CONTROL IN ANY VERSION**

**ALL VERSIONS HAVE**  
**3 MIX-EFFECTS SYSTEMS**  
**FIVE KEYS**  
**EDGE OR INSERT KEY ON DSK**  
**QUAD SPLIT**  
**TEST MODE FOR SYSTEM TIMING**  
**MIX PATTERN MODE FOR ME3**  
**FULL PREVIEW**

The microprocessor versions of the 6139 operate with the 7203 and the 7239 AUTO DRIVE™, which enable the 6139 to be controlled serially by external computers and editors. Crosspoint Latch has the simplest and most effective switcher protocols in the industry, with the fastest access time. All Crosspoint Latch controllers operate in any of the three standard protocols which provide the user with an excellent compromise between high speed communication and massive data transfer.

## THE 6139 IS AN EXCELLENT PRODUCTION SWITCHER

Each of its three mix-effects systems has the ability to dissolve in wipes and keys. The Program bus can be keyed over or dissolved to, from any of the ME systems or from Quad Split. The downstream key has an insert mode allowing externally generated multicolored graphics to be transmitted through the switcher. The Effects generator has soft edges and soft borders.

THE 6139 CAN BE CONTROLLED BY MOST EDITORS serially with the inexpensive 7203, or with the extremely powerful 7239 AUTO DRIVE™ stores and then reproduces fader arm and positioner movements, allows easy editing of stored events, provides bi-directional serial communication with external devices. AUTO DRIVE™ with its display monitor, is a very flexible and simple means of storing switcher data, allowing the user a full over-view of the stored data, and the ability to modify and edit stored events with precision and ease.

**CROSSPOINT LATCH CORP.**

**8 INPUT LED** \$14,500.  
**24 INPUT ALL OPTIONS** \$70,000.

95 PROGRESS STREET • UNION, N.J. 07083 (201) 688-1510 • TELEX 181160

Circle (280) on Reply Card

[www.americanradiohistory.com](http://www.americanradiohistory.com)



# WE LISTEN



The first step in communicating is listening. We communicate sound. We do it well—we've been listening since 1948 and continue to supply state-of-the-art consoles, intercoms, switchers and systems to the broadcasting media world wide.

We listen not only to sound, but to the people who produce it. People like you. We provide unrivalled



performance, quality control, design, delivery and after sales service. Complete service. From an organization with everything at its fingertips.

Talk to us about your audio needs. Watch us listen . . . and listen to us perform. We deserve to be heard.



## McCurdy Radio Industries

108 Carnforth Road, Toronto, Ontario, Canada M4A 2L4 Tel: (416) 751-6262 Telex: 06-963533  
1051 Clinton Street, Buffalo, New York 14206 Tel: (212) 772-0719

Circle (1) on Reply Card



# Witness Ward-Beck Wizardry!



Visitors to NAB '84 can witness a great leap forward in audio technology. It's the most significant advance since MicroCOM was introduced two years ago.

Witness Ward-Beck wizardry as this totally new microprocessor controlled console system is unveiled. New modules. New circuitry. New flexibility. It leads broadcasters into the next generation of standards . . . Now!



First by Design.

Ward-Beck Systems Ltd.  
841 Progress Avenue, Scarborough,  
Ontario, Canada M1H 2X4.  
Tel: (416) 438-6550.  
Tlx: 065-25399.

Booth #1224.