



## BIBLIOGRAPHY ON CARBOHYDRATE POLYMERS

### 1 Books, Reviews and Symposia

Klyosov AA//Harvard Univ, Sch Med, Ctr Biochem & Biophys Sci & Med, Seeley G Mudd Bldg, Boston, Ma 02115, USA

BIOCHEMISTRY-USA 1990, 29 (47) 10577

Trends in biochemistry and enzymology of cellulose degradation

SEMIN THROMB HEMOSTASIS 1990, 16 (OCT) SUPPL

Fragmin: The new generation antithrombotic agent

### 2 Cellulose

Grebennikov SF, Petropavlovskii GA, Kynin AT, Larina EI, Izmailova PA//SM Kirov Text & Light Ind Inst, Leningrad, USSR

J APPL CHEM-ENGL TR 1990, 63 (1) PT 2, 221

Absorption of water vapor by cross-linked carboxymethylcellulose

Jarnstrom L, Stenius P//STFI, Swedish Pulp & Paper Res Inst, POB 5604, S-11486 Stockholm, Sweden

COLLOID SURFACE 1990, 50 (NOV) 47

Adsorption of polyacrylate and carboxy methyl cellulose on kaolinite - Salt effects and competitive adsorption

Aboushousha MH, Ibrahim NA//Natl Res Ctr, Div Text Res, Cairo, Egypt

ANGEW MAKROMOL CHEM 1990, 180 (AUG) 95

Synthesis and characterization of ethylenediamine-cellulose-poly(glycidyl methacrylate) anion exchanger

Arslanov SS, Petropavlovskii GA, Kotelnikova NE//Acad Sci USSR, Inst Macromolec Cpds, Moscow V-71, USSR

J APPL CHEM-ENGL TR 1990, 63 (1) PT 2, 162

Preparation and properties of mixed esters of microcrystalline cellulosic, sulfuric, and pyromellitic acids

Beard BC//USN, Ctr Surface Warfare, Surface Evaluat Facil, Silver Spring, Md 20903, USA

APPL SURF SCI 1990, 45 (3) 221

Cellulose nitrate as a binding energy reference in N(1S) XPS studies of nitrogen-containing organic molecules

Blair TC, Buckton G\*, Beezer AE, Bloomfield SF//\*Univ London, Sch Pharm, Dept Pharmaceut, 29-39 Brunswick Sq, London WC1N 1AX, England

INT J PHARM 1990, 63 (3) 251

The interaction of various types of microcrystalline cellulose and starch with water

Budnitskii GA, Bakunov VA, Maiboroda LF, Uranskaya EM, Khudaiberdyev VN, Khudayarov UB//Vienna Tech Univ, Inst Allgemeine Elektrotech & Elektr, A-1040 Vienna, Austria

VYSOKOMOL SOEDIN SER B SSSR 1990, 32 (9) 712

Viscoelastic properties of cellulose diacetate solutions

Bushin SV, Bezrukova MA, Astapenko EP, Didenko SA, Khripunov AK, Tsvetkov VN//Acad Sci USSR, Inst Macromolec Cpds, Leningrad, USSR

VYSOKOLMOL SOEDIN SER A SSSR 1990, 32 (10) 2054

Hydrodynamic characteristics and equilibrium rigidity of cellulose acetobenzoate molecules (Russian, English Abstract)

Galgut PN//Univ Coll London Hosp Dent Sch Dent Hyg, Mortimer Market, London WC1E 6AY, England

J PERIODONTOL 1990, 61 (12) 766

Oxidized cellulose mesh used as a biodegradable barrier membrane in the technique of guided tissue regeneration - A case report

As a service to subscribers, each issue of the Journal contains a bibliography of newly published material in the field of carbohydrate polymers. The bibliography is divided into ten sections: 1 Books, Reviews and Symposia; 2 Cellulose; 3 Cellulose-degrading Enzymes; 4 Cyclodextrins; 5 Lignin; 6 Polysaccharides - Named; 7 Polysaccharides - Other; 8 Lipopolysaccharides; 9 Starch; 10 Starch-degrading Enzymes. Within each section, articles are listed in alphabetical order with respect to the subject. When there are no publications to appear under one of these headings, that section will be omitted.

- Heinze T, Klemm D\*, Loth F, Nehls I//\*Univ Jena, Sekt Chem, O-6900 Jena, FRG  
**ANGEW MAKROMOL CHEM** 1990, 178 (APR) 95  
 Spherical ionotropic gels of cellulose derivatives containing carboxy groups as carriers for biocatalysts. 4. Synthesis of carboxy cellulose and ionotropic gelation with calcium ions (German, English Abstract)
- Kai A, Xu P//Tokyo Metropolitan Univ, Fac Technol, Dept Ind Chem, Tokyo 158, Japan  
**POLYM J** 1990, 22 (11) 955  
 Structure of bacterial cellulose brightener complex from aspect of behavior of its mercerization
- Kunath A, Ozegowski R//Acad Sci GDR, Cent Inst Organ Chem, Rudower Chaussee 5, O-1199 Berlin, FRG  
**J CHROMATOGR** 1990, 520 (NOV) 361  
 Enantiomeric separation of racemic alpha-substituted alpha-methylbutyric acid derivatives on microcrystalline cellulose triacetate
- Leza ML, Casinos I\*, Guzman GM, Bello A// \*Univ Pais Vasco, Fac Quim, Dpto Cienc & Tecnol Polimeros, POB 1072, E-20080 San Sebastian, Spain  
**ANGEW MAKROMOL CHEM** 1990, 178 (APR) 109  
 Graft polymerization of 4-vinylpyridine onto cellulosic fibres by the ceric ion method. 1. The reaction time effect
- Leza ML, Casinos I\*, Guzman GM//\*Univ Pais Vasco, Fac Quim, Dpto Cienc & Tecnol Polimeros, POB 1072, E-20080 San Sebastian, Spain  
**ANGEW MAKROMOL CHEM** 1990, 178 (APR) 119  
 Graft polymerization of 4-vinylpyridine onto cellulosic fibres by the ceric ion method. 2. The pH effect
- Maeda M, Fukushi-Fujikura Y, Otsuru O//Saitama Univ, Dept Biochem, Urawa, Saitama 338, Japan  
**CARBOHYD RES** 1990, 207 (1) 91  
 Studies on cell wall polysaccharides from siphonous green algae. 3. Cellulose in the cell wall of the siphonous green algae, *Bryopsis maxima*
- Mukherji G, Murthy RSR, Miglani BD//E-12 31, DLF Qutab Enclave, Phase 1, Gurgaon 122001, Haryana, India  
**INT J PHARM** 1990, 65 (1-2) 1  
 Preparation and evaluation of cellulose nanospheres containing 5-fluorouracil
- Myasoyedova VV, Zavyalov NA, Pokrovsky SA, Krestov GA//Acad Sci USSR, Inst Nonaqueous Solut Chem, 1 Akademicheskaya Str, Ivanovo 153045, USSR  
**THERMOCHIM ACTA** 1990, 169 (NOV) 111  
 Thermochemical characteristics of solutions of cellulose and its ethers and esters
- Nolte A, Holzenburg A//Univ Gottingen, Inst Microbiol, Grisebachstr 8, W-3400 Gottingen, FRG  
**FEMS MICROBIOL LETT** 1990, 72 (10-2) 201  
 Studies on the anaerobic degradation of crystalline cellulose by *Clostridium thermoocellum* using a new assay
- Oren MJ, Gupta YP, MacKay GDM//Tech Univ Nova Scotia, Dept Chem Engn, Halifax, NS, Canada B3J 2X4  
**FUEL** 1990, 69 (12) 1561  
 Infrared study of salt free and salt treated cellulose pyrolysis under nitrogen atmosphere
- Radugin MV, Zakharov AG, Prusov AN, Kraskhin VI//Acad Sci USSR, Inst Chem Engn, Ivanovo, USSR  
**J APPL CHEM-ENGL TR** 1990, 63 (2) PT 2, 360  
 Enthalpy of dyeing of cellulose material in aqueous and aqueous dimethyl sulfoxide solutions of active violet 4K
- Sharma AK, Ramu C//Sri Venkateswara Univ, Dept Phys, Tirupati 517502, Andhra Pradesh, India  
**ACTA POLYM** 1990, 41 (10) 531  
 Thermally stimulated discharge currents in cellulose acetate films
- Stewart CS, Duncan SH, Flint HJ//Rowett Res Inst, Div Nutr, Bucksburn, Aberdeen AB2 9SB, Scotland  
**FEMS MICROBIOL LETT** 1990, 72 (1-2) 47  
 The properties of forms of *Ruminococcus flavefaciens* which differ in their ability to degrade cotton cellulose
- Vlácil F, Kahovec J, Jehliczková A, Uhrová M//Prague Inst Chem Technol, Dept Analyt Chem, CS-16628 Prague 6, Czechoslovakia  
**POLYM BULL** 1990, 24 (5) 533

A metal sorbent with an unbound complexing agent - Polyethylenimine-bead cellulose

Yamagishi H, Saito K\*, Furusaki S, Sugo T, Okamoto J//\*Univ Tokyo, Fac Engr, Dept Chem Engr, Tokyo 113, Japan

CHEM MATER 1990, 2 (6) 705

Permeability of methyl methacrylate grafted cellulose triacetate membrane

Yamamoto I, Takayama K, Honma K, Gonda T, Matsuzaki K, Hatanaka K, Uryu T, Yoshida O, Nakashima H, Yamamoto N, Kaneko Y, Mimura T//Shinshu Univ, Fac Textile Sci & Technol, Ueda 386, Japan

CARBOHYD POLYM 1991, 14 (1) 53

Synthesis, structure and antiviral activity of sulfates of cellulose and its branched derivatives

Zaranyika MF, Moses P, Mavunganidze T//Univ Zimbabwe, Dept Chem, POB MP 167, Harare, Zimbabwe

J POLYM SCI A-POLYM CHEM 1990, 28 (13) 3565

Salt catalyzed heterogeneous dilute acid hydrolysis of the difficultly accessible portion of cellulose - Effect of nature of metal Co-ion

Suto S, Sasaki K, Tateyama S//Yamagata Univ, Fac Engr, Dept Polymer Chem, Jonan 4-3-16, Yonezawa, Yamagata 992, Japan

ANGEW MAKROMOL CHEM 1990, 179 (JUL) 203

Stress relaxation behaviour of liquid crystalline solutions of ethyl celluloses with different molecular weight in m-cresol

Buchert J, Niemela K, Puls J, Poutanen K//VTT, Biotech Lab, POB 202, SF-02151 Espoo, Finland

PROCESS BIOCHEM INT 1990, 25 (5) 176

Improvement in the fermentability of steamed hemicellulose hydrolysate by ion exclusion

Perego P, Converti A, Palazzi E, Delborghi M\*, Ferraiolo G//\*Genoa Univ, Inst Chem Engr Sci & Technol, via Opera Pia 15, I-16145 Genoa, Italy

J IND MICROBIOL 1990, 6 (3) 157

Fermentation of hardwood hemicellulose hydrolysate by *Pachysolen tannophilus*, *Candida shehatae* and *Pichia stipitis*

Grizzuti N, Cavella S, Cicarelli P//Univ Napoli Fed 2, Dipartimento Ingn, Piazzale Tecchio, I-80125 Naples, Italy

J RHEOL 1990, 34 (8) 1293

Transient and steady-state rheology of a liquid crystalline hydroxypropylcellulose solution

Ekwenchi MM, Akunwanne BU, Nnamdi R, Okeke, Ekpenyong KI//Univ Jos, Dept Chem, Jos, Nigeria

FUEL 1990, 69 (12) 1569

Gaseous fuel production from fungal lignocellulose degradation

Zhao S, Somayajula KV, Sharkey AG, Hercules DM\*//\*Univ Pittsburgh, Dept Chem, Pittsburgh, Pa 15260, USA

FRESENTIUS J ANAL CHEM 1990, 338 (4) 588

Use of a nitrocellulose matrix in laser mass spectrometry

### 3 Cellulose-degrading Enzymes

Bronnenmeier K, Ebenbichler C, Staudenbauer WL\*//\*Tech Univ Munich, Inst Microbiol, Arcisstr 21, W-8000 Munich 2, FRG

J CHROMATOGR 1990, 521 (2) 301

Separation of the cellulolytic and xylanolytic enzymes of *Clostridium stercorarium*

Haab D, Hagspiel K, Szakmary K, Kubicek CP\*//\*Vienna Tech Univ, Inst Biochem Technol & Mikrobiol, Mikrobielle Biochem Abt, A-1060 Vienna, Austria

J BIOTECHNOL 1990, 16 (3-4) 187

Formation of the extracellular proteases from *Trichoderma reesei* QM-9414 involved in cellulose degradation

Jaakkola S, Huhtanen P//Univ Helsinki, Dept Anim Husbandry, SF-00710 Helsinki, Finland

ACTA AGR SCAND 1990, 40 (4) 415

Response to cellulase treatment of silage and replacement of barley by unmolassed sugar beet pulp in the diets of growing cattle

Ortega J//Univ Texas Pan Amer, Dept Biol, Edinburg, Tx 78539, USA

TEXAS J SCI 1990, 42 (4) 405

Production of extracellular cellulolytic enzymes by *Fusarium oxysporum* fsp *lycopersici*

Schaffeld G, Cabello L//Univ Catolica Valparaiso, Escuela Ingn Bioquim, Casilla 4059, Valparaiso, Chile

ARCH BIOL MED EXP 1990, 23 (2) 147

Fed-batch production of cellulases from *Tri-*

choderma aurioviride-II growing on leached sugar beet pulp

Singh A, Abidi AB, Darmwal NS, Agrawal AK// Narendra Dev Univ Agr & Technol, Dept Biochem, Faizabad 224229, India

WORLD J MICROBIOL BIOTECHNOL 1990, 6 (3) 333

Saccharification of cellulosic substrates by *Aspergillus niger* cellulase

Tantratian S, Fields, ML\*//\*Univ Missouri, Dept Food Sci & Nutr, 122 Eccles Hall, Columbia, Mo 65211, USA

BIOL WASTE 1990, 34 (2) 123

Enrichment of ground corn cobs with cellulolytic microorganisms

#### 4 Cyclodextrins

Aversa A, Etter W, Gelb RI, Schwartz LM//Colorado State Univ, Dept Phys, Ft Collins, Co 80523, USA

J INCLUSION PHENOM MOL RECOGN 1990, 9 (4) 277

Complexation of aliphatic dicarboxylic acids and anions by alpha-cyclodextrin

Bastos M, Briggner LE, Shehatta I, Wadso I// Univ Lund, Ctr Chem, Div Thermochem, POB 124, S-22100 Lund, Sweden

J CHEM THERMODYN 1990, 22 (12) 1181

The binding of alkane-alpha, omega-diols to alpha-cyclodextrin - A microcalorimetric study

Bender H//Univ Freiburg, Inst Organ Chem & Biochem, Albertstr 21, W-7800 Freiburg, FRG

APPL MICROBIOL BIOTECHNOL 1990, 34 (2) 229

Highly homologous cyclodextrin glycosyltransferases from *Bacillus circulans* strain-8 and a strain of *Bacillus licheniformis*

Colonna S, Manfredi A, Annuziata R, Gaggero N, Casella L//Univ Milan, Ctr CNR, Dipartimento Chim Organ & Ind, via Golgi 19, I-20122 Milan, Italy

J ORG CHEM 1990, 55 (24) 5862

Biomimetic asymmetric synthesis - Enantioselective Weitz-Scheffer epoxidation of vitamin-K3 and analogues in the presence of cyclodextrins

Du YQ, Nakamura A, Toda F\*//\*Tokyo Inst Technol, Fac Biosci & Biotechnol, Dept Biogen, O-Okayama, Meguro ku, Tokyo 152, Japan

BULL CHEM SOC JPN 1990, 63 (11) 3351

Synthesis and binding properties of ethylbipyridinio-modified beta-cyclodextrin

Duchene D, Wouessidjewe D//Univ Paris 11, Pharm Galen & Biopharm Lab, CNRS, URA 1218, rue Jean Baptiste Clement, F-92290 Chatenay Malabry, France

DRUG DEVELOP IND PHARM 1990, 16 (17) 2487

Pharmaceutical uses of cyclodextrins and derivatives

Estes KS, Brewster ME, Webb AI, Bodor N// POB 730, Alachua, Fl 32615, USA

INT J PHARM 1990, 65 (1-2) 101

A non-surfactant formulation of alfaxalone based on an amorphous cyclodextrin - Activity studies in rats and dogs

Feltl L, Tajovska P, Smolkovakeulemansova E\*// \*Charles Univ, Dept Analyt Chem, Albertov 2030, CS-12840 Prague 2, Czechoslovakia

J CHROMATOGR 1990, 520 (NOV) 105

Chromatographic study of the interactions of hydrocarbons with cyclodextrins and their derivatives in the gas solid system

Frijlink HW, Eissens AC, Schoonen AJM, Lerk CF//Univ Groningen, Dept Pharmaceut Technol & Biopharm, Ant Deusinglaan 2, 9713 AW Groningen, The Netherlands

INT J PHARM 1990, 64 (2-3) 195

The effects of cyclodextrins on drug absorption. 2. In vivo observations

Frijlink HW, Visser J, Hefting NR, Oosting R, Meijer DKF, Lerk CF//Univ Groningen, Dept Pharmaceut Technol & Biopharm, Ant Deusinglaan 2, 9713 AW Groningen, The Netherlands

PHARMACEUT RES 1990, 7 (12) 1248

The pharmacokinetics of beta-cyclodextrin and hydroxypropyl-beta-cyclodextrin in the rat

Huang EC, Henion JD\*//\*Cornell Univ, 925 Warren Dr, Ithaca, NY 14850, USA

RAPID COMMUN MASS SPECTROM 1990, 4 (11) 467

Characterization of cyclodextrins using ion-evaporation atmospheric-pressure ionization tandem mass spectrometry

Jarzabek G//Polish Acad Sci, Inst Phys Chem, Kasprzaka 44-52, PL-01224 Warsaw, Poland

- J ELECTROANAL CHEM INTERFAC 1990, 294 (1-2) 253  
Adsorption of beta-cyclodextrin at the polycrystalline gold electrode aqueous solution interface
- Kano K, Mori K, Uno B, Goto M, Kubota T// Gifu Coll Pharm, 56-6-1 Mitahora higashi, Gifu 502, Japan  
J AMER CHEM SOC 1990, 112 (24) 8645  
Inclusion and stabilization of electrochemically generated anion radicals of dicyanobenzenes by cyclodextrins in water
- Kompantseva YV, Gavrilin MV, Botezatbelyi YK, Umnova EF, Andronik IY//Pyatigorsk Pharmaceut Inst, Pyatigorsk, USSR  
KHIM-FARM ZH SSSR 1990, 24 (10) 81  
Investigation of beta-cyclodextrin-cortexolone interaction (Russian)
- Konig WA, Icheln D, Runge T, Pforr I, Krebs A//Univ Hamburg, Inst Organ Chem, W-2000 Hamburg 13, FRG  
HRC-J HIGH RES CHROMATOGR 1990, 13 (10) 702  
Cyclodextrins as chiral stationary phases in capillary gas chromatography. 7. Cyclodextrins with an inverse substitution pattern - Synthesis and enantioselectivity
- Levin PP, Malkin YN, Kuzmin VA//Acad Sci USSR, Inst Chem Phys, Ulitsa Kosygina 4, Moscow 117334, USSR  
CHEM PHYS LETT 1990, 175 (1-2) 74  
Laser flash photolysis study of ketone phenol cyclodextrin inclusion complexes - Geminate recombination kinetics of triplet radical pairs
- Loftsson T, Olafsdottir BJ, Fridriksdottir H//Univ Iceland, Dept Pharm, IS-101 Reykjavik, Iceland  
ACTA PHARM NORDICA 1990, 2 (5) 303  
Comparative study on inclusion complexation of acetylsalicylic acid, cholecalciferol and melphalan with beta-cyclodextrin and gamma-cyclodextrin and some of their derivatives
- Marques HMC, Hadgraft J, Kellaway IW\*// \*Univ Wales Coll Cardiff, Welsh Sch Pharm, POB 13, Cardiff CF1 3XF, Wales  
INT J PHARM 1990, 63 (3) 259  
Studies of cyclodextrin inclusion complexes. 1. The salbutamol-cyclodextrin complex as studied by phase solubility and DSC
- Marques HMC, Hadgraft J, Kellaway IW\*// \*Univ Wales Coll Cardiff, Welsh Sch Pharm POB 13, Cardiff CF1 3XF, Wales  
INT J PHARM 1990, 63 (3) 267  
Studies of cyclodextrin inclusion complexes. 2. Molecular modelling and <sup>1</sup>H-NMR evidence for the salbutamol-beta-cyclodextrin complex
- Pawlowska M, Zukowski J//Polish Acad Sci, Inst Phys Chem, Kasprzaka 44, PL-01224 Warsaw, Poland  
MIKROCHIM ACTA 1990, 3 (1-3) 55  
Solvent-generated HPLC systems with beta-cyclodextrin derivatives as chiral additives
- Richmond MD, Hurtubise RJ\*// \*Univ Wyoming, Dept Chem, Laramie, WY 82071, USA  
TALANTA 1990, 37 (11) 1057  
Solution interactions and solid-matrix interactions in beta-cyclodextrin solid-matrix luminescence
- Sandra P//State Univ Ghent, Organ Chem Lab, Krijgslaan 281, B-9000 Ghent, Belgium  
HRC-J HIGH RES CHROMATOGR 1990, 13 (10) 665  
The enantioselectivity of derivatized cyclodextrins - A plea for more systematic studies (Editorial)
- Sanemasa I, Osajima T, Deguchi T//Kumamoto Univ, Fac Sci, Dept Chem, Kurokami 2-39-1, Kumamoto 860, Japan  
BULL CHEM SOC JPN 1990, 63 (10) 2814  
Association of C5-C9 normal alkanes with cyclodextrins in aqueous medium
- Schipper NGM, Hermens WAJJ, Romeyn SG, Verhoef J, Merkus FWHM\*// \*Leiden State Univ, Ctr Biopharmaceut Sci, Subdiv Pharmaceut Technol & Biopharmaceut, 2312 AV Leiden, The Netherlands  
INT J PHARM 1990, 64 (1) 61  
Nasal absorption of 17-beta-estradiol and progesterone from a dimethyl-cyclodextrin inclusion formulation in rats
- Schurig V, Schmalzing D, Muhleck U, Jung M, Schleimer M, Mussche P, Duvekot C, Buyten JC//Univ Tubingen, Inst Organ Chem, Morgangstelle 18, W-7400 Tubingen 1, FRG  
HRC-J HIGH RES CHROMATOGR 1990, 13 (10) 713  
Gas chromatographic enantiomer separation of polysiloxane-anchored permethyl-beta-cyclodex-

## trin (Chirasil Dex)

Siimer E, Kõbu M, Kurvits M//Acad Sci ESSR, Inst Chem, Tallinn 200108, Estonia, USSR  
THERMOCHIM ACTA 1990, 170 (NOV) 89  
Thermochemical study of cyclodextrin inclusion complexes

Szejtli J//Cyclolab, Cyclodextrin Res & Dev Lab, Endrodi S 38-40, H-1026 Budapest, Hungary  
STARCH 1990, 42 (11) 444  
Complexation of metal ions by cyclodextrins

Szurmai Z, Liptak A, Szejtli J//Lajos Kossuth Univ, Inst Biochem, POB 55, H-4010 Debrecen, Hungary  
STARCH 1990, 42 (11) 447  
Halogen azide displacement to prepare some symmetrically substituted beta-cyclodextrin derivatives

Tabushi I, Nabeshima T\*, Ikeji T, Shinkai H, Yamamura K//Kyoto Univ, Dept Synthet Chem, Kyoto 606, Japan  
TETRAHEDRON LETT 1990, 31 (48) 7017  
The first rigid anion capped beta-cyclodextrin for the effective inclusion binding of hydrophobic cationic molecules

Valsami GN, Macheras PE\*, Koupparis MA//Univ Athens, Dept Pharm, 104 Solonos Str, GR-10680 Athens, Greece  
J PHARM SCI 1990, 79 (12) 1087  
Binding studies of ions with cyclodextrins using ion-selective electrodes

Wenz G, Mischnick P, Krebber R, Richters M, König WA//Max Planck Inst Polymer Res, W-6500 Mainz, FRG  
HRC-J HIGH RES CHROMATOGR 1990, 13 (10) 724  
Preparation and characterization of per-O-pentylated cyclodextrins

Zhang JB, Ndou TT, Warner IM//Chinese Acad Sci, Shanghai Inst Organ Chem, 345 Ling Ling Lu, Shanghai, Peoples R China  
APPL SPECTROSC 1990, 44 (9) 1491  
Investigation of the complexation of pyrene and naphthalene with hydroxypropyl-beta-cyclodextrin

**5 Lignin**

Cornwell KL, Tinlandbutez MF, Tardone PJ, Cabasso I, Hammel KE\*//SUNY Coll Environm Sci & Forestry, Dept Chem, Syracuse, NY 13210, USA  
ENZYME MICROB TECHNOL 1990, 12 (12) 916

Lignin degradation and lignin peroxidase production in cultures of *Phanerochaete chrysosporium* immobilized on porous ceramic supports

Hwang RH, Kennedy JF, Melo EHM, Jumel K//Univ Birmingham, Res Lab Chem Bioact Carbohyd Prots, Dept Chem, Birmingham B15 2TT, England  
CARBOHYD POLYM 1991, 14 (1) 77  
A mechanism for lignification in plants

Kovalenko EI, Kotenko NP//Address not available  
J APPL CHEM-ENGL TR 1990, 63 (2) PT 2, 366  
Electrochemical nitration of lignin

Kurek B, Odier E//INRA, Ctr Biotechnol Agroind, Biochim Lab, F-78850 Thiverval Grignon, France  
APPL MICROBIOL BIOTECHNOL 1990, 34 (2) 264  
Influence of lignin peroxidase concentration and localisation in lignin biodegradation by *Phanerochaete chrysosporium*

Linko S, Zhong LC//Helsinki Univ Technol, Biotechnol & Food Engr, SF-02150 Espoo 15, Finland  
BIOPROCESS ENG 1991, 6 (1-2) 43  
Central composite experimental design in the optimization of lignin peroxidase production in shake cultures by free and immobilized *Phanerochaete chrysosporium*

Sauracalixto F, Goni I, Manas E, Abia R//Univ Complutense Madrid, Fac Farm, CSIC, Inst Nutr & Bromatol, Ciudad Univ, E-28040 Madrid, Spain  
FOOD CHEM 1991, 39 (3)  
Klason lignin, condensed tannins and resistant protein as dietary fibre constituents - Determination in grape pomaces

Schraml J, Kvalcova M, Chvalovsky V, Elder T, Brezny R//Czechoslovak Acad Sci, Inst Chem Proc Fundamentals, CS-16502 Prague 6, Cze-

choslovakia

MAGN RESON CHEM 1990, 28 (11) 973

<sup>29</sup>Si and <sup>13</sup>C NMR spectra of 4-substituted 2-methoxytrimethylsilyloxybenzenes - Factors determining the chemical shifts in models of lignin constituents

Vinogradova LG, Kiprianova AF, Nikitina TV, Fedorov MK//SM Kirov Wood Technol Acad, Leningrad, USSR

J APPL CHEM-ENGL TR 1990, 63 (2) PT 2, 451

Electrical surface properties of hydrolytic lignin

## 6 Polysaccharides - Named

Alcantara A, Ballesteros A, Sinisterra JV\*\*  
\*Univ Complutense Madrid, Fac Pharm, Dept Organ & Pharmaceut Chem, E-28040 Madrid, Spain

APPL BIOCHEM BIOTECH 1990, 26 (3) 297

New methodology for tosylation of hydroxylic supports as exemplified by the immobilization of micrococcal endonuclease on agarose

Demiroglou A, Jenissen HP\*\*/Univ Gesamthsch Essen, Inst Physiol Chem, Hufelandstr 55, W-4300 Essen 1, FRG

J CHROMATOGR 1990, 521 (1) 1

Synthesis and protein-binding properties of spacer-free thioalkyl agaroses

Ekman P, Pedersen M//Univ Uppsala, Dept Physiol Biot, Box 540, S-75121 Uppsala, Sweden  
BOT MAR 1990, 33 (6) 483

The influence of photon irradiance, day length, dark treatment, temperature, and growth rate on the agar composition of *Gracilaria sordida* Nelson, W. and *Gracilaria verrucosa* (Hudson) Papenfuss (Gigartinales, Rhodophyta)

Shimizu K, Sakai N, Takahashi A//Mie Univ, Dept Ind Chem, Tsu, Mie 514, Japan  
POLYM J 1990, 22 (10) 901

Agarose gel electrophoresis of polyelectrolytes

Kametani F, Bangun H, Ikeda Y, Shimabayashi S\*\*/Univ Tokushima, Fac Pharmaceut Sci, Shomachi 1-78-1, Tokushima 770, Japan  
CHEM PHARM BULL TOKYO 1990, 38 (10) 2623

Interaction of alginic acid with organic diacidic base piperazine

Rochas C, Taravel FR, Turquois T//CNRS, Ctr Rech Macromolec Vegetales, BP 53X, F-38041 Grenoble, France

INT J BIOL MACROMOL 1990, 12 (6) 353

NMR studies of synergistic kappa-carrageenan carob galactomannan gels

Watase M, Nishinari K, Williams PA, Phillips GO//Shizuoka Univ, Fac Liberal Arts, Oya, Shizuoka 422, Japan

POLYM J 1990, 22 (11) 991

Effect of tetra-alkyl ammonium bromide on the rheological and thermal properties of kappa-carrageenan and agarose gels

Nishioka Y, Kyotani S, Okamura M, Miyazaki M, Okazaki K, Ohnishi S, Yamamoto Y, Ito K//Kochi Med Sch Hosp, Dept Pharm, Nankoku, Kochi 783, Japan

CHEM PHARM BULL TOKYO 1990, 38 (10) 2871

Release characteristics of cisplatin chitosan microspheres and effect of containing chitin

Hoppensteadt D, Walenga JM, Fareed J//Loyola Univ, Med Ctr, Dept Pathol, Maywood, IL 60153, USA

THROMB RES 1990, 60 (3) 191

Comparative antithrombotic and hemorrhagic effects of dermatan sulfate, heparan sulfate and heparin

Biswas B, Phillips GO, Williams PA//NE Wales Inst, Deeside CH5 4BR, Wales

POLYM COMMUN 1990, 31 (12) 469

Study of the interaction between polyvinylpyrrolidone and dextran in aqueous solution by the method of isotonic mixing

Forciniti D, Hall CK, Kula MR\*\*/Univ Dusseldorf, Inst Enzymtechnol, W-5170 Julich, FRG

J BIOTECHNOL 1990, 16 (3-4) 279

Interfacial tension of polyethyleneglycol-dextran-water systems - Influence of temperature and polymer molecular weight

Gu KF, Chang TMS\*\*/McGill Univ, Fac Med, Artificial Cells & Organ Res Ctr, 3655 Drummond St, Montreal, Quebec, Canada H3G 1Y6  
APPL BIOCHEM BIOTECHNOL 1990, 26 (2) 115

Conversion of ammonia or urea into essential amino acids, L-leucine, L-valine, and L-isoleucine using artificial cells containing and immobilized multienzyme system and dextran-NAD+ -L-lac-

## tic dehydrogenase for coenzyme recycling

Rao KSMR, Stewart RM, Todd P\*\*/Natl Inst Stand & Technol, 325 Broadway, Boulder, Co 80303, USA

SEPAR SCI TECHNOL 1990, 25 (9-10) 985  
Electrokinetic demixing of two-phase aqueous polymer systems. 1. Separation rates of polyethylene glycol dextran mixtures

Selin MM//Biotekhnika Sci Ind Assoc, Moscow, USSR

KHIM-FARM ZH SSSR 1990, 24 (10) 72  
Osmotic pressure and properties of aqueous dextran solutions (Russian)

Pezron E, Ricard A, Leibler L//Univ Paris 06, Ecole Super Phys & Chim Ind, CNRS, Unite 278, Phys Chim Macromolec Lab, F-75231 Paris 05, France

J POLYM SCI B-POLYM PHYS 1990, 28 (13) 2445

Rheology of galactomannan-borax gels

Gunning AP, Morris VJ//AFRC, Inst Food Res, Norwich Lab, Colney Lane, Norwich NR4 7UA, England

INT J BIOL MACROMOL 1990, 12 (6) 338  
Light scattering studies of tetramethyl ammonium gellan

Cheetham NWH, Walker GJ, Pearce BJ, Fiala-Beer E, Taylor C//Univ New South Wales, Sch Chem, PO Box 1, Kensington, Sydney 2033, Australia

CARBOHYD POLYM 1991, 14 (1) 3  
Structures of water-soluble alpha-D-glucans synthesized from sucrose by glucosyltransferases isolated from Streptococcus sobrinus culture filtrates

Krishna KB, Varma A\*\*/Jawaharlal Nahru Univ, Sch Life Sci, Microbiol Unit, New Delhi 110067, India

WORLD J MICROBIOL BIOTECHNOL 1990, 6 (3) 267  
Endoglucanase production by entrapped Bacillus thermoalkalophilus

Liskova A, Wagnerova J, Cervenakova L, Kristofova A, Ferencik M//Slovak Acad Sci, Inst Exptl Pharmacol, CS-84216 Bratislava, Czechoslovakia  
FOLIA MICROBIOL PRAGUE 1990, 35 (4) 353

The effect of soluble glucan derivatives on spleen colony-forming units in sublethally irradiated mice

Singh A, Agarwal AK, Abidi AB, Darmwal NS//Univ Hanover, Inst Tech Chem, Callinstr 3, W-3000 Hannover 1, FRG

J GEN APPL MICROBIOL 1990, 36 (4) 245  
Properties of exoglucanase from Aspergillus niger

Baldwin MA, Stahl N, Reinders LG, Gibson BW, Prusiner SB, Burlingame AL//Univ Calif San Francisco, Dept Pharmaceut Chem, San Francisco, Ca 94143, USA

ANAL BIOCHEM 1990, 191 (1) 174  
Permethylation and tandem mass spectrometry of oligosaccharides having free hexosamine - Analysis of the glycoinositol phospholipid anchor glycan from the scrapie prion protein

Agnelli G, Pascucci C, Cosmi B, Nenci GG//Univ Perugia, Ist Semeiot Med, via Enrico Pozzo, I-06100 Perugia, Italy

BLOOD 1990, 76 (1) 2030  
Effects of therapeutic doses of heparin on thrombolysis with tissue-type plasminogen activator in rabbits

Cohen DM, Linhardt RJ//Univ South Calif, Sch Med, Dept Physiol & Biophys, Los Angeles, Ca 90033, USA

BIOPOLYMERS 1990, 30 (7-8) 733  
Randomness in the heparin polymer - Computer simulations of alternative action patterns of heparin lyase

Gordon DL, Linhardt R, Adams HP//Univ Iowa Hosp & Clin, Coll Med, Dept Neurol, Div Cerebrovasc Dis, Iowa City, Ia 52242, USA

CLIN NEUROPHARMACOL 1990, 13 (6) 522  
Low-molecular-weight heparins and heparinoids and their use in acute or progressing ischemic stroke

Lucas H, Basten JEM, van Dinther TG, Meuleman DG, van Aelst SF, van Boeckel CAA//Organon Int BV, Akzo Pharma Div, Sci Dev Grp, POB 20, 5340 BH Oss, The Netherlands

TETRAHEDRON 1990, 46 (24) 8207  
Syntheses of heparin-like pentamers containing opened uronic acid moieties

Nenci GG, Agnelli G//Univ Perugia, Ist Semeiot Med, I-06100 Perugia, Italy



- THROMB RES 1990, SUPPL 11, 69  
Clinical experience with low molecular weight heparins
- Rej RN, Home KR, Perlin AS//McGill Univ, Dept Chem, Montreal, Quebec, Canada H3A 2T5  
CAN J CHEM 1990, 68 (10) 1740  
Observations on cation-binding characteristics and nuclear magnetic resonance spectra of the N-carboxymethyl and N-acetyl analogs of heparin
- Todd MW, Montanez EJ//Glasgow Royal Infirmary, Dept Dermatol, Castle St, Glasgow G4 0SF, Scotland  
HOSP FORMULARY 1990, 25 (11) 1185  
What are the advantages and disadvantages of using heparin versus a saline flush for maintaining iv catheter patency
- Watanabe J, Muranishi H, Nakagaki H, Yuasa H, Ozeki S//Nagoya City Univ, Fac Pharmaceut Sci, Dept Biopharmaceut, 3-1 Tanabe dori, Mizuho ku, Nagoya aichi 467, Japan  
CHEM PHARM BULL TOKYO 1990, 38 (10) 2821  
Macromolecule macromolecule interaction in drug distribution - Effect of alpha-globulin concentration on the hepatic uptake of fractionated <sup>3</sup>H-heparin by perfused rat liver
- Gottlieb JL, Antoszyk AN, Hatchell DL\*, Saloupis P//Duke Univ, Ctr Eye, Box 3802, Durham, NC 27710, USA  
INVEST OPHTHALMOL VISUAL SCI 1990, 31 (11) 2345  
The safety of intravitreal hyaluronidase - A clinical and histologic study
- Huszar G, Willetts M, Corrales M//Yale Univ, Sch Med, Dept Obstet & Gynecol, Sperm Physiol Lab, 331 Farnam Mem Bldg, POB 3333, New Haven, Ct 06510, USA  
FERT STERIL 1990, 54 (6) 1127  
Hyaluronic acid (Sperm Select) improves retention of sperm motility and velocity in normospermic and oligospermic specimens
- Lam KS, Grootwassink JWD//Bristol Myers Squibb Co, Dept 203, POB 5100, Wallingford, Ct 06492, USA  
J IND MICROBIOL 1990, 6 (3) 207  
Enzymatic digestion of spent yeast cells for nutrient recycling in inulase production
- Araujo A, Ward OP\*//Univ Waterloo, Dept Biol, Waterloo, Ontario, Canada N2L 3G1  
J IND MICROBIOL 1990, 6 (3) 171  
Extracellular mannanases and galactanases from selected fungi
- Johnson KG, Ross NW//Nat'l Res Council Canada, Div Biol Sci, Ottawa, Ontario, Canada K1A 0R6  
ENZYME MICROB TECHNOL 1990, 12 (12) 960  
Enzymic properties of beta-mannanase from *Polyporus versicolor*
- Johnson KG, Ross NW, Schneider H//Nat'l Res Council Canada, Div Biol Sci, Ottawa, Ontario, Canada K1A 0R6  
WORLD J MICROBIOL BIOTECHNOL 1990, 6 (3) 245  
Purification and some properties of beta-mannanase from *Polyporus versicolor*
- Kogan G, Pavliak V, Sandula J, Masler L//Inst Chem, Ctr Chem Res, Slovak Acad Sci, Dubravska Cesta 9, 842 38 Bratislava, Czechoslovakia  
CARBOHYD POLYM 1991, 14 (1) 65  
Structure of the cell wall mannans of the pathogenic yeasts of *Candida* species - A complex insight
- Alana A, Alkorta I, Dominguez JB, Llama MJ, Serra JL//Invest Alimentaria SA, Kas Grp, Laragana 12, E-01013 Vitoria, Spain  
APPL ENVIRON MICROBIOL 1990, 56 (12) 3755  
Pectin lyase activity in a *Penicillium italicum* strain
- Fernandez ML, Trejo A, McNamara DJ//Univ Arizona, Dept Nutr & Food Sci, Tucson, Az 85721, USA  
J NUTR 1990, 120 (11) 1283  
Pectin isolated from prickly pear (*Opuntia* sp) modifies low density lipoprotein metabolism in cholesterol-fed guinea pigs
- Fukuoka S, Kamishima H, Sode K, Karube I//Govt Ind Res Inst, Shikoku 2-3-3, Hananomiya, Takamatsu 761, Japan  
APPL BIOCHEM BIOTECH 1990, 26 (3) 239  
Facile isolation of endo-pectate lyase from *Erwinia carotovora* based on electrostatic interaction
- Maltschev E, Petkantschin I, Mollov P//Hsch

- Lebensmittelind Plovdiv, Blvd Lenin 26, BU-4000 Plovdiv, Bulgaria  
 Z LEBENSMITTEL-UNTERSUCH FORS 1990, 191 (6) 15  
 Effect of pectic preparations upon the electrokinetic properties and the sedimentation resistance of carrot nectar (German, English Abstract)
- Stanyon P, Costello C\*//Univ Tennessee, Dept Nutr & Food Sci, Knoxville, Tn 37996, USA  
 CEREAL CHEM 1990, 67 (6) 545  
 Effects of wheat bran and polydextrose on the sensory characteristics of biscuits
- Engst W, Elsner A, Schliemann H, Mieth G//Acad Sci GDR, Zent Inst Ernährung, Arthur Scheunert Allee 114-116, O-1505 Bergholz, FRG  
 NAHRUNG 1990, 34 (9) 857  
 On the synthesis and characterization of sucrose fatty acid polyesters. 4. Testing of sucroacetoglycerides in food like test systems
- Campana S, Andrade C, Milas M, Rinaudo M//Inst Fis & Quim, Sao Carlos, CP 369, BR-13560 Sao Carlos, SP, Brazil  
 INT J BIOL MACROMOL 1990, 12 (6) 379  
 Polyelectrolyte and rheological studies on the polysaccharide welan
- Cheetham NWH, Mashimba ENM//Univ New South Wales, Sch Chem, PO Box 1, Kensington, NSW 2033, Australia  
 CARBOHYD POLYM 1991, 14 (1) 17  
 Conformational aspects of xanthan-galactomanan gelation. Further evidence from optical-rotation studies
- Shatwell KP, Sutherland IW, Ross-Murphy SB, Dea ICM//Univ Cambridge, Dept Biochem, Tennis Court Rd, Cambridge CB2 1QW, England  
 CARBOHYD POLYM 1991, 14 (1) 29  
 Influence of the acetyl substituent on the interaction of xanthan with plant polysaccharides - I. Xanthan-locust bean gum systems
- Irie T, Konishi T, Tagoyama Y, Ogiso A//Shin Nihon Chem Co Ltd, Showa cho, Anjo, Aichi 446, Japan  
 HAKKOKOGAKU KAISHI 1990, 68 (6) 457  
 Purification of xylanase from *Trichoderma viride* (reesei) mutant K-10-34 and its xylobiose-forming properties (Japanese, English Abstract)
- Luthi E, Jasmat NB, Bergquist PL\*//Univ Auckland, Ctr Gene Technol, Dept Cellular & Molec Biol, Auckland, New Zealand  
 APPL MICROBIOL BIOTECHNOL 1990, 34 (2) 214  
 Overproduction of an acetyl xylan esterase from the extreme thermophile *Caldocellum saccharolyticum* in *Escherichia coli*
- Nanmori T, Watanabe T, Shinke R, Kohno A, Kawamura Y//Kobe Univ, Fac Agr, Dept Agr Chem, Rokkodaicho, Nada ku, Kobe 657, Japan  
 J BACTERIOL 1990, 172 (12) 6669  
 Purification and properties of thermostable xylanase and beta-xylosidase produced by a newly isolated *Bacillus stearothermophilus* strain
- ### 7 Polysaccharides - Other
- Courtois J, Pheulpin P, Heyraud A, Courtois B//IUT, Dept Biol Appl, Biotechnol Microbienne Lab, Ave Fac le Bailly, F-80025 Amiens, France  
 J GEN APPL MICROBIOL 1990, 36 (4) 215  
 Production and characterization of *Rhizobium meliloti* MSN1 water soluble exopolysaccharides using high-performance liquid chromatography
- Elie CJJ, Hoogerhout P, Muntendam HJ, van de Werken G, van der Marel GA, van Boom JH//Gorlaeus Labs, POB 9502, 2300 RA Leiden, The Netherlands  
 REC TRAV CHIM-J ROY NETH CHEM 1990, 109 (9) 467  
 Synthesis of a spacer-containing trimeric fragment of the capsular polysaccharide from *Escherichia coli* K100
- Gonda R, Tomoda M\*, Kanari M, Shimizu N, Yamada H//Kyoritsu Coll Pharmaceut Sci, Minato ku, Tokyo 105, Japan  
 CHEM PHARM BULL TOKYO 1990, 38 (10) 2771  
 Constituents of the seed of *Malva verticillata*. 6. Characterization and immunological activities of a novel acidic polysaccharide
- Konicek J, Daraselia GY, Konickovaradochova M, Lasik J, Wurst M, Koza T//Czechoslovak Acad Sci, Inst Microbiol, CS-14220 Prague 4, Czechoslovakia  
 FOLIA MICROBIOL 1990, 35 (5) 394  
 Production and characteristics of the exocellular polysaccharide of a mutant *Mycobacterium* strain

- Kost J, Shefer S//Ben Gurion Univ Negev, Dept Chem Engr, IL-84105 Beer Sheva, Israel  
BIOMATERIALS 1990, 11 (9) 695  
Chemically-modified polysaccharides for enzymatically-controlled oral drug delivery
- Manning GS//Rutgers State Univ, Dept Chem, New Brunswick, NJ 08903, USA  
MACROMOLECULES 1990, 23 (24) 5149  
The helix-coil transition of an ionic polysaccharide probed by counterion self-diffusion measurements (Comment)
- Matsura Y, Hatanaka C//Okayama Prefectural Jr Coll, Dept Food Sci, Ishima cho, Okayama 700, Japan  
AGR BIOL CHEM TOKYO 1990, 54 (11) 3013  
Matrix polysaccharides involved in adhesion of the cell walls of kidney bean cotyledon tissues
- Mizuno T, Hagiwara T, Nakamura T, Ito H, Shimura K, Sumiya T, Asakura A//Shizuoka Univ, Fac Agr, Oya, Shizuoka 422, Japan  
AGR BIOL CHEM TOKYO 1990, 54 (11) 2889  
Studies on the host-mediated antitumor polysaccharides. 13. Antitumor activity and some properties of water-soluble polysaccharides from himematsutake, the fruiting body of *Agaricus blazei* Murrill
- Mizuno T, Inagaki R, Kanao T, Hagiwara T, Nakamura T, Ito H, Shimura K, Sumiya T, Asakura A//Shizuoka Univ, Fac Agr, Oya, Shizuoka 422, Japan  
AGR BIOL CHEM TOKYO 1990, 54 (11) 2897  
Studies on the host-mediated antitumor polysaccharides. 14. Antitumor activity and some properties of water-insoluble hetero-glycans from himematsutake, the fruiting body of *Agaricus blazei* Murrill
- Nikolaev AV, Ivanova IA, Shibaev VN, Kochetkov NK//ND Zelinskii Organ Chem Inst, Moscow, USSR  
BIOORG KHIM 1990, 16 (8) 1105  
Fragments of biopolymers containing glycosyl phosphate residues. 5. Synthesis of benzyl 2-O-alpha-D-mannosylphospho-beta-D-galactosides and methyl 4-O-alpha-D-mannosylphospho-beta-D-galactosides and methyl 4-O-alpha-D-mannosylphospho-alpha-D-glucoside by hydrogen phosphonate method (Russian, English Abstract)
- Okamoto Y, Kaida Y//Nagoya Univ, Fac Engr, Dept Synthet Chem, Chikusa ku, Nagoya 46401, Japan  
HRC-J HIGH RES CHROMATOGR 1990, 13 (10) 708  
Polysaccharide derivatives as chiral stationary phases in HPLC
- Picullell L//Univ Lund, Ctr Chem, Box 124, S-22100 Lund, Sweden  
MACROMOLECULES 1990, 23 (24) 5150  
The helix-coil transition of an ionic polysaccharide probed by counterion self-diffusion measurements (Reply)
- Shimizu N, Tomoda M\*, Kanari M, Gonda R, Satoh A, Satoh N//Kyoritsu Coll Pharmaceut Sci, Minato ku, Tokyo 105, Japan  
CHEM PHARM BULL TOKYO 1990, 38 (1) 3069  
A novel neutral polysaccharide having activity on the reticuloendothelial system from the root of *Glycyrrhiza uralensis*
- Stortz CA, Cherniak R\*, Jones RG, Treber TD, Reinhardt DJ//Georgia State Univ, Dept Chem, Atlanta, Ga 30303, USA  
CARBOHYD RES 1990, 207 (1) 101  
Polysaccharides from *Peptostreptococcus anaerobius* and structure of the species-specific antigen
- Takeuchi M, Yokota A, Misaki A//Inst Fermentat, 17-85 Juso honmachi, 2 chome, Yodogawa ku, Osaka 532, Japan  
J GEN APPL MICROBIOL 1990, 36 (4) 255  
Comparative structures of the cell-wall polysaccharides of four species of the genus *Microbacterium*
- Tandavanitj S, Miki E, Okutani K//Kagawa Univ, Fac Agr, Miki, Kagawa 76107, Japan  
NIPPON SUISAN GAKKAISHI 1990, 56 (11) 1865  
The flow properties of an extracellular mucopolysaccharide produced by a marine strain of *Pseudomonas*
- Wessels MR, Paoletti LC, Kasper DL, Difabio JL, Michon F, Holme K, Jennings HJ//Brigham & Womens Hosp, Channing Lab, 180 Longwood Ave, Boston, Ma 02115, USA  
J CLIN INVEST 1990, 86 (5) 1428  
Immunogenicity in animals of a polysaccharide-protein conjugate vaccine against type-III group-B *Streptococcus*

Yamaura K, Kuranuki N, Takeyama K, Suzuki M, Tanigami T, Matsuzawa S//Shinshu Univ, Fac Text Sci & Technol, Tokida 3-15-1, Ueda, Nagano 386, Japan

COLLOID POLYM SCI 1990, 268 (10) 968

Formation of ultra-thin films consisting of proteins or polysaccharides and syndiotactic-rich poly-vinyl alcohol mixtures adsorbed at air-solution interface

### *8 Lipopolysaccharides*

Hisatsune K, Iguchi T, Kondon S//Josai Univ, Sch Pharmaceut Sci, Dept Microbiol, Sakado, Saitama 35002, Japan

SYST APPL MICROBIOL 1990, 13 (4) 320

A rapid method for sugar analysis of lipopolysaccharides of gram-negative bacteria

Midwinter A, Faine S, Adler B\*\*//Monash Univ, Dept Microbiol, Clayton, Vic 3168, Canada

J MED MICROBIOL 1990, 33 (3) 199

Vaccination of mice with lipopolysaccharide (LPS) and LPS-derived immunoconjugates from *Leptospira interrogans*

### **9 Starch**

Buleon A, Tran V//INRA, Physicochim Macromolec Lab, BP 527, F-44026 Nantes 03, France

INT J BIOL MACROMOL 1990, 12 (6) 345

Systematic conformational search for the branching point of amylopectin

Lai LS, Kokini JL//Rutgers State Univ, Dept Food Sci, New Brunswick, NJ 08903, USA

J RHEOL 1990, 34 (8) 1245

The effect of extrusion operating conditions on the on-line apparent viscosity of 98% amylopectin (amioca) and 70% amylose (Hylon 7) corn starches during extrusion

Sanders EB, Thompson DB\*, Boyer CD\*\*//Penn State Univ, Dept Food Sci, Borland Lab, University Pk, Pa 16802, USA

CEREAL CHEM 1990, 67 (6) 594

Thermal behavior during gelatinization and amylopectin fine structure for selected maize genotypes as expressed in four inbred lines

Cairns P, Leloup V, Miles MJ, Ring SG, Morris VJ\*\*//AFRC, Inst Food Res, Norwich Lab, Colney Lane, Norwich NR4 7UA, England

J CEREAL SCI 1990, 12 (3) 203

Resistant starch - An X-ray diffraction study into the effect of enzymatic hydrolysis on amylose gels in vitro - Rapid communication

Nebesny E//Tech Univ Lodz, Dept Food Technol, Stefanowskistr 4-10, PL-90924 Lodz, Poland

STARCH 1990, 42 (11) 432

Changes of carbohydrates and molecular structure of dextrans during enzymatic hydrolysis of starch with maltogenase participation

Nebesny E//Tech Univ Lodz, Dept Food Technol, Stefanowskistr 4-10, PL-90924 Lodz, Poland

STARCH 1990, 42 (11) 437

Carbohydrate compositions and molecular structure of dextrans in enzymatic high maltose syrups

Wieslander JB, Salemark L, Dougan P//Malmö Gen Hosp, Dept Plast & Reconstruct Surg, S-21401 Malmö, Sweden

J RECONSTR MICROSURG 1990, 6 (4) 357

Hydroxyethyl starch increases patency and reduces thrombus formation following arteriotomy/intimectomy in small arteries - An experimental study in the rabbit

Sturesson S, Tjerneld F\*, Johansson G\*\*//Univ Lund, Dept Biochem, POB 124, S-22100 Lund, Sweden

APPL BIOCHEM BIOTECH 1990, 26 (3) 281

Partition of macromolecules and cell particles in aqueous two-phase systems based on hydroxypropyl starch and poly(ethylene glycol)

Agboregbe T, Rickard JE//Nat Resources Inst, Cent Ave, Chatham Maritime, Chatham ME4 4TB, England

J SCI FOOD AGR 1990, 53 (3) 313

Evaluation of acid and enzyme hydrolytic methods for the determination of edible aroid starch content

Champagne ET, Marshall WE, Goynes WR//USDA ARS, South Reg Res Ctr, Box 19687, New Orleans, La 70179, USA

CEREAL CHEM 1990, 67 (6) 570

Effects of degree of milling and lipid removal on starch gelatinization in the brown rice kernel

Jackson DS, Gomez MH, Waniska RD, Rooney LW//Univ Nebraska, Dept Food Sci & Technol Lab, Lincoln, Ne 68583, USA

CEREAL CHEM 1990, 67 (6) 529

Effects of single-screw extrusion cooking on

starch as measured by aqueous high-performance size-exclusion chromatography

Muhrbeck P, Eliasson AC, Salomonsson AC//  
Univ Lund, Dept Food Technol, Box 124, S-  
22100 Lund, Sweden

STARCH 1990, 42 (11) 418

Physical characterization of bromine-oxidised potato starch

Nishino H, Tanaka M, Yokoyama M//Kureha  
Chem Ind Ltd, Food Sci & Technol Lab, Shini-  
juku ku, Tokyo 169, Japan

NIPPON SUISAN GAKKAISHI 1990, 56 (11)  
1853

The effect of different fats and starches on meat  
adhesion to casing (Japanese, English Abstract)

Ragheb A, Refai R, El Thalouth IA, Hebeish  
A//Natl Res Ctr, Textile Res Div, Post No 12311,  
Cairo, Egypt

STARCH 1990, 42 (11) 420

The combined effect of oxidation and carbo-  
moylethylation on the rheological properties of  
maize and rice starches

Rutschmann MA, Solms J//Swiss Fed Res Stn,  
CH-8820 Wädenswil, Switzerland

FOOD SCI TECHNOL-LEBENSMESSWISS 1990,  
23 (5) 451

The formation of ternary inclusion complexes of  
starch with menthone and monostearate - A  
possible food model system

Rutschmann MA, Solms J//Swiss Fed Res Stn,  
CH-8820 Wädenswil, Switzerland

FOOD SCI TECHNOL-LEBENSMESSWISS 1990,  
23 (5) 457

Formation of inclusion complexes of starch in  
ternary model systems with decanal, menthone,  
and 1-naphthol

Santha N, Sudha KG, Vijayakumari KP, Nayar  
VU\*, Moorthy SN//\*Univ Kerala, Dept Phys,  
Trivandrum 695581, India

PROC INDIAN ACAD SCI-CHEM SCI 1990,  
102 (5) 705

Raman and infrared spectra of starch samples of  
sweet potato and cassava

Tester RF, Morrison WR//Univ Strathclyde,  
Dept Biosci & Biotechnol, Div Food Sci, 131 Al-  
bion St, Glasgow G1 1SD, Scotland

CEREAL CHEM 1990, 67 (6) 551

Swelling and gelatinization of cereal starches. 1.  
Effects of amylopectin, amylose, and lipids

Tester RF, Morrison WR//Univ Strathclyde,  
Dept Biosci & Biotechnol, Div Food Sci, 131 Al-  
bion St, Glasgow G1 1SD, Scotland

CEREAL CHEM 1990, 67 (6) 558

Swelling and gelatinization of cereal starches. 2.  
Waxy rice starches

Torneport LJ, Salomonsson BAC, Theander O//  
Swedish Univ Agr Sci, Dept Chem, Box 7016, S-  
75007 Uppsala, Sweden

STARCH 1990, 42 (11) 413

Chemical characterization of bromine-oxidized  
potato starch

van Warners A, Lammers G, Stamhuis EJ, Bee-  
nackers AACM//State Univ Groningen, Dept  
Chem Engr, 9747 AG Groningen, The Nether-  
lands

STARCH 1990, 42 (11) 427

Kinetics of the diffusion and chemical reaction  
of ethylene oxide in starch granules in a gas solid  
system

Visavarungroj N, Remon JP\*\*//State Univ  
Ghent, Pharmaceut Technol Lab, Harelbekestr  
72, B-9000 Ghent, Belgium

INT J PHARM 1990, 65 (1-2) 43

Crosslinked starch as a binding agent. 2. Granu-  
lation in a high shear mixer

Whittam MA, Noel TR, Ring SG//AFRC, Inst  
Food Res, Colney Lane, Norwich NR4 7UA,  
England

INT J BIOL MACROMOL 1990, 12 (6) 359

Melting behaviour of A-type and B-type crystal-  
line starch

Xiong Y, Bartle SJ, Preston RL\*\*//Texas Tech  
Univ, Dept Anim Sci, Lubbock, Tx 79409, USA

J ANIM SCI 1990, 68 (11) 3861

Improved enzymatic method to measure process-  
ing effects and starch availability in sorghum  
grain

Xiong Y, Bartle SJ, Preston RL\*, Meng Q//  
\*Texas Tech Univ, Dept Anim Sci, Lubbock, Tx  
79409, USA

J ANIM SCI 1990, 68 (11) 3880

Estimating starch availability and protein degra-  
dation of steam-flaked and reconstituted sor-  
ghum grain through a gas production technique

*10 Starch-degrading Enzymes*

Harinder K, Bains GS//Punjab Agr Univ, Dept Food Sci & Technol, Ludhiana 141004, Punjab, India

CEREAL CHEM 1990, 67 (6) 588

High alpha-amylase flours - Effect of pH, acid, and salt on the rheological properties of dough

Komolprasert V, Ofoli RY//Michigan State Univ, AW Farrall Hall, E Lansing, Mi 48824, USA

FOOD SCI TECHNOL-LEBENS WISS 1990, 23 (5) 412

Effect of shear on thermostable alpha-amylase activity

Linardi VR, Machado KMG//Univ Fed Minas Gerais, Inst Ciencias Biol, Dept Microbiol, CX P 2486, BR-30161 Belo Horizonte, Brazil

CAN J MICROBIOL 1990, 36 (11) 751

Production of amylases by yeasts

Nakajima M, Iwasaki K, Nabetani H, Watanabe A//Minist Agr Forestry & Fisheries, Natl Food Res Inst, Tsukuba, Ibaraki 305, Japan

AGR BIOL CHEM TOKYO 1990, 54 (11) 2793

Continuous hydrolysis of soluble starch by free beta-amylase and pullulanase using an ultrafiltration membrane reactor

Ali S, Hossain Z, Mahmood S, Alam R//Univ Dhaka, Dept Biochem, Dhaka 1000, Bangladesh

WORLD J MICROB TECHNOL 1990, 6 (4) 431

Purification of glucoamylase from *Aspergillus terreus*

Freire DMG, Santanna GL\*//Univ Fed Rio de Janeiro, Coppe, Escola Quim, POB 68502, BR-21945 Rio de Janeiro, Brazil

APPL BIOCHEM BIOTECHNOL 1990, 26 (1) 23

Hydrolysis of starch with immobilized glucoamylase - A comparison between 2 types of expanded-bed reactors

Munch O, Tritsch D\*//Univ Strasbourg 1, Inst Chem, CNRS, Chim Organ Biol Lab, 1 rue Blaise Pascal, F-67008 Strasbourg, France

BIOCHIM BIOPHYS ACTA 1990, 1041 (2) 111

Irreversible thermoinactivation of glucoamylase from *Aspergillus niger* and thermostabilization by chemical modification of carboxyl groups

Takahashi T, Ikegami Y, Irie M, Nakao E//Hoshi Univ, Inst Med Chem, Ebara 2-4-41, Shinagawa ku, Tokyo 142, Japan

CHEM PHARM BULL TOKYO 1990, 38 (10) 2780

Different behavior towards raw starch of 2 glucoamylases from *Aspergillus saitoi*

Towprayoon S, Fujio Y\*, Ueda S//Kyushu Univ, Fac Agr, Dept Food Sci & Technol, 6-10-1 Hakozaki, Higashi ku, Fukuoka 812, Japan

WORLD J MICROB TECHNOL 1990, 6 (4) 400

Effect of adsorption of an inhibitory factor on raw starch hydrolysis by glucoamylase