



Bibliography on Carbohydrate Polymers

1 BOOKS, REVIEWS & SYMPOSIA

Ball ABS//Royal Marsden Hosp, Acad Surg Unit, Fulham Rd, London, England

ACTA ONCOL 1991, 30 (3) 309

Regional chemotherapy for colorectal hepatic metastases using degradable starch microspheres - A review

Lai LS, Kokini JL*//Rutgers State Univ, Ctr Adv Food Technol, POB 231, New Brunswick, NJ 08903, USA

BIOTECHNOL PROGR 1991, 7 (3) 251

Physicochemical changes and rheological properties of starch during extrusion (Review)

2 CELLULOSE

Kanbayashi S, Arai T//Tokyo Vocat Training Coll, Dept Environm Chem, 32-1 Ogawanishimachi 2-chome, Tokyo 187, Japan

KOBUSHI RONBUNSHU 1991, 48 (2) 67

Influence of charge density and temperature on ionization behavior of carboxymethyl cellulose and partially anionized polyacrylamide

Kowsaka K, Yasuda K, Okajima K, Kamide K*//Asahi Chem Ind Co Ltd, Fundamental Res Lab Fibers & Fiber Forming Polymers, 11-7 Hacchonawate, Takatsuki, Osaka 569, Japan

POLYM INT 1991, 25 (2) 99

Experimental evidence for the existence of intramolecular hydrogen bonds in the water-insoluble sodium salt of carboxyethyl cellulose solid

Schade JH, Hoving J*, Brouwers JRBJ, Gent HGR, Zijstra J, Dijkstra JPH//KCL Fdn, Dept Nucl Med, POB 850, 8901 BR Leeuwarden, The Netherlands

EUR J NUCL MED 1991, 18 (6) 380

Technetium-99m carboxymethylcellulose - A newly developed fibre marker for gastric emptying studies

Arslanov SS, Petropavlovskii GA, Kotelnikova NE//Acad Sci USSR, Inst Macromolec Cpds, Moscow V-71, USSR

J APPL CHEM-ENGL TR 1990, 63 (9) 1804

Ionic adsorption of heavy-metal cations by acid esters of microcrystalline cellulose

Beh SK, Moody GJ, Thomas JDR*//Univ Coll Cardiff, Sch Chem & Appl Chem, POB 912, Cardiff CF1 3TB, Wales

ANALYST 1991, 116 (5) 459

Studies on enzyme electrodes with ferrocene and carbon paste bound with cellulose triacetate

Buchanan CM, Edgar KJ, Hyatt JA, Wilson AK//Eastman Chem Co, Res Labs, POB 1972, Kingsport, Tn 37662, USA

MACROMOLECULES 1991, 24 (11) 3050

Preparation of cellulose [^{13}C]acetates and determination of monomer composition by NMR spectroscopy

Buchanan CM, Edgar KJ, Wilson AK//Eastman Chem Co, Res Labs, POB 1972, Kingsport, Tn 37662, USA

MACROMOLECULES 1991, 24 (11) 3060

Preparation and characterization of cellulose monoacetates - The relationship between structure and water solubility

Casinos I//Univ Pais Vasco, Fac Quim, Dept Ciencia & Tecnol Polimeros, POB 1072, E-20080 San Sebastian, Spain

MAKROMOL CHEM-MACRO CHEM PHYS 1991, 192 (5) 1091

Reactivity ratios for grafting of vinyl acetate and methyl acrylate mixtures onto cellulose at high conversions

Chen JN, Huang YF, Yuan JY, Liu SF, Yun SQ//Acad Sinica, Guangzhou Inst Chem, Guangzhou, Peoples R China

J APPL POLYM SCI 1991, 42 (1) 3263

Effect of toluene on cellulose ethylation

Plaqué C, Montserrat S//Univ Politècn Catalana, Escuela Tecn Super Ingn Ind, Termodinam & Físicoquim Lab, Colon 11, E-08222 Terrassa, Spain

J APPL POLYM SCI 1991, 42 (1) 3205

Vinyl graft copolymers of cellulose. 2. Thermal degradation of cellulose and its vinyl copolymers and blends by differential scanning calorimetry

Gumerov FM, Silaev VA, Nusinovich DS, Matukhin EL, Sopin VF//Kazan Chem Prod Res Inst, Kazan, USSR

J APPL CHEM-ENGL TR 1990, 63 (8) 1727

EPR study of radiative chemical degradation of cellulose by accelerated electrons

Gumerov FM, Silaev VA, Sopin VF, Marchenko GN//Kazan Chem Prod Res Inst, Kazan, USSR

VYSOKOMOL SOEDIN SER A SSSR 1991, 33 (3) 627

Study of cotton cellulose nitrates by the spin probe method

Kent RA, Stephens RS, Westland JA//Weverhaeuser Co, Technol Commercializat, WTC 2819, Tacoma, Wa 98477, USA

FOOD TECHNOLOG 1991, 45 (6) 108

Bacterial cellulose fiber provides an alternative for thickening and coating

Kostov O, Rankov V, Atanacova G, Lynch JM*//Hort Res Int, Little-

As a service to subscribers, each issue of the Journal contains a bibliography of newly published material in the field of carbohydrate polymers. The bibliography is divided into ten sections: 1 Books, Reviews and Symposia; 2 Cellulose; 3 Cellulose-degrading Enzymes; 4 Cyclodextrins; 5 Lignin; 6 Polysaccharides - Named; 7 Polysaccharides - Other; 8 Lipopolysaccharides; 9 Starch; 10 Starch-degrading Enzymes. Within each section, articles are listed in alphabetical order with respect to the subject. When there are no publications to appear under one of these headings, that section will be omitted.

- hampton BN17 6LP, W Sussex, England
BIOL FERT SOILS 1991, 11 (2) 105
Decomposition of sawdust and bark treated with cellulose-decomposing microorganisms
- Novikov DV, Varlamov AV, Mnatsakanov SS//Leningrad Cine Photo Engr Inst, Leningrad, USSR
J APPL CHEM-ENGL TR 1990, 63 (9) 1856
Use of the method of decoration with gold for quantitative analysis of the fine structure of the surface of an amorphous polymer (using cellulose triacetate film as an example)
- Patel CP, Trivedi HC*, Patel KC, Patel RD//Sardar Patel Univ, Dept Chem, Vallabh Vidyanagar 388120, Gujarat, India
ANGEW MAKROMOL CHEM 1991, 188 (APR) 41
Studies on cellulose acetate phthalate - Estimation of Mark-Houwink-Kuhn-Sakurada constants and viscosity-temperature relationship
- Penichter KA, McGinley EJ//FMC Corp, Div Food & Pharmaceut Prod, 1735 Market St, Philadelphia, Pa 19103, USA
FOOD TECHNOL 1991, 45 (6) 105
Cellulose gel for fat-free food applications
- Saunders CW, Taylor LT*//Virginia Polytech Inst & State Univ, Dept Chem, Blacksburg, Va 24061, USA
APPL SPECTROSC 1991, 45 (4) 604
Solution infrared and nuclear magnetic resonance studies of cellulose nitrates
- Sharma AK, Ramu C//Sri Venkateswara Univ, Coll Engr, Dept Phys, Tirupati 517502, Andhra Pradesh, India
MAT LETT 1991, 11 (3-4) 128
Dielectric properties of solution grown cellulose acetate thin films
- Sharma AK, Ramu C//Sri Venkateswara Univ, Coll Engr, Dept Phys, Tirupati 517502, Andhra Pradesh, India
THIN SOLID FILMS 1991, 200 (1) 173
Thermally stimulated discharge currents in iron-doped cellulose acetate films
- Sinko CM, Yee AF, Amidon GL//Pfizer Inc, Cent Res, Eastern Point Rd, Bldg 156, Groton, Ct 06340, USA
PHARMACEUT RES 1991, 8 (6) 698
Prediction of physical aging in controlled-release coatings - The application of the relaxation coupling model to glassy cellulose acetate
- Sun J, Cabasso I*//SUNY Coll Environm Sci & Forestry, Polymer Res Inst, Syracuse, NY 13210, USA
MACROMOLECULES 1991, 24 (12) 3603
Correlation between the degree of phosphorylation of poly(styrene-phosphonate ester) and its blends with cellulose acetate
- Tashiro K, Kobayashi M//Osaka Univ, Fac Sci, Dept Macromolec Sci, Toyonaka, Osaka 560, Japan
POLYMER 1991, 32 (8) 1516
Theoretical evaluation of 3-dimensional elastic constants of native and regenerated celluloses - Role of hydrogen bonds
- Temchenko TL, Shulgina ES//Address not available
J APPL CHEM-ENGL TR 1990, 63 (8) 1643
Light-accelerated aging of cellulose acetobutyrate films
- Tortosa JF, Gomez D, Soler A, Minana A, Rubio M//Univ Murcia, Dept Ingn Quim, Murcia, Spain
AFINIDAD 1991, 48 (432) 84
- Production of colloidal microcrystalline cellulose and drying of their aqueous suspensions (Spanish, English Abstract)
- Zavyalov NA, Myasoedova VV, Pokrovskii SA//Acad Sci USSR, Inst Anhydrous Solut Chem, Ivanovo, USSR
VYSOKOMOL SOEDIN SER A SSSR 1990, 32 (12) 2351
Thermochemical characteristic of cellulose, its ethers and esters solutions (Russian, English Abstract)
- Suto S, Iwaya T, Ohno Y, Karasawa M//Yamagata Univ, Fac Engr, Dept Polymer Chem, Jonan 4-3-16, Yonezawa, Yamagata 992, Japan
J MATER SCI 1991, 26 (1) 3073
Cellulosic solid films exhibiting cholesteric liquid crystalline order. 1. Tensile creep in vacuo for ethyl cellulose and hydroxypropyl cellulose
- Roberto IC, Felipe MGA, Lacis LS, Silva SS, Demancilha IM*//Fdn Ind Technol, Ctr Biotechnol & Chem, BR-12600 Lorena, SP, Brazil
BIORESOURCE TECHNOL 1991, 36 (3) 271
Utilization of sugar cane bagasse hemicellulosic hydrolyzate by Candida guilliermondii for xylitol production
- Ford JL, Mitchell K, Sawh D, Ramdour S, Armstrong DJ, Elliott PNC, Rostron C, Hogan JE//Liverpool Polytech, Sch Hlth Sci, Ctr Pharmaceut Sci, Targeting Res Grp, Byrom St, Liverpool L3 3AF, England
INT J PHARM 1991, 71 (3) 213
Hydroxypropylmethylcellulose matrix tablets containing propranolol hydrochloride and sodium dodecyl sulphate
- Turhollow AF//Oak Ridge Natl Lab, POB 2008, Oak Ridge, TN 37831, USA
BIORESOURCE TECHNOL 1991, 36 (3) 247
Screening herbaceous lignocellulosic energy crops in temperate regions of the United States
- Cornet A//Address not available
BULL ACAD NATL MED 1991, 175 (1) 79
Use of methylcellulose and hydroxypropylmethylcellulose in certain foodstuffs (French, English Abstract)

3 CELLULOSE-DEGRADING ENZYMES

- Hatano T, Kosaka M, Cui Z, Kawaguchi M, Miyakawa T, Fukui S//Fukuyama Univ, Fac Engr, Dept Bioengn, Fukuyama, Hiroshima 72902, Japan
J FERMENT BIOENG 1991, 71 (5) 313
Purification and characterization of a carboxymethylcellulose-degrading enzyme secreted by a yeast strain newly isolated from soil
- Barnett CC, Berka RM, Fowler T*//Genencor Inst, 180 Kimball Way, San Francisco, Ca 94080, USA
BIO-TECHNOLOGY 1991, 9 (6) 562
Cloning and amplification of the gene encoding an extracellular beta-glucosidase from Trichoderma reesei - Evidence for improved rates of saccharification of cellulosic substrates
- Burianova T, Kopečný J, Sajdok J, Kas J//Prague Inst Chem Technol, Dept Biochem & Microbiol, CS-16628 Prague 6, Czechoslovakia
ANIM FEED SCI TECHNOL 1991, 33 (1-2) 41
Assay of very low cellulolytic activity in fodder supplemented with enzyme preparation
- Hudson JA, Morgan HW*, Daniel RM*//Univ Waikato, Dept Biol Sci, Microbial Biochem & Biotechnol Unit, Private Bag 3105, Hamilton, New Zealand
APPL MICROBIOL BIOTECHNOL 1991, 35 (2) 270

The cellulase activity of an extreme thermophile

Kanellis AK, Solomos T, Roubelakis-Angelakis KA//Inst Molec Biol & Biotechnol, POB 1527, GR-1110 Heraklion, Greece
PLANT PHYSIOL 1991, 96 (1) 269

Suppression of cellulase and polygalacturonase and induction of alcohol dehydrogenase isoenzymes in avocado fruit mesocarp subjected to low oxygen stress

Klesov AA//AH Bakh Biochem Inst, Moscow, USSR
BIOCHEMISTRY-ENGL TRANS 1990, 55 (10) PT 1, 1295
Biochemistry and enzymology of cellulose hydrolysis

Kume S, Fujio Y**//Kyushu Univ, Fac Agr, Dept Food Sci & Technol, 6-10-1 Hakozaki, Higashiku, Fukuoka 812, Japan
J GEN APPL MICROBIOL TOKYO 1991, 37 (1) 25
Production of two types of thermophilic cellulases in a mixture of thermophilic bacilli

Rodriguez VB, Rubio FC, Duenas MPP, Requena AR//Univ Granada, Dept Ingn Quim, Granada, Spain
AFINIDAD 1991, 48 (432) 110
Activity tests of beta-1,4-glucosidase in T-reesei cellulases considering enzyme deactivation (Spanish, English Abstract)

Roy SK, Sadhukhan R, Raha SK, Chakrabarty SL//Bose Inst, Dept Microbiol, 93-1 Apc Rd, Calcutta 700009, W Bengal, India
FUEL 1991, 70 (6) 757
Enzymatic hydrolysis of pretreated cellulosic wastes by the cellulase complex of Myceliophthora thermophila D-14 to produce ethanol

Singh A, Kumar PKR, Schugerl K**//Inst Tech Chem, Callinstr 3, W-3000 Hannover 1, FRG
J BIOTECHNOL 1991, 19 (1) 205
Adsorption and reuse of cellulases during saccharification of cellulosic materials

Tello PG, Rubio FC, Alameda EJ, Media AR, Diaz RP//Univ Granada, Fac Ciencias, Dept Ingn Quim, Granada, Spain
AFINIDAD 1991, 48 (432) 91
Hydrolysis of cellulose with cellulases and beta-1,4-glucosidase (Spanish, English Abstract)

Uzcategui E, Raices M, Montesino R, Johansson G, Pettersson G*, Eriksson KE**//Univ Uppsala, Dept Biochem, Box 576 BMC, S-75123 Uppsala, Sweden
BIOTECHNOL APPL BIOCHEM 1991, 13 (3) 323
Pilot-scale production and purification of the cellulolytic enzyme system from the white-rot fungus Phanerochaete chrysosporium

Shen H, Schmuck M, Pilz I, Gilkes NR, Kilburn DG, Miller RC, Warren RAJ**//Univ British Columbia, Dept Microbiol, 300-6174 Univ Blvd, Vancouver, BC, Canada V6T 1W5
J BIOL CHEM 1991, 266 (17) 11335
Detection of the linker connecting the catalytic and cellulose-binding domains of endoglucanase-A (cen-A) of Cellulomonas fimi alters its conformation and catalytic activity

Vallander L, Eriksson KEL//Swedish Pulp & Paper Res Inst, Box 5604, S-11486 Stockholm, Sweden
BIOTECHNOL BIOENG 1991, 38 (2) 135
Enzymic hydrolysis of lignocellulosic materials. 1. Models for the hydrolysis process - A theoretical study

Vallander L, Eriksson KEL//Swedish Pulp & Paper Res Inst, Box 5604, S-11486 Stockholm, Sweden

BIOTECHNOL BIOENG 1991, 38 (2) 139

Enzymic hydrolysis of lignocellulosic materials. 2. Experimental investigations of theoretical hydrolysis - Process models for an increased enzyme recovery

4 CYCLODEXTRINS

Akimaru K, Yagi T, Yamamoto S//Kochi Univ, Dept Agr Chem, 2008 Monobe, Nankoku, Kochi 783, Japan
J FERMENT BIOENG 1991, 71 (5) 322
Purification and properties of Bacillus coagulans cyclomaltodextrin glucanotransferase

Alarie JP, Vodinh T**//Oak Ridge Natl Lab, Div Hlth & Safety Res, Adv Monitoring Dev Grp, Oak Ridge, Tn 37831, USA
TALANTA 1991, 38 (5) 529
A fiber-optic cyclodextrin-based sensor

Berger KL, Nemecek AL, Abelt CJ**//Coll William & Mary, Dept Chem, Williamsburg, Va 23185, USA
J ORG CHEM 1991, 56 (11) 3514
Photochemistry of benzophenone-capped beta-cyclodextrin

Blanco J, Vilajato JL, Otero F, Anguiano S//Fac Farm Santiago de Compostela, Dept Farmacol Farm & Tecnol Farmaceut, Farm Galen Lab, Santiago, Spain
DRUG DEVELOP IND PHARM 1991, 17 (7) 943
Influence of method of preparation on inclusion complexes of naproxen with different cyclodextrins

Brewster ME, Hora MS, Simpkins JW, Bodor N//Pharmatec Inc, POB 730, Alachua, Fl 32615, USA
PHARMACEUT RES 1991, 8 (6) 792
Use of 2-hydroxypropyl-beta-cyclodextrin as a solubilizing and stabilizing excipient for protein drugs

Brown SE, Coates JH*, Easton CJ, Lincoln SF, Luo Y, Stephens AKW**//Univ Adelaide, Dept Phys & Inorgan Chem, Adelaide, SA 5001, Australia
AUST J CHEM 1991, 44 (6) 855
Cyclodextrin inclusion complexes of 2 non-steroidal antiinflammatory drugs and of an analgesic drug

Kijima T, Nakazawa H, Takenouchi S//Miyazaki Univ, Fac Engr, Dept Ind Chem, Miyazaki 88921, Japan
BULL CHEM SOC JPN 1991, 64 (5) 1686
Intercalation of a triethylenetetramine-substituted cyclodextrin by Co(II)-montmorillonites and Ni(II)-montmorillonites

Malik A, Jinno K//Brigham Young Univ, Dept Chem, Provo, Ut 84602, USA
CHROMATOGRAPHIA 1991, 31 (9-10) 448
New approach to determining dead-time of microcolumns packed with cyclodextrin in supercritical fluid chromatography

Pitchumani K, Manickam MCD, Srinivasan C//Madurai Kamaraj Univ, Dept Mat Sci, Madurai 625021, Tamil Nadu, India
TETRAHEDRON LETT 1991, 32 (25) 2975
Effect of cyclodextrin encapsulation on photo-fries rearrangement of benzensulphonanilide

Puglisi G, Santagati NA, Ventura CA, Pignatello R, Panico AM, Spampinato S//Univ Catania, Ist Chim Farmaceut & Tossicol, viale A Doria 6, I-95125 Catania, Italy
J PHARM PHARMACOL 1991, 43 (6) 430
Enhancement of 4-biphenylacetic acid bioavailability in rats by its

beta-cyclodextrin complex after oral administration

Shigekawa H, Morozumi T, Komiyama M, Yoshimura M, Kawazu A, Saito Y//Univ Tsukuba, Inst Mat Sci, Tsukuba 305, Japan
J VAC SCI TECHNOL B 1991, 9 (2) 1189

Scanning tunneling microscopy on cyclodextrin inclusion complexes

Steiner T, Saenger W, Lechner RE//Free Univ Berlin, Inst Kristallog, Takustr 6, W-1000 Berlin 339, FRG
MOL PHYS 1991, 72 (6) 1211

Dynamics of orientationally disordered hydrogen bonds and of water molecules in a molecular cage - A quasielastic neutron scattering study of beta-cyclodextrin.11H₂O

Yusuff NT, York P, Chrystyn H*, Bramley PN, Swallow RD, Tuladhar BR, Losowsky MS//Univ Bradford, Sch Pharm, Postgrad Sch Studies Pharmaceut Technol, Bradford BD7 1DP, England
EUR J CLIN PHARMACOL 1991, 40 (5) 507

Improved bioavailability from a spironolactone beta-cyclodextrin complex

Zhang P, Ling CC, Coleman AW*, Parrot-Lopez H, Galons H//Univ Paris 11, Chim Organ Lab, CNRS, SDI 6233, F-92290 Chatenay Malabry, France
TETRAHEDRON LETT 1991, 32 (24) 2769

Formation of amphiphilic cyclodextrins via hydrophobic esterification at the secondary hydroxyl face

5 LIGNIN

Castellan A, Zhu JH, Colombo N, Nourmamode A, Davidson RS, Dunn LA//Univ Bordeaux 1, Photochim Organ Lab, CNRS, URA 348, F-33405 Talence, France

J PHOTOCHEM PHOTOBIOLOG A-CHEM 1991, 58 (2) 263

An approach to understanding the mechanism of protection of bleached high-yield pulps against photoyellowing by reducing agents using the lignin model dimer - 3,4-dimethoxy-alpha-(2'-methoxyphenox)-acetophenone

Davidson RS, Dunn LA, Castellan A, Nourmamode A//City Univ London, Dept Chem, Northampton Sq, London EC1V 0HB, England
J PHOTOCHEM PHOTOBIOLOG A-CHEM 1991, 58 (3) 349

A study of the photobleaching and photoyellowing of paper containing lignin using fluorescence spectroscopy

Fischer K, Schmidt I//Tech Univ Dresden, Sekt Forstwirtschaft, Wissenschaftsbereich Pflanzenchem, Piennner Str 23, O-8223 Tharandt, FRG
WOOD SCI TECHNOL 1991, 25 (4) 281

Active enzymes in wood chips and their action on lignin during outside storage

Kishi K, Habu N, Samejima M, Yoshimoto T//Univ Tokyo, Fac Agr, Dept Forest Prod, 1-1-1 Yayoi, Bunkyo ku, Tokyo 113, Japan
AGR BIOL CHEM TOKYO 1991, 55 (5) 1319

Purification and some properties of the enzyme catalyzing the Cgamma-elimination of a diarylpropane-type lignin model from *Pseudomonas paucimobilis* TMY1009

Maltseva OV, Nikupaavola ML, Leontievsky AA, Myasoedova NM, Golovleva LA//Valt Teknillinen Tutkimuskeskus, Biotech Lab, Tietotie 2, SF-02150 Espoo, Finland

BIOTECHNOL APPL BIOCHEM 1991, 13 (3) 291

Ligninolytic enzymes of the white rot fungus *Panus tigrinus*

6 POLYSACCHARIDES - NAMED

Ekman P, Yu SK, Pedersen M//Univ Uppsala, Dept Physiol Bot, Box 540, S-75121 Uppsala, Sweden

BRIT PHYCOL J 1991, 26 (2) 123

Effects of altered salinity, darkness and algal nutrient status on floridoside and starch content, alpha-galactosidase activity and agar yield of cultivated *Gracilaria sordida*

Higashi N, Takematsu M, Niwa M//Doshisha Univ, Fac Engr, Dept Appl Chem, Kamikyo ku, Kyoto 602, Japan

J MATER CHEM 1991, 1 (3) 365

Preparation of ternary composite hydrogels of agarose, concanavalin A and a glycolipid monolayer, and their permeation properties

Cooper PD, McComb C, Steele EJ//Australian Natl Univ, John Curtin Sch Med Res, Div Cell Biol, Canberra, ACT 2601, Australia

VACCINE 1991, 9 (6) 408

The adjuvant activity of algammulin, a new vaccine adjuvant

Alves MJ, Martins LO, Sacorreia I//Inst Super Tecn, Engr Bioquim Lab, P-1000 Lisbon, Portugal

LETT APPL MICROBIOL 1991, 12 (6) 244

Temperature profiles and alginate synthesis in mucoid and non-mucoid variants of *Pseudomonas aeruginosa*

Elizarov MN, Garkavi AV, Komissarova AL//IM Sechenov Med Acad, Moscow, USSR

SOV MED SSSR 1991, (3) 25

Treatment of purulent necrotic decubitus ulcers in spinal patients using alginate coating Teralgin and Algimaf (Russian)

Horton JC, Harding SE, Mitchell JR//Univ Nottingham, Sch Agr, Dept Appl Biochem & Food Sci, Loughborough LE12 5RD, England
BIOCHEM SOC TRANS 1991, 19 (2) 510

Gel permeation chromatography-multi-angle laser light scattering characterization of the molecular mass distribution of pronova sodium alginate

Hatanaka K, Yoshida Y, Yoshida T, Uryu T//Univ Tokyo, Inst Ind Sci, 7-22-1 Roppongi, Minato ku, Tokyo 106, Japan

CARBOHYD RES 1991, 211 (2) 333

Synthesis of polymerizable anhydrodeoxyribose derivatives

Gruppen H, Hamer RJ, Voragen AGJ//Agr Univ Wageningen, Dept Food Sci, POB 8129, 6700 EV Wageningen, The Netherlands
J CEREAL SCI 1991, 13 (3) 275

Barium hydroxide as a tool to extract pure arabinoxylans from water-insoluble cell wall material of wheat flour

Hoffmann RA, Roza M, Maat J, Kamerling JP, Vliegthart JFG//Utrecht Univ, Bijvoet Ctr, Dept Bio-Organ Chem, PO Box 80.075, NL-3508 TB Utrecht, The Netherlands

CARBOHYD POLYM 1991, 16 (3) 275

Structural characteristics of the warm-water-soluble arabinoxylans from the tailings of the soft wheat variety Kadet

Koelmink FJM, Searle van Leeuwen MJF, Wood TM, Voragen AGJ//Agr Univ Wageningen, Dept Foods Sci, Bomenweg 2, 6703 HD Wageningen, The Netherlands

APPL MICROBIOL BIOTECHNOL 1991, 35 (2) 231

(1,4)-beta-D-arabinoxylan arabinofuranohydrolase - A novel enzyme in the bioconversion of arabinoxylan

- Fernandes PB, Goncalves MP, Doublier JL//Univ Catolica Portuguesa, Escola Sup Biotecnol, Rua Dr Antonio Bernardino de Almeida 4200 Porto, Portugal
CARBOHYD POLYM 1991, 16 (3) 253
A rheological characterization of kappa-carrageenan/galactomannan mixed gels: A comparison of locust bean gum samples
- Hermansson A-M, Eriksson E, Jordansson E//SIK, The Swedish Inst Food Res, PO Box 5401, S-402 29 Goteborg, Sweden
CARBOHYD POLYM 1991, 16 (3) 297
Effects of potassium, sodium and calcium on the microstructure and rheological behaviour of kappa-carrageenan gels
- Hawke DJ, Sotolongo S, Millero FJ//Univ Miami, Rosenstiel Sch Marine & Atmospher Sci, 4600 Rickenbacker Causeway, Miami, FL 33149, USA
MAR CHEM 1991, 33 (3) 201
Uptake of Fe(II) and Mn(II) on chitin as a model organic phase
- Kurita K, Inoue S, Nishimura SI//Seikei Univ, Fac Engn, Dept Ind Chem, Musashino, Tokyo 180, Japan
J POLYM SCI A-POLYM CHEM 1991, 29 (6) 937
Preparation of soluble chitin derivatives as reactive precursors for controlled modifications - Tosyl-chitins and iodo-chitins
- Sashiwa H, Saimoto H, Shigemasa Y, Ogawa R, Tokura S//Tottori Univ, Dept Mater Sci, Fac Engn, Tottori 680, Japan
CARBOHYD POLYM 1991, 16 (3) 291
Distribution of the acetamide group in partially deacetylated chitins
- Sherief AA, El Sawah MMA, El Naby MAA//Nat'l Res Ctr, Dept Chem Nat'l & Microbial Prod, Cairo, Egypt
APPL MICROBIOL BIOTECHNOL 1991, 35 (2) 228
Some properties of chitinase produced by a potent *Aspergillus carneus* strain
- Vetter J, Siller I//Univ Vet Med Budapest, Lehrstuhl Bot, Postfach 2, H-1400 Budapest, Hungary
Z LEBENSMITTEL-UNTERSUCH FORS 1991, 193 (1) 36
Chitin content of higher fungi (German, English Abstract)
- Holme KR, Hall LD//Ibex Technol, 6100 Royalmount Ave, Montreal, Quebec, Canada H4P 2R2
CAN J CHEM 1991, 69 (4) 585
Novel metal chelating chitosan derivative - Attachment of iminodiacetate moieties via a hydrophilic spacer group
- Ishikawa M, Nara H//Tokyo Univ Fisheries, Dept Food Sci & Technol, Tokyo 108, Japan
NIPPON SUISAN GAKKAISHI 1991, 57 (4) 767
Inhibition of solute permeation in osmotic dehydration of food by chitosan membrane coating
- Ishizuki N, Torigoe K, Esumi K*, Meguro K//Sci Univ Tokyo, Dept Appl Chem, Shinjuku ku, Tokyo 162, Japan
COLLOID SURFACE 1991, 55 (APR) 15
Characterization of precious metal particles prepared using chitosan as a protective agent
- Nussinovitch A, Lee SJ, Kaletunc G, Peleg M//Univ Massachusetts, Dept Food Sci, Amherst, MA 01003, USA
BIOTECHNOL PROGR 1991, 7 (3) 272
Model for calculating the compressive deformability of double-layered curdlan gels
- Harris JE, Mellon FA, Morris VJ, Parsley KR, Stevens BJH, Austin KRJ//AFRC Inst Food Res, Norwich Lab, Colney Lane, Norwich NR4 7UA, England
CARBOHYD POLYM 1991, 16 (3) 321
Characterisation of cyclophorans produced by an acidic polysaccharide-negative mutant of *Rhizobium leguminosarum*
- Kobs SF, Mayer RM//Ohio State Univ, Ctr Comprhens Canc, 410 W 12th Ave, Columbus, OH 43210, USA
CARBOHYD RES 1991, 211 (2) 317
Photolabeling of dextranucrase from *Streptococcus sanguis* with para-azidophenyl alpha-D-glucopyranoside
- Kobs SF//Ohio State Univ, Ctr Comprhens Canc, 410 W 12th Ave, Columbus, OH 43210, USA
CARBOHYD RES 1991, 211 (2) 337
Acceptor activity of affinity-immobilized dextranucrase from *Streptococcus sanguis* ATCC-10558
- Tsumura K, Hashimoto Y, Akiba T, Horikoshi K//Fuji Oil Co Ltd, Ctr Tsukuba R&D, Cent Res Inst, 4-3 Kinunodai, Yawara, Ibaraki 30024, Japan
AGR BIOL CHEM TOKYO 1991, 55 (5) 1265
Purifications and properties of galactanases from alkalophilic *Bacillus* sp S-2 ad S-39
- Tsumura K, Hashimoto Y, Akiba T, Horikoshi K//Fuji Oil Co Ltd, Ctr Tsukuba R&D, Cent Res Inst, 4-3 Kinunodai, Yawara, Ibaraki 30024, Japan
AGR BIOL CHEM TOKYO 1991, 55 (5) 1399
Isolation and characterization of alkalophilic bacteria that degrade soybean galactan
- Utkina NS, Nikolaev AV, Shibaev VN//ND Zelinskii Organ Chem Inst, Moscow, USSR
BIOORG KHIM 1991, 17 (4) 531
Fragments of biopolymers containing glycosyl phosphate residues. 6. Synthesis of alpha-D-galactose phosphodiester, fragments of the phosphogalactans from *Sporobolomyces* yeasts and of the capsular antigen of *Escherichia coli* K52 (Russian, English Abstract)
- Miceno AM, Gorin PAJ, Iacomini M//Univ Fed Parana, Dept Bioquim, POB 19046, BR-81531 Curitiba, Parana, Brazil
AGR BIOL CHEM TOKYO 1991, 55 (5) 1391
Galactomannan and isolichenan components of the carbohydrate-rich lichen *Ramalina ecklonii* (Spreng) Mey and Flot
- Atev AP, Pochevanska AB, Peev PA, Popova RG//Univ Sofia, Ctr Biotechnol, BU-1126 Sofia, Bulgaria
DOKL BOLG AKAD NAUK 1990, 43 (10) 117
Biosynthesis of beta-glucanase enzymes by micromycetes
- Bhatty RS, MacGregor AW, Rossnagel BG//Univ Saskatchewan, Ctr Corp Dev, Saskatoon, Saskatchewan, Canada S7N 0W0
CEREAL CHEM 1991, 68 (3) 221
Total and acid-soluble beta-glucan content of hullless barley and its relationship to acid-extract viscosity
- Bock K, Duus JO, Norman B, Pedersen S//Carlsberg Lab, Dept Chem, GL Carlsberg Vej 10, DK-2500 Valby, Denmark
CARBOHYD RES 1991, 211 (2) 219
Assignment of structures of oligosaccharides produced by enzymic degradation of a beta-D-glucan from barley by ¹H-NMR and ¹³C-NMR spectroscopy
- Salih ME, Classen HL, Campbell GL//Univ Saskatchewan, Dept Anim & Poultry Sci, Saskatoon, Saskatchewan, Canada S7N 0W0

- ANIM FEED SCI TECHNOL 1991, 33 (1-2) 139
Response of chickens fed on hull-less barley to dietary beta-glucanase at different ages
- Li YT, Carter BZ, Rao BNN, Schweingruber H, Li SC//Tulane Univ, Sch Med, Dept Biochem 1430 Tulane Ave, New Orleans, La 70112, USA
J BIOL CHEM 1991, 266 (17) 10723
Synthesis of neoglycoconjugates using oligosaccharide transferring activity of ceramide glycanase
- Chakrabarti S, Seidl B, Vorwerk J, Brunn PO*//Univ Erlangen Nurnberg, Lehrstuhl Stromungsmech, Cauerstr 4, W-8520 Erlangen, FRG
RHEOL ACTA 1991, 30 (2) 114
The rheology of hydroxy-propylguar (HPG) solutions and its influence on the flow through a porous medium and turbulent tube flow, respectively. 1.
- Chakrabarti S, Seidl B, Vorwerk J, Brunn PO*//Univ Erlangen Nurnberg, Lehrstuhl Stromungsmech, Cauerstr 4, W-8520 Erlangen, FRG
RHEOL ACTA 1991, 30 (2) 124
Correlations between porous medium flow data and turbulent tube flow results for aqueous hydroxypropylguar solutions. 2.
- Ellis PR, Morris ER//Univ London Kings Coll Hosp, Dept Food & Nutr Sci, Kensington Campus, Campden Hill Rd, London SE5 8RX, England
DIABETIC MED 1991, 8 (4) 378
Importance of the rate of hydration of pharmaceutical preparations of guar gum - A new in vitro monitoring method
- Bauchwitz RP//Cornell Univ, Med Ctr, Coll Med, Dept Microbiol, Box 62, 1300 York Ave, New York, NY 10021, USA
BIOTECHNIQUES 1991, 10 (6) 710
Heparin-mediated transformation of Escherichia coli with Ustilago maydis DNA
- Horellou MH, Samama M//Hop Hotel Dieu, Cent Hematol Lab, 1 Pl Paris Notre Dame, F-75181 Paris 04, France
J MOL VASCUL 1991, 16 (2) 179
Low molecular weight heparins in everyday practice (French, English Abstract)
- Liu LS, Ito Y, Imanishi Y*//Kyoto Univ, Dept Polym Chem, Sakyo ku, Kyoto 606, Japan
BIOMATERIALS 1991, 12 (4) 390
Synthesis and antithrombogenicity of heparinized polyurethanes with intervening spacer chains of various kinds
- Hellstrom S, Bloom GD, Berghem L, Stenfors LE, Soderberg O//Umea Univ, Dept Otorhinolaryngol & Head & Neck Surg, S-90187 Umea, Sweden
EUR ARCH OTO-RHINO-LARYNGOL 1991, 248 (4) 230
A comparison of hyaluronan and fibronectin in the healing of tympanic membrane perforations
- Law MS, McNeer KW//Address not available
OPHTHALMIC SURG 1991, 22 (5) 303
Sodium hyaluronate as a lubricant in ptosis repair when using preserved fascia (Letter)
- Paoletti S, Gamini A, Zanetti F//Univ Trieste, Dipartimento Biochim Biofis & Chim Macromolec, I-34127 Trieste, Italy
BIOCHEM SOC TRANS 1991, 19 (2) 494
Conformation aspects of ionic polysaccharides - Laser light scattering of aqueous solutions of hyaluronic acid and alginate
- Bjorck I, Bilsson U//Univ Uppsala, Dept Zool, Box 561, S-75121 Uppsala, Sweden
FOOD CHEM 1991, 41 (3) 243
On the possibility of acid hydrolysis of inulin in the rat stomach
- Schimming S, Schwarz WH, Staudenbauer WL*//Tech Univ Munich, Inst Microbiol, Arcisstr 21, W-8000 Munich 2, FRG
BIOCHEM BIOPHYS RES COMMUN 1991, 177 (1) 447
Properties of a thermoactive beta-1,3-1,4-glucanase (lichenase) from Clostridium thermocellum expressed in Escherichia coli
- Gemeiner P, Kurilova L, Markovic O, Malovikova A, Uhrin D, Ilavsky M, Stefuca V, Polakovic M, Bales V//Slovak Acad Sci, Inst Chem, Dubravska Cesta 9, CS-84238 Bratislava, Czechoslovakia
BIOTECHNOL APPL BIOCHEM 1991, 13 (3) 335
Calcium pectate gel beads for cell entrapment. 3. Physical properties of calcium pectate and calcium alginate gel beads
- Kiyohara H, Takemoto N, Komatsu Y, Kawamura H, Hosoya E, Yamada H*//Kitasato Inst, Oriental Med Res Ctr, Minato ku, Tokyo 108, Japan
PLANTA MED 1991, 57 (3) 254
Studies of immunologically active substances from Kampo medicine Juzen-Taiho-To. 2. Characterization of mitogenic pectic polysaccharides from Kampo (Japanese Herbal) medicine, Juzen-Taiho-To
- Michniewicz J, Biliaderis CG, Bushuk W//Univ Manitoba, Dept Food Sci, Winnipeg, Manitoba, Canada R3T 2N2
CEREAL CHEM 1991, 68 (3) 252
Effect of added pentosans on some physical and technological characteristics of dough and gluten
- Thomas JW, Brown DL, Hoch DJ, Leary JJ, Dokladalova J//Pfizer Inc, Div Qual Control, Eastern Point Rd, Groton, Ct 06340, USA
J ASSN OFFIC ANAL CHEM 1991, 74 (3) 571
Determination of polydextrose (polymer) and residual monomers in polydextrose by liquid chromatography
- Omran H, Buckenhuskes H*, Jackle E, Gierschner K//Gewurzmuller Dr E Rendlen, Stuttgart, FRG
DEUT LEBENSM-RUNDSCH 1991, 87 (5) 151
Some properties of the pectase, the exo-polygalacturonase and an endo-beta-1,4 glucanase in pickled cucumbers (German, English Abstract)
- Proctor A, Miesle TJ//Ohio State Univ, Dept Food Sci & Technol, Columbus, Oh 43210, USA
HORTSCIENCE 1991, 26 (5) 579
Polygalacturonase and pectinmethylesterase activities in developing highbush blueberries
- Hashimoto K, Suzuki I, Yadomae T*//Tokyo Coll Pharm, Immunopharmacol Microbial Prod Lab, Horinouchi 1432-1, Hachiohi, Tokyo 19203, Japan
INT J IMMUNOPHARMACOL 1991, 13 (4) 437
Oral administration of SSG, a beta-glucan obtained from Sclerotinia sclerotiorum, affects the function of Peyer's patch cells
- Tako M//Univ Ryukyus, Lab Chem Sugar Technol, Dept Agr Chem, Nishihara, Okinawa 903-01, Japan
CARBOHYD POLYM 1991, 16 (3) 239
Synergistic interaction between xanthan and tara-bean gum
- Bailey MJ, Puls J, Poutanen K//Valt Teknillinen Tutkimuskeskus, Biotech Lab, POB 202, SF-02151 Espoo, Finland
BIOTECHNOL APPL BIOCHEM 1991, 13 (3) 380

Purification and properties of 2 xylanases from *Aspergillus oryzae*

Irie T, Konishi T, Tagoyama Y, Kutsuna T, Iwasaki N, Koga K, Nakada T//Shin Nihon Chem Co Ltd, Showa cho, Anjo, Aichi 446, Japan
HAKKOKOGAKU KAISHI 1991, 69 (3) 151

Immobilization of xylanase from *Trichoderma viride* (reesei) mutant K-10-34 (Japanese, English Abstract)

Pan CX, Xu WZ, Akatsuka H, Negoro S*, Shima Y, Urabe I, Okada H//Osaka Univ, Dept Fermentat Technol, 2-1 Yamadaoka, Suita, Osaka 565, Japan

J FERMENT BIOENG 1991, 71 (5) 303

Expression of the xylan-degrading genes of *Bacillus pumilus* IPO in *Saccharomyces cerevisiae*

Ujiie M, Roy C, Yaguchi M//Natl Res Council Canada, Inst Biol Sci, 100 Sussex, Ottawa, Ontario, Canada K1A 0R6

APPL ENVIRON MICROBIOL 1991, 57 (6) 1860

Low-molecular-weight xylanase from *Trichoderma viride*

Williams AG, Withers SE, Joblin KN//Hannah Res Inst, Ayr KA6 5HL, Scotland

LETT APPL MICROBIOL 1991, 12 (6) 232

Xylanolysis by cocultures of the rumen fungus *Neocallimastix frontalis* and ruminal bacteria

Torgov VI, Nechaev OA, Usov AI, Shibaev VN//ND Zelinskii Organ Chem Inst, Moscow, USSR

BIOORG KHIM 1991, 17 (3) 424

The synthesis of a plant xyloglucan fragment - The tetrasaccharide xylophthal-6Glc-beta-1-4(xylophthal-6)Glc and its trisaccharide and tetrasaccharide analogues (Russian, English Abstract)

7 POLYSACCHARIDES - OTHER

Beech IB, Gaylarde CC//Lancashire Polytech, Dept Appl Microbiol, Preston PR1 2TQ, England

INT BIODETERIOR 1991, 27 (2) 95

Microbial polysaccharide and corrosion

Bhaduri S, Sharma K//Alchem Res Ctr, POB 155, Thane Belapur Rd, Thane 400601, India

INDIAN J CHEM SECT B 1991, 30 (6) 537

A polysaccharide-supported rhodium catalyst for lipoamide dehydrogenase mediated reduction of NAD^+ by dihydrogen

Burne PM, Sellen DB//Univ Leeds, Astbury Dept Biophys, Leeds LS2 9JT, England

BIOCHEM SOC TRANS 1991, 19 (2) 495

Laser light-scattering studies of polysaccharide gels

Donikian R//Pasteur Merieux, Serv Bacteriol, 1541 Ave Marcel Merieux, F-69280 Marcy L'etoile, France

MED MAL INFEC 1991, 21 (3) 195

Production, purification and control of antimeningococcal polysaccharide vaccines (French, English Abstract)

Fournier JM//Inst Pasteur, Dept Ecol, 25 rue Dr Roux, F-75724 Paris 15, France

MED MAL INFEC 1991, 21 (3) 199

Immunologic response to meningococcal polysaccharides (French, English Abstract)

Gao B, Yang GZ//Chinese Acad Med Sci, Inst Med Plant Dev, Immunol Lab, Beijing 100094, Peoples R China

PHYTOTHER RES 1991, 5 (3) 134

Effects of *Ganoderma applanatum* polysaccharide on cellular and humoral immunity in normal and sarcoma-180 transplanted mice

Goodlad JS, Mathers JC*//Univ Newcastle upon Tyne, Dept Agr Biochem & Nutr, Newcastle upon Tyne NE1 7RU, England

BRIT J NUTR 1991, 65 (2) 259

Digestion by pigs of non-starch polysaccharides in wheat and raw peas (*Pisum sativum*) fed in mixed diets

Hills BP, Cano C, Belton PS//AFRC, Inst Food Res, Norwich Lab, Colney Lane, Norwich NR4 7UA, England

MACROMOLECULES 1991, 24 (10) 2944

Proton NMR relaxation studies of aqueous polysaccharide systems

Kislenko VN, Berlin AA//Lvov Polytech Inst, Lvov, Ukraine, USSR

VYSOKOMOL SOEDIN SER A SSSR 1991, 33 (3) 546

Kinetics of graft polymerization of methyl acrylate to water-soluble polysaccharides (Russian, English Abstract)

Knudsen KEB, Hansen I//Natl Inst Anim Sci, Dept Anim Physiol & Biochem, Foulum, POB 39, DK-8830 Tjele, Denmark

BRIT J NUTR 1991, 65 (2) 217

Gastrointestinal implications in pigs of wheat and oat fractions. 1. Digestibility and bulking properties of polysaccharides and other major constituents

Livesey G//AFRC, Inst Food Res, Norwich Lab, Colney Lane, Norwich NR4 7UA, England

EUR J CLIN NUTR 1991, 45 (1) 1

Calculating the energy values of foods - Towards new empirical formulae based on diets with varied intakes of unavailable complex carbohydrates

Longstaff M, McNab JM//AFRC, Inst Grassland & Anim Prod, Dept Poultry, Roslin EH25 9PS, Midlothian, Scotland

BRIT J NUTR 1991, 65 (2) 199

The inhibitory effects of hull polysaccharides and tannins of field beans (*Vicia faba* L) on the digestion and amino acids, starch and lipid and on digestive enzyme activities in young chicks

Miles MJ, Lee I, Atkins EDT//Univ Bristol, HH Wills Phys Lab, Bristol BS8 1TL, England

J VAC SCI TECHNOL B 1991, 9 (2) 1206

Molecular resolution of polysaccharides by scanning tunneling microscopy

Nifantev NE, Backinowsky LV, Lipkind GM, Shashkov AS, Kochetkov NK//ND Zelinskii Organ Chem Inst, Moscow, USSR

BIOORG KHIM 1991, 17 (4) 517

Synthesis and NMR and conformation studies of branched oligosaccharides. 1. Synthesis of branched oligosaccharides containing identical monosaccharide substituents at O2 and O3 of the alpha-L-rhamnopyranose residue (Russian, English Abstract)

Santosham M, Wolff M, Reid R, Hohenboken M, Bateman M, Goepf J, Cortese M, Sack D, Hill J, Newcomer W et al//Johns Hopkins Univ, Sch Hyg & Pub Hlth, Ctr Amer Indian & Alaskan Nat Hlth, Dept Int Hlth, Baltimore, Md 21205, USA

N ENGL J MED 1991, 324 (25) 1767

The efficacy in Navajo infants of a conjugate vaccine consisting of *Haemophilus influenzae* type-B polysaccharide and *Neisseria meningitidis* outer-membrane protein complex

Schopplein E, Dietrich H, Wucherpfennig K//Forsch Anstalt Geisenheim, Fachgebiet Weinanalyt & Getrankeforsch, Postfach 1154, W-6222 Geisenheim, FRG

Z LEBENSMITTEL-UNTERSUCH FORS 1991, 193 (1) 1

Isolation and characterization of colloid soluble polysaccharides of raspberry juices (German, English Abstract)

van Steijn AMP, Kamerling JP, Vliegthart JFG//State Univ Utrecht, Dept Bioorgan Chem, Bijvoet Ctr, POB 80075, 3502 TB Utrecht, The Netherlands

CARBOHYD RES 1991, 211 (2) 261

Synthesis of a spacer-containing repeating unit of the capsular polysaccharide of *Streptococcus pneumoniae* type-23F

Zeller SG, Gray GR*//Univ Minnesota, Dept Chem, Minneapolis, Mn 55455, USA

CARBOHYD RES 1991, 211 (2) 309

Analysis of a pyruvic acid acetal-containing polysaccharide by the reductive-cleavage method

8 LIPOPOLYSACCHARIDES

Basu S//Indian Assoc Cultivat Sci, Dept Biol Chem, Calcutta 700032, W Bengal, India

BIOCHEM ARCH 1991, 7 (2) 131

Chemical analysis of the lipopolysaccharide of *Pseudomonas solanacearum*, biotype-II

Dmitriev BA, Lapina EB, Murashko EA//ND Zelinskii Organ Chem Inst, Moscow, USSR

BIOORG KHIM 1991, 17 (4) 482

Detection of two types of the internal core structures in the lipopolysaccharide molecules of gram-negative bacteria with the use of chromophore labelling (Russian, English Abstract)

Feier U, Goetsch PH//Bundesgesundheitsamt, Inst Vet Med, Postfach 330013, W-1000 Berlin 33, FRG

ARCH LEBENSM-HYG 1991, 42 (2) 41

Inter-laboratory studies on precision characteristics of analytical methods - Determination of gram-negative bacteria-lipopolysaccharides in raw and heat-treated liquid eggs and products of eggs - *Limulus* microtitre test

Moran AP, Zahringer U*, Seydel U, Scholz D, Stutz P, Rietschel ET//Forschungsinstitut Borstel, Inst Exptl Biol & Med, Pk Allee 22, W-2061 Borstel, FRG

EUR J BIOCHEM 1991, 198 (2) 459

Structural analysis of the lipid-A component of *Campylobacter jejuni* CCUG 10936 (serotype O-2) lipopolysaccharide - Description of a lipid-A containing a hybrid backbone of 2-amino-2-deoxy-D-glucose and 2,3-diamino-2,3-dideoxy-D-glucose

Paulsen H, Hoffgen EC//Univ Hamburg, Inst Organ Chem, Martin Luther King Pl 6, W-2000 Hamburg 13, FRG

TETRAHEDRON LETT 1991, 32 (24) 2747

Synthesis of heptose and kdo trisaccharide chain of the internal core region of lipopolysaccharides in immunogenic form (German, English Abstract)

Takayama K, Olsen M, Datta P, Hunter RL*//Emory Univ, Dept Pathol, 762 WMB, Atlanta, Ga 30322, USA

VACCINE 1991, 9 (4) 257

Adjuvant activity of non-ionic block copolymers. 5. Modulation of antibody isotype lipopolysaccharides, lipid-A and precursors

9 STARCH

Basile SA//Univ Florida, Med Ctr, Dept Pharm, Jacksonville, Fl, USA
CLIN PHARM 1991, 10 (7) 549

Criteria for use of hetastarch

Gurbuz A, Berki T, Akinci E, Kocak T, Yakut C*//Kosuyolu Heart & Res Ctr, Dept Cardiovasc Surg, Istanbul, Turkey

VASC SURG 1991, 25 (4) 308

Hydroxyethyl starch (HES) as a priming solution in cardiopulmonary bypass

Weidler B, von Bormann B, Sommermeyer K, Lohmann E, Peil J, Hempelmann G//Univ Giessen, Anesthesiol & Intens Med Abt, Klin Str 29, W-6300 Giessen, FRG

ARZNEIM-FORSCH-DRUG RES 1991, 41-1 (5) 494

Pharmacokinetic parameters as criteria for clinical use of hydroxyethyl starch preparations (German, English Abstract)

Inglett GE, Grisamore SB//USDA ARS, Natl Ctr Agr Utilizat Res, Peoria, Il 61604, USA

FOOD TECHNOL 1991, 45 (6) 104

Maltodextrin fat substitute lowers cholesterol

Afschar AS, Schaller K//GBF Gesell Biotechnol Forschung mbH, Mascheroder Weg 1, W-3300 Braunschweig, FRG

J BIOTECHNOL 1991, 19 (1) 255

Production of acetone and butanol from starch by continuous bioprocess

Akuta K, Abe M, Kondo M, Yoshikawa T, Tanaka Y, Yoshida M, Miura T, Nakao N, Onoyama Y, Yamada T et al//Kyoto Univ, Fac Med, Dept Radiol, 53 Shogoin kawahara cho, Kyoto 606, Japan

INT J HYPERTHERMIA 1991, 7 (2) 231

Combined effects of hepatic arterial embolization using degradable starch microspheres (DSM) in hyperthermia for liver cancer

Carr ME, Wing RE, Doane WM//USDA ARS, North Reg Res Ctr, 1815 N Univ St, Peoria, Il 61604, USA

CEREAL CHEM 1991, 68 (3) 262

Encapsulation of atrazine within a starch matrix by extrusion processing

Chinachoti P, Kimshin MS, Mari F, Lo L//Univ Massachusetts, Dept Food Sci, Amherst, Ma 01003, USA

CEREAL CHEM 1991, 68 (3) 245

Gelatinization of wheat starch in the presence of sucrose and sodium chloride - Correlation between gelatinization temperature and water mobility as determined by ¹⁷O nuclear magnetic resonance

Chinachoti P, White VA, Lo L, Stengle TR//Univ Massachusetts, Dept Food Sci, Amherst, Ma 01003, USA

CEREAL CHEM 1991, 68 (3) 238

Application of high-resolution ¹³C, ¹⁷O, and ²³Na nuclear magnetic resonance to study the influences of water, sucrose, and sodium chloride on starch gelatinization

Eckhoff SR, Tso CC//Univ Illinois, Dept Agr Engrg, Urbana, Il 61801, USA

CEREAL CHEM 1991, 68 (3) 319

Starch recovery from steeped corn grits as affected by drying temperature and added commercial protease

Fanta GF, Christianson DD//USDA ARS, North Reg Res Ctr, Plant Polymer Res & Food Phys Chem Res, 1815 N Univ St, Peoria, Il 61604, USA

CEREAL CHEM 1991, 68 (3) 300

Influence of poly(ethylene-co-acrylic acid) on the paste viscosity and gel rheology of cornstarch dispersions

Hariantono J, Yokota A, Takao S, Tomita F/**Hokkaido Univ, Fac Agr Chem, Sapporo, Hokkaido 060, Japan
J FERMENT BIOENG 1991, 71 (5) 367

Ethanol production from raw starch by simultaneous fermentation using *Schizosaccharomyces pombe* and a raw starch saccharifying enzyme from *Corticium rolfsii*

Lue S, Hsieh F, Huff HE//Univ Missouri, Dept Agr Engr, Columbia, Mo 65211, USA
CEREAL CHEM 1991, 68 (3) 227

Extrusion cooking of corn meal and sugar beet fiber - Effects on expansion properties, starch gelatinization, and dietary fiber content

Matsoukas NP, Morrison WR//Aristotelian Univ Salonika, Dept Agr Agr Ind, Div Food Sci & Technol, GR-54006 Salonika, Greece
J SCI FOOD AGR 1991, 55 (1) 87

Breadmaking quality of 10 greek breadwheats. 2. Relationships of protein, lipid and starch components to baking quality

Muhrbeck P, Eliasson AC//Univ Lund, Dept Food Technol, POB 124, S-22100 Lund, Sweden
J SCI FOOD AGR 1991, 55 (1) 13

Influence of the naturally occurring phosphate esters on the crystallinity of potato starch

Obendorf SK, Kasunick RS, Ravichandran V, Borsa J, Coffman CW//Cornell Univ, New York State Coll Human Ecol, Dept Text & Apparel, Ithaca, NY 14853, USA
ARCH ENVIRON CONTAM TOXICOL 1991, 21 (1) 10

Starch as a renewable finish to improve the pesticide-protective properties of conventional workclothes

Tarasevich MR, Radyushkina KA, Orlov SB, Pshezhetskii VS, Dribinskii AV, Shkolnikov EI, Zonina EO//AN Frumkin Electrochem Inst, Moscow, USSR
J APPL CHEM-ENGL TR 1990, 63 (9) 1786

Mass transfer in unsealed galvanic cells with zinc anodes and starch-thickened alkaline electrolytes

Tarasevich MR, Orlov SB, Shkolnikov EI, Rakhnyanskaya AA, Olenin AV, Pshezhetskii VS//AN Frumkin Electrochem Inst, Moscow, USSR
J APPL CHEM-ENGL TR 1990, 63 (9) 1792

Mass transfer in unsealed galvanic cells with zinc anodes and electrolytes thickened with modified starch

Yamazawa M//Natl Res Inst Fisheries Sci, Chuo ku, Tokyo 104, Japan
NIPPON SUISAN GAKKAISHI 1991, 57 (5) 965

Studies on the mechanism of gel-reinforcing effect of starch in kamaboko-gel. 2. Relationship between the water-absorbing ability of starch granules and their kamaboko-gel reinforcing effect (Japanese, English Abstract)

Yamazawa M//Natl Res Inst Fisheries Sci, Chuo ku, Tokyo 104, Japan
NIPPON SUISAN GAKKAISHI 1991, 57 (5) 971

Studies on the mechanism of gel-reinforcing effect of starch in kamaboko-gel. 3. Relationship between the swelling ability of starch granules and their kamaboko-gel reinforcing effect (Japanese, English Abstract)

Yanez GA, Walker CE*, Nelson LA/**Kansas State Univ Agr & Appl Sci & Ind, Shellenberger Hall, Manhattan, Ks 66506, USA
J CEREAL SCI 1991, 13 (3) 299

Some chemical and physical properties of proso millet (*Panicum miliaceum*) starch

10 STARCH-DEGRADING ENZYMES

Adams PR//Penn State Univ, Dept Chem, York Campus, York, Pa 17403, USA

BIOTECHNOL APPL BIOCHEM 1991, 13 (3) 430

A modified assay for the detection of extracellular amylase from *Sporotrichum thermophile* Apinis and *Thermoascus aurantiacus* Miehe

Bajpai P, Verma N, Neer J, Bajpai PK/**Thapar Corp Res & Dev Ctr, Div Chem & Biochem Engr, Patiala 147001, India

J BIOTECHNOL 1991, 19 (1) 265

Utilization of cheese whey for production of alpha-amylase enzyme

Imam SH, Burgesscassler A, Cote GL, Gordon SH, Baker FL//USDA ARS, Natl Ctr Agr Utilizat Res, Biopolymer Res Unit, 1815 N Univ St, Peoria, IL 61604, USA

CURR MICROBIOL 1991, 22 (6) 365

A study of cornstarch granule digestion by an unusually high molecular weight alpha-amylase secreted by *Lactobacillus amylovorus*

Kim SH, Yoo YJ/**Seoul Natl Univ, Dept Chem Engr, Seoul 151742, South Korea

J FERMENT BIOENG 1991, 71 (5) 373

Characteristics of an aqueous 2-phase system for alpha-amylase production

Leloup VM, Colonna P, Ring SG//AFRC, Inst Food Res, Norwich Lab, Colney Lane, Norwich NR4 7UA, England

BIOTECHNOL BIOENG 1991, 38 (2) 127

Alpha-amylase adsorption on starch crystallites

Ramesh MV, Lonsane BK/**Cent Food Technol Res Inst, Fermentat Technol & Bioengn Discipline, Mysore 570013, Karnataka, India

BIOTECHNOL LETT 1991, 13 (5) 355

Regulation of alpha-amylase production in *Bacillus licheniformis* M27 by enzyme end-products in submerged fermentation and its overcoming in solid state fermentation system

Ruohonen L, Penttila M, Keranen S/**Univ Helsinki, Recombinant DNA Lab, Valimotie 7, SF-00380 Helsinki, Finland

YEAST 1991, 7 (4) 337

Optimization of *Bacillus*-alpha-amylase production by *Saccharomyces cerevisiae*

Shah NK, Ramamurthy V*, Kothari RM/**Thapar Corp, Ctr Res & Dev, Div Biotechnol, POB 68, Patiala 147001, India

BIOTECHNOL LETT 1991, 13 (5) 361

Comparative profiles of fungal alpha-amylase production by submerged and surface fermentation

Taufel A, Behnke U, Emmer I, Gabor R//Cent Inst Nutr, Arthur Scheunert Allee 114-116, W-1505 Bergholz Rehbrücke, FRG

Z LEBENSMITTEL-UNTERSUCH FORS 1991, 193 (1) 9

Studies on the germination specific alpha-amylase and its inhibitor of rye (*Secale cereale*)

Wijbenga DJ, Beldman G, Veen A, Binnema DJ//The Netherlands Inst Carbohydrate Res, Rouaanstr 27, 9723 CC Groningen, The Netherlands

APPL MICROBIOL BIOTECHNOL 1991, 35 (2) 180

Production of native-starch-degrading enzymes by a *Bacillus firmus*/lentos strain

Chen LJ, Ford C*, Kusnadi A, Nikolov ZL//*State Univ Sci & Technol, Dept Food Sci & Human Nutr, Ames Ia 50011, USA*
BIOTECHNOL PROGR 1991, 7 (3) 225

Improved adsorption to starch of a beta-galactosidase fusion protein containing the starch-binding domain from *Aspergillus glucoamylase*

Nandi R, Mukherjee SK//*Jadavpur Univ, Dept Food Technol & Biochem Engn, Calcutta 700032, W Bengal, India*

ZBL MIKROBIOL 1991, 146 (4) 285

Studies on the mineral requirement of *Penicillium italicum* for the production of glucoamylase by submerged fermentation