



Bibliography on carbohydrate polymers

1 BOOKS, REVIEWS & SYMPOSIA

Nakao Y//Takeda Chem Ind Ltd, Vitamin & Food Res Labs, Div Vitamin & Food, 17-85 2 Chome, Osaka 532, Japan

J JPN SOC FOOD SCI TECHNOL 1991, 38 (8) 736

Curdian - Properties and application to foods (Review) (Japanese, English Abstract)

Xie RQ, Liu YC, Lei XG//Lanzhou Univ, Dept Chem, Lanzhou 730000, Peoples R China

RES CHEM INTERMEDIATES 1991, 16 (1) 71

Fluorespectrochemistry within cyclodextrin (Review)

Hidaka H, Hirayama M, Yamada K//Meiji Seika Kaisha Ltd, Bio Sci Labs, 5-3-1 Chiyoda, Sakado, Saitama 35002, Japan

J CARBOHYD CHEM 1991, 10 (4) 509

Fructo-oligosaccharides - Enzymatic preparation and biofunctions (Review)

Morita J, Sato I, Kashimura N//Doshisha Womens Coll Liberal Arts, Dept Food Sci, Food Chem Lab, Kyoto 602, Japan

NIPPON NOGEIKAGAKU KAISHI 1991, 65 (9) 1366

Metal ion-mediated damage to DNA and polysaccharides by active oxygen species (Mini-Review) (Japanese, English Abstract)

Anjum FM, Walker CE**//Kansas State Univ Agr & Appl Sci & Ind, Dept Grain Sci & Ind, Manhattan, Ks 66506, USA

J SCI FOOD AGR 1991, 56 (1) 1

Review on the significance of starch and protein to wheat kernel hardness (Review)

2 CELLULOSE

Takahashi M, Ookubo M, Takenaka H//Japan Womens Univ, Fac Home Econ, 2-8-1 Mejirodai, Bunkyo ku, Tokyo 112, Japan

POLYM J 1991, 23 (8) 1009

Solid state ¹³C NMR spectra analysis of alkylcellulose

Deshmukh SR, Sudhakar K, Singh RP**//Indian Inst Technol, Ctr Mat Sci, Kharagpur 721302, W Bengal, India

J APPL POLYM SCI 1991, 43 (6) 1091

Drug-reduction efficiency, shear stability, and biodegradation resistance of carboxymethyl cellulose-based and starch-based graft copolymers

Gauthier S, Lecourtier J//Inst Francais Petr, BP 311, F-92506 Rueil Malmaison, France

POLYM BULL 1991, 26 (4) 457

Structural characterization by ¹³C nuclear magnetic resonance of hydrolysed carboxymethylcellulose

hydrolysed carboxymethylcellulose

Bodmeier R, Chen HG//Univ Texas, Coll Pharm, Austin, Tx 78712, USA

DRUG DEVELOP IND PHARM 1991, 17 (13) 1811

Determination of the acidic degradation products, acetic, propionic, butyric, and phthalic acid in aqueous pseudolatexes of cellulosic ester by high-performance liquid chromatography

Castellano PM, Bonvin MM, Debertorello MM*, Brinon MC//Natl Univ Cordoba, Fac Ciencias Quim, Dept Farm, Sucursal 16, RA-5016 Cordoba, Argentina

POLYM BULL 1991, 26 (5) 529

Sulfonamide release from cellulose acetate membranes

Coucheron DH//Univ Trondheim, Norwegian Inst Technol, Biotechnol Lab, N-7034 Trondheim, Norway

J BACTERIOL 1991, 173 (18) 5723

An Acetobacter xylinum insertion sequence element associated with inactivation of cellulose production

Dernovaya LA, Eltekov YA*, Hradil J, Svec F//Acad Sci USSR, Inst Phys Chem, Moscow 117071, USSR

J CHROMATOGR 1991, 552 (1-2) 365

Estimation of cellulose polarity by gas chromatography

Egboh SHO, Akonwu LN//Univ Helsinki, Dept Polymer Chem, Meritullinkatu 1A, SF-001700 Helsinki, Finland

ACTA POLYM 1991, 42 (6) 279

Graft polymerization of acrylamide onto cellulose acetate initiated by ceric ion

Govorkov AT//Kemerovo State Univ, Chair Organ Chem, Kemerovo 650043, USSR

IZV VYSSH UCH ZAV KHIM KHIM T 1990, 33 (12) 49

Effect of cellulose nature and degree of esterification on cellulose nitrate destruction (Russian)

Hsu JC, Penner MH**//Oregon State Univ, Dept Food Sci & Technol, Corvallis, Or 97331, USA

J AGR FOOD CHEM 1991, 39 (8) 1444

Preparation and utilization of cellulose substrates regenerated after treatment with hydrochloric acid

Joachim J, Benhalima N, Delarbre JL, Rambaud J, Joachim G, Maury L//Fac Pharm Marseille, Pharm Galenique Lab, 27 Blvd Jean Moulin, F-13385 Marseille 5, France

PHARM ACTA HELV 1990, 65 (12) 311

Comparative analysis of two tablet coating agents - Cellulose acetoph-

As a service to subscribers, each issue of the Journal contains a bibliography of newly published material in the field of carbohydrate polymers. The bibliography is divided into ten sections: 1 Books, Reviews & Symposia; 2 Cellulose; 3 Cellulose-degrading Enzymes; 4 Cyclodextrins; 5 Lignin; 6 Polysaccharides - Named; 7 Polysaccharides - Other; 8 Lipopolysaccharides; 9 Starch; 10 Starch-degrading Enzymes. Within each section, articles are listed in alphabetical order with respect to the subject. When there are no publications to appear under one of these headings, that section will be omitted.

thallate and aquaterric (French, English Abstract)

Julien S, Chornet E, Tiwari PK, Overend RP//Univ Sherbrooke, Dept Chem Engr, Sherbrooke, Quebec, Canada J1K 2R1
J ANAL APPL PYROL 1991, 19 (JUL) 81

Vacuum pyrolysis of cellulose - Fourier transform infrared characterization of solid residues, product distribution and correlations

Kirk TK, Ibach R, Mozuch MD, Conner AH, Highley TL//US Forest Serv, Forest Prod Lab, One Gifford Pinchot Dr, Madison, WI 53705, USA

HOLZFORSCHUNG 1991, 45 (4) 239

Characteristics of cotton cellulose depolymerized by a brown-rot fungus, by acid, or by chemical oxidants

Lee KI, Shim IW*, Hwang ST//Chung Ang Univ, Dept Chem, Seoul 156756, South Korea

J MEMBRANE SCI 1991, 60 (2-3) 207

The effects of transition metal complexes on the permeation of small gas molecules through cellulose acetate membranes

Lipatova IM, Melnikov BN, Makarova LI, Lipatov NG//Ivanovo Chem Technol Inst, Ivanovo, USSR

IZV VYSSH UCH ZAV KHIM KHIM T 1990, 33 (12) 84

Grafting copolymerization of methacrylamide with cotton fabric cellulose initiated by gamma-emission (Russian)

Lomax JA, Commandeur JM, Arisz PW, Boon JJ//FOM, Inst Atom & Molec Phys, Mass Spectrometry Macromolec Syst Unit, Kruislaan 407, 1098 SH Amsterdam, The Netherlands

J ANAL APPL PYROL 1991, 19 (JUL) 65

Characterisation of oligomers and sugar ring-cleavage products in the pyrolysate of cellulose

Mansour OY, Nagieb ZA, Basta AH//Nat'l Res Ctr, Dept Cellulose & Paper, Cairo, Egypt

J APPL POLYM SCI 1991, 43 (6) 1147

Graft polymerization of some vinyl monomers onto alkali-treated cellulose

Mischnick P//Univ Hamburg, Inst Organ Chem, Martin Luther King Platz 6, W-2000 Hamburg 13, FRG

J CARBOHYD CHEM 1991, 10 (4) 711

Determination of the substitution pattern of cellulose acetates

Nishida M, Ishiyama JI, Kurokawa Y*//Tohoku Univ, Fac Engr, Dept Engr Sci Chem, Aoba ku, Sendai, Miyagi 980, Japan

REACT POLYM 1991, 14 (3) 205

Preparation of catalytic cellulose acetate and poly(vinyl alcohol) membranes doped with fine transition metal particles by a counter diffusion method

Reim RE//Dow Chem Co USA, Analyt Sci, 1897 Bldg, Midland, MI 48667, USA

J FOOD SCI 1991, 56 (4) 1087

Total sulfite in celluloses by ion exclusion chromatography with electrochemical detection

Teunissen MJ, Smits AAM, Dencamp HJMO, Tveld JHJHI, Vogels GD//Catholic Univ Nijmegen, Fac Sci, Dept Microbiol, Toernooiveld, 6525 ED Nijmegen, The Netherlands

ARCH MICROBIOL 1991, 156 (4) 290

Fermentation of cellulose and production of cellulolytic and xylanolytic enzymes by anaerobic fungi from ruminant and non-ruminant herbivores

Wilkinson F, Leicester PA, Ferreira LFV, Freire VMRR//Loughborough Univ Technol, Dept Chem, Loughborough LE11 3TU, England

PHOTOCHEM PHOTOBIOLOG 1991, 54 (4) 599

Photochemistry on surfaces - Triplet-triplet energy transfer on microcrystalline cellulose studied by diffuse reflectance transient absorption and emission spectroscopy

Yamagishi T, Fukuda T, Miyamoto T, Yakoh Y, Takashina Y, Watanabe J*//Tokyo Inst Technol, Dept Polymer Chem, Meguro ku, Ookayama, Tokyo 152, Japan

LIQ CRYST 1991, 10 (4) 467

Thermotropic cellulose derivatives with flexible substituents. 4. Columnar liquid crystals from ester-type derivatives of cellulose

Camirand W, Krochta JM, Pavlath AE, Wong D, Cole ME//USDA, Agr Res Serv, Western Regional Res Ctr, Process Chem & Engr, 800 Buchanan St, Albany, CA 94710, USA

CARBOHYD POLYM 1992, 17 (1) 39

Properties of some edible carbohydrate polymer coatings for potential use in osmotic dehydration

Sakellariou P, Rowe RC//ICI Paints, Wexham Rd, Slough, England

J APPL POLYM SCI 1991, 43 (5) 845

Phase separation and morphology in ethylcellulose cellulose acetate phthalate blends

Roberto IC, Lacvis LS, Barbosa MFS, Demancilha IM*//Fundacao Technol Ind, Ctr Biotecnol & Quim, Lorena, SP, Brazil

PROCESS BIOCHEM 1991, 26 (1) 15

Utilization of sugar cane bagasse hemicellulosic hydrolysate by *Pichia stipitis* for the production of ethanol

Galletti GC, Reeves JB//CNR, Ctr Studio Conservaz Foraggi, via Filippo Re 8, I-40126 Bologna, Italy

J ANAL APPL PYROL 1991, 19 (JUL) 203

Pyrolysis gas chromatography mass spectrometry of lignocellulosics in forages and by-products

Giovannozzi-Sermanni G, Perani C, Porri A, Deangelis F, Barbarulo MV, Mendola D, Nicoletti R//Univ Viterbo, Dept Agrobiol Agrochem, Viterbo, Italy

AGROCHIMICA 1991, 35 (1-3) 174

Plant cell wall degradation by means of *Lentinus edodes* and chemical characterization of produced soluble lignocellulose

Revenu P, Guyonnet R, Bourgeois J*//Ecole Natl Super Mines, Genie Ind & Biotechnol Lab, 158 Cours Fauriel, F-42023 St Etienne 02, France

ANGEW MAKROMOL CHEM 1991, 190 (AUG) 67

Composite materials based on petrified wood. 3. A study of the influence of the granulometry of a lignocellulosic filler (French, English Abstract)

Vega A, Bao M//Univ Santiago de Compostela, Fac Quim, Dept Enx Energia Quim, Santiago, Spain

WOOD SCI TECHNOL 1991, 25 (6) 459

Fractionation of lignocellulose materials with phenol and dilute HCl

Govorkoy AT, Gzogyan AM, Ovcharenko VY//Kemerovo State Univ, Kemerovo 650043, USSR

HIGH ENERG CHEM-ENGL TR 1991, 25 (1) 52

Photothermooxidative degradation of nitrocellulose

Sioumis AA, Wallis AFA, Puri VP//CSIRO, Div Forest Prod, Private Bag 10, Clayton, Vic 3168, Australia

POLYM INT 1991, 25 (4) 203

Chemical celluloses derived from *Pinus radiata* wood pulps for nitro-cellulose preparation

3 CELLULOSE-DEGRADING ENZYMES

Adney WS, Rivard CJ, Shiang M, Himmel ME*//Solar Energy Res Inst, Div Solar Fuels Res, Biotechnol Res Branch, Appl Biol Sci Sect, Golden, Co 80401, USA

APPL BIOCHEM BIOTECHNOL 1991, 30 (2) 165

Anaerobic digestion of lignocellulosic biomass and wastes - Cellulases and related enzymes

Araujo A, Ward OP, D'Souza J//Univ Waterloo, Dept Biol, Waterloo, Ontario, Canada N2L 3G1

BIOTECHNOL TECHNIQUE 1991, 5 (4) 283

Use of mutation strategies applied to *Aspergillus terreus* ATCC 52430 to obtain mutants with improved cellulase productivity

Ishihara M, Uemura S, Hayashi N, Jelison J, Shimizu K//Forestry & Forest Prod Res Inst, POB 16, Tukuba norin, Kenkyu danchi nai, Ibaraki 305, Japan

J FERMENT BIOENG 1991, 72 (2) 96

Adsorption and desorption of cellulase components during enzymatic hydrolysis of steamed shirakamba (*Betula platyphylla* Skatchev) wood

Singh A, Agrawal AK, Darmwal NS, Abidi AB//Inst Techn Chem, Callinstr 3, W-3000 Hannover 1, FRG

ZBL MIKROBIOL 1991, 146 (6) 391

Influence of additives of the storage stability of cellulases from *Aspergillus niger*

4 CYCLODEXTRINS

Armstrong DW, Hilton M, Coffin L//Univ Missouri, Dept Chem, Rolla, Mo 65401, USA

LC GC-MAG SEPARATION SCI 1991, 9 (9) 646

Multimodal chiral stationary phases for liquid chromatography - (R)-naphthylethylcarbamate-derivatized and (S)-naphthylethylcarbamate-derivatized beta-cyclodextrin

Backensfeld T, Muller BW*, Kolter K//Univ Kiel, Dept Pharmaceut & Biopharm, Gutenbergstr 76-78, W-2300 Kiel 1, FRG

INT J PHARM 1991, 74 (2-3) 85

Interaction of NSA with cyclodextrins and hydroxypropyl cyclodextrin derivatives

Bissell RA, Desilva AP//Queens Univ Belfast, Sch Chem, Belfast BT9 5AG, Antrim, Northern Ireland

J CHEM SOC CHEM COMMUN 1991, (17) 1148

Phosphorescent PET (photoinduced electron transfer) sensors - Prototypical examples for proton monitoring and a message in a bottle enhancement strategy with cyclodextrins

Born M, Ritter H*//Berg Univ Gesamthsch Wuppertal, FB 9, Organ & Makromolek Chem, Gausstr 20, W-5600 Wuppertal 1, FRG

MAKROMOL CHEM-RAP COMM 1991, 12 (8) 471

Comb-like rotaxane polymers containing non-covalently bound cyclodextrins in the side chains

Brown SE, Coates JH, Lincoln SF*, Coghlan DR, Easton CJ//Univ Adelaide, Dept Phys & Inorgan Chem, Adelaide, SA 5001, Australia

J CHEM SOC FARADAY TRANS 1991, 87 (17) 2699

Chiral molecular recognition - A ^{19}F nuclear magnetic resonance study of the diastereoisomer inclusion complexes formed between fluorinated amino acid derivatives and alpha-cyclodextrin in aqueous solution

Cottaz S, Apparu C, Driguez H//Ctr Rech Macromol Vegetales, CNRS, BP 53X, F-38041 Grenoble, France

J CHEM SOC PERKIN TRANS I 1991, (9) 2235

Chemoenzymatic approach to the preparation of egioselectively modified cyclodextrins - The substrate specificity of the enzyme cyclodextrin glucosyltransferase (CGTase)

Ishizuka Y, Nakanishi H, Shiraishi T*, Kogure Y, Kobayashi S//Nikken Chem Co Ltd, Ohmiya Res Lab, Omita, Saitama 330, Japan

J CARBOHYD CHEM 1991, 10 (4) 583

^1H NMR spectra of oligosaccharide substituted cyclodextrins

Jaime C, Redondo J, Sanchez-Ferrando F, Virgili A//Univ Autonoma Barcelona, Dept Quim, E-08193 Barcelona, Spain

J MOL STRUCT 1991, 248 (3-4) 317

Beta-cyclodextrin inclusion complex with adamantane intermolecular H-1(H-1) NOE determinations and molecular mechanics calculations

Jung M, Schmalzing D, Schuring V*//Univ Tubingen, Inst Organ Chem, Morgenstelle 18, W-7400 Tubingen 1, FRG

J CHROMATOGR 1991, 552 (1-2) 43

Theoretical approach to the gas chromatographic separation of enantiomers on dissolved cyclodextrin derivatives

Kobayashi S, Nakashima K*//Taito Co Ltd, Res Lab, 1-26 Higashishirike Shinmachi, Nagata ku, Kobe 653, Japan

J CARBOHYD CHEM 1991, 10 (4) 701

Action of cyclodextrin glucanotransferase on dimaltosyl-alpha-cyclodextrins and diglucosyl-alpha-cyclodextrins

Kodama M, Monya S//Ind Res Ctr Ehime Prefecture, Matsuyama, Ehime 790, Japan

J JPN SOC FOOD SCI TECHNOL 1991, 38 (8) 704

White precipitates found in syrup of canned iyo orange (*Citrus iyo* Hort ex Tanaka) segments with addition of cyclodextrin (Japanese, English Abstract)

Koizumi K, Okada Y, Nakanishi N, Tanimoto T, Takagi Y, Ishikawa M, Ishigami H, Hara K, Hashimoto H//Mukogawa Womens Univ, Fac Pharmaceut Sci, 11-68 Koshien kyuban cho, Nishinomiya, Hyogo 663, Japan

J CARBOHYD CHEM 1991, 10 (4) 657

Analyses of a mixture of glucosyl-cyclomaltoheptaoses prepared on an industrial scale

Lin SY, Yang JC//Vet Gen Hosp, Dept Med Res, Biopharmaceut Lab, Taipei, Taiwan

PHARM ACTA HELV 1990, 65 (9-10) 262

Studies on drug interaction in pharmaceutical formulations. 13. Effect of beta-cyclodextrin on the in vitro permeation rate and in vivo rectal absorption of acetaminophen hydrogel preparations

Minato S, Osa T, Morita M, Nakamura A, Ikeda H, Toda F, Ueno A*//Tohoku Univ, Inst Pharmaceut, Sendai, Miyagi 980, Japan

PHOTOCHEM PHOTOBIO 1991, 54 (4) 593

Intramolecular excimer formation and molecular recognition of modified cyclodextrins appended by two naphthalene rings

Pawliwska M//Inst Phys Chem, Kasprazaka 44-52, PL-01224 Warsaw, Poland

J LIQ CHROMATOGR 1991, 14 (12) 2273

Enantiomer separations by normal HPLC systems with permethylated beta-cyclodextrin dynamically coated on silica solid supports

Pitha J, Mallis LM, Lamb DJ, Irie T, Uekama K//NIA, Geriatr Res Ctr, 4940 Eastern Ave, Baltimore, Md 21224, USA

PHARMACEUT RES 1991, 8 (9) 1151

Cyclodextrin sulfates - Characterization as polydisperse and amorphous mixtures

Singer Y, Shity H, Bar R*//Hebrew Univ Jerusalem, Dept Appl Microbiol, POB 1172, IL-91010 Jerusalem, Israel

APPL MICROBIOL BIOTECHNOL 1991, 35 (6) 731

Microbial transformations in a cyclodextrin medium. 2. Reduction with *Bacillus licheniformis*

Taghvaei M, Stewart GH*//Texas Womans Univ, Dept Chem & Phys, Denton, Tx 76204, USA

ANAL CHEM 1991, 63 (17) 1902

Beta-cyclodextrin solubility in reversed-phase high-performance liquid chromatographic eluents

Takagi S, Fujisawa M, Kimura T//Kinki Univ, Fac Sci & Technol, Dept Chem, 3-4-1 Kowakae, Higashiosaka, Osaka 577, Japan

THERMOCHIM ACTA 1991, 183 (JUL) 289

Enthalpy and entropy changes on molecular inclusion of 1,3-butanediol into alpha-cyclodextrin and beta-cyclodextrin cavities in aqueous solutions

Tan XY, Lindenbaum S*//Univ Kansas, Dept Pharmaceut Chem, 3006 Malott Hall, Lawrence, Ks 66045, USA

INT J PHARM 1991, 74 (2-3) 127

Studies on complexation between beta-cyclodextrin and bile salts

Taya T, Fukui N, Doi K, Otomo M//Nagoya Inst Technol, Dept Appl Chem, Nagoya, Aichi 466, Japan

ANAL SCI 1991, 7 (4) 627

Spectrophotometric investigation of the formation of association complexes between alizarin red-s and beta-cyclodextrin

5 LIGNIN

Chernoberezhskii YM, Dyagileva AB//Address not available

COLLOID J USSR-ENGL TR 1990, 52 (6) 1054

Potentiometric titration of sulfate lignin

Esposito E, Canhos VP, Duran N//Univ Estadual Campinas, Inst Quim Biol Chem Lab, CP 6154, BR-13081 Campinas, SP, Brazil

BIOTECHNOL LETT 1991, 13 (8) 571

Screening of lignin-degrading fungi for removal of color from Kraft mill wastewater with no additional extra carbon-source

Ferrer I, Dezotti M, Duran N*//Catholic Univ Chile, Fac Quim, Casilla 6177, Santiago, Chile

BIOTECHNOL LETT 1991, 13 (8) 577

Decolorization of Kraft effluent by free and immobilized lignin peroxidases and horseradish peroxidase

Lai YZ, Guo XP//SUNY Syracuse, Empire State Paper Res Inst, Coll Environm Sci & Forestry, Syracuse, NY 13210, USA

WOOD SCI TECHNOL 1991, 25 (6) 467

Variation of the phenolic hydroxyl group content in wood lignins

Martinez AT, Gonzalez AE, Prieto A, Gonzalez-Vila FJ, Frund R//CSIC, Ctr Invest Biol, Velazquez 144, E-28006 Madrid, Spain

HOLZFORSCHUNG 1991, 45 (4) 279

Para-hydroxyphenyl-guaiacyl-syringyl ratio of lignin in some austral hardwoods estimated by CuO-oxidation and solid-state NMR

Meister JJ, Lathia A, Chang FF//Univ Detroit, Dept Chem, 4001 W McNichols Rd, Detroit, Mi 48221, USA

J POLYM SCI A-POLYM CHEM 1991, 29 (10) 1465

Solvent effects, species and extraction method effects, and coinitiator effects in the grafting of lignin

Scheijen MA, Boon JJ//FOM, Inst Atom & Molec Phys, Mass Spectrometry Macromolec Syst Unit, Kruislaan 407, 1098 SJ Amsterdam, The Netherlands

J ANAL APPL PYROL 1991, 19 (JUL) 153

Micro-analytical investigations on lignin in enzyme-digested tobacco lamina and midrib using pyrolysis mass spectrometry and curie-point pyrolysis gas chromatography mass spectrometry

Semenov SG, Shevchenko SM//Leningrad Univ, Dept Quantum Chem, Leningrad 198904, USSR

CHEM PAP-CHEM ZVESTI 1991, 45 (3) 289

A CNDO/S3' study of lignin model quinone methides and related cations

Sipila J, Brunow G//Univ Helsinki, Dept Chem, Vuorikatu 20, SF-00100 Helsinki 10, Finland

HOLZFORSCHUNG 1991, 45 (4) 275

On the mechanism of formation of non-cyclic benzyl ethers during lignin biosynthesis. 2. The effect of pH on the reaction between a beta-O-4-type quinone methide and vanillyl alcohol in water-dioxane solutions - The stability of non-cyclic benzyl aryl ethers during lignin biosynthesis

Valmaseda M, Martinez MJ, Martinez AT*//CSIC, Ctr Invest Biol, Velazquez 144, E-28006 Madrid, Spain

APPL MICROBIOL BIOTECHNOL 1991, 35 (6) 817

Kinetics of wheat straw solid-state fermentation with *Trametes versicolor* and *Pleurotus ostreatus* - Lignin and polysaccharide alteration and production of related enzymatic activities

6 POLYSACCHARIDES - NAMED

Cadic C, Baquey C, Dupuy B//INSERM, U 306, 146 rue Leo Saignat, F-33076 Bordeaux, France

POLYM J 1991, 23 (8) 933

Inverted microcarriers for cell cultures made by polymerization of shells around agarose microspheres in a non-cytotoxic procedure

Dupuy B, Cadic C, Rouais F, Baquey C, Ducassou D//Univ Bordeaux 2, INSERM, U306, Biophys Lab, 146 rue Leo Saignat, F-33076 Bordeaux, France

MAKROMOL CHEM-MACRO CHEM PHYS 1991, 192 (8) 1821

Biocompatible manufacturing of microcapsules by polymerization seeded around agarose microspheres (French, English Abstract)

Bonilla AR, Rand AG//Univ Costa Rica, Cita, San Jose, Costa Rica

J FOOD SCI 1991, 56 (4) 1095

Alginate and carrageenan immobilization effects on *Schizosaccharomyces pombe* activity and stability

Hassan RM, Awad A, Hassan A//Assiut Univ, Fac Sci, Dept Chem, Assiut 71516, Egypt

J POLYM SCI A-POLYM CHEM 1991, 29 (11) 1645

Separation of metal alginate ionotropic gels to polymembranes with special evidence on the position of chelation in copper alginate complex

Kinoshita S, Kumoi Y, Ohshima A, Yoshida T, Kasai N//Osaka Univ, Fac Engn, Int Ctr Cooperat Res Biotechnol, Yamadaoka, Suita, Osaka 565, Japan

J FERMENT BIOENG 1991, 72 (2) 74

Isolation of an alginate-degrading organism and purification of its alginate lyase

- Lippert H, Zeh J//Humboldt Univ, Klinikums Charite, Chirurg Klin, Schumannstr 20-21, O-1040 Berlin, FRG
ZBL CHIR 1991, 116 (14) 871
Experiences in surgical wound dressing with alginate (Sorbogon)
- Shiraishi S, Imai T, Iwaoaka D, Otagiri M*//Kumamoto Univ, Fac Pharmaceut Sci, 5-1 OE Honmachi, Kumamoto 862, Japan
J PHARM PHARMACOL 1991, 43 (9) 615
Improvement of absorption rate of indomethacin and reduction of stomach irritation by alginate dispersions
- Kormelink FJM, Searle-van Leeuwen MJF, Wood TM, Voragen AGJ*//Agr Univ Wageningen, Biotechnion, Dept Food Sci, Bomenweg 2, 6703 HD Wageningen, The Netherlands
APPL MICROBIOL BIOTECHNOL 1991, 35 (6) 753
Purification and characterization of a (1,4)-beta-D-arabinosyl arabinofuranohydrolase from *Aspergillus awamori*
- Fiszman SM, Duran L//Inst Agroquim & Technol Aliment (CSIC), Jaime Roig 11, E-46010 Valencia, Spain
CARBOHYD POLYM 1992, 17 (1) 11
Effects of fruit pulp and sucrose on the compression response of different polysaccharides gel systems
- Girond S, Crance JM, Van Cuyckgandre H, Renaudet J, Deloince R//Univ J Fourier, UFR Pharm, Serv Bacteriol Virol Immunol, F-38700 La Tronche, France
RES VIROLOGY 1991, 142 (4) 261
Antiviral activity of carrageenan on hepatitis-A virus replication in cell culture
- Koll P, Borchert G, Metzger JO//Univ Oldenburg, Fachbereich Chem & Organ Chem, Postfach 2503, W-2900 Oldenburg, FRG
J ANAL APPL PYROL 1991, 19 (JUL) 119
Thermal degradation of chitin and cellulose
- Neugebauer E, Gamache B, Dery CV, Brzezinski R*//Univ Sherbrooke, Fac Sci, Dept Biol, 2500 Bld Univ, Sherbrooke, Quebec, Canada J1K 2R1
ARCH MICROBIOL 1991, 156 (3) 192
Chitinolytic properties of *Streptomyces lividans*
- Watanabe K, Saiki I*, Matsumoto Y, Azuma I, Seo H, Okuyama H, Uraiki Y, Miura Y, Tokura S//Hokkaido Univ, Sect Chem, Inst Immunol Sci, Sapporo 060, Japan
CARBOHYD POLYM 1992, 17 (1) 29
Antimetastatic activity of neocarzinostatin incorporated into controlled release gels of CM-chitin
- Gorbacheva IN, Kozhushko MV, Vikhoreva GA, Galbraikh LS//Moscow Text Inst, Moscow, USSR
IZV VYSSH UCH ZAV KHIM KHIM T 1990, 33 (11) 120
Fraction composition of chitosan and products of its sulfation (Russian)
- Kurauchi Y, Yanai T, Ohga K//Oita Univ, Fac Engr, Dept Environm Chem & Engr, Dannoharu, Oita 87011, Japan
CHEM LETT 1991, (8) 1411
Determination of ethanol in aqueous solutions using a fiber-optic sensor with a chitosan poly(vinyl alcohol) cladding
- Nishimura SI, Kohgo O, Kurita K, Kuzuhara H//Seikei Univ, Fac Engr, Dept Ind Chem, Musashino, Tokyo 180, Japan
MACROMOLECULES 1991, 24 (17) 4745
Chemospecific manipulations of a rigid polysaccharide - Syntheses of novel chitosan derivatives with excellent solubility in common organic solvents by regioselective chemical modifications
- Takegawa K, Iwahara K, Iwahara S//Kagawa Univ, Fac Agr, Dept Bioresource Sci, Miki, Kagawa 76107, Japan
J FERMENT BIOENG 1991, 72 (2) 128
Purification and properties of chondroitinase produced by a bacterium isolated from soil
- Okuyama K, Otsubo A, Fukuzawa Y, Ozawa M, Harada T, Kasai N//Tokyo Univ Agr & Technol, Fac Technol, Koganei, Tokyo 184, Japan
J CARBOHYD CHEM 1991, 10 (4) 645
Single-helical structure of native curdlan and its aggregation state
- Bugelski PJ, Ellens H, Hart TK, Kirsh RL//Smith Kline Beecham Pharmaceut, Dept Exptl Pathol, POB 1539, King of Prussia, Pa, USA
J ACQ IMMUN DEFIC SYNDROME 1991, 4 (9) 923
Soluble CD4 and dextran sulfate mediate release of gp120 from HIV-1 - Implications for clinical trials
- Hashimoto K, Imanishi SI, Okada M, Sumitomo H//Nagoya Univ, Fac Agr, Chikusa ku, Nagoya 46401, Japan
J POLYM SCI A-POLYM CHEM 1991, 29 (9) 1271
Chemical modification of the reducing chain end in dextrans and trimethylsilylation of its hydroxyl groups
- Kobayashi T, Kumagai K, Nosaka Y, Miyama H, Fujii N, Tanzawa H//Nagaoka Univ Technol, Dept Chem, Nagaoka 94021, Japan
J APPL POLYM SCI 1991, 43 (6) 1037
Permeation behavior of dextrans by charged ultrafiltration membranes of polyacrylonitrile photografted with ionic monomers
- Fuchs A//Wageningen Univ Agr, Netherlands Org Appl Sci Res, TNO, Dept Phytopathol, 6700 EER Wageningen, The Netherlands
BIOCHEM SOC TRANS 1991, 19 (3) 555
Current and potential food and non-food applications of fructans
- Hidaka H, Hirayama M//Meiji Seika Kaisha Ltd, Bio Sci Labs, 5-3-1 Chiyoda, Sakado, Saitama 35002, Japan
BIOCHEM SOC TRANS 1991, 19 (3) 561
Useful characteristics and commercial applications of fructo-oligosaccharides
- Nakano H, Kitahata S, Kinugasa H, Watanabe Y, Fujimoto H, Ajisaka K, Takenishi S//Osaka Municipal Tech Res Inst, 6-50 Morinomiya 1 chome, Joto ku, Osaka 536, Japan
AGR BIOL CHEM TOKYO 1991, 55 (8) 2075
Transfer reaction catalyzed by exo-beta-1,4-galactanase from *Bacillus subtilis*
- Bronnenmeier K, Rucknagel KP, Staudenbauer WL*//Tech Univ Munich, Inst Microbiol, Arcisstr 21, W-8000 Munich 2, FRG
EUR J BIOCHEM 1991, 200 (2) 379
Purification and properties of a novel type of exo-1,4-beta-glucanase (avicelase-II) from the cellulolytic thermophile *Clostridium stercoarium*
- Kobayashi M, Ichishima E//Natl Food Res Inst, Tsukuba 305, Japan
J CARBOHYD CHEM 1991, 10 (4) 635
Application of periodate oxidized glucans to biochemical reactions
- Marcovic I, Marcovic-Devic B, Joveva S//Res Inst IL Ribasra 89, YU-41001 Zagreb, Croatia, Yugoslavia
MONATSSCHR BRAUWISSEN 1991, 44 (9) 312
Some physico-biochemical properties of beta-glucanase from *Polyporus* sp.

- Wagnerova J, Liskova A, Cervenakova L, Trnovec T, Ferencik M//Slovak Acad Sci, Inst Exptl Pharmacol, CS-84216 Bratislava, Czechoslovakia
FOLIA MICROBIOL 1991, 36 (2) 198
 The immunoadjuvant effect of soluble glucan derivatives in mice
- Kohyama K, Kim KY, Shibuya N, Nishinari K, Tsutsumi A//Natl Food Res Inst, Tsukuba, Ibaraki 305, Japan
CARBOHYD POLYM 1992, 17 (1) 59
 Dielectric, viscoelastic and broad-line NMR study of konjac glucomannan films
- Ogawa K, Yui T, Mizuno T//Univ Osaka, Adv Sci & Technol Res Inst, Shinke cho, Sakai, Osaka 593, Japan
AGR BIOL CHEM TOKYO 1991, 55 (8) 2105
 X-ray diffraction study of glucmannans and their acetates
- Skelton MA, Cherniak R, Poppe L, Van Halbeek H//Univ Georgia, Complex Carbohydrate Res Ctr, 220 Riverbend Rd, Athens, Ga 30602, USA
MAGN RESON CHEM 1991, 29 (8) 786
 Structure of the de-O-acetylated glycuronoxylomannan from *Cryptococcus neoformans* serotype-D, as determined by 2D NMR spectroscopy
- Barbucci R, Magnani A, Albanese A, Tempesti F//Univ Siena, Ctr Didattico, Crisma, Nuovo Policlinico le Scotte, I-53100 Siena, Italy
INT J ARTIF ORGANS 1991, 14 (8) 499
 Heparinized polyurethane surface through ionic bonding of heparin
- Deboer A, Stiekema JCJ, Danhof M, Moolenaar AJ, Breimer DD//Ctr Human Drug Res, POB 9600, 2300 RC Leiden, The Netherlands
EUR J CLIN PHARMACOL 1991, 41 (3) 245
 Interaction of ORG-10172, a low molecular weight heparinoid, and digoxin in healthy volunteers
- Guvenc KC, Ozsoy Y, Ozturk B, Topaloglu B, Ulutin ON//Univ Istanbul, Fac Pharm, Sch Aquat Prod, Dept Pharmaceut Technol, Beyazit 34452, Turkey
PHARMAZIE 1991, 46 (7) 547
 Reparin, a new heparinoid from *Rapana venosa* (Valenciennes)
- Kiesewetter H, Ong TI, Jung F, Spitzer S//Univ Saarland, Klin Hamostaseol & Transfus Med Abt, W-6650 Homburg, FRG
PERFUSION 1991, 4 (7) 215
 Influence of heparin, dextran and hydroxyethyl starch on wound healing in patients with outer ligament ruptures (German, English Abstract)
- McGinnis DM, Outschoorn AS//US Pharmacopeial Convent Inc, DPPR, 12601 Twinbrook Pkwy, Rockville, Md 20852, USA
PHARMACOPEIAL FORUM 1991, 17 (5) 2438
 Problems of component activities of heparin
- Monreal M, Silveira P, Monreal L, Monasterio J, Angles AM, Lafoz E, Lorente L//Hosp Germans Trias & Pujol, CITRA Canyet S-N, Barcelona, Spain
HAEMOSTASIS 1991, 21 (2) 91
 Comparative study on the antithrombotic efficacy of four low-molecular-weight heparins in three different models of experimental venous thrombosis
- Olsson P, Larm O//Karolinska Hosp, Dept Exptl Surg, Thorac Clin, S-10401 Stockholm 60, Sweden
INT J ARTIF ORGANS 1991, 14 (8) 453
 Biologically active heparin coating in medical devices
- Ryan KE, Lane DA, Flynn A, Shepperd J, Ireland HA, Curtis JR//Univ Coll Hosp London, Dept Haematol, Gower St, London WC1E 6AU, England
THROMB HAEMOST 1991, 66 (3) 277
 Dose finding study of a low molecular weight heparin, Innohep, in haemodialysis
- Shulman AG//9201 Sunset Blvd, Los Angeles, Ca 90069, USA
LANCET 1991, 338 (8767) 619
 Setting the record straight on low-dose heparin
- Zimmermann JFF, Oddie K, Langer R, Cooney CL//Ibex Technol, 6100 Ave Royalmount, Montreal, Quebec, Canada H4P 2R2
APPL BIOCHEM BIOTECHNOL 1991, 30 (2) 137
 The release of heparinase from the periplasmic space of *Flavobacterium heparinum* by 3-step osmotic shock
- Bartolucci C, Cellai L, Corradini C, Corradini D*, Lamba D, Velona I//CNR, Ist Cromatog, POB 10, I-00016 Monterotondo, Italy
J LIQ CHROMATOGR 1991, 14 (13) 2563
 Isolation and quantitation of hyaluronan tetrasaccharide and hexasaccharide by anion exchange HPLC
- Cleland RL//Univ Uppsala, Dept Med & Physiol Chem, S-75123 Uppsala, Sweden
MACROMOLECULES 1991, 24 (15) 4386
 Electrophoretic mobility of wormlike chains. 1. Experiment - Hyaluronate and chondroitin 4-sulfate
- Cleland RL//Univ Uppsala, Dept Med & Physiol Chem, S-75123 Uppsala, Sweden
MACROMOLECULES 1991, 24 (15) 4391
 Electrophoretic mobility of wormlike chains. 2. Theory
- Inari T, Tomoyoda M//Gifu Womens Univ, Fac Home Sci, 80 Taromaru, Gifu 50125, Japan
NIPPON NOGEIKAGAKU KAISHI 1991, 65 (9) 1343
 Purification of pectin esterase from persimmon by affinity chromatography (Japanese, English Abstract)
- Mehta A, Mehta P, Chopra S//Saugor Univ, Dept Bot, Sagar, India
ZBL MIKROBIOL 1991, 146 (6) 393
 Effect of various nitrogenous sources on the production of pectolytic and cellulolytic enzymes by *Fusarium oxysporum* and *F-moniliforme*
- Zaporozhets TS, Besednova NN, Lyamkin GP, Loenko YN, Popov AM//Acad Med Sci USSR, Epidemiol & Microbiol Res Inst, Vladivostok, USSR
ANTIBIOT KHIMIOTERAP 1991, 36 (8) 31
 Immunomodulating properties of pectin from *Zostera sea grass* (Russian, English Abstract)
- Klocking HP, Hauptmann J, Richter M//Med Acad Erfurt, Inst Pharmacol & Toxicol, Nordhauser Str 74, O-5010 Erfurt, FRG
PHARMAZIE 1991, 46 (7) 543
 Profibrinolytic and anticoagulant properties of the pentosan polysulphate derivative Bego 0391
- Baba N, Kawami H, Sato Y, Takayama T, Toge T//Hiroshima Univ, Nucl Med & Biol Res Inst, Dept Surg, 1-2-3 Kasumicho, Minami ku, Hiroshima 734, Japan
BIOOTHERAPY 1991, 3 (4) 359
 The augmentative effect of a protein-bound polysaccharide (PSK) on tumoricidal activity of the soluble factor produced by a streptococcal preparation (OK-432)-activated macrophages

Kariya Y, Okamoto N, Fujimoto T, Inoue N, Kihara T, Sugie K, Yagita M, Kanzaki H, Mori T, Uchida A/**Kyoto Univ, Ctr Radiat Biol, Dept Late Effect Studies, Yoshida konoecho, Sakyo ku, Kyoto 606, Japan

JPN J CANCER RES 1991, 82 (9) 1044

Lysis of fresh human tumor cells by autologous peripheral blood lymphocytes and tumor-infiltrating lymphocytes activated by PSK

Kondo T, Sakamoto J, Nakazato H//Tokai Cent Hosp, Kagamihara, Gifu 504, Japan

BIOETHERAPY 1991, 3 (4) 287

Alternating immunochemotherapy of advanced gastric carcinoma - A randomized comparison of carbazilquinone and PSK to carbazilquinone in patients with curative gastric resection

Elsner A, Mieth G, Engst W, Aust L, Leverenz HJ//Zent Inst Ernährung, Arthur Scheunert Allee 114-116, O-1505 Bergholz, FRG

FETT WISS TECHNOL 1991, 93 (8) 290

Synthesis, characterization and application of sucrose carboxylic acid polyesters - A prototype of non-caloric or surface active compounds

Shibuya N, Amano K, Azuma J, Nishihara T, Kitamura Y, Noguchi T, Koga T//Minist Agr Forestry & Fisheries, Natl Inst Agrobiol Resources, Dept Cell Biol, 2-1-2 Kankondai, Tsukuba, Ibaraki 305, Japan

J BIOL CHEM 1991, 266 (25) 16318

6-deoxy-D-talan and 6-deoxy-L-talan - Novel serotype-specific polysaccharide antigens from *Actinobacillus actinomycetemcomitans*

Carnali JO//Unilever Res US Inc, 45 River Rd, Edgewater, NJ 07020, USA

J APPL POLYM SCI 1991, 43 (5) 929

A dispersed anisotropic phase as the origin of the weak-gel properties of aqueous xanthan gum

Kawakami K, Norisuye T/**Osaka Univ, Dept Macromolec Sci, Toyonaka, Osaka 560, Japan

MACROMOLECULES 1991, 24 (17) 4898

2nd viral coefficient for charged rods - Sodium xanthan in aqueous sodium chloride

Lu MF, Woodward L, Borodkin S//Abbott Labs, Div Pharmaceut Prod, 1401 Sheridan Rd, N Chicago, IL 60064, USA

DRUG DEVELOP IND PHARM 1991, 17 (14) 1987

Xanthan gum and alginate based controlled release theophylline formulations

Tako M//Univ Ryukyus, Dept Agr Chem, Nishihara, Okinawa 90301, Japan

J CARBOHYD CHEM 1991, 10 (4) 619

Synergistic interaction between deacylated xanthan and galactomannan

Eremeeva TV, Khinoverova OE, Ebringerova A, Ershov BS//Acad Sci LaSSR, Inst Wood Chem, Riga 226006, Latvia, USSR

HIGH ENERG CHEM-ENGL TR 1991, 25 (1) 74

Xylan destruction by radiation

Haga K, Kitaoka M, Kashiwagi Y, Sasaki T, Taniguchi H//Natl Food Res Inst, 2-1-2 Kannondai, Tsukuba, Ibaraki 305, Japan

AGR BIOL CHEM TOKYO 1991, 55 (8) 1959

Purification and properties of a xylanase from *Cellvibrio gilvus* that hydrolyzes para-nitrophenyl cellooligosaccharides

Myburgh J, Prior BA*, Kilian SG/**Univ Orange Free State, Dept Microbiol & Biochem, POB 339, Bloemfontein 9300, South Africa

J FERMENT BIOENG 1991, 72 (2) 135

Production of xylan-hydrolyzing enzymes by *Aureobasidium pullulans*

Rodriguez H, Ponce T, Delatorre M, Enriquez A//Cuban Res Inst Sugar Cane Byprod, Dept Microbiol, POB 4026, CP 11000, Havana, Cuba

BIOTECHNOL LETT 1991, 13 (8) 563

Effect of oxygen and air flow on xylanolytic and cellulolytic activity from bacterial cultures grown on bagasse pithe

Rozie H, Somers W, Bonte A, Rombouts FM, Visser J//DSM Res, CP Chemicals, Postbox 18, 6160 MD Geleen, The Netherlands

CARBOHYD POLYM 1992, 17 (1) 19

Crosslinked xylan as an affinity adsorbent for endo-xylanases

Saito H, Yamada J, Yoshioka Y, Shibata Y, Erata T//Himeji Inst Technol, Dept Life Sci, Harima Sci Garden City, Hyogo 67812, Japan

BIOPOLYMERS 1991, 31 (8) 933

Evidence of three distinct conformations - Single chain, single helix, and triple helix of (1-3)-beta-D-xylan in the solid and intact frond of green algae as studied by ¹³C-NMR spectroscopy

Usov AI, Dobkina IM//ND Zellinskii Organ Chem Inst, Moscow, USSR

BIOORG KHM 1991, 17 (8) 1051

Polysaccharides of algae. 43. Neutral xylan and sulfated xylomannan from the red seaweed *Liagora valida* (Russian, English Abstract)

Sone Y, Sato K, Misaki A//Osaka City Univ, Fac Sci Living, Dept Food & Nutr, Sumiyoshi ku, Osaka 558, Japan

AGR BIOL CHEM TOKYO 1991, 55 (8) 2155

Determination of plant xyloglucan by enzyme-linked immunosorbent assay

7 POLYSACCHARIDES - OTHER

Abeygunawardana C, Bush CA*, Cisar JO/**Univ Maryland, Dept Chem & Biochem, Catonsville, Md 21228, USA

BIOCHEMISTRY-USA 1991, 30 (35) 8568

Complete structure of the cell surface polysaccharide of *Streptococcus oralis*-C104 - A 600-MHz NMR study

Byramova NE, Mochalova LV, Belyanchikov IM, Mtrosovich MN, Bovin NV//MM Shemyakin Bioorgan Chem Inst, Miklukho Maklaya 16-10, Moscow 117871, USSR

J CARBOHYD CHEM 1991, 10 (4) 691

Synthesis of sialic acid pseudopolysaccharides by coupling of spacer-connected neu5ac with activated polymer

Herrera VE, Axcell BC/**African Breweries Ltd, Sandton, South Africa

J INST BREW 1991, 97 (5) 359

Induction of premature yeast flocculation by a polysaccharide fraction isolated from malt husk

Herrera VE, Axcell BC//Univ Witwatersrand, Dept Microbiol Johannesburg 2001, South Africa

J INST BREW 1991, 97 (5) 367

Studies on the binding between yeast and a malt polysaccharide that induces heavy yeast flocculation

Kelly J, MacKey M, Helleur RJ//Mem Univ Newfoundland, Dept Chem, St Johns, Newfoundland, Canada A1B 3X7

J ANAL APPL PYROL 1991, 19 (JUL) 105

Quantitative analysis of saccharides in wood pulps by quartz-tube pulse pyrolysis-polar phase gas chromatography

Lapasin R, Priet S, Bertocchi C, Navarini L, Cesaro A, de Philippis R//Univ Trieste, Ist Chim Appl Ind, via Valerio 2, I-34127 Trieste,

Italy

CARBOHYD POLYM 1992, 17 (1) 1

Rheology of culture broths and exopolysaccharide of *Cyanospira capsula* at different stages of growth

Morris ER/Cranfield Inst Technol, Silsoe Coll, Dept Food Res & Technol, Silsoe, Beds MK45 4DT, England

CARBOHYD POLYM 1992, 17 (1) 65

The effect of solvent partition on the mechanical properties of bi-phasic biopolymer gels: An approximate theoretical treatment

Petzold JC, Herrington TM/**Univ Reading, Dept Chem, Reading RG6 2AD, England

MAKROMOL CHEM-MACRO CHEM PHYS 1991, 192 (8) 1741

The measurement of concentration and stability of weak acids and a study of the ionisation of polysaccharides using buffer capacity curves

Pozsgay V, Gaudino J, Paulson JC, Jennings HJ/NICHHD, Bldg 8, Room B1A-23, Bethesda, Md 20892, USA

BIOORG MED CHEM LETT 1991, 1 (8) 391

Synthetic oligosaccharides related to group-B streptococcal polysaccharide. 6. Chemoenzymatic synthesis of a branching deca-saccharide fragment of the capsular polysaccharide of type-III group-B streptococcus

Racine M, Dumont J, Champagne CP, Morin A/**Agr Canada, Ctr Rech & Dev Aliments, 3600 Blvd Casavant Ouest, St Hyacinthe, Quebec, Canada J2S 8E3

J APPL BACTERIOL 1991, 71 (3) 233

Production and characterization of the polysaccharide from *Propionibacterium acidipropionici* on whey-based media

Radlein D, Piskorz J, Scott DS/Univ Waterloo, Dept Chem Engn, Waterloo, Ontario, Canada N2L 3G1

J ANAL APPL PYROL 1991, 19 (JUL) 41

Fast pyrolysis of natural polysaccharides as a potential industrial process

Ravenscroft N, Walker SG, Dutton GGS, Smit J/**Univ British Columbia, Dept Microbiol, Vancouver, BC, Canada V6T 1Z3

J BACTERIOL 1991, 173 (18) 5677

Identification, isolation, and structural studies of extracellular polysaccharides produced by *Caulobacter crescentus*

Shen ML, Zhai SK, Chen HL, Luo YD, Tu GR, Ou DW/**Univ Illinois, Dept Pathol, Chicago, Il 60680, USA

INT J IMMUNOPHARMACOL 1991, 13 (5) 549

Immunopharmacological effects of polysaccharides from *Acanthopanax senticosus* on experimental animals

Shimizu N, Tomoda M, Satoh M, Gonda R, Ohara N/Toyama Med & Pharmaceut Univ, Fac Pharmaceut Sci, Sugitani, Toyama 93001, Japan

CHEM PHARM BULL TOKYO 1991, 39 (8) 2082

Characterization of a polysaccharide having activity on the reticuloendothelial system from the stolon of *Glycyrrhiza glabra* var *Glandulifera*

Soni PL, Sharma H, Sharma S/Forest Res Inst, Div Minor Forest Prod, Dehra Dun 248006, India

INDIAN J CHEM SECT B 1991, 30 (9) 843

Structure elucidation of the oligosaccharides isolated from *Leucaena leucocephala* (Subabul) gum polysaccharides

Takegawa K, Yamaguchi S, Miki S, Jikibara T, Iwahara S/Kagawa Univ, Fac Agr, Dept Bioresource Sci, Miki, Kagawa 76107, Japan

AGR BIOL CHEM TOKYO 1991, 55 (8) 1969

Purification and characterization of a novel lyase from *Cellulomonas* sp that degrades *Fusarium* and *Gibberella* acidic polysaccharides

8 LIPOPOLYSACCHARIDES

Arsenault TL, Hughes DW, MacLean DB*, Szarek WA, Kropinski AMB, Lam JS/**McMaster Univ, Dept Chem, Hamilton, Ontario, Canada L8S 4M1

CAN J CHEM 1991, 69 (8) 1273

Structural studies on the polysaccharide portion of A-band lipopolysaccharide from a mutant (AK1401) of *Pseudomonas aeruginosa* strain PA01

Bhattacharyya T, Basu S/**Indian Assoc Cultivat Sci, Dept Biol Chem, Calcutta 700032, W Bengal, India

INDIAN J CHEM SECT B 1991, 30 (9) 889

Synthesis of acofriose, a constituent sugar of the lipopolysaccharide of a smooth strain of *Pseudomonas syringae* pv. *Phaseolicola*, race 2

Katzenellenbogen E, Romanowska E*, Dabrowski U, Dabrowski J/**Ludwik Hirsfeld Inst Immunol & Exptl Therapy, IL Czerska 12, PL-53114 Wroclaw, Poland

EUR J BIOCHEM 1991, 200 (2) 401

O-specific polysaccharide of *Hafnia alvei* lipopolysaccharide isolated from strain-1211 - Structural study using chemical methods, gas-liquid chromatography/mass spectrometry and NMR spectroscopy

Kondo S, Haishima Y, Hisatsune K/**Josai Univ, Sch Pharmaceut Sci, Dept Microbiol, Sakado, Saitama 35002, Japan

MICROBIOL IMMUNOL 1991, 35 (8) 675

Chemical structure of the 2-keto-3-deoxyoctonate (KDO) region of the lipopolysaccharide isolated from O1 *Vibrio cholerae* NIH-41R (Ogawa)

Masoud H, Neszmelyi A, Mayer H/**Max Planck Inst Immunbiol, Stubeweg 51, W-7800 Greiburg, FRG

ARCH MICROBIOL 1991, 156 (3) 176

Chemical characterization of the O-specific chain of *Sphaerotilus natans* ATCC-13338 lipopolysaccharide

Masoud H, Urbaniksygniewska T, Lindner B, Weckesser J, Mayer H/**Max Planck Inst Immunbiol, Stubeweg 51, W-7800 Greiburg, FRG

ARCH MICROBIOL 1991, 156 (3) 167

The structure of the lipid-A component of *Sphaerotilus natans*

9 STARCH

Nishimura T, Yajima H, Ishii T, Endo R/Sci Univ Tokyo, Fac Sci, Dept Appl Chem, 1-3 Kagurazaka, Shinjuku, Tokyo 162, Japan

KOBUNSHI RONBUNSHU 1991, 48 (8) 525

Study of the bluing mechanism of amylose-iodine complexes by CD stopped-flow method (Japanese, English Abstract)

Boki K, Ohno S/Kinki Univ, Fac Pharmaceut Sci, Kowakae 3-4-1, Higashiosaka, Osaka 577, Japan

J FOOD SCI 1991, 56 (4) 1106

Equilibrium isotherm equations to represent moisture sorption on starch

El-Khordaugui LK/Univ Alexandria, Fac Pharm, Dept Pharmaceut, Khartoum Sq, Alexandria, Egypt

INT J PHARM 1991, 74 (1) 25

Hydrotrope-gelled starch - Study of some physicochemical properties

Fanta GF, Swanson CL, Doane WM/USDA, Plant Polym Res, Agr Res Serv, Natl Ctr Agr Util Res, 1815 N Univ St, Peoria, Il 61604,

USA

CARBOHYD POLYM 1992, 17 (1) 51

Complexing between starch and poly (ethylene-co-acrylic acid) - A comparison of starch varieties and complexing conditions

Fronda A, Jona R/Univ Turin, Fac Agr, Ist Coltivaz Arboree, via P Giuria 15, I-10126 Turin, Italy

BIOTECH HISTOCHEM 1991, 66 (5) 221

Starch removal from potato tuber sections

Gidley MJ, Cooke D/Unilever Res Labs, Colworth House, Sharnbrook MK44 1LQ, Beds, England

BIOCHEM SOC TRANS 1991, 19 (3) 551

Aspects of molecular organization and ultrastructure in starch granules

Kohyama K, Nishinari K/Natl Food Res Inst, Tsukuba, Ibaraki 305, Japan

J AGR FOOD CHEM 1991, 39 (8) 1406

Effect of soluble sugars on gelatinization and retrogradation of sweet potato starch

Larsson K/Univ Lund, Dept Food Technol, POB 124, S-22100 Lund, Sweden

ACTA CHEM SCAND 1991, 45 (8) 840

Structure of the starch granule - A curved crystal

Schlimme E, Lorenzen PC, Precht D/Bundesanstalt Milchwirtsch, Inst Chem & Phys, W-2300 Kiel, FRG

KIEL MICHWIRT FORSCHUNGSBER 1991, 43 (2) 149

Separation of cholesterol from edible fats using starch-containing products (German, English Abstract)

Simpson LA, Barton AFM/Murdoch Univ, Sch Math & Phys Sci, Murdoch, WA 6150, Australia

HOLZFORSCHUNG 1991, 45 (4) 1991, 45 (4) 253

Time dependence of starch levels in the sapwood of Eucalyptus diversicolor (Karri) As - Standing trees, stored saw-logs, ringbarked trees and trees felled without topping

Tanner SF, Hills BP*, Parker R/*AFRC, Inst Food Res, Norwich NR4 7UA, England

J CHEM SOC FARADAY TRANS 1991, 87 (16) 2613

Interactions of sorbed water with starch studied using proton nuclear magnetic resonance spectroscopy

10 STARCH-DEGRADING ENZYMES

Aniche GN, Palmer GH/Anambra State Univ Technol, Dept Appl Microbiol & Brewing, Enugu, Nigeria

J INST BREW 1990, 96 (6) 377

Development of amylolytic activities in sorghum and barley malt

Ivanova V, Emanuilova E, Sedlak M, Pazlarova J*/*Czechoslovak Acad Sci, Inst Microbiol, Videnska 1083, Prague 4, Czechoslovakia

APPL BIOCHEM BIOTECHNOL 1991, 30 (2) 193

HPLC study of starch hydrolysis products obtained with alpha-amylase from Bacillus amyloliquefaciens and Bacillus licheniformis

McCleary BV, Bouhet F, Driguez H/Magazyme Austr Pty Ltd, 6 Altona Pl, N Rocks, NSW 2151, Australia

BIOTECHNOL TECHNIQUE 1991, 5 (4) 255

Measurement of amyloglucosidase using p-nitrophenyl beta-maltoside as substrate

Woo GJ, McCord JD/Univ Illinois, Dept Food Sci, 1304 W Penn Ave,

Urbana, IL 61801, USA

J FOOD SCI 1991, 56 (4) 1019

Maltotetraose production using Pseudomonas stutzeri exo-alpha-amylase in a membrane recycle bioreactor

Facciotti MCR, Wuhstrack GH, Tonso A, Chiquetto ML, Schmidell W/Univ Sao Paulo, Escola Politecn, Dept Engr Quim, Caixa Postal 61548, BR-05508 Sao Paulo, Brazil

BIOTECHNOL LETT 1991, 13 (8) 547

Effect of yeast extract on glucoamylase synthesis by Aspergillus awamori NRRL-3112