



Bibliography on carbohydrate polymers

1 BOOKS, REVIEWS & SYMPOSIA

Persson I, Tjerneld F, Hahn-Hagerdal B//Univ Lund, Ctr Chem, Dept Biochem, POB 124, S-22100 Lund, Sweden
PROCESS BIOCHEM 1991, 26 (2) 65

Fungal cellulolytic enzyme production - A review

Calixto FS, Abia R//Univ Complutense Madrid, Fac Farm, CSIC, Inst Nutr & Bromatol, Ciudad Univ, E-28040 Madrid, Spain
GRASAS ACEITES 1991, 42 (3) 239

Resistant starch - An indigestible fraction of foods (Review)

Richter G//Address not available

STARCH 1991, 43 (9) 364

Report on the Machine and Apparatus Exhibition during the 42nd Starch Convention 1991 at Detmold (German, English Abstract)

2 CELLULOSE

Baumann H, Keller R, Ruzicka E//Rhein Westfal TH Aachen, Worringeweg 1, W-5100 Aachen, FRG

J MEMBRANE SCI 1991, 61 (SEP) 253

Partially cationized cellulose for non-thrombogenic membrane in the presence of heparin and endothelial-cell-surface-heparan sulfate (ESHS)

Goetzky P, Gnauck R//Zent Inst Organ Chem, O-1199 Berlin, FRG
ACTA POLYM 1991, 42 (7) 314

Studies on the thermal behaviour of phenolic resin bonded cellulose paper laminates. 1. Thermoanalytic investigation of the laminates and their components (German, English Abstract)

Humeres E, Oliveira CMD, Osellame VT, De Souza I//Univ Fed Santa Catarina, Dept Quim, BR-88049 Florianopolis, SC, Brazil

J PHYS ORG CHEM 1991, 4 (9) 573

Protein immobilization by aminolysis of cellulose xanthate esters

Kaputsky VE, Sobeshchuk OP, Adarchenko AA, Krasilnikov AP//VI Lenin State Univ, Phys Chem Problems Res Inst, Minsk, Belorussia, USSR

ANTIBIOT KHIOTHERAP 1991, 36 (9) 5

Study on antimicrobial properties of fibrous cellulose and other polymeric materials modified with chlorhexidine (Russian, English Abstract)

Krasovskii AN, Polyakov DN, Baranov VG, Mnatsakanov SS, Varlamov AV//Leningrad Cine Photo Engn Inst, Leningrad, USSR

VYSOKOMOL SOEDIN SER A SSSR 1991, 33 (6) 1228

Hydrodynamic behavior of cellulose triacetate in solution and struc-

ture of interface (Russian, English Abstract)

Krinichny VI, Ushakov EN, Arutyunyan KA, Kostina NV//NN Semyonov Chem Phys Inst, Chernogolovka, USSR
BIOFIZIKA 1991, 36 (3) 427

Study of microcrystalline cellulose by the method of ESR of 3cm and 2mm ranges (Russian, English Abstract)

Lipatova IM, Makarova LI, Anikeeva II, Kudryashov SA//Ivanovo Chem Technol Inst, Ivanovo, USSR

IZV VYSSH UCH ZAV KHM KHM T 1991, 34 (3) 87

Acid effect on methacrylamide radiation grafting to cotton fabric cellulose (Russian)

Nehls I, Heinze T, Philipp B, Klemm D, Ebringerova A//Inst Polymerchem Erich Correns, O-1530 Teltow, FRG

ACTA POLYM 1991, 42 (7) 339

¹³C-NMR spectroscopic study of the oxidation of cellulose in the system H₃PO₄/NaNO₂ (German, English Abstract)

Sultanov K//Cent Asian Food Ind Planning & Design Res Inst, Tashkent, Uzbekistan, USSR

VYSOKOMOL SOEDIN SER B SSSR 1991, 33 (5) 392

On the ESR spectrum of native cellulose gamma-irradiated at 300-K (Russian)

Temchenko TL, Shulgina ES, Nikolaev AF, Koltsov YS//Lensovet Technol Inst, Leningrad, USSR

J APPL CHEM-ENGL TR 1990, 63 (12) 2555

Photoaging of colored cellulose acetobutyrate films

Vennat B, Gross D, Pourrat A*, Pourrat H//*Fac Pharm Clermont Ferrand, Pharmacognosie & Biotechnol Lab, F-36001 Clermont Ferrand, France

DRUG DEVELOP IND PHARM 1991, 17 (15) 2083

A dosage form for procyanidins gels based on cellulose derivatives

Wallis AFA, Wearne RH//Div Forest Products, CSIRO, Private Bag 10, Clayton, Vic 3168, Australia

CARBOHYD POLYM 1992, 17 (2) 103

Chemical cellulose from Eucalyptus regnans wood by autohydrolysis-explosion-extraction

Shukry N, Ishak F, Sefain Z//Natl Res Ctr, Dept Cellulose & Paper, Cairo, Egypt

J THERM ANAL 1991, 37 (5) 915

DTA study of thermal degradation of bagasse and rice straw hemicelluloses

As a service to subscribers, each issue of the Journal contains a bibliography of newly published material in the field of carbohydrate polymers. The bibliography is divided into ten sections: 1 Books, Reviews & Symposia; 2 Cellulose; 3 Cellulose-degrading Enzymes; 4 Cyclodextrins; 5 Lignin; 6 Polysaccharides - Named; 7 Polysaccharides - Other; 8 Lipopolysaccharides; 9 Starch; 10 Starch-degrading Enzymes. Within each section, articles are listed in alphabetical order with respect to the subject. When there are no publications to appear under one of these headings, that section will be omitted.

Chang SY, Ring TA, Trujillo EM//Ecole Polytech Fed Lausanne, Technol Poudres Lab, CH-1007 Lausanne, Switzerland
COLLOID POLYM SCI 1991, 269 (8) 843
Coagulation kinetics of amorphous colloidal silica suspensions with and without hydroxypropyl cellulose polymer

Matsuo M, Yanagida N//Nara Womens Univ, Fac Home Econ, Dept Clothing Sci, Nara 630, Japan
POLYMER 1991, 32 (14) 2561
Molecular-weight dependence of morphology and mechanical properties of hydroxypropyl cellulose films cast from water

Torregrosa R, Martin-Martinez JM//Univ Alicante, Dept Quim Inorgan & Ingn Quim, AP 99, E-03080 Alicante, Spain
FUEL 1991, 70 (10) 1173
Activation of lignocellulosic materials - A comparison between chemical, physical and combined activation in terms of porous texture

3 CELLULOSE-DEGRADING ENZYMES

Casler MD, Slepner DA//Univ Wisconsin, Dept Agron, Madison, WI 53706, USA
CROP SCI 1991, 31 (5) 1335
Smooth bromegrass digestibility tests - Fungal cellulase vs in vitro rumen fermentation

Chen S, Wayman M//Univ Toronto, Dept Chem Engn & Appl Chem, Toronto, Ontario, Canada M5S 1A4
PROCESS BIOCHEM 1991, 26 (2) 93
Cellulase production induced by carbon sources derived from waste newspaper

Kamagata Y, Yachi M, Kurasawa T, Suto M, Sasaki H, Takao S, Tomita F*//Hokkaido Univ, Fac Agr, Dept Agr Biochem, Sapporo, Hokkaido 060, Japan
J FERMENT BIOENG 1991, 72 (3) 217
Cellulase induction by cellobiose octa-acetate in *Penicillium purpurogenum*

Nakamura A, Toyama N, Kitamura A, Masaki H, Uozumi T//Univ Tokyo, Fac Agr, Dept Biotechnol, Yayoi 1-1-1, Bunkyo ku, Tokyo 113, Japan
AGR BIOL CHEM TOKYO 1991, 55 (9) 2367
Use of a triple protease-deficient mutant of *Bacillus subtilis* as a host for secretion of a B-subtilis cellulase and TEM beta-lactamase

Gama FM, Teixeira JA, Mota M//Univ Oporto, INIC, Ctr Engn Quim, Rua Bragas 4099, Oporto, Portugal
BIOTECHNOL TECHNIQUE 1991, 5 (5) 377
Direct determination of endoglucanase activity on cellulose insoluble fibres

4 CYCLODEXTRINS

Aime S, Botta M, Panero M, Grandi M, Uggeri F//Univ Turin, Dipartimento Chim Inorgan Chim Fis & Chim Mat, via P Giuria 7, I-10125 Turin, Italy
MAGN RESON CHEM 1991, 29 (9) 923
Inclusion complexes between beta-cyclodextrin and beta-benzoyloxy-alpha-propionic derivatives of paramagnetic DOTA-Gd(III) and DPTA-Gd(III) complexes

Angibeaud P, Utile JP*//Ctr Rech Macromolec Vegetales, CNRS, BP 53 X, F-38041 Grenoble, France
SYNTHESIS-STUTTGART 1991, (9) 737
Cyclodextrin chemistry. 1. Application of a regioselective acetolysis

method for benzyl ethers

Bauer JA, Fung HL*//SUNY Buffalo, Sch Pharm, Dept Pharmaceut, Buffalo, NY 14260, USA
PHARMACEUT RES 1991, 8 (10) 1329
Chemical stabilization of a vasoactive S-nitrosothiol with cyclodextrins without loss of pharmacologic activity

Brewster ME, Loftsson T*, Baldvinsdottir J, Bodor N//Univ Iceland, Dept Pharm, IS-101 Reykjavik, Iceland
INT J PHARM 1991, 75 (1) R5
Stabilization of aspartame by cyclodextrins

Bulusu S, Axenrod T*, Liang B, He Y, Yuan L//CUNY City Coll, Dept Chem, New York, NY 10031, USA
MAGN RESON CHEM 1991, 29 (10) 1018
Assignment of the ^1H , ^{13}C and ^{15}N resonances in cyclodextrin nitrates by 2D NMR and the determination of the regioselectivity of the hydroxylamine-induced denitration reactions

Ding JP, Steiner T, Zabel V, Hingerty BE, Mason SA, Saenger W*//Free Univ Berlin, Inst Kristallog, Takustr 6, W-1000 Berlin 33, FRG
J AMER CHEM SOC 1991, 113 (21) 8081
Topography of cyclodextrin inclusion complexes. 28. Neutron diffraction study of the hydrogen bonding in partially deuterated gamma-cyclodextrin.15.7D₂O at T = 110-K.

Hamai S//Miyazaki Med Coll, Dept Phys, Miyazaki 88916, Japan
J INCLUSION PHENOM MOL RECOGN 1991, 11 (1) 55
Inclusion complexes of gamma-cyclodextrin and caronene in aqueous methanol

Ikeda H, Du YQ, Nakamura A, Toda F//Tokyo Inst Technol, Fac Biosci & Biotechnol, Dept Bioengn, Yokohama, Kanagawa 227, Japan
CHEM LETT 1991, (9) 1495
NMR studies of conformation of viologen-appended beta-cyclodextrin

Isnin R, Kaifer AE*//Univ Miami, Dept Chem, Coral Gables, FL 33124, USA
J AMER CHEM SOC 1991, 113 (21) 8188
Novel class of asymmetric Zwitterionic rotaxanes based on alpha-cyclodextrin

Jelinek I, Snopek J, Smolkova-Keulemansova E*//Charles Univ, Dept Analyt Chem, Albertov 2030, CS-12840 Prague 2, Czechoslovakia
J CHROMATOGR 1991, 557 (1-2) 215
Influence of counter-ion inclusion complexation on the quality of cyclodextrin-supported separations in isotachopheresis

Klingert B, Rihs G//Ciba Geigy AG, Cent Res Labs, CH-4002 Basel, Switzerland
J CHEM SOC DALTON TRANS 1991, (10) 2749
Molecular encapsulation of transition metal complexes in cyclodextrins. 3. Structural consequences of varying the guest geometry in channel-type inclusion compounds

Macarak EJ, Kumor K, Weisz PB*//Univ Penn, Dept Chem Engn, Philadelphia, Pa 19104, USA
BIOCHEM PHARMACOL 1991, 42 (7) 1502
Sulfation and hemolytic activity of cyclodextrin

Nishi H, Fukuyama T, Terabe S//Tanabe Seiyaku Co Ltd, Analyt Chem Res Lab, 16-89 Kashima 3-chome, Yodogawa ku, Osaka 532, Japan
J CHROMATOGR 1991, 558 (1-2) 503
Chiral separation by cyclodextrin-modified micellar electrokinetic

chromatography

Oguma T, Kikuchi M, Mizusawa K//Noda Inst Sci Res, 399 Noda, Noda, Chiba 278, Japan

FEBS LETT 1991, 290 (1-2) 13

Hydrolysis of branches cyclodextrins by a cyclodextrin-hydrolyzing enzyme from *Bacillus sphaericus* E-244

Osajima T, Deguchi T, Sanemasa I**//Kumamoto Univ, Fac Sci, Dept Chem, Kurokami 2-39-1, Kumamoto 860, Japan

BULL CHEM SOC JPN 1991, 64 (9) 2705

Association of cycloalkanes with cyclodextrins in aqueous medium

Rizzi AM, Plank C//Univ Vienna, Inst Analyt Chem, Wahringerstr 38, A-1090 Vienna, Austria

J CHROMATOGR 1991, 557 (1-2) 199

Coupled column chromatography in chiral separations - Systems employing beta-cyclodextrin phases for chiral separation

Tawarah KM, Abushamleh HM//Yarmouk Univ, Dept Chem, Irbid, Jordan

J INCLUSION PHENOM MOL RECOGN 1991, 11 (1) 29

A spectrophotometric determination of the formation constants of the inclusion complexes of alpha-cyclodextrin and beta-cyclodextrin with the azonium and ammonium tautomers of methyl orange and methyl yellow

Van Helden SP, Van Drooge MJ, Claessens AJ, Jansen ACA, Janssen LHM//State Univ Utrecht, Dept Pharmaceut Chem, POB 80082, 3508 TB Utrecht, The Netherlands

CARBOHYD RES 1991, 215 (2) 251

A molecular modelling study of the distortion of alpha-cyclodextrin (cyclomaltohexaose) in complexes with guest molecules

Ye HP, Rong D, D'Souza VT**//Univ Missouri, Dept Chem, St Louis, Mo 63121, USA

TETRAHEDRON LETT 1991, 32 (39) 5231

Electrophilic catalysis by cyclodextrins

5 LIGNIN

Nerud F, Zouchova Z, Misurcova Z//Czechoslovak Acad Sci, Inst Microbiol, CS-14220 Prague, Czechoslovakia

BIOTECHNOL LETT 1992, 13 (9) 657

Ligninolytic properties of different white-rot fungi

Orth AB, Denny M, Tien M//Penn State Univ, Dept Molec & Cell Biol, University Pk, Pa 16802, USA

APPL ENVIRON MICROBIOL 1991, 57 (9) 2591

Overproduction of lignin-degrading enzymes by an isolate of *Phanerochaete chrysosporium*

Reid ID//Pulp & Paper Res Inst Canada, 570 Blvd St Jean, Pointe Claire, Quebec, Canada H9R 3J9

APPL ENVIRON MICROBIOL 1991, 57 (10) 2834

Intermediates and products of synthetic lignin (dehydrogenative polymerization) degradation by *Phlebia tremellosa*

6 POLYSACCHARIDES - NAMED

Gekko K, Fukamizu M//Nagoya Univ, Fac Agr, Dept Food Sci & Technol, Nagoya, Aichi 464, Japan

AGR BIOL CHEM TOKYO 1991, 55 (9) 2427

Effect of pressure on the sol-gel transition of agarose

Lanan M, Shick R, Morris MD//Univ Michigan, Dept Chem, Ann

Arbor, Mi 48109, USA

BIOPOLYMERS 1991, 31 (9) 1095

Electric birefringence imaging of electrokinetic agarose orientation

Smutzer G, Bayley D, Kalinoski DL, Chamberlin L//Monell Chem Senses Ctr, 3500 Market St, Philadelphia, Pa 19104, USA

BIOTECHNIQUES 1991, 11 (4) 468

A simplified method for drying agarose gels

Whytock S, Finch J//MRC, Molec Biol Lab, Hills Rd, Cambridge CB2 2QH, England

BIOPOLYMERS 1991, 31 (9) 1025

The substructure of agarose gels as prepared for electrophoresis

Konig S, Ugi I**//Tech Univ Munich, Inst Organ Chem, Lichtenbergstr 4, W-8046 Garching, FRG

Z NATURFORSCH SECT B 1991, 46 (9) 1261

Crosslinking of aqueous alginic acid by 4 component condensation with inclusion immobilization of enzymes (German, English Abstract)

Thomas PC, Subbaramaiah K//CSMCRI Marine Algal Res Stn, Mandapam 623518, India

INDIAN J MAR SCI 1991, 20 (3) 169

Seasonal variations in growth, reproduction, alginic acid, mannitol, iodine and ash contents of brown alga *Sargassum wightii*

Yonemoto Y, Murata K*, Kimura A, Yamaguchi H, Okayama K//*Kyoto Univ, Food Sci Res Inst, Uji, Kyoto 611, Japan

J FERMENT BIOENG 1991, 72 (3) 152

Bacterial alginate lyase - Characterization of alginate lyase-producing bacteria and purification of the enzyme

Güven KC, Özsoy Y, Ulutin ON//Istanbul Univ, Inst Marine Sci & Geog, Istanbul, Turkey

BOT MAR 1991, 34 (5) 429

Anticoagulant, fibrinolytic and antiaggregant activity of carrageenans and alginic acid

Yuryev VP, Blumenfeld AL, Braudo EE, Tolstoguzov VB//AN Nesmeyanov Organoelement Cpd Inst, Moscow, USSR

COLLOID POLYM SCI 1991, 269 (8) 850

Interaction of sodium and potassium ions with k-carrageenan

Focher B, Naggi A, Torri G, Cosani A, Terbojevich M//Stazione Speriment Cell, Piazza Leonardo da Vinci 26, I-20133 Milano, Italy

CARBOHYD POLYM 1992, 17 (2) 97

Structural differences between chitin polymorphs and their precipitates from solutions - Evidence from CP-MAS¹³C-NMR, FT-IR and FT-Raman spectroscopy

Lee KB, Kim YS, Linhardt RJ//Univ Iowa, Coll Pharm, Div Med & Nat Prod Chem, Iowa City, Ia 52242, USA

ELECTROPHORESIS 1991, 12 (9) 636

Capillary zone electrophoresis for the quantitation of oligosaccharides formed through the action of chitinase

McCormack J, Hackett TJ, Tuohy MG, Coughlan MP**//Natl Univ Ireland Univ Coll Galway, Dept Biochem, Galway, Ireland

BIOTECHNOL LETT 1992, 13 (9) 677

Chitinase production by *Talaromyces emersonii*

Narahari D, Talukadar JK, Reddy PS, Sundararasu V, Sundaresan K//Poultry Res Stn, Madras 600035, India

INDIAN J ANIM SCI 1991, 61 (9) 1016

Performance promoting ability of chitin in chicken

- Sakai K, Uchiyama T, Matahira Y, Nanjo F//Yaizu Suisankagaku Ind Co Ltd, Res & Dev, 5-8-13 Kogawashinmachi yaizu, Shizuoka 425, Japan
J FERMENT BIOENG 1991, 72 (3) 168
Immobilization of chitinolytic enzymes and continuous production of N-acetylglucosamine with the immobilized enzymes
- Adusumilli PS, Bolton SM//Smith Kline Beecham Inc, Parsippany, NJ 07054, USA
DRUG DEVELOP IND PHARM 1991, 17 (14) 1931
Evaluation of chitosan citrate complexes as matrices for controlled release formulations using a 3(2) full factorial design
- Seino H, Tsukuda K, Shimasue Y//Pias Corp, Ctr Res & Dev, 3-21-3 Toyosaki, Kita ku, Osaka 531, Japan
AGR BIOL CHEM TOKYO 1991, 55 (9) 2421
Properties and action pattern of a chitosanase from *Bacillus* sp P1-7S
- Chiessi E, Palleschi A, Paradossi G, Venanzi M, Pispisa B*//Univ Roma Tor Vergata, Dipartimento Sci & Tecnol Chim, I-00173 Rome, Italy
J CHEM RES-S 1991, (9) 248
Conformational features and chelating ability of branched-chain chitosan derivative
- Cuero RG, Duffus E, Osuji G, Pettit R//Prairie View A&M Univ, Texas A&M Univ Syst, Cooperat Agr Res Ctr, Prairie View, Tx, USA
J AGR SCI 1991, 117 (OCT) 165
Aflatoxin control in preharvest maize - Effects of chitosan and 2 microbial agents
- Mitani T, Fukumuro N, Yoshimoto C, Ishii H//Tokyo Natl Coll Technol, Dept Ind Chem, 1220-2 Kunugida cho, Hachioji, Tokyo 193, Japan
AGR BIOL CHEM TOKYO 1991, 55 (9) 2419
Effects of counter ions (SO_4^{2-} and Cl^-) on the adsorption of copper and nickel ions by swollen chitosan beads
- Ogawa K//Osaka Prefecture, Adv Sci & Technol Res Inst, Shinke cho, Sakai, Osaka 593, Japan
AGR BIOL CHEM TOKYO 1991, 55 (9) 2375
Effect of heating an aqueous suspension of chitosan on the crystallinity and polymorphs
- Pandya Y, Knorr D//Univ Delaware, Dept Food Sci, Newark, De 19716, USA
PROCESS BIOCHEM 1991, 26 (2) 75
Diffusion characteristics and properties of chitosan coacervate capsules
- Tong P, Baba Y, Adachi Y, Kawazu K//Govt Ind Res Inst Kyushu, Tosu, Saga 841, Japan
CHEM LETT 1991, (9) 1529
Adsorption of metal ions on a new chelating ion-exchange resin chemically derived from chitosan
- Vikhoreva GA, Gladyshev DY, Bazt MR, Kuznetsova SY, Galbraikh LS, Lavut EE, Ovsepyan AM, Panov VP//Moscow Text Inst, Moscow, USSR
ACTA POLYM 1991, 42 (7) 330
Structure and properties of chitosan carboxymethyl ether
- Wang W, Quin W, Bo SQ//Acad Sinica, Changchun Inst Appl Chem, Polymer Phys Lab, Changchun 130022, Peoples R China
MAKROMOL CHEM-RAP COMM 1991, 12 (9) 559
Influence of the degree of deacetylation of chitosan on its Mark-Houwink equation parameters
- Zaborska W, Krajewska B, Leszko M//Jagiellonian Univ, Fac Chem, Karasia 3, PL-30060 Krakow, Poland
J MEMBRANE SCI 1991, 61 (SEP) 279
Chitosan membrane with covalently immobilized urease - Pore size distribution
- Zsiska M, Meyer B*//Univ Georgia, Complex Carbohydrate Res Ctr, 220 Riverbend Rd, Athens, Ga 30602, USA
CARBOHYD RES 1991, 215 (2) 261
Syntheses of disaccharides with (1-4)-beta glycosidic linkages related to the the 4-sulfates and 6-sulfates and the 4,6-disulfates of chondroitin
- Zsiska M, Meyer B*//Univ Georgia, Complex Carbohydrate Res Ctr, 220 Riverbend Rd, Athens, Ga 30602, USA
CARBOHYD RES 1991, 215 (2) 279
Synthesis of beta-D-glucA-(1-3)-beta-D-gal disaccharides with 4-sulfate and 6-sulfate groups and 4,6-disulfate groups
- Errington N, Harding SE, Rowe AJ//Univ Nottingham, Dept Appl Biochem & Food Sci, Sutton Bonington LE12 5RD, England
CARBOHYD POLYM 1992, 17 (2) 151
Use of scanning absorption optics for sedimentation equilibrium analysis of labelled polysaccharides: Molecular weight of blue dextran
- Mathes LE, Hayes KA, Swenson CL, Polas PJ, Weisbrode SE, Kociba GJ//Ohio State Univ, Dept Vet Pathobiol, Columbus, Oh 43210, USA
ANTIMICROB AGENTS CHEMOTHER 1991, 35 (10) 2147
Evaluation of antiviral activity and toxicity of dextran sulfate in feline leukemia virus-infected cats
- Nishino T, Nagumo T//Kitasato Univ, Sch Hyg Sci, Dept Biophys, Kitasato 1-15-1, Sagami-hara, Kanagawa 228, Japan
BOT MAR 1991, 34 (5) 387
Change in the anticoagulant activity and composition of a fucan sulfate from the brown seaweed *Ecklonia kurome* during refrigerated storage of the fronds
- Kitahata S, Fujita K, Hara K, Hara K, Hashimoto H//Osaka Municipal Tech Res Inst, 1-6-50 Morinomiya, Jyoto ku, Osaka 536, Japan
AGR BIOL CHEM TOKYO 1991, 55 (9) 2433
Enzymic synthesis of 4(5)-O-beta-galactosyl-maltopentaose by *Bacillus circulans* beta-galactosidase
- Fauth U, Romaniec MPM, Kobayasi T, Demain AL*//MIT, Dept Biol, Fermentat Microbiol Lab, Cambridge, Ma 02139, USA
BIOCHEM J 1991, 279 (OCT) 67
Purification and characterization of endoglucanase-SS from *Clostridium thermocellum*
- Kishida E, Sone Y, Misaki A*//Osaka City Univ, Dept Food & Nutr, Fac Sci Living, Sumiyoshi ku, Osaka 558, Japan
CARBOHYD POLYM 1992, 17 (2) 89
Effects of branch distribution and chemical modifications of antitumor (1-3)-beta-glucans
- Wood PJ, Weisz J, Mahn W//Agr Canada, Ctr Food Res, Ottawa, Ontario, Canada K1A 0C6
CEREAL CHEM 1991, 68 (5) 530
Molecular characterization of cereal beta-glucans. 2. Size-exclusion chromatography for comparison of molecular weight
- Nakahara Y, Hong N, Ogawa T//Inst Phys & Chem Res, Hirosawa 2-1, Wako, Saitama 35101, Japan
J SYN ORG CHEM JPN 1991, 49 (9) 821
Synthesis of oligosaccharins, phytoalexin elicitor-active fragments of

cell wall glycans (Japanese, English Abstract)

Nakahara Y, Iijima H, Shibayama S, Ogawa T//Inst Phys & Chem Res, Wako, Saitama 35101, Japan
CARBOHYD RES 1991, 216 (SEP) 211

Synthetic studies on cell-surface glycans. 80. Stereoselective total synthesis of glycopeptides bearing the dimeric and trimeric sialosyl-Tn epitope

Ellis PR//Univ London Kings Coll, London WC2R 2LS, England
CHEM IND-LONDON 1991, (19) 710
Guar gum plot thickens (Letter)

Uusitupa M//Univ Kuopio, Chair Nutr, SF-70101 Kuopio 10, Finland
THERAPEUT ARKH 1991, 63 (8) 70
The use of guaric resin in the treatment of hypercholesterolemia (German, English Abstract)

Holden C//Address not available
SCIENCE 1991, 254 (5029) 192
Sugar sours future for gum arabic (News)

Fraidenraich y Waisman DF, Cirelli AF*//Univ Buenos Aires, Fac Ciencias Exactas & Naturales, Dept Quim Organ, Pabellon II, Ciudad Univ, 1428 Buenos Aires, Argentina
CARBOHYD POLYM 1992, 17 (2) 111
Selective O-desulphation of heparin in triethylamine

Fukasawa M, Girgis W, Dizerega GS*//Womens Hosp Med Ctr, Room L1013, 1240 N Miss Rd, Los Angeles, Ca 90033, USA
INT J FERT 1991, 36 (5) 296
Inhibition of postsurgical adhesions in a standardized rabbit model. 2. Intraperitoneal treatment with heparin

Gough S//Gen Infirm, Dept Med, Leeds LS1 3EX, England
BRIT MED J 1991, 303 (6805) 784
Low molecular weight heparin (Letter)

Poller L, Taberner DA//Withington Hosp, UK Reference Lab Anti-coagulant Reagents & Control, Manchester M20 8LR, England
LANCET 1991, 338 (8772) 958
Setting the record straight on low-dose heparin (Letter)

Scully MF//Thrombosis Res Inst, Emmanuel Kaye Bldg, Manresa Rd, London SW3 6LR, England
POSTGRAD MED J 1991, 67 (791) 848
Heparin and its low molecular weight derivatives - Clinical potential

Sugiyama T, Natsuga T//Shimizu Pharmaceut Co Ltd, Div Res & Dev, Dept Res, 235 Miyakami, Shimizu, Shizuoka 424, Japan
FOLIA PHARMACOL JPN 1991, 98 (4) 301
Pharmacological studies of low molecular weight heparin (LHG)

Wang HM, Loganathan D, Linhardt RJ*//Univ Iowa, Coll Pharm, Div Med & Nat Prod Chem, Iowa City, Ia 52242, USA
BIOCHEM J 1991, 278 (SEP) 689
Determination of the pKa of glucuronic acid and the carboxy groups of heparin by ¹³C-nuclear-magnetic-resonance spectroscopy

Takahama A, Kuze J, Okano S, Akiyama K, Nakane T, Takahashi H, Kobayashi T//Nagatanien Honpo Co Ltd, 1-17-8 Higashirokugo, Ota ku, Tokyo 144, Japan
J JPN SOC FOOD SCI TECHNOL 1991, 38 (9) 789
Production of lactosucrose by *Bacillus natto* levansucrase and some properties of the enzyme (Japanese, English Abstract)

Kitamura Y, Yasui T//Univ Tsukuba, Inst Appl Biochem, Tsukuba, Ibaraki 305, Japan
HAKKOKOGAKU KAISHI 1991, 69 (5) 373
Assimilation of levoglucosan (1,6-anhydro-beta-D-glucopyranose) by several yeasts (Japanese, English Abstract)

Ohtani K, Murakami K//Osaka City Univ, Fac Sci Living, 3-3-138 Sugimoto cho, Sumiyoshi ku, Osaka 558, Japan
AGR BIOL CHEM TOKYO 1991, 55 (9) 2413
Structure of mannan fractionated from water-soluble mucilage of nagaimo (*Dioscorea batatas* Dence)

Kuriki T, Takata H, Okada S, Imanaka T//Ezaki Glico Co Ltd, Biochem Res Labs, Nishiyodogawa ku, Osaka 555, Japan
J BACTERIOL 1991, 173 (19) 6147
Analysis of the active center of *Bacillus stearothermophilus* neopullulanase

Nishinari K, Kohyama K, Williams PA, Phillips GO, Burchard W, Ogino K//Natl Food Res Inst, Tsukuba 305, Japan
MACROMOLECULES 1991, 24 (20) 5590
Solution properties of pullulan

Tsuchiya Y, Matsutani M, Inoue M, Sato S, Asano T, Yajima M//Kaken Pharmaceut Co Ltd, Cent Res Lab, 14 Shinomiya minami, Kawara cho, Yamashina ku, Kyoto 607, Japan
CANCER IMMUNOL IMMUNOTHER 1991, 34 (1) 17
Effect of a glucan, sizofiran, on natural-killer activity of 5-fluorouracil-treated murine bone marrow cells

Ahlgren JA//USDA ARS, Natl Ctr Agr Utilizat Res, Biopolymer Res Unit, 1815 N Univ St, Peoria, Il 61604, USA
APPL ENVIRON MICROBIOL 1991, 57 (9) 2523
Purification and characterization of a pyruvated-mannose-specific xanthan lyase from heat-stable, salt-tolerant bacteria

Cheetham NWH, Mashimba ENM//Univ New South Wales, Sch Chem, PO Box 1, Kensington 2033, Australia
CARBOHYD POLYM 1992, 17 (2) 127
Proton and ¹³C NMR studies on xanthan derivatives

Lopes L, Andrade CT, Milas M, Rinaudo M//Univ Fed Rio de Janeiro, Inst Macromolec, CP 68525, 20000 Rio de Janeiro, Brazil
CARBOHYD POLYM 1992, 17 (2) 121
Role of conformation and acetylation of xanthan on xanthan-guar interaction

Monti R, Terenzi HF, Jorge HJA*//Univ Sao Paulo, Fac Filosofia Ciencias & Letras Ribeirao Preto, Dept Biol, BR-14049 Ribeirao Preto, SP, Brazil
CAN J MICROBIOL 1991, (37) (9) 675
Purification and properties of an extracellular xylanase from the thermophilic fungus *Humicola grisea* var *Thermoidea*

Smith DC, Wood TM*//Rowett Res Inst, Bucksburn, Aberdeen AB2 9SB, Scotland
BIOTECHNOL BIOENG 1991, 38 (8) 883
Xylanase production by *Aspergillus awamori* - Development of a medium and optimization of the fermentation parameters for the production of extracellular xylanase and beta-xylosidase while maintaining low protease production

7 POLYSACCHARIDES - OTHER

Barsett H, Paulson BS//Dept Pharm, Sect Pharmacognosy, PO Box 1068, Blindern, 0316 Oslo 3, Norway

CARBOHYD POLYM 1992, 17 (2) 137

Separation, isolation and characterization of acidic polysaccharides from the inner bark of *Ulmus glabra* Huds

Classon B, Garegg PJ*, Oscarson S, Tiden AK/**Univ Stockholm, Arrhenius Lab, Dept Orgn Chem, S-10691 Stockholm, Sweden

CARBOHYD RES 1991, 216 (SEP) 187

Synthesis of an artificial antigen that corresponds to a disaccharide repeating unit of the capsular polysaccharide of *Haemophilus influenzae* type-D - A facile synthesis of methyl 2-acetamido-2-deoxy-beta-D-mannopyranoside

Delavega MG, Cejudo FJ, Paneque A/**Univ Seville, CSIC, Inst Bioquim Vegetal & Fotosintesis, Apdo 1113, E-41080 Seville, Spain

APPL BIOCHEM BIOTECH 1991, 30 (3) 273

Production of exocellular polysaccharide by *Azotobacter chroococcum*

Hwang JW, Kokini JL/Rutgers State Univ, Dept Food Sci, POB 231, New Brunswick, NJ 08903, USA

J TEXTURE STUD 1991, 22 (2) 123

Structure and rheological function of side branches of carbohydrate polymers

Kihlberg J, Bundle DR/**Natl Res Council Canada, Inst Biol Sci, Ottawa, Ontario, Canada K1A 0R6

CARBOHYD RES 1991, 216 (SEP) 67

The synthesis of antibody binding-site probes - A hexasaccharide and 2 pentasaccharides related to the brucella A-antigen and prepared by in situ activation of thioglycosides with bromine

McBean AM, Babish JD, Prihoda R/Hlth Care Financing Adm, Div Beneficiary Studies, Epidemiol Branch, Off Res, 2504 Oak Meadows Bldg, Baltimore, Md 21207, USA

ARCH INTERN MED 1991, 151 (10) 2009

The utilization of pneumococcal polysaccharide vaccine among elderly medicare beneficiaries, 1985 through 1988

Parolis LAS, Parolis H*, Dutton GGS, Wing PL, Skura BJ/**Rhodes Univ, Sch Pharmaceut Sci, Grahamstown 6140, South Africa

CARBOHYD RES 1991, 216 (SEP) 495

Structure of the glycocalyx polysaccharide of *Pseudomonas gragi* ATCC 4973

Patel MV, Raval DK, Patel RG, Patel VS/**Sardar Patel Univ, Dept Chem, Vallabh Vidyanagar 388 120, India

CARBOHYD POLYM 1992, 17 (2) 115

Synthesis, optimization and characterization of graft copolymers from *Leucaena glauca* seed gum and methylmethacrylate

Ravelo S, Ramos EL, Torres BM/Cuban Sugar Res Inst, Icinaz, Guiro Marrero, Havana, Cuba

INT SUGAR J 1991, 93 (1113) 180

Inhibition of oligosaccharide and polysaccharide formation during sugar cane deterioration

Sun XB, Matsumoto T, Yamada H/**Kitasato Inst, Oriental Med Res Ctr, Minato ku, Tokyo 108, Japan

J PHARM PHARMACOL 1991, 43 (10) 699

Effects of a polysaccharide fraction from the roots of *Bupleurum falcatum* L on experimental gastric ulcer models in rats and mice

Tanoue H, Simozono H/Kagoshima Prefectural Agr Exptl Stn, 5500 Kamifukumoto cho, Kagoshima 89101, Japan

J JPN SOC FOOD SCI TECHNOL 1991, 38 (9) 751

Chemical and rheological properties of viscous polysaccharides from 3 species of yam (*Dioscorea*) (Japanese, English Abstract)

Wujek JR, Ahmad S*, Harel A, Maier KH, Roufa D, Silver J/**Gliatech Inc, 23420 Commerce Pk Rd, Cleveland, Oh 44122, USA

EXP NEUROL 1991, 114 (2) 237

A carbohydrate polymer that effectively prevents epidural fibrosis at laminectomy sites in the rat

8 LIPOPOLYSACCHARIDES

Chowdhury TA, Jansson PE, Lindberg B, Lindberg J, Gustafsson B, Holme T/**Univ Stockholm, Arrhenius Lab, Dept Organ Chem, S-10691 Stockholm, Sweden

CARBOHYD RES 1991, 215 (2) 303

Structural studies of the vibrio-cholerae O-3 O-antigen polysaccharide

Holst O, Zahringer U, Brade H, Zamojski A/Forschungsinstitut Borstel, Inst Exptl Biol & Med, Parkallee 22, W-2061 Borstel, FRG

CARBOHYD RES 1991, 215 (2) 323

Structural analysis of the heptose hexose region of the lipopolysaccharide from *Escherichia coli* K-12 strain W3100

Kondo S, Zahringer U*, Seydel U, Sinnwell V, Hisatsune K, Rietschel ET/**Forschungsinstitut Borstel, Inst Exptl Biol & Med, Pk Allee 22, W-2061 Borstel, FRG

EUR J BIOCHEM 1991, 200 (3) 689

Chemical structure of the carbohydrate backbone of *Vibrio parahaemolyticus* serotype-O12 lipopolysaccharide

Oxley D, Wilkinson SG/**Univ Hull, Sch Chem, Hull HU6 7RX, England

CARBOHYD RES 1991, 215 (2) 293

Structure of an acidic glycan present in the lipopolysaccharide extract from the reference strain for *Serratia marcescens* serogroup O18

9 STARCH

Krisman CR, Alfredo CJ/Fdn Campomar, Inst Invest Bioquim Luis F Leloir, Avda Patricia Argentina 435, RA-1405 Buenos Aires, Argentina

STARCH 1991, 43 (8) 291

Corn starch (alpha1,4-alpha 1,6) glucopolysaccharides - Correlation between amylose:amylopectin ratios and physical properties of the grains

Landers PS, Gbur EE, Sharp RN/**Univ Arkansas, Dept Food Sci, 272 Young Ave, Fayetteville, Ar 72701, USA

CEREAL CHEM 1991, 68 (5) 545

Comparison of 2 models to predict amylose concentration in rice flours as determined by spectrophotometric assay

Roosen MJGW, Hemminga MA*, Walstra P/**Wageningen Univ Agr, Dept Molec Phys, POB 8128, 6700 ET Wageningen, The Netherlands

CARBOHYD RES 1991, 215 (2) 229

Molecular motion in glassy water malto-oligosaccharide (maltodextrin) mixtures as studied by conventional and saturation-transfer spin-probe ESR spectroscopy

Albertsson AC, Karlsson S/Royal Inst Technol, Dept Polymer Technol, S-10044 Stockholm 70, Sweden

MAKROMOL CHEM-MACROMOL SYMP 1991, 48-9 (AUG) 395

Degradable polyethylene-starch complex

Baczkowicz M, Sikora M, Tomasik P, Zawadzki W/Hugo Kollataj Acad Agr, Dept Chem & Phys, Mickiewicz Ave 24-28, PL-30059 Krakow, Poland

STARCH 1991, 43 (8) 294

Reaction of some polysaccharides with biogenic alpha-amino acids

Czuchajowska Z, Sievert D, Pomeranz Y//Washington State Univ, Dept Food Sci & Human Nutr, Pullman, Wa 99164, USA
CEREAL CHEM 1991, 68 (5) 537
Enzyme-resistant starch. 4. Effects of complexing lipids

Dellavalle G, Colonna P, Tayeb J//INRA, Ctr Rech Agroalimentaires Nantes, BP 527, F-44026 Nantes 3, France
STARCH 1991, 43 (8) 300

Use of a twin-screw extruder as a chemical reactor for starch cationization

Kelfkens M, Hamer RJ//TNO, Inst Biotechnol & Chem, Dept Biochem & Fys Chem, Agro Nibem Sect, Utrechtseweg 48, POB 360, 3700 Zeist, The Netherlands
STARCH 1991, 43 (9) 340

Agronomic factors related to the quality of wheat for the starch industry. 1. Sprout damage

Kelfkens M, Hamer RJ//TNO, Inst Biotechnol & Chem, Dept Biochem & Fys Chem, Agro Nibem Sect, Utrechtseweg 48, POB 360, 3700 Zeist, The Netherlands
STARCH 1991, 43 (9) 344

Agronomic factors related to the quality of wheat for the starch industry. 2. Nitrogen fertilisation and overall conclusions

Khalil MI, Waly A, Farag S, Hebeish A//Natl Res Ctr, Div Text Res, Tahrir St, Cairo, Egypt
STARCH 1991, 43 (9) 349

Preparation and characterization of anion-exchange starches

Liu H, Lelievre J//Acadia Univ, Dept Food Sci, Wolfville, NS, Canada B0P 1X0
CARBOHYD POLYM 1992, 17 (2) 145

A differential scanning calorimetry study of melting transitions in aqueous suspensions containing blends of wheat and rice starch

Martin ML, Zeleznak KJ, Hoseney RC//Nordreco AB, Bjuv, Sweden
CEREAL CHEM 1991, 68 (5) 498

A mechanism of bread firming. 1. Role of starch swelling

Miller LA, Gordon J, Davis EA//Univ Minnesota, Dept Food Sci & Nutr, 1334 Eckles Ave, St Paul, Mn 55108, USA
CEREAL CHEM 1991, 68 (5) 441

Dielectric and thermal transition properties of chemically modified starches during heating

Muhrbeck P//Univ Lund, Dept Food Technol, POB 124, S-22100 Lund, Sweden
STARCH 1991, 43 (9) 347

On crystallinity in cereal and tuber starches

Schierbaum F, Radosta S, Richter M, Kettlitz B, Gernat C//Zool Inst Ernährung, Arthur Scheunert Allee 114-116, O-1505 Potsdam, FRG
STARCH 1991, 43 (9) 331

Studies of rye starch properties and modification. 1. Composition and properties of rye starch granules

Wootton M, Haryadi//Univ New S Wales, Dept Food Sci & Technol, POB 1, Kensington, NSW 2033, Australia
J CEREAL SCI 1991, 14 (2) 179

Identification and quantitation of components of acid hydrolysates of hydroxypropyl wheat starch

Yasui T//Minist Agr Forestry & Fisheries, Natl Food Res Inst, 1-2 Kannondai 2 chome, Tsukuba, Ibaraki 305, Japan
J JPN SOC FOOD SCI TECHNOL 1991, 38 (9) 864

Detection of waxy maize starch adulteration in waxy rice cake by use of stable carbon isotope ratio analysis (Japanese, English Abstract)

10 STARCH-DEGRADING ENZYMES

Annous BA, Blaschek HP**//Univ Illinois, Dept Food Sci, 905 S Goodwin Ave, Urbana, Il 61801, USA
APPL ENVIRON MICROBIOL 1991, 57 (9) 2544

Isolation and characterization of *Clostridium acetobutylicum* mutants with enhanced amylolytic activity

Antrim RL, Solheim BA, Solheim L, Auterinen AL, Cunefare J, Karppein S//Genencor Int Inc, 4010 Winnetka Ave, Rolling Meadows, Il 60008, USA
STARCH 1991, 43 (9) 355

A new *Bacillus licheniformis* alpha-amylase capable of low pH liquefaction

Brumm PJ, Hebeda RE, Teague WM//3350 Salt Creek Lane, Arlington Hts, Il 60005, USA
STARCH 1991, 43 (8) 315

Purification and characterization of the commercialized, cloned *Bacillus megaterium* alpha-amylase. 1. Purification and hydrolytic properties

Brumm PJ, Hebeda RE, Teague WM//3350 Salt Creek Lane, Arlington Hts, Il 60005, USA
STARCH 1991, 43 (8) 319

Purification and characterization of the commercialized, cloned *Bacillus megaterium* alpha-amylase. 2. Transferase properties

Fujii T, Ohno N, Uchiyama S, Song S, Shinoyama H, Ando A//Chiba Univ, Fac Hort, Dept Agr Chem, Matsudo, Chiba 271, Japan
HAKKOKOGAKU KAISHI 1991, 69 (5) 319

Mycological and physiological properties of *Fusidium* sp BX-1 capable of extracellularly producing a large amount of amylases in a medium containing glycerol as a carbon source (Japanese, English Abstract)

Koniecz-Nijanda G, Richter G//Solvay Enzymes GmbH & Co Kg, POB 690307, Hans Bockler Allee 20, W-3000 Hannover, FRG
STARCH 1991, 43 (8) 308

Progress in the enzymatic saccharification of wheat starch

Martin ML, Hoseney RC//Nordreco AB, Bjuv, Sweden
CEREAL CHEM 1991, 68 (5) 503

A mechanism of bread firming. 2. Role of starch hydrolyzing enzymes

Park KM, Wang NS**//Univ Maryland, Dept Chem Engr, College Pk, Md 20742, USA
BIOTECHNOL PROGR 1991, 7 (5) 439

Alpha-amylase fermentation with *Bacillus amyloliquefaciens* in an aqueous 2-phase system

Pusch D, Rawel H, Kroh L, Westphal G//Humboldt Univ, Fak Lebensmittelchem, Inst Lebensmitteltechnol & Mikrobiol, O-1086 Berlin, FRG

NAHRUNG 1991, 35 (6) 625

The enzymatic action of 3 glucoamylase isoenzymes from *Aspergillus niger* on different substrates

Yamasaki Y, Konno H//Okayama Univ, Bioresources Res Inst, Chuo 2-20-1, Kurashiki 710, Japan
AGR BIOL CHEM TOKYO 1991, 55 (9) 2429

Purification and properties of glucoamylase from *Mucor javanicus*