



Bibliography on carbohydrate polymers

1 BOOKS, REVIEWS & SYMPOSIA

Aboulenein HY//King Faisal Specialist Hosp & Res Ctr, Dept Radio-nuclide & Cyclotron Operat, Drug Dev Lab, POB 3354, Riyadh 11211, Saudi Arabia

ANAL LETT 1992, 25 (2) 231

Applications of cellulose-based chiral stationary phases in resolution of drug racemates - A mini review

BIOCHEM SOC TRANS 1992, 20 (1) 7-53

650th Meeting, Heriot-Watt Univ, Edinburgh, Scotland. Colloquium: Biochemistry of Plant Polysaccharides

2 CELLULOSE

Hirte R, Rosin C, Philipp B//Inst Erich Correns, O-1530 Teltow, FRG
ACTA POLYM 1991, 42 (11) 577

Morphometric investigation of asymmetric cellulose acetate membranes (German, English Abstract)

Ishihara K, Nakabayashi N, Fukumoto K, Aoki J//Tokyo Med & Dent Univ, Inst Med & Dent Engr, 2-3-10 Kanda surugadai, Chiyoda ku, Tokyo 101, Japan

BIOMATERIALS 1992, 13 (3) 145

Improvement of blood compatibility on cellulose dialysis membrane. 1. Grafting of 2-methacryloyloxyethyl phosphorylcholine on to a cellulose membrane surface

Iwata T, Azuma JI*, Okamura K, Muramoto M, Chun B//Kyoto Univ, Fac Agr, Sakyo ku, Kyoto 60601, Japan

CARBOHYD RES 1992, 224 (FEB) 277

Preparation and NMR assignments of cellulose mixed esters regioselectively substituted by acetyl and propanoyl groups

Kisida A, Mishima K, Corrette E, Konishi H, Ikada Y**//Kyoto Univ, Biomed Engr Res Ctr, 53 Kawahara cho, Sakyo ku, Kyoto 606, Japan

BIOMATERIALS 1992, 13 (2) 113

Interactions of poly(ethylene glycol)-grafted cellulose membranes with proteins and platelets

Poncine-Paillard F, Legeay G, Brosse JC//Univ Maine, Chim & Physicochim Macromolec Lab, CNRS, UA 509, Ave Olivier Messiaen, F-72017 Le Mans, France

J APPL POLYM SCI 1992, 44 (9) 1513

Plasma modification of cellulose derivatives as biomaterials

Reis D, Vian B, Chanzy H, Roland JC//Ecole Norm Supr, Biomembranes & Surfaces Cellulaires Vegetales Lab, 46 rue Ulm, F-75230 Paris 05, France

BIO CELL 1991, 73 (2-3) 173

Liquid crystal-type assembly of native cellulose-glucuronoxylans extracted from plant cell wall

Schurz J, Marx-Figini M, Muller B, Gonzales FR//Graz Univ, Inst Phys Chem, A-8010 Graz, Austria

J APPL POLYM SCI 1992, 44 (9) 1657

A structure rheological study of cellulose trinitrate in ethyl acetate

Shilov YM, Cherkashin PA, Malchevskii VA//DI Mendeleev Chem Technol Inst, Moscow, Russia

VYSOKOMOL SOEDIN SER B SSSR 1991, 33 (11) 824

Influence of the degree of nitration of cellulose nitrates on hydrodynamic and conformation characteristics of their macromolecules in solutions (Russian, English Abstract)

Sultanov NS, Nuraliev DS//VI Lenin State Univ, Dushanbe, Tadzhikistan

VYSOKOMOL SOEDIN SER A SSSR 1991, 33 (9) 2004

Temperature and orientational study of the cellulose triacetate structure (Russian, English Abstract)

Wagenknecht W, Nehls I, Philipp B, Schnabelrauch M, Klemm D, Hartmann M//Inst Polymerenchem Erich Correns, O-1530 Teltow, FRG

ACTA POLYM 1991, 42 (11) 554

Investigation of the formation of water-soluble cellulose phosphates by homogeneous acylation in the system cellulose/N₂O₄/DMF. 2. Results of the acylation with derivatives of POCl₃ and summarizing discussion on the course of the phosphorylation in the system N₂O₄/DMF/cellulose (German, English Abstract)

Yamada Y, Itoh M, Egawa K, Kiriya N, Komura K, Ueno K//Hokuriku Univ, Sch Pharm, Kanazawa, Ishikawa 92011, Japan

J RADIOANAL NUCL CHEM LETT 1992, 164 (1) 47

Effect of labile hydrogens on measurement of tritium preserved in hydrogens on measurement of tritium preserved in hydrogens of cellulose

Yang KS, Cuculo JA, Theil MH//N Carolina State Univ, Coll Text, Fiber & Polymer Sci Program, Raleigh, NC 27695, USA

J POLYM SCI B-POLYM PHYS 1992, 30 (4) 315

Lyotropic mesophases of cellulose in the ammonia/ammonium thiocyanate solvent system - Phase relationships

Abdelrazik EA//Mansoura Univ, Fac Sci, Dept Chem, Mansoura, Egypt

J PHOTOCHEM PHOTOBIOLOG A-CHEM 1992, 63 (1) 75

Photoinduced graft copolymerization of dichlorodimethylsilane onto

As a service to subscribers, each issue of the Journal contains a bibliography of newly published material in the field of carbohydrate polymers. The bibliography is divided into ten sections: 1 Books, Reviews & Symposia; 2 Cellulose; 3 Cellulose-degrading Enzymes; 4 Cyclodextrins; 5 Lignin; 6 Polysaccharides - Named; 7 Polysaccharides - Other; 8 Lipopolysaccharides; 9 Starch; 10 Starch-degrading Enzymes. Within each section, articles are listed in alphabetical order with respect to the subject. When there are no publications to appear under one of these headings, that section will be omitted.

ethyl cellulose in homogeneous media

Patel MR, Gohel MC, Desai JS//Cadila Labs, Ahmedabad 380008, India

DRUG DEVELOP IND PHARM 1992, 18 (4) 439

Preparation of ethyl cellulose pseudolatex and studies on suitability of it as a binder for granulation

Meyer PS, Dupreez JC*, Kilian SG//*Univ Orange Free State, Dept Microbiol & Biochem, POB 339, Bloemfontein 9300, South Africa
SYST APPL MICROBIOL 1992, 15 (1) 161

Isolation and evaluation of yeasts for biomass production from bagasse hemicellulose hydrolysate

Tanaka R, Meadows J, Williams PA*, Phillips GO//*NE Wales Inst Higher Educ, Fac Sci & Innovat, Connahs Quay, Deeside CH5 4BR, Clwyd, Wales

MACROMOLECULES 1992, 25 (4) 1304

Interaction of hydrophobically modified (hydroxyethyl)cellulose with various added surfactants

Ambrosino S, Sixou P**CNRS, UA 190, Parc Valrose, F-06034 Nice, France

POLYMER 1992, 33 (4) 795

Phase separation in mixtures of poly(vinylidene fluoride) and hydroxypropyl cellulose

Winnik FM, Tamai N, Yonezawa J, Nishimura Y, Yamazaki I//Xerox Res Ctr, Canada Ltd, 2660 Speakman Dr, Mississauga, Ontario, Canada L5K 2L1

J PHYS CHEM 1992, 96 (4) 1967

Temperature-induced phase transition of pyrene-labeled (hydroxypropyl)cellulose in water - Picosecond fluorescence studies

Marchessault RH, Ricard S, Rioux P//McGill Univ, Dept Chem, 3420 Univ St, Montreal, Quebec, Canada H3A 2A7

CARBOHYD RES 1992, 224 (FEB) 133

In situ synthesis of ferrites in lignocellulosics

Pasti MB, Crawford DL**Univ Idaho, Dept Bacteriol & Biochem, Moscow, Id 83843, USA

CAN J MICROBIOL 1991, 37 (12) 902

Relationships between the abilities of streptomycetes to decolorize 3 anthron-type dyes and to degrade lignocellulose

Weichert D, Schroter H//Inst Biotechnol, Permoserstr 15, O-7050 Leipzig, FRG

ACTA BIOTECHNOL 1991, 11 (4) 335

Nitrogen - A guide element in the bioconversion of lignocellulosics

Curtis NJ, Vanaltna IA, Hounslow AM//Def Sci & Technol Org, Div Explosives Ordinance, Mat Res Lab, POB 1750, Salisbury, SA 5108, Australia

AUST J CHEM 1992, 45 (3) 627

New and revised spectral assignments of nitrocelluloses - The ¹H and ¹³C NMR spectra of cellulose 2,3,6-trinitrate and cellulose 3,6-dinitrate

3 CELLULOSE-DEGRADING ENZYMES

Gomes I, Gomes J, Steiner W*, Esterbauer H//*Graz Tech Univ, Inst Biochem, Petergasse 12, A-8010 Graz, Austria

APPL MICROBIOL BIOTECHNOL 1992, 36 (5) 701

Production of cellulase and xylanase by a wild strain of Trichoderma viride

Hazlewood GP, Laurie JI, Ferreira LMA, Gilbert HJ//AFRC, Inst

Anim Physiol & Genet Res, Dept Biochem, Babraham, Cambridge CB2 4AT, England

J APPL BACTERIOL 1992, 72 (3) 244

Pseudomonas fluorescens subsp cellulosa - An alternative model for bacterial cellulase

Kolev D, Witte K, Wartenberg A**Univ Saarland, Fachrichtung Mikrobiol, Univ Bau 2, W-6600 Saarbrücken, FRG

ACTA BIOTECHNOL 1991, 11 (4) 359

Synergistic cooperation of cellulases of Trichoderma reesei as distinguished by a new filter-paper destruction assay

Mori Y//Minist Agr Forestry & Fisheries, Chugoku Natl Agr Expt Stn, Fukuyama, Hiroshima 721, Japan

BIOTECHNOL LETT 1992, 14 (2) 131

Comparison of the cellulolytic systems of Clostridium thermocellum YM4 and JW20

Skrivanova V, Machanova L, Svoboda T//Vyzkumny Ustav Zivocisne Vyroby, CS-10400 Prague 10, Czechoslovakia

VET MED-CZECH 1991, 36 (8) 459

The effect of cellulase supplements on growth performance of calves fed on an acidified milk diet

4 CYCLODEXTRINS

Bates PS, Katakly R, Parker D**Univ Durham, Dept Chem, South Rd, Durham DH1 3LE, England

J CHEM SOC CHEM COMMUN 1992, (2) 153

A chiral sensor based on a perocylated alpha-cyclodextrin

Coleman AW, Ping Z, Ling CC, Parrot-Lopez H, Galons H//Univ Paris 11, Ctr Pharmaceut, Chim Organ Lab, CNRS, SDI 6233, F-92290 Chateaufort, France

CARBOHYD RES 1992, 224 (FEB) 307

The use of chlorodimethylthexylsilane for protecting the hydroxyl groups in cyclomaltoheptaose (beta-cyclodextrin)

Cserhati T, Szejtli J//Hungarian Acad Sci, Cent Res Inst Chem, POB 17, H-1525 Budapest, Hungary

CARBOHYD RES 1992, 224 (FEB) 165

Inclusion complexes of some non-ionic surfactants with cyclomalto-oligosaccharides

Cucinotta V, Dalessandro F, Impellizzeri G, Vecchio G//Univ Catania, Dipartimento Sci Chim, Viale A Doria 8, I-95125 Catania, Italy

CARBOHYD RES 1992, 224 (FEB) 95

Synthesis and conformation of dihistamine derivatives of cyclomaltoheptaose (beta-cyclodextrin)

Jezequel D, Mayaffre A, Letellier P**Univ Paris 06, Energet & React Interfaces Lab, Bat F, 8 rue Cuvier, F-75231 Paris 05, France

CAN J CHEM 1991, 69 (12) 1865

Potentiometric study on stability of surfactant plus beta-cyclodextrin complexes (French, English Abstract)

Kitahata S, Fujita K, Takagi Y, Hara K, Hashimoto H, Tanimoto T, Koizumi K//Osaka Municipal Tech Res Inst, 1-6-50 Morinomiya, Jyotoku, Osaka 536, Japan

BIOSCI BIOTECHNOL BIOCHEM 1992, 56 (2) 242

Galactosylation at side chains of branched cyclodextrins by various beta-galactosidases

Paloheimo M, Haglund D, Aho S, Korhola M//Alko Ltd, Res Labs, POB 350, SF-00101 Helsinki, Finland

APPL MICROBIOL BIOTECHNOL 1992, 36 (5) 584

Production of cyclomaltodextrin glucanotransferase of *Bacillus circulans* var *alkalophilus* ATCC 21783 in *B-subtilis*

Pikramenou Z, Nocera DG**/Michigan State Univ, Dept Chem, E Lansing, MI 48824, USA

INORG CHEM 1992, 31 (4) 532

Luminescent supramolecular architectures - A cyclodextrin modified with a europium(III) crown swing

Schneider HJ, Fei X//Univ Saarland, Fr Organ Chem, W-6600 Saarbrücken 11, FRG

J CHEM SOC PERKIN TRANS II 1992, (3) 387

Host guest chemistry. 29 Binding and catalysis with a metal-induced ternary complex of an ethylenediamine-substituted cyclodextrin

Simiand C, Cottaz S, Bosso C, Driguez H//CNRS, Ctr Rech Macromol Vegetales, BP 53X, F-38041 Grenoble, France

BIOCHIMIE 1992, 74 (1) 75

Chemoenzymatic synthesis of modified maltooligosaccharides from cyclodextrin derivatives

Ueno A, Kuwabara T, Nakamura A, Toda F//Tokyo Inst Technol, Fac Biosci & Biotechnol, Dept Bioengn, 4259 Nagatsuta, Midori ku, Tokohama, Kanagawa 227, Japan

NATURE 1992, 356 (6365) 136

A modified cyclodextrin as a guest responsive colour-change indicator

Usha MG, Wittebort RJ**/Univ Louisville, Dept Chem, Louisville, Ky 40292, USA

J AMER CHEM SOC 1992, 114 (5) 1541

Structural and dynamical studies of the hydrate, exchangeable hydrogens and included molecules in beta-cyclodextrins and gamma-cyclodextrins by powder and single-crystal deuterium magnetic resonance

Watanabe M, Nakamura H, Matsuo T//Kyushu Univ, Ctr Adv Instrumental Anal, Fukuoka 812, Japan

BULL CHEM SOC JPN 1992, 65 (1) 164

Formation of through-ring alpha-cyclodextrin complexes with alpha,omega-alkanedicarboxylate anion - Effects of the aliphatic chain length and electrostatic factors on the complexation behavior

5 LIGNIN

Dacunha C, Deffieux A*, Fontanille M//Univ Bordeaux 1, Inst Pin, Chim Polymeres Organ, CNRS, 351 Cours Liberation, F-33405 Talence, France

J APPL POLYM SCI 1992, 44 (7) 1205

Synthesis and polymerization of lignin macromonomers. 2. Effects of lignin fragments on methyl methacrylate radical polymerization

De Jong E, Field JA, Debont JAM//Agr Univ Wageningen, Dept Food Sci, Div Ind Microbiol, POB 8129, 6700 EV Wageningen, The Netherlands

FEBS LETT 1992, 299 (1) 107

Evidence for a new extracellular peroxidase - Manganese-inhibited peroxidase from the white-rot fungus *Bjerkandera* sp BOS-55

Ede RM, Brunow G//Univ Waikato, Dept Chem, Private Bag 3105, Hamilton, New Zealand

J ORG CHEM 1992, 57 (5) 1477

Application of 2-dimensional homonuclear and heteronuclear correlation NMR spectroscopy to wood lignin structure determination

6 POLYSACCHARIDES - NAMED

Nussinovitch A, Kopelman IJ*, Mizrahi S//Technion Israel Inst

Technol, Dept Food Engn & Biotechnol, IL-32000 Haifa, Israel

FOOD SCI TECHNOL-LEBENSMESSWISS 1991, 24 (6) 513

Modelling the combined effect of fruit pulp, sugar and gum on some mechanical parameters of agar and alginate gels

Akiyama H, Endo T, Nakakita R, Murata K*, Yonemoto Y, Okayama K//Kyoto Univ, Food Sci Res Inst, Uji, Kyoto 611, Japan

BIOSCI BIOTECHNOL BIOCHEM 1992, 56 (2) 355

Effect of depolymerized alginates on the growth of bifidobacteria

Baba K, Yonese M*, Kishimoto H//Nagoya City Univ, Fac Pharmaceut Sci, Mizuho ku, Nagoya, Aichi 467, Japan

BULL CHEM SOC JPN 1992, 65 (1) 121

Mechanochemical reaction of calcium alginate hydrogel due to a counterion exchange

Fujihara M, Nagumo T//Kitasato Univ, Sch Hyg Sci, Dept Biophys, Sagami-hara, Kanagawa 228, Japan

CARBOHYD RES 1992, 224 (FEB) 343

The effect of the content of D-mannuronic acid and L-guluronic acid blocks in alginates on antitumor activity

Leitao JH, Fialho AM, Sacorreia I**/Inst Super Tecn, Engn Bioquim Lab, AV Rovisco Pais, P-1096 Lisbon, Portugal

J GEN MICROBIOL 1992, 138 (MAR) PT 3, 605

Effects of growth temperature on alginate synthesis and enzymes in *Pseudomonas aeruginosa* variants

Murata K, Yamaguchi H, Yonemoto Y, Sakaguchi K, Kimura A, Okayama K//Kyoto Univ, Food Sci Res Inst, Uji, Kyoto 611, Japan

J FERMENT BIOENG 1992, 73 (2) 172

Continuous depolymerization of alginates by a non-support bioreactor system containing flocculated bacterial cells

Steginsky CA, Beale JM, Floss HG, Mayer RM//Battelle Mem Inst, Columbus, Oh 43201, USA

CARBOHYD RES 1992, 225 (1) 11

Structural determination of alginic acid and the effects of calcium binding as determined by high-field NMR

Yamamoto K, Kumaai H, Sakiyama T, Song CM, Yano T//Univ Tokyo, Dept Agr Chem, Bunkyo ku, Tokyo 113, Japan

BIOSCI BIOTECHNOL BIOCHEM 1992, 56 (1) 90

Inhibitory activity of alginates against the formation of calcium phosphate

Barsett H, Paulsen BS, Habte Y//Univ Oslo, Dept Pharmacogn, Inst Pharm, Postbox 1068 Blindern, 0316 Oslo 3, Norway

CARBOHYD POLYM 1992, 18 (2) 125

Further characterization of polysaccharides in seeds from *Ulmus glabra* Huds.

Saulnier L, Brillouet JM, Moutounet M, Dupenhoat CH, Michon V//INRA, Ist Prod Vigne, Polymer & Tech Phys Chim Lab, F-34060 Montpellier, France

CARBOHYD RES 1992, 224 (FEB) 219

New investigations of the structure of grape arabinogalactan protein

Crumbliiss AL, Perine SC, Edwards AK, Rillema DP//Duke Univ, Dept Chem, Durham, NC 27706, USA

J PHYS CHEM 1992, 96 (3) 1388

Characterization of carrageenan hydrogel electrode coatings with immobilized cationic metal complex redox couples

Bulone V, Chanzy H, Gay L, Girard V, Fevre M//Univ Lyon 1, Ctr Genet Molec & Cellulaire, Biol Cellulaire Fong Lab, CNRS, UMR

106, F-69622 Villeurbanne, France

EXP MYCOL 1992, 16 (1) 8

Characterization of chitin and chitin synthase from the cellulosic cell wall fungus *Saprolegnia monoica*

Kurita K, Iwawaki S, Ishii S, Nishimura SI//Seikei Univ, Fac Engrn, Dept Ind Chem, Musashino, Tokyo 180, Japan

J POLYM SCI A-POLYM CHEM 1992, 30 (4) 685

Introduction of poly(L-alanine) side chains into chitin as versatile spacer arms having a terminal free amino group and immobilization of NADH active sites

McCreath KJ, Gooday GW*//Univ Aberdeen Marischal Coll, Dept Molec & Cell Biol, Aberdeen AB9 1AS, Scotland

J MICROBIOL METH 1992, 14 (4) 229

A rapid and sensitive microassay for determination of chitinolytic activity

Murao S, Kawada T, Itoh H, Oyama H, Shin T//Kumamoto Univ, Dept Appl Microbial Technol, Ikeda 4-22-1, Kumamoto 860, Japan

BIOSCI BIOTECHNOL BIOCHEM 1992, 56 (2) 368

Purification and characterization of a novel type of chitinase from *Vibrio alginolyticus* TK-22

Nishioka Y, Kyotani S, Okamura M, Miyazaki M, Sakamoto Y, Morita M, Okazaki K, Ohnishi S, Yamamoto Y, Ito K//Kochi Med Sch Hosp, Dept Pharm, Okoh cho, Nanko ku, Kochi 783, Japan

CHEM PHARM BULL TOKYO 1992, 40 (1) 267

A study of embolizing materials for chemo-embolization therapy of hepatocellular carcinoma - Embolic effect of cisplatin-albumin microspheres using chitin and chitosan in dogs, and changes of cisplatin content in blood and tissue

Nudga LA, Baklagina YG, Petropavlovskii GA, Goryainov GI, Mikhailov GM, Kopytchenko LA//Acad Sci, Inst Macromolec Cpds, Leningrad, Russia

VYSOKOMOL SOEDIN SER B SSSR 1991, 33 (11) 864

Supramolecular organization and physico-mechanical properties of a fiber of chitin having the low degree of deacetylation (Russian, English Abstract)

Davoust N, Hansson G//Univ Lund, Dept Appl Microbiol, POB 124, S-22100 Lund, Sweden

APPL MICROBIOL BIOTECHNOL 1992, 36 (5) 618

Identifying the conditions for development of beneficial mycelium morphology for chitosan-producing *Aspidia* spp in submerged cultures

Gorbacheva IN, Skorikova YY, Vikhoreva GA, Galbraikh LS, Babievskii KK//Moscow Text Inst, Moscow, Russia

VYSOKOMOL SOEDIN SER A SSSR 1991, 33 (9) 1899

Structure and properties of chitosan sulfate (Russian, English Abstract)

Hirano S, Hayashi K, Hirochi K//Tottori Univ, Dept Agr Biochem & Biotechnol, Tottori 680, Japan

CARBOHYD RES 1992, 225 (1) 175

Some N-acyl derivatives of O-carboxymethylchitosan

Knapczyk J//Nicholas Copernicus Med Acad, Fac Pharm, Dept Pharmaceut Technol & Biopharmaceut, Krupnicza 16, PL-31123 Krakow, Poland

INT J PHARM 1992, 80 (1) 33

Simple tests demonstrating the antimycotic effect of chitosan

Karamanos NK, Aletras AJ, Tsegenidis T, Tsiganos CP, Antonopou-

los CA//Univ Patras, Dept Chem, Organ Chem Biochem & Nat Prod Sect, Patras, Greece

EUR J BIOCHEM 1992, 204 (2) 553

Isolation, characterization and properties of the oversulphated chondroitin sulphate proteoglycan from squid skin with peculiar glycosaminoglycan sulphation pattern

Yonese M, Hioki Y, Yano M, Kishimoto H//Nagoya City Univ, Fac Pharmaceut Sci, Mizuho ku, Nagoya, Aichi 467, Japan

J COLLOID INTERFACE SCI 1992, 149 (2) 314

Isotane/water interfacial adsorptions of chondroitin sulfates having hydrophobic counterions

Akulov GP, Kaminski JL, Korsakova NA, Kudelin BK//VG Khlopin Radium Inst, Leningrad 197022, Russia

J LAB COMPOUND RADIOPHARM 1992, 31 (3) 227

Preparation of tritium-labelled dextran and inulin

Arranz F, Sanchez-Chaves M, Ramirez JC//Inst Ciencia & Tecnol Polimeros, CSIC, Juan Cierva 3, E-28006 Madrid, Spain

ANGEW MAKROMOL CHEM 1992, 194 (JAN) 79

Functionalization of dextran - Incorporation of carboxy groups by O-succinylation

Brown CF, Inkerman PA*//Mackay Mail Ctr, Sugar Res Inst, Box 5611, Mackay, Qld 4741, Australia

J AGR FOOD CHEM 1992, 40 (2) 227

Specific method for quantitative measurement of the total dextran content of raw sugar

Cote GL//USDA ARS, Natl Ctr Agr Utilizat Res, 1815 N Univ St, Peoria, IL 61604, USA

BIOTECHNOL TECHNIQUE 1992, 6 (1) 45

The use of immobilized concanavalin A for the separation of alternansucrase from dextranase in culture broth of *Leuconostoc mesenteroides* NRRL B-1355

Keshavjee SH, McRitchie DI, Vittorini T, Rotstein OD, Slutsky AS, Patterson G*//c/o JD Cooper, Div Cardiotherac Surg, Thorac Surg Sect, Suite 3107, Queeny Tower, St Louis, Mo 63110, USA

J THORAC CARDIOVASC SURG 1992, 103 (2) 326

Improved lung preservation with dextran-40 is not mediated by a superoxide radical scavenging mechanism

Keshavjee SH, Yamazaki F, Yokomise H, Cardoso PF, Mullen JBM, Slutsky AS, Patterson GA*//c/o JD Cooper, Div Cardiotherac Surg, Thorac Surg Sect, Suite 3107, Queeny Tower, St Louis, Mo 63110, USA

J THORAC CARDIOVASC SURG 1992, 103 (2) 314

The role of dextran-40 and potassium in extended hypothermic lung preservation for transplantation

Lozinsky VI, Zubov AL, Kulakova VK, Titova EF, Rogozhin SV//AN Nesmeyanov Organoelement Cpds Inst, Vavilov Str 28, Moscow 117813, Russia

J APPL POLYM SCI 1992, 44 (8) 1423

Study of cryostructurization of polymer systems. 9. Poly(vinyl alcohol) cryogels filled with particles of crosslinked dextran gel

Yamamoto K, Yoshikawa K, Kitahata S, Okada S//Ezaki Glico Co Ltd, Biochem Res Labs, Utajima 4-6-5, Nishiyodogawa ku, Osaka 555, Japan

BIOSCI BIOTECHNOL BIOCHEM 1992, 56 (2) 169

Purification and some properties of dextrin dextranase from *Acetobacter capsulatus* ATCC 11894

- Reyes F, Alfonso C, Martinez MJ, Prieto A, Santamaria F, Leal JA//CSIC, Ctr Invest Biol, Dept Microbiol Aplicada, Velazquez 144, E-28006 Madrid, Spain
BIOCHEM J 1992, 281, (FEB) 657
Purification of a new galactanase from *Penicillium oxalicum* catalysing the hydrolysis of beta-(1-5)-galactofuran linkages
- Santos JA, Mulloy B, Mourao PAS**//Univ Fed Rio de Janeiro, Inst Ciencias Biomed, Dept Bioquim, Caixa Postal 68041, BR-21910 Rio de Janeiro, Brazil
EUR J BIOCHEM 1992, 204 (2) 669
Structural diversity among sulfated alpha-L-galactans from ascidians (tunicates) - Studies on the species *Ciona intestinalis* and *Herdmania monus*
- Chandrasekaran R, Radha A, Thailambal VG//Purdue Univ, Whistler Ctr Carbohydrate Res, Smith Hall, W Lafayette, In 47907, USA
CARBOHYD RES 1992, 224 (FEB) 1
Roles of potassium ions, acetyl and L-glyceryl groups in native gellan double helix - An X-ray study
- Gallin EK, Green SW, Patchen ML//Armed Forces Radiobiol Res Inst, Dept Physiol, Bethesda, Md 20889, USA
INT J IMMUNOPHARMACOL 1992, 14 (2) 173
Comparative effects of particulate and soluble glucan on macrophages of C3H/HeN and C3H/HeJ mice
- Kiho T, Katsuragawa M, Nagai K, Ukai S*, Haga M//Gifu Pharmaceut Univ, Gifu 502, Japan
CARBOHYD RES 1992, 224 (FEB) 237
Polysaccharides in fungi. 27. Structure and antitumor activity of a branched (1-3)-beta-D-glucan from the alkaline extract of *Amanita muscaria*
- Saito K, Nishijima M, Ohno N, Yadomae T, Miyazaki T//Tokyo Metropolitan Res Lab Publ Hlth, 24-1 Hyakunincho 3 chome, Shinjuku ku, Tokyo 169, Japan
CHEM PHARM BULL TOKYO 1992, 40 (1) 261
Studies of fungal polysaccharide. 38. Structure and antitumor activity of the less-branched derivatives of an alkali-soluble glucan isolated from *Ompalia lapidescens*
- Ukai S, Yoshida I, Honda A, Nagai K, Kiho T//Gifu Pharmaceut Univ, Gifu 502, Japan
CARBOHYD RES 1992, 224 (FEB) 201
The distribution of carboxymethyl groups in O-(carboxy-methyl)ated (1-3)-beta-D-glucans and (1-3)-alpha-D-glucans
- Saito K, Nishijima M, Miyazaki T//Tokyo Metropolitan Res Lab Publ Hlth, Shinjuku ku, Tokyo 169, Japan
CARBOHYD RES 1992, 224 (FEB) 209
Studies on fungal polysaccharides. 37. Structure of a heteroglycan isolated from the fungus *Ompalia lapidescens*
- Linhardt RJ, Wang HM, Loganathan D, Lamb DJ, Maillis LM//Univ Iowa, Coll Pharm, Div Med & Nat Prod Chem, Iowa City, Ia 52242, USA
CARBOHYD RES 1992, 225 (1) 137
Analysis of glycosaminoglycan-derived oligosaccharides using fast-atom-bombardment mass-spectrometry
- Horne A, Gettins P**//Vanderbilt Univ, Med Ctr, Sch Med, Dept Biochem, Nashville, Tn 37232, USA
CARBOHYD RES 1992, 225 (1) 43
¹H-NMR spectral assignments for 2 series of heparin-derived oligosaccharides
- Saivin S, Petitou M, Lormeau JC, Dupouy D, Sie P, Caranobe C, Houin G, Boneu B**//Ctr Reg Transfus, Hemostase Lab, F-31052 Toulouse, France
THROMB HAEMOST 1992, 67 (3) 346
Pharmacological properties of a low molecular weight butyryl heparin derivative (C4-CY-216) with long lasting effects
- Bloebaum RD, Rubman MH, Merrell M, Thacker K, Hofmann AA//Dept Vet Affairs Med Ctr, Bone & Joint Res Labs, Salt Lake City, Ut, USA
J BIOMED MATER RES 1992, 26 (3) 303
Hyaluronan solution as a cartilage antidesiccant
- Kawaguchi Y, Matsukawa K, Gama Y, Ishigami Y//Ishihara Chem Co Ltd, Tabata-shinmachi, Kita-ku, Tokyo 114, Japan
CARBOHYD POLYM 1992, 18 (2) 139
The effects of polysaccharide chain-length in coating liposomes with partial palmitoyl hyaluronates
- Van der Klein PAM, Van Boom JH**//Leiden Univ, Dept Chem, Gorlaeus Labs, POB 9502, 2300 RA Leiden, The Netherlands
CARBOHYD RES 1992, 224 (FEB) 193
Application of cyclic sulfates in the synthesis of 6-deoxy-D-manno-heptopyranose derivatives
- Aguilar G, Trejo BA, Garcia JM, Huitron C//Natl Autonomous Univ Mexico, Inst Biomed Res, Dept Biotechnol, AP 70228, Mexico City 04510, DF, Mexico
CAN J MICROBIOL 1991, 37 (12) 912
Influence of pH on endopectinase and exopectinase production by *Aspergillus* sp CH-Y-1043
- Joubert E//Fruit & Fruit Technol Res Inst, Private Bag X5013, Stellenbosch 7600, South Africa
FOOD SCI TECHNOL-LEBENSMESS 1991, 24 (6) 488
Spectrophotometric determination of erythrosine in Ca-pectate gels
- Pericin D, Kevresan S, Banka L, Antov M, Skrinjar M//Univ Novi Sad, Fac Technol, Bulevar Avnoja 1, YU-21000 Novi Sad, Yugoslavia
BIOTECHNOL LETT 1992, 14 (2) 127
Separation of the components of pectinolytic complex produced by *Polyporus squamosus* in submerged culture
- Vatai G, Tekic MN//Univ Novi Sad, Fac Technol, YU-21000 Novi Sad, Yugoslavia
FOOD SCI TECHNOL-LEBENSMESS 1991, 24 (6) 566
Ultrafiltration of pectin solutions in hollow-fibre modules
- Will F, Dietrich H//Forsch Geisenheim, Fach Weinanal & Getrankeforsch, PO Box 1154, W-6222 Geisenheim, FRG
CARBOHYD POLYM 1992, 18 (2) 109
Isolation, purification and characterization of neutral polysaccharides from extracted apple juices
- Blais P, Rogers PA, Charest PM**//Univ Laval, Fac Sci Agr & Alimentat, Dept Phytol, Quebec City, Quebec, Canada G1K 7P4
EXP MYCOL 1992, 16 (1) 1
Kinetic of the production of polygalacturonase and pectin lyase by 2 closely related formae-speciales of *Fusarium oxysporum*
- Mitomi T, Tsuchiya S, Iijima N, Aso K, Suzuki K, Nishiyama K, Amano T, Takahashi T, Murayama N, Oka H, Noto T* et al//Tokai Univ, Sch Med, Dept Surg 2, Isehara, Kanagawa 25911, Japan
DIS COLON RECTUM 1992, 35 (2) 123
Randomized, controlled study on adjuvant immunochemotherapy with PSK in curatively resected colorectal cancer - The cooperative study

group of surgical adjuvant immunochemotherapy for cancer of colon rectum (Knangawa)

Ara K, Igarashi K, Saeki K, Kawai S, Ito S//Kao Corp, Tochigi Res Labs, 2606 Akabane, Haga, Tochigi 32134, Japan
BIOSCI BIOTECHNOL BIOCHEM 1992, 56 (1) 62
Purification and some properties of an alkaline pullulanase from alkalophilic *Bacillus* sp KSM-1876

Pollock TJ, Thorne L, Armentrout RW//Shin-Etsu Bio Inv, 6650 Lusk Blvd, Suite B-106, San Diego, Ca 92121, USA
APPL ENVIRON MICROBIOL 1992, 58 (3) 877
Isolation of new *Aureobasidium* strains that produce high-molecular-weight pullulan with reduced pigmentation

Matsuyama H, Mangindaan REP, Yano T//Kyushu Univ, Fac Agr, Fisheries Chem Lab, Fukuoka 812, Japan
AQUACULTURE 1992, 101 (3-4) 197
Protective effect of schizophyllan and scleroglucan against *Streptococcus* sp infection in yellowtail (*Seriola quinqueradiata*)

Raoul Y//Address not available
BULL ACAD NATL MED 1991, 175 (7) 1269
Use of gum tragacanth in commercializing lumpfish roe (French, English Abstract)

Stankowski JD, Zeller SG*//Merck & Co Inc, Kelco Div, 8225 Aero Dr, San Diego, Ca 92123, USA
CARBOHYD RES 1992, 224 (FEB) 337
Location of the O-acetyl group in welan by the reductive-cleavage method

Moreau R//Address not available
BULL ACAD NATL MED 1991, 175 (7) 1263
Use of xanthan gum for whipped cream in aerosol dispensers (French, English Abstract)

Moreau R//Address not available
BULL ACAD NATL MED 1991, 175 (7) 1265
Use of xanthan gum in egg-white and cheese bases for precooked foods (French, English Abstract)

Sorbie KS, Huang Y//Heriot Watt Univ, Dept Petr Engr, Edinburgh EH14 4AS, Scotland
J COLLOID INTERFACE SCI 1992, 149 (2) 303
The effect of pH on the flow behavior of xanthan solution through porous media

Bray MR, Clarke AJ*//Univ Guelph, Dept Microbiol, Guelph, Ontario, Canada N1G 2W1
EUR J BIOCHEM 1992, 204 (1) 191
Action pattern of xylo-oligosaccharide hydrolysis by *Schizophyllum commune* xylanase-A

Kluepfel D, Daigneault N, Morosoli R, Shareck F//Univ Quebec, Inst Armand Frappier, Ctr Rech Microbiol Appl, 531 Blvd Prairies, Laval, Quebec, Canada H7N 4Z3
APPL MICROBIOL BIOTECHNOL 1992, 36 (5) 626
Purification and characterization of a new xylanase (xylanase-C) produced by *Streptomyces lividans* 66

Joseleau JP, Cartier N, Chambat G, Faik A, Ruel K//CNRS, Ctr Rech Macromolec Vegetales, BP 53X, F-38041 Grenoble, France
BIOCHIMIE 1992, 74 (1) 81
Structural features and biological activity of xyloglucans from suspension-cultured plant cells

7 POLYSACCHARIDES - OTHER

Altman E, Brisson JR, Gagne SM, Perry MB//Nat'l Res Council Canada, Inst Biol Sci, 100 Sussex Dr, Ottawa, Ontario, Canada K1A 0R6
EUR J BIOCHEM 1992, 204 (1) 225
Structure of the capsular polysaccharide of *Actinobacillus pleuropneumoniae* serotype-5b

Bhattacharyya AK, Chakravorty NC//Maharaja Bir Bikram Coll, Dept Chem, Agartala 799004, India
J INDIAN CHEM SOC 1991, 68 (8) 447
Metachromatic interactions of pinacyanol with some acid polysaccharides

Burova TV, Grinberg NV, Grinberg VY, Leontiev AL, Tolstoguzov VB//AN Nesmeyanov Inst Organoelement Cpd, Acad Sci, V-334, Vavilov St 28, 117813 Moscow, Russia
CARBOHYD POLYM 1992, 18 (2) 101
Effects of polysaccharides upon the functional properties of 11 S globulin of broad beans

Cerning J, Bouillanne C, Landon M, Desmazeaud M//INRA, Rech Laitieres, F-78352 Jouy en Josas, France
J DAIRY SCI 1992, 75 (3) 692
Isolation and characterization of exopolysaccharides from slime-forming mesophilic lactic acid bacteria

Das S, Ray B, Ghosal PK*//Univ Burdwan Golapbag, Dept Chem, Nat Prod Lab, Burdwan 713104, W Bengal, India
CARBOHYD RES 1992, 224 (FEB) 331
Structural studies of a polysaccharide from the seeds of *Nelumbo nucifera*

Demeke T, Adams RP*//Baylor Univ, Ctr Plant Biotechnol, BU Box 97372, Waco, Tx 76798, USA
BIOTECHNIQUES 1992, 12 (3) 332
The effects of plant polysaccharides and buffer additives on PCR

Garegg PJ, Oscarson S, Tiden AK//Univ Stockholm, Arrhenius Lab, Dept Organ Chem, S-10691 Stockholm, Sweden
CARBOHYD RES 1992, 225 (1) 163
Synthesis of para-trifluoroacetamidophenyl 2-acetamido-4-O-(2-acetamido-2-deoxy-beta-D-glycopyranosyl)-2-deoxy-beta-D-mannopyranosiduronic acid, an artificial antigen corresponding to a disaccharide repeating unit of the capsular polysaccharide of *Haemophilus influenzae* type-E

Gil-Serrano A, Gonzalez-Jimenez I, Tejero-Mateo P, Deljunco AS, Megias M, Romero-Vazquez MJ//Univ Sevilla, Fac Quim, Dept Quim Organ, E-41071 Seville, Spain
CARBOHYD RES 1992, 225 (1) 169
Structure of the acidic exopolysaccharide secreted by *Rhizobium leguminosarum* biovar *Phaseoli* CFN42

Gonda R, Takeda K, Shimizu N, Tomoda M*//Kyoritsu Coll Pharmaceut Sci, Shibakoen 1-chome, Minato ku, Tokyo 105, Japan
CHEM PHARM BULL TOKYO 1992, 40 (1) 185
Characterization of a neutral polysaccharide having activity on the reticuloendothelial system from the rhizome of *Curcuma longa*

Ip CCY, Manam V, Hepler R, Hennessey JP*//Merck Sharp & Dohme Ltd, Dept Cellular & Molec Biol, W Point, Pa 19486, USA
ANAL BIOCHEM 1992, 201 (2) 343
Carbohydrate composition analysis of bacterial polysaccharides - Optimized acid hydrolysis conditions for HPAEC-PAD analysis

Metzger JO, Brunsweller E//Univ Oldenburg, Dept Chem, W-2900 Oldenburg, FRG

RAPID COMMUN MASS SPECTROM 1992, 6 (2) 143

Direct chemical ionization mass spectrometry of short-chain polysaccharides

Mizuno T, Ando M, Sugie R, Ito H, Shimura K, Sumiya T, Matsuura A//Shizuoka Univ, Fac Agr, Oya, Shizuoka 422, Japan

BIOSCI BIOTECHNOL BIOCHEM 1992, 56 (1) 34

Studies on the host-mediated antitumor polysaccharides. 16. Antitumor activity of some polysaccharides isolated from an edible mushroom, Ningyotake, the fruiting body and the cultured mycelium of Polyporous confluens

Mizuno T, Wasa T, Ito H, Suzuki C, Ukai N//Shizuoka Univ, Fac Agr, Ohya, Shizuoka 422, Japan

BIOSCI BIOTECHNOL BIOCHEM 1992, 56 (2) 347

Antitumor-active polysaccharides isolated from the fruiting body of *Herichium erinaceum*, and edible and medicinal mushroom called Yamabushitake or Houtou

Nakajima H, Hirota T, Toba T, Itoh T, Adachi S//Snow Brand Milk Prod Co Ltd, Tech Res Inst, 1-2 Minamidai 1-chome, Kawagoe, Japan

CARBOHYD RES 1992, 224 (FEB) 245

Structure of the extracellular polysaccharide from slime-forming *Lactococcus lactis* subsp *cremoris* SBT-0495

Renkonen O, Leppanen A, Niemela R, Vilkmann A, Helin J, Penttila L, Maaheimo H, Seppo A, Suopanki J//Univ Helsinki, Inst Biotechnol, Valimotie 7, SF-00380 Helsinki, Finland

BIOCHEM CELL BIOL 1992, 70 (1) 86

Enzymatic in vitro synthesis of radiolabeled pentasaccharides GlcNAc-beta1-3(Galbeta1-4GlcNAc-beta1-6)Galbeta1-4GlcNAc/Glc and the isomeric Galbeta1-4GlcNAc-beta1-3(GlcNAc-beta1-6)Galbeta1-4GlcNAc/Glc

Shirasugi N, Misaki A*//Osaka City Univ, Fac Sci Living, Dept Food & Nutr, Sugimoto 3-chome, Sumiyoshi ku, Osaka 558, Japan

BIOSCI BIOTECHNOL BIOCHEM 1992, 56 (1) 29

Isolation, characterization, and antitumor activities of the cell wall polysaccharides from *Elsinoe leucospila*

Srivastava G, Hindsgaul O*//Univ Alberta, Dept Chem, Edmonton, Alberta, Canada T6G 2G2

CARBOHYD RES 1992, 224 (FEB) 83

Synthesis of a tetrasaccharide acceptor for use in the assay of UDP-GlcNAc - beta-D-Galp-(1-4)-beta-D-GlcNAc (GlcNAc to Gal) beta (1-3)-N-acetylglucosaminyltransferase activity and the pentasaccharide product that would be formed by its enzymic glycosylation

Tomoda M, Shimizu N, Gonda R, Takada K, Ohara N//Kyoritsu Coll Pharmaceut Sci, Minato ku, Tokyo 105, Japan

J PHARMACOBIO-DYNAM 1992, 15 (1) S7

Studies on the polysaccharides having immunological activities from the root of *Glycyrrhiza uralensis* and the stolon of *G. glabra* var *glanulifera*

8 LIPOPOLYSACCHARIDES

Aspinall GO, McDonald AG, Raju TS, Pang H, Mills SD, Kurjanczyk L, Penner JL*//Univ Toronto, Dept Microbiol, Toronto, Ontario, Canada M5G 1L5

J BACTERIOL 1992, 174 (4) 1324

Serological diversity and chemical structures of *Campylobacter jejuni* low-molecular-weight lipopolysaccharides

Conrad RS, Kist M, Schlecht S, Galanos C//Oklahoma State Univ, Coll Osteopath Med, Dept Biochem & Microbiol, 1111 W 17th St, Tulsa, Ok 74107, USA

CURR MICROBIOL 1992, 24 (3) 165

Extraction and biochemical analyses of *Helicobacter pylori* lipopolysaccharides

Krauss JH, Himmelsbach K, Reuter G*, Schauer R, Mayer H//Univ Kiel, Inst Biochem, Olshausenstr 40, W-2300 Kiel 1, FRG

EUR J BIOCHEM 1992, 204 (1) 217

Structural analysis of a novel sialic-acid-containing trisaccharide from *Rhodobacter capsulatus* 37b4 lipopolysaccharide

Moran AP, Helander IM, Kosunen TU//Natl Publ Hlth Inst, Dept Bacteriol, SF-00300 Helsinki, Finland

J BACTERIOL 1992, 174 (4) 1370

Compositional analysis of *Helicobacter pylori* rough-form lipopolysaccharides

Perry MB, MacLean LL//Natl Res Council Canada, Inst Biol Sci, Ottawa, Ontario, Canada K1A 0R6

BIOCHEM CELL BIOL 1992, 70 (1) 49

Structural characterization of the O-polysaccharide of the lipopolysaccharide produced by *Salmonella* *milwaukee* O-43 (group-U) which possesses human blood group-B activity

9 STARCH

Kalichevsky MT, Jaroszkievicz EM, Ablett S, Blanshard JMV, Lillford PJ//Nottingham Univ, Dept Appl Biochem & Food Sci, Sch Agric, Sutton Bonington, Loughborough LE12 5RD, England

CARBOHYD POLYM 1992, 18 (2) 77

The glass transition of amylopectin measured by DSC, DMTA and NMR

Zhen Z, Tung CH*//Acad Sinica, Inst Photog Chem, Beijing 100101, Peoples R China

POLYMER 1992, 33 (4) 812

Interaction of sodium carboxymethylamylose with aqueous surfactants in both the presence and the absence of added salt - Mixed micelles and inclusion complexes

Haidacher D, Bonn GK, Scherz H, Nitsch E, Wutka R//Deutsch Forschungsanstalt Lebensmittelchem, Lichtenbergstr 4, W-8046 Garching, FRG

J CHROMATOGR 1992, 591 (1-2) 351

Thin-layer electrophoresis of hydroxyethyl starches on a modified silica gel support

Sommermeier K, Cech F, Pfitzer E, Rossler K//Fresenius Ag, Div Pharmaceut, Chem Pharmaceut Res & Dev, Borkenberg 14, W-6370 Oberursel, FRG

CHROMATOGRAPHIA 1992, 33 (3-4) 151

Characterisation of polymers by size exclusion chromatography using multiple detection - Investigations on the determination of structural differences of hydroxyethyl starches

Badrie N, Mellows WA//Univ W Indies, Dept Chem Engr, Food Technol Unit, St Augustine, Trinidad & Tobago

J FOOD SCI 1992, 57 (1) 103

Cassava starch or amylose effects on characteristics of Cassava (*Manihot esculenta* Crantz) extrudate

Chang YH, Lii CY//Providence Univ, Grad Inst Food & Nutr, Shalu 43309, Taiwan

J FOOD SCI 1992, 57 (1) 203

Preparation of starch phosphates by extrusion

Eliasson A-C//Univ Lund, Dept Food Technol, Box 124, S-22100 Lund, Sweden

CARBOHYD POLYM 1992, 18 (2) 131

A calorimetric investigation of the influence of sucrose on the gelatinization of starch

Henderson AM, Rudin A*//Univ Waterloo, Guelph Waterloo Ctr Grad Work Chem, Dept Chem, Waterloo, Ontario, Canada N2L 3G1

ANGEW MAKROMOL CHEM 1992, 194 (JAN) 23

Extrusion behavior of starch graft copolymers - Starch-g-polystyrene and starch-g-poly(methyl acrylate)

Kohyama K, Nishinari K//Natl Food Res Inst, Tsukuba, Ibaraki 305, Japan

J FOOD SCI 1992, 57 (1) 128

Cellulose derivatives effects on gelatinization and retrogradation of sweet potato starch

Safonov VV, Sidrenko IA//Moscow Text Inst, Moscow, Russia

IND LAB-ENGL TR 1991, 57 (7) 695

A new rapid quantitative method of determining starch on cloth

Van den Bossche GMR, Lefevre RA, De Wilde GA, Remon JP*//State Univ Ghent, Pharmaceut Technol Lab, Harelbekestr 72, B-9000 Ghent, Belgium

J PHARM SCI 1992, 81 (3) 245

Performance of a modified starch hydrophilic matrix for the sustained release of theophylline in healthy volunteers

Zasyukin DV, Yuryev VP, Alexeyev VV, Tolstoguzov VB//AN Nesmeyanov Inst Organelement Cpd, Acad Sci, V-334, Vavilov St 28, 117813 Moscow, Russia

CARBOHYD POLYM 1992, 18 (2) 119

Mechanical properties of the products obtained by the thermoplastic extrusion of potato starch-soybean protein mixtures

10 STARCH-DEGRADING ENZYMES

Chatterjee B, Ghosh A, Das A//Bose Inst, Dept Microbiol, P-1-12, CIT, Scheme VII-M, Calcutta 700054 India

J APPL BACTERIOL 1992, 72 (3) 208

Starch digestion and adsorption by beta-amylase of *Emericella nidulans* (*Aspergillus nidulans*)

Dettori-Campus BG, Priest FG*, Stark JR//Heriot Watt Univ, Int Ctr Brewing & Distilling, Edinburgh EH14 4AS, Scotland

PROCESS BIOCHEM 1992, 27 (1) 17

Hydrolysis of starch granules by the amylase from *Bacillus stearothermophilus* NCA-26

Govindasamy S, Oates CG, Wong HA//Univ Singapore, Dept Biochem, Natl 10 Kent Ridge Cres, S(0511), Rep Singapore

CARBOHYD POLYM 1992, 18 (2) 89

Characterization of changes of sago starch components during hydrolysis by a thermostable alpha-amylase

Mizukami M, Yamagata H*, Sakauchi K, Udaka S//Nagoya Univ, Fac Agr, Dept Food Sci & Technol, Chikusa ku, Nagoya, Aichi 464, Japan

J FERMENT BIOENG 1992, 73 (2) 112

Efficient production of thermostable *Clostridium thermosulfurogenes* beta-amylase by *Bacillus brevis*

Punpeng B, Nakata Y, Goto M, Teramoto Y, Hayashida S*//Kyushu Univ, Fac Agr, Dept Agr Chem, 6-10-1 Hakozaki, Fukuoka 812, Japan

J FERMENT BIOENG 1992, 73 (2) 108

A novel raw-starch-digesting yeast alpha-amylase from *Lipomyces starkeyi* HN-606

Fukuda K, Teramoto Y, Hayashida S*//Kyushu Univ, Dept Agr Chem, Fukuoka 812, Japan

BIOSCI BIOTECHNOL BIOCHEM 1992, 56 (1) 8

The hyperdigestion of raw starch by a carbohydrate-rich glucoamylase from a protease-negative and glycosidase-negative mutant of *Aspergillus awamori* var Kawachi F-2035

Williamson G, Belshaw NJ, Williamson MP//AFRC, Inst Food Res, Norwich Lab, Norwich Res Pk, Colney Lane, Norwich NR4 7UA, Norfolk, England

BIOCHEM J 1992, 282 (MAR) 423

O-glycosylation in *Aspergillus* glucoamylase - Conformation and role in binding