



Bibliography on carbohydrate polymers

1 BOOKS, REVIEWS & SYMPOSIA

Anderson RL, Owens JW*, Timms CW//Procter & Gamble Paper Prod, 6100 Ctr Hill Rd, Cincinnati, Oh 45224, USA
CANCER LETT 1992, 63 (2) 83

The toxicity of purified cellulose in studies with laboratory animals (Review)

Yamamoto K//Chiba Univ, Fac Pharmaceut Sci, 1-33 Yayoicho, Chiba 260, Japan

YAKUGAKU ZASSHI-J PHARM SOC J 1992, 112 (3) 161

On the drug molecular states dispersed in cyclodextrin matrices (Review) (Japanese, English Abstract)

Hemker HC, Beguin S//Univ Limburg, Cardiovasc Res Inst, Dept Biochem, POB 616, 6200 MD Maastricht, The Netherlands
NOUV REV FR HEMATOL 1992, 34 (1) 5

A rational approach to heparins (Review)

Guiry MD, Blunden G (Eds)

Seaweed Resources in Europe: Uses and Potential

Includes chapters on: Polysaccharides for food and pharmaceutical uses; Molecular structure and physical behaviour of seaweed colloids as compared with microbial polysaccharides; Applications of some algal polysaccharides in biotechnology

John Wiley & Sons Ltd (Chichester), 1992, 432pp, \$145.00 hardbound, ISBN: 0-471-92947-6

Lewin M, Goldstein IS (Eds)

Wood Structure and Composition

International Fiber Science and Technology Series, Vol 11

Marcel Dekker (New York), 1991, 488 pp, \$165.00 hardbound, ISBN: 0-8247-8233-X

2 CELLULOSE

Shtennikova IN, Korneeva EV, Kolbina GF, Strelina IA, Lavrenko PN, Shibaev VP, Ekaeva IV//Acad Sci, Inst Macromolec Cpds, Leningrad 199004, Russia

EUR POLYM J 1992, 28 (4) 353

Conformational and optical properties of (acetoxypentyl)cellulose molecules in solutions

Kondo T, Gray DG//Pulp & Paper Res Inst Canada, Montreal, Quebec, Canada H3A 2A7

J APPL POLYM SCI 1992, 45 (3) 417

Facile method for the preparation of tri-O-(alkyl)cellulose

Nakamura S, Amano M, Saegusa Y, Sato T//Kanagawa Univ, Fac

Engn, Dept Appl Chem, Kanagawa ku, Yokohama 221, Japan

J APPL POLYM SCI 1992, 45 (2) 265

Preparation of aminoalkyl celluloses and their adsorption and desorption of heavy metal ions

Abdel-Moteleb MM, Saad GR, Nessim RI//Univ Cairo, Fac Sci, Dept Chem, Assiut, Egypt

POLYM DEGRAD STABIL 1992, 36 (3) 217

The effects of preheating on the dielectric relaxation, and of temperature on the 'static' dielectric constant, of cellulose acetate fibers

Arai K, Satoh H//Gunma Univ, Fac Engn, Kiryu, Gunma 376, Japan

J APPL POLYM SCI 1992, 45 (3) 387

Liquid crystalline phase-formation behavior of cellulose cinnamate

Bhat KM, Wood TM//Rowett Res Inst, Bucksburn AB2 9SB, Aberdeen, Scotland

CARBOHYD RES 1992, 227 (APR) 293

The cellulose of the anaerobic bacterium *Clostridium thermocellum* - Isolation, dissociation, and reassociation of the cellulosome

Dolz M, Roldan C//Valencia Univ, Fac Pharm, Dept Thermodynam, Av Blasco Ibanez 13, E-46010 Valencia, Spain

PHARMAZIE 1992, 47 (2) 134

The influence of heating time on the rheological behaviour of a microcrystalline cellulose hydrogel

Doyle SJ, Pethrick RA//Univ Strathclyde, Dept Pure & Appl Chem, Thomas Graham Bldg, Cathedral St, Glasgow G1 1XL, Scotland

POLYM INT 1992, 27 (4) 321

Dielectric relaxation studies of heterogeneously substituted cellulose acetate and its plasticization by dibutyl phthalate

Erlor U, Klemm D*, Nehls I//Univ Jena, Inst Organ Chem & Makromolek Chem, Humboldtstr 10, O-6900 Jena, FRG

MAKROMOL CHEM-RAP COMM 1992, 13 (4) 195

Homogeneous synthesis of diphenylmethyl ethers of cellulose in N-normal-dimethylacetamide/LiCl solvent system

Kramer S, Dietel R, Haupold G, Lukas J, Malsch G, Paul D//Inst Polymer Chem, O-1530 Teltow, FRG

ACTA POLYM 1992, 43 (1) 58

Characterization of chloroacetylated/sulfonated cellulose membranes for hemodialysis by spectroscopical methods

Mahieux P, Arnaud P, Chaumeil JC//UER Sci Pharmaceut & Biol, 4 Ave Observ, F-75270 Paris 06, France

PHARMAZIE 1992, 47 (3) 216

Study of the gastrointestinal diffusion system (GDS) - Influence of

As a service to subscribers, each issue of the Journal contains a bibliography of newly published material in the field of carbohydrate polymers. The bibliography is divided into ten sections: 1 Books, Reviews & Symposia; 2 Cellulose; 3 Cellulose-degrading Enzymes; 4 Cyclodextrins; 5 Lignin; 6 Polysaccharides - Named; 7 Polysaccharides - Other; 8 Lipopolysaccharides; 9 Starch; 10 Starch-degrading Enzymes. Within each section, articles are listed in alphabetical order with respect to the subject. When there are no publications to appear under one of these headings, that section will be omitted.

- Acacia gum on mechanical and chemical properties in free cellulose acetate films
- Matsuda Y, Kowsaka K, Okajima K, Kamide K/**Asahi Chem Ind Co Ltd, Fundamental Res Lab Fibers & Fiber Forming Polymers, 11-7 Hacchonawate, Takatsuki, Osaka 569, Japan
POLYM INT 1992, 27 (4) 347
Structural change of cellulose contained in immature cotton boll during its growth
- Nada AMA, Badry MD, El-Nour KNA//Natl Res Ctr, Dept Cellulose & Paper, Cairo, Egypt
POLYM DEGRAD STABIL 1992, 36 (3) 201
Grafting of cellulose and carboxymethylated cellulose with methyl methacrylate and the dielectric properties of the products
- Nishioka N, Ono H, Karasuno M//Osaka Electrocommun Univ, Fac Engn, Neyagawa, Osaka 572, Japan
POLYM J 1992, 24 (4) 301
Thermal decomposition of cellulose grafted with acrylonitrile in a homogeneous system
- Wolf B, Finke I//Karl Marx Univ, Lehrstuhl Pharmazeut Technol, Sect Biowissensch, Bruderstr 34, O-7010 Leipzig, FRG
PHARMAZIE 1991, 46 (1) 861
The use of bead celluloses as carrier for controlled liberation of drugs.
3. Investigation of the ion exchange capacity of bead cellulose and of derivatives of bead cellulose (German, English Abstract)
- Wolf B, Finke I//Karl Marx Univ, Lehrstuhl Pharmazeut Technol, Sect Biowissensch, Bruderstr 34, O-7010 Leipzig, FRG
PHARMAZIE 1992, 47 (1) 35
The use of bead celluloses as carrier for controlled liberation of drugs.
4. Binding of prazosin hydrochloride to bead cellulose and derivatives of bead cellulose and its in vitro liberation (German, English Abstract)
- Wolf B, Finke I//Karl Marx Univ, Lehrstuhl Pharmazeut Technol, Sect Biowissensch, Bruderstr 34, O-7010 Leipzig, FRG
PHARMAZIE 1992, 47 (2) 121
The use of bead celluloses as carrier for controlled liberation of drugs.
5. Binding of benzocaine as a model drug to dialdehyde bead cellulose and its in vitro liberation (German, English Abstract)
- Wolf B//Karl Marx Univ, Lehrstuhl Pharmazeut Technol, Sect Biowissensch, Bruderstr 34, O-7010 Leipzig, FRG
PHARMAZIE 1992, 47 (3) 204
The use of bead celluloses as carrier for controlled liberation of drugs.
6. Kinetics of liberation of bonded drugs from bead cellulose derivatives (German, English Abstract)
- Woffindin C, Hoenich NA*, Matthews JNS/**Med Sch Newcastle upon Tyne, Sch Clin & Med Sci, Dept Med, Framlington Pl, Newcastle upon Tyne NE2 4HH, England
NEPHROL DIALYSIS TRANSPLANT 1992, 7 (4) 340
Cellulose-based haemodialysis membranes - Biocompatibility and functional performance compared
- Meyer PS, Dupree JC*, Kilian SG/**Univ Orange Free State, Dept Microbiol & Biochem, POB 339, Bloemfontein 9300, South Africa
J IND MICROBIOL 1992, 9 (2) 109
Cultivation of *Candida blankii* in simulated bagasse hemicellulose hydrolysate
- Kamdem DP, Riedl B/**Univ Laval, Fac Foresterie & Geomat, Dept Sci Bois, Ctr Rech Sci & Ingn Macromolec, St Foy, Quebec, Canada G1K 7P4

J COLLOID INTERFACE SCI 1992, 150 (2) 507

Inverse gas chromatography of lignocellulosic fibers coated with a thermosetting polymer - Use of peak maximum and Conder and Young methods

Szczesniak M, Kubis A*, Grimling B/**Med Acad Wroclaw, Fac Pharm, Dept Pharmaceut Technol, UL Szewska 38, PL-50139 Wroclaw, Poland

PHARMAZIE 1992, 47 (2) 150

The influence of hydrophiling agents on gel formation rate of cellulose derivatives. 2. Influence of additional polymers on homogeneity of viscosity in methylcellulose gels ex tempore prepared in presence of hydrophiling agents

Francotte E, Wolf RM//Ciba Geigy AG, Pharmaceut Res, K122P25, CH-4002 Basel, Switzerland

J CHROMATOGRAPHY 1992, 595 (1-2) 63

Chromatographic resolution on methylbenzoylcellulose beads - Modulation of the chiral recognition by variation of the position of the methyl group on the aromatic ring

Akhmadeev IR, Gumerov FM, Dmitruk F, Sopin VF, Marchenko GN, Mirkamilov SM//Kazan Chem Prod Res Inst, Kazan, Russia

VYSOKOMOL SOEDIN SER B SSSR 1991, 33 (9) 694

Study of phase equilibria in the oxypopylcellulose ethyl acetate system by the spin probe method (Russian)

3 CELLULOSE-DEGRADING ENZYMES

Gerwig GJ, Kamerling JP, Vliegthart JFG*, Morag E, Lamed R, Bayer EA/**Univ Utrecht, Dept Bioorgan Chem, Bijvoet Ctr, POB 80075 TB Utrecht, The Netherlands

EUR J BIOCHEM 1992, 205 (2) 799

Novel oligosaccharide constituents of the cellulase complex of *Bacteroides cellulosolvens*

Kobayashi S, Shimada J, Kawasaki T, Shoda S//Tohoku Univ, Fac Engn, Dept Molec Chem & Engn, Sendai, Miyagi 980, Japan

MAKROMOL CHEM-MACROMOL SYMP 1992, 54-5 (FEB) 509

Enzymatic polymerization - The 1st in vitro synthesis of cellulose via nonbiosynthetic path catalyzed by cellulase

Kremer SM, Wood PM/**Univ Bristol, Dept Biochem, Univ Walk, Bristol BS8 1TD, England

FEMS MICROBIOL LETT 1992, 92 (2) 187

Continuous monitoring of cellulose oxidation by cellobiose oxidase from *Phanerochaete chrysosporium*

Ramamurthy V, Thacker SP, Kothari RM/**Thapar Corp Res & Dev Ctr, Patiala 147001, India

J IND MICROBIOL 1992, 9 (2) 121

Optimized protocol for the pilot-scale preparation of fungal cellulase

Vrsanska M, Biely P/**Slovak Acad Sci, Inst Chem, CS-84238 Bratislava, Czechoslovakia

CARBOHYD RES 1992, 227 (APR) 19

The cellobiohydrolase-I from *Trichoderma reesei* QM-9414 - Action on cello-oligosaccharides

Wilson CA, Wood TM//Rowett Res Inst, Bucksburn AB2 9SB, Scotland

APPL MICROBIOL BIOTECHNOL 1992, 37 (1) 125

The anaerobic fungus *Neocallimastix frontalis* - Isolation and properties of a cellosome-type enzyme fraction with the capacity to solubilize hydrogen-bond-ordered cellulose

4 CYCLODEXTRINS

Abelyan VA, Gasparyan AV, Avakyan ZCG, Afrikyan EG//Acad Sci, Inst Microbiol, Abovyan, Armenia
BIOCHEMISTRY-ENGL TRANS 1991, 56 (9) PT 1, 1108

Extracellular cyclodextrin glycosyltransferase from the thermophilic bacterium *Bacillus* sp

Abelyan VA, Dikhtyarev SI, Afrikyan EG//Acad Sci, Inst Microbiol, Abovyan, Armenia
BIOCHEMISTRY-ENGL TRANS 1991, 56 (9) PT 1, 1112

Some new properties of the thermophilic cyclodextrin glycosyltransferase of *Bacillus* sp

Becirevic M, Senjkovic R//Univ Zagreb, Fac Pharm & Biochem, Domagojeva 2, YU-41000 Zagreb, Croatia
PHARMAZIE 1992, 47 (3) 202

Improvement of in vitro dissolution characteristic of meclozine hydrochloride by cyclodextrin complexation

Berthod A, Li WY, Armstrong DW**//Univ Missouri, Dept Chem, Rolla, Mo 65401, USA
ANAL CHEM 1992, 64 (8) 873

Multiple enantioselective retention mechanisms on derivatized cyclodextrin gas chromatographic chiral stationary phases

Choi HS, Knevel AM, Chang CJ**//Purdue Univ, Sch Pharm & Pharmacol Sci, Dept Med Chem & Pharmacognosy, W Lafayette, In 47907, USA
PHARMACEUT RES 1992, 9 (5) 690

Molecular complexation - Beta-cyclodextrin and benzaldehyde inclusion complex

Claudy P, Letoffe JM, Germain P, Bastide JP, Bayol A, Blasquez S, Rao RC, Gonzalez B//Inst Natl Sci Appl, URA 116, Thermochem Minerale, F-69621 Villeurbanne, France
J THERM ANAL 1991, 37 (11-12) 2497

Physicochemical characterization of cholesterol-beta cyclodextrin inclusion complexes

Dietrich A, Maas B, Karl V, Kreis P, Lehmann D, Weber B, Mosandl A//Univ Frankfurt, Inst Lebensmittelchem, Robert Mayer Str 7-9, W-6000 Frankfurt, FRG
HRC-J HIGH RES CHROMATOGR 1992, 15 (3) 176

Stereoisomeric flavor compounds. 55. Stereodifferentiation of some chiral volatiles on heptakis(2,3-di-O-acetyl-6-O-tert-butylidimethylsilyl)-beta-cyclodextrin

Haginaka J, Wakai J//Mukogawa Womens Univ, Fac Pharmaceut Sci, Koshien Kyuban cho, Ishinomiya, Hyogo 663, Japan
ANAL SCI 1992, 8 (2) 137

Beta-cyclodextrin/diol phase silica materials for direct injection analysis of drug enantiomers in serum by liquid chromatography

Harata K//Polymers & Text Res Inst, 1-1-4 Higashi, Tsukuba, Ibaraki 305, Japan
J INCLUSION PHENOM MOL RECOGN 1992, 13 (1) 77

Complex formation of hexakis(2,6-di-O-methyl)-alpha-cyclodextrin with substituted benzenes in aqueous solution

Huang JF, Catena GC, Bright FV**//SUNY Buffalo, Dept Chem, Acheson Hall, Buffalo, NY 14214, USA
APPL SPECTROSC 1992, 46 (4) 606

Fluorescence-based investigation of alcohol co-solvents on the nature of cyclodextrin inclusion complexation

Husain N, Ndou TT, Delapena AM, Warner IM**//Emory Univ, Dept Chem, Atlanta, Ga 30322, USA

APPL SPECTROSC 1992, 46 (4) 652

Complexation of doxorubicin with beta-cyclodextrins and gamma-cyclodextrins

Inoue Y, Kanda Y, Yamamoto Y, Kobayashi S//Tokyo Inst Technol, Dept Biomolec Engr, Meguro ku, Tokyo 152, Japan

CARBOHYD RES 1992, 226 (2) 197

NMR study on the formation and geometry of inclusion complexes of 6-O-(alpha-maltosyl) cyclomalto-hexaose and -heptaose with para-nitrophenol in aqueous solution

Ohnishi M, Ota U, Abe M, Tonomura B, Kubota M//Kyoto Univ, Coll Agr, Dept Food Sci & Technol, Enzyme Chem Lab, Sakyo Ward, Kyoto 606, Japan

CARBOHYD RES 1992, 227 (APR) 285

Effect of modification of the tryptophan residues of cyclodextrin glucanotransferase with N-bromosuccinimide on the enzyme-catalysed hydrolysis (cleavage) of soluble starch and cyclomaltohexaose

Park JH, Jang MD, Shin MJ//Yeungnam Univ, Coll Sci, Dept Chem, Kyongsan 712749, South Korea

J CHROMATOGR 1992, 595 (1-2) 45

Solvatochromic hydrogen bond donor acidity of cyclodextrins and reversed-phase liquid chromatographic retention of small molecules on a beta-cyclodextrin-bonded silica stationary phase

Popping B, Deratani A//Univ Paris 12, Physicochim Biopolymeres Lab, CNRS, UM 27, 2 rue Henri Dunant, F-94320 Thiais, France

MAKROMOL CHEM-RAP COMM 1992, 13 (4) 237

Synthesis of cyclodextrins with pendant chlorinated groups - Reaction of beta-cyclodextrin with epichlorohydrin in acidic medium

Sepaniak MJ, Cole RO, Clark BK//Univ Tennessee, Dept Chem, Knoxville, Tn 37996, USA

J LIQ CHROMATOGR 1992, 15 (6-7) 1023

Use of native and chemically modified cyclodextrins for the capillary electrophoretic separation of enantiomers

Smith VK, Ndou TT, Warner IM**//Emory Univ, Dept Chem, Atlanta, Ga 30322, USA

APPL SPECTROSC 1992, 46 (4) 659

Complexation of the surfactants Triton-X-102 and Igepal-CA720 with beta-cyclodextrin

Steffan B, Fischer W, Cordes G, Hebon I, Muller R//Univ Bonn, Inst Organ Chem & Biochem, Gerhard Domagk Str 1, W-5300 Bonn, FRG
PHARMACEUT RES 1992, 9 (4) 575

¹H-nuclear magnetic resonance (NMR) studies on the inclusion complex of prostaglandin-E₁ (PGE₁) with alpha-cyclodextrin

Uemasu I//Natl Res Inst Pollut & Resources, 16-3 Onogawa, Tsukuba, Ibaraki 305, Japan

J INCLUSION PHENOM MOL RECOGN 1992, 13 (1) 1

Selective liquid-liquid extraction of xylene isomers and ethylbenzene through inclusion by branched alpha-cyclodextrins

5 LIGNIN

Faix O, Bremer J, Meier D, Fortmann I, Scheijen MA, Boon JJ//BFH, Inst Wood Chem & Chem Technol Wood, Leuschenerstr 91, W-2050 Hamburg 80, FRG

J ANAL APPL PYROL 1992, 22 (3) 239

Characterization of tobacco lignin by analytical pyrolysis and Fourier transform-infrared spectroscopy

Ferrer I, Esposito E, Duran N*//Univ Estadual Campinas, Inst Quim Biol Chem Lab, CP 6154, BR-13001 Campinas SP, Brazil
 ENZYME MICROB TECHNOL 1992, 14 (5) 402
 Lignin peroxidase from *Chrysomya sitophila* - Heat-denaturation kinetics and pH stability

Goto M, Takabe K, Morita O, Abe I//Mie Univ, Fac Bioresources, 1515 Kamihama cho, Tsu, Mie 514, Japan
 ANIM FEED SCI TECH 1992, 36 (3-4) 229
 Ultraviolet microscopy of lignins in specific cell walls of barley straw fractions with different rumen degradability

Job-Cei C, Keller J, Job D//Univ Neuchatel, Microbiol Lab, Chantermerle 22, CH-2007 Neuchatel, Switzerland
 MATER ORGAN 1991, 26 (3) 215
 Selective delignification of sulphite pulp paper - Assessment of 40 white rot fungi

Merkle G, Auerbach S, Burchard W*, Lindner A, Wegener G//Univ Freiburg, Inst Macromolec Chem, W-7800 Freiburg, FRG
 J APPL POLYM SCI 1992, 45 (3) 407
 Light scattering of acetylated lignin

Nada AMA, Fadly M, Dawy M//Natl Res Ctr, Dept Cellulose & Paper, Cairo, Egypt
 POLYM DEGRAD STABIL 1992, 37 (2) 125
 Spectroscopic study of the molecular structure of a lignin-polymer system

6 POLYSACCHARIDES - NAMED

Murano E, Toffanin R, Zanetti F, Knutsen SH, Paoletti S, Rizzo R//POLY-Bios Res Ctr, Area Ricerca, Lab Technol Biopolym, Padriciano 99, I-34012 Trieste, Italy
 CARBOHYD POLYM 1992, 18 (3) 171
 Chemical and macromolecular characterisation of agar polymers from *Gracilaria dura* (C. Agardh) J. Agardh (Gracilariaceae, Rhodophyta)

Aasen IM, Folkvord K, Levine DW//Sintef Appl Chem, N-7034 Trondheim, Norway
 APPL MICROBIOL BIOTECHNOL 1992, 37 (1) 55
 Development of a process for large-scale chromatographic purification of an alginate lyase from *Klebsiella pneumoniae*

Ustunol Z, Xiong YLL, Means WJ, Decker EA//Michigan State Univ, Dept Food Sci & Human Nutr E Lansing, MI 48824, USA
 J AGR FOOD CHEM 1992, 40 (4) 577
 Forces involved in mixed pork myofibrillar protein and calcium alginate gels

Zeller SG, Gray GR*//Univ Minnesota, Dept Chem, Minneapolis, MN 55455, USA
 CARBOHYD RES 1992, 226 (2) 313
 Analysis of *Macrocystis pyrifera* and *Pseudomonas aeruginosa* alginic acids by the reductive-cleavage method

Eremeeva TE, Bykova TO//Latvian Acad Sci, Inst Wood Chem, Cellulose Lab, 27 Akademijas St, Riga 226006, Latvia
 CARBOHYD POLYM 1992, 18 (3) 217
 Analysis of larch arabinogalactan by high performance size-exclusion chromatography

Hoffmann RA, Kamerling JP, Vliegthart JFG*//Univ Utrecht, Dept Bioorgan Chem, Ctr Bijvoet, POB 80075, 3508 TB Utrecht, The Netherlands
 CARBOHYD RES 1992, 226 (2) 303

Structural features of a water-soluble arabinoxylan from the endosperm of wheat

Izydorczyk MS, Biliaderis CG//Univ Manitoba, Dept Food Sci, Winnipeg, Manitoba, Canada R3T 2N2
 J AGR FOOD CHEM 1992, 40 (4) 561
 Effect of molecular size on physical properties of wheat arabinoxylan

Kato Y, Nevins DJ*//Univ Calif Davis, Dept Vegetable Crops, Davis, CA 95616, USA
 CARBOHYD RES 1992, 227 (APR) 315
 Enzymic dissociation of *Zea mays* cell-wall polysaccharides. 6. Structural characterization of an arabinoxylan rhamno-galacturonan complex from cell walls of *Zea mays* shoots

Piculle L, Nilsson S, Muhrbeck P//Univ Lund, Chem Ctr, Dept Phys Chem 1, Box 124, S-22100 Lund, Sweden
 CARBOHYD POLYM 1992, 18 (3) 199
 Effects of small amounts of kappa-carrageenan on the rheology of aqueous iota-carrageenan

Tvaroska I, Rochas C, Taravel FR, Turquois T//Slovak Acad Sci, Inst Chem, CS-84238 Bratislava, Czechoslovakia
 BIOPOLYMERS 1992, 32 (5) 551
 Computer modeling polysaccharide polysaccharide interactions - An approach to the kappa-carrageenan-mannan case

De Jong AJ, Cordewener J, Loschiavo F, Terzi M, Van de Kerckhove J, Van Kammen A, De Vries SC*//Agr Univ Wageningen, Dept Molec Biol, Dreijenlaan 3, 6700 HA Wageningen, The Netherlands
 PLANT CELL 1992, 4 (4) 425
 A carrot somatic embryo mutant is rescued by chitinase

Lin ZF, Wu DQ, Luo AN, Zhang WQ//Zhongshan Univ, Dept Biol, Enzymol Lab, Canton 510275, Peoples R China
 PROCESS BIOCHEM 1992, 27 (2) 83
 Chitinases from seeds of *Zea mays* and *Coix lachryma-jobi* L. Purification and some properties

Chiessi E, Paradossi G, Venanzi M, Pispisa B*//Univ Roma Tor Vergata, Dipartimento Sci & Tecnol Chim, Rome, Italy
 J INORG BIOCHEM 1992, 46 (2) 109
 Copper complexes immobilized to chitosan

El-Ghaouth A, Arul J*, Grenier J, Asselin A//Univ Laval, Dept Sci & Technol Aliments, Quebec City, Quebec, Canada G1K 7P4
 PHYTOPATHOLOGY 1992, 82 (4) 398
 Antifungal activity of chitosan on 2 postharvest pathogens of strawberry fruits

Nieto JM, Peniche-Covas C*, Del Bosque J//Univ Havana, Fac Chem, Havana 10400, Cuba
 CARBOHYD POLYM 1992, 18 (3) 221
 Preparation and characterization of a chitosan-Fe(III) complex

Wong DWS, Gastineau FA, Gregorski KS, Tillin SJ, Pavlath AE//USDA ARS, Western Reg Res Ctr, 800 Buchanan St, Albany, CA 94710, USA
 J AGR FOOD CHEM 1992, 40 (4) 540
 Chitosan lipid films - Microstructure and surface energy

Demleitner S, Kraus J, Franz G*//Univ Regensburg, Inst Pharm, W-8400 Regensburg, FRG
 CARBOHYD RES 1992, 226 (2) 239
 Synthesis and antitumour activity of derivatives of curdlan and lichenan branched at C-6

- Demleitner S, Kraus J, Franz G*//Univ Regensburg, Inst Pharm, W-8400 Regensburg, FRG
CARBOHYD RES 1992, 226 (2) 247
Synthesis and antitumour activity of sulfoalkyl derivatives of curdlan and lichenan
- Arrajab A, Ahren B, Sundberg R, Bengmark S//Univ Lund, Dept Surg, S-22185 Lund, Sweden
TRANSPLANTATION 1992, 53 (4) 742
A new dextran-40 based solution for liver preservation
- Klett D, Grandgeorge M, Dellacherie E*//Ecole Natl Super Ind Chim, Chim Phys Macromolec Lab, CNRS, URA 494, F-54042 Nancy, France
BIOPOLYMERS 1992, 32 (5) 517
Fixation of aldehydic dextrans onto human deoxyhemoglobin
- Yamamoto A, Kojima S, Shibahara M, Kawaguchi A, Hatanaka K//Natl Cardiovasc Ctr, Res Inst, 5-7-1, Suita, Osaka 565, Japan
ARTIF ORGANS 1992, 16 (2) 177
Assessment of the biocompatibility and long-term effect of LDL apheresis by dextran sulfate cellulose column
- Monteiro GA, Fialho AM, Ripley SJ, Sacorreia I*//Inst Super Tecn Engr Bioquim Lab, P-1000 Lisbon, Portugal
J APPL BACTERIOL 1992, 72 (5) 423
Electrotransformation of gellan-gum producing and non-producing *Pseudomonas elodea* strain
- Bhatty RS//Univ Saskatchewan, Ctr Crop Dev, Saskatoon, Saskatchewan, Canada S7N 0W0
J CEREAL SCI 1992, 15 (2) 185
Total and extractable beta-glucan contents of oats and their relationship to viscosity
- Frost DJ, Drake RR, Wasserman BP*//Rutgers State Univ, Cook Coll, New Jersey Agr Expt Stn, Dept Food Sci, New Brunswick, NJ 08903, USA
CURR MICROBIOL 1992, 24 (5) 295
(1,3)-beta-glucan synthase from *Saccharomyces cerevisiae* - In vitro activation by beta-lactoglobulin or Brij-35, and photoaffinity labeling of enriched microsomal fractions with 5-azido-UDP-Glc and 8-azido-GTP
- German A//Address not available
BULL ACAD NATL MED 1992, 176 (1) 101
Authorization for the use of beta-glucanase from *Bacillus subtilis* in breweries (French, English Abstract)
- Karkalas J, Tester RF//Univ Strathclyde, Dept Biosci & Biotechnol, 131 Albion St, Glasgow G1 1SD, Scotland
J CEREAL SCI 1992, 15 (2) 175
Continuous enzymic determination of alpha-glucans in eluates from gel-chromatographic columns
- Mohr KH, Lohn M//Martin Luther Univ, Inst Biotechnol, Weinbergweg 16A, O-4010 Halle, FRG
NAHRUNG 1992, 36 (1) 76
Quality retaining drying of biological products. 1. Kinetic investigation of the thermal inactivation of beta-glucanase
- Ponder GR, Richards GN, Stevenson TT//Univ Montana, Wood Chem Lab, Missoula, Mt 59812, USA
J ANAL APPL PYROL 1992, 22 (3) 217
Mechanisms of pyrolysis of polysaccharides. 6. Influence of linkage position and orientation in pyrolysis of polysaccharides - A study of several glucans
- Praznik W, Rammesmayr G, Spies T, Huber A//Univ Wien, Inst Chem, Gregor Mendelstr 33, A-1180 Vienna, Austria
CARBOHYD RES 1992, 227 (APR) 171
Characterisation of the (1-4)-alpha-D-glucan-branching 6-glycosyltransferase by in vitro synthesis of branched starch polysaccharides
- Romaniec MPM, Fauth U, Kobayashi T, Huskisson NS, Barker PJ, Demain AL*//MIT, Dept Biol, Fermentat Microbiol Lab, Cambridge, Ma 02139, USA
BIOCHEM J 1992, 283 (APR) PT 1, 69
Purification and characterization of a new endoglucanase from *Clostridium thermocellum*
- Sivak MN//Michigan State Univ, Dept Biochem, E Lansing, Mi 48824, USA
CARBOHYD RES 1992, 227 (APR) 241
(1-4)-alpha-D-glucan synthesis by a chloroplastic phosphorylase isolated from spinach leaves is independent of added primer
- Sprey B, Uelker A//Forschungszentrum Julich GmbH, Inst Biotechnol, Postfach 1913, W-5170 Julich, FRG
FEMS MICROBIOL LETT 1992, 92 (3) 253
Isolation and properties of a low molecular mass endoglucanase from *Trichoderma reesei*
- Walker GJ, Jacques VL, Fialabeer E, Slodki ME//Inst Dent Res, 2 Chalmers St, Surrey Hills, NSW 2010, Australia
CARBOHYD RES 1992, 227 (APR) 1
Influence of the culture medium on the synthesis of alpha-D-glucans by *Streptococcus cricetus* AHT
- Geddes R, Jeyarathan P, Taylor JA//Univ Auckland, Dept Biochem, Auckland, New Zealand
CARBOHYD RES 1992, 227 (APR) 339
Molecular and metabolic aspects of lysosomal glycogen
- Rani MRS, Shibamura K, Hizukuri S*//Kagoshima Univ, Fac Agr Univ, Fac Agr, Dept Biochem Sci & Technol, Kagoshima 890, Japan
CARBOHYD RES 1992, 227 (APR) 183
The fine structure of oyster glycogen
- Kesavan S, Prudhomme RK//Princeton Univ, Dept Chem Engr, Princeton, NJ 08544, USA
MACROMOLECULES 1992, 25 (7) 2026
Rheology of guar and HPG cross-linked by borate
- Donayre CE, Ouriel K*, Rhee RY, Shortell CK*//Univ Rochester, 601 Elwood Ave, Rochester, NY 14642, USA
J VASC SURG 1992, 15 (4) 675
Future alternatives to heparin - Low-molecular-weight heparin and hirudin
- Grant D, Long WF*, Moffat CF, Williamson FB*//Univ Aberdeen, Marischal Coll, Dept Molec & Cell Biol, Polysaccharide Res Grp, Aberdeen AB9 1AS, Scotland
BIOCHEM J 1992, 283 (APR) PT 1, 243
Cu²⁺ - heparin interaction studied by polarimetry
- Hiraoka A, Harada N, Uehara T, Sekiguchi M, Maeda M//Kyorin Univ, Sch Hlth Sci, 476 Miyashita cho, Hachioji, Tokyo 192, Japan
CHEM PHARM BULL TOKYO 1992, 40 (3) 783
Capillary-isotachophoretic analyses of algal acidic polysaccharides and their application to a survey of heparinoid active sulfated polysaccharides in Chlorophyta

Jorgensen PS, Knudsen JB, Broeng L, Josephsen L, Bjerregaard P, Hagen K, Horgensen PK, Torholm C/Koldinggade 39, 2 TV, DK-2100 Copenhagen 0, Denmark

CLIN ORTHOP RELATED RES 1992, (278) 95

The thromboprophylactic effect of a low-molecular-weight heparin (Fragmin) in hip fracture surgery - A placebo-controlled study

Kandrotas RJ//Univ Utah, Coll Pharm, Dept Pharm Practice, Salt Lake City, Ut 84112, USA

CLIN PHARMACOKINET 1992, 22 (5) 359

Heparin pharmacokinetics and pharmacodynamics

Rabenstein DL, Bratt P, Schierling TD, Robert JM, Guo W//Univ Calif Riverside, Dept Chem, Riverside, Ca 92521, USA

J AMER CHEM SOC 1992, 114 (9) 3278

The interaction of biological molecules with heparin and related glycosaminoglycans. 1. Identification of a specific heparin binding site for histamine

Shah CB, Barnett SM*//Univ Rhode Isl, Dept Chem Engr, Kingston, RI 02881, USA

J APPL POLYM SCI 1992, 45 (2) 293

Swelling behavior of hyaluronic acid gels

Davis CL//Emmaus Hosp, Private Bag X16, Winterton 3340, South Africa

FEMS MICROBIOL ECOL 1992, 86 (4) 349

Production of laminarinase and alginate by marine bacteria after starvation

Kobayashi H, Shibata N, Suzuki S*//Tohoku Coll Pharmaceut Sci, Dept Hyg Chem 2, 4-4-1 Komatsushima, Aoba ku, Miyagi 981, Japan

INFECTION IMMUNITY 1992, 60 (5) 2106

Evidence for oligomannosyl residues containing both beta-1,2 and alpha-1,2 linkages as a serotype-A-specific epitope(s) in mannans of *Candida albicans*

Okawa Y, Howard CR, Steward MW//Tohoku Coll Pharmaceut Sci, Dept Hyg Chem, 4-4-1 Komatsushima, Aoba ku, Miyagi 981, Japan

J IMMUNOL METHOD 1992, 149 (1) 127

Production of anti-peptide specific antibody in mice following immunization with peptides conjugated to mannan

Barsett H, Aslaksen T, Bratvedt A, Paulsen BS//Sect Pharmacognosy, Dept Pharm, PO Box 1068, Blindern, N-0316 Oslo 3, Norway

CARBOHYD POLYM 1992, 18 (3) 209

Enzymic degradation of pectic substances isolated from the inner bark of *Ulmus glabra* Huds

Braudo EE, Soshinsky AA, Yuryev VP, Tolstoguzov VB//Nesmeyanov Inst Organoelement Cpd, Acad Scis, Vavilov St 28, 117813, Russia

CARBOHYD POLYM 1992, 18 (3) 165

The interaction of polyuronides with calcium ions. I: Binding isotherms of calcium ions with pectic substances

Mangas JJ, Dapena E, Rodriguez MS, Moreno J, Guitierrez MD, Blanco D//Consejeria Agr & Pesca Principado Asturias, Ctr Expt Agr, E-33300 Villaviciosa, Spain

HORTSCIENCE 1992, 27 (4) 328

Changes in pectic fractions during ripening of cider apples

Odonmazig P, Badga D, Ebringerova A*, Alföldi J//Slovak Acad Sci, Inst Chem, CS-84238 Bratislava, Czechoslovakia

CARBOHYD RES 1992, 226 (2) 353

Structures of pectic polysaccharides isolated from the Siberian apricot (*Armeniaca siberica* Lam)

Redgwell RJ, Melton LD, Brasch DJ, Coddington JM//DSIR, Fruit & Trees, Mt Albert Res Ctr, Auckland, New Zealand

CARBOHYD RES 1992, 226 (2) 287

Structures of the pectic polysaccharides from the cell walls of kiwi fruit

Rillo L, Castaldo D*, Giovane A, Servillo L, Balestrieri C, Quagliuolo L//Exptl Stn Food Preserving Ind Parma, Dept Fruit Juices & Tomato Prod, Via Nazi 121-123, I-84012 Angri, Italy

J AGR FOOD CHEM 1992, 40 (4) 591

Purification and properties of pectin methylesterase from mandarin orange fruit

Servili M, Begliomini AL, Montedoro G*, Petruccioli M, Federici F//Univ Perugia, Ist Ind Agr, Via S Costanzo, I-06100 Perugia, Italy

J SCI FOOD AGR 1992, 58 (2) 253

Utilisation of a yeast pectinase in olive oil extraction and red wine making processes

Thibault JF, Saulnier L, Axelos MAV, Renard CMGC//INRA, Ctr Rech Agroalimentaire Nantes, BP 257, F-44026 Nantes 03, France

BULL SOC BOT FR-ACTUAL BOT 1991, 138 (3-4) 319

Experimental problems associated with the study of pectic polymers (French, English Abstract)

Bakshi A, Gupta JK, Patnaik PR//Punjab Univ, Dept Microbiol, Chandigarh 160014, India

LETT APPL MICROBIOL 1992, 14 (5) 210

Pullulanase and alpha-amylase production by a *Bacillus cereus* isolate

Engbrecht U, Schmidt HL//Tech Univ Munich, Lehrstuhl Allgemeine Chem & Biochem, W-8050 Freising, FRG

J CHEM TECHNOL BIOTECHNOL 1992, 53 (4) 397

Flow injection analysis with immobilized enzymes for process control of pullulan production by fermentation

Fanton E, Fayet C, Gelas J*, Jhurry D, Deffieux A, Fontanille M//Ecole Natl Super Chim Clermont Ferrand, Ensemble Sci Cezeaux, BP 187, F-63174 Clermont Ferrand, France

CARBOHYD RES 1992, 226 (2) 337

Ethylene acetal of sucrose and their copolymerization with vinyl monomers

Perez-Gonzalez J, Devargas L*, Tejero J//Apdo Postal 75685, CP 07300, Mexico City, DF, Mexico

RHEOLOGICA ACTA 1992, 31 (1) 83

Flow development of xanthan solutions in capillary rheometers

Stokke BT, Christensen BE, Smidsrod O//Univ Trondheim, Dept Phys & Math, Norwegian Biopolymer Lab, N-7034 Trondheim, Norway

MACROMOLECULES 1992, 25 (8) 2209

Degradation of multistranded polymers - Effects of interstrand stabilization in xanthan and scleroglucan studied by a Monte-Carlo method

Hisamatsu M, York WS*, Darvill AG, Albersheim P//Univ Georgia, Complex Carbohydrate Res Ctr, 220 Riverbend Rd, Athens, Ga 30602, USA

CARBOHYD RES 1992, 227 (APR) 45

The structure of plant cell walls. 35. Characterization of 7 xyloglucan oligosaccharides containing from 17 to 20 glycosyl residues

7 POLYSACCHARIDES - OTHER

Alkaisey MT, Wilkie KCB*//Univ Aberdeen, Dept Chem, Meston Walk, Aberdeen AB9 2UE, Scotland

CARBOHYD RES 1992, 227 (APR) 147

The polysaccharides of agricultural lupin seeds

Baumann H, Tzianabos AO, Brisson JR, Kasper DL, Jennings HJ// Warner Lambert Parke Davis, Div Parke Davis Pharmaceut Res, Dept Chem Dev, Holland, MI 49424, USA

BIOCHEMISTRY-USA 1992, 31 (16) 4081

Structural elucidation of 2 capsular polysaccharides from one strain of *Bacteroides fragilis* using high-resolution NMR spectroscopy

Brown JA, Catley BJ*//Heriot Watt Univ, Dept Biol Sci, Edinburgh EH14 4AS, Midlothian, Scotland

CARBOHYD RES 1992, 227 (APR) 195

Monitoring polysaccharide synthesis in *Candida albicans*

Hatanaka K, Uryu T, Miyahara S, Kuzuhara H//Tokyo Inst Technol, Dept Biomolec Engr, Nagatsuta cho, Midori ku, Yokohama, Kanagawa 227, Japan

J POLYM SCI A-POLYM CHEM 1992, 30 (6) 1223

Novel synthesis of peptidoglycan-backbonelike polysaccharide

Nosalova G, Strapkova A, Kardosova A, Capek P, Zathurecky L, Bukovska E//Comenius Univ, Fac Med, Dept Pharmacol, CS-03753 Martin, Czechoslovakia

PHARMAZIE 1992, 47 (3) 224

Antitussive efficacy of the complex extract and the polysaccharides of marsh mallow (*Althaea officinalis* L var *Robusta*) (German, English Abstract)

Okada M, Banno A, Sumitomo H//Nagoya Univ, Fac Agr, Chikusa ku, Nagoya 46401, Japan

CARBOHYD RES 1992, 226 (2) 345

Chemical synthesis of polysaccharides. 1. Chemical synthesis of 4-deoxy-(1-6)-alpha-D-xylohexopyranan and 3,4-dideoxy-(1-6)-alpha-D-erythro-hexopyranan

Reddy GP, Hayat U, Abeygunawardana C, Fox C, Wright AC, Maneval DR, Bush CA, Morris JG*//Univ Maryland, Sch Med, Dept Med, Div Geog Med, Baltimore, Md 21201, USA

J BACTERIOL 1992, 174 (8) 2620

Purification and determination of the structure of capsular polysaccharide of *Vibrio vulnificus* M06-24

8 LIPOPOLYSACCHARIDES

Banaszek A//Polish Acad Sci, Inst Organ Chem, Kasprzaka 44-52, PL-01224 Warsaw, Poland

BULL POL ACAD SCI-CHEM 1991, 39 (3) 243

Synthesis of beta(1-2)-linked disaccharide of 4-deoxy-D-arabinohexopyranose, a repeating unit of *Citrobacter* O4, O27, and O36-specific polysaccharides

Bulusu MARC, Waldstätten P//Sandoz GmbH, Brunnerstr 59, A-1253 Vienna, Austria

TETRAHEDRON LETT 1992, 33 (14) 1859

Synthesis of diamino acids - Potential lipopolysaccharide antagonists

Munford RS, Deveaux LC, Cronan JE, Rick PD//Univ Texas, SW Med Ctr, Dept Internal Med, 5323 Harry Hines Blvd, Dallas, TX 75235, USA

J IMMUNOL METHOD 1992, 148 (1-2) 115

Biosynthetic radiolabeling of bacterial lipopolysaccharide to high specific activity

Utey SR, Bhat UR*, Byrd W, Kadis S//Univ Georgia, Complex Carbohydrate Res Ctr, Athens, Ga 30602, USA

FEMS MICROBIOL LETT 1992, 92 (3) 211

Characterization of lipopolysaccharides from 4 *Pasteurella haemolyticus* serotype strains - Evidence for presence of sialic acid in serotype-1

and serotype-5

9 STARCH

Leloup VM, Colonna P, Ring SG, Roberts K, Wells B//INRA, rue Geraudiere, BP 527, F-44026 Nantes Cedex 03, France

CARBOHYD POLYM 1992, 18 (3) 189

Microstructure of amylose gels

Roger P, Colonna P//INRA, rue Geraudiere, BP 527, F-44026 Nantes 03, France

CARBOHYD RES 1992, 227 (APR) 73

The influence of chain length on the hydrodynamic behaviour of amylose

Takeda Y, Maruta N, Hizukuri S//Kagoshima Univ, Fac Agr, Dept Biochem Sci & Technol, Kagoshima 890, Japan

CARBOHYD RES 1992, 226 (2) 279

Structures of amylose subfractions with different molecular sizes

Takeda Y, Maruta N, Hizukuri S//Kagoshima Univ, Fac Agr, Dept Biochem Sci & Technol, Kagoshima 890, Japan

CARBOHYD RES 1992, 227 (APR) 113

Examination of the structure of amylose by tritium labelling of the reducing terminal

Yun SH, Matheson NK*//Univ Sydney, Dept Agr Chem, Sydney, NSW 2006, Australia

CARBOHYD RES 1992, 227 (APR) 85

Structural changes during development in the amylose and amylopectin fractions (separated by precipitation with concanavalin-A) of starches from maize genotypes

Shah SB, Patel BK, Patel CP, Trivedi HC*, Vidyanagar V//Sardar Patel Univ, Dept Chem, Vallabh Vidyanagar 388120, Gujarat, India

STARCH 1992, 44 (3) 108

Saponification of graft copolymers of sodium salt of partially carboxymethylated amylose and its water absorbency

McCleary BV//Megazyme Australia Pty Ltd, 6 Altona Pl, N Rocks, NSW 2151, Australia

CARBOHYD RES 1992, 227 (APR) 257

Measurement of the content of limit-dextrinase in cereal flours

Okieimen EF, Egharevba F//Univ Benin, Dept Chem, Benin City, Nigeria

EUR POLYM J 1992, 28 (4) 415

Graft copolymerization of methyl acrylate on dextrin

Raman B, Sundari CS, Balasubramanian D*//JN Ctr Adv Sci Res, Bangalore, India

INDIAN J BIOCHEM BIOPHYS 1992, 29 (2) 143

Amphiphilic properties of polysaccharides - Dextrin chains as example

Boldt J, Zickmann B, Hempelmann G//Univ Giessen, Dept Anaesthesiol & Intens Care Med, Klinikstr 29, W-6300 Giessen, FRG

CLIN HEMORHEOL 1992, 12 SUPPL 1, 71

Volume replacement with hydroxyethylstarch solution in cardiac surgery

Gretz N, Hocker A, Lasserre JJ, Strauch M//Univ Heidelberg, Klinikum Mannheim, Nephrol Clin, W-6800 Mannheim, FRG

NEPHRON 1992, 61 (1) 120

HES as an osmotic agent for continuous ambulatory peritoneal dialysis solutions (Letter)

- Haass A, Treib J, Stoll M//Univ Saarland, Dept Neurol, W-6650 Homburg, FRG
CLIN HEMORHEOL 1992, 12 SUPPL 1, 17
Hemorheological parameters of hydroxyethyl-starch 200/0.62 as a basis for hemodilution
- Koltringer P, Langsteger W, Pierer G, Reisecker F, Eber O//Barmherzige Bruder Eggenberg Hosp, Dept Neurol, Graz, Austria
CLIN HEMORHEOL 1992, 12 SUPPL 1, 9
Influence of application time of a 6% hydroxyethyl starch (200.000/0.6-0.66) on the hemorheologic effect on patients with cerebrovascular disease
- Kroll W, Colombo T, Wolf G, Ramschak H, Ferdinand P, List WF//Graz Univ, Sch Med, Dept Anesthesiol, A-8010 Graz, Austria
CLIN HEMORHEOL 1992, 12 SUPPL 1, 79
Does 6% hydroxyethylstarch (HES 200/0.60-0.66) influence hemostasis
- Kim HR, Hermansson AM, Eriksson CE//Univ Lund, Ctr Chem, Dept Food Technol, POB 124, S-22100 Lund, Sweden
STARCH 1992, 44 (3) 111
Structural characteristics of hydroxypropyl potato starch granules depending on their molar substitution
- Wootton M, Haryadi//Univ New S Wales, Dept Food Sci & Technol, POB 1, Kensington, NSW 2033, Australia
J CEREAL SCI 1992, 15 (2) 181
Effects of starch type and preparation conditions on substituent distribution in hydroxypropyl starches
- Schierbaum F, Radosta S, Vorweg W, Yuriev VP, Braudo EE, German ML//Inst Nutr, Potsdam-Rehbrücke, FRG
CARBOHYD POLYM 1992, 18 (3) 155
Formation of thermally reversible maltodextrin gels as revealed by low resolution H-NMR
- Bertoft E, Manelius R//Abo Akad Univ, Dept Biochem & Pharm, Porthansgatan 3, SF-20500 Turku, Finland
CARBOHYD RES 1992, 227 (APR) 269
A method for the study of the enzymic hydrolysis of starch granules
- Casiraghi MC, Brighenti F*, Testolin G//Univ Milano, Dipartimento Sci & Tecnol Alimentari & Microbiol, Sez Nutr, Via Celoria 2, I-20100 Milan, Italy
J CEREAL SCI 1992, 15 (2) 165
Lack of effect of high temperature drying on digestibility of starch in spaghetti
- Cooke D, Gidley MJ//Unilever Res Labs, Colworth House, Sharnbrook MK44 1LQ, Beds, England
CARBOHYD RES 1992, 227 (APR) 103
Loss of crystalline and molecular order during starch gelatinisation - Origin of the enthalpic transition
- Fox JD, Robyt JF*//Iowa State Univ Sci & Technol, Dept Biochem & Biophys, Ames, Ia 50011, USA
CARBOHYD RES 1992, 227 (APR) 163
Modification of starch granules by hydrolysis with hydrochloric acid in various alcohols, and the formation of new kinds of limit dextrins
- Hebeish A, El-Naggar AM, El-Sisi F, Abdel-Hafiz S, El-Salmwi K//Natl Res Ctr, Cairo Egypt
POLYM DEGRAD STABIL 1992, 36 (3) 249
Improving the sizability of starch using gamma radiation
- Hebeish A, El-Rafie MH, Higazy A, Ramadan MA//Acad Sci Res & Technol, Div Text Res, Natl Res Ctr, 101 Kasr El Eini St, Cairo, Egypt
STARCH 1992, 44 (3) 101
Poly(acrylic acid)-starch composites - A key for improving sizability and desizability of starch from cotton textiles
- Kumar A, Prakash V, Singh RP//Haryana Agr Univ, Dept Agron, Hisar 125004, Haryana, India
INDIAN J AGRON 1991, 36 (4) 610
Influence of starch polymer on yield attributes, yield and quality of mustard (*Brassica juncea*) under rainfed conditions
- Li L, Preis J*//Michigan State Univ, Dept Biochem, E Lansing, Mi 48824, USA
CARBOHYD RES 1992, 227 (APR) 227
Characterization of ADPglucose pyrophosphorylase from a starch-deficient mutant of *Arabidopsis thaliana* (L)
- Narkruga W, Berghofer E, Camargo LCA//King Monkuts Inst Technol, Ladkrabang, Bangkok 10502, Thailand
STARCH 1992, 44 (3) 81
Production of starch derivatives by cooking extrusion (German, English Abstract)
- Noel TR, Ring SG//AFRC, Inst Food Res, Colney Lane, Norwich NR4 7UA, England
CARBOHYD RES 1992, 227 (APR) 203
A study of the heat capacity of starch water mixtures
- Prentice RDM, Stark JR*, Gidley MJ//Heriot Watt Univ, Dept Biol Sci, Int Ctr Brewing & Distilling, Edinburgh EH1 1HX, Scotland
CARBOHYD RES 1992, 227 (APR) 121
Granule residues and ghosts remaining after heating A-type barley-starch granules in water
- Shi YC, Seib PA//Kansas State Univ Agr & Appl Sci, Dept Grain Sci & Ind, Shellenberger Hall, Manhattan, Ks 66506, USA
CARBOHYD RES 1992, 227 (APR) 131
The structure of 4 waxy starches related to gelatinization and retrogradation
- Van der Poel AFB, Gravendeel S, Van Kleef DJ, Jansman AJM, Kemp B//Agr Univ Wageningen, Dept Anim Nutr, Haagsteeg 4, 6708 PM Wageningen, The Netherlands
ANIM FEED SCI TECH 1992, 36 (3-4) 205
Tannin-containing faba beans (*Vicia faba* L.) - Effects of methods of processing on ileal digestibility of protein and starch for growing pigs
- Yao KJ, Tang YB//Shandong Univ, Inst Colloidal & Interfacial Chem, Jinan 250100, Peoples R China
J APPL POLYM SCI 1992, 45 (2) 349
Synthesis of starch-G-poly(acrylamide-co-sodium allylsulfonate) and its application of flocculation to kaolin suspension

10 STARCH-DEGRADING ENZYMES

- Dercova K, Augustin J, Krajcova D//Slovak Tech Univ, Fac Chem Technol, Dept Biochem Technol, CS-81237 Bratislava, Czechoslovakia
FOLIA MICROBIOL PRAGUE 1992, 37 (1) 17
Cell growth and alpha-amylase production characteristics of *Bacillus subtilis*
- Finch P, Sebesta DW//Univ London, Royal Holloway & Bedford New Coll, Bourne Lab, Egham TW20 0EX, Surrey, England
CARBOHYD RES 1992, 227 (APR) C1
The amylase of *Pseudomonas stutzeri* as a probe of the structure of amylopectin

Henry RJ, Battershell VG, Brennan PS, Oono K//Queensland Wheat Res Inst, POB 2282, Toowoomba, Qld 4350, Australia
J SCI FOOD AGR 1992, 58 (2) 281
Control of wheat alpha-amylase using inhibitors from cereals

gillus niger probed by perturbation difference spectroscopy, chemical modification, and mutagenesis

Lomako J, Lomako WM, Whelan WJ//Univ Miami, Sch Med, Dept Biochem & Molec Biol, Miami, Fl 33101, USA
CARBOHYD RES 1992, 227 (APR) 331
The substrate specificity of isoamylase and the preparation of apo-glycogenin

Lynn A, Stark JR*//Heriot Watt Univ, Dept Biol Sci, Int Ctr Brewing & Distilling, Edinburgh EH14 4AS, Scotland
CARBOHYD RES 1992, 227 (APR) 379
The action of isoamylase on the surface of starch granules

MacGregor AW, Morgan JE, MacGregor EA//Canadian Grain Commis, Grain Res Lab, 1404-303 Main St, Winnipeg, Manitoba, Canada R3C 3G8
CARBOHYD RES 1992, 227 (APR) 301
The action of germinated barley alpha-amylases on linear maltodextrins

Pazur JH, Marchetti NT//Penn State Univ, Paul M Althouse Lab, Univ Pk, Pa 16802, USA
CARBOHYD RES 1992, 227 (APR) 215
Action patterns of amylolytic enzymes as determined by the [1-¹⁴C]malto-oligosaccharide mapping method

Raimbaud E, Buleon A, Perez S*//INRA, Physicochim Macromolec Lab, BP 527, F-44026 Nantes, France
CARBOHYD RES 1992, 227 (APR) 351
Molecular modelling of carviosine, the pseudodisaccharide moiety of acarbose, and other inhibitors of alpha-amylases

Takahashi K, Totsuka A, Nakakuki T, Nakamura N//Nihon Shokuhin Kako Co Ltd, Res Inst, 30 Tajima, Fuji, Shizuoka 417, Japan
STARCH 1992, 44 (3) 96
Production and application of a maltogenic amylase by a strain of *Thermomonospora viridis* TF-35

Williamson G, Belshaw NJ, Self DJ, Noel TR, Ring SG, Cairns P, Morris VJ, Clark SA, Parker ML//AFRC Inst Food Res, Norwich Lab, Colney Lane, Norwich NR4 7UA, England
CARBOHYD POLYM 1992, 18 (3) 179
Hydrolysis of A- and B-type crystalline polymorphs of starch by alpha-amylase, beta-amylase and glucoamylase 1

Monma M, Kainuma K//Minist Agr Forestry & Fisheries, Natl Food Res Inst, Tsukuba, Ibaraki 305, Japan
CARBOHYD RES 1992, 227 (APR) 385
Heterogeneity of the glucoamylase components of the raw-starch-digesting amylase from *Chalara paradoxa*

Pieters BR, Bardeletti G//Univ Lyon 1, Genie Enzymat Lab, CNRS, UMR 106, Bat 308 ESCIL, F-69622 Villeurbanne, France
ENZYME MICROB TECHNOL 1992, 14 (5) 361
Enzyme immobilization on a low-cost magnetic support - Kinetic studies on immobilized and coimmobilized glucose oxidase and glucoamylase

Svensson B, Sierks MR//Carlsberg Lab, Dept Chem, Gamle Carlsberg Vej 10, DK-2500 Valby, Denmark
CARBOHYD RES 1992, 227 (APR) 29
Roles of the aromatic side chains in the binding of substrates, inhibitors, and cyclomalto-oligosaccharides to the glucoamylase from *Asper-*