



Bibliography of carbohydrate polymers

1 BOOKS, REVIEWS & SYMPOSIA

- Bastawde KB//Natl Chem Lab, Dept Biochem Sci, Poona 411008, Maharashtra, India
 WORLD J MICROBIOL BIOTECHNOL 1992, 8 (4) 353
 Xylan structure, microbial xylanases, and their mode of action (Review)
- Bystricky S, Malovikova A//Slovak Acad Sci, Inst Chem, CS-84238 Bratislava, Czechoslovakia
 CHEM PAP-CHEM ZVESTI 1992, 46 (2) 131
 Interactions of pectin with cationic polypeptides (Review)
- Dettori AG, Babbini M//Reg Hosp, Dept Gen Med, Parma, Italy
 MED RES REV 1992, 12 (4) 373
 Human pharmacology of a low-molecular-weight heparin (alpha-LMWH) - An update (Review)
- Dmello JPF, Duffus CM, Duffus JH (Eds)
 Toxic substances in crop plants
 Royal Soc Chem (Cambridge), 1991, 339pp, £69-50, hardbound, ISBN 0-85186-863-0
 Contains the chapter: Fibrous polysaccharides (Eastwood M, Edwards CA)
- Hostinova E//Slovak Acad Sci, Ustav Molek Biol, Dubravska Cesta 21, CS-84251 Bratislava, Czechoslovakia
 BIOLOGIA 1991, 46 (12) 1127
 Microbial glucoamylases - Presence, biochemical characteristics and possible use (Review) (Czech, English Abstract)
- Janecek S, Balaz S//Slovak Tech Univ, Fac Chem Technol, Dept Biochem Technol, Radlinskeho 9, CS-81237 Bratislava, Czechoslovakia
 FEBS LETT 1992, 304 (1) 1
 Alpha-amylases and approaches leading to their enhanced stability (Review Letter)
- Linko S//Helsinki Univ Technol, Biotechnol & Food Engrn Lab, SF-02150 Espoo, Finland
 BIOTECHNOL ADV 1992, 10 (2) 191
 Production of *Phanerochaete chrysosporium* lignin peroxidase (Review)
- Nishinari K, Williams PA, Phillips GO//Natl Food Res Inst, Tsukuba, Ibaraki 305, Japan
 FOOD HYDROCOLLOID 1992, 6 (2) 199
 Review of the physico-chemical characteristics and properties of konjac mannan (Review)
- Roller S, Dea ICM//Leatherhead Food Res Assoc, Randalls Rd, Leatherhead KT22 7RY, Surrey, England
 CRIT REV BIOTECHNOL 1992, 12 (3) 261
 Biotechnology in the production and modification of biopolymers for foods (Review)
- Samama M, Babinet-Berthier A//Hop Hotel Dieu, Lab Cent Hematol, 1 Parvis Notre Dame, F-75181 Paris, France
 J MAL VASCUL 1992, 17 (2) 91
 Low molecular weight heparins (Review) (French, English Abstract)
- Seviour RJ, Stasinopoulos SJ, Auer DPF, Gibbs PA//La Trobe Univ, Coll North Victoria, Biotechnol Res Ctr, Bendigo, Vic 3550, Australia
 CRIT REV BIOTECHNOL 1992, 12 (3) 279
 Production of pullulan and other exopolysaccharides by filamentous fungi (Review)
- Weimer PJ//USDA ARS, US Dairy Forage Res Ctr, Madison, WI 53706, USA
 CRIT REV BIOTECHNOL 1992, 12 (3) 189
 Cellulose degradation by ruminal microorganisms (Review)

ZUCKERINDUSTRIE 1992, 117 (6) 492
 43rd starch convention in Detmold (German, English Abstract)

2 CELLULOSE

- Abdelmoteleb MM//Teachers Coll Abha, Saudi Arabia
 POLYM BULL 1992, 28 (6) 689
 Electrical conductance of some cellulose derivatives
- Arora DS, Garg KK//Maharshi Dayanand Univ Rohtak, Dept Biosci, Rohtak 124001, India
 BIORESOURCE TECHNOL 1992, 41 (3) 279
 Comparative degradation of lignocellulosic residues by different fungi
- Bakhranov M, Myagkova NV, Davranov BK, Zbankov RG, Teeyaer RE, Korolik YV, Firsov SP//BI Stepanov Phys Inst, Minsk, Belorussia
 VYSOKOMOL SOEDIN SER B SSSR 1992, 34 (4) 75
 Structure of cellulose subjected to elastic-deformational grinding (Russian)
- Ballerini D, Nativel F, Rebeller M, Renault P, Van de Casteele JP//Inst Francais Petr, 144 Ave Bois Preau, F-92506 Rueil Malmaison, France
 BIOFUTUR 1992, (113) 47
 Lignocellulose conversion - A French lesson (French)
- Bauer LJ//Tennessee Eastman Co, Kingsport, TN 37662, USA
 PHARMACOPEIAL FORUM 1992, 18 (4) 3746
 Cellulose acetate phthalate and hydroxypropyl methylcellulose phthalate - Suggested revisions for harmonization of pharmacopeial specifications/procedures
- Bhatt AK, Bhalla TC, Agrawal HO, Sharma N//Himachal Pradesh Univ, Dept Biosci, Microbiol Res Lab, Simla 171005, Himachal Pradesh, India
 LETT APPL MICROBIOL 1992, 15 (1) 1
 Enhanced degradation of gamma-irradiated lignocelluloses by a new xylanolytic *Flavobacterium* sp isolated from soil
- Bondarenko PV, Zubarev RA, Knysh AN, Rozynov BV//Sumy Applicat Lab Natl Res Inst Tech Phys & Automat, 68A Komsomolskaya St, Sumy 244030, Ukraine
 BIOL MASS SPECTROM 1992, 21 (7) 323
 Design and optimization of a micropump-based electrospray device for preparation of nitrocellulose substrates for plasma desorption time-of-flight mass spectrometry
- Casinos I//Univ Pais Vasco, Fac Quim, Dept Ciencia & Tecnol Polimeros, POB 1072, E-20080 San Sebastian, Spain
 POLYMER 1992, 33 (6) 1304
 Role of ceric ion in the heterogenous graft polymerization of olefins on cellulose
- Chatterji PR, Kaur H//Indian Inst Chem Technol, Div Organ Coatings & Polymers, Hyderabad 500007, India
 POLYMER 1992, 33 (11) 2388
 Interpenetrating hydrogel networks. 3. Properties of the gelatin sodium carboxymethylcellulose system
- Chen JA, Huang YF, Yuan JY, Yan SQ, Ye H//Chinese Acad Sci, Guangzhou Inst Chem, Beijing, Peoples R China
 J APPL POLYM SCI 1992, 45 (12) 2153
 Thermotropic liquid crystalline behaviors of ethylcellulose
- Degroot J, Dekany I//Attila Jozef Univ, Dept Colloid Chem, Aradi Vertanuk Tere 1, H-6720 Szeged, Hungary
 COLLOID POLYM SCI 1992, 270 (5) 470
 Sorption properties of celluloses in binary liquid mixtures

As a service to subscribers, each issue of the Journal contains a bibliography of newly published material in the field of carbohydrate polymers. The bibliography is divided into ten sections: 1 Books, Reviews & Symposia; 2 Cellulose; 3 Cellulose-degrading Enzymes; 4 Cyclodextrins; 5 Lignin; 6 Polysaccharides - Named; 7 Polysaccharides - Other; 8 Lipopolysaccharides; 9 Starch; 10 Starch-degrading Enzymes. Within each section, articles are listed in alphabetical order with respect to author. When there are no publications to appear under one of these headings, that section will be omitted.

- Furuhata KI, Chang HS, Aoki N, Sakamoto M/**Tokyo Inst Technol, Fac Engr, Dept Organ & Polymer Mat, Meguro ku, Tokyo 152, Japan
CARBOHYD RES 1992, 230 (1) 151
Chlorination of cellulose with N-chlorosuccinimide-triphenylphosphine under homogeneous conditions in lithium chloride-N,N-dimethylacetamide
- Furuhata KI, Koganei K, Chang HS, Aoki N, Sakamoto M/**Tokyo Inst Technol, Fac Engr, Dept Organ & Polymer Mat, Meguro ku, Tokyo 152, Japan
CARBOHYD RES 1992, 230 (1) 165
Dissolution of cellulose in lithium bromide organic solvent systems and homogeneous bromination of cellulose with N-bromosuccinimide triphenylphosphine in lithium bromide N,N-dimethylacetamide
- Harkness BR, Gray DG/**Pulp & Paper Res Inst Canada, 3420 Univ St, Montreal, Quebec, Canada H3A 2A7
POLYMER 1992, 33 (6) 1299
Effect of temperature on the reflective properties of chiral nematic (trityl)(hexyl)-cellulose films
- Harmon KM, Akin AC, Keefer PK, Snider BL//Oakland Univ, Dept Chem, Rochester, MI 48309, USA
J MOL STRUCT 1992, 269 (1-2) 109
Hydrogen bonding. 45. Thermodynamic and IR study of the hydrates of N-methylmorpholine oxide and quinuclidine oxide - Effect of hydrate stoichiometry on strength of H-O-H...O-N hydrogen bonds - Implications for the dissolution of cellulose in amine oxide
- Hasegawa M, Isogai A*, Onabe F, Usuda M, Atalla RH/**Univ Tokyo, Fac Agr, Dept Forest Prod, Bunkyo ku, Tokyo 113, Japan
J APPL POLYM SCI 1992 45 (11) 1873
Characterization of cellulose-chitosan blend films
- Hasegawa M, Isogai A*, Onabe F, Usuda M/**Univ Tokyo, Fac Agr, Dept Forest Prod, Bunkyo ku, Tokyo 113, Japan
J APPL POLYM SCI 1992, 45 (10) 1857
Dissolving states of cellulose and chitosan in trifluoroacetic acid
- Isogai A, Atalla RH//Univ Tokyo, Fac Agr, Dept Forest Prod, Bunkyo ku, Tokyo 113, Japan
CARBOHYD POLYM 1992, 19 (1) 25
Preparation of cellulose-chitosan polymer blends
- Itoh T, Tsujii Y, Suzuki H, Fukuda T, Miyamoto T//Kyoto Univ, Inst Chem Res, Uji, Kyoto 611, Japan
POLYM J 1992, 24 (7) 641
Monolayer and multilayer Langmuir-Blodgett films of cellulose tri-n-alkyl esters studied by transmission electron microscopy
- Karlsson C, Carlsson A, Stenberg M, Nygren H/**Gothenburg Univ, Dept Histol, POB 33031, S-40033 Gothenburg, Sweden
COLLOID POLYM SCI 1992, 270 (4) 377
Cooperativity in the adsorption of cellulose ethers and fibrinogen at liquid-solid interfaces
- Kazakov AI, Lagodzinskaya GV, Loginova MV, Rubtsov YI, Korolev AM, Koleno VA, Sharshenaliyeva ZS, Manelis GB, Eremenko LT//NM Semenov Inst Chem Phys, Chernogolovka, Russia
BULL ACAD SCI USSR D CHEM SCI 1991, 40 (10) 1972
Nitration equilibrium of water-soluble carboxycellulose
- Kenarov AV, Matveev NA, Mnatsakanov SS//Leningrad Mot Picture Engr Inst, Leningrad, Russia
J APPL CHEM-ENGL TR 1991, 64 (7) 1373
Supermolecular structure and optical properties of cellulose triacetate films
- Khare PK, Srivastava AP//Rani Durgavati Univ, Dept Postgrad Studies & Res Phys, Jabalpur 482001, India
INDIAN J PURE APPL PHYS 1992, 30 (3) 102
Thermally stimulated discharge current studies on ethyl cellulose - Polyvinyl acetate blends
- Kubis A, Szczesniak M//Med Acad Wroclaw, Dept Pharmaceut Technol, UI Szczesnick 38, PL-50139 Wroclaw, Poland
PHARMAZIE 1992, 47 (5) 362
The influence of hydrophilizing agents on gel formation rate of cellulose derivatives. 1. Influence of 1,2-propylene glycol on homogeneity of methyl cellulose gel
- Kuryshko GG, Matukhin EL, Grigorenko AA, Garifzyanov GG//Kiev Light Ind Technol Inst, Chair Chem, Kiev, Ukraine
IZV VYSSH UCH ZAV KHIM KHIM T 1991, 34 (6) 82
The structure and physical chemical properties of irradiated alpha-cellulose (Russian)
- Laplace JM, Delgenes JP, Moletta R, Navarro JM//INRA, Biotechnol Environnement IAA Lab, Oenol & Technol Prod Vegetau Blvd Gen Gaulle, F-11100 Narbonne, France
- ENZYME MICROB TECHNOL 1992, 14 (8) 644
Fermentation of lignocellulosic sugars to ethanol - Selection of mutants of *Pichia stipitis* affected for D-glucose utilization
- Lederer M//Univ Lausanne, Inst Chim Minerale & Analyt, Boite Postale 115, Ctr Univ, CH-1015 Lausanne 15, Switzerland
J CHROMATOGR 1992, 604 (1) 55
Adsorption chromatography on cellulose. 7. Chiral separations on cellulose with aqueous solvents
- Lenfeld J, Peska J, Stamberg J//Czechoslovak Acad Sci, Inst Macromolec Chem, CS-16206 Prague 6, Czechoslovakia
ANGEW MAKROMOL CHEM 1992, 197 201
Preparation of porous bead cellulose with technical grain size
- Lin CH, Conner AH, Hill CG/**Univ Wisconsin, Dept Chem Engr, Madison, WI 53706, USA
J APPL POLYM SCI 1992, 45 (10) 1811
The heterogeneous character of the dilute acid hydrolysis of crystalline cellulose. 3. Kinetic and X-ray data
- Ludwig M, Fengel D//Univ Munich, Inst Holzforsch, Winzerestr 45, W-8000 Munich 40, FRG
WOOD SCI TECHNOL 1992, 26 (5) 393
Influence of the degree of substitution and pretreatments on the surface structure of cellulose nitrate fibres
- Matsumoto K, Murakami R, Motozato Y//Ariake Natl Coll Technol, Dept Ind Chem, Omuta 836, Japan
NIPPON KAGAKU KAISHI 1992, (3) 312
Preparation of porous large beads of cellulose using mixed diluents and their properties (Japanese, English Abstract)
- Meyer PS, Dupreez JC*, Kilian SG/**Univ Orange Free State, Dept Microbiol & Biochem, Bloemfontein 9300, S Africa
BIOTECHNOL BIOENG 1992, 40 (3) 353
Chemostat cultivation of *Candida blankii* on sugar cane bagasse hemicellulose hydrolysate
- Mikheev YA, Guseva LN//NN Semenov Chem Phys Inst, Moscow, Russia
KHIM FIZ 1991, 10 (10) 1341
Effect of complimentary bisphenol on heterophase chain reaction of benzoyl peroxide with cellulose amorphous triacetate (Russian)
- Moliton JP, Trigaud T, Moliton A//Lab Electr Polymeres Faisceaux Ion, 123 Ave Albert Thomas, F-87060 Limoges, France
NUCL INSTRUM METH PHYS RES B 1992, 65 (1-4) 428
Self-development of cellulose nitrate in linear and nonlinear regimes by ion irradiation
- Nishio Y, Hirose N//Nagaoka Univ Technol, Fac Engr, Kamitomioka 1603-1, Nagaoka, Niigata 94021, Japan
POLYMER 1992, 33 (7) 1519
Cellulose poly(2-hydroxyethyl methacrylate) composites prepared via solution coagulation and subsequent bulk polymerization
- Nudga LA, Petrova VA, Petropavlovskii GA, Sazanov YN//Acad Sci, Inst Macromolec Cpds, Moscow V-71, Russia
J APPL CHEM-ENGL TR 1991, 64 (7) 1377
Synthesis and properties of graft copolymers of acrylonitrile and unsaturated mixed cellulose esters
- Okajima K, Kowsaka K, Kamide K/**Asahi Chem Ind Co Ltd, Fundamental Res Lab Fibers & Fiber Forming Polymers, 11-7 Hacchonawate, Takatsuki, Osaka 569, Japan
POLYM INT 1992, 29 (1) 47
An explanation of the solubility behaviour of cellulose acetate in various solvents in terms of supermolecular structure formed by introduction of a substituent group into the glucopyranose unit
- Parkhomenko VV, Kudra LA, Isserlis VI, Korokh SG//Acad Sci, Inst Colloid Chem & Water Chem, Kiev, Ukraine
IZV VYSSH UCH ZAV KHIM KHIM T 1992, 35 (1) 96
Dependence of colloid-chemical properties of cellulose carboxymethyl ethers on the method of their preparation (Russian)
- Petkov VI, Zarudaeva SS, Malinin LN, Fridman OA//NI Lobachevskii State Univ, Gorki, Russia
J APPL CHEM-ENGL TR 1991, 64 (8) 1596
Physicochemical analysis of thermoplastic polyurethane-cellulose acetate mixtures plasticized by dimethyl phthalate or triphenyl phosphate
- Pizzi A, Desousa G//Univ Witwatersrand, Dept Chem, Johannesburg 2001, S Africa
CHEM PHYS 1992, 164 (2) 203
On the resolution of dihydroxydiphenylmethanes on achiral crystalline cellulose-II - Correlation of experimental and calculated results
- Podczek F, Newton JM/**Univ London, Sch Pharm, Dept Pharmaceut, 29-39

- Brunswick Sq, London WC1N 1AX, England
 PHARMAZIE 1992, 47 (5) 387
 Determination of Young's modulus of different microcrystalline cellulose products (Short communication)
- Podczek F, Newton JM/**Univ London, Sch Pharm, Dept Pharmaceut, 29-39 Brunswick Sq, London WC1N 1AX, England
 PHARMAZIE 1992, 47 (6) 462
 Determination of the critical stress intensity factor and the fracture toughness of different microcrystalline cellulose products
- Ramenskaya LM, Tikhomirova MV, Pshenichnova EL, Fridman AY//Acad Sci, Ivanovo, Russia
 IZV VYSSH UCH ZAV KHIM KHIM T 1991, 34 (12) 90
 Cellulose interaction with copper chloride in aqueous isopropanol solutions (Russian)
- Reddy NV, Rao BS, Rao VVRN//Sri Venkateswara Univ, Coll Engr, Dept Phys, Tirupati 517502, Andhra Pradesh, India
 MATER LETT 1992, 13 (2-3) 147
 Electrical conduction mechanism in cellulose acetate butyrate polymer films
- Roy-Choudhury PK, Ghose TK, Ghosh P//Indian Inst Technol, Bio-chem Engr Res Ctr, Hauz Khas, New Delhi 110016, India
 ENZYME MICROB TECHNOL 1992, 14 (7) 581
 Operational strategies in vacuum-coupled SSF for conversion of lignocellulose to ethanol
- Saad GR, Botros MG, Nessim RI/**Univ Cairo, Fac Sci, Dept Chem, Cairo, Egypt
 ANGEW MAKROMOL CHEM 1992, 197 23
 Dielectric study of acetylated cotton cellulose and saponified cellulose acetate
- Sada E, Kumazawa H*, Wang JS, Koizumi M//Kyoto Univ, Dept Chem Engr, Kyoto 60601, Japan
 J APPL POLYM SCI 1992, 45 (12) 2181
 Separation of carbon dioxide by asymmetric hollow fiber membrane of cellulose triacetate
- Sanopoulou M, Petropoulos JH//Democritos Natl Res Ctr, Inst Phys Chem, GR-15310 Athens, Greece
 J POLYM SCI B-POLYM PHYS 1992, 30 (9) 971
 Phenomenology and mechanisms of unidimensional stress-dependent micro-molecular transport in a stiff-chain polymer. 1. Unoriented cellulose acetate
- Sanopoulou M, Petropoulos JH//Democritos Natl Res Ctr, Inst Phys Che, GR-15210 Athens, Greece
 J POLYM SCI B-POLYM PHYS 1992, 30 (9) 983
 Phenomenology and mechanisms of unidimensional stress-dependent micro-molecular transport in a stiff-chain polymer. 2. Uniaxially oriented cellulose acetate
- Sato T, Tsujii Y, Fukuda T*, Miyamoto T//Kyoto Univ, Inst Chem Res, Uji, Kyoto 611, Japan
 MACROMOLECULES 1992, 25 (15) 3890
 Reversible gelation of short-chain O-(2,3-dihydroxypropyl)cellulose borax solutions. 1. A ¹¹B-NMR study of polymer-ion interactions
- Sharma AK, Ramu C//Siri Venkateswara Univ, Coll Engr, Dept Phys, Tirupati 517502, Andhra Pradesh, India
 POLYM INT 1992, 29 (3) 213
 Dielectric behaviour of iron-doped cellulose acetate films
- Shukla SR, Rao GVG, Athalye AR//Univ Bombay, Dept Chem Technol, Bombay 400019, India
 J APPL POLYM SCI 1992, 45 (8) 1341
 Ultraviolet-radiation-induced graft copolymerization of styrene and acrylonitrile onto cotton cellulose
- Song CQ, Litt MH*, Manaszloczower I//Case Western Reserve Univ, Dept Macromolec Sci, Cleveland, Oh 44106, USA
 MACROMOLECULES 1992, 25 (8) 2166
 Structures of liquid crystalline (hydroxypropyl)cellulose films cross-linked under shear flow fields
- Spange S, Heinze T, Klemm D/**Univ Jena, Inst Organ Chem & Macromolec Chem, Humboldtstr 10, O-6900 Jena, FRG
 POLYM BULL 1992, 28 (6) 697
 On the polarity and donor-acceptor-properties of polysaccharides. 1. Investigations on the acceptor properties of cellulose acetates by means of the solvatochromic technique
- Sungur S, Elcin M, Akbulut U/**Middle Tech Univ, Dept Chem, Ankara, Turkey
 J MACROMOL SCI PURE APPL CHEM 1992, 29 (SUPPL 3) 251
 Immobilization of urease into carboxymethylcellulose-gelatin system
- Suto S, Kosaka M, Sugiura T//Yamagata Univ, Fac Engr, Dept Polymer Chem, Jonan 4-3-16, Yonezawa, Yamagata 992, Japan
 J APPL POLYM SCI 1992, 45 (9) 1623
 Viscometric behavior of ternary concentrated solutions of hydroxypropyl cellulose and ethyl cellulose in m-cresol
- Suto S, Tashiro H, Karasawa M//Yamagata Univ, Fac Engr, Dept Polymer Chem, Jonan 4-3-16, Yonezawa, Yamagata 992, Japan
 J APPL POLYM SCI 1992, 45 (9) 1569
 Preparation and mechanical properties of chemically cross-linked hydroxypropyl cellulose solid films retaining cholesteric liquid crystalline order
- Suzuki K, Kurata S, Ikeda I//Fukui Univ, Fac Engr, Bunkyo 3-9-1, Fukui 910, Japan
 POLYM INT 1992, 29 (1) 1
 Homogeneous acetalization of cellulose in lithium chloride and dimethylacetamide
- Teodorovic M, Majdanac L, Cosic D, Nesovic V//Fac Technol & Med Belgrade, PP494, Belgrade, Yugoslavia
 J THERM ANAL 1992, 38 (4) 907
 The thermal behaviour of cellulose samples with different structure
- Tsujii Y, Itoh T, Fukuda T, Miyamoto T*, Ito S, Yamamoto M//Kyoto Univ, Inst Chem Res, Uji, Kyoto 611, Japan
 LANGMUIR 1992, 8 (3) 936
 Multilayer films of chromophoric cellulose octadecanoates studied by fluorescence spectroscopy
- Tsvetkov NV, Lezov AV, Marchenko GN, Didenko SA, Tsvetkov VN//St Petersburg Univ, Inst Phys, St Petersburg, Russia
 VYSOKOMOL SOEDIN SER A SSSR 1992, 34 (6) 141
 Kerr effect in solutions of cellulose acetobenzoate in dioxane (Russian, English Abstract)
- Vysotskaya EP, Ryshkina IS, Skokova IF, Virnik AD//Moscow Text Inst, Chair Chem Fiber Technol, Moscow, Russia
 IZV VYSSH UCH ZAV KHIM KHIM T 1991, 34 (12) 81
 Preparation of gelatin-containing cellulose biosorbent (Russian)

3 CELLULOSE-DEGRADING ENZYMES

- Banerjee, UC, Chakrabarti S//Inst Microbial Technol, Ctr Biochem Engr Res & Proc Dev, Post Box 1304, Sector 39A, Chandigarh 160014, India
 WORLD J MICROBIOL BIOTECHNOL 1992, 8 (4) 423
 Production and properties of carboxymethylcellulase (endo-1,4-beta-glucanase) from *Curvularia lunata*
- Chadha BS, Garcha HS//Punjab Agr Univ, Dept Microbiol, Ludhiana 141004, Punjab, India
 ACTA MICROBIOL HUNG 1992, 39 (1) 61
 Mixed cultivation of *Trichoderma reesei* and *Aspergillus ochraceus* for improved cellulase production
- Hadjtaieb N, Chaabouni-El-Louz S, Kammoun A, El-Louz R//Ctr Biotechnol Sfax, BP W, 3038 Sfax, Tunisia
 APPL MICROBIOL BIOTECHNOL 1992, 37 (2) 197
 Hydrolytic efficiency of *Penicillium occitanis* cellulase - Kinetic aspects
- Idogaki H, Kitamoto Y//Tottori Univ, Fac Agr, Dept Agr Chem, Tottori 680, Japan
 BIOSCI BIOTECHNOL BIOCHEM 1992, 56 (6) 970
 Purification and some properties of a carboxymethyl cellulase from *Coriolor versicolor*
- Akishima Y, Isogai A, Kuga S, Onabe F, Usada M//Univ Tokyo, Fac Agr, Dept Forest Prod, Bunkyo ku, Tokyo 113, Japan
 CARBOHYD POLYM 1992, 19 (1) 11
 Kinetic studies on enzymatic hydrolysis of celluloses for evaluation of amorphous structures
- Jun CW, Min MZ, Sel KM//Korean Acad Sci, Inst Ind Microbiol, Pchen Song, S Korea
 FOLIA MICROBIOL PRAGUE 1992, 37 (3) 199
 Purification of the cellulase complex produced by *Penicillium camembertii* and its partial characterization
- Kim DW, Kim TS, Jeong YK, Lee JK//Chungbuk Natl Univ, Coll Nat Sci, Dept Chem, Chongju 360763, S Korea
 J FERMENT BIOENG 1992, 73 (6) 461
 Adsorption kinetics and behaviors of cellulase components on microcrystalline cellulose
- Lu ZX, Kumakura M/**Nishi Tokyo Univ, Dept Biosci, Kitatsuru, Yamanashi 40901, Japan
 J CHEM TECHNOL BIOTECHNOL 1992, 54 (2) 129
 Cellulase activity of *Trichoderma reesei* immobilized on gauze covered with hydrophilic and hydrophobic copolymers

- Mori R, Haga T*, Takagishi T//Hiroaki Univ, Fac Educ, Hiroaki, Aomori 036, Japan
J APPL POLYM SCI 1992, 45 (10) 1869
Relationship between cellulase treatment and direct dye dyeing for cotton
- Salamitou S, Tokatlidis K, Beguin P*, Aubert JP//Inst Pasteur, Dept Biotechnol, CNRS, Unite Physiol Cellulaire, 28 rue Dr Roux, F-75724 Paris 15, France
FEBS LETT 1992, 304 (1) 89
Involvement of separate domains of the cellulosomal protein-S1 of *Clostridium thermocellum* in binding to cellulose and in anchoring of catalytic subunits to the cellulosome
- Seiboth B, Messner R, Gruber F, Kubicek CP//Vienna Tech Univ, Inst Biochem Technol & Mikrobiol, Mikrobielle Biochem Abt, A-1060 Vienna, Austria
J GEN MICROBIOL 1992, 138 (6) 1259
Disruption of the *Trichoderma reesei* cbh2 gene coding for cellobiohydrolase-II leads to a delay in the triggering of cellulase formation by cellulose
- Wood BE, Ingram LO//Univ Florida, Dept Microbiol & Cell Sci, Gainesville, FL 32611, USA
APPL ENVIRON MICROBIOL 1992, 58 (7) 2103
Ethanol production from cellobiose, amorphous cellulose, and crystalline cellulose by recombinant *Klebsiella oxytoca* containing chromosomally integrated *Zymomonas mobilis* genes for ethanol production and plasmids expressing thermostable cellulase genes from *Clostridium thermocellum*
- Woodward J, Affholter KA, Noles KK, Troy NT, Gaslightwala SF//Oak Ridge Natl Lab, Div Chem Technol, Oak Ridge, TN 37831, USA
ENZYME MICROB TECHNOL 1992, 14 (8) 625
Does cellobiohydrolase core protein from *Trichoderma reesei* disperse cellulose macrofibrils
- ## 4 CYCLODEXTRINS
- Beckett JL, Hartzell CJ, Eastman NL, Blake T, Eastman MP//North Arizona Univ, Dept Chem, Flagstaff, AZ 86011, USA
J ORG CHEM 1992, 57 (15) 4173
Cyclodextrin complexation of the tetracyanoquinodimethane anion radical - The chemical consequences of cavity size and alkyl derivatization
- Berberan-Santos MN, Canceill J, Brochon JC, Jullien L, Lehn JM*, Pouget J, Tauc P, Valeur B//Coll France, CNRS, UPR 285, 11 Pl Marcelin Berthelot, F-75005 Paris, France
J AMER CHEM SOC 1992, 114 (16) 6427
Multichromophoric cyclodextrins. 1. Synthesis of O-naphthoyl-beta-cyclodextrins and investigation of excimer formation and energy hopping
- Breslow R, Zhang BL//Columbia Univ, Dept Chem, New York, NY 10027, USA
J AMER CHEM SOC 1992, 114 (14) 5882
Very fast ester hydrolysis by a cyclodextrin dimer with a catalytic linking group
- Brugger N, Deschenaux R*, Ruch T, Ziessel R//Univ Neuchatel, Inst Chim, Av Bellevaux 51, CH-2000 Neuchatel, Switzerland
TETRAHEDRON LETT 1992, 33 (27) 3871
A new class of photo-active and electro-active receptors - Synthesis of a 2,2'-bipyridyl ligand functionalized beta-cyclodextrin and its Ir(III), Rh(III) and Re(I) complexes
- Chatjigakis AK, Donze C, Coleman AW*, Cardot P//Univ Paris 11, Ctr Pharmaceut, Phys Lab, CNRS, UPR 180, F-92290 Chateau Malabry, France
ANAL CHEM 1992, 64 (14) 1632
Solubility behavior of beta-cyclodextrin in water/cosolvent mixtures
- Chow YL, Michon J, Michon P, Morat C, Rassat A//Univ Joseph Fourier, CNRS, Etud Dynam & Struct Select Lab, BP 53X, F-38041 Grenoble, France
TETRAHEDRON LETT 1992, 33 (23) 3315
Photochemical reaction between beta-cyclodextrin and para-nitro-acetophenone in an inclusion complex in water solution
- Coleman AW, Nicolis I, Keller N, Dalbiez JP//Univ Paris 11, Ctr Pharmaceut, CNRS, UPR 180, F-92290 Chateau Malabry, France
J INCLUSION PHENOM MOL RECOGN 1992, 13 (2) 139
Aggregation of cyclodextrins - An explanation of the abnormal solubility of beta-cyclodextrin
- Craig DQM, Cook GD, Parr GD//Univ London, Sch Pharm, 29-39 Brunswick Sq, London WC1N, England
J MATER SCI 1992, 27 (12) 3325
Investigation into beta-cyclodextrin acetotoluide interactions using low frequency dielectric spectroscopy
- Derango C, Charpin P, Navaza J, Keller N, Nicolis I, Villain F, Coleman AW//Univ Paris 11, Ctr Pharmaceut, CNRS, UPR 180, F-92290 Chateau Malabry, France
J AMER CHEM SOC 1992, 114 (13) 5475
Beta-cyclodextrin/pyridine gel systems - The crystal structure of a 1st beta-cyclodextrin-pyridine-water compound
- Di Blasio B, Pavone V, Nastri F, Isernia C, Saviano M, Pedone C, Cucinotta V, Impellizzeri G, Rizzarelli E, Vecchio G//Naples Univ, Dipartimento Chim, Via Mezzocannone 4, I-80134 Naples, Italy
PROC NAT ACAD SCI USA 1992, 89 (15) 7218
Conformation for a beta-cyclodextrin monosubstituted with a cyclic dipeptide
- Dick DL, Rao TVS, Sukumaran D, Lawrence DS//SUNY Buffalo, Dept Chem, Buffalo, NY 14214, USA
J AMER CHEM SOC 1992, 114 (7) 2664
Molecular encapsulation - Cyclodextrin-based analogues of heme-containing proteins
- Donze C, Chatjigakis A, Coleman AW//Univ Paris 11, Ctr Pharmaceut, Phys Lab, CNRS, UPR 180, F-92290 Chateau Malabry, France
J INCLUSION PHENOM MOL RECOGN 1992, 13 (2) 155
Co-solvent modulation of the inclusion selectivity of beta-cyclodextrin
- Fornasier R, Resente C, Tonellato U//Univ Padua, Dipartimento Chim Organ, CNR, Ctr Studio Meccanismi Reazioni Organ, Via Marzolo 1, I-35131 Padua, Italy
GAZZ CHIM ITAL 1992, 122 (5) 169
Binding modes of azulene with beta-cyclodextrins of different lipophilic character - An induced circular dichroism study
- Fujita K, Kubo T, Ishizu T//Nagasaki Univ, Fac Pharmaceut Sci, Nagasaki 852, Japan
TETRAHEDRON LETT 1992, 33 (29) 4199
A complete set of 6-O-activated cyclooligosaccharides having deformed cavities - 3(A), 6(A)-anhydro-6(X)-O-(2-naphthalenesulfonyl)-beta-cyclodextrins
- Fukuda K, Shibasaki Y, Nakahara H, Tagaki W, Takahashi H, Tamura S, Kawabata Y//Saitama Univ, Fac Sci, Urawa, Saitama 338, Japan
THIN SOLID FILMS 1992, 210 (1-2) 387
Photopolymerization of an omega-tricosenoyl derivative of beta-cyclodextrin in Langmuir-Blodgett films
- Funasaki N, Yodo H, Hada S, Neya S//Kyoto Pharmaceut Univ, Yamashina ku, Kyoto 607, Japan
BULL CHEM SOC JPN 1992, 65 (5) 1323
Stoichiometries and equilibrium constants of cyclodextrin-surfactant complexations
- Gonzalez-Blanco C, Moro ME, Velazquez MM, Rodriguez LJ//Univ Salamanca, Fac Farm, Dept Quim Fis, Apdo 449, E-37080 Salamanca, Spain
FARMACO 1992, 47 (5) 623
Binding of dibenzepin to cyclodextrins and anionic surfactants in aqueous solution
- Hamai S, Ikeda T, Nakamura A, Ikeda H, Ueno A, Toda F//Miyazaki Med Coll, Dept Phys, Miyazaki 88916, Japan
J AMER CHEM SOC 1992, 114 (15) 6012
Inclusion of azulene and alcohol by beta-cyclodextrin in aqueous solution
- Harada A, Li J, Kamachi M//Osaka Univ, Fac Sci, Dept Macromolec Sci, Toyonaka, Osaka 560, Japan
NATURE 1992, 356 (6367) 325
The molecular necklace - A rotaxane containing many threaded alpha-cyclodextrins
- Hisamatsu M, Yamada T, Nakashima K, Tabata K//Mie Univ, Fac Bioresources, 1515 Kamihama, Tsu, Mie 514, Japan
STARCH 1992, 44 (5) 188
Study on specific modification of glucosyl cyclodextrins
- Jiang YB, Huang XZ, Chen GZ//Xiamen Univ, Dept Chem, Xiamen 361005, Peoples R China
ACTA CHIM SIN 1992, 50 (2) 157
A study of the effects of inorganic salts on the microenvironment of beta-cyclodextrin with fluorescent probe
- Koch HP, Wenkoff N//Univ Vienna, Inst Pharmaceut Chem, Wahringer Str 10- A-1090 Vienna, Austria
ARCH PHARM 1992, 325 (5) 311
Improvement of solubility of silibinin by formation of a 1:1-inclusion complex with beta-cyclodextrin (German, English Abstract)
- Kodama M//Ind Res Ctr Ehime Prefecture, 487-2 Kume Kubota cho, Matsuyama, Ehime 790, Japan
J JPN SOC FOOD SCI TECHNOL 1992, 39 (5) 446
Bitterness reduction of syruped iyo orange (*Citrus iyo* Hort ex Tanaka) segments with addition of branched cyclodextrin - (Utilization and processing of middle or late ripening variety citrus fruits. 19. (Japanese, English Abstract)

- Kohler JEH, Hohla M, Richters M, Konig WA/**Univ Hamburg, Inst Organ Chem, Martin Luther King Pl 6, W-2000 Hamburg 13, FRG
ANGEW CHEM INT ED 1992, 31 (3) 319
Cyclodextrin derivatives as chiral selectors - Investigation of the interaction with (R,S)-methyl-2-chloropropionate by enantioselective gas chromatography, NMR spectroscopy, and molecular dynamics simulation
- Kralova K, Cizmarik J, Szejtli J//Comenius Univ, Fac Sci, Mlynska Dolina, CS-84215 Bratislava, Czechoslovakia
PHARMAZIE 1992, 47 (6) 460
Crystalline inclusion complex of heptacaine with beta-cyclodextrin
- Krenn M, Gamcsik MP, Vogelsang GB, Colvin OM, Leong KW/**Johns Hopkins Univ Hosp, Dept Biomed Engr, Baltimore, Md 21218, USA
J PHARM SCI 1992, 81 (7) 685
Improvements in solubility and stability of thalidomide upon complexation with hydroxypropyl-beta-cyclodextrin
- Kutner W//Max Planck Gesell, Fritz Haber Inst, Faradayweg 4-6, W-1000 Berlin 33, FRG
ELECTROCHIM ACTA 1992, 37 (6) 1109
Volta-potential and electrochemical quartz crystal microbalance studies of the ion-exchange membrane properties of the (alpha-cyclodextrin polymer film)/(4-nitrophenol/4-nitrophenolate) inclusion system
- Li S, Purdy WC/**McGill Univ, Dept Chem, 801 Sherbrooke St, Montreal, Quebec, Canada H3A 2K6
ANAL CHEM 1992, 64 (13) 1405
Circular dichroism, ultraviolet, and proton nuclear magnetic resonance spectroscopic studies of the chiral recognition mechanism of beta-cyclodextrin
- Linert W, Margl P, Renz F//Vienna Tech Univ, Inst Inorgan Chem, Getreide-markt 9, A-1060 Vienna, Austria
CHEM PHYS 1992, 161 (3) 327
Solute solvent interactions between cyclodextrin and water - A molecular mechanical study
- Lipkowitz KB, Green K, Yang JA//Indiana Univ Purdue Univ, Dept Chem, 1125 E 38th St, Indianapolis, In 46205, USA
CHIRALITY 1992, 4 (4) 205
Structural characteristics of cyclodextrins in the solid state
- Liveri VT, Cavallaro G, Giammona G, Pitarresi G, Puglisi G, Ventura C//Univ Palermo, Dipartimento Chim Fis, Via Archirafi 26, I-90123 Palermo, Italy
THERMOCHIM ACTA 1992, 199 (MAY) 125
Calorimetric investigation of the complex formation between surfactants and alpha-cyclodextrin, beta-cyclodextrin and gamma-cyclodextrins
- Loftsson T, Stefansdottir O, Friordottir H, Guomundsson O//Univ Iceland, Dept Pharm, IS-101 Reykjavik, Iceland
DRUG DEVELOP IND PHARM 1992, 18 (13) 1477
Interactions between preservatives and 2-hydroxypropyl-beta-cyclodextrin
- Matsumoto M, Tanaka M, Azumi R, Tachibana H, Nakamura T, Kawabata Y, Miyasaka T, Tagaki W, Nakahara H, Fukuda K//Nat'l Chem Lab Ind, Tsukuba 305, Japan
THIN SOLID FILMS 1992, 210 (1-2) 803
Molecular recognition by amphiphilic cyclodextrins in Langmuir-Blodgett films
- Mattsson P, Pohjalainen T, Korpela T//Univ Turku, Dept Biochem, SF-20500 Turku 50, Finland
BIOCHIM BIOPHYS ACTA 1992, 1122 (1) 33
Chemical modification of cyclomaltodextrin glucanotransferase from *Bacillus circulans* var *alkalophilus*
- McNamara M, Russell NR/**Dublin Inst Technol, Coll Technol, Dept Chem, Kevin St, Dublin 8, Ireland
J INCLUSION PHENOM MOL RECOGN 1992, 13 (2) 145
Polynuclear hydroxy-bridged structure in metallo-beta-cyclodextrin complexes - A study of magnetic susceptibility versus temperature
- Meier-Augenstein W, Burger BV*, Spies HSC, Burger WJG/**Univ Stellenbosch, Dept Chem, Ecol Chem Lab, Stellenbosch 7600, S Africa
Z NATURFORSCH SECT B 1992, 47 (6) 877
Conformational analyses of alkylated beta-cyclodextrins by NMR spectroscopy
- Mondik P, Sopkova A*, Suchar G, Wadsten T/**PJ Safarik Univ, Fac Sci, Moyzesova 11, CS-04154 Kosice, Czechoslovakia
J INCLUSION PHENOM MOL RECOGN 1992, 13 (2) 109
Cyclodextrins incorporated in natural zeolitic materials of the clinoptilolite type
- Nakanishi K, Nadai T, Masada M, Miyajima K//Setsunan Univ, Fac Pharmaceut Sci, Nagaotoge cho, Hirakata, Osaka 57001, Japan
CHEM PHARM BULL TOKYO 1992, 40 (5) 1252
Effect of cyclodextrins on biological membrane. 2. Mechanism of enhancement on the intestinal absorption of non-absorbable drug by cyclodextrins
- Rendleman JA//USDA ARS, Nat'l Ctr Agr Utilizat Res, Biopolymer Res Unit, Peoria, IL 61604, USA
CARBOHYD RES 1992, 230 (2) 343
Enhanced production of cyclomaltotetraose (gamma-cyclodextrin) through selective complexation with C-12 cyclic compounds
- Sabioni JG, Park YK/**Univ Estadual Campinas, Food Chem, Caixa Postal 6121, BR-13100 Campinas, SP, Brazil
STARCH 1992, 44 (6) 225
Production and characterization of cyclodextrin glycosyltransferase from *Bacillus lentus*
- Sakairi N, Kuzuhara H/**Inst Phys & Chem Res, Wako, Saitama 35101, Japan
J CHEM SOC CHEM COMMUN 1992, (6) 510
Cycloglycosidation of 1,2-unsaturated maltohexaose and maltoheptaose derivatives with iodonium addition - Conversion of alpha-cyclodextrins and beta-cyclodextrins into mono(2-deoxy) derivatives via acyclic intermediates
- Shimada K, Kawano K, Ishii J, Nakamura T//Yamaguchi Womens Univ, Dept Food & Life Sci, 3-2-1 Sakurabatake, Yamaguchi 753, Japan
J FOOD SCI 1992, 57 (3) 655
Structure of inclusion complexes of cyclodextrins with triglyceride at vegetable oil water interface
- Smith SH, Forrest SM, Williams DC, Cabell MF, Acquavella MF, Abelt CJ/**Coll William & Mary, Dept Chem, Williamsburg, Va 23185, USA
CARBOHYD RES 1992, 230 (2) 289
Regioselectivity of the insertion reactions of some aromatic diazo compound complexes with cyclomaltoheptaose
- Takeichi T, Shimura S, Toriyama H, Takayama Y, Morikawa M//Toyohashi Univ Technol, Tempaku cho, Toyohashi 441, Japan
CHEM LETT 1992, (6) 1069
Carbamate derivatives of beta-cyclodextrin as chiral stationary phases for metal capillary gas chromatography
- Tamura M, Sekiya A/**Nat'l Chem Lab Ind, Higashi, Tsukuba, Ibaraki 305, Japan
CHEM LETT 1992, (7) 1313
The thin film of fluorine-containing polymer having cyclodextrin prepared by Langmuir-Blodgett technique
- Tashiro M, Magome E, Miki S, Sakagami K/**Meiji Seika Kaisha Ltd, Pharmaceut Res Ctr, Kohoku ku, Yokohama, Kanagawa 222, Japan
CHEM PHARM BULL TOKYO 1992, 40 (6) 1623
Inclusion complex of a new orally active cephalosporin ME1207 with beta-cyclodextrin
- Tous SS, El-Sayed AM, El-Harras SA, Jun HW//Univ Assiut, Fac Pharm, Dept Pharmaceut, Assiut, Egypt
PHARMAZIE 1992, 47 (5) 365
Availability of phenindione-beta-cyclodextrin inclusion complex
- Vetter D, Thorn W/**Inst Biochem & Lebensmittelchem, Martin Luther King Pl 6, W-2000 Hamburg 13, FRG
STARCH 1992, 44 (6) 229
Chain length specificity of cyclodextrin glycosyltransferase
- Villette JR, Krzewinski FS, Looten PJ, Sicard PJ, Bouquelet SJL/**Univ Lille 1, Chim Biol Lab, F59655 Villeneuve Dascq, France
BIOTECHNOL APPL BIOCHEM 1992, 16 (1) 57
Cyclomaltodextrin glucanotransferase from *Bacillus circulans* E-192. 4. Evidence for a raw starch-binding site and its interaction with a beta-cyclodextrin copolymer
- Zmitek J, Kocjan D, Rusjakovski B, Bukovec N, Bukovec P/**Edvard Kardelj Univ, Pharmaceut & Chem Work, YU-61000 Ljubljana, Slovenia
ACTA PHARMACEUT 1992, 42 (1) 85
Inclusion complex of ibuprofen, 2-(4-isobutylphenyl)-propionhydroxamic acid, with beta-cyclodextrin

5 LIGNIN

- Almendros G, Martinez AT, Gonzalez AE, Gonzalez-Vila FJ, Frund R, Lude-mann HD//CSIC, Ctr Ciencias Medioambientales, Serrano 115 Dpdo, E-28006 Madrid, Spain
J AGR FOOD CHEM 1992, 40 (7) 1297
CPMAS 13C NMR study of lignin preparations from wheat straw transformed by 5 lignocellulose-degrading fungi
- Gellerstedt G, Gustafsson K, Labidi A, Pla F//STFI, Swedish Pulp & Res Inst, S-11486 Stockholm, Sweden
HOLZFORSCHUNG 1992, 46 (3) 199
Alkaline delignification of hardwoods in a flow-through reactor working at a low residence time. 4. Characterization of lignins by oxidative degradation and aminolysis

- Hall PJ/Univ Strathclyde, Dept Pure & Appl Chem, Glasgow G1 1XL, Scotland
POLYMER 1992, 33 (10) 2222
The use of 2-component Einstein specific heat models to investigate the structure of dioxane lignin
- Kazayawoko JSM, Riedl B, Poliquin J, Barry AO, Matuana LM/Univ Laval, Fac Foresterie & Geomat, Ctr Rech Sci & Ingn Macromolec, Dept Sci Bois, St Foy, Quebec, Canada G1K 7P4
HOLZFORSCHUNG 1992, 46 (3) 257
A lignin-phenol-formaldehyde binder for particleboard. 1. Thermal characteristics
- Lamar RT, Dietrich DM/US Forest Serv, Forest Prod Lab, Inst Microbial & Biochem Technol, Madison, WI 53705, USA
J IND MICROBIOL 1992, 9 (3-4) 181
Use of lignin-degrading fungi in the disposal of pentachlorophenol-treated wood
- Mittal M, Sharma CB/**Univ Roorkee, Dept Biosci & Biotechnol, Roorkee 247667, Uttar Pradesh, India
POLYM INT 1992, 29 (1) 7
Studies on lignin-based adhesives for plywood panels
- Rajan JS, Srinivasan VR/**Louisiana State Univ, Dept Microbiol, 508 Life Sci Bldg, Baton Rouge, La 70803, USA
BIOTECHNOL TECHNIQUE 1992, 6 (3) 219
A colorimetric assay for lignin based on its reaction with diazotized sulfanilic acid and its use in studies on lignin biodegradation by bacteria
- Rogalski J, Dawidowicz AL, Wojtaswasilewska M/Marie Curie Skłodowska Univ, Dept Biochem, MC Skłodowska Pl 3, PL-20031 Lublin, Poland
ACTA BIOTECHNOL 1992, 12 (3) 191
Continuous production of lignin peroxidase by *Phanerochaete chrysosporium* immobilized on a sintered glass carrier
- Ruttimann C, Schwember E, Salas L, Cullen D, Vicuna R/**Catholic Univ Chile, Fac Ciencias Biol, Bioquim Lab, Casilla 114-D, Santiago, Chile
BIOTECHNOL APPL BIOCHEM 1992, 16 (1) 64
Ligninolytic enzymes of the white rot basidiomycetes *Phlebia brevispora* and *Ceriporiopsis subvermisporea*
- Ysbrandy RE, Sanderson RD, Gerischer GFR/Univ Stellenbosch, Inst Polymer Sci, Stellenbosch 7600, S Africa
HOLZFORSCHUNG 1992, 46 (3) 249
Adhesives from autohydrolysis bagasse lignin, a renewable resource. 1. The physical properties of laminates made with phenolated lignin novolacs
- Ysbrandy RE, Sanderson RD, Gerischer GFR/Univ Stellenbosch, Inst Polymer Sci, Stellenbosch 7600, S Africa
HOLZFORSCHUNG 1992, 46 (3) 253
Adhesives from autohydrolysis bagasse lignin, a renewable resource. 2. DSC thermal analysis of novolac resins
- ## 6 POLYSACCHARIDES-NAMED
- Abusarra AF, Abugoukh AA/Jebel Marra Rural Dev Project, POB 9010, Khartoum, Sudan
J HORT SCI 1992, 67 (4) 561
Changes in pectinesterase, polygalacturonase and cellulase activity during mango fruit ripening
- Aiba SI/Ind Prod Res Inst, Div Biominet Chem, 1-1-4 Higashi, Tsukuba, Ibaraki 305, Japan
CARBOHYD RES 1992, 230 (2) 373
A convenient assay for chitinase that uses partially N-acetylated chitosans as substrates
- Altman E, Brisson JR, Gagne SM, Kolbe J, Messner P, Sleytr UB/Natl Res Council Canada, Inst Biol Sci, Ottawa, Ontario, Canada K1A 0R6
BIOCHIM BIOPHYS ACTA 1992, 1117 (1) 71
Structure of the glycan chain from the surface layer glycoprotein of *Clostridium thermohydrosulfuricum* L77-66
- Audy P, Asselin A/**Univ Laval, Fac Sci Agr & Alimentat, Dept Phytol, Quebec City, Quebec, Canada G1K 7P4
ELECTROPHORESIS 1992, 13 (5) 334
Gel electrophoretic analysis of chitosan hydrolysis products
- Barbakadze VV, Kemertelidze EP, Dekanosidze HE, Beruchashvili TG, Usov AI/IG Kutateladze Pharmacochem Inst, Tbilisi, Georgia
BIOORG KHIM 1992, 18 (5) 671
Investigation of glucofractans from roots of 2 species of comfrey *Symphytum asperum* Lepech and *S caucasicum* Bieb (Russian, English Abstract)
- Ben-Shalom N, Plat D, Levi A, Pinto R/Agr Res Organization, Dept Food Sci, Volcani Ctr, POB 6, Bet Dagan 50250, Israel
- FOOD CHEM 1992, 45 (4) 243
Changes in molecular weight of water-soluble and EDTA-soluble pectin fractions from carrot after heat treatments
- Berth G/Ctrl Inst Nutr, Arthur-Scheunert-Allee 114-116, 0-1505 Bergholz-Rehbrücke, FRG
CARBOHYD POLYM 1992, 19 (1) 1
Methodical aspects of characterization of alginate and pectate by light scattering and viscometry coupled with GPC
- Bubnik Z, Vaccari G, Mantovani G, Sgualdino G, Kadlec P/Univ Prague, Technická 3, CS-16628 Prague 6, Czechoslovakia
ZUCKERINDUSTRIE 1992, 117 (7) 557
Effect of dextran, glucose and fructose on sucrose crystal elongation and morphology
- Bussink HJD, Van den Hombergh JPTW, Van den Ijssel PRLA, Visser J/**Wageningen Univ Agr, Dept Genet Molec Genet Sect, Dreijenlaan 2, 6703 HA Wageningen, The Netherlands
APPL MICROBIOL BIOTECHNOL 1992, 37 (3) 324
Characterization of polygalacturonase-overproducing *Aspergillus niger* transformants
- Chen CR, Zatz JL/Rutgers State Univ, Coll Pharm, Dept Pharmaceut, POB 789, Piscataway, NJ 08855, USA
J SOC COSMET CHEM 1992, 43 (1) 1
Dynamic rheologic measurement of the interaction between xanthan gum and colloidal magnesium aluminum silicate
- Chinnah AD, Baig MA, Tizard IR, Kemp MC/**Texas A&M Univ Syst, Coll Vet Med, Dept Vet Pathobiol, College Stn, Tx 77843, USA
VACCINE 1992, 10 (8) 551
Antigen dependent adjuvant activity of a polydispersed beta-(1,4)-linked acetylated mannan (acemannan)
- Coyne E, Outschoorn AS/Loyola Univ, Med Ctr, Dept Pathol, 2160 S 1st Ave, Maywood, IL 60153, USA
PHARMACOPOLYMER FORUM 1992, 18 (4) 3766
Comments on the report of the PMA quality control section heparin assay committee
- Dearmas R, Mateos JL, Caffaro SV, Legaz ME, Vicente C/Univ Havana, Fac Biol, Dept Plant Physiol, Havana, Cuba
INT SUGAR J 1992, 94 (1122) 141
Changes in sucrose crystal shape induced by cane juice fructans
- Delben F, Stefancich S, Muzzarelli RAA/**Univ Ancona, Fac Med, Via Ranieri 67, I-60100 Ancona, Italy
CARBOHYD POLYM 1992, 19 (1) 17
Chelating ability and enzymatic hydrolysis of water-soluble chitosans
- Dey D, Hinge J, Shendye A, Rao M/**Natl Chem Lab, Div Biochem Sci, Poona 411008, Maharashtra, India
CAN J MICROBIOL 1992, 38 (5) 436
Purification and properties of extracellular endoxylanases from alkalophilic thermophilic *Bacillus* sp
- Downs CG, Brady CJ, Gooley A/Minist Agr & Fisheries, Hort Res Ctr, Levin, New Zealand
PHYSIOL PLANT 1992, 85 (2) 133
Exopolygalacturonase protein accumulates late in peach fruit ripening
- Downs EC, Robertson NE, Riss TL, Plunkett ML/**La Jolla Pharmaceut Co, 6455 Nancy Ridge Dr, San Diego, Ca 92121, USA
J CELL PHYSIOL 1992, 152 (2) 422
Calcium alginate beads as a slow-release system for delivering angiogenic molecules *in vivo* and *in vitro*
- Ebina T, Murata K/Tohoku Univ, Sch Med, Dept Bacteriol, 2-1 Seiryō Machi, Aoba ku, Sendai, Miyagi 980, Japan
JPN J CANCER RES 1992, 83 (7) 775
Antitumor effect of PSK at a distant site - Tumor-specific immunity and combination with other chemotherapeutic agents
- Ebringerova A, Hromadkova Z, Alfoldi J, Berth G/Slovak Acad Sci, Inst Chem, 842 38 Bratislava, Czechoslovakia
CARBOHYD POLYM 1992, 19 (2) 99
Structural and solution properties of corn cob heteroxylans
- Engstrom DF, Mathison GW, Goonewardene LA/Alberta Dept Agr, Div Anim Ind, OS Longman Bldg, 6969 116 St, Edmonton, Alberta, Canada T6H 4P2
ANIM FEED SCI TECH 1992, 37 (1-2) 33
Effect of beta-glucan, starch, and fibre content and steam vs dry rolling of barley grain on its degradability and utilisation by steers
- Etokakpan OU/Univ Cross River State, Dept Brewing Sci & Technol, PMB 1017, Uyo, Nigeria
J INST BREW 1992, 98 (4) 301
Comparative studies of the beta-D-glucan released into *Sorghum* and barley

words

- Fukasawa S, Arai M, Wada T, Shima H, Kurata M/Josai Univ, Fac Sci, Dept Chem, Sakado, Saitama 35002, Japan
CHEM PHARM BULL TOKYO 1992, 40 (6) 1631
Some properties of a chitinase from a marine luminous bacterium, *Vibrio fischeri* strain COT-A136
- Galindo E, Nienow AW/**Univ Birmingham, Sch Chem Engr, Ctr Biochem Engr, SERC, Birmingham B15 2TT, England
BIOTECHNOL PROGR 1992, 8 (3) 233
Mixing of highly viscous simulated xanthan fermentation broths with the Lightnin A-315-impeller
- Garcia-Ochoa F, Casas JA/Univ Complutense, Fac CC Quim, Dept Ingn Quim, E-28040 Madrid, Spain
J SCI FOOD AGR 1992, 59 (1) 97
Viscosity of locust bean (*Ceratonia siliqua*) gum solutions
- Gebler J, Gilkes NR*, Claeysens M, Wilson DB, Beguin P, Wakarchuk WW, Kilburn DG, Miller RC, Warren RAJ, Withers SG/**Univ British Columbia, Dept Microbiol, Vancouver, BC, Canada V6T 1Z3
J BIOL CHEM 1992, 267 (18) 12559
Stereoselective hydrolysis catalyzed by related beta-1,4-glucanases and beta-1,4-xylanases
- Glezen MM, Chernovitz AC, Jonah CD/**Argonne Natl Lab, Div Chem, Argonne, IL 60439, USA
J PHYS CHEM 1992, 96 (12) 5180
Pulse radiolysis of dextran water solutions
- Graham H, Pettersson D/Finnfeeds Int Ltd, 41-51 Brighton Rd, Redhill RH1 6YS, Surrey, England
SWED J AGR RES 1992, 22 (1) 39
A note on the effect of a beta-glucanase and a multi-enzyme on production in broiler chicks fed a barley-based diet
- Hamano S, Nishiyama M, Komatsu H, Miyata H, Ikeda S, Sakuragawa N/Kissei Pharmaceut Co Ltd, Pharmacol Labs, Hotaka, Japan
THROMB RES 1992, 65 (6) 801
Study of anticoagulant mechanism of low molecular weight heparin
- Han YW, Watson MA/USDA ARS, South Reg Res Ctr, 1100 Robert E Lee Blvd, New Orleans, La 70179, USA
J IND MICROBIOL 1992, 9 (3-4) 257
Production of microbial levan from sucrose, sugarcane juice and beet molasses
- Hayashi T, Ioroi R, Ohara N, Kozaki M/Mejiro Gakuen Womens Coll, 4-31-1 Nakaochiai, Shinjuku ku, Tokyo 161, Japan
J JPN SOC FOOD SCI TECHNOL 1992, 39 (5) 391
Oligosaccharides production by dextransucrase of *Streptococcus bovis* (Japanese, English Abstract)
- Heinrichova K, Simon LM/Slovak Acad Sci, Inst Chem, Dubravska Cesta 9, CS-84238 Bratislava, Czechoslovakia
BIOLOGIA 1991, 46 (12) 1081
Preparation of oligo-(D-galactosiduronic) acids by the action of endo-D-galacturonanase
- Hermantin P, Witzel R, Vliegthart JFG, Kamerling JP, Nimtz M, Conradt HS/Behringwerke AG Res Labs, POB 1140, W-3550 Marburg, FRG
ANAL BIOCHEM 1992, 203 (2) 281
A strategy for the mapping of N-glycans by high-pH anion-exchange chromatography with pulsed amperometric detection
- Hirano S, Sakaguchi T, Kuramitsu K/Tottori Univ, Dept Agr Biochem & Biotechnol, Tottori 680, Japan
CARBOHYD POLYM 1992, 19 (2) 135
N-alanyl and some N-(N'-aryl)glycyl derivatives of chitosan
- Hwang J, Kokini JL/**Rutgers Univ, Dept Food Sci, POB 231, New Brunswick, NJ 08903, USA
CARBOHYD POLYM 1992, 19 (1) 41
Contribution of the side branches to rheological properties of pectins
- Ihl M, Astete G, Bifani V/Univ La Frontera, Fac Ingn, Dept Ingn Quim, Casilla 54-D, Temuco, Chile
REV ESPAN CIEN TECHNOL ALIMENT 1992, 32 (2) 185
Precipitation of pectins from apple pomace of the Araucania region by ethanol and aluminium chloride (Spanish, English Abstract)
- Iwata H, Takagi T, Amemiya H, Shimizu H, Yamashita K, Kobayashi K, Akutsu T/Natl Cardiovasc Ctr, Res Inst, 5-7-1 Fujishiro dai, Suita, Osaka 565, Japan
J BIOMED MATER RES 1992, 26 (7) 967
Agarose for a bioartificial pancreas
- Joshi HN, Stella VJ, Topp EM/**Univ Kansas, Dept Pharmaceut Chem, Lawrence, Ks 66045, USA
J CONTROL RELEASE 1992, 20 (2) 109
Drug release from membranes of hyaluronic acid and its esters
- Kardosova A/Slovak Acad Sci, Inst Chem, CS-84238 Bratislava, Czechoslovakia
CHEM PAP-CHEM ZVESTI 1992, 46 (2) 127
Polysaccharides from the leaves of *Plantago lanceolata* L var Libor - An alpha-D-glucan
- Kerezova M, Tsankov D, Malchev E/Higher Inst Food & Flavoring Ind, Plovdiv, Bulgaria
COLLOID J USSR-ENGL TR 1991, 53 (5) 713
Effect of magnetic field on viscosity of pectin solutions
- Keskar SS/Natl Chem Lab, Div Biochem Sci, Poona 411008, Maharashtra, India
BIOTECHNOL LETT 1992, 14 (6) 481
High activity xylanase from thermotolerant *Streptomyces*-T7 - Cultural conditions and enzyme properties
- Howala S, Ghosh AK, Sengupta S/**Indian Inst Exptl Med, Dept Appl Biochem, 4 Raja SC Mullick Rd, Calcutta 700032, W Bengal, India
APPL MICROBIOL BIOTECHNOL 1992, 37 (3) 287
Saccharification of xylan by an amyloglucosidase of *Termitomyces clypeatus* and synergism in the presence of xylanase
- Kim JH, Kim JY, Lee YM*, Kim KY/**Hanyang Univ, Coll Engr, Dept Ind Chem, Seoul 133791, S Korea
J APPL POLYM SCI 1992, 45 (10) 1711
Properties and swelling characteristics of cross-linked poly(vinyl alcohol) chitosan blend membrane
- Kimura K, Murota A, Yoshihiro Y/Meiji Univ, Fac Engr, Sch Sci & Technol, Dept Ind Chem, 1-1-1 Higashimata, Tama ku, Kawasaki, Kanagawa 214, Japan
CHEM LETT 1992, (2) 223
Determination of the mode of hydrolysis of chitooligosaccharides by chitosanase derived from *Aspergillus oryzae* by thin layer chromatography
- Kravtchenko TP, Voragen AGJ, Pilnik W/Sanofi Bio Industries, Ctr Rech Baupre, F-50500 Carentan, France
CARBOHYD POLYM 1992, 19 (2) 115
Studies on the intermolecular distribution of industrial pectins by means of preparative ion-exchange chromatography
- Kubackova M, Karacsony S, Bilisics L/Slovak Acad Sci, Inst Chem, 842 38 Bratislava, Czechoslovakia
CARBOHYD POLYM 1992, 19 (2) 125
Structure of galactoglucomannan from *Populus monilifera* H
- Kurita K, Inoue S, Yamamura K, Yoshino H, Ishii S, Nishimura SI/Seikei Univ, Fac Engr, Dept Ind Chem, Musashino, Tokyo 180, Japan
MACROMOLECULES 1992, 25 (14) 3791
Cationic and radical graft copolymerization of styrene onto iodochitin
- Kvam BJ, Atzori M, Toffanin R, Paoletti S, Biviano F/POLY-bios Res Ctr, LBT-Area Ric, Padriciano 99, I-34012 Trieste, Italy
CARBOHYD RES 1992, 230 (1) 1
¹H-NMR and ¹³C-NMR studies of solutions of hyaluronic acid esters and salts in methyl sulfoxide - Comparison of hydrogen-bond patterns and conformational behaviour
- Lattova E, Ebringerova A, Toman R, Kacurakova M/Slovak Acad Sci, Inst Chem, CS-84238 Bratislava, Czechoslovakia
CHEM PAP-CHEM ZVESTI 1992, 46 (1) 66
Controlled depolymerization of 4-O-methyl-D-glucurono-D-xylan isolated from wood of beech (*Fagus sylvatica* L)
- Lelievre J, Mirza IA, Tung MA/Acadia Univ, Dept Food Sci, Wolfville, NS, Canada B0P 1X0
J FOOD ENG 1992, 16 (12) 25
Failure testing of gellan gels
- Lequerica JL, Valdes T, Perez-Martinez G/CSIC, Inst Agroquim & Tecnol Alimentos, Jaime Roig 11, E-46010 Valencia, Spain
J CHEM TECHNOL BIOTECHNOL 1992, 54 (2) 151
Studies on the beta-glucosidase and endo-1, 4-glucanase activities from *Clostridium papyrosolvens*
- Liang CX, Hirabayashi K/Tokyo Univ Agr & Technol, Fac Technol, Dept Biopolymer Engr, Koganei, Tokyo 184, Japan
J APPL POLYM SCI 1992 45 (11) 1937
Improvements of the physical properties of fibroin membranes with sodium alginate
- Linne E, Garg N, Kaul R, Mattiasson B/**Univ Lund, Ctr Chem, Dept Biotechnol, S-22100 Lund, Sweden
BIOTECHNOL APPL BIOCHEM 1992, 16 (1) 48
Evaluation of alginate as a ligand carrier in affinity precipitation

- Liu K, Phillips RD, Hung YC//Univ Georgia, Georgia Agr Expt Stn, Dept Food Sci & Technol, Griffin, Ga 30223, USA
J AGR FOOD CHEM 1992, 40 (6) 949
Development of hard-to-cook defect in cowpeas - Role of pectin methyl-esterase
- Lokhande HT, Varadarajan PV, Iyer V//Univ Bombay, Dept Chem Technol, Bombay 400019, India
J APPL POLYM SCI 1992 45 (11) 2031
Water-superabsorbent polymers through gamma radiation-induced graft-copolymerization of acrylonitrile on guar gum
- Longo MA, Novella IS, Garcia LA, Diaz M*//Univ Oviedo, Dept Chem Engrn, C Julian Claveria, E-33006 Oviedo, Spain
ENZYME MICROB TECHNOL 1992, 14 (7) 586
Diffusion of proteases in calcium alginate beads
- Macouillard G, Janvier G, Boisseau MR//Hop Pellegrin, Dept Anesthesie Reanimat 1, F-33076 Bordeaux, France
ANN FR ANESTH REANIM 1992, 11 (3) 291
Benefits and risks of dextrans, alone or associated with other techniques (French, English Abstract)
- Macouillard G, Janvier G, Boisseau MR//Hop Pellegrin, Dept Anesthesie Reanimat 1, F-33076 Bordeaux, France
ANN FR ANESTH REANIM 1992, 11 (3) 298
Benefits and risks of heparinoids, alone or associated with other techniques (French, English Abstract)
- Mannion RO, Melia CD*, Launay B, Cuvelier G, Hill SE, Harding SE, Mitchell JR*//Univ Nottingham, Dept Pharmaceut Sci, Univ Park, Nottingham NG7 2RD, England
CARBOHYD POLYM 1992, 19 (2) 91
Xanthan/locust bean gum interactions at room temperature
- Mano T, Mitsuda S, Kumazawa E, Takeshita Y//Snow Brand Milk Prod Co Ltd, Life Sci Res Inst, 519 Shimo Ishibashi, Ishibashi, Tochigi 32905, Japan
J FERMENT BIOENG 1992, 73 (6) 486
New immobilization method of mammalian cells using alginate and polyacrylate
- Markovic O, Mislovicova D, Biely P, Heinrichova K//Slovak Acad Sci, Inst Chem, Dubravska Cesta 9, CS-84238 Bratislava, Czechoslovakia
J CHROMATOGR 1992, 603 (1-2) 243
Chromogenic substrate for endo-polygalacturonase detection in gels
- Marquardt FH, Carreno RR//Univ Santiago de Compostela, Dept Ingn Quim, Casilla 10233, Santiago, Spain
ARCH FISCHEREIWISS 1992, 41 (2) 159
The production of colourless chitin from Antarctic krill (*Euphausia superba*) shell waste
- Massiot P//INRA, Rech Cidricoles Biotransformat Fruits & Legumes Stn, BP 29, F-35650 Le Rheu, France
FOOD SCI TECHNOL-LEBENSMESS 1992, 25 (2) 120
Rapid purification procedure and characterisation of two 1,4-beta-D-glucanases from *Trichoderma reesei*
- Mitani T, Moriyama A, Ishii H//Tokyo Natl Coll Technol, Dept Ind Chem, 1220-2 Kunugida cho, Hachioji, Tokyo 193, Japan
BIOSCI BIOTECHNOL BIOCHEM 1992, 56 (6) 985
Heavy metal uptake by swollen chitosan beads
- Mollion J//Univ Tular, Phytobiol Lab, BP 141, Toliara, Malagasy Republic
HYDROBIOLOGIA 1992, 232 (1) 43
On the agar from *Gelidium madagascariense* (Rhodophyceae)
- Morel P, Moss a, Schlumpf R, Nakhleh R, Lloveras JK, Field MJ, Condie R, Matas AJ, Sutherland DER*//Univ Minnesota Hosp & clin, Box 280, 420 Delaware St SE, Minneapolis, Mn 55455, USA
TRANSPLANT PROC 1992, 24 (3) 791
72-hour preservation of the canine pancreas - Successful replacement of hydroxyethylstarch by dextran-40 in Uw solution
- Murad HA, Foda MS//Natl Res Ctr, Dept Food & Dairy Res, Cairo, Egypt
BIORESOURTECHNOL 1992, 41 (3) 247
Production of yeast polygalacturonase on dairy wastes
- Muzzarelli R//Univ Ancona, Fac Med, I-60100 Ancona, Italy
CARBOHYD POLYM 1992, 19 (1) 29
Depolymerization of methyl pyrrolidinone chitosan by lysozyme
- Myshkina LA, Petukhova TV, Levina OI, Korotaev GK//Biotechnologiya Sci Ind Assoc, Moscow, Russia
VYSOKOMOL SOEDIN SER B SSSR 1992, 34 (6) 17
Polyelectrolyte complexes of collagen with chitosan (Russian)
- Nakahara Y, Ogawa T//Inst Phys & Chem Res, Hirosawa 2-1, Wako, Saitama 351, Japan
J SYN ORG CHEM JPN 1992, 50 (5) 410
Synthetic glycans and glycoligopeptides of O-glycoproteins (Japanese, English Abstract)
- Nikolaev AV, Ivanova IA, Shibaev VN//ND Zelinskii Organ Chem Inst, Moscow, Russia
BIOORG KHIM 1992, 18 (5) 689
Fragments of biopolymers containing glycosyl phosphate residues. 11. Step-by-step synthesis of penta(alpha-D-mannopyranosyl)tetraphosphate, linear fragment of the phosphomannan of *Hansenula capsulata* Y-1842 (Russian, English Abstract)
- Nishino T, Nagumo T//Kitasato Univ, Sch Hyg Sci, Dept Biophys, 1-15-1 Kitasato, Sagami-hara, Kanagawa 228, Japan
CARBOHYD RES 1992, 229 (2) 355
Anticoagulant and antithrombin activities of oversulfated fucans
- Nisizawa M//Def Acad, Yokosuka, Japan
J POLYM SCI A-POLYM CHEM 1992, 30 (8) 1775
Studies on irradiation of agar-agar in the solid state - On the changes of thermal property of irradiated agar-agar hydrogel produced by carbohydrates
- Noda K, Takeuchi S, Yajima A, Akiya K, Kasamatsu T, Tomoda Y, Ozawa M, Sekiba K, Sugimori H, Hashimoto S et al//Kinki Univ, Sch Med, Dept Obstet & Gynecol, 377-2 Ohnohigashi, Sayama, Osaka 589, Japan
JPN J CLIN ONCOL 1992, 22 (1) 17
Clinical effect of sizofiran combined with irradiation incervical cancer patients - A randomized controlled study
- Offergeld R, Reinecker C, Gumz E, Schrum S, Treiber R, Neth RD*, Gohla SH*//Univ Hamburg, Krankenhaus Eppendorf, Med Klin 2, Klin Chem Abt, Martinstr 52, W-2000 Hamburg 20, FRG
LEUKEMIA 1992, 6 (SUPPL 3) S189
Mitogenic activity of high molecular polysaccharide fractions isolated from the Cupressaceae *Thuja occidentalis* L. Enhanced cytokine-production by thypolysaccharide, g-fraction (TPSg)
- Ogawa K, Yui T, Miya M//Univ Osaka Prefecture, Adv Sci & Technol Res Inst, 1-2 Gakuen cho, Sakai, Osaka 593, Japan
BIOSCI BIOTECHNOL BIOCHEM 1992, 56 (6) 858
Dependence on the preparation procedure of the polymorphism and crystallinity of chitosan membranes
- Ohashi E, Koriyama T//Nippon Suisan Kaisha Ltd, Cent Res Lab, 559-6 Kitano, Hachioji, Tokyo 192, Japan
ANAL CHIM ACTA 1992, 262 (1) 19
Simple and mild preparation of an enzyme-immobilized membrane for a biosensor using beta-type crystalline chitin
- Oka M, Ota N, Mino Y*, Iwashita T, Komura H//Osaka Univ Pharmaceut Sci, 2-10-65 Kawai, Matsubara, Osaka 580, Japan
CHEM PHARM BULL TOKYO 1992, 40 (5) 1203
Studies on the conformational aspects of inulin oligomers
- Ostgaard K//Univ Trondheim/NTH, Lab Biotechnol, N-7034 Trondheim, Norway
CARBOHYD POLYM 1992, 19 (1) 51
Enzymatic microassay for the determination and characterization of alginates
- Osuji GO, Cuero RG//Prairie View A&M Univ, Cooperat Agr Res Ctr, POB U, Prairie View, Tx 77446, USA
FOOD BIOTECHNOL 1992, 6 (2) 105
N-carboxymethylchitosan enhancement of the storage protein contents of maize seeds (*Zea mays* L)
- Pericin D, Jarak M, Antov M, Vujicic B, Kevresan S//Univ Novi Sad, Fac Technol, Avnoja 1, YU-21000 Novi Sad, Yugoslavia
LETT APPL MICROBIOL 1992, 14 (6) 275
Effect of inorganic phosphate on the secretion of pectinolytic enzymes by *Aspergillus niger*
- Phillies GDJ, Quinlan CA//Worcester Polytech Inst, Dept Phys, Worcester, Ma 01609, USA
MACROMOLECULES 1992, 25 (12) 3110
Glass temperature effects on probe diffusion in dextran solutions
- Pirich C, Schmid P, Pidlich J, Sinzinger H//Austrian Acad Sci, Kommiss Atheroskleroseforsch Nadlergasse 1, A-1090 Vienna, Austria
WIEN KLIN WOCHENSCHR 1992, 104 (11) 314
Cholesterol lowering by anticholest - A high-fiber guar-pectin drink (German, English Abstract)
- Pogson BJ, Seymour GB, Brady CJ, Jones M, Goodchild D//CSIRO, Div Hort, N Ryde, NSW 2113, Australia
N Z J CROP HORTICULT SCI 1992, 20 (2) 137
Immunolocalisation of pectinases in tomato fruit
- Ponder GR, Richards GN, Stevenson TT//Univ Montana, Wood Chem Lab, Missoula, Mt 59812, USA

- J ANAL APPL PYROL 1992, 22 (3) 217
Mechanisms of pyrolysis of polysaccharides. 6. Influence of linkage position and orientation in pyrolysis of polysaccharides - A study of several glucans
- Pospisil M, Hofer M, Pipalova I, Viklicka S, Netikova J, Sandula J/Czechoslovak Acad Sci, Inst Biophys, Kralovopolska 135, CS-61265 Brno, Czechoslovakia
EXP HEMATOL 1992, 20 (7) 891
Enhancement of hematopoietic recovery in gamma-irradiated mice by the joint use of diclofenac, an inhibitor of prostaglandin production, and glucan, a macrophage activator
- Rajewski LG, Stinnett AA, Stella VJ, Topp EM//Univ Kansas, Dept Pharmaceut Chem, Lawrence, Ks 66045, USA
INT J PHARM 1992, 82 (3) 205
Enzymic and non-enzymic hydrolysis of a polymeric prodrug - Hydrocortisone esters of hyaluronic acid
- Rapp P/Gesell Biotechnol Forsch GmbH, W-3300 Braunschweig, FRG
BIOCHIM BIOPHYS ACTA 1992, 1117 (1) 7
Formation, separation and characterization of 3 beta-1,3-glucanases from *Sclerotium glaucum*
- Rolin DB, Pfeffer PE*, Osman SF, Szwergold BS, Kappler F, Benesi AJ//USDA ARS, Eastern Reg Res Ctr, Plant & Soil Biophys Unit, 600 E Mermaid Ln, Philadelphia, Pa 19118, USA
BIOCHIM BIOPHYS ACTA 1992, 1116 (3) 215
Structural studies of a phosphocholine substituted beta-(1,3),(1,6) macrocyclic glucan from *Bradyrhizobium japonicum* USDA-110
- Ros JM, Saura D, Salmeron MC, Laencina J/CEBAS-CSIC, UEI Prod Agr & Alimentac, POB 4195, E-30080 Murcia, Spain
BIOTECHNOL LETT 1992, 14 (7) 565
Culture pH effect on the endopolygalacturonase production from *Rhizopus nigricans*
- Rosiak J, Ulanski P, Kucharska M, Dutkiewicz J, Judkiewicz L/Tech Univ Lodz, Inst Appl Radiat Chem, Wroblewskiego 15, PL-93590 Lodz, Poland
J RADIOANAL NUCL CHEM ART 1992, 159 (1) 87
Radiation sterilization of chitosan sealant for vascular prostheses
- Rozylo JK, Gwischomicz D, Malinowska I/Marie Curie Sklodowska Univ, Fac Chem, Pl M Curie Sklodowskiej 3, PL-20031 Lublin, Poland
CHEM ANAL 1991, 36 (2) 279
Thin-layer chromatography of metal ions on chitin and chitosan bed
- Saastamoinen M, Plaami S, Kumpulainen J//Agr Res Ctr, Inst Plant Breeding, SF-31600 Jokioinen, Finland
ACTA AGR SCAND SECT B-SOIL PL 1992, 42 (1) 6
Beta-glucan and phytic acid content of oats cultivated in Finland
- Saito K, Nishijima M, Ohno N, Nagi N, Yadomae T, Miyazaki T/Tokyo Metropolitan Res Lab Publ Hlth, Hyakunin cho, Shinjuku ku, Tokyo 169, Japan
CHEM PHARM BULL TOKYO 1992, 40 (5) 1227
Activation of complement and Limulus coagulation systems by an alkali-soluble glucan isolated from *Omphalia lapidescens* and its less-branched derivatives - (Studies on fungal polysaccharide. 39.)
- Sakamaki S, Kohgo Y, Nojiri S, Kanisawa Y, Ito Y, Takahashi M, Ueno Y, Hirayama Y, Niitsu Y//Sapporo Med Coll, Dept Internal Med, Sect 4, Minami 1-jo, Nishi 16-chome, Chuo ku, Sapporo, Hokkaido 060, Japan
JPN J CLIN ONCOL 1992, 22 (2) 79
Effect of krestin (PSK) on the induction of IL-2 activated killer cells
- Sakurai T, Hashimoto K, Suzuki I, Ohno N, Oikawa S, Masuda A, Yadomae T//Tokyo Coll Pharm, Immunopharmacol Microbial Prod Lab, Horinouchi 1432-1, Hachioji, Tokyo 19203, Japan
INT J IMMUNOPHARMACOL 1992, 14 (5) 821
Enhancement of murine alveolar macrophage functions by orally administered beta-glucan
- Sasaki S, Miyajima T, Maeda H/Kyushu Univ 33, Fac Sci, Dept Chem, Higashi ku, Fukuoka 812, Japan
MACROMOLECULES 1992, 25 (13) 3599
Low dimensionality of cross-linked carboxymethyl-dextran chains in swollen gels
- Shimada K, Fujikawa K, Yahara K, Nakamura T/Yamaguchi Womens Univ, Dept Food & Life Sci, 3-2-1 Sakurabatake, Yamaguchi 753, Japan
J AGR FOOD CHEM 1992, 40 (6) 945
Antioxidative properties of xanthan on the autoxidation of soybean oil in cyclodextrin emulsion
- Sirimanna KS, Todd GB, Madden GJ//65A Bells Hill, Barnet EN5 2ST, Herts, England
CLIN OTOLARYNGOL 1992, 17 (3) 237
A randomized study to compare calcium sodium alginate fibre with two commonly used materials for packing after nasal surgery
- Smit JAM, Van Dijk JAPP, Mennen MG, Daoud M//Leiden Univ, Gorlaeus Labs, POB 9502, 2300 RA Leiden, The Netherlands
MACROMOLECULES 1992, 25 (13) 3585
Polymer size exponents of branched dextrans
- Soeda O, Ohe H, Itoh S, Tsujino N, Tomita M//Kitakyushu City Yahata Hosp, Dept Surg, Kitakyushu, Japan
INT J IMMUNOTHER 1992, 8 (1) 43
Intra-tumour injection of lentinan and tissue-destructive drugs for severe malignant stenosis of the oesophagus
- Stortz CA, Cerezo AS//Univ Buenos Aires, Vac Ciencias Exactas & Nat, Dept Quim Organ, Ciudad Univ, RA-1428 Buenos Aires, Argentina
AN ASOC QUIM ARGENT 1991, 79 (5) 201
Studies on an insoluble residue obtained in the purification of the carrageenan from *Iridaea undulosa*
- Stutzenberger FJ, Bodine AB//Clemson Univ, Dept Microbiol, Clemson, SC 29634, USA
J APPL BACTERIOL 1992, 72 (6) 504
Xylanase production by *Thermomonospora curvata*
- Sun WQ, Payne GF, Moas MSGL, Chu JH, Wallace KK//Univ Maryland, Dept Chem & Biochem Engr, Catonsville, Md 21228, USA
BIOTECHNOL PROGR 1992, 8 (3) 179
Tyrosinase reaction chitosan adsorption for removing phenols from wastewater
- Suzuki S//Aichi Med Univ, Inst Molec Sci Med, Nagakute, Aichi 48011, Japan
J SYN ORG CHEM JPN 1992, 50 (5) 479
Bioactive domains in the fuzzy structure of proteoglycan sugar chains (Japanese, English Abstract)
- Tabata S, Dohi Y//Nara Med Univ, Dept Chem, Kashihara, Nara 634, Japan
CARBOHYD RES 1992, 230 (1) 179
An assay for oligo-(1-4)-(1-4)-glucantransferase activity in the glycogen debranching enzyme system by using HPLC with a pulsed amperometric detector
- Taillan E, Ambid C, Pech JC, Raynal J//Ecole Natl Super Agron, Biotechnol Vegetale Lab, 145 Ave Muret, F-31076 Toulouse, France
J FOOD SCI 1992, 57 (3) 682
Demethylation of pectin substances - Relationship to methylesterase activity during brine storage of cherries
- Tanaka M, Miyazaki H, Takeda Y, Takeo S, Yoshikai Y, Nomoto K//Sapporo Breweries Ltd, Pharmaceut Res Labs, 10 Okatohme, Yaizu 425, Japan
IMMUNOPHARMACOL IMMUNOTOXICOL 1992, 14 (3) 403
Augmentation of mitogen-induced interleukin-2 production by oral administration of polysaccharide-SPR-901
- Tenkanen M, Puls J, Poutanen K//Valt Teknillinen Tutkimuskeskus, Biotech Lab, Box 202, SF-02151 Espoo, Finland
ENZYME MICROB TECHNOL 1992, 14 (7) 566
Two major xylanases of *Trichoderma reesei*
- Termin A, Schmidt RR//Univ Constance, Fak Chem, Postfach 5560, W-7750 Constance, FRG
LIEBIGS ANN CHEM 1992, (5) 527
Glycosylimidates. 54. Synthesis of the GlcNAc(1-4)MurNAc(1-4)MurNAc tetrasaccharide of bacterial peptidoglycan
- Thanoo BC, Sunny MC, Jayakrishnan A//Sree Chitra Tirunal Inst Med Sci & Technol, Div Polymer Chem, Biomed Technol Wing, Trivandrum 695012, India
J PHARM PHARMACOL 1992, 44 (4) 283
Cross-linked chitosan microspheres - Preparation and evaluation as a matrix for the controlled release of pharmaceuticals
- Tieman DM, Harriman RW, Ramamohan G, Handa AK//Purdue Univ, Dept Hort, 1165 Hort Bldg, W Lafayette, In 47907, USA
PLANT CELL 1992, 4 (6) 667
An antisense pectin methylesterase gene alters pectin chemistry and soluble solids in tomato fruit
- Tolkushkina IV, Semenova EV, Egorov NS//MV Lomonosov State Univ, Dept Biol, Moscow 117234, Russia
MICROBIOLOGY-ENGL TR 1991, 60 (5) 582
Formation of exoglycans by saprotrophic mycobacteria in continuous and batch cultures
- Tucker GA, Seymour GB, Bundick Y, Robertson D, Hall L, Smith CJS, Grieron D, Bird CR, Schuch W//Univ Nottingham, Sch Agr, Loughborough LE12 5RD, England
N Z J CROP HORTICULT SCI 1992, 20 (2) 119
Use of antisense RNA technology to study pectin degradation in tomato fruit
- Ueno Y, Hirayama Y, Niitsu//Sapporo Med Coll, Dept Internal Med, Sect 4, Minami 1-jo, Nishi 16-chome, Chuo ku, Sapporo, Hokkaido, Japan
JPN J CLIN ONCOL 1992, 22 (2) 79
Effect of krestin (PSK) on the induction of IL-2 activated killer cells

- Vanky F, Wang P, Klei. E//Karolinska Inst, Dept Tumor Biol, S-10401 Stockholm 60, Sweden
 CANCER IMMUNOL IMMUNOTHER 1992, 35 (3) 193
 The polysaccharide-K (PSK) potentiates in vitro activation of the cytotoxic function in human blood lymphocytes by autologous tumour cells
- Veljkovic VB, Lazic ML, Rutic DJ, Jovanovic SM, Skala DU//Univ Nis, Fac Technol, Durmitorska 19, YU-16000 Leskovac, Yugoslavia
 ENZYME MICROB TECHNOL 1992, 14 (8) 665
 Effects of aeration on extracellular dextransucrase production by *Leuconostoc mesenteroides*
- Vietor RJ, Angelino SAGF, Voragen AGJ//Agr Univ Wageningen, Dept Food Sci, POB 8129, 6700 EV Wageningen, The Netherlands
 J CEREAL SCI 1992, 15 (3) 213
 Structural features of arabinoxylans from barley and malt cell wall material
- Waksman G, Turner G, Walmsley AR//Univ Sheffield, Dept Molec Biol & Biotechnol, Krebs Inst, POB 594, Firth Court, Western Bank, Sheffield S10 2UH, England
 BIOCHEM J 1992, 285 (2) 551
 Kinetic studies of the polygalacturonase enzyme from *Colletotrichum lindemuthianum* Italy
 Biomed Pharmacotherapy 1992, 46 (5-7) 211
- Wang XX, Huang MY*, Jiang YY//Chinese Acad Sci, Inst Chem, Beijing, Peoples R China
 MAKROMOL CHEM-MACROMOL SYMP 1992, 59 113
 Hydrogenation catalytic behaviors of palladium complexes of chitin and chitosan
- Williams AS, Taylor G//Univ Wales Coll Cardiff, Welsh Sch Pharm, POB 13, Cardiff CF1 3XF, Wales
 INT J PHARM 1992, 83 (1-3) 233
 Synthesis, characterization and release of cromoglycate from dextran conjugates
- Yamasaki N, Yamamoto K, Nishioka M, Yanagisawa K, Ioku K//Kochi Univ, Fac Sci, Hydrothermal Chem Res Lab, Akebono cho, Kochi 780, Japan
 NIPPON KAGAKU KAISHI 1992, (7) 793
 Rapid preparation of chitosan from cuticle by hydrothermal methods (Japanese, English Abstract)
- Yonese M, Baba K, Kishimoto H//Nagoya City Univ, Fac Pharmaceut Sci, Nagoya, Aichi 467, Japan
 POLYM J 1992, 24 (4) 395
 Viscoelastic properties of poly(vinyl alcohol)/alginate snake-cage hydrogels and interpenetrating hydrogels
- Yonese M, Baba K, Kishimoto H//Nagoya City Univ, Fac Pharmaceut Sci, Tanabe dori, Mizuho ku, Nagoya, Aichi 467, Japan
 NIPPON KAGAKU KAISHI 1992, (2) 198
 Gelling process of alginate gel spheres having various counterions and their equilibrium swellings (Japanese, English Abstract)
- Yoshihara K, Hosokawa J, Kubo T, Nishiyama M, Koba Y//Govt Ind Res Inst, Shikoku 2-3-3, Hananomiya cho, Takamatsu, Kagawa 761, Japan
 BIOSCI BIOTECHNOL BIOCHEM 1992, 56 (6) 972
 Purification and properties of a chitosanase from *Pseudomonas* sp H-14
- Yoshioka H, Aoba K, Kashimura Y//MAFF, Fruit Tree Res Stn, Morioka Branch, Shimokuriyagawa Morioka, Japan
 J AMER SOC HORT SCI 1992, 117 (4) 600
 Molecular weight and degree of methoxylation in cell wall polyuronide during softening in pear and apple fruit
- Yoshioka Y, Uehara N, Saito H//Natl Canc Ctr, Res Inst, Div Chemotherapy, Tsukiji 5 chome, Chuo ku, Tokyo 104, Japan
 CHEM PHARM BULL TOKYO 1992, 40 (5) 1221
 Conformation-dependent change in antitumor activity of linear and branched (1-3)-beta-D-glucans on the basis of conformational elucidation by ¹³C nuclear magnetic resonance spectroscopy
- Yuk SH, Cho SH, Lee HB//Korea Res Inst Chem Technol, Polymer Res Lab 3, POB 9, Taejon 305606, S Korea
 PHARMACEUT RES 1992, 9 (7)
 Electric current-sensitive drug delivery systems using sodium alginate/polyacrylic acid composites
- Zentz F, Muller G//URA 500 CNRS Polymeres Biopolymeres Membranes, Fac Sci Rouen, BP 118, 76130 Mt St Aignan, France
 CARBOHYD POLYM 1992, 19 (2) 75
 Post-fermentation processing conditions and solution properties of an extracellular fungal polysaccharide isolated from the culture filtrate of *Schizophyllum commune*
- Zhao QC, Kiyohara H, Nagai T, Yamada H//Kitasato Inst, Oriental Med Res Ctr, Minato ku, Tokyo 108, Japan
- CARBOHYD RES 1992, 230 (2) 361
 Structure of the complement-activating proteoglycan from the pilose antler of *Cervus nippon* Temminck
- Zimmermann U, Klock G, Federlin K, Hannig K, Kowalski M, Bretzel RG, Horcher A, Entenmann H, Sieber U, Zekorn T//Univ Wurzburg, Inst Biotechnol, Lehrstuhl Biotechnol, W-8700 Wurzburg, FRG
 ELECTROPHORESIS 1992, 13 (5) 269
 Production of mitogen-contamination free alginates with variable ratios of mannuronic acid to guluronic acid by free flow electrophoresis

7 POLYSACCHARIDES - OTHER

- Ariga H, Urashima T, Michihata E, Ito M, Morizono N, Kimura T, Takahashi S//Obihiro Univ Agr & Vet Med, Dept Bioresource Chem, Bioind Food Chem Lab, Inada cho, Obihiro, Hokkaido 080, Japan
 J FOOD SCI 1992, 57 (3) 625
 Extracellular polysaccharide from encapsulated *Streptococcus salivarius* subsp *thermophilus* OR-901 isolated from commercial yogurt
- Bach E, Schollmeyer E//Deutsch Text Forschungszentrum Nord W EV, Frankenring 2, W-4150 Krefeld 15, FRG
 ANAL BIOCHEM 1992, 203 (2) 335
 An ultraviolet-spectrophotometric method with 2-cyanoacetamide for the determination of the enzymatic degradation of reducing polysaccharides
- Beynon LM, Richards JC*, Perry MB, Kniskern PJ//Natl Res Council Canada, Inst Biol Sci, Ottawa, Ontario, Canada K1A 0R6
 CAN J CHEM 1992, 70 (1) 218
 Antigenic and structural relationships within group-19 *Streptococcus pneumoniae* - Chemical characterization of the specific capsular polysaccharides of type-19B and type-19C
- Chernyak AY, Antonov KV//ND Zelinskii Organ Chem Inst, Moscow, Russia
 BIOORG KHIM 1992, 18 (5) 716
 Synthesis of protected fragments of the capsular polysaccharide from *Streptococcus pneumoniae* type-8 (Russian, English Abstract)
- Danis J, Kardosova A, Slavikova E//Slovak Acad Sci, Inst Chem, CS-84238 Bratislava, Czechoslovakia
 CHEM PAP-CHEM ZVESTI 1992, 46 (2) 123
 Production of extracellular polysaccharides by *Candida mucifera*
- Dembitskii VM, Rozentsvet OA, Zhuikova VS//Acad Sci, Inst Ecol, Tolyatti, Russia
 KHIM PRIR SOEDIN SSSR 1991, (6) 850
 Lipids of *Potamogeton* sp (Russian)
- Dickinson E, Semenova MG//Univ Leeds, Procter Dept Food Sci, Leeds LS2 9JT, England
 J CHEM SOC FARADAY TRANS 1992, 88 (6) 849
 Emulsifying behaviour of protein in the presence of polysaccharide under conditions of thermodynamic incompatibility
- Dudkin MS, Sonina RA//MV Lomonosov Food Ind Technol Inst, Odessa, Ukraine
 KHIM PRIR SOEDIN SSSR 1991, (6) 848
 Polysaccharides of *Beta vulgaris* (Russian)
- Ebube NK, Udeala OK, Ghobashy AA//Univ Mississippi, Sch Pharm, Dept Pharmaceut, University, Ms 38677, USA
 J IND MICROBIOL 1992, 9 (3-4) 239
 Isolation and characterization of a novel polysaccharide from *Bacillus licheniformis* NCIB-11634
- Eskelinen A, Santalahti J//ARS Med, Dept Dermatol Res, Stora Robertsgatan 8A1, SF-00120 Helsinki, Finland
 J INT MED RES 1992, 20 (3) 227
 Natural cartilage polysaccharides for the treatment of sun-damaged skin in females - A double-blind comparison of Vivida and Imedeon
- Forni C, Haegi A, Delgallo M*, Caiola MG//ENEA Casaccia, Progetto Biotechnol, Via Anguillarese 301, S Maria Galeria, I-00060 Rome, Italy
 FEMS MICROBIOL LETT 1992, 93 (3) 269
 Production of polysaccharides by *Arthrobacter globiformis* associated with *Anabaena azollae* in *Azolla* leaf cavity
- Gibbs PA, Seviour RJ//La Trobe UCNV, Biotechnol Res Ctr, POB 199, Bendigo, Vic 3550, Australia
 BIOTECHNOL LETT 1992, 14 (6) 491
 Influence of bioreactor design on exopolysaccharide production by *Aureobasidium pullulans*
- Harris PJ, Sadek M, Brownlee RTC, Blakeney AB, Webster J, Stone BA//La Trobe Univ, Dept Biochem, Bundoora, Vic 3083, Australia
 CARBOHYD RES 1992, 227 (APR) 365
 The detection and quantification of apiose by capillary gas chromatography of

its alditol acetates

Hasegawa A, Ando T, Kameyama A, Kiso M//Gifu Univ, Dept Appl Bioorgan Chem, Gifu 50111, Japan

CARBOHYD RES 1992, 230 (1) C1

Synthetic studies on sialoglycoconjugates. 39. Stereocontrolled synthesis of sialyl Lewis-X ceramide consisting of a pentasaccharide recognized by the selectin family

Howard AJ//Gwynedd Hosp, Bangor LL57 2PW, Gwynedd, Wales

BRIT J HOSP MED 1992, 48 (1) 44

Haemophilus influenzae type-b vaccines

Inoue T, Murakawa S, Endo A**//Tokyo Noko Univ, Dept Appl Biol Sci, Fuchu, Tokyo 183, Japan

J FERMENT BIOENG 1992, 73 (6) 440

Production and partial properties of an extracellular polysaccharide from *Streptomyces* sp A-1845

Junkins AD, Doyle MP**//Univ Georgia, Food Safety & Qual Enhancement Lab, Griffin, Ga 30223, USA

CURR MICROBIOL 1992, 25 (1) 9

Demonstration of exopolysaccharide production by enterohemorrhagic *Escherichia coli*

Kandil AA, Chan N, Chong P, Klein M//Connaught Ctr Biotechnol Res, 1755 Steeles Ave W, N York, Ontario, Canada M2R 3T4

SYNLETT 1992, (7) 555

Synthesis of fragments of the capsular polysaccharide of *Haemophilus influenzae* type-b on soluble polymeric support

Kashem MA, Jiang C, Venot AP*, Alton GR//Alberta Res Council, POB 8330, Stn F, Edmonton, Alberta, Canada T6H 5X2

CARBOHYD RES 1992, 230 (2) C7

Combined chemical-enzymic synthesis of an internally monofucosylated hexasaccharide corresponding to the CD-65/VIM-2 epitope - Use of a terminal alpha-2-6-linked N-acetylneuraminic acid as a temporary blocking group

Kawai H, Isobe Y, Horibe M, Tokuda J, Tokuno I, Endo K, Kawai F//Nara Womens Univ, Dept Food Sci & Nutr, Nara 630, Japan

BIOSCI BIOTECHNOL BIOCHEM 1992, 56 (6) 853

Production of a novel extracellular polysaccharide by a *Bacillus* strain isolated from soil

Kiho T, Watanabe T, Nagai K, Ukai S**//Gifu Pharmaceut Univ, 6-1 Mitahora Higashi 5 chome, Gifu 502, Japan

YAKUGAKU ZASSHI-J PHARM SOC J 1992, 112 (6) 393

Hypoglycemic activity of polysaccharide fraction from rhizome of *Rehmannia glutinosa* Libosch *F. hueichingensis* Hsiao and the effect on carbohydrate metabolism in normal mouse liver

Klockeman DM, Pressey R, Jen JJ**//Univ Georgia, Dept Food Sci & Technol, Food Sci Bldg, Athens, Ga 30602, USA

J FOOD BIOCHEM 1991, 15 (5) 317

Characterization of cell wall polysaccharides of jicama (*Pachyrhizus erosus*) and Chinese water chestnut (*Eleocharis dulcis*)

Kochetkov NK, Vinogradov EV, Knirel YA, Shashkov AS, Lipkind GM//ND Zelinskii Organ Chem Inst, Moscow, Russia

BIOORG KHIM 1992, 18 (1) 116

A programme SCAN for the ¹³C NMR-based structural analysis of linear polysaccharides with using the personal computer (Russian, English Abstract)

Konicek J, Konickovarovachova M//Czechoslovak Acad Sci, Inst Microbiol, CS-14220 Prague 4, Czechoslovakia

FOLIA MICROBIOL PRAGUE 1992, 37 (2) 102

Use of whey for production of exocellular polysaccharide by a mutant strain of *Xanthomonas campestris*

Lupescu N, Solo-Kwan J, Christaen D, Morvan H, Arad (Malis) S//Ben Gurion Univ Negev, Inst Appl Res, POB 1025, Beer-Sheva 84110, Israel

CARBOHYD POLYM 1992, 19 (2) 131

Structural determination by means of gas chromatography-mass spectrometry of 3-O-(alpha-D-glucopyranosyluronic acid)-galactopyranose, an aldoburonic acid derived from *Porphyridium* sp polysaccharide

Matsuhiro B, Rivas P, Lamba D//Univ Santiago Chile, Fac Ciencia, Dept Quim, Casilla 307, Santiago 2, Chile

BOL SOC CHIL QUIM 1992, 37 (2) 89

Polysaccharides from nuclear phases of *Gracilaria chilensis* (Spanish, English Abstract)

Matsumura S//Keio Univ, Fac Sci & Technol, Dept Appl Chem, 3-14-1 Hi-yoshi, Kohoku ku, Yokohama, Kanagawa 223, Japan

J SYN ORG CHEM JPN 1992, 50 (4) 292

Design and builder performance in detergents of biodegradable high molecular weight polycarboxylate derived from polysaccharide

Mitra A, Chakraborty AK//Tripura Univ, Dept Chem, Phys & Biol Chem Res

Sect, Agartala 799004, Tripura, India

INDIAN J BIOCHEM BIOPHYS 1992, 29 (3) 291

Absorption and fluorescence studies on interaction between cationic dyes and *Klebsiella* K7 capsular polysaccharide

Nikolaev AV, Ivanova IA, Shibaev VN//ND Zelinskii Organ Chem, Inst, Moscow, Russia

BIOORG KHIM 1992, 18 (1) 126

Fragments of biopolymers containing glycosyl phosphate residues. 9. Synthesis of tetra(2-acetamido-2-deoxy-D-glucopyranosyl)triphosphate, a tetramer fragment of the capsular antigen of *Escherichia coli* K51 (Russian, English Abstract)

Okutani K//Kagawa Univ, Fac Agr, Miki, Kagawa 76107, Japan

NIPPON SUISAN GAKKAISHI 1992, 58 (5) 927

Antiviral activities of sulfated derivatives of a fucosamine-containing polysaccharide of marine bacterial origin

Saito H//Himeji Inst Technol, Harima Sci Garden City, Kamigori, Hyogo 67812, Japan

J SYN ORG CHEM JPN 1992, 50 (5) 488

Conformational characterization of polysaccharides as studied by high-resolution solid-state NMR spectroscopy (Japanese, English Abstract)

Shashkov AS, Sviridov AF, Botvinko IV, Semionov AM//ND Zelinskii Organ Chem Inst, Moscow, Russia

BIOORG KHIM 1992, 18 (1) 112

The structure of the exopolysaccharide of *Prosthecomicrobium pneumaticum* (Russian, English Abstract)

Sturgeon RJ//Heriot Watt Univ, Dept Biol Sci, Edinburgh EH14 4AS, Midlothian, Scotland

CARBOHYD RES 1992, 227 (APR) 375

A re-investigation of the borohydride reduction of carbohydrates

Ulyanova LP, Ananyeva EP, Kashkina MA, Elinov NP, Budagov RS//St Petersburg Pharmaceut Chem Inst, St Petersburg, Russia

MIKOL FITOPATOL 1992, 26 (1) 42

Yeast polysaccharides in the prophylactic and treatment of combined radiation-thermal injuries (Russian)

Van Steijn AMP, Kamerling JP*, Vliegthart JFG**//Univ Utrecht, Dept Bioorgan Chem, Bijvoet Ctr, POB 80075, 3508 TB Utrecht, The Netherlands

J CARBOHYD CHEM 1992, 11 (6) 665

Synthesis of 4 spacer-containing trisaccharides with the 4-O-(beta-L-rhamnopyranosyl)-deuterium-glucopyranose unit in common, representing fragments of capsular polysaccharides from *Streptococcus pneumoniae* type-2, type-7F, type-22F, and type-23F

Vogt DC, Jackson GE, Stephen AM**//Univ Cape Town, Dept Chem, Rondebosch 7700, South Africa

CARBOHYD RES 1992, 227 (APR) 371

Conformation of 3-O-beta-D-galactopyranosyl-L-arabinose and a comparison with its alpha-linked isomer

Yalpani M//NutraSweet Co, 601 E Kensington Rd, Mt Prospect, IL 60056, USA

CARBOHYD POLYM 1992, 19 (1) 35

Syntheses of some sulfur- and phosphorus-containing carbohydrate polymer derivatives

8 LIPOPOLYSACCHARIDES

Bock K, Thomsen JU, Kosma P, Christian R, Holst O, Brade H//Dept Chem, Carlsberg Lab, GL Carlsberg Vej 10, DK-2500 Valby, Denmark

CARBOHYD RES 1992, 229 (2) 213

A nuclear magnetic resonance spectroscopic investigation of Kdo-containing oligosaccharides related to the genus-specific epitope of chlamydia lipopolysaccharides

Chart H, Rowe B//Cent Publ Hlth Lab, Div Enter Pathogens, 61 Colindale Ave, London NW9 5HT, England

LETT APPL MICROBIOL 1992, 14 (6) 263

A simple procedure for the preparation of lipopolysaccharide for the production of antisera

Chernyak AY, Levinsky AB, Tendetnik YY, Kochetkov NK, Pokrovsky VI//ND Zelinskii Organ Chem Inst, Moscow, Russia

BIOORG KHIM 1992, 18 (5) 680

Monospecific and polyspecific glycoconjugates prepared from synthetic salmonella O-antigenic determinants and serological characterization thereof (Russian, English Abstract)

Kastowsky M, Gutberlet T, Bradaczek H//Free Univ Berlin, Inst Kristallog, Gakustr 6, W-1000 Berlin 33, FRG

J BACTERIOL 1992, 174 (14) 4798

Molecular modelling of the 3-dimensional structure and conformational flexi-

bility of bacterial lipopolysaccharide

Kawashima K, Endo H, Nishizawa T, Inagawa H, Okutomi T, Morikawa A, Soma GI*, Mizuno D//Teikyo Univ, Biotechnol Res Ctr, Nogawa, Miyamae ku, Kawasaki 216, Japan

CHEM PHARM BULL TOKYO 1992, 40 (5) 1271

Homeostasis as regulated by activated macrophage. 8. LPSw (a lipopolysaccharide from wheat flour) can regulate bone resorption of chick embryo

Okutomi T, Nishizawa T, Inagawa H, Takano T, Norikawa A, Soma GI*, Mizuno D//Teikyo Univ, Biotechnol Res Ctr, Nogawa, Miyamae ku, Kawasaki 216, Japan

CHEM PHARM BULL TOKYO 1992, 40 (5) 1268

Homeostasis as regulated by activated macrophage. 7. Suppression of serum cholesterol level by LPSw (a lipopolysaccharide from wheat flour) in WHHL (Watanabe heritable hyperlipidemic) rabbit

Suzuki J, Nishizawa T, Inagawa H, Okutomi T, Morikawa A, Soma GI*, Mizuno D//Teikyo Univ, Biotechnol Res Ctr, Nogawa, Miyamae ku, Kawasaki 216, Japan

CHEM PHARM BULL TOKYO 1992, 40 (5) 1274

Homeostasis as regulated by activated macrophage. 9. Enhancement effect of LPSw (a lipopolysaccharide from wheat flour) on hen egg-laying and breaking strength of eggshell

Suzuki Y, Kobayashi A, Nishizawa T, Inagawa H, Morikawa A, Soma GI*, Mizuno D//Teikyo Univ, Biotechnol Res Ctr, Nogawa, Miyamae ku, Kawasaki 216, Japan

CHEM PHARM BULL TOKYO 1992, 40 (5) 1266

Homeostasis as regulated by activated macrophage. 6. Protective effect of Lpsw (a lipopolysaccharide from wheat flour) against acute infection by *Toxoplasma gondii* in mice

Toman R//Slovak Acad Sci, Inst Virol, Dubravska Cesta 9, CS-84246 Bratislava, Czechoslovakia

ACTA VIROL 1992, 36 (2) 224

Basic structural features of a lipopolysaccharide from the *Coxiella burnetii* strain 9 mile in the virulent phase-I

Whitfield C, Perry MB, MacLean LL, Yu SH//Univ Guelph, Dept Microbiol, Canadian Bacterial Dis Network, Guelph, Ontario, Canada N1G 2W1

J BACTERIOL 1992, 174 (15) 4913

Structural analysis of the O-antigen side chain polysaccharides in the lipopolysaccharides of *Klebsiella* serotypes O2(2a), O2(2a,2b), and O2(2a,2c)

9 STARCH

Akuzawa S, Sawayama S, Kawabata A//Tokyo Univ Agr & Technol, Fac Agr, Dept Nutr, 1-1-1 Sakuragaoka, Setagaya ku, Tokyo 156, Japan

BIOSCI BIOTECHNOL BIOCHEM 1992, 56 (6) 932

Spinnability of starch pastes

Altamirano RC, Drdak M, Simon P, Smelik A, Simko P//Slovak Tech Univ, Dept Chem & Technol Foods, Radlinskeho 9, CS-81237 Bratislava, Czechoslovakia

J SCI FOOD AGR 1992, 58 (4) 595

Stability of red beet pigment concentrate in maize starch

Aoyama Y, Otsuki J, Nagai Y, Kobayashi K, Toi H//Nagaoka Univ Technol, Dept Bioengn, Bioorgan Chem Sect, Nagaoka, Japan

TETRAHEDRON LETT 1992, 33 (26) 3775

Host-guest complexation of oligosaccharides - Interaction of maltodextrins with hydrophobic fluorescence probes in water

Asaoka M, Blanshard JMV, Rickard JE*//Nat Resources Inst, Cent Ave, Chatham ME4 4TB, Kent, England

J SCI FOOD AGR 1992, 59 (1) 53

Effects of cultivar and growth season on the gelatinisation properties of cassava (*Manihot esculenta*) starch

Biliaderis CG//Univ Manitoba, Dept Food Sci, Winnipeg, Manitoba, Canada R3T 2N2

FOOD TECHNOL 1992, 46 (6) 98

Structures and phase transitions of starch in food systems

Bjorck IME, Siljestrom MA//Univ Lund, Ctr Chem, Dept Appl Nutr & Food Chem, Box 124, S-22100 Lund, Sweden

J SCI FOOD AGR 1992, 58 (4) 541

In vivo and *in vitro* digestibility of starch in autoclaved pea and potato products

Borejszo Z, Khan K*//Fac Food Technol, Inst Human Nutr, Olsztyn, Poland

J FOOD SCI 1992, 57 (3) 771

Reduction of flatulence-causing sugars by high temperature extrusion of pinto bean high starch fractions

Cameron RE, Donald AM//Univ Cambridge, Cavendish Lab, Madingley Rd, Cambridge CB3 0HE, England

POLYMER 1992, 33 (1) 2628

A small-angle X-ray scattering study of the annealing and gelatinization of starch

Carr ME, Cunningham RL//USDA ARS, Midwest Natl Ctr Agr Utilizat Res, 1815 N Univ St, Peoria, IL 61604, USA

STARCH 1992, 44 (5) 183

Rigid polyurethane foam prepared from extruded starch-derived glycol glucosides as chemical intermediates

Carr ME//USDA ARS, Natl Ctr Agr Utilizat Res, Food Phys Chem Res, 1815 N Univ St, Peoria, IL 61604, USA

STARCH 1992, 44 (6) 219

Preparation and application of starch graft poly(vinyl) copolymers as paper coating adhesives

Chavan SM, Jadhav SJ//Vasantdada Sugar Inst, Dept Sugar Chem, Manjari BK, Tal Haveli, Maharashtra 412307, India

INT SUGAR J 1992, 94 (1122) 137

Quantitative analysis of starch in cane molasses, syrup and massecuite

Condepetit B, Escher F//Swiss Fed Isnt Technol, Dept Food Sci, CH-8092 Zurich, Switzerland

FOOD HYDROCOLLOID 1992, 6 (2) 223

Gelation of low concentration starch systems induced by starch emulsifier complexation

Delrue B, Fontaine T, Routier F, Decq A, Wieruszkeski JM Van den Koornhuyse N, Maddelein ML, Fournet B, Ball S*//Univ Lille 1, Chim Biol Lab, CNRS, Unite Mixte Rech III, F-59655 Villeneuve Dascq, France

J BACTERIOL 1992, 174 (11) 3612

Waxy *Chlamydomonas reinhardtii* - Monocellular algal mutants defective in amylose biosynthesis and granule-bound starch synthase activity accumulate a structurally modified amylopectin

Delwiche SR, Norris KH, Pitt RE//USDA ARS, Beltsville Agr Res Ctr, Bldg 303, 10300 Baltimore Ave, Beltsville, Md 20705, USA

APPL SPECTROSC 1992, 46 (5) 782

Temperature sensitivity of near-infrared scattering transmittance spectra of water-adsorbed starch and cellulose

Fanta GF, Swanson CL, Shogren RL//USDA ARS, Natl Ctr Agr Utilizat Res, Peoria, IL 61604, USA

J APPL POLYM SCI 1992, 44 (11) 2037

Starch poly (ethylene-co-acrylic acid) composite films - Effect of processing conditions on morphology and properties

Ferdinand JM, Clark SA, Smith AC//Colmans Norwich, Norwich NR1 2DD, England

J FOOD ENG 1992, 16 (4) 283

Structure formation in extrusion-cooked starch sucrose mixtures by carbon dioxide injection

Forrest B//Goodman Fielder Wattie Ltd, Dept Res & Dev, 170 Epping Rd, Locked Bag 61, Lane Cove, NSW 2066, Australia

STARCH 1992, 44 (5) 179

Identification and quantitation of hydroxypropylation of starch by FTIR

Fujii T, Kuyama S//Kobe Womens Univ, 2-1 Aoyama, Suma ku, Kobe, Hyogo 654, Japan

J JPN SOC FOOD SCI TECHNOL 1992, 39 (6) 524

Studies on sponge cake with wheat starch. 3. The expansion of wheat starch sponge cake batter under reduced pressure as basic studies on baking

Fuwa H, Okuno K, Asashiba R, Kikuzaki H, Asaoka M, Inouchi N, Sugimoto Y//Fukuyama Univ, Dept Food Sci, Higashimura cho, Hiroshima 72902, Japan

STARCH 1992, 44 (6) 203

Characterization of high-amylose type endosperm starches of rice plants cultivated in Asia (German, English Abstract)

Godshall MA, Solms J//Sugar Proc Res Inst Inc, POB 19687, New Orleans, La 70179, USA

FOOD TECHNOL 1992, 46 (6) 140

Flavor and sweetener interactions with starch

Gurruchaga M, Goni I*, Vazquez B, Valero M, Guzman GM//Fac Quim San Sebastian, Dept Ciencia & Tecnol Polimeros, Apdo 1072, E-20080 San Sebastian, Spain

MACROMOLECULES 1992, 25 (12) 3009

Analysis of graft copolymers onto starch by ¹³C NMR spectroscopy

Gurruchaga M, Goni I, Valero M, Guzman GM//Fac Quim San Sebastian, Dept Ciencia & Tecnol Polimeros, Apdo 1072, E-20009 San Sebastian, Spain

POLYMER 1992, 33 (13) 2860

Graft copolymerization of hydroxylic methacrylates and ethyl acrylate onto amylopectin

Henrichfreise B, Pfeffer E//Univ Bonn, Inst Tierernahrung, Ende-nicher Allee 15, W-5300 Bonn 1, FRG

- J ANIM PHYSIOL ANIM NUTR 1992, 67 (3) 143
Wheat and wheat starch as potential sources of digestible energy for rainbow trout (*Oncorhynchus mykiss*)
- Honig DH, Carr ME/USDA ARS, Natl Ctr Agr Utilizat Res, 1815 N Univ Str, Peoria, IL 61604, USA
STARCH 1992, 44 (7) 268
Preparation and characterization of copolymers of modified starches and polyacrylonitrile
- Imam SH, Gould JM, Gordon SH, Kinney MP, Ramsey AM, Tosteson TR/USDA ARS, Natl Ctr Agr Utilizat Res, Biopolymer Res Unit, 1815 N Univ St, Peoria, IL 61604, USA
CURR MICROBIOL 1992, 25 (1) 1
Fate of starch-containing plastic films exposed in aquatic habitats
- Jones RJ, Srien F, Roessler J/Univ Minnesota, Dept Agron & Plant Genet, 411 Borlaug Hall, 1991 Buford Circle, St Paul, Mn 55108, USA
STARCH 1992, 44 (7) 243
Flow cytometric determination of light scattering and absorbance properties of starch granules
- Kudla E, Tomasik P/Hugo Kollataj Acad Agr, Dept Technol Agr Prod, Cwiklinska St 2, PL-35017 Rzeszow, Poland
STARCH 1992, 44 (7) 253
The modification of starch by high pressure. 2. Compression of starch with additives
- Kadykova EL, Gubina SM, Melnikov BN/Acad Sci, Inst Anhydrous Solut Chem, Ivanovo, Russia
IZV VYSSH UCH ZAV KHIM KHIM T 1991, 34 (11) 88
Mechanism of starch polysaccharide hydrolysis under the effect of nucleophilic particles (Russian)
- Katsuta K, Miura M, Nishimura A/Niigata Univ, Fac Educ, 8050 Ikarashi Nino cho, Niigata 95021, Japan
FOOD HYDROCOLLOID 1992, 6 (2) 187
Kinetic treatment for rheological properties and effects of saccharides on retrogradation of rice starch gels
- Kokini JL, Lai LS, Chedid LL/Rutgers State Univ, Dept Food Sci, POB 231, New Brunswick, NJ 08903, USA
FOOD TECHNOL 1992, 46 (6) 124
Effect of starch structure on starch rheological properties
- Kudta E, Tomasik P/Hugon Kollataj Acad Agr Kracow, Dept Technol Agr Prod, Div Rzeszow, Cwiklinska St 2, PL-35017 Rzeszow, Poland
STARCH 1992, 44 (5) 167
The modification of starch by high pressure. 1. Air-dried and oven-dried potato starch
- Kulkarni NV, Rajagopalan N, Kale RP, Khilar KC/**Indian Inst Technol, Dept Chem Engrn, Bombay 400076, India
J APPL POLYM SCI 1992, 45 (5) 915
Starch urea formaldehyde matrix encapsulation of solid agrochemicals. 2. Release mechanism and release modeling
- Kurczewski J, Sugier H/Tech Univ Lodz, Inst Gen Food Chem, PL-90024 Lodz, Poland
STARCH 1992, 44 (6) 223
Determination of maltose and starch by a flow-through enzyme enthalpymeter
- Lai LS, Kokini JL/**Rutgers State Univ, Cook Coll, Ctr Adv Food Technol, Dept Food Sci, New Brunswick, NJ 08903, USA
J FOOD ENG 1992, 16 (4) 309
Estimation of viscous heat effects in slit flows of 98-percent amylopectin (amioca), 70% amylose (hylon 7) corn starches and corn meal during extrusion
- Liu CZ, Knobler CM/Univ Calif, Dept Chem & Biochem, Los Angeles, Ca 90024, USA
PHYSICA A 1992, 181 (3-4) 243
Pattern formation at liquid interfaces. 2. The KI chloral hydrate starch system
- Loh J/Kraft Inc, Gen Foods, Tarrytown, NY 10591, USA
J FOOD ENG 1992, 16 (12) 75
The effect of shear rate and strain on the pasting behavior of food starches
- Mikhael MG, Kulicke WM/Univ Cairo, Fac Sci, Dept Chem, Cairo, Egypt
STARCH 1992, 44 (7) 264
Modification of starch-based hydrogels through grafting by a new chelating monomer
- Moresi M, Parente E, Petruccioli M, Federici F/Univ Basilicata, Ist Microbiol & Tecnol Agrarie & Forestali, Via N Sauro 85, I-85100 Potenza, Italy
J CHEM TECHNOL BIOTECHNOL 1992, 54 (3) 283
Fumaric acid production from hydrolysates of starch-based substrates
- Nakatsuka S, Andrady AL/**Res Triangle Inst, POB 12194, Res Triangle Pk, NC 27709, USA
J APPL POLYM SCI 1992 45 (11) 1881
Thermogravimetric determination of starch content in starch polyethylene blend films
- Okaya T, Kohno H, Terada K, Sato T, Maruyama H, Yamauchi J/Kuraray Co Ltd, Ctr Tech, 1621 Sakazu, Kurashiki 710, Japan
J APPL POLYM SCI 1992, 45 (7) 1127
Specific interaction of starch and polyvinyl alcohols having long alkyl groups
- Rajagopalan N, Shukla PG, Bhaskar C, Banker VS, Dharia JR, Khilar KC/**Indian Inst Technol, Dept Chem Engrn, Bombay 400076, India
J APPL POLYM SCI 1992, 45 (5) 909
Starch urea formaldehyde matrix encapsulation of solid agrochemicals. 1. Matrix synthesis and characterizations
- Raphaelides SN/Technol Educ Inst Thessaloniki, Sch Food Technol & Nutr, POB 14561, GR-54101 Salonika, Greece
FOOD SCI TECHNOL-LEBENSMESS 1992, 25 (2) 95
Flow behaviour of starch fatty acid systems in solution
- Salomonsson BA, Theander O/Swedish Univ Agr Sci, Fac Food Sci, Box 7051, S-75007 Uppsala, Sweden
STARCH 1992, 44 (7) 260
Coupling of 1-aminododecan to starch by bromine oxidation and reductive amination
- Schierbaum F/Address not available
STARCH 1992, 44 (6) 234
Research on complex pea-processing in Russia (German, English Abstract)
- Schoondorp MA, Schouten AJ*, Hulshof JBE, Feringa BL/**Univ Groningen, Dept Polymer Chem, Nijenborgh 4, 9747 AG Groningen, The Netherlands
LANGMUIR 1992, 8 (7) 1825
Langmuir-Blodgett films of amylose acetate/dye mixtures. 2. Langmuir-Blodgett multilayers of mixtures of amylose acetate and a chiral para-nitroazobis[benzene] dye
- Schoondorp MA, Schouten AJ*, Hulshof JBE, Feringa BL, Oostergetel GT/**Univ Groningen, Dept Polymer Chem, Nijenborgh 4, 9747 AG Groningen, The Netherlands
LANGMUIR 1992, 8 (7) 1817
Langmuir-Blodgett films of amylose acetate/dye mixtures. 1. Monolayer behavior of mixtures of amylose acetate and a chiral para-nitroazobis[benzene] dye
- Schoondorp MA, Schouten AJ, Hulshof JBE, Feringa BL/Univ Groningen, Dept Polymer Chem, Nijenborgh 16, 9747 AG Groningen, The Netherlands
THIN SOLID FILMS 1992, 210 (1-2) 166
Langmuir-Blodgett films of non-linear optical dyes with chiral centers in matrices of amylose esters
- Schroeter J, Hobelsberger M/Buck Werke GmbH Co, Geschäftsbereich Technol, Postfach 2405, W-8230 Bad Reichenhall, FRG
STARCH 1992, 44 (7) 247
On the mechanical properties of native starch granules
- Seidemann J/Neuendorfer Str 26-52, O-1597 Potsdam, FRG
DEUT LEBENSMESS-RUNDSCH 1992, 88 (5) 152
Microscopic examination of kentjur starch (German, English Abstract)
- Shogren RL/USDA, Agr Res Serv, Natl Ctr Agr Utilization Res, Plant Polymer Res Unit, 1815 N Univ St, Peoria, IL 61604, USA
CARBOHYD POLYM 1992, 19 (2) 83
Effect of moisture content on the melting and subsequent physical aging of cornstarch
- Shukla PG, Sivaram S*, Mohanty B/**Natl Chem Lab, Div Polymer Chem, Poona 411008, Maharashtra, India
MACROMOLECULES 1992, 25 (10) 2746
Structure and dynamics of starch cross-linked with urea formaldehyde polymers by ¹³C CP/MAS NMR spectroscopy
- Sommerfeld H, Blume R/Univ Bielefeld, Dept Chem Educ, W-4800 Bielefeld 1, FRG
J CHEM EDUC 1992, 69 (5) A151
Biodegradable films - Based on partially hydrolyzed corn starch or potato starch
- Sommermeyer K, Cech F, Hildebrand U, Pfitzer E, Baumbach C/Fresenius AG, Postfach 1809, W-6370 Oberursel, FRG
STARCH 1992, 44 (6) 215
Chromatographic studies on the polydispersity of hydroxyethyl starch (German, English Abstract)
- Sommermeyer K, Hildebrand U, Cech F, Pfitzer E, Henning K, Weidler B/Fresenius AG, Postfach 1809, W-6370 Oberursel, FRG
STARCH 1992, 44 (5) 173
Fine structure and hyperfine structure of clinically applied hydroxyethyl starch (German, English Abstract)

Stute R/CPC Europe Consumer Foods Ltd, Euro Res & Dev Ctr, Maizena Gesell mbH, Knorrstr 1, POB 2650, W-7100 Heilbronn, FRG
STARCH 1992, 44 (6) 205
Hydrothermal modification of starches - The difference between annealing and heat moisture-treatment

Susheelamma NS, Reddy GC, Rukmani CS, Tharanathan RN/Cent Food Technol Res Inst, Dept Food Chem, Mysore 570013, Karnataka, India
STARCH 1992, 44 (5) 163

Studies on sweet potatoes. 1. Changes in the carbohydrates during processing
Vazquez B, Goni I, Gurruchaga M, Valero M, Guzman GM/Univ Pais Vasco, Fac Quim, Dept Ciencia & Tecnol Polimeros, San Sebastian, Spain
J POLYM SCI A-POLYM CHEM 1992, 30 (8) 1541
Synthesis and characterization of graft copolymers of methacrylonitrile/methacrylate mixtures onto amyloamylase by the ceric ion method

Vetter D, Thorn W/Inst Biochem & Lebensmittelchem, Martin Luther King Platz 6, W-2000 Hamburg 13, FRG
STARCH 1992, 44 (7) 271

¹³C-NMR spectroscopic detection of maltooligosaccharide complexes

Wariska RD, Gomez MH/Texas A&M Univ Syst, Fac Food Sci & Technol, College Stn, Tx 77843, USA
FOOD TECHNOL 1992, 46 (6) 110
Dispersion behavior of starch

Warburton SC, Donald AM, Smith AC/Univ Cambridge, Cavendish Lab, Madingley Rd, Cambridge CB3 0HE, England
J MATER SCI 1992, 27 (6) 1469

Structure and mechanical properties of brittle starch foams

Wulff G, Kubik S/Univ Dusseldorf, Inst Organ Chem & Macromolec Chem, Univ Str 1, W-4000 Dusseldorf 1, FRG
MAKROMOL CHEM-MACRO CHEM PHYS 1992, 193 (5) 1071

Helical amylose complexes with organic complexands. 1. Microcalorimetric and circular dichroic investigations

Yackel WC, Cox C/AE Staley Mfg Co, 2200 E, Eldorado, IL 62525, USA
FOOD TECHNOL 1992, 46 (6) 146
Application of starch-based fat replacers

Zasyplin DV/Inst Food Subs, Acad Sci, Vavilova Str, 117813, Moscow, Russia
CARBOHYD POLYM 1992, 19 (2) 107

Swelling of the thermoplastically extruded potato starch-soybean protein mixtures - Relation to extrudate structure

10 STARCH-DEGRADING ENZYMES

Arakawa T, Hung L, Narhi LO/Amgen Inc, Amgen Ctr, Thousand Oaks, Ca 91320, USA

J PROTEIN CHEM 1992, 11 (2) 111

Stability of fungal alpha-amylase in sodium dodecylsulfate

Bajpai P, Gera RK, Bajpai PK/Thapar Corp, Ctr Res & Dev, Div Chem & Biochem Engr, POB 68, Patiala 147001, India
ENZYME MICROB TECHNOL 1992, 14 (8) 679

Optimization studies for the production of alpha-amylase using cheese whey medium

Chiquetto ML, Facciotti MCR*, Kilikian BV, Schmidell W/Univ Sao Paulo, Escola Politecn, Dept Engr Quim, Caixa Postal 61548, BR-05508 Sao Paulo, Brazil
BIOTECHNOL LETT 1992, 14 (6) 465

Influence of carbon and nitrogen sources on glucoamylase production by *Aspergillus* in batch process

Decordt S, Van Hoof K, Hu J, Maesmans G, Hendrickx M*, Tobback P/Catholic Univ Leuven, Fac Agr Sci, Food Technol Lab, B-3000 Louvain, Belgium
BIOTECHNOL BIOENG 1992, 40 (3) 396

Thermostability of soluble and immobilized alpha-amylase from *Bacillus licheniformis*

Horn CH, Dupreez JC*, Kilian SG/Univ Orange Free State, Dept Microbiol & Biochem, POB 339, Bloemfontein 9300, S Africa
APPL MICROBIOL BIOTECHNOL 1992, 37 (2) 147

Amylase production by a *Schwanniomyces occidentalis* mutant in chemostat culture

Kobayashi S, Shimada J, Kashiwa K, Shoda SI/Tohoku Univ, Fac Engr, Dept Molec Chem & Engr, Sendai, Miyagi 980, Japan
MACROMOLECULES 1992, 25 (12) 3237

Enzymatic polymerization of alpha-D-maltosyl fluoride utilizing alpha-amylase as the catalyst - A new approach for the synthesis of maltooligosaccharides

Kobayashi T, Kanai H, Hayashi T, Akiba T, Akaboshi R, Horikoshi K/Riken Inst Phys & Chem Res, Microbiol Lab, 2-1 Wako, Saitama 35101, Japan
J BACTERIOL 1992, 174 (11) 3439

Haloalkaliphilic maltotriose-forming alpha-amylase from the archaeobacterium *Natronococcus* sp strain-Ah-36

Laroute V, Willemot RM*/Inst Natl Sci Appl, Dept Genie Biochim & Alimentaire, CNRS, UA 544, Ave Ranguieu, F-31077 Toulouse, France
ENZYME MICROB TECHNOL 1992, 14 (7) 528

Effect of organic solvents on stability of 2 glycosidases and on glucoamylase-catalysed oligosaccharide synthesis

Lee CG, Kim CH, Rhee SK*/Korea Inst Sci & Technol, Genet Eng Res Inst, Metab Engr Lab, POB 17 Taedok Sci Town 305606, South Korea
BIOPROCESS ENG 1992, 7 (8) 335

A kinetic model and simulation of starch saccharification and simultaneous ethanol fermentation by amyloglucosidase and *Zymomonas mobilis*

Li HR, Geng XD/Northwest Univ, Modern Separat Sci Lab, Xian, Peoples R China
J LIQ CHROMATOGR 1992, 15 (4) 707

Preparation of high-performance affinity chromatography packings for specific adsorption to alpha-amylase and purification of crude alpha-amylase

Matsui I, Ishikawa K, Miyairi S, Fukui S, Honda K/Natl Chem Lab Ind, Tsukuba, Ibaraki 305, Japan
BIOCHEMISTRY-USA 1992, 31 (22) 5232

Alteration of bond-cleavage pattern in the hydrolysis catalyzed by *Saccharomycopsis* alpha-amylase altered by site-directed mutagenesis

McMullan PM, Noll J, Therrien MC/Agr Canada, Res Stn, Brandon, Manitoba, Canada R7A 5Y3
CAN J PLANT SCI 1992, 72 (2) 435

Effect of diclofop and HOE-6001 on amylolytic enzyme activities of malt

Miller E/Tech Univ Lodz, Inst Gen Food Chem, Stefanowskiego 4110, PL-90024 Lodz, Poland
J RADIOANAL NUCL CHEM ART 1992, 158 (2) 383

Study of glucoamylase immobilization in butadiene nitrile latex membrane

Nehete PN, Shankar V*/Natl Chem Lab, Div Biochem Sci, Poona 411008, Maharashtra, India
FOOD BIOTECHNOL 1992, 6 (2) 127

Immobilization of amyloglucosidase on polystyrene anion exchange resin. 3. Product analysis

Odibo FJC, Okafor N, Okafor BU/Anambra State Univ Technol, Dept Appl Microbiol & Brewing, PMB 5025, Awka, Nigeria
J GEN APPL MICROBIOL TOKYO 1992, 38 (1) 1

Purification and immobilization of *Scytalidium* sp alpha-amylase and its general properties

Odibo FJC, Okafor N, Tom MU, Oyeka CA/Anambra State Univ Technol, Dept Appl Microbiol & Brewing, PMB 5025, Awka, Nigeria
STARCH 1992, 44 (5) 192

Purification and characterization of a beta-amylase of *Hendersonula toruloides*

Pieters BR, Bardeletti G, Coulet PR/Univ Lyon 1, Ecole Super Chim Ind Lyon, Genie Enzymat Lab, CNRS, UMR 106 Bat 308, F-69622 Villeurbanne, France
APPL BIOCHEM BIOTECH 1992, 32 37

Glucoamylase immobilization on a magnetic microparticle for the continuous hydrolysis of maltodextrin in a fluidized bed reactor

Schafhauser DY, Storey KB*/Carleton Univ, Inst Biochem, Dept Biol, Ottawa, Ontario, Canada K1S 5B6
APPL BIOCHEM BIOTECH 1992, 32 89

Immobilization of amyloglucosidase onto granular chicken bone

Vukelic B, Ritonja, Renko M, Pokorny M, Vitale L*/Rudjer Boskovic Inst, Dept Organ Chem & Biochem, Bijenicka C54, Zagreb-41001, Croatia
APPL MICROBIOL BIOTECHNOL 1992, 37 (2) 202

Extracellular alpha-amylase from *Streptomyces rimosus*

Williamson G, Belshaw NJ, Noel TR, Ring SG, Williamson MP/AFRC, Inst Food Res, Norwich Lab, Norwich Res Pk, Norwich NR4 7UA, England
EUR J BIOCHEM 1992, 207 (2) 661

O-glycosylation and stability - Unfolding of glucoamylase induced by heat and guanidine hydrochloride

Yankov D, Gargova S, Beschov V, Lukova V/Bulgarian Acad Sci, Inst Chem Engr, BU-1040 Sofia, Bulgaria
DOKL BOLG AKAD NAUK 1991, 44 (10) 73

Kinetics of the hydrolysis of maltose by a glucoamylase-containing preparation from *Aspergillus niger* 16/132