



Bibliography on carbohydrate polymers

1 BOOKS, REVIEWS & SYMPOSIA

Trieber E//Address not available

HOLZFORSCHUNG 1992, 46 (1) 37

Berol Nobel Conference - Progress in Cellulose Man-Made Fibres - September 1991, Goteborg, Sweden - Conference Report (German, English Abstract)

Goldberg I, Williams R (Eds)

Biotechnology and Food Ingredients

Includes chapters on: Biogums used in food and made by fermentation; Natural and modified starches; Linear and cyclic dextrans

Van Nostrand Reinhold (New York), 1991, 577pp, \$99.95 Hardbound, ISBN: 0-442-00272-6

2 CELLULOSE

Abasaed AE, Mansour ME//King Saud Univ, Coll Engr, POB 800, Riyadh 11421, Saudi Arabia

BIORESOURCE TECHNOL 1992, 40 (3) 221

Thermal effects on acid hydrolysis of celluloses

Aboshosha MH//Natl Res Ctr, Div Text, Cairo, Egypt

ANGEW MAKROMOL CHEM 1992, 195 (FEB) 97

Synthesis and characterization of bifunctional cellulose-g-poly(glycidyl methacrylate) based cation exchangers containing both sulfonic and carboxylic acid groups

Andreopoulos AG, Petsalas HJ, Mladenov I, Terlemesian E//Natl Tech Univ, Athens, Dept Chem Engr, Special Chem Technol Lab, 42 Patiss St, GR-10682 Athens, Greece

J MATER SCI 1992, 27 (3) 734

Reinforcement of acrylic polymers with radiopaque cellulose fibres

Archer WL//Dow Chem Co USA, Specialty Chem TS&D, Larkin Lab, Midland, MI 48674, USA

DRUG DEVELOP IND PHARM 1992, 18 (5) 599

Hansen solubility parameters for selected cellulose ether derivatives and their use in the pharmaceutical industry

Beltrame PL, Paglia ED, Seves A, Pellizzoni E, Romano M//Univ Milan, Dipartimento Chim Fis & Elettrochim, I-20122 Milan, Italy

J APPL POLYM SCI 1992, 44 (12) 2095

Structural features of native cellulose gels and films from their susceptibility to enzymic attack

Brown NMD, Hewitt JA, Meenan BJ//Univ Ulster, Dept Appl Phys Sci, Surf Sci Lab, Cromore Rd, Coleraine BT52 1SA, Northern Ireland

SURF INTERFACE ANAL 1992, 18 (3) 199

X-ray photoelectron spectroscopy and infra-red studies of X-ray-induced beam damage of cellulose, ethyl cellulose and ethyl-hydroxyethyl cellulose

Chowhan ZT, Boylan JC//US Pharmacopeial Convent Inc, Comm Rev, Subcomm Excipients, 12601 Twinbrook Pkwy, Rockville, Md 20852, USA

PHARMACOPEIAL FORUM 1992, 18 (2) 3194

Revision of the microcrystalline cellulose monograph and the powdered cellulose monograph

Dave AM, Sahasrabudhe SS, Ankleshwaria BV, Mehta MH//GSFC, Res Ctr, Baroda 319750, India

J MEMBRANE SCI 1992, 66 (1) 79

Enhancement of membrane performance with employment of cellulose acetate blend

Fang Y, Sourirajan S, Matsuura T*//Natl Res Council Canada, Inst Environm Chem, Ottawa, Ontario, Canada K1A 0R6

J APPL POLYM SCI 1992, 44 (11) 1959

Reverse osmosis separation of binary organic mixtures using cellulose acetate butyrate and aromatic polyamide membranes

Flaque C, Montserrat S//Univ Politecn Cataluna, Escuela Tecnica Super Ingn Ind, Termodinam & Fis Quim Lab, Colon 11, E-08222 Terrassa, Spain

J APPL POLYM SCI 1992, 44 (11) 1931

Dielectric analysis of cellulose and its vinylic copolymer

Govorkov AT//Kemerovo State Univ, Kemerovo 650043, Russia

VYSOKOMOL SOEDIN SER A SSSR 1991, 33 (11) 2419

Radiation-chemical processes in cellulose nitrate in the presence of antiradiational additives

Gumerov FM, Akhmadeev IR, Novikov VB, Sopin VF, Marchenko GN//Kazan Chem Prod Res Inst, Kazan, Russia

VYSOKOMOL SOEDIN SER B SSSR 1991, 33 (10) 760

Study of plasticized cellulose nitrates by the spin probe method (Russian)

Ishihara K, Takayama R, Nakabayashi N, Fukumoto K, Aoki J//Tokyo Med & Dent Univ, Inst Med & Dent Engr, 2-3-10 Kanda Surugadai, Chiyoda ku, Tokyo 35004, Japan

BIOMATERIALS 1992, 13 (4) 235

Improvement of blood compatibility on cellulose dialysis membrane. 2. Blood compatibility of phospholipid polymer grafted cellulose membrane

Kelbert M, Bechard SR*//Merck Frosst Ctr Therapeut Res, POB

As a service to subscribers, each issue of the Journal contains a bibliography of newly published material in the field of carbohydrate polymers. The bibliography is divided into ten sections: 1 Books, Reviews & Symposia; 2 Cellulose; 3 Cellulose-degrading Enzymes; 4 Cyclodextrins; 5 Lignin; 6 Polysaccharides - Named; 7 Polysaccharides - Other; 8 Lipopolysaccharides; 9 Starch; 10 Starch-degrading Enzymes. Within each section, articles are listed in alphabetical order with respect to the subject. When there are no publications to appear under one of these headings, that section will be omitted.

1005, Pointe Claire, Quebec, Canada H9R 4P8

DRUG DEVELOP IND PHARM 1992, 18 (5) 519

Evaluation of a cellulose acetate (CA) latex as coating material for controlled release products

Klemanley K, Agosin E, Conner AH, Kirk TK*//US Forest Serv, Forest Prod Lab, Inst Microbial & Biochem Technol, 1 Gifford Pinchot Dr, Madison, WI 53705, USA

APPL ENVIRON MICROBIOL 1992, 58 (4) 1266

Changes in molecular size distribution of cellulose during attack by white rot and brown rot fungi

Li TQ, Henriksson U, Eriksson JC, Odberg L//Royal Inst Technol, Dept Phys Chem, S-10044 Stockholm 70, Sweden

LANGMUIR 1992, 8 (2) 680

Water-cellulose interaction in wood pulp fiber suspensions studied by ^{17}O and ^1H NMR relaxation - The effect of beating

Popova YD, Chalykh AY//Acad Sci, Inst Chem Phys, Moscow V-71, Russia

VYSOKOMOL SOEDIN SER A SSSR 1991, 33 (12) 2574

Mass transfer in the cellulose nitrate-ethyl acetate system (Russian, English Abstract)

Retuert J, Yadanipedram M//Univ Chile, Fac Ciencias Fis & Matemat, Dept Quim, Casilla 2777, Santiago, Chile

J MACROMOL SCI PURE APPL CHEM 1992, 29 (1) 31

Graft copolymerization of dimethyl itaconate onto microcrystalline cellulose

Sato T, Tsujii Y, Minoda M, Kita Y, Miyamoto T*//Kyoto Univ, Inst Chem Res, Uji, Kyoto 611, Japan

MAKROMOL CHEM-MACRO CHEM PHYS 1992, 193 (3) 647

Preparation and dielectric properties of cellulose derivatives with high-polarity substituents

Tanaka H, Odberg L*//Swedish Pulp & Paper Res Inst, Box 5604, S-11486 Stockholm, Sweden

J COLLOID INTERFACE SCI 1992, 149 (1) 40

Transfer of cationic polymers from cellulose fibers to polystyrene latex

Arwidsson H//Astra Lakemedal AB, Pharmaceut Res & Dev, S-15185 Sodertalje, Sweden

ACTA PHARM NORDICA 1992, 4 (1) 61

Studies on properties of ethyl cellulose films for extended release and their relation to formulation and process factors

Hussein AM, El-Saied H, Yasin MH//Zagzig Univ, Benha Fac Sci, Zagzig, Egypt

J CHEM TECHNOL BIOTECHNOL 1992, 53 (2) 147

Bioconversion of hemicelluloses of rice hull black liquor into single-cell protein

Paice MG, Gurnagul N, Page DH, Jurasek L//Pulp & Paper Res Inst Canada, 570 St Johns Blvd, Pointe Claire, Quebec, Canada H9R 3J9

ENZYME MICROB TECHNOL 1992, 14 (4) 272

Mechanism of hemicellulose-directed prebleaching of Kraft pulps

Drummond CJ, Albers S, Furlong DN//Australian Natl Univ, Res Sch Phys Sci, Dept Appl Math, GPO Box 4, Canberra, ACT 2601, Australia

COLLOID SURFACE 1992, 62 (1-2) 75

Polymer surfactant interactions - (Hydroxypropyl)cellulose with ionic and non-ionic surfactants

Rusig I, Dedier J*, Filliatre C, Godhino MH, Varichon L, Sixou

P//Inst Pin, Chim Polymeres Organ Lab, 351 Cours Liberat, F-33405 Talence, France

J POLYM SCI A-POLYM CHEM 1992, 30 (5) 895

Effect of degradation on thermotropic cholesteric optical properties of (2-hydroxypropyl) cellulose (HPC) esters

Yanagida N, Matsuo M*//Nara Womens Univ, Fac Home Econ, Dept Clothing Sci, Nara 630, Japan

POLYMER 1992, 33 (5) 996

Morphology and mechanical properties of hydroxypropyl cellulose cast films crosslinked in solution

Encina GG, Sanghvi SP, Nairn JG*//Univ Toronto, Fac Pharm, Toronto, Ontario, Canada M5S 2S2

DRUG DEVELOP IND PHARM 1992, 18 (5) 561

Phase diagram studies of microcapsule formation using hydroxypropyl methylcellulose phthalate

Bhatt AK, Bhalla TC, Agrawal HO, Sharma N//Himachal Pradesh Univ, Dept Biosci, Simla 171005, Himachal Pradesh, India

BIOTECHNOL TECHNIQUES 1992, 6 (2) 111

Effect of gamma-irradiation pretreatment on biodegradation of forest lignocelluloses by *Aspergillus niger*

Kerem Z, Friesem D, Hadar Y*//Hebrew Univ Jerusalem, Fac Agr, Otto Warburg Ctr Biotechnol Agr, IL-76100 Rehovot, Israel

APPL ENVIRON MICROBIOL 1992, 58 (4) 1121

Lignocellulose degradation during solid-state fermentation - *Pleurotus ostreatus* versus *Phanerochaete chrysosporium*

Masaphy S, Levanon D//Royal Perth Hosp, Dept Biochem, GPO Box X2213, Perth, WA 6001, Australia

APPL MICROBIOL BIOTECHNOL 1992, 36 (6) 828

The effect of lignocellulose on lignocellulolytic activity of *Pleurotus pulmonarius* in submerged culture

Lure BA, Valishina ZT, Svetlov BS//DI Mendeleev Chem Technol Inst, Moscow, Russia

VYSOKOMOL SOEDIN SER B SSSR 1991, 33 (12) 905

Heterophase alkali hydrolysis of nitrocellulose

3 CELLULOSE-DEGRADING ENZYMES

Enokibara S, Mori N, Kitamoto Y*//Tottori Univ, Fac Agr, Tottori 680, Japan

J FERMENT BIOENG 1992, 73 (3) 230

Purification and some properties of a carboxymethyl cellulase from *Favolus arcularius*

Abirha B, Gashe BA*//Univ Addis Ababa, Dept Biol, POB 1176, Addis Ababa, Ethiopia

WORLD J MICROBIOL BIOTECHNOL 1992, 8 (2) 164

Cellulase production and activity in a species of *Cladosporium*

Gilkes NR, Jervis E, Henrissat B, Tekant B, Miller RC, Warren RAJ, Kilburn DG//Univ British Columbia, Dept Microbiol, Vancouver, BC, Canada V6T 1Z3

J BIOL CHEM 1992, 267 (10) 6743

The adsorption of a bacterial cellulase and its two isolated domains to crystalline cellulose

Heitz HJ, Witte K, Wartenberg A*//Univ Saarland, Fachrichtung Mikrobiol, Univ Bau 2, W-6600 Saarbrücken, FRG

ACTA BIOTECHNOL 1991, 11 (3) 279

Synergism of isoenzymes of cellobiohydrolase-I and cellobiohydrolase-II of *Trichoderma reesei* in hydrolysis of amorphous cellulose

Madamwar D, Patel S//Sardar Patel Univ, Postgrad Dept Biosci, Vallabh Vidyanagar 388120 Gujarat, India

WORLD J MICROBIOL BIOTECHNOL 1992, 8 (2) 183

Formation of cellulases by co-culturing of *Trichoderma reesei* and *Aspergillus niger* on cellulosic waste

Morgenstern EM, Bayer EA*, Lamed R//Weizmann Inst Sci, Dept Biophys, IL-76100 Rehovot, Israel

ENZYME MICROB TECHNOL 1992, 14 (4) 289

Affinity digestion for the near-total recovery of purified cellulosome from *Clostridium thermocellum*

Paul J, Varma AK//Jawaharlal Nehru Univ, Sch Life Sci, Microbiol Unit, New Delhi 110067, India

BIOTECHNOL LETT 1992, 14 (3) 207

Glycoprotein components of cellulase and xylanase enzymes of a *Bacillus* sp

Schafner DW, Toledo RT*//Univ Georgia, Dept Food Sci & Technol, Athens, Ga 30602, USA

BIOTECHNOL BIOENG 1992, 39 (8) 865

Cellulase production in continuous culture by *Trichoderma reesei* on xylose-based media

Tajaldeem SJ, Jaffar WN//Univ Babylon, Coll Sci, Dept Biol, POB 4, Babylon, Iraq

MYCOL RES 1992, 96 (JAN) PT 1, 14

Cellulase activity of a thermotolerant *Aspergillus niveus* isolated from desert soil

Wei DL, Chang SC, Wei YH, Lin YW, Chuang CL, Jong SC//Nat'l Yang Ming Med Coll, Div Biol, Taipei, Taiwan

WORLD J MICROBIOL BIOTECHNOL 1992, 8 (2) 141

Production of cellulolytic enzymes from the *Xylaria* and *Hypoxylon* species of *Xylariaceae*

Wilson CA, Wood TM*//Rowett Res Inst, Bucksburn AB2 9SB, Scotland

ENZYME MICROB TECHNOL 1992, 14 (4) 258

Studies on the cellulase of the rumen anaerobic fungus *Neocallimastix frontalis*, with special reference to the capacity of the enzyme to degrade crystalline cellulose

4 CYCLODEXTRINS

Adachi H, Arima H, Irie T, Hirayama F, Uekama K, Yano T, Saita M, Noda K//Kumamoto Univ, Fac Pharmaceut Sci, 5-1 OE Honmachi, Kumamoto 862, Japan

J PHARMACOBIO-DYNAM 1992, 15 (2) S35

Combined use of cyclodextrin derivatives and penetration enhancer HPE-101 in transdermal delivery of prostaglandin-E

Bicchi C, Artuffo G, Damato A, Galli A, Galli M//Dipartimento Sci & Tecnol Farm, Via P Giuria 9, I-10125 Turin, Italy

CHIRALITY 1992, 4 (2) 125

Cyclodextrin derivatives in GC separation of racemic mixtures of volatiles. 3.

Dodziuk H, Sitkowski J, Stefaniak L, Jurczak J, Sybiliska D//Polish Acad Sci, Inst Organ Chem, Kasprzaska 44, PL-01224 Warsaw, Poland

J CHEM SOC CHEM COMMUN 1992, (3) 207

¹³C NMR differentiation of diastereoisomeric complexes of cis-decalin with beta-cyclodextrin

Ellwood P, Spencer CM, Spencer N, Stoddart JF*, Zarzycki R//Univ Birmingham, Sch Chem, Birmingham B15 2TT, England

J INCLUSION PHENOM MOL RECOGN 1992, 12 (1-4) 121

Conformational mobility in chemically-modified cyclodextrins

Guo W, Fung BM*, Christian SD//Univ Oklahoma, Dept Chem, Norman, Ok 73019, USA

LANGMUIR 1992, 8 (2) 446

NMR study of cyclodextrin inclusion of fluorocarbon surfactants in solution

Hayashida K, Kawakami K*//Kyushu Univ, Dept Chem Engr, Higashi-ku, Fukuoka 812, Japan

J FERMENT BIOENG 1992, 73 (3) 239

Enhancement of enzymatic production of cyclodextrins by adding polyethylene glycol or polypropylene glycol

Kostense AS, Van Helden SP, Janssen LHM*//Univ Utrecht, Fac Pharm, Dept Pharmaceut Chem, POB 80082, 3508 TB Utrecht, The Netherlands

J COMPUT AID MOLEC DESIGN 1991, 5 (6) 525

Modeling and conformation analysis of beta-cyclodextrin complexes

Kotake Y, Janzen EG//Univ Guelph, Ontario Vet Coll, Dept Clin Studies, Guelph, Ontario, Canada N1G 2W1

J AMER CHEM SOC 1992, 114 (8) 2872

Electron nuclear double resonance detection of distinct multimodal inclusion complexes of beta-cyclodextrin with a nitroxide spin adduct probe

Lee YD, Kim HS*//Korea Adv Inst Sci & Technol, Dept Biol Sci & Engr, Seoul 130650, South Korea

BIOTECHNOL BIOENG 1992, 39 (10) 977

Effect of organic solvents on enzymatic production of cyclodextrins from unliquefied corn starch in an attrition bioreactor

Lindstrom M//Firmenich Co, Res Labs, Box 239, CH-1211 Geneva 8, Switzerland

HRC-J HIGH RES CHROMATOGR 1991, 14 (11) 765

Improved enantiomer separation using very short capillary columns coated with permethylated beta-cyclodextrin

Linert W, Margl P, Lukovits I//Vienna Tech Univ, Inst Inorgan Chem, Getreidemarkt 9, A-1060 Vienna, Austria

COMPUT CHEM 1992, 16 (1) 61

Numerical minimization procedures in molecular mechanics - Structural modelling of the solvation of beta-cyclodextrin

Matsui K//Kanto Gakuin Univ, Coll Engr, Kanazawa-ku, Yokohama 236, Japan

LANGMUIR 1992, 8 (2) 673

Complex formation between pyrene and beta-cyclodextrin in sol-gel glasses

Miyaji T, Inoue Y, Acarturk F, Imai T, Otagiri M, Uekama K*//Kumamoto Univ, Fac Pharmaceut Sci, 5-1 Oehonmachi, Kumamoto 862, Japan

ACTA PHARM NORDICA 1992, 4 (1) 17

Improvement of oral bioavailability of fenbufen by cyclodextrin complexations

Nakano H, Kitahata S, Tominaga Y, Kiku Y, Ando K, Kawashima Y, Takenishi S//Osaka Municipal Tech Res Inst, 6-50 Morinomiya 1-chome, Joto-ku, Osaka 536, Japan

J FERMENT BIOENG 1992, 73 (3) 237

Syntheses of glucosides with trimethylolpropane and 2 related polyol moieties by cyclodextrin glucanotransferase and their esterification by lipase

Shiraishi T, Nakagawa T, Sakano Y//Nikken Chem Co Ltd, Omiya Res Lab, Omiya, Saitama 330, Japan

J JPN SOC FOOD SCI TECHNOL 1992, 39 (2) 197

Successive synthesis of branched cyclodextrin by *Bacillus acidopulluliticus* pullulanase immobilized with glutaraldehyde

Venema A, Henderiks H, Von Geest R//Akzo Corp Res, POB 9300, 6800 SB Arnhem, The Netherlands

HRC-J HIGH RES CHROMATOGR 1991, 14 (10) 676

The enantioselectivity of modified cyclodextrins - Studies on interaction mechanisms

Wenz G, Keller B//Max Planck Inst Polymer Res, Ackermannweg 10, W-6500 Mainz 1, FRG

ANGEW CHEM INT ED 1992, 31 (2) 197

Threading cyclodextrin rings on polymer chains

Wylie RS, Macartney DH*//Queens Univ, Dept Chem, Kingston, Ontario, Canada K7L 3N6

J AMER CHEM SOC 1992, 114 (8) 3136

Self-assembling metal rotaxane complexes of alpha-cyclodextrin

Yamamoto K, Nakai Y//Chiba Univ, Fac Pharmaceut Sci, 1-33 Yayoi-cho, Chiba 260, Japan

SIBIRSKII KHIM ZH 1991, (5) 51

Inclusion compound formation by co-grinding of cyclodextrin and host drugs (Russian, English Abstract)

Yoshii H, Furuta T*, Asada M, Sugisawa H//Toyama Natl Coll Technol, Dept Biochem Engn, Toyama 939, Japan

BIOSCI BIOTECHNOL BIOCHEM 1992 56 (3) 384

Quantitative analysis by X-ray diffraction of the inclusion complex formed by D-limonene in a beta-cyclodextrin maltodextrin mixed powder

Zehavi U, Herchman M, Thiem J//Hebrew Univ Jerusalem, Fac Agr, Dept Biochem & Human Nutr, POB 12, IL-76100 Rehovot, Israel

BIOTECHNOL APPL BIOCHEM 1992, 15 (2) 217

Polymeric acceptors in alpha-1,4 glucosyltransferase reactions involving free and immobilized cyclodextrin-alpha 1,4glucosyltransferase

5 LIGNIN

Bekker EG, Hartig C, Lorbeer H, Sinitsyn AP//MV Lomonosov State Univ, Fac Chem, Moscow 117234, Russia

BIOCHEMISTRY-ENGL TR 1991, 56 (8) PT 1, 987

Isolation of ligninase isoenzymes from *Sporotrichum pulverulentum* and some of their properties

Friese MA, Banerjee S*//Inst Paper Sci & Technol, 575 14th St NW, Atlanta, Ga 30318, USA

APPL SPECTROSC 1992, 46 (2) 246

Lignin determination by FT-IR

Guiot SR, Rocheleau S, Hawari J, Samson R//Nat Res Council, Biotechnol Res Inst, 6100 Royalmount, Montreal, Quebec, Canada H4P 2R2

J CHEM TECHNOL BIOTECHNOL 1992, 53 (1) 45

Induction of granulation by sulphonated-lignin and calcium in an up-flow anaerobic sludge bed reactor

Johnson KG, Overend RP//Natl Def HQ, Directorate Ind & Univ Programme, Def Ind Res Programme, 305 Rideau St, Ottawa, Ontario, Canada K1A 0K2

HOLZFORSCHUNG 1992, 46 (1) 31

Lignin-carbohydrate complexes from *Populus deltoides*. 2. Effect of

hydrolyzing enzymes

Leclerc DR, Olson JA//Pulp & Paper Res Inst Canada, Vancouver Lab, 3800 Westbrook Mall, Vancouver, BC, Canada V6S 2L9

MACROMOLECULES 1992, 25 (6) 1667

A percolation-theory model of lignin degradation

Mittar D, Khanna PK, Marwaha SS, Kennedy JF*//Univ Birmingham, Dept Chem, Chem Bioact Carbohydrates & Prot Res Lab, POB 363, Birmingham B15 2TT, England

J CHEM TECHNOL BIOTECHNOL 1992, 53 (1) 81

Biobleaching of pulp and paper mill effluents by *Phanerochaete chrysosporium*

6 POLYSACCHARIDES - NAMED

Van Straelen P//St Lawrence Hosp, Welsh Regional Plastic Surg & Burns Ctr, Chepstow NP6 5YX, Gwent, Wales

BURNS 1992, 18 (2) 145

Comparison of calcium-sodium alginate (Kaltostat) and porcine xenograft (E-Z Derm) in the healing of split graft donor sites

Krajewska B//Jagiellonian Univ, Fac Chem, Karasia 3, PL-30060 Krakow, Poland

ACTA BIOTECHNOL 1991, 11 (3) 269

Chitin and its derivatives as supports for immobilization of enzymes

Ohya Y, Inosaka K, Ouchi T//Kansai Univ, Fac Engr, Dept Appl Chem, Suita, Osaka 564, Japan

CHEM PHARM BULL TOKYO 1992, 40 (2) 559

Synthesis and antitumor activity of 6-O-carboxymethyl chitin fixing 5-fluorouracil through pentamethylene, monomethylene spacer groups via amide, ester bonds

Ueda M, Arai M//Univ Osaka Prefecture, Coll Agr, Dept Agr Chem, Sakai, Osaka 591, Japan

BIOSCI BIOTECHNOL BIOCHEM 1992 56 (3) 460

Purification and some properties of chitinases from *Aeromonas* sp no-10s-24

Akopova TA, Rogovina SZ, Vikhoreva GA, Zelenetskii SN, Galbraikh LS, Yenikolopyan NS//Acad Sci, Inst Synthet Polymer Mat, Moscow V-71, Russia

VYSOKOMOL SOEDIN SER B SSSR 1991, 33 (10) 735

Formation of chitosan from chitin in conditions of shear strains (Russian)

Chandy T, Sharma CP*//Sree Chitra Tirunal Inst Med Sci & Technol, Div Biosurface Technol, Biomed Technol Wing, Trivandrum 695012, India

J APPL POLYM SCI 1992, 44 (12) 2145

Prostaglandin-E1-immobilized poly(vinyl alcohol)-blended chitosan membranes - Blood compatibility and permeability properties

Hassan EE, Parish RC, Gallo JM*//Univ Georgia, Coll Pharm, Dept Psychol, Athens, Ga 30602, USA

PHARMACEUT RES 1992, 9 (3) 390

Optimized formulation of magnetic chitosan microspheres containing the anticancer agent, oxantazole

Holme KR, Hall LD//Tbex Technol, 6100 Royalmount Ave, Montreal, Quebec, Canada H4P 2R2

CARBOHYD RES 1992, 225 (2) 291

N-[2-(glycosyloxy)ethyl]chitosan derivatives. 1. Preparation and characterization of N-[2-(glycosyloxy)ethyl]chitosan derivatives

- Holme KR, Hall LD, Speers RA, Tung MA/Ibex Technol, 6100 Royalmount Ave, Montreal, Quebec, Canada H4P 2R2
CARBOHYD RES 1992, 225 (2) 307
N-[2-(glycosyloxy)ethyl]chitosan derivatives. 2. Solution interactions and rheology of N-[2-(glycosyloxy)ethyl]chitosan derivatives
- Izume M, Nagae S, Kawagishi H, Mitsutomi M, Ohtakara A/Katakura Chikkarin Co Ltd, Ctr Res & Dev, Tsuchiura, Ibaraki 300, Japan
BIOSCI BIOTECHNOL BIOCHEM 1992 56 (3) 448
Action pattern of *Bacillus* sp no. 7-M chitosanase on partially N-acetylated chitosan
- Kim JH, Kim JY, Lee YM*, Kim KY//Hanyang Univ, Coll Engr, Dept Ind Chem, Seoul 133791, South Korea
J APPL POLYM SCI 1992, 44 (10) 1823
Controlled release of riboflavin and insulin through crosslinked poly(vinyl alcohol) chitosan blend membrane
- Kimura K, Murota A, Yoshihiro Y/Meiji Univ, Fac Engr, Sch Sci & Technol, Dept Ind Chem, 1-1-1 Higashimata, Tama ku, Kawasaki, Kanagawa 214, Japan
CHEM LETT 1992, (2) 223
Determination of the mode of hydrolysis of chitoooligosaccharides by chitosanase derived from *Aspergillus oryzae* by thin layer chromatography
- Kubota N, Kikuchi Y/Oita Univ, Fac Engr, Marine Sci Lab, Danno-haru, Oita 87011, Japan
MAKROMOL CHEM-MACRO CHEM PHYS 1992, 193 (2) 559
Preparation and properties of macromolecular complexes consisting of chitosan derivatives and potassium meta-phosphate
- Maeda M, Murakami H, Ohta H, Tajima M/Minist Agr Forestry & Fisheries, Chugoku Natl Agr Expt Stn, 6-12-1 Nishifukatsu, Fukuyama, Hiroshima 721, Japan
BIOSCI BIOTECHNOL BIOCHEM 1992 56 (3) 427
Stimulation of IgM production in human hybridoma HB4C5-cells by chitosan
- Paradossi G, Chiessi E, Venanzi M, Pispisa B*, Palleschi A//Univ Roma Tor Vergata, Dipartimento Sci & Tecnol Chim, I-00173 Rome, Italy
INT J BIOL MACROMOL 1992, 14 (2) 73
Branched-chain analogues of linear polysaccharides - A spectroscopic and conformational investigation of chitosan derivatives
- Boyce JF, Hovanes BA, Harris JM, Vanalstine JM, Brooks DE**
*Univ British Columbia, Dept Pathol, 2211 Wesbrook Mall, Vancouver V6T 2B5, BC, Canada
J COLLOID INTERFACE SCI 1992, 149 (1) 153
The wetting behavior of aqueous 2-phase polymer test systems on dextran coated glass surfaces - Effect of molecular weight
- Nielsen LS, Weibel H, Johansen M, Larsen C**/Royal Danish Sch Pharm, Dept Pharmaceut, 2 Univ Pk, DK-2100 Copenhagen, Denmark
ACTA PHARM NORDICA 1992, 4 (1) 23
Macromolecular prodrugs. 20. Factors influencing model dextranase-mediated depolymerization of dextran derivatives in vitro
- Pennell RD, Barker PE//Univ Aston, Dept Chem Engr & Appl Chem, Birmingham B4 7ET, England
J CHEM TECHNOL BIOTECHNOL 1992, 53 (1) 21
The production of the enzyme dextranase using unacrated continuous fermentations
- Tanriseven A, Robyt JF**/Iowa State Univ Sci & Technol, Dept Biochem & Biophys, Ames, Ia 50011, USA
CARBOHYD RES 1992, 225 (2) 321
Inhibition of dextran synthesis by acceptor reactions of dextranase, and the demonstration of a separate acceptor binding-site
- Asp NG, Mattsson B, Onning G//Univ Lund, Dept Appl Nutr & Food Chem, Ctr Chem, POB 124, S-22100 Lund, Sweden
EUR J CLIN NUTR 1992, 46 (1) 31
Variation in dietary fibre, beta-glucan, starch, protein, fat and hull content of oats grown in Sweden 1987-1989
- Autio K, Myllymaki O, Suortti T, Saastamoinen M, Poutanen K/Tech Res Ctr Finland, Food Res Lab, POB 203, SF-02150 Espoo, Finland
FOOD HYDROCOLLOID 1992, 5 (6) 513
Physical properties of (1-3),(1-4)-beta-D-glucans prepartes isolated from Finnish oat varieties
- Bakunina IY, Sova VV, Elyakova LA, Makareva TN, Stonik VA, Permyakov EA, Emelyanenko VI//Acad Sci, Pacific Ocean Inst Bioorgan Chem, Vladivostok 690022, Russia
BIOCHEMISTRY-ENGL TR 1991, 56 (8) PT 1, 975
Effects of polyhydroxysteroid sulfates on exoglucanases and endoglucanases
- Benda V, Madr P, Cermak P//Czechoslovak Acad Sci, Inst Physiol & Genet Haustiere, CS-10400 Prague 10, Czechoslovakia
BERL MUN TIERARZTL WOCHENSCHR 1992, 105 (3) 95
Adjuvant effect of glucan on the antibody production in pigs
- Rau U, Gura E, Olszewski E, Wagner F//Tech Univ Braunschweig, Inst Biochem & Biotechnol, Sect A, Konstantin Uhde Str 5, W-3300 Braunschweig, FRG
J IND MICROBIOL 1992, 9 (1) 19
Enhanced glucan formation of filamentous fungi by effective mixing, oxygen limitation and fed-batch processing
- Golovchenko NP, Kataeva IA, Akimenko VK//Acad Sci, Inst Biochem & Physiol Microorganisms, Dept Anaerob Proc, Pushchino 142292, Russia
ENZYME MICROB TECHNOL 1992, 14 (4) 327
Elucidation of the role of hydrophobic interactions in the adsorption of endo-1,4-beta-glucanases on polysaccharides
- Knuckles BE, Chiu MM, Betschart AA//USDA ARS, Western Reg Res Ctr, 800 Buchanan St, Berkeley, Ca 94710, USA
CEREAL CHEM 1992, 69 (2) 198
Beta-glucan-enriched fractions from laboratory-scale dry milling and sieving of barley and oats
- Kraus J, Blaschek W, Schutz M, Franz G//Univ Regensburg, Dept Pharm, Univ Str 31, W-8400 Regensburg, FRG
PLANTA MED 1992, 58 (1) 39
Antitumor activity of cell wall beta-1,3/1,6-glucans from *Phytophthora* species
- Kuribayashi I, Kimura S, Morita T, Igase I//Niigata Univ, Grad Sch Sci & Technol, Dept Biosyst Sci, 2 Ikarashi, Niigata 95021, Japan
BIOSCI BIOTECHNOL BIOCHEM 1992 56 (3) 388
Characterization and solubilization of beta-glucan synthases from cultured rice cells
- Onderdonk AB, Cisneros RL, Hinkson P, Ostroff G//Harvard Univ Brigham & Womens Hosp, Sch Med, Channing Lab, Dept Pathol, 180 Longwood Ave, Boston, Ma 02115, USA
INFEC IMMUNITY 1992, 60 (4) 1642
Anti-infective effect of poly-beta-1-6-glucotriosyl-beta-1-3-glucopy-

ranose glucan in vivo

Varum KM, Smidsrod O, Brant DA//Univ Trondheim, Norwegian Inst Technol, Div Biotechnol, Norwegian Biopolymer Lab, N-7034 Trondheim, Norway

FOOD HYDROCOLLOID 1992, 5 (6) 497

Light scattering reveals micelle-like aggregation in the (1-3),(1-4)-beta-D-glucans from oat aleurone

Yui T, Sarko A**//SUNY Coll Environm Sci & Forestry, Dept Chem, Syracuse, NY 13210, USA

INT J BIOL MACROMOL 1992, 14 (2) 87

Packing analysis of carbohydrates and polysaccharides. 20. Molecular and crystal structure of (1-3)-alpha-D-glucan triacetate

Murakami R, Motozato Y//Kumamoto Inst Technol, Dept Ind Chem, Kumamoto 860, Japan

POLYMER 1992, 33 (5) 1108

Viscosity of aqueous glucomannan borate complex solutions

Cherniak R, Morris LC, Meyer SA//Georgia State Univ, Dept Chem, Atlanta, Ga 30303, USA

CARBOHYD RES 1992, 225 (2) 331

Glucuronoxylomannan of *Cryptococcus neoformans* serotype-C - Structural analysis by gas liquid chromatography mass spectrometry and ¹³C-nuclear magnetic resonance spectroscopy

Ito Y, Nunomura S, Shibayama S, Ogawa T//Inst Phys & Chem Res, Wako, Saitama 35101, Japan

J ORG CHEM 1992, 57 (6) 1821

Synthetic studies on cell surface glycans. 82. Studies directed toward the synthesis of polysialogangliosides - The regiocontrolled and stereocontrolled synthesis of rationally designed fragments of the tetrasialoganglioside GQ1b

Mathur R, Bohra S, Narang CK, Mathur NK//Univ Jodhpur, Dept Chem, Jodhpur 342001, Rajasthan, India

J LIQ CHROMATOGR 1992, 15 (4) 573

Guaran - A novel polysaccharide for racemate resolution

Legras S, Diczhazi C, Moczar M//CNRS, Biol Tissu Conjonctif Lab, URA 1460, 8 rue Gen Sarraill, F-94010 Creteil, France

INT J BIOL MACROMOL 1992, 14 (2) 97

N-oleoyl heparin inhibits the amidolytic activity of plasmin and urokinase

Ma SC, Yang VC*, Meyerhoff ME**//Univ Michigan, Coll Pharm, Ann Arbor, MI 48109, USA

ANAL CHEM 1992, 64 (6) 694

Heparin-responsive electrochemical sensor - A preliminary study

Nagasawa K, Uchiyama H, Yajima D//Kitasato Univ, Sch Pharmaceut Sci, 5-9-1 Shirokane, Minato ku, Tokyo 108, Japan

THROMB RES 1992, 65 (3) 463

Anticoagulant effect of low molecular weight fractions derived from a chemically modified heparin

Joshi HN, Topp EM**//Univ Kansas, Dept Pharmaceut Chem, Lawrence, KS 66045, USA

INT J PHARM 1992, 80 (2-3) 213

Hydration in hyaluronic acid and its esters using differential scanning calorimetry

Kyyronen K, Hume L, Benedetti L, Urtti A, Topp E*, Stella V**//Univ Kansas, Dept Pharmaceut Chem, 3006 Malott Hall, Lawrence, KS 66045, USA

INT J PHARM 1992, 80 (2-3) 161

Methylprednisolone esters of hyaluronic acid in ophthalmic drug delivery - In vitro and in vivo release studies

Lee SA, Oliver WF, Rupprecht A, Song Z, Lindsay SM//Univ Toledo, Dept Phys & Astron, Toledo, OH 43606, USA

BIOPOLYMERS 1992, 32 (3) 303

Observation of a phase transition in wet-spun films of Na-hyaluronate

Peitzsch RM, Reed WF**//Tulane Univ, Dept Phys, New Orleans, LA 70118, USA

BIOPOLYMERS 1992, 32 (3) 219

High osmotic stress behavior of hyaluronate and heparin

Ernst M//Univ Hohenheim, Inst Obst Gemuse & Weinbau, Emil Wolff Str 25, W-7000 Stuttgart 70, FRG

ANGEW BOT 1991, 65 (5-6) 319

Histochemical analysis on inulin, starch and callose in *Helianthus tuberosus* L (Jerusalem artichoke) (German, English Abstract)

Gupta AK, Kaur M, Kaur N, Singh R//Punjab Agr Univ, Dept Biochem, Ludhiana 141004, Punjab, India

J CHEM TECHNOL BIOTECHNOL 1992, 53 (3) 293

A comparison of properties of inulinases of *Fusarium oxysporum* immobilised on various supports

Kaur N, Kaur M, Gupta AK*, Singh R**//Punjab Agr Univ, Dept Biochem, Ludhiana 141004, Punjab, India

J CHEM TECHNOL BIOTECHNOL 1992, 53 (3) 279

Properties of beta-fructosidases (invertases and inulinases) of *Fusarium oxysporum* grown on a aqueous extract of *Cichorium intybus* roots

Kobayashi H, Shibata N, Osaka T, Miyagawa Y, Ohkubo Y, Suzuki S**//Tohoku Coll Pharmaceut Sci, Dept Hyg Chem 2, Aoba ku, Sendai, Miyagi 981, Japan

PHYTOCHEMISTRY 1992, 31 (4) 1147

Structural study of cell wall mannan of a *Candida albicans* (serotype-A) strain

Ben-Shalom N, Plat D, Levi A, Pinto R//Agr Res Org, Volcani Ctr, Dept Food Sci, PO Box 6, Bet Dagan 50250, Israel

FOOD CHEM 1992, 44 (4) 251

Influence of pH treatment on pectic substances and firmness of blanched carrots

Fiedurek J, Ilczuk Z, Lobarzewski J, Pleszczynska M//Marie Curie Skłodowska Univ, Dept Appl Microbiol, Akad 19, PL-20033 Lublin, Poland

ZBL MIKROBIOL 1992, 146 (1-2) 15

Optimization of pectinolytic enzymes biosynthesis by immobilized mycelium of *Aspergillus niger*-71

Fishman ML, Cooke P, Levaj B, Gillespie DT, Sondey SM, Scorza R//USDA ARS, Eastern Reg Res Ctr, 600 E Mermaid Lane, Philadelphia, Pa 19118, USA

ARCH BIOCHEM BIOPHYS 1992, 294 (1) 253

Pectin microgels and their subunit structure

Pressey R, Woods FM//USDA ARS, Richard B Russell Agr Res Ctr, Athens, Ga 30613, USA

PHYTOCHEMISTRY 1992, 31 (4) 1139

Purification and properties of 2 pectinesterases from tomatoes

Shevchik VE, Evtushenkov AN, Babitskaya HV, Fomichev YK//Byelorussian State Univ, Dept Microbiol, Leninsky Pr 4, Minsk 220080,

Belorussia

WORLD J MICROBIOL BIOTECHNOL 1992, 8 (2) 115

Production of pectolytic enzymes from *Erwinia* grown on different carbon sources

Biliaderis CG, Izydorczyk MS, Lukow OM, Bushuk W//Univ Manitoba, Dept Food Sci, Winnipeg, Manitoba, Canada R3T 2N2

CEREAL CHEM 1992, 69 (2) 226

Pentosans in flours of 1B/1R translocation wheats

Croux C, Canard B, Goma G, Soucaille P*//Northwestern Univ, Dept Chem Engr, 2145 Sheridan Rd, Evanston, IL 60208, USA

APPL ENVIRON MICROBIOL 1992, 58 (4) 1075

Purification and characterization of an extracellular muramidase of *Clostridium acetobutylicum* ATCC-824 that acts on non-N-acetylated peptidoglycan

Nio Y, Tsubono M, Tseng CC, Morimoto H, Kawabata K, Masai Y, Shiraishi T, Imai S, Ohgaki K, Tobe T//Kyoto Univ, Fac Med, Dept Surg 1, Kyoto 606, Japan

BIOOTHERAPY 1992, 4 (2) 117

Immunomodulation of orally administered protein-bound polysaccharide PSK in patients with gastrointestinal cancer

Igarashi K, Ara K, Saeiki K, Ozaki K, Kawai S, Ito S*//Kao Corp, Tochigi Res Labs, 2606 Akabane, Tochigi 32134, Japan

BIOSCI BIOTECHNOL BIOCHEM 1992 56 (3) 514

Nucleotide sequence of the gene that encodes a neopullulanase from an alkalophilic *Bacillus*

Kuriki T, Tsuda M, Imanaka T*//Osaka Univ, Fac Engr, Dept Biotechnol, Suita, Osaka 565, Japan

J FERMENT BIOENG 1992, 73 (3) 198

Continuous production of panose by immobilized neopullulanase

Okuno H, Uragami T*//Kansai Univ, Fac Engr, Chem Branch, Suita, Osaka 564, Japan

POLYMER 1992, 33 (6) 1459

Characteristics of permeation and separation of aqueous alcohol solutions through crosslinked pullulan membranes

Yamaguchi S, Fukui H, Akiyoshi K, Sato T, Sunamoto J//Kyoto Univ, Dept Polymer Chem, Sakyo ku, Yoshida hommachi, Kyoto 606, Japan

NIPPON KAGAKU KAISHI 1992, (2) 186

O/W-emulsion as formed by cholesterol-bearing pullulan (Japanese, English Abstract)

Arika T, Amemiya K, Nomoto K//Kaken Pharmaceut Co Ltd, Cent Res Labs, 14 Shinomiya minami, Kawara cho, Yamashina ku, Kyoto 607, Japan

BIOOTHERAPY 1992, 4 (2) 165

Combination therapy of radiation and sizofiran (SPG) on the tumor growth and metastasis on squamous-cell carcinoma NR-S1 in syngeneic C3H/He mice

Mimaki Y, Sashida Y*, Nikaido T, Ohmoto T//Tokyo Coll Pharm, 1432-1 Horinouchi, Hachioji, Tokyo 19203, Japan

BULL CHEM SOC JPN 1992, 65 (2) 458

Tigogenin hexasaccharides from *Camassia cusickii* - Structural elucidation by modern NMR techniques

Dumitriu S, Dumitriu M//Inst Polytech Gheorghe Asachi, Dept Macromolec Chem, Bdul Copou 11, R-6600 Iasi, Romania

REV ROUM CHIM 1991, 36 (8) 947

Bioactive polymers. 69. Cross-linked xanthan as drug-carrier matrices

Watanabe K, Yakou S, Takayama K, Machida Y, Nagai T//Tokyo Womens Med Coll, Daini Hosp, Hosp Pharm, Nishiougu 2-1-10, Arakawa ku, Tokyo 116, Japan

CHEM PHARM BULL TOKYO 1992, 40 (2) 459

Factors affecting prednisolone release from hydrogels prepared with water-soluble dietary fibers, xanthan and locust bean gums

Bazus A, Rigal L, Fontaine T, Fournet B, Gosselin M, Debeire P//Inst Natl Polytech Toulouse, Ecole Natl Chim Toulouse, Chim Agrores-sources Lab, F-31077 Toulouse, France

BIOSCI BIOTECHNOL BIOCHEM 1992 56 (3) 508

Enzymic studies of the distribution pattern of 4-O-methylglucuronic acid residues in glucuronoxylans from sunflower hulls

Burchhardt G, Ingram LO*//Univ Florida, Dept Microbiol & Cell Sci, Gainesville, FL 32611, USA

APPL ENVIRON MICROBIOL 1992, 58 (4) 1128

Conversion of xylan to ethanol by ethanologenic strains of *Escherichia coli* and *Klebsiella oxytoca*

Carrasco F, Roy C//Univ Quebec, Dept Ingn, CP 500, Trois Rivières, Quebec, Canada GA9 5H7

WOOD SCI TECHNOL 1992, 26 (3) 189

Kinetic study of dilute-acid prehydrolysis of xylan-containing biomass

Fernandez-Espinar MT, Ramon D, Pinaga F, Valles S//CSIC, Inst Agroquim & Tecnol Alimentos, Unidad Bioingn, Jaime Roig 11, E-46010 Valencia, Spain

FEMS MICROBIOL LETT 1992, 91 (2) 91

Xylanase production by *Aspergillus nidulans*

Irie T, Konishi T, Kutsuna T, Koga K, Nakada T//Shin Nihon Chem Co Ltd, Anjo, Aichi 446, Japan

HAKKOKOGAKU KAISHI 1992, 70 (2) 109

Purification of xylanase from *Chaetomium gracile* mutant-1161 and its xylobiose-forming properties (Japanese, English Abstract)

Lumba FL, Penninckx MJ*//Univ Libre Bruxelles, Microbiol Lab, Unite Physiol & Ecol Microbienne, Ave Emile Gryson 1, B-1070 Brussels, Belgium

APPL MICROBIOL BIOTECHNOL 1992, 36 (6) 733

Characterization of the multiple forms of beta-xylanase produced by a *Streptomyces* sp growing on lignocellulose

Murthy MVS, Chandra TS*//Indian Inst Technol, Dept Chem, Div Biochem, Madras 600036, Tamil Nadu, India

ANTON LEEUWENHOEK INT J GEN M 1992, 61 (1) 35

Purification and properties of an extra cellular xylanase enzyme of *Clostridium* strain SAIV

MacLachlan G, Brady C//McGill Univ, Dept Biol, Montreal, Quebec, Canada H3A 1B1

AUST J PLANT PHYSIOL 1992, 19 (2) 137

Multiple forms of 1,4-beta-glucanase in ripening tomato fruits include a xyloglucanase activatable by xyloglucan oligosaccharides

7 POLYSACCHARIDES - OTHER

Atyaksheva LF, Chukhrai ES, Poltorak OM//MV Lomonosov State Univ, Phys Chem, Moscow 117234, Russia

VESTN MOSK UNIV KHIM SSSR 1991, 32 (5) 451

Adsorption of starch polysaccharides on silica gel (Russian)

Dean SW, Rollings JE*//Worcester Polytech Inst, Dept Chem Engr, Worcester, MA 01609, USA

BIOTECHNOL BIOENG 1992, 39 (9) 968

Analysis and quantification of a mixed exo-acting and endo-acting polysaccharide depolymerization system

Eskelin A, Santalahti J//Univ Kuopio Hosp, Dept Surg, SF-70210 Kuopio, Finland

J INT MED RES 1992, 20 (2) 99

Special natural cartilage polysaccharides for the treatment of sun-damaged skin in females

Etookakpan OU//Univ Cross River State, Dept Brewing Sci & Technol, PMB 1017, Uyo, Nigeria

J SCI FOOD AGR 1992, 58 (1) 129

Comparative studies of the degradation of nonstarchy polysaccharides by sorghums and barleys during malting

Kariya K, Nakamura K*, Nomoto K, Matama S, Saigenji K//Kitasato Univ, Sch Med, Molec Biol Lab, 1-15-1 Kitasato, Sagami-hara, Kanagawa 228, Japan

MOL BIOTHER 1992, 4 (1) 40

Mimicking of superoxide dismutase activity by protein-bound polysaccharide of *Coriolus versicolor* Quel, and oxidative stress relief for cancer patients

Kogan G, Jann B*, Jann K//Max Planck Inst Immunobiol, W-7800 Freiburg, FRG

FEMS MICROBIOL LETT 1992, 91 (2) 135

Structure of the *Escherichia coli* O104 polysaccharide and its identity with the capsular K9 polysaccharide

Konoplya EF, Lobonok LM, Sheshchev AB//Acad Sci, Inst Radiobiol, Minsk, Belorussia

DOKL AKAD NAUK BSSR 1991, 35 (11) 1048

The mechanism of the effect of new antiarrhythmic polysaccharide derivatives medicines on myocardial functional metabolism (Russian, English Abstract)

Muller BM, Franz G**//Univ Regensburg, Fac Pharm, W-8400 Regensburg, FRG

PLANTA MED 1992, 58 (1) 60

Chemical structure and biological activity of polysaccharides from *Hibiscus sabdariffa*

Ohnishi J, Watanabe T, Koshijima T//Kyoto Univ, Wood Res Inst, Uji, Kyoto 611, Japan

PHYTOCHEMISTRY 1992, 31 (4) 1185

Synthesis of dehydrogenation polymer-polyose complexes by peroxidase

O'Neill MA, Robison PD, Chou KJ, Darvill AG, Albersheim P**//Univ Georgia, Complex Carbohydrate Res Ctr, 220 Riverbend Rd, Athens, Ga 30602, USA

CARBOHYD RES 1992, 226 (1) 131

Evidence that the acidic polysaccharide secreted by *Agrobacterium radiobacter* (ATCC 53271) has a 17 glycosyl-residue repeating unit

Paulsen BS, Vieira AAH*, Klaveness D//Fed Univ Sao Carlos, Dept Bot, BR-1356 Sao Carlos, SP, Brazil

J PHYCOL 1992, 28 (1) 61

Structure of extracellular polysaccharides produced by a soil *Cryptomonas* sp (Cryptophyceae)

Peeters C, Tenbergenmeekes AM, Poolmann J, Zegers B, Rijkers G//Univ Utrecht, Het Wilhelmina Kinderziekenhuis, Dept Immunol, Utrecht, The Netherlands

MED MICROBIOL IMMUNOL 1992, 181 (1) 35

Induction and anti-pneumococcal cell wall polysaccharide antibodies

by type-4 pneumococcal polysaccharide-protein conjugates

Schmitt HJ//Address not available

EUR J PEDIAT 1992, 151 (4) 316

The protective efficacy of polyvalent pneumococcal polysaccharide vaccine (News)

Strecker G, Fiebre S, Wieruszkeski JM, Michalski JC, Montreuil J//Univ Lille 1, Chim Biol Lab, CNRS, Unite Mixte Rech 111, F-59655 Villeneuve Dascq, France

CARBOHYD RES 1992, 226 (1) 1

Primary structure of 4 human milk octa-saccharides, nona-saccharides, and undeca-saccharides established by ¹H-nuclear and ¹³C-nuclear magnetic resonance spectroscopy

Susheelamma NS, Chand N, Rajalakshmi D//Cent Food Technol Res Inst, Area Food Chem, Mysore 570013, Karnataka, India

J TEXTURE STUD 1991, 22 (4) 413

Modelling the gelling behaviour of linseed polysaccharide

Sutherland IW//Univ Edinburgh, Div Biol, Inst Cell & Molec Biol, Edinburgh EH9 3JG, Scotland

FOOD BIOTECHNOL 1992, 6 (1) 75

The role of acylation in exopolysaccharides including those for food use

Van Steijn AMP, Kamerling JP*, Vliegthart JFG//Univ Utrecht, Dept Bioorg Chem, Ctr Bijvoet, POB 80075, 3508 TB Utrecht, The Netherlands

CARBOHYD RES 1992, 225 (2) 229

Synthesis of trisaccharide methyl glycosides related to fragments of the capsular polysaccharide of *Streptococcus pneumoniae* type-18C

Yano T, Matsuyama H, Mangindaan REP//Kyushu Univ, Fac Agr, Fisheries Chem Lab, Fukuoka 812, Japan

J FISH DISEASES 1991, 14 (5) 577

Polysaccharide-induced protection of carp, *Cyprinus carpio* L, against bacterial infection

8 LIPOPOLYSACCHARIDES

Bhat UR, Carlson RW**//Univ Georgia, Complex Carbohydrate Res Ctr, 220 Riverbend Rd, Athens, Ga 30602, USA

J BACTERIOL 1992, 174 (7) 2230

Chemical characterization of pH-dependent structural epitopes of lipopolysaccharides from *Rhizobium leguminosarum* biovar phaseoli

Brandenburg K, Koch MHJ, Seydel U//Forschungsinstitut Borstel, W-2061 Borstel, FRG

J STRUCT BIOL 1992, 108 (2) 93

Phase diagram of deep rough mutant lipopolysaccharide from *Salmonella minnesota* R595

Chernyak AY, Kononov LO, Krishna PR, Kochetkov NK, Rao AVR//ND Zelinskii Organ Chem Inst, Moscow 117913, Russia

CARBOHYD RES 1992, 225 (2) 279

Synthesis of lysine-containing fragments of the *Proteus mirabilis* O27 O-specific polysaccharide and neoglycoconjugates therefrom

Goldstein J, Hoffman T, Frasch C, Lizzio EF, Beining PR, Hochstein D, Lee YL, Angus RD, Golding B**//USFDA, Ctr Biol Evaluat & Res, Div Hematol, Cell Biol Lab, Bethesda, Md 20892, USA

INFEC IMMUNITY 1992, 60 (4) 1385

Lipopolysaccharide (LPS) from *Brucella abortus* is less toxic than that from *Escherichia coli*, suggesting the possible use of B-*abortus* or LPS from B-*abortus* as a carrier in vaccines

Pozsgay V, Glaudemans CPJ, Robbins JB, Schneerson R//NIH, Bldg 8, BIA-25, Bethesda, Md 20892, USA
 BIOORG MEDICINAL CHEM LETTER 1992, 2 (3) 255
 A synthetic octasaccharide mimics the native, O-specific determinant of the *Shigella dysenteriae* type-1 lipopolysaccharide

Tsang RSW, Schlecht S*, Mayer H//Max Planck Inst Immunbiol, Postfach 1169, W-7800 Freiburg, FRG
 ZBL BAKT-INT J MED MICROBIOL 1992, 276 (3) 330
 Structural differences in the outer cores region of lipopolysaccharides derived from members of the genus *Salmonella*

Vypel H, Scholz D, Loibner H, Kern M, Bednarik K, Schaller H//Sandoz GmbH, Brunnerstr 59, A-1235 Vienna, Austria
 TETRAHEDRON LETT 1992, 33 (10) 1261
 Synthesis of fluorinated analogues of lipid-A

9 STARCH

Jackson DS, Waniska RD, Rooney LW//Univ Nebraska, Dept Food Sci & Technol, 257 Food Ind Bldg, Lincoln, Ne 68583, USA
 STARCH 1992, 44 (2) 59
 Molecular weight patterns of nageli amyloextrins

Kennedy JF, Rivera ZS, Lloyd LL, Warner FP//Univ Birmingham, Sch Chem, Chem Bioact Carbohydrates & Prot Res Lab, POB 363, Birmingham B15 2TT, England
 STARCH 1992, 44 (2) 53
 Fractionation of starch amylopectin and amylose by high-performance gel filtration chromatography

Maciejewska W, Poleski K, Grundwald-Wyspianska M//Acad Agr Poznan, Dept Phys, Wojska Polskiego 38-42, PL-60637 Poznan, Poland
 CARBOHYD RES 1992, 226 (1) 179
 A spectroscopic study of amylose rose bengal complexes

Niemann C, Saenger W*, Pfannemuller B//Free Univ Berlin, Inst Kristallog, Takustr 6, W-1000 Berlin 33, FRG
 CARBOHYD RES 1992, 226 (1) 119
 Enzymatic synthesis of low molecular weight amyloses with modified terminal groups

STARCH 1992, 44 (2) 77
 Selection of peas with high amylose levels - Scientific brief (German, English Abstract)

Ortega F//Univ Alcala de Henares, Fac Farm, Dept Nutr & Bromatol, E-28871 Alcala de Henares, Spain
 ANAL CHIM ACTA 1992, 257 (1) 79
 Selective determination of dextrans by liquid chromatography with postcolumn enzymic reaction, using co-immobilized enzymes

Chinnaswamy R, Hanna MA//Univ Nebraska, Dept Biol Syst Engr, 2098 LW Chase Hall, Lincoln, Ne 68583, USA
 FOOD STRUCT 1991, 10 (3) 229
 Physicochemical and macromolecular properties of starch-cellulose fiber extrudates

Cone JW, Tas AC, Wolters MGE//Inst Livestock Feeding & Nutr Res, Postbox 160, 8200 AD Lelystad, The Netherlands
 STARCH 1992, 44 (2) 55
 Pyrolysis mass spectrometry (PyMs) and degradability of starch granules

Cunningham RL, Carr ME, Bagley EB//USDA ARS, Natl Ctr Agr Utilizat Res, Food Phys Chem Res Unit, Peoria, Il 61604, USA

J APPL POLYM SCI 1992, 44 (8) 1477
 Preparation and properties of rigid polyurethane foams containing modified cornstarches

Gibson TS, Alqalla H, McCleary BV//New S Wales Dept Agr, Biol & Chem Res Inst, PMB 10, Rydalmere, NSW 2116, Australia
 J CEREAL SCI 1992, 15 (1) 15
 An improved enzymic method for the measurement of starch damage in wheat flour

Hellwig G, Bischoff D, Rubo A//Degussa Ag, IC ATO Abt, Rodenbacher Chausse 4, W-6450 Hanau 11, FRG
 STARCH 1992, 44 (2) 69
 Production of cationic starch ethers using an improved dry process

Kim CS, Walker CE//Kansas State Univ Agr & Appl Sci, Dept Grain Sci & Ind, Manhattan, Ks 66506, USA
 CEREAL CHEM 1992, 69 (2) 206
 Interactions between starches, sugars, and emulsifiers in high-ratios cake model systems

Kim CS, Walker CE//Kansas State Univ Agr & Appl Sci, Dept Grain Sci & Ind, Manhattan, Ks 66506, USA
 CEREAL CHEM 1992, 69 (2) 212
 Effects of sugars and emulsifiers on starch gelatinization evaluated by differential scanning calorimetry

Oates CG, Lee WP//Natl Univ Singapore, Dept Biochem, 10 Kent Ridge Crescent, Singapore 0511, Singapore
 STARCH 1992, 44 (2) 48
 Flow behaviour of mung bean starch pastes

Pessa E, Suortti T, Autio K, Poutanen K//Valt Teknillinen Tutkimuskeskos, Food Res Lab, POB 203, SF-20151 Espoo, Finland
 STARCH 1992, 44 (2) 64
 Molecular weight characterization and gelling properties of acid-modified maize starches

Shogren RL, Thompson AR, Felker FC, Harryokuru RE, Gordon SH, Greene RV, Gould JM*//Biotechnol Res & Dev Consortium, 1815 N Univ St, Peoria, Il 61604, USA
 J APPL POLYM SCI 1992, 44 (11) 1971
 Polymer compatibility and biodegradation of starch poly(ethylene-co-acrylic acid) polyethylene blends

Sims KA, Cheryan M//Univ Georgia, Dept Food Sci & Technol, Athens, Ga 30602, USA
 BIOTECHNOL BIOENG 1992, 39 (9) 960
 Hydrolysis of liquefied corn starch in a membrane reactor

Taguchi F, Chang JD, Takiguchi S, Morimoto M//Kitsato Univ, Sch Hyg Sci, Dept Microbiol, Sagamihara, Kanagawa 228, Japan
 J FERMENT BIOENG 1992, 73 (3) 244
 Efficient hydrogen production from starch by a bacterium isolated from termites

Weegels PL, Marseille JP, Hamer RJ//TNO, Inst Biotechnol & Chem, Dept Biochem & Phys Chem, Utrechtsweg 48, 3704 HE Zeist, The Netherlands
 STARCH 1992, 44 (2) 44
 Enzymes as a processing aid in the separation of wheat flour into starch and gluten

Wu JY, Bryant RG, Eads TM*//Purdue Univ, Dept Food Sci, W Lafayette, In 47907, USA
 J AGR FOOD CHEM 1992, 40 (3) 449

Detection of solidlike components in starch using cross-relaxation and Fourier transform wide-line ^1H NMR methods

10 STARCH-DEGRADING ENZYMES

Achi OK, Njokuobi ANU/Univ Nigeria, Dept Microbiol, Nsukka, Nigeria

WORLD J MICROBIOL BIOTECHNOL 1992, 8 (2) 206

Production of a raw starch saccharifying amylase by *Bacillus alvei* grown on different agricultural substrates

Argirakos G, Thayanithy K*, Wase DAJ/*Univ Birmingham, Sch Chem Engrg, Div Biochem Engrg, Birmingham B15 2TT, England

J CHEM TECHNOL BIOTECHNOL 1992, 53 (1) 33

Effect of immobilisation on the production of alpha-amylase by an industrial strain of *Bacillus amyloliquefaciens*

Bealin-Kelly FJD, Kelly CT*, Fogarty WM/*Natl Univ Ireland Univ Coll Dublin, Dept Ind Microbiol, Dublin 4, Ireland

J IND MICROBIOL 1992, 9 (1) 63

Chemical modification of the alpha-amylase of *Bacillus caldovelox* with diethyl pyrocarbonate - Evidence for an essential histidine at the active site

Dobrev E, Ivanova V/Bulgarian Acad Sci, Inst Microbiol, G Bontchevstr Bl 26, BU-1113 Sofia, Bulgaria

ACTA BIOTECHNOL 1991, 11 (3) 263

Silica carriers for immobilization of thermostable alpha-amylase

El-Abyad MS, El-Sayed FA, Hafez M/Univ Cairo, Fac Sci, Dept Bot, Giza, Egypt

ZBL MIKROBIOL 1992, 146 (1-2) 23

Effects of culture conditions on amylase production by some soil fungi

Glukhikh AS, Shevelkova AN, Eremin SA, Sinitsyn AP/MV Lomonosov State Univ, Fac Chem, Moscow 117234, Russia

BIOCHEMISTRY-ENGL TR 1991, 56 (7) PT 2, 873

Use of the method of fluorescence polarization to determine the degree of order in the action of amylases

Guerin JR, Lance RCM, Wallace W/Univ Adelaide, Waite Agr Res Inst, Dept Plant Sci, Glen Osmond, SA 5064, Australia

J CEREAL SCI 1992, 15 (1) 5

Release and activation of barley beta-amylase by malt endopeptidases

Janecek S, Balaz S, Rosenberg M, Stredansky M/Slovak Tech Univ, Fac Chem Technol, CS-81237 Bratislava, Czechoslovakia

BIOTECHNOL TECHNIQUES 1992, 6 (2) 173

Chemical stabilization of *Bacillus subtilis* alpha-amylase by modification with D-glucono-delta-lactone

Khire JM, Pant A/Natl Chem Lab, Div Biochem Sci, Poona 411008, Maharashtra, India

WORLD J MICROBIOL BIOTECHNOL 1992, 8 (2) 167

Thermostable, salt-tolerant amylase from *Bacillus* sp. 64

Nolasco H, Vega-Villasante F/Ctr Invest Biol Baja Calif, Dept Plant Physiol, AC, Apdo Postal 128, La Paz, Baja Calif Sur, Mexico

J BIOTECHNOL 1992, 23 (1) 103

Rapid detection and quantification of amylase activity in fractions after liquid chromatography

Odibo FJC, Okafor N, Tom MU, Oyeka CA/Anambra State Univ Technol, Dept Appl Microbiol & Brewing, PMB 5025, Awka, Nigeria

WORLD J MICROBIOL BIOTECHNOL 1992, 8 (2) 102

Purification and some properties of a starch debranching enzyme of

Hendersonula toruloides

Ohno N, Ijuin T, Song S, Uchiyama S, Shinoyama H, Ando A, Fujii T/Chiba Univ, Fac Hort, Dept Bioprod Sci, Matsudo, Chiba 271, Japan

BIOSCI BIOTECHNOL BIOCHEM 1992 56 (3) 465

Purification and properties of amylases extracellularly produced by an imperfect fungus, *Fusidium* sp. BX-1 in a glycerol medium

Sreenath HK/Def Food Res Lab, Mysore 570011, India

STARCH 1992, 44 (2) 61

Studies on starch granules digestion by alpha-amylase

Zawistowska U, Zawistowski J*, Friesen AD/*ABI Biotechnol Inc, 40 Scurfield Blvd, Winnipeg, Manitoba, Canada R3Y 1G4

BIOTECHNOL APPL BIOCHEM 1992, 15 (2) 160

Application of immobilized metal affinity chromatography for large-scale purification of endogenous alpha-amylase inhibitor from barley kernels

Zawistowski J, Ansell M, Zawistowska U, Howes NK/Univ Manitoba, Dept Food Sci, Manitoba Res Council, Biotechnol Lab, Winnipeg, Manitoba, Canada R3T 2N2

J CEREAL SCI 1992, 15 (1) 1

A monoclonal antibody to endogenous alpha-amylase inhibitor of barley

Allison DS, Rey MW, Berka RM, Armstrong G, Dunn-Coleman N/Genecor Int Inc, 180 Kimball Way, S San Francisco, Ca 94080, USA

CURR GENETICS 1992, 21 (3) 225

Transformation of the thermophilic fungus *Humicola grisea* var *Thermoides* and overproduction of *Humicola* glucoamylase

Laroute V, Willemot RM/*Inst Natl Sci Appl, Dept Genie Biochim & Alimentaire, CNRS, UA 544, Ave Rengueil, F-31077 Toulouse, France

BIOTECHNOL LETT 1992, 14 (3) 169

Glucoside synthesis by glucoamylase or beta-glucosidase in organic solvents

Pandey A/Reg Res Lab, Fermentat Sect, Trivandrum 695019, India

STARCH 1992, 44 (2) 75

Production of starch saccharifying enzyme (glucoamylase) in solid cultures

Towprayoon S, Fujio Y*, Ueda S/*Dept Food Sci & Technol, 6-10-1 Hakozaiki, Higashi ku, Fukuoka 812, Japan

WORLD J MICROBIOL BIOTECHNOL 1992, 8 (2) 98

Multiple forms of a glucoamylase inhibitory factor from *Aspergillus niger* and its elution after adsorption onto raw wheat starch

Witkowska-Gwiazdowska A, Ilnicka-Janczak O, Kostka G, Czajkowska D/Inst Biotechnol Agr & Food Ind, 36 Rakowiecka St, PL-02532 Warsaw, Poland

ACTA BIOTECHNOL 1991, 11 (3) 235

An *Aspergillus awamori* mutant with enhanced glucoamylase activity