

# Papers published in Volumes 20–22

## CONTENTS OF VOLUME 20

### *Number 1*

|                                                                                                                                   |    |
|-----------------------------------------------------------------------------------------------------------------------------------|----|
| A model of starch gelatinization linking differential scanning calorimetry and birefringence measurements . . . . .               | 1  |
| H. LIU & J. LELIEVRE (Canada)                                                                                                     |    |
| Biochemical significance of exogenous chitins and chitosans in animals and patients. . . . .                                      | 7  |
| R. A. A. MUZZARELLI (Italy)                                                                                                       |    |
| Raw and extruded fibre from pea hulls. Part 1: Composition and physico-chemical properties . . . . .                              | 17 |
| M.-C. RALET, G. DELLA VALLE & J.-F. THIBAUT (France)                                                                              |    |
| Raw and extruded fibre from pea hulls. Part 2: Structural study of the water-soluble polysaccharides . . . . .                    | 25 |
| M.-C. RALET, L. SAULNIER & J.-F. THIBAUT (France)                                                                                 |    |
| The isolation and characterization of a water extract of konjac flour gum . . . . .                                               | 35 |
| S. A. JACON, M. A. RAO, H. J. COOLEY & R. H. WALTER (USA)                                                                         |    |
| Design of D-glucose analogue of MDP/CM-curdlan conjugate and its immunological enhancement activity . . . . .                     | 43 |
| Y. OHYA, T. NISHIMOTO & T. OUCHI (Japan)                                                                                          |    |
| Evolution of polymer mobility during ageing of gelatinized waxy maize starch: a magnetization transfer <sup>1</sup> H NMR study . | 51 |
| J. Y. WU & T. M. EADS (USA)                                                                                                       |    |
| Summaries of UK Patent Applications . . . . .                                                                                     | 61 |
| News and Views . . . . .                                                                                                          | 63 |
| Bibliography . . . . .                                                                                                            | 65 |
| Book Reviews . . . . .                                                                                                            | 75 |

### *Number 2*

#### **Review Paper**

|                                                                                                                                                                                                        |     |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| Carbohydrate polymers in desert reclamation: the potential of microalgal biofertilizers . . . . .                                                                                                      | 77  |
| T. J. PAINTER (Norway)                                                                                                                                                                                 |     |
| Studies on the simultaneous determination of acidic and neutral sugars of plant cell wall materials by HPLC of their methyl glycosides after combined methanolysis and enzymic prehydrolysis . . . . . | 87  |
| B. QUEMENER, M. LAHAYE & J.-F. THIBAUT (France)                                                                                                                                                        |     |
| Alkali-modification of carrageenans: mechanism and kinetics in the kappa/iota-, mu/nu- and lambda-series . . . . .                                                                                     | 95  |
| M. CIANCIA (Argentina), M. D. NOSEDA (Brazil), M. C. MATULEWICZ & A. S. CEREZO (Argentina)                                                                                                             |     |
| Preparation and characteristic properties of 5-methyl pyrrolidinone chitosan . . . . .                                                                                                                 | 99  |
| R. A. A. MUZZARELLI, P. ILARI & M. TOMASETTI (Italy)                                                                                                                                                   |     |
| The effect of fructose and water on the glass transition of amylopectin . . . . .                                                                                                                      | 107 |
| M. T. KALICHEVSKY & J. M. V. BLANSHARD (UK)                                                                                                                                                            |     |

|                                                                                                                                                                                                                                 |     |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| Isolation and chemical characterization of water-soluble mixed-linked $\beta$ -glucans and arabinoxylans in oat milling fractions<br>E. WESTERLUND, R. ANDERSSON & P. ÅMAN (Sweden)                                             | 115 |
| Comparison of the properties of dextran and hydroxyethyl starch substituted with benzene tetracarboxylate in terms of their use in blood transfusion<br>M. L. HUGUET, F. PROUCHAYRET, M. GRANDGEORGE, & E. DELLACHERIE (France) | 125 |
| Effect of oxidative browning of apple pulp on the chemical and enzymatic extraction of cell wall polysaccharides<br>C. E. MISSANG, P. MASSIOT, A. BARON & J. F. DRILLEAU (France)                                               | 131 |
| Site specific binding of calcium ions to anionic chitin derivatives<br>Y. URAKI, T. FUJII, T. MATSUOKA, Y. MIURA & S. TOKURA (Japan)                                                                                            | 139 |
| News and Views                                                                                                                                                                                                                  | 145 |
| Bibliography                                                                                                                                                                                                                    | 147 |
| Book Reviews                                                                                                                                                                                                                    | 157 |

Number 3

|                                                                                                                                                                                                                             |     |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| Degradation of arabinans by arabinanases from <i>Aspergillus aculeatus</i> and <i>Aspergillus niger</i> .<br>G. BELDMAN, M. J. F. SEARLE-VAN LEEUWEN, G. A. DE RUITER,<br>H. A. SILIHA & A. G. J. VORAGEN (The Netherlands) | 159 |
| Variability in starch extracted from taro<br>S. N. MOORTHY, P. K. THANKAMMA PILLAI & M. UNNIKRISHNAN (India)                                                                                                                | 169 |
| Effects of pH and DMSO content on the thermal and rheological properties of high methoxyl pectin–water gels<br>M. WATASE & K. NISHINARI (Japan)                                                                             | 175 |
| Conformational changes of hyaluronates with partial palmitoylation and the adsorption structures on the surface of oil droplets<br>Y. KAWAGUCHI, K. MATSUKAWA & Y. ISHIGAMI (Japan)                                         | 183 |
| How brittle are gels?<br>C. G. OATES (Singapore), P. W. LUCAS (Hong Kong) & W. P. LEE (Singapore)                                                                                                                           | 189 |
| Enzymic and chemical degradation of some industrial pectins<br>T. P. KRAVTCHENKO, M. PENCI, A. G. J. VORAGEN & W. PILNIK (The Netherlands)                                                                                  | 195 |
| Effect of cations on heat degradation of chelator-soluble carrot pectin<br>T. SAJJANANTAKUL, J. P. VAN BUREN & D. L. DOWNING (USA)                                                                                          | 207 |
| Water-soluble yellow mustard ( <i>Sinapis alba</i> L.) polysaccharides: partial characterization, molecular size distribution and rheological properties<br>W. CUI, N. A. M. ESKIN & C. G. BILIADERIS (Canada)              | 215 |
| Bibliography on carbohydrate polymers                                                                                                                                                                                       | 227 |
| Book reviews                                                                                                                                                                                                                | 237 |

Number 4

|                                                                                                                                                       |     |
|-------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| Preparation and biodegradability of chitin derivatives having mercapto groups<br>K. KURITA, H. YOSHINO, S.-I. NISHIMURA & S. ISHII (Japan)            | 239 |
| A chemical approach to the quantitative determination of carboxymethyl cellulose in industrial samples<br>E. H. M. MELO (Brazil) & J. F. KENNEDY (UK) | 247 |

|                                                                                                                                                                                              |     |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| Rheology and fracture of mixed $\iota$ - and $\kappa$ -carrageenan gels: Two-step gelation<br>A. PARKER, G. BRIGAND, C. MINIOU, A. TRESPOEY & P. VALLEE (France)                             | 253 |
| A new approach for estimating the crosslink density of covalently crosslinked ionic polysaccharide gels<br>S. T. MOE, A. ELGSAETER, G. SKJÅK-BRÆK & O. SMIDSRØD (Norway)                     | 263 |
| The role of the structure on the molecular size and conformation of (1–4) and (1–6) linked polysaccharide<br>L. TAO & N. K. MATHESON (Australia)                                             | 269 |
| Preparation of low-molecular-weight chitosan using phosphoric acid<br>M. HASEGAWA, A. ISOGAI & F. ONABE (Japan)                                                                              | 279 |
| A new chromatographic procedure for separation of typical $\lambda$ -type molecular species from commercial $\lambda$ -carrageenan<br>T. YAMADA, A. OGAMO & Y. NAKAGAWA (Japan)              | 285 |
| Thermal properties of polysaccharides at low moisture: 1—An endothermic melting process and water–carbohydrate interactions<br>I. A. M. APPELQVIST, D. COOKE, M. J. GIDLEY & S. J. LANE (UK) | 291 |
| Bibliography on carbohydrate polymers                                                                                                                                                        | 301 |
| Book reviews                                                                                                                                                                                 | 315 |

## CONTENTS OF VOLUME 21

### Number 1

|                                                                                                                                                                                                                                                                                                       |    |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| A new approach to characterising carboxymethylcelluloses by size exclusion chromatography<br>M. RINAUDO (France), J. DANHELKA (Czech Republic) & M. MILAS (France)                                                                                                                                    | 1  |
| The crystalline domains in potato starch granules are arranged in a helical fashion<br>G. T. OOSTERGETEL & E. F. J. VAN BRUGGEN (The Netherlands)                                                                                                                                                     | 7  |
| Degradation of the mucilaginous polysaccharide from <i>ruredzo</i> ( <i>Dicerocaryum zanguebarium</i> ) during autoclaving<br>M. A. N. BENHURA & M. MARUME (Zimbabwe)                                                                                                                                 | 13 |
| The deformation of thin films made from extruded starch<br>S. C. WARBURTON, A. M. DONALD & A. C. SMITH (UK)                                                                                                                                                                                           | 17 |
| Modification of chitin by ceric salt-initiated graft polymerisation—preparation of poly(methyl methacrylate)-grafted chitin derivatives that swell in organic solvents<br>L. REN, Y. MIURA, N. NISHI & S. TOKURA (Japan)                                                                              | 23 |
| Aqueous size exclusion chromatography of hydroxyethyl-amylopectin<br>D. SARAZIN, J. FRANÇOIS, C. ROQUETA & G. FLÈCHE (France)                                                                                                                                                                         | 29 |
| Distribution of uronate residues in alginate chains in relation to alginate gelling properties—2: Enrichment of $\beta$ -D-mannuronic acid and depletion of $\alpha$ -L-guluronic acid in sol fraction.<br>B. T. STOKKE, O. SMIDSRØD (Norway), F. ZANETTI (Italy), W. STRAND & G. SKJÅK-BRÆK (Norway) | 39 |
| Scanning tunnelling microscopy of xanthan gum<br>A. P. GUNNING, T. J. MCMASTER & V. J. MORRIS (UK)                                                                                                                                                                                                    | 47 |
| Xanthan–locust bean gum interactions and gelation<br>D. F. ZHAN (People's Republic of China), M. J. RIDOUT, G. J. BROWNSEY & V. J. MORRIS (UK)                                                                                                                                                        | 53 |
| Summaries of UK Patent Applications                                                                                                                                                                                                                                                                   | 59 |
| News and Views                                                                                                                                                                                                                                                                                        | 61 |

|                                                                                                                                                           |     |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| Bibliography of Carbohydrate Polymers . . . . .                                                                                                           | 63  |
| Book Reviews . . . . .                                                                                                                                    | 79  |
| <i>Numbers 2 &amp; 3</i>                                                                                                                                  |     |
| Foreword . . . . .                                                                                                                                        | 81  |
| THE ORGANIZING COMMITTEE                                                                                                                                  |     |
| Evidence of the presence of large aggregates contaminating amylose solutions<br>P. ROGER & P. COLONNA (France)                                            | 83  |
| Structural features of fatty acid–amylose complexes<br>M. C. GODET, A. BULÉON, V. TRAN & P. COLONNA (France)                                              | 91  |
| The microscopic structure of rye kernel and dough . . . . .                                                                                               | 99  |
| T. VIRTANEN & K. AUTIO (Finland)                                                                                                                          |     |
| ‘B’ to ‘A’ type phase transition in short amylose chains . . . . .                                                                                        | 99  |
| P. LE BAIL, H. BIZOT & A. BULÉON (France)                                                                                                                 |     |
| Water relationships in starch transitions . . . . .                                                                                                       | 105 |
| L. SLADE & H. LEVINE (USA)                                                                                                                                |     |
| Behaviour of starches derived from varieties of maize containing different genetic mutations: effects of starch genotype on granular morphology . . . . . | 133 |
| F. R. KATZ, S. L. FURCSIK, F. L. TENBARGE, R. J. HAUBER & R. B. FRIEDMAN (USA)                                                                            |     |
| $\alpha$ -Amylases: structure and function . . . . .                                                                                                      | 137 |
| M. SØGAARD, J. ABE, M. F. MARTIN-EAUCLAIRE & B. SVENSSON (Denmark)                                                                                        |     |
| Properties of the binding domain of glucoamylase . . . . .                                                                                                | 147 |
| G. WILLIAMSON & N. J. BELSHAW (UK)                                                                                                                        |     |
| Modification of barley starch by $\alpha$ -amylase and pullulanase . . . . .                                                                              | 151 |
| M. LAURO, A. LAPPALAINEN, T. SUORTTI, K. AUTIO & K. POUTANEN (Finland)                                                                                    |     |
| Release of ferulic acid from plant polysaccharides by ferulic acid esterase from <i>Streptomyces olivochromogenes</i> . . . . .                           | 153 |
| C. B. FAULDS & G. WILLIAMSON (UK)                                                                                                                         |     |
| Basis of cereal starch expansion . . . . .                                                                                                                | 157 |
| R. CHINNASWAMY (USA)                                                                                                                                      |     |
| Influence of starch, gluten proteins and extraction rate on bread and pasta quality . . . . .                                                             | 169 |
| S. SAHLSTRÖM, E. MOSLETH, A. B. BÆVRE (Norway), H. GLORIA & G. FAYARD (Switzerland)                                                                       |     |
| Taro ( <i>Colocasia esculenta</i> ) extrusion. . . . .                                                                                                    | 177 |
| J. A. MAGA, M. B. LIU & T. REY (USA)                                                                                                                      |     |
| Investigation of the flow behaviour of sourdoughs in a continuously operating fermentation system . . . . .                                               | 179 |
| F. MEUSER & T. H. ZENSE (Germany)                                                                                                                         |     |
| Physiological effects of cereal dietary fibre . . . . .                                                                                                   | 183 |
| N.-G. ASP, I. BJÖRCK & M. NYMAN (Sweden)                                                                                                                  |     |
| Cereal dietary fibers affect post-prandial lipoproteins in healthy human subjects . . . . .                                                               | 189 |
| C. DUBOIS, L. CARA, P. BOREL, M. ARMAND, M. SENFT, H. PORTUGAL, P.-M. BERNARD,<br>H. LAFONT & D. LAIRON (France)                                          |     |
| Technological treatments of cereals. Repercussions on the physiological properties of starch . . . . .                                                    | 195 |
| F. BORNET (France)                                                                                                                                        |     |

|                                                                                                              |     |
|--------------------------------------------------------------------------------------------------------------|-----|
| Structural discrepancies in resistant starch obtained <i>in vivo</i> in humans and <i>in vitro</i> . . . . . | 205 |
| N. FAISANT, M. CHAMP, P. COLONNA & A. BULÉON (France)                                                        |     |
| Factors determining the nutritional value of wheat varieties for poultry . . . . .                           | 211 |
| N. T. NICOL, J. WISEMAN & G. NORTON (UK)                                                                     |     |
| Bibliography of Carbohydrate Polymers . . . . .                                                              | 217 |
| Book Reviews . . . . .                                                                                       | 241 |

Number 4

|                                                                                                                                              |     |
|----------------------------------------------------------------------------------------------------------------------------------------------|-----|
| Phase equilibria and gelation in gelatin/maltodextrin systems—Part I: gelation of individual components. . . . .                             | 243 |
| S. KASAPIS, E. R. MORRIS, I. T. NORTON & A. H. CLARK (UK)                                                                                    |     |
| Phase equilibria and gelation in gelatin/maltodextrin systems—Part II: polymer incompatibility in solution . . . . .                         | 249 |
| S. KASAPIS, E. R. MORRIS, I. T. NORTON & M. J. GIDLEY (UK)                                                                                   |     |
| Phase equilibria and gelation in gelatin/maltodextrin systems—Part III: phase separation in mixed gels . . . . .                             | 261 |
| S. KASAPIS, E. R. MORRIS, I. T. NORTON & C. R. T. BROWN (UK)                                                                                 |     |
| Phase equilibria and gelation in gelatin/maltodextrin systems—Part IV: composition-dependence of mixed-gel moduli . . . . .                  | 269 |
| S. KASAPIS, E. R. MORRIS, I. T. NORTON & A. H. CLARK (UK)                                                                                    |     |
| Solid-state CP/MAS <sup>13</sup> C-NMR analysis of cellulose and tri- <i>O</i> -substituted cellulose ethers . . . . .                       | 277 |
| A. ISOGAI, T. KATO, T. URYU (Japan) & R. H. ATALLA (USA)                                                                                     |     |
| Synthesis of sulfated derivatives of curdlan and their anti-HIV activity . . . . .                                                           | 283 |
| Z. OSAWA, T. MOROTA, K. HATANAKA, T. AKAIKE, K. MATSUZAKI, H. NAKASHIMA,<br>N. YAMAMOTO, E. SUZUKI, H. MIYANO, T. MIMURA & Y. KANEKO (Japan) |     |
| Transport of nucleic acid bases against their concentration gradients through quaternized chitosan membrane . . . . .                        | 289 |
| T. URAGAMI, T. KATO, H. NAGAYASU & I. YURA (Japan)                                                                                           |     |
| Separation of coeliac-active peptides from bread wheat with the aid of methylpyrrolidinone chitosan . . . . .                                | 295 |
| M. DE VINCENZI, M. R. DESSI & R. A. A. MUZZARELLI (Italy)                                                                                    |     |
| The conjugation of RGDS peptide with CM-chitin augments the peptide-mediated inhibition of tumor metastasis . . . . .                        | 299 |
| H. KOMAZAWA, I. SAIKI, Y. IGARASHI, I. AZUMA, S. TOKURA, M. KOJIMA, A. ORIKASA, M. ONO &<br>I. ITOH (Japan)                                  |     |
| Bibliography of Carbohydrate Polymers . . . . .                                                                                              | 309 |
| Book Reviews . . . . .                                                                                                                       | 319 |

CONTENTS OF VOLUME 22

Number 1

|                                                                                                                                      |    |
|--------------------------------------------------------------------------------------------------------------------------------------|----|
| Cellulose derivatives with low DS. I. A novel acylation system . . . . .                                                             | 1  |
| G. SAMARANAYAKE & W. G. GLASSER (USA)                                                                                                |    |
| Vapor-phase HF solvolysis of cellulose: Modification of the reversion oligosaccharide distribution by in-situ methanolysis . . . . . | 9  |
| G. L. RORRER & M. C. HAWLEY (USA)                                                                                                    |    |
| Novel cellulose derivative for the in-vitro adsorption of heparin from blood plasma . . . . .                                        | 15 |
| M. ANTAL (Slovak Republic) & M. M. MICKO (Canada)                                                                                    |    |
| Molecular structures obtained from mixed amylose and potato starch dispersions and their rheological behaviour . . . . .             | 19 |
| K. SVEGMARK, S. KIDMAN & A.-M. HERMANSSON (Sweden)                                                                                   |    |

|                                                                                                                                                                                          |    |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| The influence of molar substitution on the thermal properties of hydroxypropyl potato starches<br>H. R. KIM & A.-C. ELIASSON (Sweden)                                                    | 31 |
| Structure of the principal non-starch polysaccharide from cotyledons of <i>Lupinus angustifolius</i> (cultivar Gungurru)<br>N. W. H. CHEETHAM, P. C.-K. CHEUNG & A. J. EVANS (Australia) | 37 |
| Rheological behaviour of mixed gels of $\kappa$ -carrageenan-locust bean gum<br>M. STADING & A.-M. HERMANSSON (Sweden)                                                                   | 49 |
| Predicted influence of monomer sequence distribution and acetylation on the extension of naturally occurring alginates<br>B. T. STOKKE, O. SMIDSRØD (Norway) & D. A. BRANT (USA)         | 57 |
| Bibliography of Carbohydrate Polymers                                                                                                                                                    | 67 |
| Book Reviews                                                                                                                                                                             | 77 |

Number 2

|                                                                                                                                                                                                   |     |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| Cellulose derivatives with low DS. II. Analysis of alkanoates<br>G. SAMARANAYAKE & W. G. GLASSER (USA)                                                                                            | 79  |
| On the characterization of polygalacturonate salts in dilute solution<br>A. MALOVIKOVA (CZECH REPUBLIC), M. RINAUDO & M. MILAS (France)                                                           | 87  |
| Complexes of starch with telechelic poly( $\epsilon$ -caprolactone) phosphate<br>R. L. SHOGREN (USA)                                                                                              | 93  |
| Influence of locust bean gum on the rheological properties of kappa-carrageenan systems in the vicinity of the gel point<br>P. B. FERNANDES, M. P. GONÇALVES (Portugal) & J. L. DOUBLIER (France) | 99  |
| Characterization of cell wall components from the endosperm of sorghum varieties varying in hardness<br>R. KAVITHA & A. CHANDRASHEKAR (India)                                                     | 107 |
| Chitosan behaviours in a dispersion of undecylenic acid<br>S. DEMARGER-ANDRE & A. DOMARD (France)                                                                                                 | 117 |
| Studies on aqueous polymer two-phase systems containing agarose<br>A. S. MEDIN & J.-C. JANSON (Sweden)                                                                                            | 127 |
| <b>Research Notes</b>                                                                                                                                                                             |     |
| <i>N</i> -[ <sup>13</sup> C=O]Acetylchitosan and its digestibility by silkworms<br>S. HIRANO, S. YOSHIDA & N. TAKABUCHI (Japan)                                                                   | 137 |
| Bibliography of Carbohydrate Polymers                                                                                                                                                             | 141 |
| Book Reviews                                                                                                                                                                                      | 151 |

Number 3

|                                                                                                                                                                 |     |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| Hydration characteristics of the cross-linked hyaluronan derivative hylan.<br>S. TAKIGAMI, M. TAKIGAMI (Japan) & G. O. PHILLIPS (UK)                            | 153 |
| Thermogelation of methylcellulose. Part I: molecular structures and processes<br>A. HAQUE & E. R. MORRIS (UK)                                                   | 161 |
| Thermogelation of methylcellulose. Part II: effect of hydroxypropyl substituents<br>A. HAQUE, R. K. RICHARDSON, E. R. MORRIS, M. J. GIDLEY & D. C. CASWELL (UK) | 175 |
| Characterization of two arabinogalactan-proteins from red wine<br>P. PELLERIN (France), E. WATERS (Australia) & J. M. BRILLOUET (France)                        | 187 |

|                                                                                                                                                                                                                             |     |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| Solution properties of chitosans: conformation and chain stiffness of chitosans with different degrees of <i>N</i> -acetylation<br>M. W. ANTHONSEN, K. M. VÅRUM & O. SMIDSRØD (Norway)                                      | 193 |
| Studies on apple protopectin VI: extraction of pectins from apple cell walls with rhamnogalacturonase<br>C. M. G. C. RENARD, J.-F. THIBAUT (FRANCE), A. G. J. VORAGEN, L. A. M. VAN DEN BROEK & W. PILNIK (The Netherlands) | 203 |
| Bibliography of Carbohydrate Polymers                                                                                                                                                                                       | 211 |
| Book Reviews                                                                                                                                                                                                                | 219 |
| Announcement.                                                                                                                                                                                                               | 221 |

Number 4

|                                                                                                                                                                                          |     |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| Xanthan-like 'weak gel' rheology from dispersions of ispaghula seed husk<br>A. HAQUE, R. K. RICHARDSON, E. R. MORRIS & I. C. M. DEA (UK)                                                 | 223 |
| Cellulose derivatives: An enzymatic approach to their modification<br>E. H. M. MELO (Brazil) & J. F. Kennedy (UK)                                                                        | 233 |
| Characterisation of the extractable pectins and hemicelluloses of the cell was of glasswort, <i>Salicornia ramosissima</i><br>C. M. G. C. RENARD, Y. CHAMPENOIS & J.-F. THIBAUT (France) | 239 |
| $\beta$ -Carrageenan: Isolation and characterization<br>D. W. RENN, G. A. SANTOS, L. E. DUMONT, C. A. PARENT, N. F. STANLEY, D. J. STANCIOFF & K. B. GUISELEY (USA)                      | 247 |
| Characterization of polysaccharides from <i>Enteromorpha intestinalis</i> (L.) Link, Chlorophyta<br>B. DE REVIERS & A. LEPROUX (France)                                                  | 253 |
| Gelling properties of water-soluble polysaccharides from proliferating marine green seaweeds ( <i>Ulva</i> spp.)<br>M. LAHAYE & M. A. V. AXELOS (France)                                 | 261 |
| The fine structure of rice-starch amylopectin and its relation to the texture of cooked rice<br>K. RADHIKA REDDY, S. ZAKI UDDIN ALI & K. R. BHATTACHARYA (India)                         | 267 |
| Bibliography of Carbohydrate Polymers                                                                                                                                                    | 277 |
| Book Review                                                                                                                                                                              | 285 |
| Conference Report                                                                                                                                                                        | 287 |
| Announcement.                                                                                                                                                                            | 289 |