

Bibliography of carbohydrate polymers

1 BOOKS, REVIEWS & SYMPOSIA

Suzuki M, Takatsuki F, Maeda YY, Hamuro J, Chihara G*// *Teikyo Univ, Biotechnol Res Ctr, 907 Nogawa, Miyamae ku, Kawasaki 216, Japan
Clin Immunotherap 1994 2 (2) 121
 Lentinan: Rationale for development and therapeutic potential (Review)

2 CELLULOSE

Arakelyan VS// Res & Dev Inst Photochem Ind, Leningradskii pr 47, Moscow 125167, Russia

Vysokomol Soedin 1994 36 (6) A993

Rheological properties of the solutions of hydroxyethyl cellulose and a copolymer of methyl methacrylate with methacrylic acid (Russian, English Abstract)

Baba K, Sone Y, Kaku H, Misaki A, Shibuya N, Itoh T// Kyoto Univ, Wood Res Inst, Div Wood Biosci, Uji, Kyoto 611, Japan
Holzforchung 1994 48 (4) 297

Localization of hemicelluloses in the cell walls of some woody plants using immuno-gold electron microscopy

Basu S, Bhattacharyya A, Mondal PC, Bhattacharyya SN// Saha Inst Nucl Phys, Div Nucl Chem, Sector 1, Block AF Bidhannagar, Calcutta 700064, India

J Polym Sci-A Polym Chem 1994 32 (12) 2251

Spectroscopic evidences for grafting of *N*-vinyl carbazole on cellulose-acetate film

Bataille P, Dufourd M, Sapieha S// Ecole Polytech, Dept Chem Engr, Box 6079, Stn A, Montreal, Quebec, Canada H3C 3A7

Polym Int 1994 34 (4) 387

Copolymerization of styrene on to cellulose activated by corona

Braun D, Bahlig KH// Deutsch Kunststoff Inst, Schlossgarten-Str 6, 64289 Darmstadt, FRG

Angew Makromol Chem 1994 220 199

Preparation and properties of cellulose benzoate (German, English Abstract)

Emsley AM// Univ Surrey, Dept Chem, Guildford GU2 5XH, Surrey, England

Polym Degrad Stabil 1994 44 (3) 343

The kinetics and mechanisms of degradation of cellulosic insulation in power transformers

Gomez NA, Iniguez SA, Leon CJ// Esperanza Fdn, Inst Digest Dis, Gastrointest Unit, POB 09-01-7562, Guayaquil, Ecuador

Surg Endosc-Ultrasound Interv 1994 8 (8) 934

Use of oxidized regenerated cellulose (TC7) to prevent postoperative adhesions in laparoscopic surgery (Letter)

Hara H, Saito Y, Nagata M, Tsuji M, Yamamoto K, Kiriya S// Hokkaido Univ, Fac Agr, Dept Biosci & Chem, Sapporo 060, Japan

J Nutr 1994 124 (8) 1238

Artificial fiber complexes composed of cellulose and guar gum or psyllium may be better sources of soluble fiber for rats than comparable fiber mixtures

Heidrick GW, Pippitt CH, Morgan MA*, Thurnau GR// *Univ Calif Irvine, Irvine Med Ctr, Dept Obstet & Gynecol, 101 The City Dr, Orange, Ca 92668, USA

J Reprod Med 1994 39 (8) 575

Efficacy of intraperitoneal sodium carboxymethylcellulose in preventing postoperative adhesion formation

Heinze T, Heinze U, Klemm D// Univ Jena, Inst Organ Chem & Macromolec Chem, Humboldtstr 10, D-07743 Jena, FRG

Angew Makromol Chem 1994 220 123

Viscosity behaviour of multivalent metal ion-containing carboxymethyl cellulose solutions

Hill-West JL, Chowdhury SM, Dunn RC, Hubbell JA*// *Univ Texas, Dept Chem Engr, Austin, Tx 78712, USA

Fert Steril 1994 62 (3) 630

Efficacy of a resorbable hydrogel barrier, oxidized regenerated cellulose, and hyaluronic acid in the prevention of ovarian adhesions in a rabbit model

Li XG, Huang MR// Tianjin Inst Text Sci & Technol, Ctr Membrane Separat Engr, 63 Cheng Lin Zhuang Rd, Tianjin 300160, Peoples Rep China

Angew Makromol Chem 1994 220 151

Air separation characteristics with liquid crystalline alkyl cellulose blend thin-film composite membranes

Marsano E, Bianchi E, Conio G, Tealdi A// Univ Genoa, Ist Chim Ind, Corso Europa 30, I-16132 Genoa, Italy

Polymer 1994 35 (16) 3565

Cellulose polyacrylonitrile blends. III. Polymer polymer interactions in dimethylacetamide LiCl solution determined by viscometry

Mikhailov YM, Smirnov VS, Ganina LV// Russian Acad Sci, Inst Chem Phys Chernogolovka, PO Chernogolovka, Moskovskaya Oblast 142432, Russia

Vysokomol Soedin 1994 36 (6) B1032

On the estimation of self-diffusion coefficients of plasticizers in solutions of nitrocellulose (Russian, English Abstract)

Miyashita Y, Kimura N, Nishio Y, Suzuki H// Nagaoka Univ Technol, Fac Engr, Dept Bioengr, 1603-1 Kamitomioka, Nagaoka, Niigata 94021, Japan

Kobunshi Ronbunshu 1994 51 (7) 466

Transition behavior and phase structure of cellulose poly(*N*-vinylpyrrolidone) composites prepared by a solution coagulation bulk polymerization method

Moteleb MMA, Naoum MM, Shalaby MM, Saad GR// Teachers Coll, Abha, Saudi Arabia

Polym Int 1994 34 (4) 363

Dielectric investigation of isotropic and anisotropic solutions of hydroxypropyl cellulose in dioxan

Moteleb MMA// Teachers Coll, Abha, Saudi Arabia

Polym Int 1994 34 (4) 375

On the low frequency dielectric behavior of carboxymethyl cellulose and its sodium salt

Nagaoka S, Ihara H, Honbo J, Hirayama C, Kurisaki H, Ikegami S// Kumamoto Univ, Fac Engr, Dept Appl Chem, Kumamoto 860, Japan

Anal Sci 1994 10 (4) 543

Spherical carbon packings prepared from spherical cellulose particles for high-performance liquid chromatography

Naidu YRV, Sagar DS, Sharma AK// SV Univ, Coll Engr, Dept Phys, Tirupati 517502, India

Polym Int 1994 34 (4) 379

A comparative study of the thermal discharge behaviour of cellulose diacetate and cellulose triacetate films

Pastorova I, Botto RE, Arisz PW, Boon JJ// FOM, Inst Atom & Molec Phys, Mass Spectrometry Macromolec Syst Unit, Kruislaan 407, 1098 SJ Amsterdam, The Netherlands

Carbohydr Res 1994 262 (1) 27

Cellulose char structure: A combined analytical Py-GC-MS, FTIR, and NMR study

Petropavlovskii GA, Zimina TR, Grigorev AI// Inst High Molec Cpds, St Petersburg, Russia

Russ J Appl Chem-Eng Tr 1993 66 (8 Pt 2) 1435

Preparation and properties of cellulose-urea compounds

Pizzoli M, Scandola M*, Ceccorulli G// *Univ Bologna, Dipt Chim G

As a service to subscribers, each issue of the Journal contains a bibliography of newly published material in the field of carbohydrate polymers. The bibliography is divided into ten sections: 1 Books, Reviews & Symposia; 2 Cellulose; 3 Cellulose-degrading Enzymes; 4 Chitin/Chitosan; 5 Cyclodextrins; 6 Lignin; 7 Lipopolysaccharides; 8 Pectin; 9 Starch; 10 Starch-degrading Enzymes; 11 Polysaccharides - Microbial; 12 Polysaccharides - Plant; 13 Polysaccharides - Other. Within each section, articles are listed in alphabetical order with respect to author. When there are no publications to appear under one of these headings, that section will be omitted.

- Ciamician, via Selmi 2, I-40126 Bologna, Italy
Macromolecules 1994 27 (17) 4755
 Crystallization kinetics and morphology of poly(3-hydroxybutyrate) cellulose ester blends
- Plesner IW, Malmgren-Hansen B, Sorensen TS// Aarhus Univ, Dept Chem, Div Phys Chem, DK-9000 Aarhus, Denmark
J Chem Soc Faraday Trans 1994 90 (16) 2381
 Distribution of electrolytes between membraneous and bulk phases, and the dielectric properties of membraneous water, studied by impedance spectroscopy measurements on dense cellulose acetate membranes
- Saad GR// Cairo Univ, Fac Sci, Dept Chem, Giza, Egypt
Polym Int 1994 34 (4) 411
 Dielectric behaviour of cyanoethylated cellulose
- Suurnakki A, Kantelinen A, Hortling B, Buchert J, Viikari L// VTT, Biotech Lab, POB 202, SF-02151 Espoo, Finland
Holzforchung 1994 48 (4) 291
 Enzymatic solubilization of hemicelluloses in industrial softwood Kraft pulps
- Tasker S, Badyal JPS// *Univ Durham, Dept Chem, Sci Labs, Durham DH1 3LE, England
J Phys Chem 1994 98 (31) 7599
 Influence of cross-linking upon the macroscopic pore structure of cellulose
- Tikhonova TF, Soloveva LV, Kapostyan IM, Novikov VP, Bashmakov IA, Kaputskii FN// Belorussian State Univ, Sci Res Inst Physicochem, Minsk, Byelarus
Russ J Appl Chem-Eng Tr 1993 66 (8 Pt 2) 1431
 Preparation of 1-2-3 yttrium-barium-copper salt of carboxylated cellulose
- Toffanin R, Knutsen SH, Bertocchi C, Rizzo R, Murano E// *Ctr Ric POLY-bios LBT, Area Ric Padriciano 99, I-34012 Trieste, Italy
Carbohyd Res 1994 262 (1) 167
 Detection of cellulose in the cell wall of some red algae by ¹³C-NMR spectroscopy
- Yashima E, Fukaya H, Okamoto Y// *Nagoya Univ, Sch Engr, Dept Appl Chem, Chikusa ku, Nagoya 46401, Japan
J Chromatogr A 1994 677 (1) 11
 3,5-Dimethylphenylcarbamates of cellulose and amylose regioselectively bonded to silica gel as chiral stationary phases for high-performance liquid chromatography
- Yoshida T, Wu CP, Song LX, Uryu T*, Kaneko Y, Mimura T, Nakashima H, Yamamoto N// *Univ Tokyo, Inst Ind Sci, 7-22-1 Roppongi, Minato ku, Tokyo 106, Japan
Macromolecules 1994 27 (16) 4422
 Synthesis of cellulose-type polyriboses and their branched sulfates with anti-AIDS virus activity by selective ring-opening copolymerization of 1,4-anhydro- α -D-ribofuranose derivatives
- Yoshinobu M, Morita M, Higuchi M, Sakata I// Kyushu Univ, Fac Agr, Dept Forest Prod, Hakozaki 6-10-1, Higashi ku, Fukuoka 812, Japan
J Appl Polym Sci 1994 53 (9) 1203
 Morphological study of hydrogels of cellulosic super water absorbents by cryo-SEM observation
- Anal Sci* 1994 10 (4) 601
 Adsorption equilibria of silver(I) and copper(II) ions on *N*-(2-hydroxybenzyl)chitosan derivative
- Defaye J, Gadelle A*, Pedersen C// *Ctr Etudes Grenoble, CNRS, BP 85X, F-38041 Grenoble, France
Carbohyd Res 1994 261 (2) 267
 A convenient access to β -(1 $\rightarrow$ 4)-linked 2-amino-2-deoxy-D-glucopyranosyl fluoride oligosaccharides and β -(1 $\rightarrow$ 4)-linked 2-amino-2-deoxy-D-glucopyranosyl oligosaccharides by fluorolysis and fluorohydrolysis of chitosan
- Hasegawa M, Isogai A*, Onabe F// *Univ Tokyo, Fac Agr, Dept Forest Prod, Bunkyo ku, 1-1-1 Yayoi, Tokyo 113, Japan
Carbohyd Res 1994 262 (1) 161
 Molecular mass distribution of chitin and chitosan
- Henderson W, Olsen GM, Bonnington LS// Univ Waikato, Dept Chem, Private Bag 3105, Hamilton, New Zealand
J Chem Soc Chem Commun 1994 (16) 1863
 Immobilised phosphines incorporating the chiral biopolymers chitosan and chitin
- Hughes J, Ramsden DK, Boulby JM// Allied Colloids Ltd, Bradford BD12 0JZ, England
Biotechnol Technique 1994 8 (8) 541
 The role of cellulotics in chitosan flocculation of *Zymomonas mobilis*
- Jun HK, Kim JS, No HK*, Meyers SP// *Hyosung Womens Univ, Dept Food Sci & Technol, Kyungbuk 713702, South Korea
J Agr Food Chem 1994 42 (8) 1834
 Chitosan as a coagulant for recovery of proteinaceous solids from tofu wastewater
- Kim SS, Kim SJ, Moon YD, Lee YM// *Hanyang Univ, Coll Engr, Dept Ind Chem, Seoul 133791, South Korea
Polymer 1994 35 (15) 3212
 Thermal characteristics of chitin and hydroxypropyl chitin
- Ohya Y, Nonomura K, Hirai K, Ouchi T// Kansai Univ, Fac Engr, Dept Appl Chem, Suita, Osaka 564, Japan
Macromol Chem Physics 1994 195 (8) 2839
 Synthesis of 6-O-carboxymethylchitin immobilizing doxorubicins through tetrapeptide spacer groups and its enzymatic release behavior of doxorubicin *in vitro*
- Singh DK, Ray AR// *Indian Inst Technol, Ctr Biomed Engr, New Delhi 110016, India
J Appl Polym Sci 1994 53 (8) 1115
 Graft copolymerization of 2-hydroxyethylmethacrylate onto chitosan films and their blood compatibility
- Trudel J, Asselin A// Univ Laval, Fac Sci Agr & Alimentat, Dept Phytol, St Foy, Quebec, Canada G1K 7P4
Anal Biochem 1994 221 (1) 214
 Protein purification for microsequencing by sequential native and denaturing polyacrylamide gel electrophoresis: Application to one chitinase

3 CELLULOSE-DEGRADING ENZYMES

- Homolka P// Vyzumny Ustav Zivocisne Vyroby, CS-10400 Prague 10, Czech Republic
Zivocisna Vyroba 1994 39 (7) 599
 Prediction of bulk fodder organic matter digestibility by the enzyme cellulase (Czech, English Abstract)
- Kaya F, Heitmann JA, Joyce TW// *Nth Carolina State Univ, Dept Wood & Paper Sci, POB 8005, Raleigh, NC 27695, USA
J Biotechnol 1994 36 (1) 1
 Cellulase binding to cellulose fibers in high shear fields

4 CHITIN/CHITOSAN

- Aiba S// Natl Inst Mat & Chem Res, Funct Molec Lab, 1-1 Higashi, Tsukuba, Ibaraki 305, Japan
Carbohyd Res 1994 261 (2) 297
 Preparation of *N*-acetylchitooligosaccharides from lysozymic hydrolysates of partially *N*-acetylated chitosans
- Baba Y, Hirakawa H, Yoshizuka K, Inoue K, Kawano Y// Miyazaki Univ, Dept Mat Engr, Miyazaki 88921, Japan

5 CYCLODEXTRINS

- Coates JH, Easton CJ*, Fryer NL, Lincoln SF// *Univ Adelaide, Dept Chem, Adelaide, SA 5005, Australia
Chem Lett 1994 (7) 1153
 Complementary diastereoselectivity in the synthesis and hydrolysis of acylated cyclodextrins
- Colquhoun IJ, Goodfellow BJ// Inst Food Res, Norwich Lab, Norwich Res Pk, Norwich NR4 7UA, England
J Chem Soc Perkin Trans II 1994 (8) 1803
 Chiral recognition by cyclodextrins: The interaction of naringin with β -cyclodextrin
- Cserhati T// Hungarian Acad Sci, Cent Res Inst Chem, POB 17, H-1025 Budapest, Hungary
Fresenius J Anal Chem 1994 349 (10-11) 751
 Charge-transfer chromatographic study of the interaction of anticancer drugs with acetyl- β -cyclodextrin
- Diaz D, Vargas-Baca I, Gracia-Mora J// UNAM, Fac Quim, Dept Quim Inorgan & Nucl, Mexico City 04510, DF, Mexico
J Chem Educ 1994 71 (8) 708
 β -Cyclodextrin inclusion complexes with iodine: An advanced and inexpensive undergraduate chemistry experiment
- Flamigni L// CNR, Ist FRAE, via P Gobetti 101, I-40129 Bologna, Italy
J Chem Soc Faraday Trans 1994 90 (16) 2331

Effects of complexation by cyclodextrins on the photoreactivity of rose bengal and erythrosin B: A laser flash photolysis investigation

Hamada F, Kondo Y, Ishikawa K, Ito H, Suzuki I, Osa T, Ueno A// Akita Univ, Coll Min, Dept Mat Engn & Appl Chem, Akita 010, Japan

J Inclusion Phenom Mol Recogn 1994 17 (3) 267

Host-guest sensory system of sodium anthranilate-modified β -cyclodextrin: Molecular recognition properties

Harada A, Kamachi M// Osaka Univ, Fac Sci, Dept Macromolec Sci, Toyonaka, Osaka 560, Japan

Nippon Kagaku Kaishi 1994 (7) 587

Preparation and structures of supramolecules between cyclodextrins and polymers

Harada A, Li J, Kamachi M// Osaka Univ, Fac Sci, Dept Macromolec Sci, Toyonaka, Osaka 560, Japan

Macromolecules 1994 27 (16) 4538

Formation of inclusion complexes of monodisperse oligo(ethylene glycol)s with α -cyclodextrin

Johnson MD, Hoesterey BL, Anderson BD// Univ Utah, Coll Pharm, Dept Pharmaceut & Pharmaceut Chem, Salt Lake City, Ut 84112, USA

J Pharm Sci 1994 83 (8) 1142

Solubilization of a tripeptide HIV protease inhibitor using a combination of ionization and complexation with chemically modified cyclodextrins

Kamiya M, Nakamura K// Univ Shizuoka, Div Environm Hlth Sci, Yada 52-1, Shizuoka 422, Japan

Pestic Sci 1994 41 (4) 305

Studies on the susceptibility to alkaline hydrolysis of inclusion complexes of organophosphorothioate pesticides with β -cyclodextrins

Loftsson T, Friordottir H, Sigurdardottir AM, Ueda H// Univ Iceland, Dept Pharm, POB 7210, IS-127 Reykjavik, Iceland

Int J Pharmaceut 1994 110 (2) 169

The effect of water-soluble polymers on drug-cyclodextrin complexation

Park JW, Park KH// Ewha Womans Univ, Dept Chem, Seoul 120750, South Korea

J Inclusion Phenom Mol Recogn 1994 17 (3) 277

Inclusion of (aminostyryl)-1-methylpyridium dyes by β -cyclodextrin and its use for fluorescent-probe studies on association of cationic and neutral molecules with β -cyclodextrin

Sallas F, Leroy P, Marsura A*, Nicolas A// *Univ Nancy 1, Fac Sci Pharmaceut & Biol, Etud Vecteurs Supramolec Med Grp, 5 rue A Lebrun, BP 403, F-54001 Nancy, France

Tetrahedron Lett 1994 35 (33) 6079

First selective synthesis of thio- β -cyclodextrin derivatives by a direct Mitsunobu reaction on free β -cyclodextrin

Suzuki M, Tsutsui M, Ohmori H// Osaka Univ, Fac Pharmaceut Sci, 1-6 Yamadaoka, Suita, Osaka 565, Japan

Carbohydr Res 1994 261 (2) 223

^2H -NMR study of the self-assembly of an azo dye cyclomaltooctaose (γ -cyclodextrin) complex

Wallerstein S, Cserhati T// *Hungarian Acad Sci, Cent Res Inst Chem, POB 17, H-1525 Budapest, Hungary

J Biochem Biophys Meth 1994 29 (1) 49

Interaction of some anti-hypoxia drugs with hydroxypropyl- β -cyclodextrin studied by means of charge transfer chromatography

Watanabe Y, Matsumoto Y, Kikuchi R, Kiriya M, Ito R, Matsumoto M, Nomura H, Maruyama K// Showa Coll Pharmaceut Sci, Dept Pharmaceut, 3165 Higashi Tamagawagakuen 3 chome, Machida 194, Tokyo, Japan

Int J Pharm 1994 110 (1) 93

Absorption enhancement of polypeptide drugs by cyclodextrins. IV. Absorption and blood leukocyte dynamics of recombinant human granulocyte colony-stimulating factor (rhG-CSF) from intranasally administered preparations containing rhG-CSF and cyclodextrins in rabbits

Willner I, Eichen Y, Willner B// Hebrew Univ Jerusalem, Inst Chem, IL-91904 Jerusalem, Israel

Res Chem Intermediates 1994 20 (7) 681

Supramolecular semiconductor receptor assemblies: Improved electron transfer at TiO_2 - β -cyclodextrin colloid interfaces

6 LIGNIN

Orlov DS, Ammosova YM, Yakimenko OS// Moscow MV Lomonosov State Univ, Dept Soil Sci, Moscow, Russia

Eurasian Soil Sci 1994 26 (1) 56

Agroecological aspects of using nontraditional organic fertilizers based on

hydrolyzed lignin

Shigematsu M, Morita M, Sakata I, Tanahashi M// Gifu Univ, Fac Agr, Div Utilizat Biol Resources, 1-1 Yanagido, Gifu 50111, Japan

Macromol Chem Physics 1994 195 (8) 2827

Enhancement of miscibility between hemicellulose and lignin by addition of their copolymer, the lignin-carbohydrate complex

Shimatani K, Sano Y, Sasaya T// Hokkaido Univ, Fac Agr, Kita 9, Nishi 9, Kita ku, Sapporo, Hokkaido 060, Japan

Holzforchung 1994 48 (4) 337

Preparation of moderate-temperature setting adhesives from softwood kraft lignin. II. Effects of some factors on strength properties and characteristics of lignin-based adhesives

7 LIPOPOLYSACCHARIDES

Hatano K, Boiset S, Des Jardins D, Wright DC, Brisker J, Pier GB// *Harvard Univ, Brigham & Womens Hosp, Sch Med, Dept Med, Channing Lab, 180 Longwood Ave, Boston, Ma 02115, USA

Infect Immunity 1994 62 (9) 3608

Immunogenic and antigenic properties of a heptavalent high-molecular-weight O-polysaccharide vaccine derived from *Pseudomonas aeruginosa*

Jann B, Shashkov AS, Hahne M, Kochanowski H, Jann K// *Max Planck Inst Immunobiol, Stubeweg 51, D-79108 Freiburg, FRG

Carbohydr Res 1994 261 (2) 215

Structure of the O83-specific polysaccharide of *Escherichia coli* O83: K24-H31

Klapcinska B// Silesian Univ, Dept Biochem, PL 40032 Katowice, Poland

Can J Microbiol 1994 40 (8) 686

Binding of germanium and lead to *Pseudomonas putida* lipopolysaccharides

Maskell JP// London Hosp, Coll Med, Dept Med Microbiol, Whitechapel, London E1 2AD, England

Anton Leeuwenhoek Int J Gen M 1994 65 (2) 155

Electrophoretic analysis of the lipopolysaccharides of *Bacteroides* spp

Medina EC, Widmalm G, Weintraub A*, Vial PA, Levine MM, Lindberg AA// *Karolinska Inst, Huddinge Univ Hosp, Dept Immunol Microbiol Pathol & Infect Dis, Div Clin Bacteriol, S-14186 Huddinge, Sweden

Eur J Biochem 1994 224 (1) 191

Structural studies of the O-antigenic polysaccharides of *Escherichia coli* O3 and the enteroaggregative *Escherichia coli* strain 17-2

Sonesson A, Jantzen E, Tangen T, Zahring U// Astro Draco AB, Bioanalyt Chem, POB 34, S-22100 Lund, Sweden

Can J Microbiol 1994 40 (8) 666

Lipopolysaccharides of *Legionella erythra* and *L. oakridgensis*

8 PECTIN

Schols HA, Mutter M, Voragen AGJ*, Niessen WMA, Van der Hoeven RAM, Van der Greef J, Bruggink C// *Agr Univ Wageningen, Dept Food Sci, Bomenweg 2, 6703 HD Wageningen, The Netherlands

Carbohydr Res 1994 261 (2) 335

The use of combined high-performance anion-exchange chromatography-thermospray mass spectrometry in the structural analysis of pectic oligosaccharides

9 STARCH

Davis H, Khan A// *Penn State Univ, Dept Chem, Du Bois, Pa 15801, USA

J Polym Sci-A Polym Chem 1994 32 (12) 2257

Determining the chromophore in the amylopectin iodine complex by theoretical and experimental studies

Davis H, Skrzypek W, Khan A// *Address as above.

J Polym Sci-A Polym Chem 1994 32 (12) 2267

Iodine binding by amylopectin and stability of the amylopectin iodine complex

Gao JP, Tian RC, Yu JG, Duan ML// Tianjin Univ, Dept Chem, Tianjin 300072, Peoples Rep China

J Appl Polym Sci 1994 53 (8) 1091

Graft copolymers of methyl methacrylate onto canna starch using mangano pyrophosphate as an initiator

Samotus B, Doerre E, Swiderski A, Scigalski A// Univ Agr Krakow, Dept

Biochem, PL-31425 Krakow, Poland
Acta Soc Bot Pol 1994 **63** (1) 49
 Photometric starch-iodine determination in plant materials as influenced by ascorbic acid: Critical remarks
 Seow CC, Vasanti-Nair CK// Univ Sains Malaysia, Sch Ind Technol, George Town 11800, Malaysia
Carbohydr Res 1994 **261** (2) 307
 Sub-Tg annealing of granular rice starch: Effects on enthalpy relaxation and starch sucrose interactions

10 STARCH-DEGRADING ENZYMES

Chou WM, Chou HM, Yuan HF, Shaw JF, Huang TC*// *Acad Sinica, Inst Bot, Taipei 1155, Taiwan
Curr Microbiol 1994 **29** (4) 201
 The aerobic nitrogen-fixing *Synechococcus* RF-1 containing uncommon polyglucan granules and multiple forms of α -amylase
 Ferro V, Meldal M*, Bock K// *Carlsberg Lab, Dept Chem, Gamle Carlsberg Vej 10, DK-2500 Valby, Denmark
J Chem Soc Perkin Trans I 1994 (15) 2169
 Synthesis of 2'- and 2"-O-acylated maltotrioses as potential fluorescence-quenched substrates for α -amylase
 Gokhale D, Deobagkar D// Natl Chem Lab, NCIM, Div Biochem Sci, Poona 411008, Maharashtra, India
Biotechnol Appl Biochem 1994 **20** (1) 109
 Isolation of intergeneric hybrids between *Bacillus subtilis* and *Zymomonas mobilis* and the production of thermostable amylase by hybrids
 Nishimura T, Kometani T, Takii H, Terada Y, Okada S// Ezaki Glico Co Ltd, Biochem Res Lab, 4-6-5 Utajima, Nishiyodogawa, Osaka 555, Japan
J Ferment Bioeng 1994 **78** (1) 31
 Purification and some properties of α -amylase from *Bacillus subtilis* X-23 that glucosylates phenolic compounds such as hydroquinone
 Omori T, Takeshima N, Shimoda M// Sanwa Shurui Co Ltd, Res Labs, 2231-1 Yamamoto, USA, Oita 87904, Japan
J Ferment Bioeng 1994 **78** (1) 27
 Formation of acid-labile α -amylase during barley-koji production
 Ozawa K, Yamagata Y, Satomura S, Ishida H, Kiso M, Hasegawa A*// *Gifu Univ, Dept Appl Bioorgan Chem, Gifu 50111, Japan
Carbohydr Res 1994 **262** (1) 137
 Synthesis of 6(5)- and/or 4(5)-O-glycosyl *p*-nitrophenyl α -maltopentaoside derivatives for the differential assay of human α -amylases
 Wu DH, Wen CY, Lin LL, Chu WS*, Hsu WH// *Food Ind Res & Dev Inst, Culture Collect & Res Ctr, POB 246, Hsinchu, Taiwan
Lett Appl Microbiol 1994 **19** (2) 67
 Effect of pH on isoamylase production by *Pseudomonas amyloclavata* WU 53115

11 POLYSACCHARIDES - MICROBIAL

Chandrasekaran R, Lee EJ, Thailambal VG, Zevenhuizen LPTM// Purdue Univ, Whistler Ctr Carbohydrate Res, Smith Hall, West Lafayette, IN 47907, USA
Carbohydr Res 1994 **261** (2) 279
 Molecular architecture of a galactoglucan from *Rhizobium meliloti*
 Furegon L, Curioni A, Peruffo ADB// Univ Padua, Dipt Biotechnol Agr, via Gradenigo 6, I-35131 Padua, Italy
Anal Biochem 1994 **221** (1) 200
 Direct detection of pullulanase activity in electrophoretic polyacrylamide gels
 Haidar M, Seddiki N, Gluckman JC, Gattegno L*// *Fac Med Paris Nord, Biol Cellulaire Lab, F-93012 Bobigny, France
Glycoconjugate J 1994 **11** (2) 73
 The role of calcium and N-linked glycans in the oligomerization and carbohydrate binding properties of human immunodeficiency virus external envelope glycoprotein
 Hisano T, Nishimura M, Yamashita T, Sakaguchi K, Takagi M, Imanaka T, Kimura A, Murata K*// *Kyoto Univ, Food Sci Res Inst, Uji, Kyoto 611, Japan
J Ferment Bioeng 1994 **78** (1) 79
 Production of bacterial alginate-specific lyase by recombinant *Bacillus subtilis*
 Kim SK, Kong IS, Kwon KJ, Rha C, Sinskey AJ, Kong JY// Natl Fisheries Univ Pusan, Dept Biotechnol & Bioengn, Pusan 608737, South Korea

Biotechnol Lett 1994 **16** (8) 789
 Exopolysaccharides produced by *Z. ramigera* mutants and analysis of structural change by solution properties
 Kwon KJ, Park KJ, Kim JD, Kong JY, Kong IS*// *Natl Fisheries Univ Pusan, Dept Biotechnol & Bioengn, Pusan 608737, South Korea
Biotechnol Lett 1994 **16** (8) 783
 Isolation of two different polysaccharides from halophilic *Zoogloea* sp
 Langer K, Seegmuller E, Zimmer A, Kreuter J*// *Univ Frankfurt, Biozentrum Niederursel, Inst Pharmazeut Technol, Marie Curie Str 9, D-60439 Frankfurt, FRG
Int J Pharm 1994 **110** (1) 21
 Characterisation of polybutylcyanoacrylate nanoparticles. I. Quantification of PBCA polymer and dextrans
 Mukherjee A, Roy N*// *Indian Assoc Cultivat Sci, Dept Biol Chem, Calcutta 700032, West Bengal, India
Indian J Chem Sect B 1994 **33** (8) 726
 Synthesis of methyl 3-O-[3-O-(α -D-galactopyranosyl)- α -L-rhamnopyranosyl]- α -L-rhamnopyranoside, a trisaccharide related to the *Klebsiella* type-9 antigen
 Nagaoka M, Hashimoto S, Watanabe T, Yokokura T, Mori Y// Yakult Cent Inst Microbiol Res, 1796 Yaho, Kunitachi, Tokyo 186, Japan
Biol Pharm Bull 1994 **17** (8) 1012
 Anti-ulcer effects of lactic acid bacteria and their cell wall polysaccharides
 Rouhier P, Bruneteau M*, Michel G, Fiema J, Zurzycka A// *Univ Lyon 1, Biochim Microbienne Lab, F-69622 Villeurbanne, France
Carbohydr Res 1994 **262** (1) 155
 Structural characterization of alkali-soluble glucans from the mycelium of *Aspergillus giganteus* mut alba
 Shimada K, Muta H, Nakamura Y, Okada H, Matsuo K, Yoshioka S, Matsudaira T, Nakamura T// Yamaguchi Womens Univ, Dept Food & Life Sci, 3-2-1 Sakurabatake, Yamaguchi 753, Japan
J Agr Food Chem 1994 **42** (8) 1607
 Iron-binding property and antioxidative activity of xanthan on the autoxidation of soybean oil in emulsion
 Siew DCW, Cooney RP*, Taylor MJ, Wiggins PM// *Univ Auckland, Dept Chem, Private Bag 92019, Auckland, New Zealand
J Raman Spectrosc 1994 **25** (7-8) 727
 Vibrational spectroscopic studies of aqueous dextran sulphate
 Tsubamoto Y, Yamada N*, Watanabe Y, Inaba T, Shiomi M, Shimano H, Gotoda T, Harada K, Shimada M, Ohsuga J et al// *Univ Tokyo, Dept Internal Med 3, Tokyo 113, Japan
Atherosclerosis 1994 **106** (1) 43
 Dextran sulfate, a competitive inhibitor for scavenger receptor, prevents the progression of atherosclerosis in Watanabe heritable hyperlipidemic rabbits

12 POLYSACCHARIDES - PLANT

Abbott TP, Wu YV, Carlson KD, Slodki ME, Kleiman R// USDA ARS, Natl Ctr Agr Utilizat Res, New Crops Res Unit, 1815 Nth Univ St, Peoria, IL 61604, USA
J Agr Food Chem 1994 **42** (8) 1678
 Isolation and preliminary characterization of *Lesquerella fendleri* gums from seed, presscake, and defatted meal
 Cui W, Mazza G*, Oomah BD, Biliaderis CG// *Agr Canada, Res Stn, Food Res Program, Summerland, Brit Columbia, Canada V0H 1Z0
Food Sci Technol-Lebensm Wiss 1994 **27** (4) 363
 Optimization of an aqueous extraction process for flaxseed gum by response surface methodology
 De Carvalho RP, Chong KH, Volesky B*// *McGill Univ, Dept Chem Engr, 3480 Univ St, Montreal, Quebec, Canada H3A 2A7
Biotechnol Lett 1994 **16** (8) 875
 Effects of leached alginate on metal biosorption
 Feldman SC, Stortz CA, Vigna MS, Cerezo AS// Univ Buenos Aires, Fac Ciencias Exactas & Nat, Dept Quim Inorgan, RA-1428 Buenos Aires, Argentina
An Asoc Quim Argent 1994 **82** (2) 117
 Carrageenans in the sterile stage of *Gigartina skottsbergii* S et G
 Geddie JL, Sutherland IW*// *Univ Edinburgh, Inst Cellular & Molec Biol, Rutherford Bldg, West Mains Rd, Edinburgh EH9 3JH, Scotland
Biotechnol Appl Biochem 1994 **20** (1) 117
 The effect of acetylation on cation binding by algal and bacterial alginates

- Iwata H, Kobayashi K, Takagi T, Oka T, Yang H, Amemiya H, Tsuji T, Ito F// Natl Cardiovasc Ctr, Res Inst, Dept Surg Res, Suita, Osaka 565, Japan
J Biomed Mater Res 1994 **28** (9) 1003
 Feasibility of agarose microbeads with xenogeneic islets as a bioartificial pancreas
- Lahaye M, Jegou D, Buleon A// INRA, Biochim & Technol Glucides Lab, BP 527, F-44026 Nantes, France
Carbohydr Res 1994 **262** (1) 115
 Chemical characteristics of insoluble glucans from the cell wall of the marine green alga *Ulva lactuca* (L) Thuret
- Lentjes EGWM, Florijn KW, Chang PC, Van Dam W// Leiden Univ Hosp, Dept Clin Chem, Bldg 1, E2-P, Rijnsburgerweg 10, 2333 AA Leiden, The Netherlands
Eur J Clin Chem Clin Biochem 1994 **32** (8) 625
 Inulin measurement in serum and urine with an autoanalyser, corrected for glucose interference
- Mhinz G, Moshia D// Univ Dar-es-Salaam, Dept Chem, POB 35061, Dar-es-Salaam, Tanzania
J Chem Soc Pakistan 1993 **15** (4) 269
 Use of potentiometric titrimetry in gum arabic quality assessment
- Mittal GC, Barbut S// Univ Guelph, Dept Anim & Poultry Sci, Guelph, Ontario, Canada N1G 2W1
J Food Process Preserv 1994 **18** (3) 201
 Effects of carrageenans and xanthan gum on the texture and acceptability of low fat frankfurters
- Singh SK, Shen BC, Chou ST, Fan LT*// *Kansas State Univ Agr & Appl Sci, Dept Chem Engr, Durland Hall, Manhattan, Ks 66506, USA
Biotechnol Progr 1994 **10** (4) 389
 Acid hydrolysis of κ -carrageenan in a batch reactor: Stochastic simulation of change of molecular weight distribution with time
- Sinquin A, Hubert P*, Dellacherie E// *ENSIC, Chim Phys Macromolec Lab, CNRS, URA 494, BP 451, F-54001 Nancy, France
Polymer 1994 **35** (16) 3557
 Intermolecular association in hydrophobically modified derivatives of propyleneglycol alginate
- Stortz CA, Bacon BE, Cherniak R, Cerezo AS*// *Univ Buenos Aires, Fac Ciencias Exactas & Nat, Dept Quim Organ, Pabellon 2, Ciudad Univ, RA-1428 Buenos Aires, Argentina
Carbohydr Res 1994 **261** (2) 317
 High-field NMR spectroscopy of cystocarpic and tetrasporic carrageenans from *Iridaea undulosa*
- Tomoda M, Miyamoto H, Shimizu N// Kyoritsu Coll Pharmaceut Sci, Minato ku, Tokyo 105, Japan
Chem Pharm Bull Tokyo 1994 **42** (8) 1666
 Structural features and anti-complementary activity of rehmannan SA, a polysaccharide from the root of *Rehmannia glutinosa*
- 13 POLYSACCHARIDES - OTHER**
- Alpert AJ, Shukla M, Shukla AK, Zieske LR, Yuen SW, Ferguson MAJ, Mehlert A, Pauly M, Orlando R// PolyLC Inc, 9151 Rumsey Rd, Ste 180, Columbia, Md 21045, USA
J Chromatogr A 1994 **676** (1) 191
 Hydrophilic-interaction chromatography of complex carbohydrates
- Bjurling E, Jansson PE, Lindqvist B// Pharmacia Ophthal Lab, Dept Chem, S-75182 Uppsala, Sweden
Acta Chem Scand 1994 **48** (7) 589
 Preparation of *O*-hydroxyethyl and *O*-hydroxypropyl derivatives of D-glucose and 2-acetamido-2-deoxy-D-glucose for studies of modified hyaluronic acid
- Blanquaert F, Barritault D*, Saffar JL, Josefovnicz J, Caruelle JP// *Univ Paris 12, INSERM, C1F 90014, CRRET Lab, Ave Gen Gaulle, F-94010 Creteil, France
Ann Endocrinol 1994 **55** (2) 121
 CMDBS, functional analogues of sulfate heparans, used as bone healing agents (French, English Abstract)
- Borg PAJ, Krijnen HJ// Acad Hosp Groningen, Dept Anaesthesiol, Pain Clin, POB 30001, 9700 RB Groningen, The Netherlands
Pain 1994 **58** (2) 273
 Hyaluronidase in the management of pain due to post-laminectomy scar tissue
- Carrington AK, Sahagian ME, Goff HD*, Stanley DW// *Univ Guelph, Dept Food Sci, Guelph, Ontario, Canada N1G 2W1
Cryo-Lett 1994 **15** (4) 235
 Ice crystallization temperatures of sugar/polysaccharide solutions and their relationship to thermal events during warming
- Cho MD, Okamoto Y*// *Polytech Inst New York, Dept Chem, 6 Metrotech Plaza, Brooklyn, NY 11201, USA
Macromol Rapid Commun 1994 **15** (8) 629
 Enzymatical chain scission of water soluble polymers by the glucose-glucose oxidase reaction
- Elgue G, Sanchez J, Egberg N, Olsson P// Karolinska Hosp, Dept Surg, Div Exptl Surg, S-17176 Stockholm, Sweden
Thromb Res 1994 **75** (5) 539
 Coagulation inhibition capacities of low-molecular mass and unfractionated heparin, as determined by thrombin generation
- Ghosh P, Hutadilok N, Lentini A// Univ Sydney, Royal Nth Shore Hosp Sydney, Raymond Purves Bone & Joint Res Labs, St Leonards, NSW 2065, Australia
Heterocycles 1994 **38** (8) 1757
 Nuclear magnetic resonance studies of hyaluronan (HA): Evidence of competitive inhibition of interchain associations by phospholipids which may result in decreased anti-inflammatory and cartilage protecting properties of HA
- Glennon TM, Zheng YJ, Le Grand SM, Shutzberg BA, Merz KM*// *Penn State Univ, Dept Chem, 152 Davey Lab, University Pk, Pa 16802, USA
J Comput Chem 1994 **15** (9) 1019
 A force field for monosaccharides and (1 $\rightarrow$ 4) linked polysaccharides
- Jackson P, Pluskal MG, Skea W// Univ Cambridge, Div Transfus Med, Long Rd, Cambridge CB2 2PT, England
Electrophoresis 1994 **15** (7) 896
 The use of polyacrylamide gel electrophoresis for the analysis of acidic glycans labeled with the fluorophore 2-aminoacridone
- Jacobs A, Kuliche WM*// *Univ Hamburg, Inst Tech & Makromolek Chem, Bundesstr 45, D-20146 Hamburg, FRG
Macromol Symposia 1994 **84** 197
 Characterization and flow properties of lyotropic ultrahigh-molar-mass polysaccharide mesophases
- Lindmarker P, Holmstrom M, Granqvist S, Johnsson H, Lockner D// Karolinska Hosp, Dept Internal Med, S-17176 Solna, Sweden
Thromb Haemost 1994 **72** (2) 186
 Comparison of once-daily subcutaneous Fragmin® with continuous intravenous unfractionated heparin in the treatment of deep vein thrombosis
- Mikelsaar RH, Scott JE// Tartu State Univ, Inst Gen & Molec Pathol, Molec Modelling Lab, Veski St 34, 2400 Tartu, Estonia
Glycoconjugate J 1994 **11** (2) 65
 Molecular modelling of secondary and tertiary structures of hyaluronan, compared with electron microscopy and NMR data. Possible sheets and tubular structures in aqueous solution
- Mulloy B, Ribeiro AC, Alves AP, Vieira RP, Mourao PAS*// *Univ Fed Rio de Janeiro, Inst Ciencias Biomed, Dept Bioquim, CP 68041, BR-21941590 Rio de Janeiro, Brazil
J Biol Chem 1994 **269** (35) 22113
 Sulfated fucans from echinoderms have a regular tetrasaccharide repeating unit defined by specific patterns of sulfation at the O2 and O4 positions
- Pini M, Aiello S, Manotti C, Pattacini C, Quintavalla R, Poli T, Tagliaferri A, Dettori AG// Osped Maggiore Parma, Div Med 5, I-43100 Parma, Italy
Thromb Haemost 1994 **72** (2) 191
 Low molecular weight heparin versus warfarin in the prevention of recurrences after deep vein thrombosis
- Pouyani T, Harbison GS*, Prestwich GD// *Univ Nebraska, Dept Chem, Lincoln, Ne 68588, USA
J Amer Chem Soc 1994 **116** (17) 7515
 Novel hydrogels of hyaluronic acid: Synthesis, surface morphology, and solid-state NMR
- Raita C, Lehto I, Puska P, Vesti E, Harju M// Univ Helsinki, Hosp Eye, Dept Ophthalmol, SF-00290 Helsinki 29, Finland
Ophthalmic Surg 1994 **25** (8) 536
 A randomized, prospective study on the use of sodium hyaluronate (Helon) in trabeculectomy
- Synowiecki J, Shahidi F// Mem Univ Newfoundland, Dept Biochem, St Johns, Newfoundland, Canada A1B 3X9
Food Chem 1994 **51** (1) 89
 Isolation of mucopolysaccharides from processing discards of seal and beef