

Bibliography of carbohydrate polymers

(5 weeks journals. Search completed at 23rd July 1997)

1 BOOKS, REVIEWS & SYMPOSIA

- J Biotechnol* 1997 53 (2-3)
 Special issue: Low molecular weight compounds in lignin degradation
 Bergman A, Broadmeadow A// Novo Nordisk AS, Novo Alle, DK-2880 Bagsvaerd, Denmark
Food Addit Contam 1997 14 (4) 389
 An overview of the safety evaluation of the *Thermomyces lanuginosus* xylanase enzyme (SP 628) and the *Aspergillus aculeatus* xylanase enzyme (SP 578)
 Brade H, Brabetz W, Brade L, Holst O, Lobau S, Lucakova M, Mamat U, Rozalski A, Zych K, Kosma P// Res Ctr Borstel, Ctr Med & Biosci, Div Med & Biochem Microbiol, Parkallee 22, D-23845 Borstel, Germany
J Endotoxin Res 1997 4 (1) 67
 Chlamydial lipopolysaccharide (Review)
 Chaudhary P, Kumar NN, Deobagkar DN// Univ Poona, Mol Biol Res Lab, Pune 411007, Maharashtra, India
Biotechnol Adv 1997 15 (2) 315
 The glucanases of *Cellulomonas*
 Hakansson L, Hakansson A, Morales O, Thorelius L, Warfving T// Linkoping Univ Hosp, Dept Oncol, S-58185 Linkoping, Sweden
Semin Oncol 1997 24 (2 Suppl 6) 100
 Spherex (degradable starch microspheres) chemo-occlusion: Enhancement of tumor drug concentration and therapeutic efficacy: An overview
 Stella VJ, Rajewski RA*// *Univ Kansas, Higuchi Biosci Ctr Drug Delivery Res, Lawrence, Ks 66047, USA
Pharmaceut Res 1997 14 (5) 556
 Cyclodextrins: Their future in drug formulation and delivery (Review)
 Vis RB, Lorenz K// Colorado State Univ, Dept Food Sci & Human Nutr, Ft Collins, Co 80523, USA
Food Sci Technol-Lebensm Wiss 1997 30 (4) 331
 β -Glucans: Importance in brewing and methods of analysis (Review)

2 CELLULOSE

- Ali F, Saikia CN*, Sen SR// *Reg Res Lab, Council Sci & Ind Res, Jorhat 785006, Assam, India
Ind Crops Products 1997 6 (2) 121
 Grafting of acrylonitrile onto high α -cellulose extracted from *Hibiscus sabdariffa*
 Arslanov SS, Petropavlovskii GA// Russian Acad Sci, Inst Macromol Cpds, St Petersburg 199004, Russia
Russ J Appl Chem-Eng Tr 1996 69 (9) 1401
 Esterification of microcrystalline cellulose with a binary mixture of pyromellitic dianhydride and boric acid
 Aust N, Derleth C, Zugenmaier P// Montan Univ, Inst Chem Kunststoffe, A-8700 Leoben, Austria
Macromol Chem Physics 1997 198 (5) 1363
 Studies of lyotropic liquid crystalline mesophases of some novel regioselective substituted cellulose derivatives. I. Synthesis and characterization
 Buchholz V, Adler P, Backer M, Holle W, Simon A, Wegner G*// *Max Planck Inst Polymer Res, Ackermannweg 10, D-55128 Mainz, Germany
Langmuir 1997 13 (12) 3206
 Regeneration and hydroxyl accessibility of cellulose in ultrathin films
 Chen RF, Lee YY*// *Auburn Univ, Dept Chem Engr, Auburn, Al 36849, USA

- Appl Biochem Biotech* 1997 63-5 435
 Membrane-mediated extractive fermentation for lactic acid production from cellulosic biomass
 Dong XM, Gray DG*// *McGill Univ, Pulp & Paper Res Ctr, Paprican, Montreal, Quebec, Canada H3A 2A7
Langmuir 1997 13 (11) 3029
 Induced circular dichroism of isotropic and magnetically-oriented chiral nematic suspensions of cellulose crystallites
 Elimelech M, Zhu XH, Childress AE, Hong SK// Univ Calif, Dept Civil & Environm Engr, Los Angeles, Ca 90095, USA
J Membrane Sci 1997 127 (1) 101
 Role of membrane surface morphology in colloidal fouling of cellulose acetate and composite aromatic polyamide reverse osmosis membranes
 Felipe MGA, Vitolo M, Mancilha IM, Silva SS// FAENQUIL, Dept Biotechnol, Rod Itajuba Lorena km 74 5, BR-12600-000 Lorena, SP, Brazil
J Ind Microbiol Biotechnol 1997 18 (4) 251
 Environmental parameters affecting xylitol production from sugar cane bagasse hemicellulosic hydrolyzate by *Candida guilliermondii*
 Gubitz GM, Lisching T, Stebbing D, Sadtler JN// Univ British Columbia, Dept Wood Sci, 270-2357 Main Mall, Vancouver, Brit Columbia, Canada V6T 1Z4
Biotechnol Lett 1997 19 (5) 491
 Enzymatic removal of hemicellulose from dissolving pulps
 Herrera-Franco PJ, Aguilar-Vega MD*// *Ctr Invest Cientif, Dept Polimeros, AP 87, Merida 97310, Yucatan, Mexico
J Appl Polym Sci 1997 65 (1) 197
 Effect of fiber treatment on the mechanical properties of LDPE-henequen cellulosic fiber composites
 Houde AY, Stern SA*// *Syracuse Univ, Dept Chem Engr & Mat Sci, Syracuse, NY 13244, USA
J Membrane Sci 1997 127 (2) 171
 Solubility and diffusivity of light gases in ethyl cellulose at elevated pressures: Effects of ethoxy content
 Jones DS, Woolfson AD, Brown AF// Queen's Univ Belfast, Ctr Med Biol, 97 Lisburn Rd, Belfast BT9 7BL, Northern Ireland
Int J Pharm 1997 151 (2) 223
 Textural, viscoelastic and mucoadhesive properties of pharmaceutical gels composed of cellulose polymers
 Kaloustian J, Pauli AM, Pastor J// Fac Pharm Marseille, Chim Analyt Lab, 27 Blvd J Moulin, F-13385 Marseille, France
J Therm Anal 1997 48 (4) 791
 Thermal analysis of cellulose and some etherified and esterified derivatives (French, English Abstract)
 Kouda T, Yano H, Yoshinaga F// Biopolymer Res Co Ltd, Takatsu ku, 3-2-1 Sakato, Kawasaki, Kanagawa 213, Japan
J Ferment Bioeng 1997 83 (4) 371
 Effect of agitator configuration on bacterial cellulose productivity in aerated and agitated culture
 Kubota H, Kuwabara S// Gunma Univ, Dept Chem, Kiryu, Gunma 376, Japan
J Appl Polym Sci 1997 64 (11) 2259
 Cellulosic absorbents for water synthesized by grafting of hydrophilic vinyl monomers on carboxymethyl cellulose
 Lepri L, Del Bubba M, Masi F// Univ Florence, Dept Publ Hlth Epidemiol & Environm Analyt Chem, Via G Capponi 9, I-50121 Florence, Italy
J Planar Chromat-Mod TLC 1997 10 (2) 108
 Reversed-phase planar chromatography of enantiomeric compounds on microcrystalline cellulose triacetate (MCTA)

As a service to subscribers, each issue of the Journal contains a bibliography of newly published material in the field of carbohydrate polymers. The bibliography is divided into thirteen sections: 1 Books, Reviews & Symposia; 2 Cellulose; 3 Cellulose-degrading Enzymes; 4 Chitin/Chitosan; 5 Cyclodextrins; 6 Lignin; 7 Lipopolysaccharides; 8 Pectin; 9 Starch; 10 Starch-degrading Enzymes; 11 Polysaccharides - Microbial; 12 Polysaccharides - Plant; 13 Polysaccharides - Other. Within each section, articles are listed in alphabetical order with respect to author. When there are no publications to appear under one of these headings, that section will be omitted.

- Maruska A, Pyell U// Kaunas Univ Technol, Dept Organ Technol, Radvilenu 19, LT-3028 Kaunas, Lithuania
Chromatographia 1997 **45** (Suppl) 229
The development of microparticulate cellulose-based packing materials and evaluation of potential use in capillary electrochromatography
- Novikov DV, Varlamov AV// St Petersburg Inst Cinema & Televis, ul Pravdy 13, St Petersburg 121126, Russia
Colloid J-Engl Tr 1997 **59** (3) 329
The cluster structure of the surface of cellulose triacetate films with small additions of polyvinylbutyral
- O'Brien T, Crocker L, Thompson R, Thompson K, Toma PH, Conlon DA, Feibush B, Moeder C, Bicker G, Grinberg N*// *Merck Res Labs, R80Y-115, POB 2000, Rahway, NJ 07065, USA
Anal Chem 1997 **69** (11) 1999
Mechanistic aspects of chiral discrimination on modified cellulose
- Ravindra R, Krovvidi KR, Khan AA*, Rao AK// *Indian Inst Chem Technol, Membrane Separat Grp, Hyderabad 500007, India
Macromolecules 1997 **30** (11) 3288
FTIR, diffusivity, selectivity, and aging studies of interactions of hydrazine, water, and hydrazine hydrate with the ethylcellulose membrane
- Samios E, Dart RK*, Dawkins JV// *Loughborough Univ Technol, Dept Chem, Loughborough LE11 3TU, England
Polymer 1997 **38** (12) 3045
Preparation, characterization and biodegradation studies on cellulose acetates with varying degrees of substitution
- Tosun A// Tubitak, Marmara Res Ctr, Dept Environm Engr, TR-41470 Gebze, Kocaeli, Turkey
Fresen Environ Bull 1997 **6** (5-6) 296
Dilute acid hydrolysis of sunflower residue (cellulosic wastes) prior to enzymatic hydrolysis
- Verma PRP, Murthy TEGK// Birla Inst Technol, Dept Pharmaceut Sci, Ranchi 835215, Bihar, India
Drug Develop Ind Pharm 1997 **23** (7) 633
Transdermal flurbiprofen delivery using HPMC matrices: Design, *in vitro* and *in vivo* evaluation
- Viengkhou V, Ng LT, Garnett JL// Univ Western Sydney Nepean, Dept Chem, Kingswood, NSW 2747, Australia
Radiat Phys Chem 1997 **49** (5) 595
The effect of additives on the enhancement of methyl methacrylate grafting to cellulose in the presence of UV and ionising radiation
- Williams RO, Sriwongjanya M, Barron MK// Univ Texas, Coll Pharm, Austin, Tx 78712, USA
Drug Develop Ind Pharm 1997 **23** (7) 695
Compaction properties of microcrystalline cellulose using tableting indices
- Yamanaka Y, Esumi K*// *Sci Univ Tokyo, Dept Appl Chem, Shinjuku ku, Kagurazaka, Tokyo 162, Japan
Colloid Surface A 1997 **122** (1-3) 121
Adsorption of hydroxyethylcellulose or hydrophobically modified cellulose and anionic surfactant from their binary mixtures on particles
- Yang G, Yamane C, Matsui T, Miyamoto I, Zhang LN, Okajima K// Wuhan Univ, Dept Chem, Wuhan 430072, Peoples Rep China
Polym J 1997 **29** (4) 316
Morphology and amorphous structure of blend membranes from cellulose and casein recovered from its cuprammonium solution
- 3 CELLULOSE-DEGRADING ENZYMES**
- Abraham M, Kurup GM// MG Univ, Sch Biosci, Dept Biochem, Kottayam, India
Appl Biochem Biotech 1997 **62** (2-3) 201
Pretreatment studies of cellulose wastes for optimization of cellulase enzyme activity
- Bothwell MK, Daughette SD, Chaua GY, Wilson DB, Walker LP// Cornell Univ, Dept Agr & Biol Engr, Riley Robb Hall, Ithaca, NY 14853, USA
Bioresource Technol 1997 **60** (2) 169
Binding capacities for *Thermomonospora fusca* E-3, E-4 and E-5, the E-3 binding domain, and *Trichoderma reesei* CBHI on avicel and bacterial microcrystalline cellulose
- Gupte A, Madamwar D*// *Sardar Patel Univ, Post Grad Dept Biosci, Vallabh Vidyanagar 388120, Gujarat, India
Appl Biochem Biotech 1997 **62** (2-3) 267
Production of cellulolytic enzymes by coculturing of *Aspergillus ellipticus* and *Aspergillus fumigatus* grown on bagasse under solid state fermentation
- Kumakura M// Teikyo Univ Sci & Tech, Dept Biosci, 2525 Uenohara, Kia Tsuru, Yamanashi 40901, Japan
Process Biochem 1997 **32** (7) 555
Preparation of immobilized cellulase beads and their application to hydrolysis of cellulosic materials
- Mori R, Haga T*, Takagishi T// *Hirosaki Univ, Fac Educ, Hirosaki, Aomori 036, Japan
J Appl Polym Sci 1997 **65** (1) 155
Changes in dyeability and morphology of cotton fiber subjected to cellulase treatment
- Szengyel Z, Zacchi G, Reczey K// Lund Univ, Dept Chem Engr 1, POB 124, S-22100 Lund, Sweden
Appl Biochem Biotech 1997 **63-5** 351
Cellulase production based on hemicellulose hydrolysate from steam-pretreated willow
- Tahara N, Yano H, Yoshinaga F// Biopolymer Res Co Ltd, Takatsu ku, 3-2-1 Sakato, Kawasaki, Kanagawa 213, Japan
J Ferment Bioeng 1997 **83** (4) 389
Two types of cellulase activity produced by a cellulose-producing *Acetobacter* strain
- Van Wyk JPH// Med Univ Sth Africa, Dept Chem & Biochem, ZA-0204 Medunsa, Rep Sth Africa
Biotechnol Technique 1997 **11** (6) 385
Thermostability of cellulase from *Penicillium funiculosum*
- Van Wyk JPH// Address as above.
Biotechnol Technique 1997 **11** (6) 443
Cellulose hydrolysis and cellulase adsorption after pretreatment of cellulose materials
- Velkovska S, Marten MR, Ollis DF*// *Nth Carolina State Univ, Dept Chem Engr, Box 7905, Raleigh, NC 27695, USA
J Biotechnol 1997 **54** (2) 83
Kinetic model for batch cellulase production by *Trichoderma reesei* RUT C30
- Vlaev SD, Djejeva G, Raykovska V, Schugertl K// Bulgarian Acad Sci, Inst Chem Engr, Acad G. Bonchev Str Bl 103, BU-1113 Sofia, Bulgaria
Process Biochem 1997 **32** (7) 561
Cellulase production by *Trichoderma* sp grown on corn fibre substrate
- 4 CHITIN/CHITOSAN**
- Chang KLB, Tsai G// Natl Taiwan Ocean Univ, Dept Marine Food Sci, Chihlung, Taiwan
J Agr Food Chem 1997 **45** (5) 1900
Response surface optimization and kinetics of isolating chitin from pink shrimp (*Solenocera melantha*) shell waste
- Hirano S, Usutani A, Midorikawa T// Tottori Univ, Dept Agr Biochem & Biotechnol, Tottori 680, Japan
Carbohydr Polym 1997 **33** (1) 1
Novel fibers of N-acetylchitosan and its cellulose composite prepared by spinning their aqueous xanthate solutions
- Inukai Y, Kaida Y, Yasuda S// Minist Int Trade & Ind, Kyushu Natl Ind Res Inst, Dept Chem Mat, 807-1 Shuku, Tosu, Saga 841, Japan
Anal Chim Acta 1997 **343** (3) 275
Selective adsorbents for germanium(IV) derived from chitosan
- Inukai Y, Kaida Y, Yasuda S// Address as above.
Anal Sci 1997 **13** (3) 339
Selective separation of germanium(IV) by iminodiacetic acid-type chitosan chelating resin
- Jiang H, Liang J, Grant JT, Su SJ, Bunning TJ, Cooper TM, Adams WW// Anteon Corp, 5100 Springfield Pike, Dayton, Oh 45431, USA
Macromol Chem Physics 1997 **198** (5) 1561
Characterization of chitosan and rare-earth-metal-ion doped chitosan films
- Li J, Revol JF, Marchessault RH*// *McGill Univ, Dept Chem, 3420 Univ St, Montreal, Quebec, Canada H3A 2A7
J Appl Polym Sci 1997 **65** (2) 373
Effect of degree of deacetylation of chitin on the properties of chitin crystallites
- Okamoto Y, Southwood L, Stashak TS, Norrdin RW, Nelson AW, Minami S,

Matsuhashi A, Kato K, Shigemasa Y// Tottori Univ, Dept Vet Surg, Tottori 680, Japan

Carbohydr Polym 1997 **33** (1) 33

Effect of chitin on nonwoven fabric implant in tendon healing

Paradossi G, Cavalieri F, Crescenzi V// Univ Roma Tor Vergata, Dipt Sci & Technol Chim, I-00133 Rome, Italy

Carbohydr Res 1997 **300** (1) 77

¹H NMR relaxation study of a chitosan-cyclodextrin network

Peter J, Hutter W, Stollnberger W, Kärner F, Hampel W*// *Vienna Tech Univ, Inst Biochem Technol & Microbiol, Getreidemarkt 9-172, A-1060 Vienna, Austria

Anal Chem 1997 **69** (11) 2077

Semicontinuous detection of 1,2-dichloroethane in water samples using *Xanthobacter autotrophicus* GJ10 encapsulated in chitosan beads

Sheu DC, Huang CI, Duan KJ*// *Tatung Inst Technol, Dept Bioengn, Taipei, Taiwan

Biotechnol Technique 1997 **11** (5) 287

Production of isomaltooligosaccharides by α -glucosidase immobilized in chitosan beads and by polyethyleneimine-glutaldehyde treated mycelia of *Aspergillus carbonarius*

Shieh JJ, Huang RYM*// *Univ Waterloo, Dept Chem Engn, Waterloo, Ontario, Canada N2L 3G1

J Membrane Sci 1997 **127** (2) 185

Pervaporation with chitosan membranes. II. Blend membranes of chitosan and polyacrylic acid and comparison of homogeneous and composite membrane based on polyelectrolyte complexes of chitosan and polyacrylic acid for the separation of ethanol-water mixtures

Tseng H, Takechi K, Furuhashi K*// *Tokyo Inst Technol, Dept Organ & Polym Mat, 2-12-1 O-okayama, Meguro-ku, Tokyo 152, Japan

Carbohydr Polym 1997 **33** (1) 13

Chlorination of chitin with sulfonyl chloride under homogeneous conditions

Zhang QQ, Liu LR, Ren L, Wang FJ// Chinese Acad Med Sci, Inst Biomed Engn, POB 25204, Tianjin 300192, Peoples Rep China

J Appl Polym Sci 1997 **64** (11) 2127

Preparation and characterization of collagen-chitosan composites

5 CYCLODEXTRINS

Alvira E, Mayoral JA, Garcia JI// Univ La Laguna, Dept Fis Fundamental & Expt, E-38206 La Laguna, Tenerife, Spain

Chem Phys Lett 1997 **271** (1-3) 178

Molecular modelling study of β -cyclodextrin inclusion complexes

Ammar HO, El-Nahhas SA, Emara LH// Natl Res Ctr, Dept Pharmaceut Sci, Cairo, Egypt

Pharmazie 1997 **52** (5) 376

Improvement of some pharmaceutical properties of drugs by cyclodextrin complexation. VII. Trimethoprim

Astilean S, Ionescu C, Cristea G, Farcas SI, Bratu I, Vitoc R// Univ Babes Bolyai, Dept Phys, R-3400 Cluj Napoca, Romania

Biospectroscopy 1997 **3** (3) 233

NMR spectroscopy of inclusion complex of sodium diclofenac with β -cyclodextrin in aqueous solution

Benner K, Klufers P*, Schuhmacher J// *Univ Karlsruhe, Inst Anorgan Chem, Engesserstr, Gebaude 30-45, D-76128 Karlsruhe, Germany

Angew Chem Int Ed 1997 **36** (7) 743

A molecular composite constructed in aqueous alkaline solution from a double six-ring silicate and α -cyclodextrin

Borrajio AMP, Gorin BI, Dostaler SM, Riopelle RJ, Thatcher GRJ*// *Queen's Univ, Dept Chem, Kingston, Ontario, Canada K7L 3N6

Bioorg Medicinal Chem Letter 1997 **7** (9) 1185

Derivatized cyclodextrins as peptidomimetics: Influence on neurite growth

Cachau C, Thienpont A, Soulard MH, Felix G*// *ENSCP, CNRS, URA 35, Ave Pey Berland, BP 108, F-33402 Talence, France

Chromatographia 1997 **44** (7-8) 411

Chromatographic properties in normal-mode HPLC of chiral stationary phases based on substituted β -cyclodextrins

Dodziuk H, Sitkowski J, Stefaniak L, Sybilska D, Jurczak J, Chmurski K// Polish Acad Sci, Inst Organ Chem, Kasprzaka 44, PL-01224 Warsaw, Poland

Polish J Chem 1997 **71** (6) 757

Structure of cyclodextrins and their complexes. VI. The NMR observation of

separate signals of host and guest pertaining to 1:1 and 1:2 complexes of 1,8-dimethylnaphthalene with β -cyclodextrin

Duran-Meras I, Dela-Pena AM, Salinas F, Caceres IR// Univ Extremadura, Dept Analyt Chem, E-06071 Badajoz, Spain

Appl Spectrosc 1997 **51** (5) 684

Spectrofluorimetric study of the inclusion complex of 7-hydroxymethylnalidixic acid with γ -cyclodextrin in aqueous solution

Gong ZL, Zhang ZJ*// *Shaanxi Normal Univ, Dept Chem, Xian 710062, Peoples Rep China

Fresenius J Anal Chem 1997 **357** (8) 1093

Cyclodextrin based optosensor for the determination of quinine

Gonzalez-Gaitano G, Crespo A, Compostizo A, Tardajos G*// *Univ Complutense Madrid, Fac Ciencias Quim, Dept Quim Fis 1, E-28040 Madrid, Spain

J Phys Chem B 1997 **101** (22) 4413

Study at a molecular level of the transfer process of a cationic surfactant from water to β -cyclodextrin

Hackett F, Coteron JM, Schneider HJ*, Kazachenko VP// *Univ Saarland, Fr Organ Chem, D-66041 Saarbrücken, Germany

Can J Chem 1997 **75** (1) 52

The complexation of glucose and other monosaccharides with cyclodextrins

Hamayasu K, Hara K, Fujita K, Kondo Y, Hashimoto H, Tanimoto T, Koizumi K, Nakano H, Kitahata S// Ensuiko Sugar Refining Co Ltd, Carbohydrate Res Lab, Tsurumi ku, 13-46 Daikoku cho, Yokohama, Kanagawa 230, Japan

Biosci Biotechnol Biochem 1997 **61** (5) 825

Enzymatic synthesis of mannosyl-cyclodextrin by α -mannosidase from jack bean

Harada A, Li J, Kamachi M*// *Osaka Univ, Dept Macromol Sci, Toyonaka, Osaka 560, Japan

Polym Advan Technol 1997 **8** (4) 241

Molecular recognition: Preparation of polyrotaxan and tubular polymer from cyclodextrin

Ishimaru Y, Masuda T, Iida T// Saitama Univ, Dept Funct Mat Sci, 255 Shimo Ohkubo, Urawa, Saitama 338, Japan

Tetrahedron Lett 1997 **38** (21) 3743

Synthesis of secondary face-to-face cyclodextrin dimers linked at each 2-position

Jindrich J, Harata K, Lindberg B*, Pitha J, Seffers P// *Univ Stockholm, Dept Organ Chem, S-10691 Stockholm, Sweden

Carbohydr Res 1997 **300** (4) 361

Synthesis of 2',3'-O-(propane-1,2-diyl)- and 2',3'-O-(3-hydroxypropane-1,2-diyl) cyclomaltoheptaose

Loukas YL// Riga Ferreou 21, Ano Ilioupolis, GR-16343 Athens, Greece

J Phys Chem B 1997 **101** (24) 4863

Multiple complex formation of fluorescent compounds with cyclodextrins: Efficient determination and evaluation of the binding constant with improved fluorometric studies

Manunza B, Deiana S, Pintore M, Delogu G, Gessa C// Univ Sassari, DISAABA, V.le Italia 39, I-07100 Sassari, Italy

Carbohydr Res 1997 **300** (1) 89

A molecular modeling study on the interaction between β -cyclodextrin and synthetic pyrethroids

Nigam S, Durocher G*// *Univ Montreal, Dept Chim, CP 6128, Succ Ctr-ville, Montreal, Quebec, Canada H3C 3J7

J Photochem Photobiol A-Chem 1997 **103** (1-2) 143

Inclusion complexes of some ³H-indoles with cyclodextrins studied through excited state dynamics and steady state absorption and fluorescence spectroscopy

Nishikawa S// Saga Univ, Dept Chem, Saga 840, Japan

Bull Chem Soc Jpn 1997 **70** (5) 1003

Kinetics of complexation between cyclodextrin and alcohol by ultrasonic relaxation method: β -Cyclodextrin solutions with 1-butanol and 2-methyl-2-propanol

Nowakowska M, Loukine N, Gravett DM, Burke NAD, Guillet JE*// *Univ Toronto, Dept Chem, 80 St George St, Toronto, Ontario, Canada M5S 3H6

J Amer Chem Soc 1997 **119** (19) 4364

A novel antenna cyclodextrin: Synthesis and photosensitized reaction of an included guest

Park KK, Han SY, Park YH, Park JW// Chungnam Natl Univ, Dept Chem, Taejeon 305764, South Korea

Tetrahedron Lett 1997 **38** (24) 4231

Synthesis and redox properties of methylbipyridinioalkyl (viologen)-modified

β -cyclodextrins at the secondary face

Qi ZHH, Zhu LZ, Chen HW, Qi WB// Amer Maize Prod Co, 1100 Indianapolis Blvd, Hammond, In 46320, USA

J Inclusion Phenom Mol Recogn 1997 27 (4) 279

Spectrofluorimetric study of cyclodextrin complexation in the presence of third and fourth components

Sebille B, Guillaume M, Vidal-Madjar C, Thuaud N// Univ Paris 12, Unite Mixte CNRS, Lab Phys Chim Biopolymers, No 27 2 rue Henri Dunant, F-94320 Thiais, France

Chromatographia 1997 45 (Suppl) 383

Retention and enantioselectivity properties of β -cyclodextrin polymers and derivatives on porous silica for reverse-phase liquid chromatographic separation of enantiomers

Siefert B, Keipert S// *Humboldt Univ Berlin, Dept Pharmaceut Technol, Goethestr 54, D-13086 Berlin, Germany

J Pharm Sci 1997 86 (6) 716

Influence of α -cyclodextrin and hydroxyalkylated β -cyclodextrin derivatives on the *in vitro* corneal uptake and permeation of aqueous pilocarpine-HCl solutions

Xiao DQ, Che BQ, Fu RN*, Gu JL, Wen YX, Ling Y, Zhang HB// *Beijing Inst Technol, Dept Chem Engn, Beijing 100081, Peoples Rep China

Chromatographia 1997 44 (7-8) 393

Synthesis and characterization of benzyl β -cyclodextrins used as GC stationary phases

6 LIGNIN

Crestini C, D'Auria M// *Univ Basilicata, Dipt Chim, Via N Sauro 85, I-85100 Potenza, Italy

Tetrahedron 1997 53 (23) 7877

Singlet oxygen in the photodegradation of lignin models

Gogotov AF, Rybalchenko NA, Makovskaya TI, Babkin VA// Russian Acad Sci, Irkutsk Inst Organ Chem, 1 ul Favorskogo, Irkutsk 664033, Russia

Russ Chem Bull 1996 45 (12) 2854

Catalytic nitrobenzene oxidation of lignins

Hiraoka T, Ueda M, Takami Y, Watanabe T, Shiraishi N, Koshijima T// Japan Chem Engn & Machinery Co Ltd, Yodogawa ku, 6-23, 4 chome, Osaka 532, Japan

Holzforschung 1997 51 (3) 273

Effects of lignin-carbohydrate complexes on foaming of benzylated wood with-out plasticizers

Majcherczyk A, Huttermann A// Univ Gottingen, Inst Forest Bot, Busgenweg 2, D-37077 Gottingen, Germany

J Chromatogr A 1997 764 (2) 183

Size-exclusion chromatography of lignin as ion-pair complex

Sun RC, Lawther JM, Banks WB// Univ Coll Nth Wales, Biocomposites Ctr, Bangor LL57 2UW, Wales

Holzforschung 1997 51 (3) 244

Fractional isolation and physico-chemical characterization of alkali-soluble lignins from wheat straw

7 LIPOPOLYSACCHARIDES

Cerantola S, Montrozier H// *Univ Toulouse 3, CNRS, Inst Pharmacol & Biol Struct, 118 Rte de Narbonne, F-31062 Toulouse, France

Eur J Biochem 1997 246 (2) 360

Structural elucidation of two polysaccharides present in the lipopolysaccharide of a clinical isolate of *Burkholderia cepacia*

Gibson BW, Engstrom JJ, John CM, Hines W, Falick AM// Univ Calif, Dept Pharmaceut Chem, 513 Parnassus Ave, San Francisco, Ca 94143, USA

J Amer Soc Mass Spectrom 1997 8 (6) 645

Characterization of bacterial lipooligosaccharides by delayed extraction matrix-assisted laser desorption/ionization time-of-flight mass spectrometry

Karlsson C, Jansson PE*, Wollin R// *Huddinge Hosp, Karolinska Inst, Clin Res Ctr, NOVUM, S-14186 Huddinge, Sweden

Carbohydr Res 1997 300 (2) 191

Structure of the O-polysaccharide from the LPS of a *Hafnia alvei* strain isolated from a patient with suspect yersiniosis

Linnerborg M, Wollin R, Widmalm G// *Univ Stockholm, Arrhenius Lab,

Dept Organ Chem, S-10691 Stockholm, Sweden

Eur J Biochem 1997 246 (2) 565

Structural studies of the O-antigenic polysaccharide from *Escherichia coli* O167

Zahringer U, Rettenmaier H, Moll H, Senchenkova SN, Knirel YA// Forschungszentrum Borstel Zentrum Med & Biowissenschaft, Pk Allee 22, D-23845 Borstel, Germany

Carbohydr Res 1997 300 (2) 143

Structure of a new 6-deoxy- α -D-talan from *Burkholderia* (*Pseudomonas*) plantarii strain DSM 6535, which is different from the O-chain of the lipopolysaccharide

Zhang J, Kovac P// *NIH/NIDDKD, 8 Ctr Dr, Bethesda, Md 20892, USA

Carbohydr Res 1997 300 (4) 329

Synthesis of methyl α -glycosides of some higher oligosaccharide fragments of the O-antigen of *Vibrio cholerae* O1, serotype Inaba and Ogawa

8 PECTIN

Catoire L, Derouet C, Redon AM, Goldberg R, Du Penhoat CH// *Ecole Normale Super, Dept Chim, CNRS URA 1679, F-75231 Paris 05, France

Carbohydr Res 1997 300 (1) 19

An NMR study of the dynamic single-stranded conformation of sodium pectate

Fredriksson H, Andersson R, Koch K, Aman P// Swedish Univ Agr Sci, Dept Food Sci, POB 7051, S-75007 Uppsala, Sweden

J Chromatogr A 1997 768 (2) 325

Calibration of a size-exclusion chromatography system using fractions with defined amylopectin unit chains

Havelund T, Aalykke C, Rasmussen L// Odense Univ Hosp, Dept Med Gastroenterol, DK-5000 Odense C, Denmark

Eur J Gastroenterol Hepatol 1997 9 (5) 509

Efficacy of a pectin-based anti-reflux agent on acid reflux and recurrence of symptoms and oesophagitis in gastro-oesophageal reflux disease

Inari T, Takeuchi T// Gifu Women's Univ, 80 Taromaru, Gifu 50125, Japan

J Jpn Soc Food Sci Technol 1997 44 (4) 319

Changes in pectic substances during the ripening of strawberry fruit (Japanese, English Abstract)

Manunza B, Deiana S, Pintore M, Gessa C// Univ Sassari, Diaaba, Vle Italia 39, I-07100 Sassari, Italy

Carbohydr Res 1997 300 (1) 85

Molecular dynamics study of polygalacturonic acid chains in aqueous solution

Muminov NS// Bukhara Food & Light Ind Technol Inst, Bukhara, Uzbekistan

Khim Priir Soedin 1997 (2) 202

Characteristics of the precipitation of pectin substances from *Gossypium hirsutum* (Russian)

Muminov NS// Address as above

Khim Priir Soedin 1997 (2) 207

Extraction of cotton plant pectin (Russian)

Oosterveld A, Grabber JH, Beldman G, Ralph J, Voragen AGJ// *Agr Univ Wageningen, Dept Food Sci, POB 8129, NL-6700 EV Wageningen, The Netherlands

Carbohydr Res 1997 300 (2) 179

Formation of ferulic acid dehydromers through oxidative cross-linking of sugar beet pectin

Sriamornsak P, Prakongpan S, Puttipipatkachorn S, Kennedy RA// *Charles Sturt Univ, Sch Biomed Sci, POB 588, Wagga Wagga, NSW 2678, Australia

J Control Release 1997 47 (3) 221

Development of sustained release theophylline pellets coated with calcium pectinate

Szaniawski AR, Spencer HG// *Tech Univ, Environm Engn, al Piastow 50A, PL-70311 Szczecin, Poland

J Membrane Sci 1997 127 (1) 69

Effects of immobilized pectinase on the microfiltration of dilute pectin solutions by macroporous titania membranes: Resistance model interpretation

9 STARCH

Aggarwal P, Dollimore D// *Univ Toledo, Dept Chem, Toledo, Oh 43606, USA

Thermochim Acta 1997 291 (1-2) 65

The combustion of starch, cellulose and cationically modified products of these compounds investigated using thermal analysis

Amano T, Takada S, Miura M, Ishida K, Ohshima K// Aichi Prefectural Govt, Food Res Inst, Nishi ku, 2-1-1 Shinpukuji cho, Nagoya, Aichi 451, Japan
J Jpn Soc Food Sci Technol 1997 44 (2) 93

Retardation effects of saccharides on the hardening of wheat starch gels: Retardation of the hardening of starch gels by polyols. II. (Japanese, English Abstract)

Batic M, Adamic J, Raspor P*, Grba S// *Univ Ljubljana, Dept Food Sci & Technol, Jamnikarjeva 101, Ljubljana 1000, Slovenia
Starch 1997 49 (5) 199

Growth of *Candida ingeniosa* on low-strength starch substrate

Bickert G, Stahl W, Witt W// Univ Karlsruhe, Inst Mech Verfahrenstech & Mech, Kaiserstr 12, D-76128 Karlsruhe, Germany
Starch 1997 49 (5) 186

Wet classification of starch: A physical possibility to influence the technologically important properties of starch (German, English Abstract)

Campbell MR, Brumm TJ, Glover DV// Truman State Univ, Div Sci, Kirksville, Mo 63501, USA
Cereal Chem 1997 74 (3) 300

Whole grain amylose analysis in maize using near-infrared transmittance spectroscopy

Chandra R, Rustgi R// Delhi Coll Engr, Dept Polymer Technol & Appl Chem, Kashmere Gate, Delhi 110006, India
Polym Degrad Stabil 1997 56 (2) 185

Biodegradation of maleated linear low-density polyethylene and starch blends

Chen Y, Fringant C, Rinaudo M// CERMAV-CNRS, BP 53, F-38041 Grenoble 9, France
Carbohydr Polym 1997 33 (1) 73

Molecular characterization of starch by SEC: Dependence of the performances on the amylopectin content

Da Silva PMS, Oliveira JC*, Rao MA// *Escola Super Biotecnol, R Dr Antonio Bernardino Almeida, P-4200 Oporto, Portugal
J Texture Stud 1997 28 (2) 123

Granule size distribution and rheological behavior of heated modified waxy and unmodified maize starch dispersions

Fisher DK, Thompson DB// *Penn State Univ, Dept Food Sci, Borland Lab 111, University Pk, Pa 16802, USA
Cereal Chem 1997 74 (3) 344

Retrogradation of maize starch after thermal treatment within and above the gelatinization temperature range

Fukai Y, Matsuzawa T, Ishitani T// Agr Technol Inst Nagano Farmer's Federat, 787-1 Suzaka, Nagano 382, Japan
J Jpn Soc Food Sci Technol 1997 44 (2) 102

Physicochemical properties and gelatinization characteristics of the starch of milled layer separated from rice grains (Japanese, English Abstract)

Garcia V, Colonna P*, Bouchet B, Gallant DJ// *INRA, BP 1627, F-44316 Nantes 03, France
Starch 1997 49 (5) 171

Structural changes of cassava starch granules after heating at intermediate water contents

Hong JH, Yamaoka-Koseki S, Tsujii Y, Yasumoto K// *Kyoto Univ, Food Sci Res Inst, Uji, Kyoto 611, Japan
Food Sci Technol-Lebensm Wiss 1997 30 (4) 406

Applicability of near-infrared spectroscopic method to unfreezable water measurements in egg white lysozyme and soluble starch

Ibanoglu S, Ainsworth P// *Dept Food Engr, TR-27310 Gaziantep, Turkey
Int J Food Sci Nutr 1997 48 (3) 201

Kinetics of starch gelatinization during extrusion of tarhana, a traditional Turkish wheat flour-yogurt mixture

Islam MN, Azemi BMNM// *Univ Sains Malaysia, Sch Ind Technol, Minden 11800, Pinang, Malaysia
J Texture Stud 1997 28 (1) 1

Flow behaviour of calcium complexed hydroxypropyl rice starches

Jane JL, Wong KS, McPherson AE// Iowa State Univ, Dept Food Sci & Human Nutr, Ames, Ia 50011, USA
Carbohydr Res 1997 300 (3) 219

Branch-structure difference in starches of A- and B-type X-ray patterns revealed by their Naegeli dextrins

Kiatkamjornwong S, Meechai N// Chulalongkorn Univ, Dept Photog Sci & Printing Technol, Bangkok 10330, Thailand
Radiat Phys Chem 1997 49 (6) 689

Enhancement of the grafting performance and of the water absorption of cassava starch graft copolymer by γ radiation

Kurakake M, Noguchi M, Fujioka K, Komaki T// Fukuyama Univ, Dept Food Sci & Technol, Gakuencho 1 banchi, Fukuyama, Hiroshima 72902, Japan
J Cereal Sci 1997 25 (3) 253

Effects on maize starch properties of heat-treatment with water-ethanol mixtures

Kweon MR, Sosulski FW, Han HS// Nabisco Inc, 200 Deforest Ave, East Hanover, NJ 07936, USA
Starch 1997 49 (5) 202

Effect of aqueous ethanol cationization on functional properties of normal and waxy starches

Lu TJ, Jane JL*, Keeling PL// Iowa State Univ, Dept Food Sci & Hum Nutr, Ames, Ia 50011, USA
Carbohydr Polym 1997 33 (1) 19

Temperature effect on retrogradation rate and crystalline structure of amylose

Matthey FP, Hanna MA// *Univ Nebraska, Ind Agr Prod Ctr, 211 LW Chase Hall, Lincoln, Ne 68583, USA
Food Sci Technol-Lebensm Wiss 1997 30 (4) 359

Physical and functional properties of twin-screw extruded whey protein concentrate/corn starch blends

Merta J, Stenius P// *Helsinki Univ Technol, Dept Forest Prod Technol, Vuorimiehentie 1A, FIN-02150 Espoo, Finland
Colloid Surface A 1997 122 (1-3) 243

Interactions between cationic starch and anionic surfactants. II. Viscosity and aggregate size in dilute solutions

Mestres C, Rouau X// CIRAD, CA, Lab Technol Cereales, BP 5035, Maison Technol, F-34032 Montpellier 1, France
J Sci Food Agr 1997 74 (2) 147

Influence of natural fermentation and drying conditions on the physicochemical characteristics of cassava starch

Murakami T, Murakami T, Ohtsuka A, Yamana S// Okayama Univ, Dept Anat, Okayama 700, Japan
Biomed Res 1997 18 (2) 183

Conversion of liquid laboratory wastes to a solid form: Precipitating osmic acid with tannic acid and gluten, and embedding cacodylic acid in starch paste

Myllymäki O, Eerikainen T, Suortti T, Forsell P, Linko P, Poutanen K// VTT Biotechnol & Food Res, POB 1500, FIN-02044 Espoo, Finland
Food Sci Technol-Lebensm Wiss 1997 30 (4) 351

Depolymerization of barley starch during extrusion in water glycerol mixtures

Nakamura H, Okamoto H, Miyaki Y, Hama Y, Kuriki T, Okada S// Esaki Glico Co Ltd, Cent Res Lab, Nishiyodogawa ku, 4-6-5 Utajima, Osaka 555, Japan
J Jpn Soc Food Sci Technol 1997 44 (2) 160

Cluster-dextrin decreases viscosity and increases transparency of gelatinized starch paste (Japanese, English Abstract)

Ng KY, Duvick SA, White PJ// *Iowa State Univ, Dept Food Sci & Human Nutr, 2312 Food Sci Bldg, Ames, Ia 50011, USA
Cereal Chem 1997 74 (3) 288

Thermal properties of starch from selected maize (*Zea mays* L) mutants during development

Peers E// ML Labs plc, 60 London Rd, St Albans, AL1 1NG, Herts, England
Periton Dialysis Int 1997 17 (Suppl 2) S68

Icodextrin plus glucose combinations for use in CAPD

Ramkumar DHS, Bhattacharya M// Univ Minnesota, Dept Agr & Biosyst Engr, St Paul, Mn 55108, USA
J Mater Sci 1997 32 (10) 2565

Effect of crystallinity on the mechanical properties of starch synthetic polymer blends

Ramkumar DHS, Bhattacharya M, Zhang D// Monsanto Co, 800 Nth Lindbergh Blvd, Mail Code R1c, St Louis, Mo 63167, USA
Polym Network Blend 1997 7 (2) 51

High shear and transient viscosity of starch and maleated ethylene vinyl acetate copolymer blends

Sidhu JS, Caceres PG, Behbehani M// Kuwait Inst Sci Res, Dept Biotechnol, POB 24885, Safat 13109, Kuwait
Starch 1997 49 (5) 180

Measurement of starch properties during staling of Arabic bread

Stenhouse PJ, Ratto JA*, Schneider NS// *US Army, Div Biotechnol, Natick Res Dev & Engr Ctr, Natick, Ma 01760, USA

J Appl Polym Sci 1997 **64** (13) 2613

Structure and properties of starch/poly(ethylene-co-vinyl alcohol) blown films

Van Soest JGG, Vliegthart JFG// DLO, ATO, Agrotechnol Res Inst, POB 17, NL-6700 AA Wageningen, The Netherlands

Trends Biotech 1997 **15** (6) 208

Crystallinity in starch plastics: Consequences for material properties

Yamazaki I, Ogawa K, Morita H, Yoshimura T, Ono S, Rengakuji S, Nakamura Y, Iwaki A, Shimasaki C// Toyama Univ, Dept Mat Sci & Engr, Gofu ku, Toyama 930, Japan

Nippon Kagaku Kaishi 1997 (1) 53

Effect of the guanidine hydrochloride on the retrogradation of waxy corn starch

Yoon WB, Park JW*, Kim BY// *Oregon State Univ, Seafood Lab, 250-36 St, Astoria, Or 97103, USA

J Food Sci 1997 **62** (3) 555

Surimi-starch interactions based on mixture design and regression models

Yoshi Y, Arisaka M, Jou T, Hayakawa T// Food Res Inst Niigata Prefecture, 2-25 Shinei cho, Kamo, Niigata 95913, Japan

J Jpn Soc Food Sci Technol 1997 **44** (5) 353

Physicochemical properties of low-amylose rice (Japanese, English Abstract)

10 STARCH-DEGRADING ENZYMES

Evers B, Petricek M, Thiem J// *Univ Hamburg, Inst Organ Chem, Martin Luther King Pl 6, D-20146 Hamburg, Germany

Carbohydr Res 1997 **300** (2) 153

Specificity of amylases and cyclodextrin-glucanotransferase in reactions with 2-deoxy-maltooligosaccharides

Karakatsanis A, Liakopoulou-Kyriakides M*, Stamatoudis M// *Univ Thessaloniki, Dept Chem Engr, Sect Chem, GR-54006 Thessaloniki, Greece

Starch 1997 **49** (5) 194

Hydrolysis of various starches by the synergistic action of α -amylase and glucoamylase in aqueous two phase impeller agitated systems

Kobayashi M, Sasaki Y, Kobayashi S// Natl Food Res Inst, 2-1-2 Kannondai, Tsukuba, Ibaraki 305, Japan

Biosci Biotechnol Biochem 1997 **61** (5) 813

Purification of amylases and other enzymes by a forced affinity chromatography method

Mamo G, Gessesse A// Univ Addis Ababa, Dept Biol, POB 1176, Addis Ababa, Ethiopia

Biotechnol Technique 1997 **11** (6) 447

Thermostable amylase production by immobilized thermophilic *Bacillus* sp

McCleary BV, Gibson TS, Mugford DC// Megazyme Int Ireland Ltd, Bray Business Pk, Bray, Wicklow, Rep Ireland

J AOAC Int 1997 **80** (3) 571

Measurement of total starch in cereal products by amyloglucosidase/ α -amylase method: Collaborative study

Zanin GM, De Moraes FF// State Univ Maringa, Dept Chem Engr, Avda Colombo, BR-87020-900 Maringa, Parana, Brazil

Appl Biochem Biotech 1997 **63-5** 527

Modeling fixed and fluidized reactors for cassava starch saccharification with immobilized enzyme

11 POLYSACCHARIDES - MICROBIAL

Chen Y, Zhou M, Leu N, Liu SX, Pang ZJ, Wan J// First Milit Med Univ, Res Lab Free Radical Med, Guangzhou 510515, Peoples Rep China

Med Sci Res 1997 **25** (5) 297

The polysaccharide krestin prevents plaque formation in experimentally atherosclerotic rabbits

Collins RA, Ng TB// Chinese Univ Hong Kong, Dept Biochem, Shatin, NT, Hong Kong

Life Sci 1997 **60** (25) PL 383

Polysaccharopeptide from *Coriolus versicolor* has potential for use against human immunodeficiency virus type 1 infection

Cui ZF, Bellara SR, Homewood P// Univ Oxford, Dept Engr Sci, Sth Parks Rd, Oxford OX1 3PJ, England

J Membrane Sci 1997 **128** (1) 83

Airlift crossflow membrane filtration: A feasibility study with dextran ultrafiltration

Gao Y, Fukuda A, Katsuraya K, Kaneko Y, Mimura T, Nakashima H, Uryu T// *Univ Tokyo, Inst Ind Sci, Minato ku, 7-22-1 Roppongi, Tokyo 106, Japan

Macromolecules 1997 **30** (11) 3224

Synthesis of regioselective substituted curdlan sulfates with medium molecular weights and their specific anti-HIV-1 activities

Hang YD, Woodams EE// Cornell Univ, Dept Food Sci & Technol, Geneva, NY 14456, USA

Lett Appl Microbiol 1997 **24** (5) 389

Xylanolytic activity of commercial juice-processing enzyme preparations

He M, Horikawa Y// Kochi Univ, Fac Agr, Nankoku, Kochi 783, Japan

Soil Sci Plant Nutr 1997 **43** (2) 307

Electrokinetic properties of variable charge clays in the presence of an anionic xanthan polysaccharide and inorganic electrolytes

Hisamatsu M, Nomura S, Shutsrirung A, Obata H, Teranishi K, Yamada T, Nuswantara S, Yamashita M, Murooka Y// Mie Univ, Dept Agr Chem, 1515 Kamihama, Tsu, Mie 514, Japan

J Ferment Bioeng 1997 **83** (4) 315

Structural characterization of a new acidic exopolysaccharide and cyclic (1-2) β -glucan produced by *Rhizobium huakuii* forming nodules on *Astragalus sinicus*

Hricovini M, Guerrini M, Torri G, Casu B// Slovak Acad Sci, Inst Chem, SK-84239 Bratislava, Slovakia

Carbohydr Res 1997 **300** (1) 69

Motional properties of *E. coli* polysaccharide K5 in aqueous solution analyzed by NMR relaxation measurements

Iozep AA, Kupriyanova LN, Ponomarenko MN, Ivin BA, Passet BV// St Petersburg Pharmaceut Chem Res Inst, St Petersburg, Russia

Russ J Appl Chem-Eng Tr 1996 **69** (9) 1376

Synthesis and analysis of hydrazinocarbonylmethyl derivatives of certain microbial polysaccharides

Jana AK, Ghosh P// *Birla Inst Sci Res, Ctr Sci & Technol, Jaipur 302001, Rajasthan, India

World J Microbiol Biotechnol 1997 **13** (3) 261

Stimulation of xanthan production by *Xanthomonas campestris* using citric acid

Krentsel L, Chaubet F*, Rebrov A, Champion J, Ermakov I, Bittoun P, Fermandjian S, Litmanovich A, Plate N, Jozefonvicz J// *Univ Paris-Nord, CNRS-URA, Lab Rech Macromolec, Ave JB Clement, F-93430 Villetaneuse, France

Carbohydr Polym 1997 **33** (1) 63

Anticoagulant activity of functionalized dextrans. Structure analyses of carboxymethylated dextran and first Monte Carlo simulations

Lee IY, Seo WT, Kim GJ, Kim MK, Park CS, Park YH// Univ Iowa, Ctr Biocatalysis & Bioproc, Iowa City, Ia 52242, USA

J Ind Microbiol Biotechnol 1997 **18** (4) 255

Production of curdlan using sucrose or sugar cane molasses by two-step fed-batch cultivation of *Agrobacterium* species

Lee JW, Yeomans WG, Allen AL, Kaplan DL*, Deng F, Gross RA// *Tufts Univ, Ctr Biotechnol, 4 Colby St, Medford, Ma 02155, USA

Can J Microbiol 1997 **43** (2) 149

Exopolymers from curdlan production. Incorporation of glucose-related sugars by *Agrobacterium* sp. strain ATCC 31749

Liao WS, Lu DP// Acad Sinica, Environm Sci Res Ctr, POB 2871, Beijing 100085, Peoples Rep China

Carbohydr Res 1997 **300** (4) 347

Convergent synthesis of an octasaccharide acceptor corresponding to the reducing terminus of mycobacterial 3-O-methylmannose polysaccharide (MMP)

Ludbrook KA, Russell CM, Greig RJ// Address not available

J Food Sci 1997 **62** (3) 597

Exopolysaccharide production from lactic acid bacteria isolated from fermented foods

Mendelman PM, Feeley L, Bird S, Staub T, Matthews H*, Del Beccaro MA, Overturf G, Lee A, Ellis R, Staub J et al// *Merck Res Labs, 10 Sentry Pkwy, Blue Bell, Pa 19422, USA

Vaccine 1997 **15** (6-7) 775

Immunogenicity and safety of *Haemophilus influenzae* type b polysaccharide *Neisseria meningitidis* conjugate vaccine in 7.5 μ g liquid formulation: A comparison of three lots with the 15.0 μ g lyophilized formulation

Murase N, Inoue T, Ruike M// Tokyo Denki Univ, Chem Lab, Hatoyama, Saitama 35003, Japan
Cryo-Lett 1997 **18** (3) 157

Equilibrium and nonequilibrium freezing of water in cross linked dextran gels

Ogawa K, Omichi K, Yamamoto A, Yui T// Univ Osaka Prefecture, Adv Sci & Technol Res Inst, 1-2 Gakuen cho, Sakai, Osaka 593, Japan
J Jpn Soc Food Sci Technol 1997 **44** (5) 376

Conformation of curdlan in the trisodium phosphate solution (Japanese, English Abstract)

Osman SF, Fett WF, Irwin P, Cescutti P, Brouillette JN, O'Connor JV// USDA/ARS, Eastern Reg Res Ctr, Wyndmoor, Pa 19038, USA
Carbohydr Res 1997 **300** (4) 323

The structure of the exopolysaccharide of *Pseudomonas fluorescens* strain H13

Perry DB, McMahon DJ, Oberg CJ// Leprino Foods, POB 173400, Denver, Co 80217, USA
J Dairy Sci 1997 **80** (5) 799

Effect of exopolysaccharide-producing cultures on moisture retention in low fat mozzarella cheese

Pessoa A, Vitolo M// FAENQUIL, DEBIQ, BR-12600-000 Lorena, SP, Brazil
Biotechnol Technique 1997 **11** (6) 421

Separation of inulinase from *Kluyveromyces marxianus* using reversed micellar extraction

Ricciardi A, Parente E, Clementi F// Univ Basilicata, Dipt Biol Difesa & Biotechnol Agroforestal, Via Anzio 10, I-85100 Potenza, Italy
Biotechnol Technique 1997 **11** (5) 271

A simple method for the screening of lactic acid bacteria for the production of exopolysaccharides in liquid media

Rodriguez H, Aguilar L// Cuban Res Inst Sugarcane Byprod, ICIDCA, Dept Microbiol, POB 4026, CP 11000, Havana, Cuba
J Ind Microbiol Biotechnol 1997 **18** (4) 232

Detection of *Xanthomonas campestris* mutants with increased xanthan production

Suzuki T, Ohno N, Chiba N, Miura NN, Adachi Y, Yadomae T*// *Tokyo Univ Pharm & Life Sci, Immunopharmacol Microbial Prod Lab, 1432-1 Hori-nouchi, Hachioji, Tokyo 19203, Japan
J Pharm Pharmacol 1996 **48** (12) 1243

Immunopharmacological activity of the purified insoluble glucan, zymocel, in mice

Talukdar MM, Kinget R// Katholieke Univ Leuven, Lab Galen & Clin Pharm, Campus Gaithuisberg, B-3000 Louvain, Belgium
Int J Pharm 1997 **151** (1) 99

Comparative study on xanthan gum and hydroxypropylmethyl cellulose as matrices for controlled-release drug delivery. II. Drug diffusion in hydrated matrices

Van Dijk-Wolthuis WNE, Kettenes-van den Bosch JJ, Van der Kerk-van Hooft A, Hennink WE// Univ Utrecht, Dept Pharmaceut, POB 80-082, NL-3508 TB, Utrecht, The Netherlands
Macromolecules 1997 **30** (11) 3411

Reaction of dextran with glycidyl methacrylate: An unexpected transesterification

Vicuna R, Escobar F, Osses M, Jara A// Pontificia Univ, Dept Mol Genet & Microbiol, Casilla 114-D, Santiago, Chile
Biotechnol Lett 1997 **19** (6) 575

Bleaching of eucalyptus Kraft pulp with commercial xylanases

Whittaker LE, Al-Ruqaie IM, Kasapis S*, Richardson RK// *Cranfield Univ, Silsoe Coll, Dept Food Res & Technol, Silsoe MK45 4DT, Beds, England
Carbohydr Polym 1997 **33** (1) 39

Development of composite structures in the gellan polysaccharide/sugar system

Xin Y, Lee RE, Scherman MS, Khoo KH, Besra GS, Brennan PJ, McNeil M*// *Colorado State Univ, Dept Microbiol, Fort Collins, Co 80523, USA
BBA-Gen Subjects 1997 **1335** (3) 231

Characterization of the *in vitro* synthesized arabinan of mycobacterial cell walls

Xue GP, Johnson JS, Bransgrove KL, Gregg K, Beard CE, Dalrymple BP, Gobius KS, Aylward JH// CSIRO, Div Trop Crops & Pastures, 306 Carmody Rd, St Lucia, Qld 4067, Australia
J Biotechnol 1997 **54** (2) 139

Improvement of expression and secretion of a fungal xylanase in the rumen bacterium *Butyrivibrio fibrisolvens* OB156 by manipulation of promoter and signal sequences

12 POLYSACCHARIDES - PLANT

Ahuja M, Rai AK*// *Univ Rajasthan, Dept Chem, Jaipur 302004, India
Carbohydr Polym 1997 **33** (1) 57

Adsorption studies with some chelating ion exchange resins derived from guaran

Artignan JM, Corrieu G, Lacroix C*// *Univ Laval, Dept Food Sci & Nutr, STELA, Quebec City, Quebec, Canada G1K 7P4
J Texture Stud 1997 **28** (1) 47

Rheology of pure and mixed κ -carrageenan gels in lactic acid fermentation conditions

Arvizu-Higuera DL, Hernandez-Carmona G, Rodriguez-Montesinos YE// Ctr Interdisciplinario Ciencias Marinas, AP 592, La Paz 23000, Baja California, Mexico
Cienc Mar 1997 **23** (2) 195

Effect of the type of precipitation on the process to obtain sodium alginate: Calcium alginate method and alginic acid method

Carlucci MJ, Pujol CA, Cancia M, Nosedá MD, Matulewicz MC, Damonte EB, Cerezo AS*// *Univ Buenos Aires, Dept Quim Organ, CONICET, CI-HIDECAR, Ciudad Univ, RA-1428 Buenos Aires, DF, Argentina
Int J Biol Macromol 1997 **20** (2) 97

Antihypertic and anticoagulant properties of carrageenans from the red seaweed *Gelidium skottsbergii* and their cyclized derivatives: Correlation between structure and biological activity

De Freitas Z, Sebranek JG, Olson DG, Carr JM// Iowa State Univ, Dept Food Sci & Human Nutr, Ames, Ia 50011, USA
J Food Sci 1997 **62** (3) 539

Carrageenan effects on salt-soluble meat proteins in model systems

De Freitas Z, Sebranek JG, Olson DG, Carr JM// Address as above
J Food Sci 1997 **62** (3) 544

Carrageenan effects on thermal stability of meat proteins

De Freitas Z, Sebranek JG, Olson DG, Carr JM// Address as above
J Food Sci 1997 **62** (3) 551

Freeze/thaw stability of cooked pork sausages as affected by salt, phosphate, pH, and carrageenan

Hurtado-Ponce AQ, Pondevida HB// SE Asian Fisheries Dev Ctr, Dept Aquaculture, Iloilo 5021, Philippines
Bot Mar 1997 **40** (3) 217

The interactive effect of some environmental factors on the growth, agar yield and quality of *Gracilaria lemaneiformis* (Zhang et Xia) cultured in tanks

Iwe MO// Univ Agr, Dept Food Sci & Technol, PMB 2373, Makurdi, Nigeria
Discov Innovat 1996 **8** (4) 311

Effects of drying methods, moisture, pH, electrolytes and shear rate on viscosity of *Cissus populnea* (okoko) gum

McCleary BV, Mugford DC// Megazyme Int Ireland Ltd, Bray Business Pk, Bray, Wicklow, Rep Ireland
J AOAC Int 1997 **80** (3) 580

Determination of β -glucan in barley and oats by streamlined enzymatic method: Summary of collaborative study

Mhinz GS, Mosha DMS// Univ Dar-es-Salaam, Dept Chem, POB 35061, Dar-es-Salaam, Tanzania
Discov Innovat 1996 **8** (4) 361

Studies on Tanzanian *Acacia* gums. I. Some properties of gum exudates from *Acacia drepanolobium* and *Acacia seyal* var. *seyal*

Pakhomova VM, Samuilov FD, Tsentsvitsky AN// Lenin State Univ, Bot Garden, ul Kremlevskaya 18, Kazan 420008, Russia
Biochemistry-Engl Tr 1997 **62** (4) 412

Polysaccharides of cell wall of wheat roots under extreme growth conditions

Panikkar R, Brasch DJ*// *Univ Otago, Dept Chem, POB 56, Dunedin, New Zealand
Carbohydr Res 1997 **300** (3) 229

Biosynthetic implications of NMR analyses of alginate homo- and heteropolymers from New Zealand brown seaweeds

Rakhimov DA// Uzbek Acad Sci, Inst Bot Chem, Tashkent, Uzbekistan
Khim Priir Soedin 1997 (2) 276

Eremurus polysaccharides. XXX. Method of isolation of polysaccharides and their pharmacological activity (Russian)

Rakhimov DA, Zhaiynbaeva KS// Address as above
Khim Priir Soedin 1997 (2) 277

Vegetable polysaccharides. V. *Narcissus poeticus* carbohydrates (Russian)

Robertson JA, Majsak-Newman G, Ring SG, Selvendran RR// AFRC Inst Food Res, Norwich Lab, Dept Food Mol Biochem, Norwich Res Pk, Norwich NR4 7UA, England

J Cereal Sci 1997 **25** (3) 275

Solubilisation of mixed linkage (1→3), (1→4) β -D-glucans from barley: Effects of cooking and digestion

Rydland A, Dahlman O// *Swedish Pulp & Paper Res Inst, POB 5604, S-11486 Stockholm, Sweden

Carbohydr Res 1997 **300** (2) 95

Oligosaccharides obtained by enzymatic hydrolysis of birch kraft pulp xylan: Analysis by capillary zone electrophoresis and mass spectrometry

Shin KS, Kiyohara H, Matsumoto T, Yamada H// *Kitasato Inst, Oriental Med Res Ctr, Minato ku, Shirokane 5-9-1, Tokyo 108, Japan

Carbohydr Res 1997 **300** (3) 239

Rhamnogalacturonan II from the leaves of *Panax ginseng* C.A. Meyer as a macrophage Fc receptor expression-enhancing polysaccharide

Takada A, Shimizu T// Hakodate Natl Coll Technol, Dept Elect Engr, Hakodate, Hokkaido 042, Japan

J Mater Sci 1997 **32** (10) 2699

Synthesis of bismuth-based high- T_c superconducting fibres by using sodium alginate as a polyelectrolyte

Tashiro Y, Ogawa H, Iso N// Tokyo Univ Fisheries, Dept Food Sci & Technol, Tokyo 108, Japan

Fisheries Science 1997 **63** (2) 281

Sedimentation analysis of agar molecule

Tomshich SV, Komandrova NA, Kalmykova EN, Prokofeva NG, Momontova VA, Gorovoi PG, Ovodov YS// Pacific Ocean Bioorgan Chem Inst, Vladivostok, Russia

Khim Priir Soedin 1997 (2) 197

Biologically active polysaccharides from Far East medicine plants (Russian)

13 POLYSACCHARIDES - OTHER

Borch NH, Kirchmann DL// Univ Delaware, Coll Marine Studies, Lewes, DE 19958, USA

Mar Chem 1997 **57** (1-2) 85

Concentration and composition of dissolved combined neutral sugars (polysaccharides) in seawater determined by HPLC-PAD

Brant DA// Univ Calif, Dept Chem, Irvine, CA 92717, USA

Carbohydr Res 1997 **300** (1) 67

Polysaccharide and oligosaccharide flexibility

Denuziere A, Taverna M*, Ferrier D, Domard A// *Univ Paris 11, Lab Chim Analyt, 5 Ave JB Clement, F-92290 Chateau Malabry, France

Electrophoresis 1997 **18** (5) 745

Capillary electrophoresis of glycosaminoglycan-derived disaccharides: Application to stability studies of glycosaminoglycan complexes

Drouet L// Hop Lariboisiere, Serv Angiohematol, F-75475 Paris 10, France

Ann Med Intern 1997 **148** (2) 131

Information provided by large clinical trials on low molecular-weight heparins (French, English Abstract)

Herauld JP, Donat F, Barzu T, Crepon B, Bernat A, Lormeau JC, Herbert JM// *Sanofi Rech, 195 Rte Espagne, F-31036 Toulouse, France

Blood Coagulat Fibrinol 1997 **8** (3) 161

Pharmacokinetic study of three synthetic AT-binding pentasaccharides in various animal species extrapolation to humans

Hoffmann P, Bernat A, Dumas A, Petitou M, Herauld JP, Herbert JM// *Sanofi Rech, Haemobiol Res Dept, 195 Rte Espagne, F-31036 Toulouse, France

Thromb Res 1997 **86** (4) 325

The synthetic pentasaccharide SR90107A/ORG31540 does not release lipase activity into the plasma

Khoo KH, Nieto A, Morris HR, Dell A// *Univ London, Imperial Coll Sci Technol & Med, Dept Biochem, London SW7 2AY, England

Mol Biochem Parasitol 1997 **86** (2) 237

Structural characterization of the N-glucans from *Echinococcus granulosus* hydatid cyst membrane and protoscoleces

Lima VLM, Correia MTS, Cechinel YMN, Sampaio CAM, Owen JS*, Coelho LCBB// *Royal Free Hosp, Univ Dept Med, Rowland Hill St, London NW3 2PF, England

Carbohydr Polym 1997 **33** (1) 27

Immobilized *Cratylia mollis* lectin as a potential matrix to isolate plasma glycoproteins, including lecithin-cholesterol acyltransferase

Listrat V, Ayrat X, Patamello F, Bonvarlet JP, Simonnet J, Amor B, Dougados M// *Hop Cochin, Rhumatol Clin, 27 rue Faubourg St Jacques, F-75014 Paris, France

Osteoarthritis Cartilage 1997 **5** (3) 153

Arthroscopic evaluation of potential structure modifying activity of hyaluronan (Hyalgal®) in osteoarthritis of the knee

Marconi W, Benvenuti F, Piozzi A// Univ Roma La Sapienza, Dept Chem, Piazzale Aldo Moro 5, I-00185 Rome, Italy

Biomaterials 1997 **18** (12) 885

Covalent bonding of heparin to a vinyl copolymer for biomedical applications

Ofman D, Slim GC*, Watt DK, Yorke SC// Ind Res Ltd, Carbohydr Chem Team, PO Box 31-310, Lower Hutt, New Zealand

Carbohydr Polym 1997 **33** (1) 47

Free radical induced oxidative depolymerisation of chondroitin sulphate and dermatan sulphate

Ogawa K// Univ Osaka Prefecture, Adv Sci & Technol Res Inst, 1-2 Gakuen cho, Sakai, Osaka 593, Japan

Carbohydr Res 1997 **300** (1) 17

Progress in structure analyses on carbohydrates and polysaccharides

Ouchi T, Matsumoto M, Ihara K, Ohya Y// Kansai Univ, Fac Engr, Dept Appl Chem, Suita, Osaka 564, Japan

J Macromol Sci Pure Appl Chem 1997 **A34** (6) 975

Synthesis and cytotoxic activity of oxidized galactomannan/ADR conjugate

Pavlov GM// St Petersburg State Univ, Inst Phys, Ulianovskaya Str 1, St Petersburg 198904, Russia

Eur Biophys J Biophys Lett 1997 **25** (5-6) 385

The concentration dependence of sedimentation for polysaccharides

Roig MG, Rashid DH, Kennedy JF// *Univ Birmingham, Sch Chem, Chem Bioact Carbohydr & Prot Technol Grp, POB 363, Birmingham B15 2TT, England

J Biomater Sci-Polym Ed 1997 **8** (7) 493

Rheological studies on the solubilization by the surfactant SDS of complexes between three acidic polysaccharides and an organic base chloride

Santos NC, Sousa AMA, Betbeder D, Prieto M, Castanho MARB// *Inst Super Tecn, Ctr Quim Fis Mol, P-1096 Lisbon, Portugal

Carbohydr Res 1997 **300** (1) 31

Structural characterization of organized systems of polysaccharides and phospholipids by light scattering spectroscopy and electron microscopy

Shard AG, Davies MC*, Tendler SJB, Bennedetti L, Purbrick MD, Paul AJ, Beamson G// *Univ Nottingham, Lab Biophys & Surface Anal, Univ Pk, Nottingham NG7 2RD, England

Langmuir 1997 **13** (10) 2808

X-ray photoelectron spectroscopy and time-of-flight SIMS investigations of hyaluronic acid derivatives

Tanaka K, Katsura N// Nagasaki Univ, Dept Oral Biochem, 1-7-1 Nagasaki, Nagasaki 852, Japan

J Polym Sci B-Polym Phys 1996 **34** (16) 2771

Fiber period of chondroitin sulfate and its mechanical history

Uden PC, Lavoie LM// Univ Massachusetts, Dept Chem, Lederle Grad Res Tower A, Amherst, MA 01003, USA

J Equine Vet Sci 1997 **17** (3) 123

Laboratory evaluation of commercial hyaluronate sodium products

Walenga JM, Jeske WP, Bara L, Samama MM, Fareed J// Loyola Univ, Dept Pathol, Maywood, IL 60153, USA

Thromb Res 1997 **86** (1) 1

Biochemical and pharmacologic rationale for the development of a synthetic heparin pentasaccharide

Watt DK, Yorke SC*, Slim GC// New Zealand Pharm Ltd, PO Box 1869, Palmerston North, New Zealand

Carbohydr Polym 1997 **33** (1) 5

Comparison of ovine, bovine, and porcine mucosal heparins and low molecular weight heparins by disaccharide analyses and ^{13}C NMR

Wilkie ME, Brown CB// Nth Gen Hosp NHS, Sheffield Kidney Inst, Herries Rd, Sheffield S5 7AU, England

Periton Dialysis Int 1997 **17** (Suppl 2) S47

Polyglucose solutions in CAPD