

Bibliography of carbohydrate polymers

(7 weeks journals. Search completed at 10th Sep 1997)

1 BOOKS, REVIEWS & SYMPOSIA

- Appelqvist IAM, Debet MRM// Unilever Res, Colworth Lab, Bedford MK44, England
Food Rev Int 1997 13 (2) 163
 Starch-biopolymer interactions: A review
- Hallagan JB, La Du BN, Pariza MW, Putnam JM, Borzelleca JF// Daniel R Thompson PC, 1620 1st NW, Washington DC, Wa 20006, USA
Food Chem Toxicol 1997 35 (6) 625
 Assessment of cassia gum
- James JA, Lee BH// Florida A&M Univ, Ctr Viticultural Sci & Small Farm Dev, Tallahassee, Fl 32307, USA
J Food Biochem 1997 21 (1) 1
 Glucoamylases: Microbial sources, industrial applications and molecular biology - A review
- Kano K// Doshisha Univ, Dept Mol Sci & Technol, Kyoto 61003, Japan
J Phys Org Chem 1997 10 (5) 286
 Mechanisms for chiral recognition by cyclodextrins (Review)
- Mayeux PR// Univ Arkansas Med Sci Hosp, Dept Pharmacol & Toxicol, 4301 West Markham St, Slot 611, Little Rock, Ar 72205, USA
J Toxicol Environ Health 1997 51 (5) 415
 Pathobiology of lipopolysaccharide (Review)
- Vallance SL// Northumbria Univ, Dept Chem & Life Sci, Ellison Pl, Newcastle upon Tyne NE1 8ST, England
Analyst 1997 122 (6) R75
 Applications of chromatography in art conservation: Techniques used for the analysis and identification of proteinaceous and gum binding media (Review)

2 CELLULOSE

- Abdel Razik EA// Mansoura Univ, Dept Chem, Mansoura, Egypt
J Photochem Photobiol A-Chem 1996 107 (1-3) 271
 Photoinduced graft copolymerization of ethyl acrylate, methyl methacrylate and methyl acrylate onto ethyl cellulose in homogeneous media
- Aleksandrov IV, Vasilev MN, Gavrilov YV// Mendeleev Univ Chem Engrs, Moscow, Russia
Russ J Appl Chem-Eng Tr 1996 69 (12) 1857
 Interaction of electron-beam-generated nonequilibrium plasma with cellulose
- Arica MY, Yigitoglu M, Lale M, Kok FN, Hasirci V// Kirikkale Univ, Dept Biol, Kirikkale, Turkey
Turk J Chem 1997 21 (2) 100
 Controlled release of aldicarb from carboxymethylcellulose microcapsules
- Baker AA, Helbert W, Sugiyama J, Miles MJ// Univ Bristol, HH Wills Phys Lab, Tyndall Ave, Bristol BS8 1TL, England
J Struct Biol 1997 119 (2) 129
 High-resolution atomic force microscopy of native *Valonia* cellulose I microcrystals
- Chevillard C, Axelos MAV// *INRA, Lab Physicochim Macromol, rue Geraudiere, BP 71627, F-44316 Nantes 02, France
Colloid Polym Sci 1997 275 (6) 537
 Phase separation of aqueous solution of methylcellulose
- D'Almeida AR, Dias ML// *Univ Fed Rio de Janeiro, Inst Macromoleculas Professora Eloisa Mano, CP 68525, BR-21945-970 Rio de Janeiro, Brazil
Polym Degrad Stabil 1997 56 (3) 331
 Comparative study of shear degradation of carboxymethylcellulose and poly (ethylene oxide) in aqueous solution
- Dollimore D, Hoath JM// Univ Toledo, Dept Chem, Toledo, Oh 43606, USA
J Thermal Anal 1997 49 (2) 649
 The fire retardant behavior of various chlorides on cellulose
- Einfeldt L, Klemm D// Univ Jena, Inst Organ & Macromol Chem, Humboldtstr 10, D-07743 Jena, Germany

- J Carbohydr Chem* 1997 16 (4-5) 635
 The control of cellulose biosynthesis by *Acetobacter xylinum* in view of molecular weight and molecular weight distribution. I. Change of molecular weight of bacterial cellulose by simple variation of culture conditions
- Hu L, Zhang XX, Zhang H, Niu JJ, Wang XC// Inst Text Sci & Technol, Inst Funct Fiber, Tianjin 300160, Peoples Rep China
J Appl Polym Sci 1997 65 (9) 1837
 Structures and properties of modified ethylcellulose oxygen-enriched membranes
- Itagaki H, Tokai M, Kondo T// *Shizuoka Univ, Dept Chem, 836 Ohya, Shizuoka 422, Japan
Polymer 1997 38 (16) 4201
 Physical gelation process for cellulose whose hydroxyl groups are regioselectively substituted by fluorescent groups
- Iwata T, Fukushima A, Okamura K, Azuma J// *Kyoto Univ, Dept Wood Sci & Technol, Sakyo ku, Kyoto 60601, Japan
J Appl Polym Sci 1997 65 (9) 1511
 DSC study on regioselectively substituted cellulose heteroesters
- Kai A, Mondal IH// Tokyo Metropolitan Univ, Dept Ind Chem, Hachioji, Tokyo 19203, Japan
Int J Biol Macromol 1997 20 (3) 221
 Influence of substituent of direct dye having bisphenylenebis(azo) skeletal structure on structure of nascent cellulose produced by *Acetobacter xylinum*. I. Different influence of Direct Red 28, Blue 1 and 15 on nascent structure
- Karlsson JO, Gatenholm P// *Chalmers Univ Technol, Dept Polymer Technol, S-41296 Gothenburg, Sweden
Polymer 1997 38 (18) 4727
 Preparation and characterization of cellulose-supported HEMA hydrogels
- Kastner U, Hoffmann H, Donges R, Hilbig J// Univ Bayreuth, POB 101251, D-95440 Bayreuth, Germany
Colloid Surface A 1997 123 307
 Structure and solution properties of sodium carboxymethyl cellulose
- Larsson PT, Wickholm K, Iversen T// Swedish Pulp & Paper Res Inst, STFI, Box 5604, S-11486 Stockholm, Sweden
Carbohydr Res 1997 302 (1-2) 19
 A CP/MAS ¹³C NMR investigation of molecular ordering in celluloses
- Lewin M// Polytech Inst New York, Polymer Res Inst, 6 Metrotech Ctr, Brooklyn, NY 11201, USA
Macromol Symposia 1997 118 715
 Oxidation and aging of cellulose
- Lewis H, Grun C, Salkind A// US Navy, Ctr Surface Warfare, 300 Highway 361, Crane, In 47522, USA
J Power Sources 1997 65 (1-2) 29
 Cellulosic separator applications: New and improved separators for alkaline rechargeable cells
- Li TQ, Haggkvist M, Odberg L// Karolinska MR Res Ctr, Bldg N8, S-17176 Stockholm, Sweden
Langmuir 1997 13 (13) 3570
 Porous structure of cellulose fibers studied by Q-space NMR imaging
- Liu X, Cui YJ, Wang ZT// Inst Precious Met, Kunming 650221, Peoples Rep China
J Therm Anal 1997 49 (3) 1357
 A study of the mechanism of adsorption of ethyl cellulose on silver powder
- Lukas J, Richau K, Schwarz HH, Paul D// Acad Sci Czech Republ, Inst Macromol Chem, Heyrovsky Sq 2, CR-16206 Prague 6, Czech Republic
J Membrane Sci 1997 131 (1-2) 39
 Surface characterization of polyelectrolyte complex membranes based on sodium cellulose sulfate and various cationic components
- McCrystal CB, Ford JL, Rajabi-Siahboomi AR// *Liverpool John Moores Univ, Pharmaceut Technol & Drug Delivery Grp, Byrom St, Liverpool L3 3AF, England
Thermochim Acta 1997 294 (1) 91

As a service to subscribers, each issue of the Journal contains a bibliography of newly published material in the field of carbohydrate polymers. The bibliography is divided into thirteen sections: 1 Books, Reviews & Symposia; 2 Cellulose; 3 Cellulose-degrading Enzymes; 4 Chitin/Chitosan; 5 Cyclodextrins; 6 Lignin; 7 Lipopolysaccharides; 8 Pectin; 9 Starch; 10 Starch-degrading Enzymes; 11 Polysaccharides - Microbial; 12 Polysaccharides - Plant; 13 Polysaccharides - Other. Within each section, articles are listed in alphabetical order with respect to author. When there are no publications to appear under one of these headings, that section will be omitted.

A study on the interaction of water and cellulose ethers using differential scanning calorimetry

Mormann W, Wagner T// Univ Gesamthsch Siegen, Fachbereich 8, Lab Makromol Chem, Adolf Reichwein Str 2, D-57068 Siegen, Germany
Macromol Rapid Commun 1997 18 (6) 515

Silylation of cellulose and low-molecular-weight carbohydrates with hexamethyldisilazane in liquid ammonia

Nadkarni VS, Samant SD*// *Univ Bombay, Dept Chem Technol, Bombay 400019, India

Radiat Meas 1997 27 (3) 505

Spin coating technique for the preparation of thin nitrocellulose films for solid state nuclear track detection

Nishioka N, Tabata M, Saito M, Kishigami N, Iwamoto M, Uno M// Osaka Electrocommun Univ, Fac Engr, Neyagawa, Osaka 572, Japan

Polym J 1997 29 (6) 508

Thermal decomposition of cellulose/synthetic polymer blends containing grafted products. III. Cellulose/poly(methyl acrylate) blends

Nouh SA// Ain Shams Univ, Dept Phys, Cairo, Egypt

Radiat Meas 1997 27 (3) 499

The effect of UV radiation on the optical properties of cellulose triacetate

Peterson MA, Lipkowitz KB*// *Indiana Univ Purdue Univ, Dept Chem, 402 Nth Blackford St, Indianapolis, In 46202, USA

Theochem-J Mol Struct 1997 395 411

Structure and dynamics of cellulose triacetate

Pizzi A// Univ Nancy 1, ENSTIB, Epinal, France

J Appl Polym Sci 1997 65 (9) 1843

On the correlation of some theoretical and experimental parameters in polycondensation crosslinked networks. II. Interfacial energy and adhesion on cellulose substrates

Poptoshev E, Um SU, Pugh RJ*// *Inst Surface Chem, Box 5607, S-11486 Stockholm, Sweden

Langmuir 1997 13 (15) 3905

Influence of surface aging on the drainage of foam films stabilized by aqueous solutions of ethyl hydroxyethyl cellulose

Price DM, Church SP// Courtaulds Res, 101 Lockhurst Lane, Coventry CV6 5RS, England

Thermochim Acta 1997 294 (1) 107

FTIR evolved gas analysis of the decomposition products of cellulose diacetate

Rezaei E, Warner RR*// *Procter & Gamble Co, Miami Valley Labs, POB 538707, Cincinnati, Oh 45253, USA

J Appl Polym Sci 1997 65 (8) 1463

Polymer-grafted cellulose fibers. I. Enhanced water absorbency and tensile strength

Rutland MW, Carambassis A, Willing GA, Neuman RD// Univ Sydney, Sch Chem, Sydney, NSW 2006, Australia

Colloid Surface A 1997 123 369

Surface force measurements between cellulose surfaces using scanning probe microscopy

Schmidt M, Peinemann KV*, Paul D, Rodicker H// *GKSS Forschungszentrum Geesthacht GmbH, Inst Chem, Max Planck Str, D-21502 Geesthacht, Germany

Angew Makromol Chem 1997 249 11

Cellulose ethers as separation layers of polymer membranes (German, English Abstract)

Siaan M, Pintye-Hodi K, Szabo-Revesz P, Kasa P, Eros I*// *Albert Szent Gyorgyi Med Univ, Dept Pharmaceut Technol, Eotvos u 6, H-6701 Szeged, Hungary

Pharmazie 1997 52 (7) 564

Study of the rearrangement of some types of Avicel®

Talaba P, Sroková I, Ebringerová A, Hodul P, Marcincin A// Slovak Tech Univ, Dept Fibres & Text, Bratislava 81237, Slovakia

J Carbohydr Chem 1997 16 (4-5) 573

Cellulose-based biodegradable polymeric surfactants

Thioune O, Ringard Lefebvre C, Baszkín A*// *Univ Paris Sud, URA CNRS 1218, Ctr Etud Pharmaceut, 5 rue JB Clement, F-92296 Chatenay Malabry, France

Langmuir 1997 13 (13) 3587

Influence of spreading solvents on interfacial properties of hydroxypropyl methylcellulose phthalate monolayers

Tshabalala MA// USDA/US Forest Serv, Forest Prod Lab, 1 Gifford Pichot Dr, Madison, WI 53705, USA

J Appl Polym Sci 1997 65 (5) 1013

Determination of the acid-base characteristics of lignocellulosic surfaces by inverse gas chromatography

Tzamtzis NE, Liodakis SE, Pappa AA, Statheropoulos MK*, Parissakis GK// *Natl Tech Univ Athens, Dept Chem Engr, 9 Iroon Polytech St, GR-15773 Athens, Greece

Polym Degrad Stabil 1997 56 (3) 287

The effect of (NH₄)₂HPO₄ and (NH₄)₂SO₄ on the composition of volatile organic pyrolysis products of cellulose: PY-GC studies

Warner RR, Rezaei E// Procter & Gamble Co, Miami Valley Labs, POB 538707, Cincinnati, Oh 45253, USA

J Appl Polym Sci 1997 65 (8) 1471

Polymer-grafted cellulose fibers. II. Polymer localization and induced alterations in fiber morphology

Warner RR, Rezaei E// Address as above.

J Appl Polym Sci 1997 65 (8) 1487

Polymer-grafted cellulose fibers. III. Interactions of grafted and ungrafted fibers in handsheets

3 CELLULOSE-DEGRADING ENZYMES

Gubitz GM, Haltrich D, Latal B, Steiner W// Graz Univ Technol, Inst Biotechnol, SFB Biokatalyse, Petersgasse 12, A-8010 Graz, Austria

Appl Microbiol Biotechnol 1997 47 (6) 658

Mode of depolymerisation of hemicellulose by various mannanases and xylanases in relation to their ability to bleach softwood pulp

Gutierrez-Correa M, Tenderdy RP// Univ Nacl Mayor San Marcos, Lab Micol & Biotechnol, Apdo 456, Lima 1, Peru

Biotechnol Lett 1997 19 (7) 665

Production of cellulase on sugar cane bagasse by fungal mixed culture solid substrate fermentation

Siddiqui KS, Azhar MJ, Rashid MH, Ghuri TM, Rajoka MI// NIBGE, POB 577, Jhang Rd, Faisalabad, Pakistan

Folia Microbiol Prague 1997 42 (4) 303

Purification and the effect of manganese ions on the activity of carboxymethyl cellulases from *Aspergillus niger* and *Cellulomonas biazotea*

Siddiqui KS, Azhar MJ, Rashid MH, Rajoka MJ// NIBGE, POB 577, Jhang Rd, Faisalabad, Pakistan

Folia Microbiol Prague 1997 42 (4) 312

Stability and identification of active-site residues of carboxymethylcellulases from *Aspergillus niger* and *Cellulomonas biazotea*

Van Wyk JPH, Botha AC// Med Univ Sth Africa, Dept Chem & Biochem, ZA-0204 Medunsa, Rep Sth Africa

Biotechnol Lett 1997 19 (7) 687

Hydrolysis of cellulose materials during successive treatment with cellulase from *Penicillium funiculosum*

4 CHITIN/CHITOSAN

Agboh OC, Qin Y// Innovat Technol Ltd, Med Fibres Lab, Rd 3, Winsford Ind Estate, Winsford CW7 3PD, Cheshire, England

Polym Advan Technol 1997 8 (6) 355

Chitin and chitosan fibers

Aly AS, Jeon BD, Park YH*// *Sung Kyun Kwan Univ, Dept Text Engr, Suwon 440746, South Korea

J Appl Polym Sci 1997 65 (10) 1939

Preparation and evaluation of the chitin derivatives for wastewater treatments

Cho GJ, Moon IS, Lee JS// Sunchon Natl Univ, Dept Chem Engr, Sunchon 540742, Chunnam, South Korea

Chem Lett 1997 (6) 577

Preparation and characterization of α-amylase immobilized inorganic hybrid membrane using chitosan as a dispersant in the sol-gel process

Crini G, Torri G, Martel B, Weltrowski M, Morcellet M, Cosentino C// Univ Lille, Lab Macromol Chem, URA CNRS 351, F-59655 Villeneuve Dascq, France

J Carbohydr Chem 1997 16 (4-5) 681

Synthesis, NMR study and preliminary sorption properties of two N-benzyl sulfonated chitosan derivatives

Evmenenko GA, Alekseev VL// Russian Acad Sci, BP Konstantinov Nucl Phys Inst, Gatchina 188350, St Petersburg, Russia

Vysokomol Soedin 1997 39 (4) 650

Study of the swelling of chitosan films by small-angle neutron scattering (Russian, English Abstract)

Genta I, Perugini P, Conti B, Pavanetto F// Univ Pavia, Dept Pharmaceut Chem, V Taramelli 12, I-27100 Pavia, Italy

Int J Pharm 1997 152 (2) 237

A multiple emulsion method to entrap a lipophilic compound into chitosan microspheres

Herrera FP, Mata Segreda JF// Univ Estatal Distancia, Escuela Ciencias Nat, Sabánilla 2070, Costa Rica

Rev Biol Trop 1997 45 (1B) 613

Chitin binds more cholate than chitosan

Hirano S, Usutani A// Chitin/Chitosan R&D Inst, 445 Sakuradani, Tottori 680,

Japan

- Int J Biol Macromol* 1997 20 (4) 245
Hydrogels of *N*-acetylchitosans and their cellulose composites generated from the aqueous alkaline solutions
- Holme KR, Perlin AS// Glycomed Inc, 860 Atlantic Ave, Alameda, Ca 94501, USA
Carbohydr Res 1997 302 (1-2) 7
Chitosan *N*-sulfate: A water-soluble polyelectrolyte
- Ito A, Sato M, Anma T// Niigata Univ, Dept Chem & Mat Engr, Niigata 95021, Japan
Angew Makromol Chem 1997 248 85
Permeability of CO₂ through chitosan membrane swollen by water vapor in feed gas
- Kawamura Y, Yoshida H, Asai S, Tanibe H// Univ Osaka Prefecture, Dept Chem Engr, 1-1 Gakuen cho, Sakai, Osaka 593, Japan
Water Sci Technol 1997 35 (7) 97
Breakthrough curve for adsorption of mercury(II) on polyaminated highly porous chitosan beads
- Kawase M, Michibayashi N, Nakashima Y, Kurikawa N, Yagi K*, Mizoguchi T// *Osaka Univ, Fac Pharmaceut Sci, 1-6 Yamada-oka, Osaka 565, Japan
Biol Pharm Bull 1997 20 (6) 708
Application of glutaraldehyde-crosslinked chitosan as a scaffold for hepatocyte attachment
- Khor E, Wan ACA, Tee CF, Hastings GW// Natl Univ Singapore, Dept Chem, Kent Ridge, Singapore 119260, Rep Singapore
J Polym Sci A-Polym Chem 1997 35 (10) 2049
Reversible water-swelling chitin gel
- Kim CH, Kim SY, Choi KS*// *Hanyang Univ, Dept Ind Chem, Seoul 133791, South Korea
Polym Advan Technol 1997 8 (5) 319
Synthesis and antibacterial activity of water-soluble chitin derivatives
- Kratz G, Amander C, Swedenborg J, Back M, Falk C, Gouda I, Larm O// Karolinska Hosp, Dept Plast & Reconstruct Surg, S-17176 Stockholm, Sweden
Scand J Plast Reconstr Surg 1997 31 (2) 119
Heparin-chitosan complexes stimulate wound healing in human skin
- Lyons JJ, Vandepopuliere JM// Univ Missouri, Dept Anim Sci, Columbia, Mo 65211, USA
J Appl Poultry Res 1997 6 (1) 100
Dehydrated and extruded chitosan-produced secondary-poultry nutrients (SPN) as broiler feedstuffs
- Mikkelsen A, Engelsen SB, Hansen HCB, Larsen O, Skibsted LH// Royal Vet & Agr Univ, Dept Dairy & Food Sci, Rolighedsvej 30, DK-1958 Frederiksberg C, Denmark
J Cryst Growth 1997 177 (1-2) 125
Calcium carbonate crystallization in the α -chitin matrix of the shell of pink shrimp, *Pandalus borealis*, during frozen storage
- Morni NM, Mohamed NS, Arof AK// Univ Malaya, Ctr Fdn Studies Sci, Div Phys, Kuala Lumpur 50603, Malaysia
Mater Sci Eng B-Solid State Mat Adv Technol 1997 45 (1-3) 140
Silver nitrate doped chitosan acetate films and electrochemical cell performance
- Nogales A, Ezquerro TA*, Rueda DR, Martinez F, Retuert J// *CSIC, Inst Estructura Mat, Serrano 119, E-28006 Madrid, Spain
Colloid Polym Sci 1997 275 (5) 419
Influence of water on the dielectric behaviour of chitosan films
- Patashnik S, Rabinovich L, Golomb G*// *Hebrew Univ Jerusalem, Dept Pharmaceut, IL-91120 Jerusalem, Israel
J Drug Targeting 1997 4 (6) 371
Preparation and evaluation of chitosan microspheres containing bisphosphonates
- Pinotti A, Bevilacqua A, Zaritzky N*// *Natl Univ La Plata, Fac Ciencias Exactas, CONICET, CIDCA, RA-1900 La Plata, Argentina
J Food Eng 1997 32 (1) 69
Optimization of the flocculation stage in a model system of a food emulsion waste using chitosan as polyelectrolyte
- Rochery M, Lam TM, Crighton JS// ENSAIT, GEMTEX, F-59070 Roubaix, France
Macromol Symposia 1997 119 277
FTIR & ATR analyses on a polypropylene (PP) surface after plasma treatment in the study of chitosan surface grafting to improve PP dyeing behaviour
- Rogovina CZ, Vikhoreva GA, Akopova TA, Gorbacheva IN, Zelenetskii SN// Russian Acad Sci, NN Semenov Chem Phys Inst, ul Kosygina 4, Moscow 117977, Russia
Vysokomol Soedin 1997 39 (6) 941
A study of the reaction between chitosan and solid organic acids under shear strain (Russian, English Abstract)
- Sabnis S, Block LH*// *Duchesne Univ, Dept Med Chem & Pharmaceut, Pittsburgh, Pa 15282, USA
Polym Bull 1997 39 (1) 67
Improved infrared spectroscopic method for the analysis of degree of *N*-deacetylation of chitosan
- Saito H, Wu XD, Harris JM, Hoffman AS// Univ Washington, Ctr Bioengn, Box 352255, Seattle, Wa 98195, USA
Macromol Rapid Commun 1997 18 (7) 547
Graft copolymers of poly(ethylene glycol) (PEG) and chitosan
- Saito Y, Putaux JL, Okano T, Gaill F, Chanzy H*// *CNRS, CERMAV, BP 53, F-38041 Grenoble 9, France
Macromolecules 1997 30 (13) 3867
Structural aspects of the swelling of β chitin in HCl and its conversion into α chitin
- Samain E, Drouillard S, Heyraud A, Driguez H, Geremia RA// Univ Grenoble 1, CNRS, CERMAV, BP 53, F-38041 Grenoble 09, France
Carbohydr Res 1997 302 (1-2) 35
Gram-scale synthesis of recombinant chito-oligosaccharides in *Escherichia coli*
- Sato H, Tsuge S*, Ohtani H, Aoi K, Takasu A, Okada M// *Nagoya Univ, Dept Appl Chem, Chikusa ku, Furo cho, Nagoya, Aichi 46401, Japan
Macromolecules 1997 30 (14) 4030
Characterization of chitin-based polymer hybrids by temperature-programmed analytical pyrolysis techniques. I. Chitin-graft-poly(2-methyl-2-oxazoline) poly(vinyl chloride) blends
- Shepherd R, Reader S, Falshaw A// Ind Res Ltd, POB 31-310, Wellington, New Zealand
Glycoconjugate J 1997 14 (4) 535
Chitosan functional properties
- Su CH, Sun CS, Juan SW, Hu CH, Ke WT, Sheu MT*// *Taipei Med Coll, Grad Inst Pharmaceut Sci, Taipei, Taiwan
Biomaterials 1997 18 (17) 1169
Fungal mycelia as the source of chitin and polysaccharides and their applications as skin substitutes
- Synowiecki J, Al-Khateeb NAAQ// Tech Univ, Politechnika Gdanska, Dept Food Preservation, ul Gabriela Narutowicza 11/12, PL-80952 Gdansk, Poland
Food Chem 1997 60 (4) 605
Mycelia of *Mucor rouxii* as a source of chitin and chitosan
- Tsaih ML, Chen RH*// *Natl Taiwan Ocean Univ, Dept Marine Food Sci, 2 Pei Ning Rd, Chilung 29224, Taiwan
Int J Biol Macromol 1997 20 (3) 233
Effect of molecular weight and urea on the conformation of chitosan molecules in dilute solutions
- Urbanczyk G, Lipp Symonowicz B, Szosland I, Jeziomy A, Urbaniak-Domagala W, Dorau K, Wrzosek H, Sztajnowski S, Kowalska S, Sztajnert E// Tech Univ Lodz, Inst Fiber Phys & Text Finishing, 36 Zwirki St, PL-90924 Lodz, Poland
J Appl Polym Sci 1997 65 (4) 807
Chitin filaments from dibutylchitin precursor: Fine structure and physical and physicochemical properties
- Vikhoreva GA, Babak VG, Galich EF, Galbraith LS// IM Kosygina Moscow State Text Acad, Malaya Kaluzhskaya ul 1, Moscow 117918, Russia
Vysokomol Soedin 1997 39 (6) 947
Complex formation in the sodium dodecyl sulfate chitosan system (Russian, English Abstract)
- Wang HF, Li WJ*, Lu YH, Wang ZL// *Fudan Univ, Dept Macromol Sci, Shanghai 200433, Peoples Rep China
J Appl Polym Sci 1997 65 (8) 1445
Studies on chitosan and poly(acrylic acid) interpolymer complex. I. Preparation, structure, pH-sensitivity, and salt sensitivity of complex-forming poly(acrylic acid): Chitosan semi-interpenetrating polymer network
- Yamamoto H, Amaike M// Shinshu Univ, Inst High Polymer Res, Ueda, Nagano 386, Japan
Macromolecules 1997 30 (13) 3936
Biodegradation of cross-linked chitosan gels by a micro-organism
- Yoshida H, Takemori T// Univ Osaka Prefecture, Dept Chem Engr, 1-1 Gakuen cho, Sakai, Osaka 593, Japan
Water Sci Technol 1997 35 (7) 29
Adsorption of direct dye on cross-linked chitosan fiber: Breakthrough curve
- Zeng XB, Zhang YF, Shen ZQ*// *Zhejiang Univ, Dept Polymer Sci & Engr, Hangzhou 310027, Peoples Rep China
J Polym Sci A-Polym Chem 1997 35 (11) 2177
Ring opening polymerization of propylene oxide by chitosan-supported rare earth catalytic system and its kinetics
- Zhang M, Inui H, Hirano S*// *Chitin/Chitosan, R&D Room, 445 Sakuradani, Tottori 680, Japan
J Carbohydr Chem 1997 16 (4-5) 673
A facile method for the preparation of 6-deoxy derivatives of chitin
- Zhang YF, Zeng XB, Shen ZQ*// *Zhejiang Univ, Dept Polymer Sci & Engr,

Hangzhou 310027, Peoples Rep China

Chem J Chinese Univ-Chinese 1997 **18** (7) 1202

Polymerization of methyl methacrylate by chitosan-supported rare earth catalysts

5 CYCLODEXTRINS

Adel MS, Geneidi AS, Shoukri RA*, Saad I// *Cairo Univ, Dept Pharmaceut, Cairo 11562, Egypt

Pharmazie 1997 **52** (6) 470

In vitro evaluation of flutamide-carrier systems. II. Preparation and evaluation of flutamide systems with α -cyclodextrin and β -cyclodextrin

Amado AM, Ribeiro-Claro PJA*// *Univ Coimbra, Unidade I&D Quim Fis Mol, P-3049 Coimbra, Portugal

J Chem Soc Faraday Trans 1997 **93** (14) 2387

H/D and D/H exchange rates in α -cyclodextrin and β -cyclodextrin inclusion compounds: Raman spectroscopic study

Amini A, Paulsen-Sorman U*// *Med Prod Agcy, Div Chem & Pharm, Box 26, S-75103 Uppsala, Sweden

Electrophoresis 1997 **18** (6) 1019

Enantioseparation of local anaesthetic drugs by capillary zone electrophoresis with cyclodextrins as chiral selectors using a partial-filling technique

Arias MJ, Moyano JR, Gines JM// Univ Seville, Dept Pharm & Pharmaceut Technol, E-41012 Seville, Spain

Int J Pharm 1997 **153** (2) 181

Investigation of the triamterene- β -cyclodextrin system prepared by co-grinding

Ashnagar A, Culnane PT, Easton CJ*, Harper JB, Lincoln SF// *Australian Natl Univ, Res Sch Chem, Canberra, ACT 0200, Australia

Aust J Chem 1997 **50** (5) 447

Complexes of naproxen and ibuprofen with 6'-amino-6'-deoxy- β -cyclodextrin

Billiot E, Wang J, Warner IM*// *Louisiana State Univ, Dept Chem, Baton Rouge, La 70803, USA

J Chromatogr A 1997 **773** (1-2) 321

Improved chiral separation using achiral modifiers in cyclodextrin modified capillary zone electrophoresis

Burli R, Vasella A*// *ETH Zurich, Organ Chem Lab, Univ Str 16, CH-8092 Zurich, Switzerland

Helv Chim Acta 1997 **80** (4) 1027

Oligosaccharide analogues of polysaccharides. XII. Synthesis of 'acetyleno-saccharide'-derived cyclodextrin analogues

Ceccato M, Lo Nostro P, Rossi C, Bonechi C, Donati A, Baglioni P*// *Univ Florence, Dept Chem, Via Gino Capponi 9, I-50121 Florence, Italy

J Phys Chem B 1997 **101** (26) 5094-5099

Molecular dynamics of novel α -cyclodextrin adducts studied by ^{13}C -NMR relaxation

Cescutti P, Garozzo D, Rizzo R*// *Univ Trieste, Dipt Biochim Biofis & Chim Macromol, Via L Giorgieri 1, I-34127 Trieste, Italy

Carbohydr Res 1997 **302** (1-2) 1

Effect of methylation of β -cyclodextrin on the formation of inclusion complexes with aromatic compounds. An ionspray mass spectrometry investigation

Chen WH, Yuan DQ, Fujita K*// *Nagasaki Univ, Fac Pharmaceut Sci, Bunkyo machi 1-14, Nagasaki 852, Japan

Tetrahedron Lett 1997 **38** (26) 4599

Regiospecifically multifunctional β -cyclodextrins with two or three glucose residues bearing imidazolyl groups at the C3 positions

Crini G, Torri G, Guerrini M, Martel B, Lekchiri Y, Morcellet M*// *Univ Sci & Tech Lille Flandres Artois, Lab Chim Macromol, CNRS, URA 351, F-59655 Villeneuve Dascq, France

Eur Polym J 1997 **33** (7) 1143

Linear cyclodextrin-poly(vinylamine): Synthesis and NMR characterization

Delgado R, Virgili A*, Garcia-Anton JM, Parente A// *Univ Autonoma Barcelona, Dept Quim, E-08193 Bellaterra, Barcelona, Spain

J Inclusion Phenom Mol Recogn 1997 **28** (3) 205

Reaction of β -cyclodextrin with *N*-2,3-epoxypropylthalamide. Preparation, characterisation and study of a new substituted cycloheptaamylose. Effects on the water solubility of drugs

Denter U, Buschmann HJ, Knittel D, Schollmeyer E// Deutsch Textilforschungszentrum NW EV, Frankenring 2, D-47798 Krefeld, Germany

Angew Makromol Chem 1997 **248** 165

Modification of fiber surfaces by permanent fixation of supramolecular components. II. Cyclodextrins (German, English Abstract)

Fillet M, Hubert P, Crommen J*// *Univ Liege, Inst Pharm, Lab Drug Anal, Rue Fusch 5, B-4000 Liege, Belgium

Electrophoresis 1997 **18** (6) 1013

Enantioseparation of nonsteroidal anti-inflammatory drugs by capillary electrophoresis using mixtures of anionic and uncharged β -cyclodextrins as chiral additives

Fornasier R, Mammi S, Marcuzzi F, Morandin M, Moro S// Univ Padua, Dipt Chim Organ, Via Marzolo 1, I-35131 Padua, Italy

Gazz Chim Ital 1997 **127** (2) 63

Synthesis and computational study of a capped multifunctional supramolecular receptor: Heptakis-(6'- C -4,4'-dicarboxyamido-2,2'-dipyridyl)-6'- C -deoxy-6'- B ,6'- F ,6'- G -pentamino- β -cyclodextrin

Galaverna G, Corradini R, Dossena A, Marchelli R*, Vecchio G// *Univ Parma, Dipt Chim Organ & Ind, Viale Sci, I-43100 Parma, Italy

Electrophoresis 1997 **18** (6) 905

Histamine-modified β -cyclodextrins for the enantiomeric separation of dansyl-amino acids in capillary electrophoresis

Gong ZL, Zhang ZJ*// *Shaanxi Normal Univ, Dept Chem, Xian 710062, Peoples Rep China

Mikrochim Acta 1997 **126** (3-4) 326

Cyclodextrin-based optosensor for determination of tryptophan

Grosse PY, Pinguet F, Joulia JM, Astre C, Bressolle F*// *Fac Pharm Montpellier, Lab Pharmacocinet, F-34060 Montpellier 01, France

J Chromatogr B 1997 **694** (1) 219

High-performance liquid chromatographic assay for methyl- β -cyclodextrin in plasma and cell lysate

Hadjoudis E, Botsi A, Pistolis G, Galons H// NCSR Demokritos, Inst Phys Chem, Aghia Paraskevi 15310, Greece

J Carbohydr Chem 1997 **16** (4-5) 549

Photoactivity within cyclodextrin cavities: Inclusion complexes of anils

Hamada F, Minato S, Osa T, Ueno A// Akita Univ, Dept Mat Engrg & Appl Chem, Akita 010, Japan

Bull Chem Soc Jpn 1997 **70** (6) 1339

Fluorescent sensors for molecules. Guest-responsive monomer and excimer fluorescence of 6A,6B-; 6A,6C-; and 6A,6E-bis(2-naphthylsulfonyl)- γ -cyclodextrins

Hamai S, Watanabe H// Akita Univ, Dept Chem, 1-1 Tegata Gakuen machi, Akita 010, Japan

Bunseki Kagaku 1997 **46** (6) 495

Capillary electrophoretic study on the formation of inclusion complexes between β -cyclodextrin and 1- and 2-naphthalenesulfonates (Japanese, English Abstract)

Harada A, Kawaguchi Y, Nishiyama T, Kamachi M// Osaka Univ, Dept Macromol Sci, Toyonaka, Osaka 560, Japan

Macromol Rapid Commun 1997 **18** (7) 535

Complex formation of poly(ϵ -caprolactone) with cyclodextrin

Jakubetz H, Juza M, Schurig V*// *Univ Tubingen, Inst Organ Chem, Morgenstelle 18, D-72076 Tubingen, Germany

Electrophoresis 1997 **18** (6) 897

Electrokinetic chromatography employing an anionic and a cationic β -cyclodextrin derivative

Jarho P, Jarvinen K, Urtti A, Stella VJ, Jarvinen T// Univ Kuopio, Dept Pharmaceut Chem, POB 1627, FIN-70211 Kuopio, Finland

Int J Pharm 1997 **153** (2) 225

The use of cyclodextrins in ophthalmic formulations of dipivefrin

Koppenhoefer B, Epperlein U, Zhu XF, Lin BC// Univ Tubingen, Inst Organ Chem, Morgenstelle 18, D-72076 Tubingen, Germany

Electrophoresis 1997 **18** (6) 924

Separation of enantiomers of drugs by capillary electrophoresis. IV. Hydroxypropyl- γ -cyclodextrin as chiral solvating agent

Koske G, Leupold G, Parlar H// Tech Univ Munich, Inst Lebensmitteltechnol & Analyt Chem, D-85350 Freising Weihenstephan, Germany

Fresen Environ Bull 1997 **6** (7-8) 489

Gas chromatographic enantiomer separation of some selected polycyclic xenobiotics using modified cyclodextrins

Kozar T, Venanzi CA*// *New Jersey Inst Technol, Dept Chem Engrg Chem & Environm Sci, Newark, NJ 07102, USA

Theochem-J Mol Struct 1997 **395** 451

Reconsidering the conformational flexibility of β -cyclodextrin

Lelievre F, Gueit C, Gareil P*, Bahaddi Y, Galons H// *Ecole Natl Super Chim Paris, URA CNRS 216, Lab Electrochim & Chim Analyt, F-75231 Paris 05, France

Electrophoresis 1997 **18** (6) 891

Use of a zwitterionic cyclodextrin as a chiral agent for the separation of enantiomers by capillary electrophoresis

Liu Y, Qi AD, Han BH, Li YM, Zhang YM, Chen RT// Nankai Univ, Dept Chem, Tianjin 300071, Peoples Rep China

Chin Sci Bull 1997 **42** (14) 1189

Molecular recognition study on supramolecular system. VII. Chiral recognition of amino acids with α -cyclodextrin using competitive inclusion method

Lu RH, Hao JC, Wang HQ*, Tong LH// *Chinese Acad Sci, Lanzhou Inst Chem Phys, Lanzhou 730000, Peoples Rep China

J Inclusion Phenom Mol Recogn 1997 **28** (3) 213

Surface tension and ^1H NMR studies on inclusion complexes of β -cyclodextrin

with sodium alkyl sulfonate

Marconi G, Mayer B// CNR, Inst FRAE, Bologna, Italy

Pure Appl Chem 1997 **69** (4) 779

Conformational and circular dichroism studies on cyclodextrin inclusion complexes

Montassier P, Duchene D*, Poelman MC// *Univ Paris Sud, URA CNRS 1218, Lab Physicochim Pharmacotech Biopharm, F-92290 Chateaufort Malabry, France

Int J Pharm 1997 **153** (2) 199

Inclusion complexes of tretinoin with cyclodextrins

Murai S, Imajo S, Inumaru H, Takahashi K, Hattori K// Kanagawa Ind Technol Res Inst, Shimoimaizumi 705, Ebina, Kanagawa 24304, Japan

J Colloid Interface Sci 1997 **190** (2) 488

Adsorption and recovery of ionic surfactants by β -cyclodextrin polymer

Owens PK, Fell AF*, Coleman MW, Kinns M, Berridge JC// *Univ Bradford, Pharmaceut Anal Res Unit, Bradford BD7 1DP, England

J Pharmaceut Biomed Anal 1997 **15** (9-10) 1603

Use of ^1H -NMR spectroscopy to determine the enantioselective mechanism of neutral and anionic cyclodextrins in capillary electrophoresis

Palmieri GF, Giovannucci G, Antonini I, Martelli S// Univ Camerino, Dipt Sci Chim, Via S Agostino 1, I-62032 Camerino, Italy

STP Pharma Sciences 1997 **7** (2) 174

Inclusion complexation of fenofibrate with β -cyclodextrin and hydroxypropyl- β -cyclodextrin. Evaluation of interactions in solution and solid complex characterization

Pedersen LH, Christensen HJS, Mathiesen F, Larsen KL, Zimmermann W// Univ Aalborg, Biotechnol Lab, Sohngaardsholmsvej 57, DK-9000 Aalborg, Denmark

Starch 1997 **49** (6) 250

Interference of cyclodextrins with amylolytic activity assays of cyclodextrin glycosyltransferases

Pospisil L, Svestka M// Acad Sci Czech Republ, J Heyrovsky Inst Phys Chem & Electrochem, Dolejskova 3, CR-18223 Prague, Czech Republic

J Electroanal Chem 1997 **426** (1-2) 47

Growth of compact layers at the interface. III. Surface aggregation of α - and γ -cyclodextrins in aqueous solutions of potassium fluoride

Pozuelo J, Mendicuti F, Mattice WL// Univ Alcalá de Henares, Dept Quim Fis, E-28871 Alcalá de Henares, Madrid, Spain

Macromolecules 1997 **30** (12) 3685

Inclusion complexes of chain molecules with cyclodextrins. II. Molecular dynamics simulations of polyrotaxanes formed by poly(ethylene glycol) and α -cyclodextrins

Rendleman JA// USDA/ARS, Natl Ctr Agr Utilizat Res, Biopolymer Res Unit, 1815 Nth Univ St, Peoria, IL 61604, USA

Biotechnol Appl Biochem 1997 **26** (Pt 1) 51

Enhancement of cyclodextrin production through use of debranching enzymes

Sreenivasan K// Sree Chitra Tirunal Inst Med Sci & Technol, Biomed Technol Wing, Trivandrum 695012, Kerala, India

J Appl Polym Sci 1997 **65** (9) 1829

On the restriction of the release of water-soluble component from polyvinyl alcohol film by blending β -cyclodextrin

Suzuki I, Ito M, Osa T// Tohoku Univ, Inst Pharmaceut, Aoba ku, Sendai, Miyagi 98077, Japan

Chem Pharm Bull Tokyo 1997 **45** (6) 1073

Guest-induced excimer formation of β -cyclodextrin modified with a branched arm possessing two naphthyl moieties

Tarelli E, Lemerminier X, Wheeler S// KCL, Joint Microbiol Res Unit, Caldecot Rd, Denmark Hill, London SE5 9PJ, England

Carbohydr Res 1997 **302** (1-2) 27

Direct preparation of cyclodextrin monophosphates

Tewari YB, Goldberg RN, Sato M// NIST, Div Biotechnol, Gaithersburg, Md 20899, USA

Carbohydr Res 1997 **301** (1-2) 11

Thermodynamics of the hydrolysis and cyclization reactions of α -, β -, and γ -cyclodextrin

Valko IE, Siren H, Riekkola ML// Univ Helsinki, Dept Chem, POB 55, FIN-00014 Helsinki, Finland

Electrophoresis 1997 **18** (6) 919

Determination of association constants of dansyl-amino acids and β -cyclodextrin in *N*-methylformamide by capillary electrophoresis

Van Pham MD, Deyme M*// *Univ Paris Sud, Lab Physicochim Surfaces, CNRS, URA 1218, 5 rue Jean Baptiste Clement, F-92296 Chateaufort Malabry, France

STP Pharma Sciences 1997 **7** (2) 182

Interfacial properties of diethyl- β -cyclodextrins

Velaz I, Sanchez M, Martin C, Martinez-Oharriz MC, Zornoza A// Univ Navarra, Dept Quim, E-31080 Pamplona, Spain

Int J Pharm 1997 **153** (2) 211

Interactions of naproxen with vinylpyrrolidone and β -cyclodextrin: A fluorimetric study

Von Plessing C, Jaramillo VH, Knopp C// Concepcion Univ, Dept Farm, Casilla 237, Concepcion, Chile

Bol Soc Chil Quim 1997 **42** (2) 157

Verification of cyclodextrin complexes by infrared spectroscopy with Fourier transform in combination with diffused reflection

Weisser M, Nelles G, Wenz G, Mittler-Neher S*// *Max-Planck-Inst Polymerforsch, Ackermann Weg 10, D-55128 Mainz, Germany

Sensor Actuator B-Chem 1997 **38** (1-3) 58

Guest-host interactions with immobilized cyclodextrins

Xiao DQ, Ling Y, Fu RN*, Gu JL, Luo AQ// *Beijing Inst Technol, Dept Chem Engr, Beijing 100081, Peoples Rep China

Chromatographia 1997 **46** (1-2) 85

Cyclodextrins with heterocyclic substitution as GC stationary phases

Yang L, Takisawa N, Kaikawa T, Shirahama K*// *Saga Univ, Dept Chem, Saga 840, Japan

Colloid Polym Sci 1997 **275** (5) 486

Interaction of photosurfactants 2-[4-(4-alkylphenylazo)phenoxy]ethyltrimethylammonium bromides with γ -cyclodextrin and thermodynamics of complexation of photosurfactants with cyclodextrins

Yim DG, Sato HH, Park YH, Park YK*// *State Univ Campinas, UNICAMP, Coll Food Engr, BR-13081-970 Campinas, SP, Brazil

J Ind Microbiol Biotechnol 1997 **18** (6) 402

Production of cyclodextrin from starch by cyclodextrin glycosyltransferase from *Bacillus firmus* and characterization of purified enzyme

Zhang HB, Ling Y, Fu RN*, Wen YX, Gu JL// *Beijing Inst Technol, Dept Chem Engr, Beijing 100081, Peoples Rep China

Chromatographia 1997 **46** (1-2) 40

A new gas chromatographic stationary phase: Polysiloxane with β -cyclodextrin side chain for the separation of chiral and positional isomers

6 LIGNIN

Goncalves AR, Schuchardt U, Meier D, Faix O// FAENQUIL, DEBIQ, Rod Itajuba Lorena km 745, BR-12600-000 Lorena, SP, Brazil

J Anal Appl Pyroly 1997 **40**-1 543

Pyrolysis gas chromatography of the macromolecular fractions of oxidized Organocell lignins

Hayashi J, Shoji T, Watada Y, Muroyama K// Kansai Univ, Dept Chem Engr, 3-3-35 Yamate cho, Suita, Osaka 564, Japan

Langmuir 1997 **13** (15) 4185

Preparation of silica-lignin xerogel

Ibrahim A, Oldham PB*, Connors TE, Schultz TP// *Mississippi State Univ, Dept Chem, Box 9573, Mississippi State, Ms 39762, USA

Microchem J 1997 **56** (3) 393

Rapid characterization of wood pulp lignin by Fourier transform Raman spectroscopy

Jakab E, Faix O, Till F// Hungarian Acad Sci, Inorgan Chem Res Lab, Budaorsi 45, H-1112 Budapest, Hungary

J Anal Appl Pyroly 1997 **40**-1 171

Thermal decomposition of milled wood lignins studied by thermogravimetry mass spectrometry

Kanitskaya LV, Rokhin AV, Kushnarev DF, Kalabin GA// Russian Acad Sci, Inst Organ Chem, Siberian Div, ul Favorskogo 1, Irkutsk 664033, Russia

Vysokomol Soedin 1997 **39** (6) 965

^1H and ^{13}C NMR study of lignin structure (Russian, English Abstract)

Li Y, Mlynar J, Sarkanen S*// *Univ Minnesota, Dept Wood & Paper Sci, 2004 Folwell Ave, St Paul, Mn 55108, USA

J Polym Sci B-Polym Phys 1997 **35** (12) 1899

The first 85% kraft lignin-based thermoplastics

Lu FC, Ralph J*// *Univ Wisconsin, USDA/ARS, US Dairy Forage Res Ctr, Dept Forestry, 1925 Linden Dr West, Madison, WI 53706, USA

J Agr Food Chem 1997 **45** (7) 2590

Derivatization followed by reductive cleavage (DFRC method), a new method for lignin analysis: Protocol for analysis of DFRC monomers

Pasquali CEL, Herrera H// Univ Santiago del Estero, Inst Ciencias Quim, Avda Belgrano 1912, RA-4200 Santiago del Estero, Argentina

Thermochim Acta 1997 **293** (1-2) 39

Pyrolysis of lignin and IR analysis of residues

Rodriguez J, Hernandez-Coronado MJ, Hernandez M, Bocchini P, Galletti GC, Arias ME*// *Univ Alcalá de Henares, Dept Microbiol & Parasitol, E-28871 Alcalá de Henares, Madrid, Spain

Anal Chim Acta 1997 **345** (1-3) 121

Chemical characterization by pyrolysis gas chromatography/mass spectrometry of acid-precipitable polymeric lignin (APPL) from wheat straw transformed by

selected *Streptomyces* strains

Vazquez G, Gonzalez J, Freire S, Antorrena G*// *Univ Santiago de Compostela, Dept Chem Engr, E-15706 Santiago de Compostela, Spain
Bioresource Technol 1997 **60** (3) 191

Effect of chemical modification of lignin on the gluebond performance of lignin-phenolic resins

Zier N, Schiene R, Fischer K// Dresden Univ Technol, Inst Plant & Wood Chem, Pienner Str 23, D-01737 Tharandt, Germany
J Anal Appl Pyrol 1997 **40-1** 525

Structural characterization of an Organosolv lignin by analytical pyrolysis and wet chemical degradation methods

7 LIPOPOLYSACCHARIDES

Haseley S, Wilkinson SG*// *Univ Hull, Sch Chem, Hull HU6 7RX, England
Carbohydr Res 1997 **301** (3-4) 187

Structure of the O18 antigen from *Acinetobacter baumannii*

Haseley SR, Pantophlet R, Brade L, Holst O, Brade H// Res Ctr Borstel, Ctr Med & Biosci, Div Med & Biochem Microbiol, Parkallee 22, D-23845 Borstel, Germany
Eur J Biochem 1997 **245** (2) 477

Structural and serological characterisation of the O-antigenic polysaccharide of the lipopolysaccharide from *Acinetobacter junii* strain 65

Inagawa H, Nishizawa T, Takagi K, Goto S, Soma GI*, Mizuno D// *Takano Hosp, Dept Mol Med, 4-2-88 Obiyama, Kumamoto 862, Japan
Anticancer Res 1997 **17** (3C) 1961

Antitumor mechanism of intradermal administration of lipopolysaccharide

Knirel YA, Widmalm G, Senchenkova SN, Jansson PE*, Weintraub A// *Huddinge Hosp, Novum, Clin Res Ctr, S-14186 Huddinge, Sweden
Eur J Biochem 1997 **247** (1) 402

Structural studies on the short-chain lipopolysaccharide of *Vibrio cholerae* O139 Bengal

Kocharova NA, Shcherbakova OV, Shashkov AS, Knirel YA*, Kochetkov NK, Kholodkova EV, Stanislavsky ES// *ND Zelinskii Inst Organ Chem, Leninskii pr 47, Moscow 117913, Russia
Biochemistry-Engl Tr 1997 **62** (5) 501

Structure of the O-specific polysaccharide of the bacterium *Providencia alcalifaciens* O23 containing a novel component: An amide of D-glucuronic acid with N-ε-(1-carboxyethyl)lysine

Linnerborg M, Weintraub A, Widmalm G*// *Univ Stockholm, Arrhenius Lab, Dept Organ Chem, S-10691 Stockholm, Sweden
Eur J Biochem 1997 **247** (2) 567

Structural studies of the O-antigen polysaccharide from *Escherichia coli* O138

Ogawa Y, Kovac P*// *NIH/NIDDK, 8 Ctr Dr, Baltimore, Md 20892, USA
Glycoconjugate J 1997 **14** (4) 433

Synthesis of the dodecasaccharide fragment representing the O-polysaccharide of *Vibrio cholerae* O:1, serotype Ogawa, bearing an aglycon offering flexibility for chemical linking to proteins

Senchenkova SN, Shashkov AS, Knirel YA*, Schwarzmuller E, Mayer H// *Russian Acad Sci, Zelinskii Organ Chem Inst, Leninsky prospekt 47, Moscow 117913, Russia
Carbohydr Res 1997 **301** (1-2) 61

Structure of the O-specific polysaccharide of *Salmonella enterica* ssp. *arizona* O50 (Arizona 9a, 9b)

Senchenkova SN, Shashkov AS, Toukach FV, Ziolkowski A, Swierczko AS, Amano KI, Kaca W, Knirel YA*, Kochetkov NK// *Address as above.
Biochemistry-Engl Tr 1997 **62** (5) 461

Structure of the acid-labile galactosyl-containing O-antigen of the bacterium *Proteus vulgaris* OX19 (serogroup O1) used in the Weil-Felix test

Shashkov AS, Toukach FV, Senchenkova SN, Paramonov NA, Kaca W, Knirel YA*, Kochetkov NK// *Address as above.
Biochemistry-Engl Tr 1997 **62** (5) 509

Structure of the O-specific polysaccharide of the bacterium *Proteus mirabilis* O13 containing a novel component: An amide of D-galacturonic acid with N-ε-(1-carboxyethyl)lysine

Stanislavsky ES, Makarenko TA, Kholodkova EV, Lugowski C// LI Mechanikov Res Inst Vaccines & Sera, Moscow, Russia
Fems Immunol Med Microbiol 1997 **18** (3) 139

R-form lipopolysaccharides (LPS) of Gram-negative bacteria as possible vaccine antigens

Ziolkowski A, Shashkov AS, Swierczko AS, Senchenkova SN, Toukach FV, Cedzynski M, Amano KI, Kaca W, Knirel YA*// *Polish Acad Sci, Ctr Microbiol & Virol, ul Lodowa 106, PL-90232 Lodz, Poland
FEBS Lett 1997 **411** (2-3) 221

Structures of the O-antigens of *Proteus bacilli* belonging to OX group (serogroups O1-O3) used in Weil-Felix test

8 PECTIN

Abramovic H, Klofutar C*// *Univ Ljubljana, Biotech Fac, Ljubljana 61000, Slovenia

Eur Polym J 1997 **33** (5) 767

Apparent molal volumes of pectic acid and some tetra-N-alkylammonium salts of pectic acid

Cheng L, Kindel PK*// *Michigan State Univ, Dept Biochem, East Lansing, Mi 48824, USA

Carbohydr Res 1997 **301** (3-4) 205

Detection and homogeneity of cell wall pectic polysaccharides of *Lemna minor*

Chronakis IS, Kasapis S*, Abeysekera R// *Cranfield Univ, Silsoe Coll, Dept Food Res & Technol, Silsoe MK45 4DT, Beds, England

Food Hydrocolloid 1997 **11** (3) 271

Structural properties of gelatin-pectin gels. I. Effect of ethylene glycol

Eriksson I, Andersson R, Aman P// Swedish Univ Agr Sci, Dept Food Sci, POB 7051, S-75007 Uppsala, Sweden

Carbohydr Res 1997 **301** (3-4) 177

Extraction of pectic substances from dehulled rapeseed

Hou WC, Chang WH*// *Nat'l Taiwan Univ, Grad Inst Food Sci & Technol, Alley 144, Sect 4 Keelung Rd, Taipei 10764, Taiwan

J Food Biochem 1997 **20** (5) 397

Pectinesterase-catalyzed firming effects during precooking of vegetables

Kossaczka Z, Bystricky S, Bryla DA, Shiloach J, Robbins JB, Szu SC// NICHD, Dev & Mol Immun Lab, Bethesda, Md 20892, USA

Infect Immunity 1997 **65** (6) 2088

Synthesis and immunological properties of Vi and di-O-acetyl pectin-protein conjugates with adipic acid dihydrazide as the linker

Spagnuolo M, Crecchio C, Pizzigallo MDR, Ruggiero P*// *Univ Bari, Ist Chim Agr, Via Amendola 165-A, I-70126 Bari, Italy

Bioresource Technol 1997 **60** (3) 215

Synergistic effects of cellulolytic and pectinolytic enzymes in degrading sugar beet pulp

Wakerly Z, Fell JT*, Attwood D, Parkins D// *Univ Manchester, Sch Pharm & Pharmaceut Sci, Manchester M13 9PL, England

Int J Pharm 1997 **153** (2) 219

Studies on drug release from pectin/ethylcellulose film-coated tablets: A potential colonic delivery system

9 STARCH

Aberle T, Burchard W// Univ Freiburg, Inst Makromol Chem, Sonnenstr 5, D-79104 Freiburg, Germany

Starch 1997 **49** (6) 215

Starches in semidilute aqueous solution

Amano T, Miura M, Hayashi S// Aichi Prefectural Govt, Food Res Inst, Nishi Ku, 2-1-1 Shinpukujicho, Nagoya, Aichi 451, Japan

J Jpn Soc Food Sci Technol 1997 **44** (7) 485

Retardation effect of sugar alcohols on hardening of wheat starch gels (Japanese, English Abstract)

Arvanitoyannis I, Psomiadou E, Nakayama A, Aiba S, Yamamoto N// Aristotle Univ Thessaloniki, Lab Food Chem & Biochem, GR-54006 Thessaloniki, Greece

Food Chem 1997 **60** (4) 593

Edible films made from gelatin, soluble starch and polyols, Part 3

Athawale VD, Rathi SC// Univ Bombay, Dept Chem, Mumbai, India

Eur Polym J 1997 **33** (7) 1067

Effect of chain length of the alkyl group of alkyl methacrylates on graft polymerization onto starch using ceric ammonium nitrate as initiator

Besun N, Ozguclu B, Peker S*// *Ege Univ, Dept Chem Engr, TR-35100 Bornova, Turkey

Colloid Polym Sci 1997 **275** (6) 567

Shear-dependent rheological properties of starch/bentonite composite gels

Bhattacharya M, Jafari-Shabestari J, Qualset CO, Corke H*// *Univ Hong Kong, Dept Bot, Cereal Sci Lab, Pokfulam Rd, Hong Kong, Peoples Rep China

Cereal Chem 1997 **74** (4) 417

Diversity of starch pasting properties in Iranian hexaploid wheat landraces

Buleon A, Pontoire B, Riekel C, Chanzy H*, Helbert W, Vuong R// *CERMAV, CNRS, BP 53, F-38041 Grenoble 9, France

Macromolecules 1997 **30** (13) 3952

Crystalline ultrastructure of starch granules revealed by synchrotron radiation microdiffraction mapping

Danilenko AN, Nemirovskaya IE, Yuryev VP// Russian Acad Sci, Inst Food Subst, Moscow, Russia

Biofizika 1997 **42** (3) 619

Interpreting of heat capacity differences of gelatinized and native starches

- Escarpa A, Gonzalez MC// Univ Alcala de Henares, Dept Quim Analit, Crta Madrid Barcelona km 33-600, E-28871 Alcala de Henares, Madrid, Spain
Food Sci Technol Int 1997 3 (3) 149
Technology of resistant starch (Spanish, English Abstract)
- Esteves MP, Girio FM, Amaral-Collaco MT, Andrade ME, Empis J// INETI, IBQTA, Unidade Microbiol Ind & Bioproc, Azinhaga Lameiros, P-1699 Lisbon, Portugal
Sci Aliment 1997 17 (3) 289
Characterization of starch from white and black pepper treated by ionizing radiation
- Fanta GF, Shogren RL// USDA/ARS, Natl Ctr Agr Utilizat Res, 1815 Nth Univ St, Peoria, IL 60604, USA
J Appl Polym Sci 1997 65 (5) 1021
Modification of starch-poly(methyl acrylate) graft copolymers by stream jet cooking
- Galinsky G, Burchard W// *Univ Freiburg, Inst Macromol Chem, Sonnenstr 5, D-79104 Freiburg, Germany
Macromolecules 1997 30 (15) 4445
Starch fractions as examples for nonrandomly branched macromolecules. III. Angular dependence in static light scattering
- Knutson CA// USDA/ARS, Natl Ctr Agr Utilizat Res, Biomat Proc Res Unit, 1815 Nth Univ St, Peoria, IL 61604, USA
Cereal Chem 1997 74 (4) 471
Use of phenol sulfuric acid assay to determine composition of starch-oil composites
- Kollengode ANR, Hanna MA// *Univ Nebraska, Dept Food Sci & Technol, Lincoln, NE 68583, USA
Cereal Chem 1997 74 (4) 396
Flavor retention in pregelatinized and internally flavored starch extrudates
- Li BW, Zhao Z// USDA/ARS, Food Compos Lab, Beltsville Human Nutr Res Ctr, Beltsville, MD 20705, USA
J Agr Food Chem 1997 45 (7) 2598
Determination of starches and dietary fiber polysaccharides in cooked dried beans: Comparison of different temperatures and dimethyl sulfoxide treatments
- McPherson AE, Seib PA// Iowa State Univ, Dept Food Sci & Human Nutr, Ames, IA 50010, USA
Cereal Chem 1997 74 (4) 424
Preparation and properties of wheat and corn starch maltodextrins with a low dextrose equivalent
- Meuser F, Pahne N, Moller M// Tech Univ Berlin, Inst Food Technol II, Dept Cereal Technol, Seestr 11, D-13353 Berlin, Germany
Cereal Chem 1997 74 (4) 364
Yield of starch and by-products in the processing of different varieties of wrinkled peas on a pilot scale
- Monteleone E, Raats MM, Mela DJ// *Inst Food Res Consumer Sci Dept, Earley Gate, Reading RG6 6BZ, England
Appetite 1997 28 (3) 255
Perceptions of starchy food dishes: Application of the repertory grid method
- Noah L, Robert P*, Millar S, Champ M// *INRA, Technol Appl Nutr Lab, rue Geraudiere, F-44316 Nantes 03, France
J Agr Food Chem 1997 45 (7) 2593
Near-infrared spectroscopy as applied to starch analysis of digestive contents
- Obanni M, BeMiller JN// *Purdue Univ, Whistler Ctr Carbohydrate Res, Dept Food Sci, Smith Hall, West Lafayette, IN 47907, USA
Cereal Chem 1997 74 (4) 431
Properties of some starch blends
- Ongpipattanakul B, Nguyen T*, Zioncheck TF, Wong R, Osaka G, De Guzman L, Lee WP// *Genentech Inc, Dept Pharmaceut Res & Dev, 460 Point San Bruno Blvd, Sth San Francisco, CA 94080, USA
J Biomed Mater Res 1997 36 (3) 295
Development of tricalcium phosphate/amylopectin paste combined with recombinant human transforming growth factor β 1 as a bone defect filler
- Owen HG, Brecher ME// Univ Nth Carolina Hosp, Transfus Med Serv, 101 Manning Dr, Chapel Hill, NC 27514, USA
J Clinical Apheresis 1997 12 (2) 87
Partial colloid starch replacement for therapeutic plasma exchange
- Pollak LM, White PJ// Iowa State Univ, USDA/ARS, Dept Agron, Corn Insects & Crop Genet Res Unit, Ames, IA 50011, USA
Cereal Chem 1997 74 (4) 412
Thermal starch properties in corn belt and exotic corn inbred lines and their crosses
- Ragheb AA, El-Sayiad HS, Hebeish A// Natl Res Ctr, Text Div, Dokki, Cairo, Egypt
Starch 1997 49 (6) 238
Preparation and characterization of carboxymethyl starch (CMS) products and their utilization in textile printing
- Ramkumar DHS, Bhattacharya M*, Vaidya UR// *Univ Minnesota, Dept Agr & Biosyst Engr, St Paul, MN 55108, USA
Eur Polym J 1997 33 (5) 729
Properties of injection moulded starch/synthetic polymer blends. II. Evaluation of mechanical properties
- Samantaray GT, Samantaray BK// Govt Coll, Dept Bot, Angul 759145, India
J Food Sci Technol-Mysore 1997 34 (4) 343
X-ray diffraction study of ragi (*Eleusine coracana*) starch
- Soliman AAA, El-Shinnawy NA, Mobarak F// Natl Res Ctr, Cellulose & Paper Dept, Cairo, Egypt
Thermochim Acta 1997 296 (1-2) 149
Thermal behaviour of starch and oxidized starch
- Stein TM, Greene RV// USDA/ARS, Biopolymer Res Unit, Natl Ctr Agr Utilizat Res, 1815 Nth Univ St, Peoria, IL 61604, USA
Starch 1997 49 (6) 245
Amino acids as plasticizers for starch-based plastics
- Stepto RFT// Univ Manchester, Manchester Mat Sci Ctr, Polymer Sci & Technol Grp, Grosvenor St, Manchester M1 7HS, England
Polym Int 1997 43 (2) 155
Thermoplastic starch and drug delivery capsules
- Suhasini AW, Muralikrishna G, Malleshi NG// *Central Food Tech Res Inst, Dept Grain Sci & Technol, Mysore 570013, India
Food Chem 1997 60 (4) 537
Free sugars and non-starch polysaccharide contents of good and poor malting varieties of wheat and their malts
- Sun L, Donald AM// *Univ Cambridge, Cavendish Lab, Madingley Rd, Cambridge CB3 0HE, England
Int J Biol Macromol 1997 20 (3) 205
The effects of ageing of amylopectin gels on the diffusion of BSA
- Tako M, Hizukuri S// *Kagoshima Univ, Dept Appl Biochem & Technol, Kagoshima 890, Japan
J Carbohydr Chem 1997 16 (4-5) 655
Molecular origin for the thermal stability of rice amylopectin
- Tester RF// Glasgow Caledonian Univ, Dept Biol Sci Food Sci, Southbrae Dr, Glasgow G13 1PP, Lanark, Scotland
Food Hydrocolloid 1997 11 (3) 293
Properties of damaged starch granules: Composition and swelling properties of maize, rice, pea and potato starch fractions in water at various temperatures
- Thiebaud S, Aburto J, Alric I, Borredon E, Bikiaris D, Prinos J, Panayiotou C// *Aristotelian Univ Thessaloniki, Dept Chem Engr, GR-54006 Thessaloniki, Greece
J Appl Polym Sci 1997 65 (4) 705
Properties of fatty-acid esters of starch and their blends with LDPE
- Treib J, Haass A, Pindur G, Grauer MT, Wenzel E, Schmirig K// Univ Saarland, Dept Neurol, D-66421 Homburg, Germany
Intens Care Med 1997 23 (6) 709
A more differentiated classification of hydroxyethyl starches is necessary (Letter)
- Waigh TA, Hopkinson I, Donald AM*, Butler MF, Heidelbach F, Riekel C// *Univ Cambridge, Cavendish Lab, Madingley Rd, Cambridge CB3 0HE, England
Macromolecules 1997 30 (13) 3813
Analysis of the native structure of starch granules with X-ray microfocus diffraction
- Yamin FF, Svendsen L, White PJ// *Iowa State Univ, Dept Food Sci & Human Nutr, Ames, IA 50011, USA
Cereal Chem 1997 74 (4) 407
Thermal properties of corn starch extraction intermediates by differential scanning calorimetry

10 STARCH-DEGRADING ENZYMES

- Gaouar O, Aymard C, Zakhia N, Rios GM// *Univ Montpellier 2, LMPM, 2 Pl Bataillon, F-34095 Montpellier 5, France
J Chem Technol Biotechnol 1997 69 (3) 367
Enzymatic hydrolysis of cassava starch into maltose syrup in a continuous membrane reactor
- Gaouar O, Aymard C, Zakhia N, Rios GM// *Address as above.
Starch 1997 49 (6) 231
Kinetic studies on the hydrolysis of soluble and cassava starches by maltogenase
- Kelly CT, Bolton DJ, Fogarty WM// Natl Univ Ireland, Univ Coll Dublin, Dept Ind Microbiol, Dublin 4, Rep Ireland
Biotechnol Lett 1997 19 (7) 675
Bi-phasic production of α -amylase of *Bacillus flavothermus* in batch fermentation
- Roeser DS, Gross RA*, McCarthy SP// *Univ Lowell, NSF Biodegradable Polymer Res Ctr, 1 Univ Ave, Lowell, MA 01854, USA

Macromol Symposia 1997 118 747

Modified amylose biodegradability by α -amylases

Stoof G, Anger H*, Schmiedl D, Berghaller W// *Deutsch Inst Ernährungs-forsch, Stiftung Öffentlich Rechts, Abt Pravent Med Lebensmittelforsch, D-14558 Bergholz Rehbrücke, Germany
Starch 1997 49 (6) 225

Hydrothermal treatment of starch in presence of α -amylase. III. Changes of rheological properties of wheat starch by hydrothermal enzymatic treatment (German, English Abstract)

Torto N, Laurell T, Gorton L, Varga GM// Lund Univ, Ctr Chem & Chem Engn, Dept Analyt Chem, POB 124, S-22100 Lund, Sweden
J Membrane Sci 1997 130 (1-2) 239

A study of a polysulfone membrane for use in an *in-situ* tunable microdialysis probe during monitoring of starch enzymatic hydrolysates

Uguru GC, Akinyanju JA, Sani A// Univ Strathclyde, Dept Biosci & Biotechnol, 31 Taylor St, Glasgow G4 0NR, Scotland
Enzyme Microb Technol 1997 21 (1) 48

The use of yam peel for growth of locally isolated *Aspergillus niger* and amy-lase production

11 POLYSACCHARIDES - MICROBIAL

Abatangelo A, Gilli R, Navarini L, Rizzo R// Address not available.

J Carbohydr Chem 1997 16 (4-5) 599

Thermal stability of succinate groups in the exopolysaccharide marginalan

Abatangelo A, Gilli R, Navarini L, Rizzo R, Osman SF, Fett WF// Address not available
J Carbohydr Chem 1997 16 (4-5) 583

Solution properties of the exopolysaccharide produced by *Pseudomonas margi-nalis* strain HTO41B

Archana A, Satyanarayana T// *Univ Delhi, Dept Microbiol, Benito Jarrez Rd, New Delhi 110021, India
Enzyme Microb Technol 1997 21 (1) 12

Xylanase production by thermophilic *Bacillus licheniformis* A99 in solid-state fermentation

Armstrong DC, Johns MR// *Univ Queensland, Dept Chem Engn, Brisbane, Qld 4072, Australia
Appl Environ Microbiol 1997 63 (7) 2759

Culture conditions affect the molecular weight properties of hyaluronic acid produced by *Streptococcus zooepidemicus*

Augustin J, Kuniak L, Hudecova D// Slovak Tech Univ, Dept Milk Fats & Food Hyg, Radlinského 9, SK-81237 Bratislava, Slovakia
Biologia 1997 52 (3) 399

Screening of yeasts and yeast-like organisms *Aureobasidium pullulans* for pul-lulan production

Bakeeva IV, Borodina IA, Gritskova IA// Lomonosov Acad Fine Chem Tech-nol, pr Vernadskogo 86, Moscow 117571, Russia
Vysokomol Soedin 1997 39 (5) 868

Synthesis of polymer suspensions in the presence of dextrans of various mo-lecular weight (Russian, English Abstract)

Bataille I, Huguet J*, Muller G, Mocanu G, Carpov A// *Univ Rouen, UMR 6522 CNRS, Polym Biopolym Membranes, F-76821 Mont St Aignan, France
Int J Biol Macromol 1997 20 (3) 179

Associative behaviour of hydrophobically modified carboxymethylpullulan de-rivatives

Bogdanov B, Schacht E, Van den Bulcke A// State Univ Ghent, Polymer Mat Res Grp, Inst Biomed Technol, Krijgslaan 281, B-9000 Ghent, Belgium
J Therm Anal 1997 49 (2) 847

Thermal and rheological properties of gelatin-dextran hydrogels

Bubb WA, Urashima T, Fujiwara R, Shinnai T, Ariga H// Univ Sydney, Dept Biochem, Sydney, NSW 2006, Australia
Carbohydr Res 1997 301 (1-2) 41

Structural characterisation of the exocellular polysaccharide produced by *Strep-tococcus thermophilus* OR 901

Bush CA, Patel P, Gunawardena S, Powell J, Joseph A, Johnson JA, Morris JG// Univ Maryland Baltimore County, Dept Chem & Biochem, Baltimore, Md 21228, USA
Anal Biochem 1997 250 (2) 186

Classification of *Vibrio vulnificus* strains by the carbohydrate composition of their capsular polysaccharides

D'Ambr AJ, Baugher JE, Concannon PE, Pon RA, Michon F// *Nth Amer Vaccine Inc, Res Dept, 12103 Indian Creek Court, Beltsville, Md 20705, USA
Anal Biochem 1997 250 (2) 228

Direct and indirect methods for molar-mass analysis of fragments of the capsu-lar polysaccharide of *Haemophilus influenzae* type b

Eichler E, Jennings HJ, Whitfield DM// *Natl Res Council Canada, 100 Sus-sex Dr, Ottawa, Ontario, Canada K1A 0R6

J Carbohydr Chem 1997 16 (4-5) 385

Synthesis of a single repeat unit of type VIII Group B *Streptococcus capsular* polysaccharide

Ferreira F, Kenne L*, Cotta MA, Stack RJ// *Swedish Univ Agr Sci, Dept Chem, POB 7015, S-75007 Uppsala, Sweden
Carbohydr Res 1997 301 (3-4) 193

Structure studies of the extracellular polysaccharide from *Butyrivibrio fibrisol-vens* strain CF3

Halwani E, El-Ssum R, Olama ZA// King Saud Univ, Dept Bot & Microbiol, POB 2455, Riyadh 11451, Saudi Arabia
Arab Gulf J Sci Res 1997 15 (1) 159

Production of extracellular polysaccharide by *Agrobacterium tumefaciens* MSI from date molasses

Ishihara M, Tawata S, Toyama S// Univ Ryukyus, Dept Biosci & Biotechnol, Coll Agr, 1 Senbaru, Nishihara, Okinawa 90301, Japan
J Ferment Bioeng 1997 83 (5) 478

Purification and some properties of a thermostable xylanase from thermophilic fungus strain HG-1

Ivanova IA, Shibaev VN// *Zelinskii Organ Chem Inst, Leninskii pr 47, Mos-cow 117913, Russia
Bioorg Khim 1997 23 (4) 273

Fragments of biopolymers containing glycosyl phosphate residues. XIII. The synthesis of a phosphodiester fragment of the cell wall polymer of *Actino-planes* sp. INA 3697 (Russian, English Abstract)

Jumel K, Geider K, Harding SE// Univ Nottingham, Natl Ctr Macromol Hydro-dynam, Sutton Bonington LE12 5RD, England
Int J Biol Macromol 1997 20 (4) 251

The solution molecular weight and shape of the bacterial exopolysaccharides amylovoran and stewartan

Kimoto T, Shibuya T, Shiobara S// Hayashibara Biochem Lab Inc, Fujisaki Inst, Okayama, Japan
Food Chem Toxicol 1997 35 (3-4) 323

Safety studies of a novel starch, pullulan: Chronic toxicity in rats and bacterial mutagenicity

Kolarova N, Matulova M, Capek P// Inst Chem, Dubravska cesta 9, Bratislava 84238, Slovakia
J Carbohydr Chem 1997 16 (4-5) 609

Structure of glucomannan-protein from the yeast *Cryptococcus laurentii*

Kreis UC, Varma V, Pinto BM// *Simon Fraser Univ, Dept Chem, Burnaby, Brit Columbia, Canada V5A 1S6
Theochem-J Mol Struct 1997 395 389

Oligosaccharides corresponding to biological repeating units of *Shigella flexneri* variant Y polysaccharide. V. Conformational analysis of a heptasaccha-ride hapten utilizing a combined molecular dynamics and NMR spectroscopic protocol

Kudryashova OA, Yurlova NA// State Chemicopharmaceut Acad, St Peters-burg, Russia
Microbiology-Engl Tr 1997 66 (3) 295

Natural variability of *Aureobasidium pullulans*, strain 11, a producer of exopolysaccharide

Lo YM, Yang ST, Min DB// Univ Delaware, Dept Anim & Food Sci, 037 Townsend Hall, Newark, De 19717, USA
Appl Microbiol Biotechnol 1997 47 (6) 689

Effects of yeast extract and glucose on xanthan production and cell growth in batch culture of *Xanthomonas campestris*

Matsuoka H, Seo Y, Wakasugi H, Saito T, Tomoda H// Kyushu Natl Canc Ctr, Clin Res Inst, Minami ku, 3-1-1 Notame, Fukuoka 815, Japan
Anticancer Res 1997 17 (4A) 2751

Lentinan potentiates immunity and prolongs the survival time of some patients

Ng TB, Chan WY// Chinese Univ Hong Kong, Dept Biochem, Shatin, NT, Hong Kong
Gen Pharmacol 1997 29 (2) 269

Polysaccharopeptide from the mushroom *Coriolus versicolor* possesses analge-sic activity but does not produce adverse effects on female reproductive or em-bryonic development in mice

Ogawa K, Yui T, Nakata K, Kakuta M, Misaki A// Univ Osaka Prefecture, Adv Sci & Technol Res Inst, 1-2 Gakuen cho, Sakai, Osaka 593, Japan
Carbohydr Res 1997 300 (1) 41

X-ray study of bejieran sodium salts, a new galacturonic acid-containing exo-polysaccharide

Rahman MM, Guard-Petter J, Asokan K, Carlson RW// *Univ Georgia, Com-plex Carbohydrate Res Ctr, 220 Riverbend Rd, Athens, Ga 30602, USA
Carbohydr Res 1997 301 (3-4) 213

The structure of the capsular polysaccharide from a swarming strain of patho-genic *Proteus vulgaris*

Reeslev M, Strom T, Jensen B, Olsen J// Univ Copenhagen, Dept Gen Micro-biol, Solvgade 83 H, DK-1307 Copenhagen, Denmark
Mycol Res 1997 101 (6) 650

The ability of the yeast form of *Aureobasidium pullulans* to elaborate exopolysaccharide in chemostat culture at various pH values

Rozier A, Mazuel C, Grove J, Plazonnet B// Labs MSD Chibret, Ctr Rech, Rte Marsat, Riom, France
Int J Pharm 1997 153 (2) 191

Functionality testing of gellan gum, a polymeric excipient material for ophthalmic dosage forms

Sanchez A, Ramirez ME, Torres LG, Galindo E*// *Univ Nacl Autonoma Mexico, Inst Biotechnol, Dept Bioingn, AP 510-3, Cuernavaca 62250 Morelos, Mexico

World J Microbiol Biotechnol 1997 13 (4) 443

Characterization of xanthans from selected *Xanthomonas* strains cultivated under constant dissolved oxygen

Sheng SQ, Cherniak R*// *Georgia State Univ, Dept Chem, Atlanta, Ga 30303, USA

Carbohydr Res 1997 301 (1-2) 33

Structure of the ¹³C-enriched O-deacetylated glucuronoxylomannan of *Cryptococcus neoformans* serotype A determined by NMR spectroscopy

Stenutz R, Erbing B, Widmalm G, Jansson PE*, Nimmich W// *Huddinge Univ Hosp, Karolinska Inst, NOVUM, Clin Res Ctr, Analyt Unit, S-14186 Huddinge, Sweden

Carbohydr Res 1997 302 (1-2) 79

The structure of the capsular polysaccharide from *Klebsiella* type 52, using the computerised approach CASPER and NMR spectroscopy

Thomas TO, Leyte JC// Leiden Univ, Leiden Inst Chem, Dept Phys & Macromol Chem, POB 9502, NL-2300 RA Leiden, The Netherlands

Mol Phys 1997 91 (4) 715

Dynamics of water molecules in glucan solutions

Vuppu AK, Garcia AA*, Vernia C// *Arizona State Univ, Dept Chem Biol & Mat Engr, Box 876006, Tempe, Az 85287, USA

Biopolymers 1997 42 (1) 89

Tapping mode atomic force microscopy of scleroglucan networks

Yamazaki K, Suzuki M, Inukai K, Hakusui H// Daiichi Pharmaceut Co Ltd, Basic Technol Res Lab, Edogawa ku, 16-13 Kitakasai 1-chome, Tokyo 134, Japan

Biosci Biotechnol Biochem 1997 61 (7) 1203

Chemical characterization of a sulfated polysaccharide-peptidoglycan complex from an *Arthrobacter* sp

Yokoe T, Iino Y, Takei H, Horiguchi J, Koibuchi Y, Maemura M, Ohwada S, Morishita Y// Gunma Univ, Dept Emergency & Crit Care Med, 3-39-15 Showa machi, Maebashi, Gunma 371, Japan

Anticancer Res 1997 17 (4A) 2815

HLA antigen as predictive index for the outcome of breast cancer patients with adjuvant immunochemotherapy with PSK

Yurlova NA// State Chemicopharmaceut Acad, St Petersburg, Russia

Microbiology-Engl Tr 1997 66 (3) 299

Heterogeneity of *Aureobasidium pullulans* (De Bary) Amaud 1910 with respect to the chemical composition and structure of exopolysaccharides

12 POLYSACCHARIDES - PLANT

Anjaneyalu YV, Jagadish RL, Raju TS*// *Genentech Inc, Analyt Chem, 460 Point San Bruno Blvd, Sth San Francisco, Ca 94080, USA

Glycoconjugate J 1997 14 (4) 507

Polysaccharide components from the scape of *Musa paradisiaca*: Main structural features of water-soluble polysaccharide component

Beer MU, Wood PJ*, Weisz J// *Agr & Agri-Food Canada, Ctr Food & Anim Res, Ottawa, Ontario, Canada K1A 0C6

Cereal Chem 1997 74 (4) 476

Molecular weight distribution and (1→3)(1→4)-β-D-glucan content of consecutive extracts of various oat and barley cultivars

Calafiore R, Basta G, Boselli C, Bufalari A, Giustozzi GM, Luca G, Tortoioli C, Brunetti P// Univ Perugia, Dept Internal Med & Endocrine & Metab Sci, Via E dal Pozzo, I-06126 Perugia, Italy

Transplant Proc 1997 29 (4) 2126

Effects of alginate/polyaminoacidic coherent microcapsule transplantation in adult pigs

Chickering DE, Jacob JS, Desai TA, Harrison M, Harris WP, Morrell CN, Chaturvedi P, Mathiowitz E*// *Brown Univ, Dept Mol Pharmacol & Biotechnol, Box G-B393, Providence, RI 02912, USA

J Control Release 1997 48 (1) 35

Bioadhesive microspheres. III. An *in vivo* transit and bioavailability study of drug-loaded alginate and poly(fumaric-co-sebacic anhydride) microspheres

Chirapart A, Ohno M, Ukeda H, Sawamura M, Kusunose H// Kasetsart Univ, Dept Fishery Biol, Bangkok 10900, Thailand

J Appl Phycol 1997 9 (1) 73

Effects of partial acid hydrolysis on physical and chemical properties of agar from a newly reported Japanese agarophyte (*Gracilariaopsis lemaneiformis*)

Ciancia M, Matulewicz MC, Cerezo AS*// *Univ Buenos Aires, Dept Quim Organ, CIHIDECAR CONICET, Pabellon 2, RA-1428 Buenos Aires, DF, Argentina

Phytochemistry 1997 45 (5) 1009

A L-galactose-containing carrageenan from cystocarpic *Gigartina skottsbergii*

Cleemput G, Booij C, Hessing M, Gruppen H, Delcour JA// Katholieke Univ Leuven, Lab Levensmiddelenchem, Kardinaal Mercierlaan 92, B-3001 Heverlee, Belgium

J Cereal Sci 1997 26 (1) 55

Solubilisation and changes in molecular weight distribution of arabinoxylans and protein in wheat flours during bread-making, and the effects of endogenous arabinoxylan hydrolysing enzymes

Dace R, McBride E, Brooks K, Gander J, Buszko M, Doctor VM*// *Prairie View A&M Univ, Dept Chem, POB 2576, Prairie View, Tx 77446, USA

Thromb Res 1997 87 (1) 113

Comparison of the anticoagulant action of sulfated and phosphorylated polysaccharides

Dewey FM, Thurston MI, Cronk QCB// Univ Oxford, Dept Plant Sci, Sth Parks Rd, Oxford OX1 3RB, England

Food Agric Immunol 1997 9 (2) 123

Monoclonal antibodies that differentiate between gum arabic, gum seyal and combretum gum

Geresh S, Arad SM, Shefer A// Ben Gurion Univ Negev, Inst Appl Res, POB 1025, IL-84110 Beer Sheva, Israel

J Carbohydr Chem 1997 16 (4-5) 703

Chemically crosslinked polysaccharide of the red microalga *Rhodella reticulata*: An ion exchanger for toxic metal ions

Groman EV, Gou DM// Adv Magnet Inc, 61 Monney St, Cambridge, Ma 02138, USA

Carbohydr Res 1997 301 (1-2) 69

Arabinogalactan for hepatic drug delivery. III. Development of an immunoassay for larch arabinogalactan and its use in the detection of larch arabinogalactan in rat blood

Harkonen H, Pessa E, Suortti T, Poutanen K// VTT, Biotechnol & Food Res, POB 1500, FIN-02044 Espoo, Finland

J Cereal Sci 1997 26 (1) 95

Distribution and some properties of cell wall polysaccharides in rye milling fractions

Hase K, Basnet P, Kadota S*, Namba T// *Toyama Med & Pharmaceut Univ, Res Inst Wakan Yaku Tradit Sino-Japanese Med, 2630 Sugitani, Toyama 93001, Japan

Planta Med 1997 63 (3) 216

Immunostimulating activity of celosian, an antihepatotoxic polysaccharide isolated from *Celosia argentea*

Ikeda S, Kumagai H*, Nakamura K// *Univ Tokyo, Dept Appl Biol Chem, Bunkyo ku, 1-1-1 Yayoi, Tokyo 113, Japan

Carbohydr Res 1997 301 (1-2) 51

Dielectric analysis of food polysaccharides in aqueous solution

Ishikawa K, Miyamoto Y, Takechi M, Toh T, Kon M, Nagayama M, Asaoka K// Univ Tokushima, Dept Dent Engr, 3-18-15 Kuramoto cho, Tokushima 770, Japan

J Biomed Mater Res 1997 36 (3) 393

Non-decay type fast-setting calcium phosphate cement: Hydroxyapatite putty containing an increased amount of sodium alginate

Johnson FA, Craig DQM*, Mercer AD// *Univ London, Sch Pharm, Ctr Mat Sci, 29-39 Brunswick Sq, London WC1N 1AX, England

J Pharm Pharmacol 1997 49 (7) 639

Characterization of the block structure and molecular weight of sodium alginates

Kampf N, Nussinovitch A*// *Hebrew Univ Jerusalem, Inst Biochem Food Sci & Nutr, POB 12, IL-76100 Rehovot, Israel

Food Hydrocolloid 1997 11 (3) 261

Rheological characterization of κ-carrageenan/soy milk gels

Lee JH, Kim WG, Kim SS, Lee JH, Lee HB// Hannam Univ, Dept Macromol Sci, 133 Ojeong dong, Taejeon 306791, South Korea

J Biomed Mater Res 1997 36 (2) 200

Development and characterization of an alginate-impregnated polyester vascular graft

Llanes F, Sauriol F, Morin FG, Perlin AS*// *McGill Univ, Pulp & Paper Res Ctr, Montreal, Quebec, Canada H3A 2A7

Can J Chem 1997 75 (5) 585

An examination of sodium alginate from *Sargassum* by NMR spectroscopy

Loosveldt AMA, Grobet PJ, Delcour JA// Katholieke Univ Leuven, Food Chem Lab, Kardinaal Mercierlaan 92, B-3001 Heverlee, Belgium

J Agr Food Chem 1997 45 (6) 1998

Contents and structural features of water-extractable arabinogalactan in wheat flour fractions

Maitrot H, Paquin C, Lacroix C*, Champagne CP// *Univ Laval, STELA, Ctr

- Rech Sci & Technol Lait, St Foy, Quebec, Canada G1K 7P4
Biotechnol Technique 1997 **11** (7) 527
 Production of concentrated freeze-dried cultures of *Bifidobacterium longum* in κ-carrageenan locust bean gum gel
- Nussinovitch A, Gershon Z// Hebrew Univ Jerusalem, Inst Biochem Food Sci & Nutr, POB 12, IL-76100 Rehovot, Israel
Food Hydrocolloid 1997 **11** (3) 281
 Alginate-oil sponges
- Okai Y, Ishizaka S, Higashi-Okai K, Yamashita U// Osaka Kunei Women's Coll, Dept Human Life Sci, Showa ku, Osaka 566, Japan
J Sci Food Agr 1996 **72** (4) 455
 Detection of immunomodulating activities in an extract of Japanese edible seaweed, *Laminaria japonica* (Makonbu)
- Patil RT, Speaker TJ// Temple Univ, Dept Pharmaceut Sci, Philadelphia, Pa 19140, USA
J Microencapsul 1997 **14** (4) 469
 Retention of trypsin activity in spermine/alginate microcapsules
- Perez S, Kouwijzer M, Mazeau K, Engelsens SB// CNRS, CERMAV, BP 53X, F-38041 Grenoble 09, France
J Mol Graphics 1996 **14** (4-5) 307
 Modeling polysaccharides: Present status and challenges
- Petruzzo P, Cappai A, Ruiu G, Dessy E, Rescigno A, Brotzu G*// *Hosp G Brotzu, Dept Surg Sci & Transplant, Via Peretti 2, Cagliari, Italy
Transplant Proc 1997 **29** (4) 2129
 Development of biocompatible barium alginate microcapsules
- Prescott JH, Groman EV*, Gulyas G// *Adv Magnet Inc, 61 Mooney St, Cambridge, Ma 02138, USA
Carbohydr Res 1997 **301** (1-2) 89
 New molecular weight forms of arabinogalactan from *Larix occidentalis*
- Priem B, Chambat G, Ruel K, Joseleau JP// Univ Grenoble 1, CERMAV, CNRS, BP 53, F-38041 Grenoble 9, France
J Carbohydr Chem 1997 **16** (4-5) 625
 Use of the avidin-biotin complex for specific immobilization of xyloglucan polysaccharides
- Tashiro Y, Ogawa H, Iso N// Univ Tokyo, Dept Food Sci & Technol, Tokyo 108, Japan
Fisheries Science 1997 **63** (3) 407
 Effect of the molecular weight distribution of agar on the gel strength
- Terawaki K, Nose M, Ogiwara Y*// *Nagoya City Univ, Dept Pharmacognosy & Plant Chem, Mizuho ku, Nagoya, Aichi 467, Japan
Biol Pharm Bull 1997 **20** (7) 809
 The effects of crude polysaccharide fractions of 4 kinds of kampo-hozai administered orally on nitric oxide production by murine peritoneal macrophages
- Usov AI, Elashvili MY// Russian Acad Sci, ND Zelinskii Organ Chem Inst, Leninskii pr 47, GSP-7, Moscow 117913, Russia
Bioorg Khim 1997 **23** (6) 505
 Polysaccharides from algae. VI. Partial reductive hydrolysis of sulfated galactan from red alga *Laurencia coronopus* J Ag (*Rhodophyta, Rhodomelaceae*) (Russian, English Abstract)
- Wang Z, Zhu LF, Zhang GB, Zhao GS, Zhu Y, Chang LK// Henan Inst Chem, Zhengzhou 450003, Peoples Rep China
J Therm Anal 1997 **49** (3) 1509
 Investigation of pyrolysis kinetics of carboxymethyl hydroxypropyl *Sesbania* gum
- Wu JX, Tai J, Cheung SC, Tze WJ*// *Univ British Columbia, BC Res Inst Child & Family Hlth, Dept Paediat, 950 West 28th Ave, Vancouver, Brit Columbia, Canada V5Z 4H4
Transplant Proc 1997 **29** (4) 2146
 Assessment of the protective effect of uncoated alginate microspheres
- Yamagaki T, Maeda M*, Kanazawa K, Ishizuka Y, Nakanishi H// *Saitama Univ, Dept Biochem, Urawa, Saitama 338, Japan
Biosci Biotechnol Biochem 1997 **61** (7) 1077
 Structural clarification of *Caulerpa* cell wall β-1,3-xylan by NMR spectroscopy
- Yang H, Ohali W, Keams H, Wright JR*// *Dalhousie Univ, Dept Pathol, Islet Transplant Lab, Halifax, Nova Scotia, Canada B3J 3G9
Transplantation 1997 **64** (1) 28
 Long-term function of fish islet xenografts in mice by alginate encapsulation
- Zacharopoulos VR, Phillips DM*// *Populat Council, 1230 York Ave, New York, NY 10021, USA
Clin Diagn Lab Immunol 1997 **4** (4) 465
 Vaginal formulations of carrageenan protect mice from *Herpes simplex* virus infection
- Zhang YH, Zhong JJ*// *East China Univ Sci & Technol, State Key Lab Bioreactor Engn, Biochem Engn Res Inst, Shanghai 200237, Peoples Rep China
Enzyme Microb Technol 1997 **21** (1) 59
 Hyperproduction in ginseng saponin and polysaccharide by high density cultivation of *Panax notoginseng* cells

13 POLYSACCHARIDES - OTHER

- Chankvetadze B, Saito M, Yashima E, Okamoto Y*// *Nagoya Univ, Dept Appl Chem, Chikusa ku, Nagoya, Aichi 46401, Japan
J Chromatogr A 1997 **773** (1-2) 331
 Enantioseparation using selected polysaccharides as chiral buffer additives in capillary electrophoresis
- Crescenzi V, Belardinelli M, Rinaldi C// Univ Roma La Sapienza, Dept Chem, I-00185 Rome, Italy
J Carbohydr Chem 1997 **16** (4-5) 561
 Polysaccharides depolymerization via hydroxyl radicals attack in dilute aqueous solution
- Crescenzi V, Delicato D, Dentini M// Univ Roma La Sapienza, Dept Chem, I-00185 Rome, Italy
J Carbohydr Chem 1997 **16** (4-5) 697
 Synthesis and preliminary characterization of new uronans
- Dawidowicz AL, Wasilewska D, Pikus S// Marie Curie Sklodowska Univ, Fac Chem, MC Sklodowska Sq 3, PL-20031 Lublin, Poland
Mater Chem Phys 1997 **49** (3) 243
 The structure investigations of polysaccharide-polyimine encapsuled siliceous materials
- Deriu A, Cavatorta F, De Micheli T, Rupprecht A, Langan P// Univ Parma, Dipt Fis, Viale Sci, I-43100 Parma, Italy
Physica B 1997 **234** 215
 The distribution of water in highly ordered fibres of hyaluronic acid
- Engelmann S, Schwartz-Albiez R*// *German Canc Res Ctr, Tumor Immunol Program, D-69120 Heidelberg, Germany
Carbohydr Res 1997 **302** (1-2) 85
 Differential release of proteoglycans during human B lymphocyte maturation
- Gowman LM, Ethier CR*// *Univ Toronto, Dept Mech & Ind Engr, 5 King's Coll Rd, Toronto, Ontario, Canada M5S 3G8
J Membrane Sci 1997 **131** (1-2) 107
 Concentration and concentration gradient measurements in an ultrafiltration concentration polarization layer. II. Application to hyaluronan
- Helmboldt A, Petitou M*, Mallet JM, Herault JP, Lormeau JC, Driguez PA, Herbert JM, Sinay P// *Sanofi Rech Haemobiol Res Dept, 195 Rte Espagne, F-31036 Toulouse, France
Bioorg Medicinal Chem Letter 1997 **7** (12) 1507
 Synthesis and biological activity of a new anti-factor Xa pentasaccharide with a C-interglycosidic bond
- Johns DB, Rodgers KE, Donahue WD, Kiorpes TC, DiZerega GS// Ethicon Inc, Res & Dev, POB 151, Route 22 West, Somerville, NJ 08876, USA
Fert Steril 1997 **68** (1) 37
 Reduction of adhesion formation by postoperative administration of ionically cross-linked hyaluronic acid
- Kitamura S, Minami T, Nakamura Y, Isuda H, Kobayashi H, Mimura M, Urakawa H, Kajiura K, Ohno S// Kyoto Prefectural Univ, Dept Agr Chem, Kyoto 606, Japan
Theochem-J Mol Struct 1997 **395** 425
 Chain dimensions and scattering function of (1→3)-β-D-glucan simulated by the Monte Carlo method
- Miertus S, Bella J, Toffanin R, Matulova M, Paoletti S// Ctr Ric POLY-bios, Arca Ric, Padriciano 99, I-34012 Trieste, Italy
Theochem-J Mol Struct 1997 **395** 437
 Conformational analysis on segments of charged polysaccharides. The case of hyaluronic acid dimer and chondrosine
- Moulabbi M, Broch H, Robert L, Vasilescu D*// *Univ Nice, Biophys Lab, Parc Valrose, F-06108 Nice 2, France
Theochem-J Mol Struct 1997 **395** 477
 Quantum molecular modeling of hyaluronan
- Ruiz-Calero V, Puignou L*, Galceran MT, Diez M// *Univ Barcelona, Dept Quim Analit, Avda Diagonal 647, E-08028 Barcelona, Spain
J Chromatogr A 1997 **775** (1-2) 91
 Coupling high-performance size exclusion and ion chromatography for the analysis of low-molecular-mass heparin
- Santini F, Bisio A, Guerrini M, Yates EA*// *Ist Chim & Biochim G Ronzoni, Via G Colombo 81, I-20133 Milan, Italy
Carbohydr Res 1997 **302** (1-2) 103
 Modifications under basic conditions of the minor sequences of heparin containing 2,3 or 2,3,6 sulfated D-glucosamine residues
- Valdor JF, Mackie W// Univ Leeds, Dept Biochem & Mol Biol, Leeds LS2 9JT, England
J Carbohydr Chem 1997 **16** (4-5) 429
 Synthesis of a trisaccharide repeating unit related to arabinogalactan-protein (AGP) polysaccharides