

Bibliography of carbohydrate polymers

(7 weeks journals. Search completed at 31st Dec 1997)

1 BOOKS, REVIEWS & SYMPOSIA

- Brant DA// Univ Calif, Dept Chem, Irvine, Ca 92697, USA
Pure Appl Chem 1997 **69** (9) 1885
Shapes and motions of polysaccharide chains
- Dias FF, Mehta D// Anil Starch Prod Ltd, Anil Rd, Ahmedabad 280025, Gujarat, India
Starch 1997 **49** (9) 338
Starch and starch derivatives industry in India (Review)
- Islam AM, Phillips GO, Slijvo A, Snowden MJ, Williams PA*// *NE Wales Inst, Ctr Water Soluble Polymers, Wrexham LL11 2AW, Wales
Food Hydrocolloid 1997 **11** (4) 493
A review of recent developments on the regulatory, structural and functional aspects of gum arabic
- Kas HS// Hacettepe Univ, Dept Pharmaceut Technol, TR-06100 Ankara, Turkey
J Microencapsul 1997 **14** (6) 689
Chitosan: Properties, preparations and application to microparticulate systems (Review)
- Lindahl U// Univ Uppsala, Dept Med & Physiol Chem, Box 575, S-75123 Uppsala, Sweden
Pure Appl Chem 1997 **69** (9) 1897
Heparan sulfate: A polyanion with multiple messages
- Ng TB// Chinese Univ, Fac Med, Dept Biochem, Shatin, NT, Hong Kong, Peoples Rep China
Gen Pharmacol 1998 **30** (1) 1
A review of research on the protein-bound polysaccharide (polysaccharopeptide, PSP) from the mushroom *Coriolus versicolor* (Basidiomycetes: Polyporaceae) (Review)
- Petitot M, Van Boeckel CAA// Sanofi Rech, 195 Route Espagne, F-31036 Toulouse, France
Pure Appl Chem 1997 **69** (9) 1839
Heparin: From the original "soup" to well-designed heparin mimetics
- Rehm BHA, Valla S// Univ Munster, Inst Mikrobiol, Corrensstr 3, D-48149 Munster, Germany
Appl Microbiol Biotechnol 1997 **48** (3) 281
Bacterial alginates: Biosynthesis and applications (Mini-Review)
- Sutherland IW// Univ Edinburgh, Inst Cell & Mol Biol, Mayfield Rd, Edinburgh EH9 3JH, Scotland
Pure Appl Chem 1997 **69** (9) 1911
Microbial exopolysaccharides: Structural subtleties and their consequences

2 CELLULOSE

- Akande OF, Rubinstein MH*, Rowe PH, Ford JL// *Liverpool John Moores Univ, Pharmaceut Technol & Drug Delivery Grp, Byrom St, Liverpool L3 3AF, England
Int J Pharm 1997 **157** (2) 127
Effect of compression speeds on the compaction properties of a 1:1 paracetamol microcrystalline cellulose mixture prepared by single compression and by combinations of pre-compression and main-compression
- Arai K, Ohyama T, Shitara Y// Gunma Univ, Fac Engr, Kiryu, Gunma 376, Japan
Polym J 1997 **29** (9) 780
Preparation of a spironaphthoxazine moiety-containing methyl cellulose and photoregulation of its properties
- Bianchi E, Marsano E, Ricco L, Conio G// Univ Dodecanesco 31, Dipt Chim & Chim Ind, I-16146 Genova, Italy
Carbohydr Polym 1997 **34** (1-2) 91
Derivatization of cellulose in homogeneous condition: 1-Cellulose propionate

- Bleishmidt NV, Dreval VE, Borodina OE, Golova LK, Kulichikhin VG// Russian Acad Sci, AV Topchiev Petrochem Synth Inst, Leninskii pr 29, Moscow 117912, Russia
Vysokomol Soedin 1997 **39** (9) 1511
Rheology of concentrated *N*-methylmorpholine-*N*-oxide cellulose solutions (Russian, English Abstract)
- Burkhanova ND, Yugai SM, Khalikov SS, Turganov MM, Muratova SA, Nikonovich GV, Aripov KN// Uzbek Acad Sci, Inst Polymer Chem & Phys, Tashkent 700135, Uzbekistan
Khim Priir Soedin 1997 (3) 440
Interaction of medicinal substances with microcrystalline cellulose at molecular and permolecular levels (Russian)
- Castellano I, Gurruchaga M, Goni I// Univ Pais Vasco, Dept Ciencia & Tecnol Polimeros, Apdo 1072, E-20080 San Sebastian, Spain
Carbohydr Polym 1997 **34** (1-2) 83
The influence of drying method on the physical properties of some graft copolymers for drug delivery systems
- Chao YP, Sugano Y, Kouda T, Yoshinaga F, Shoda M*// *Tokyo Inst Technol, Resources Utilizat Res Lab, Midori ku, Yokohama, Kanagawa 226, Japan
Biotechnol Technique 1997 **11** (11) 829
Production of bacterial cellulose by *Acetobacter xylinum* with an air-lift reactor
- Charpentier D, Mocanu G, Carpov A, Chapelle S, Merle L*, Muller G// Univ Rouen, Polym Biopolym Membranes, UMR 6522 CNRS, F-76821 Mont-Saint-Aignan, France
Carbohydr Polym 1997 **33** (2/3) 177
New hydrophobically modified carboxymethylcellulose derivatives
- Chung YC, Bakalinsky A, Penner MH*// *Oregon State Univ, Dept Food Sci & Technol, Corvallis, Or 97331, USA
Appl Biochem Biotech 1997 **66** (3) 249
Analysis of biomass cellulose in simultaneous saccharification and fermentation processes
- Czeremuszkin G, Mukhopadhyay P, Sapieha S// Ecole Polytech, Dept Engr Phys, POB 6079, Stn A, Montreal, Quebec, Canada H3C 3A7
J Colloid Interface Sci 1997 **194** (1) 127
Elution behavior of chemically different probes on the evaluation of surface properties of cellulose by inverse gas chromatography
- Fakirov C, Lieser G*, Wegner G// *Max Planck Inst Polymer Res, Postfach 3148, D-55021 Mainz, Germany
Macromol Chem Physics 1997 **198** (11) 3407
Chain conformation and packing of isopentylcellulose in thin films
- Foust CJ, Mills RR, Haas T, Castevens C, Ottenbrite RM*// *Virginia Commonwealth Univ, Dept Biol, Richmond, Va 23284, USA
Macromol Symposia 1997 **123** 1
Biodegradation of LDPE/cellulose blends by common fungi
- Fyfe CA, Blazek AI// Univ British Columbia, Dept Chem, 2036 Main Mall, Vancouver, Brit Columbia, Canada V6T 1Z1
Macromolecules 1997 **30** (20) 6230
Investigation of hydrogel formation from hydroxypropylmethylcellulose (HPMC) by NMR spectroscopy and NMR imaging techniques
- Gohdes M, Mischnick P*, Wagenknecht W// *Univ Hamburg, Inst Organ Chem, Martin-Luther-King-Pl 6, D-20146 Hamburg, Germany
Carbohydr Polym 1997 **33** (2/3) 163
Methylation analysis of cellulose sulphates
- Hayakawa K, Kawaguchi M, Kato T// Shin Etsu Chem Co Ltd, Specialty Chem Res Ctr, 28-1 Nishifukushima, Kubiki, Niigata 942, Japan
Langmuir 1997 **13** (23) 6069
Protective colloidal effects of hydroxylpropyl methyl cellulose on the stability of silicone oil emulsions
- Iwata T, Doi Y, Azuma J// RIKEN, Inst Phys & Chem Res, Polymer Chem Lab, Wako, Saitama 35101, Japan

As a service to subscribers, each issue of the Journal contains a bibliography of newly published material in the field of carbohydrate polymers. The bibliography is divided into thirteen sections: 1 Books, Reviews & Symposia; 2 Cellulose; 3 Cellulose-degrading Enzymes; 4 Chitin/Chitosan; 5 Cyclodextrins; 6 Lignin; 7 Lipopolysaccharides; 8 Pectin; 9 Starch; 10 Starch-degrading Enzymes; 11 Polysaccharides - Microbial; 12 Polysaccharides - Plant; 13 Polysaccharides - Other. Within each section, articles are listed in alphabetical order with respect to author. When there are no publications to appear under one of these headings, that section will be omitted.

- Macromolecules* 1997 **30** (21) 6683
Direct imaging of single crystals of regioselectively substituted cellulose heteroesters by atomic force microscopy
- Kaisheva M, Dimitrova E, Platikanov D, Todorova V// Univ Sofia, Dept Phys Chem, BU-1126 Sofia, Bulgaria
J Disper Sci Tech 1997 **18** (6-7) 719
Thin liquid films from water-based dispersions of cellulose acetophthalate in the presence of pilocarpine hydrochloride
- Kouda T, Naritomi T, Yano H, Yoshinaga F// Biopolymer Res Co Ltd, KSP R&D Business Pk, Takatsu ku, 3-2-1 Sakato, Kawasaki, Kanagawa 213, Japan
J Ferment Bioeng 1997 **84** (2) 124
Effects of oxygen and carbon dioxide pressures on bacterial cellulose production by *Acetobacter* in aerated and agitated culture
- Kroon-Batenburg LMJ, Kruisamp PH, Vliegthart JFG, Kroon J// Univ Utrecht, Bijvoet Ctr Biomol Res, Dept Crystal & Struct Chem, Padualaan 8, NL-3584 CH Utrecht, The Netherlands
J Phys Chem B 1997 **101** (42) 8454
Estimation of the persistence length of polymers by MD simulations on small fragments in solution. Application to cellulose
- Law MFL, Deasy PB*, McLaughlin JP, Gabriel S// *Natl Univ Ireland, Univ Coll Dublin, Trinity Coll, Dept Pharmaceut, Dublin 4, Rep Ireland
J Microencapsul 1997 **14** (6) 713
Comparison of two commercial brands of microcrystalline cellulose for extrusion-spheronization
- Liu HQ, Zhang LN, Takaragi A, Miyamoto T// Kyoto Univ, Inst Chem Res, Uji, Kyoto 611, Japan
Macromol Rapid Commun 1997 **18** (10) 921
Water solubility of regioselectively 2,3,6-substituted carboxymethylcellulose
- Maekawa M, Ohmori M// Nara Women's Univ, Div Life Sci & Human Technol, Nara 630, Japan
J Appl Polym Sci 1997 **66** (11) 2175
Mixture diffusion of sulfonated dyes into cellulose membrane. I. Application of parallel diffusion model to binary system of acid dyes with small affinity onto cellulose
- Maruska A, Pyell U// c/o Hjerten S, Uppsala Univ, Dept Biochem, POB 576, S-75123 Uppsala, Sweden
J Chromatogr A 1997 **782** (2) 167
Capillary electrochromatography: Normal-phase mode using silica gel and cellulose-based packing materials
- Montes H, Mazeau K, Cavaillie JY*// *Inst Natl Sci Appl, Grp Etud Met Phys & Phys Mat, CNRS, F-69621 Villeurbanne, France
Macromolecules 1997 **30** (22) 6977
Secondary mechanical relaxations in amorphous cellulose
- Nagai T, Nishibe Y, Makino Y, Tomimori T, Yamada H*// *Kitasato Inst, Oriental Med Res Ctr, Minato ku, 5-9-1 Shirokane, Tokyo 108, Japan
Biol Pharm Bull 1997 **20** (10) 1082
Enhancement of *in vivo* anti-influenza virus activity of 5,7,4'-trihydroxyl-8-methoxyflavone by drug delivery system using hydroxypropyl cellulose
- Nakamura S, Amano M// Kanagawa Univ, Dept Appl Chem, Kanagawa ku, Yokohama, Kanagawa 221, Japan
J Polym Sci A-Polym Chem 1997 **35** (16) 3359
Preparation of hydrazinodioxycellulose and carboxyalkyl hydrazinodioxycelluloses and their adsorption behavior toward heavy metal ions
- Ng A, Greenshields RN, Waldron KW*// *AFRC, Inst Food Res, Dept Food Biophys, Norwich Res Pk, Norwich NR4 7UA, England
Carbohydr Res 1997 **303** (4) 459
Oxidative cross-linking of corn bran hemicellulose: Formation of ferulic acid dehydrodimers
- Rakhmonberdiev GR, Sidikov AS, Yusupov RD, Zainutdinov UN, Kazantseva DS// Tashkent Chem Technol Inst, Tashkent, Uzbekistan
Khim Priir Soedin 1997 (3) 448
Hemostatic materials based on acetylcellulose and lagoden (Russian)
- Riti JB, Cidade MT, Godinho MH, Martins AF, Navard P*// *Ecole Mines, Ctr Mise Forme Mat, URA/CNRS 1374, BP 207, F-06904 Sophia Antipolis, France
J Rheol 1997 **41** (6) 1247
Shear induced textures of thermotropic acetoxypolypropylcellulose
- Sakurai A, Itoh M, Sakakibara M, Saito H, Fujita M// Fukui Univ, Dept Appl Chem & Biotechnol, Fukui 910, Japan
J Chem Technol Biotechnol 1997 **70** (2) 157
Citric acid production by *Aspergillus niger* immobilised on porous cellulose beads
- Sanopoulou M, Petropoulos JH// Demokritos Natl Res Ctr, Inst Phys Chem, GR-15310 Aghia Paraskevi, Athens, Greece
Polymer 1997 **38** (23) 5761
- Sorption and longitudinal swelling kinetic behaviour in the system cellulose acetate-methanol
- Sao KP, Samantaray BK, Bhattacharjee S// Indian Res Inst, Ranchi 834010, Bihar, India
J Appl Polym Sci 1997 **66** (10) 2045
Analysis of lattice distortions in ramie cellulose
- Sarymsakov AA, Burkhanova ND, Tashpulatov YT, Satybaldyeva DT// Uzbek Acad Sci, Inst Polymer Chem & Phys, Tashkent 700135, Uzbekistan
Khim Priir Soedin 1997 (3) 436
Study of reaction of partial O-alkylation of cotton cellulose (Russian)
- Tashpulatova ZT, Sulmanova IG, Turabova YU// Uzbek Acad Sci, Inst Microbiol, Tashkent 700135, Uzbekistan
Khim Priir Soedin 1997 (3) 358
Fermentative preparation of glucose syrups from cellulose-containing natural wastes (Russian)
- Tsuchida T, Yoshinaga F// Biopolymer Res Co Ltd, Takatsu ku, 3-2-1 Sakato, Kawasaki, Kanagawa, Japan
Pure Appl Chem 1997 **69** (11) 2453
Production of bacterial cellulose by agitation culture systems
- Walderhaug H, Kjoniksen AL, Nystrom B*// *Univ Oslo, Dept Chem, POB 1033, N-0315 Oslo, Norway
J Phys Chem B 1997 **101** (44) 8892
Diffusion of poly(ethylene oxide) chains in gelling and nongelling aqueous mixtures of ethyl (hydroxyethyl)cellulose and a surfactant by pulsed field gradient NMR
- Wu Z, Lee YY// Auburn Univ, Dept Chem Engr, Auburn, AL 36849, USA
Biotechnol Lett 1997 **19** (10) 977
Inhibition of the enzymatic hydrolysis of cellulose by ethanol
- Yoshiharu N, Shigenori K, Masahisa W, Takeshi O// Univ Tokyo, Lab Struct Biopolymers, Bunkyo ku, Yayoi 1-1-1, Tokyo 113, Japan
Macromolecules 1997 **30** (20) 6395
Cellulose microcrystal film of high uniaxial orientation
- Zhang LL, Deng XM, Zhao SJ, Huang ZT// Natl Univ Singapore, Dept Chem, Singapore 119260, Rep Singapore
Polymer 1997 **38** (24) 6001
Biodegradable polymer blends of poly(3-hydroxybutyrate) and hydroxyethyl cellulose acetate
- Zhang LN, Liu HQ, Yan SH, Yang GN, Feng HQ// Wuhan Univ, Dept Chem, Wuhan 430072, Peoples Rep China
J Polym Sci B-Polym Phys 1997 **35** (15) 2495
Interfacial structure and properties of polyurethane/poly(methylacrylate-co-styrene) coating to regenerated cellulose film
- Zou GW, Zheng Q, Hu GJ, Shao Y, Shi YZ// Nanjing Univ, Dept Chem, Nanjing 210093, Peoples Rep China
Acta Chim Sin 1997 **55** (6) 617
Study on the preparation and application of cellulose tris(3,5-dinitro)benzoate as chiral stationary phase

3 CELLULOSE-DEGRADING ENZYMES

- Bhat S, Kennedy JF, Goodenough PW, Owen E, Bhat MK*// *Inst Food Res - Reading Lab, Food Molec Sci Dept, Earley Gate, Whiteknights Rd, Reading RG6 6BZ, England
Carbohydr Polym 1997 **34** (1-2) 95
Effect of D-glucono-1,4-lactone on the production of CMCase, pNPCase and true cellulase by *Clostridium thermocellum*
- Hakamada Y, Koike K, Yoshimatsu T, Mori H, Kobayashi T, Ito S// Kao Corp, Tochigi Res Labs, 2606 Akabane, Haga, Tochigi 32134, Japan
Extremophiles 1997 **1** (3) 151
Thermotable alkaline cellulase from an alkaliphilic isolate, *Bacillus* sp. KSM-S237
- Ito S// Kao Corp, Tochigi Res Labs, 2606 Akabane, Haga, Tochigi 32134, Japan
Extremophiles 1997 **1** (2) 61
Alkaline cellulases from alkaliphilic *Bacillus*: Enzymatic properties, genetics, and application to detergents
- Kim DW, Jang YH, Jeong YK// Chungbuk Natl Univ, Dept Chem, Coll Nat Sci, Cheongju 361763, South Korea
Biotechnol Lett 1997 **19** (9) 893
Adsorption behaviors of two cellobiohydrolases and their core proteins from *Trichoderma reesei* on avicel PH 101
- Kvachadze LL, Yashvili TS// Georgian Acad Sci, Durmishidze Inst Plant Biochem, GE-380060 Tbilisi, Rep Georgia
Microbiology-Engl Tr 1997 **66** (5) 537

Selection of a *Chaetomium thermophile* strain producing thermostable cellulases

Medve J, Stahlberg J, Tjerneld F// Lund Univ, Dept Biochem, POB 124, S-22100 Lund, Sweden

Appl Biochem Biotech 1997 **66** (1) 39

Isotherms for adsorption of cellobiohydrolase I and II from *Trichoderma reesei* on microcrystalline cellulose

Piyachomkwan K, Gable KP, Penner MH*// *Oregon State Univ, Dept Food Sci & Technol, Corvallis, Or 97331, USA

Carbohydr Res 1997 **303** (3) 255

p-Aminophenyl 1-thio-β-D-cellobioside: Synthesis and application in affinity chromatography of exo-type cellulases

4 CHITIN/CHITOSAN

Aoi K, Takasu A, Okada M*// *Nagoya Univ, Dept Appl Biol Sci, Chikusa ku, Nagoya, Aichi 46401, Japan

Macromolecules 1997 **30** (20) 6134

New chitin-based polymer hybrids. II. Improved miscibility of chitin derivatives having monodisperse poly(2-methyl-2-oxazoline) side chains with poly(vinyl chloride) and poly(vinyl alcohol)

Arvanitoyannis I, Kolokuris I, Nakayama A, Yamamoto N, Aiba SI// Aristotle Univ, Dept Food Sci & Technol, GR-54006 Thessaloniki, Greece

Carbohydr Polym 1997 **34** (1-2) 9

Physico-chemical studies of chitosan-poly(vinyl alcohol) blends plasticized with sorbitol and sucrose

Babak VG, Kalabina NN, Vikhoreva GA, Galich EF, Zaitsev SY, Zubov VP// AN Nesmeyanov Organoelement Cpd Inst, Moscow 117813, Russia

Mendelev Commun 1997 (5) 202

Interaction of carboxymethylchitin with the Langmuir monolayers of cationic surfactants

Bae HS, Hudson SM*// *Changwon Natl Univ, Dept Clothing & Text, Chang Won 641773, South Korea

J Polym Sci A-Polym Chem 1997 **35** (17) 3755

The cooperative binding behavior of sodium dodecyl sulfate to crosslinked chitosan films

Belamie E, Domard A*, Giraud-Guille MM// *Univ Lyon 1, Lab Etud Mat Plast & Biomat, CNRS, UMR 5627, 43 Blvd Novembre 1918, F-69622 Villeurbanne, France

J Polym Sci A-Polym Chem 1997 **35** (15) 3181

Study of the solid-state hydrolysis of chitosan in presence of HCl

Calvo P, Remunan-Lopez C, Vila-Jato JL, Alonso MJ*// *Univ Santiago de Compostela, Dept Pharm & Pharmaceut Technol, E-15706 Santiago de Compostela, Spain

Pharmaceut Res 1997 **14** (10) 1431

Chitosan and chitosan/ethylene oxide/propylene oxide block copolymer nanoparticles as novel carriers for proteins and vaccines

Chang KLB, Tsai G, Lee J, Fu WR// Natl Taiwan Ocean Univ, Dept Marine Food Sci, 2 Pei Ning Rd, Chilung 20224, Taiwan

Carbohydr Res 1997 **303** (3) 327

Heterogeneous N-deacetylation of chitin in alkaline solution

Crini G, Torri G, Guerrini M, Morcellet M, Weltrowski M, Martel B// Ist Chim & Biochim 'G Ronzoni', 81 Via G Colombo, I-20133 Milan, Italy

Carbohydr Polym 1997 **33** (2/3) 145

NMR characterization of N-benzyl sulfonated derivatives of chitosan

Dumitriu S, Chornet E// Univ Sherbrooke, Dept Chem Engr, Sherbrooke, Quebec, Canada J1K 2R1

Biotechnol Progr 1997 **13** (5) 539

Immobilization of xylanase in chitosan-xanthan hydrogels

Ferrari F, Rossi S, Bonferoni MC, Caramella C*, Karlsen J// *Univ Pavia, Dipt Chim Farmaceut, Viale Taramelli 12, I-27100 Pavia, Italy

Farmaco 1997 **52** (6-7) 493

Characterization of rheological and mucoadhesive properties of three grades of chitosan hydrochloride

Fiebrig I, Varum KM, Harding SE, Davis SS, Stokke BT*// *Norwegian Univ Sci & Tech, NOBIPOL, Dept Phys, Gloshaugen, N-7034 Trondheim, Norway

Carbohydr Polym 1997 **33** (2/3) 91

Colloidal gold and colloidal gold labelled wheat germ agglutinin as molecular probes for identification in mucin/chitosan complexes

Gamzazade A, Sklyar A, Nasibov S, Sushkov I, Shashkov A, Knirel Y// Russian Acad Sci, Inst Food Subs, Vavilov str 28, 117813 Moscow, Russia

Carbohydr Polym 1997 **34** (1-2) 113

Structural features of sulfated chitosans

Han BK, Lee WJ, Jo DH*// *Ajou Univ, Dept Biotechnol, San 5 Won Chon

dong, Suwon 442749, South Korea

Biotechnol Lett 1997 **19** (10) 891

Chitinolytic enzymes from the gizzard and the chyme of the broiler (*Gallus gallus* L.)

Hugerth A, Caram-Lelham N, Sundelof LO*// *Uppsala Univ, Uppsala Biomed Ctr, Physical Pharmaceut Chem, Box 574, S-75123 Uppsala, Sweden

Carbohydr Polym 1997 **34** (3) 149

The effect of charge density and conformation on the polyelectrolyte complex formation between carrageenan and chitosan

Inoue K, Ohto K, Yoshizuka K, Yamaguchi T, Tanaka T// Saga Univ, Dept Appl Chem, I Honjo, Saga 840, Japan

Bull Chem Soc Jpn 1997 **70** (10) 2443

Adsorption of lead(II) ion on complexed types of chemically modified chitosan

Kaminski W, Modrzejewska// Tech Univ, Fac Proc & Environm Engr, ul Wocarska 175, PL-90924 Lodz, Poland

Separ Sci Technol 1997 **32** (16) 2659

Application of chitosan membranes in separation of heavy metal ions

Lee MY, Park JM, Yang JW*// *KAIST, Dept Chem Engr, 373-1 Kusong-dong, Yusung-gu, Taejeon 305701, Korea

Process Biochem 1997 **32** (8) 671

Micro precipitation of lead on the surface of crab shell particles

Mi FL, Her NL, Kuan CY, Wong TB, Shyu SS*// *Natl Chung Yuan Univ, Dept Chem Engr, Chungli 320, Taiwan

J Appl Polym Sci 1997 **66** (13) 2495

Chitosan tablets for controlled release of theophylline: Effect of polymer-drug wet or dry blending and anionic-cationic interpolymer complex

Minami S, Mura-e R, Okamoto Y, Sanekata T, Matsuhashi A, Tanioka S, Shigemasa Y// Tottori Univ, Dept Vet Surg, Tottori 680, Japan

Carbohydr Polym 1997 **33** (4) 243

Systemic effect of chitin after intravenous administration to dogs

Minami S, Masuda M, Suzuki H, Okamoto Y, Matsuhashi A, Kato K, Shigemasa Y// Tottori Univ, Dept Vet Surg, Tottori 680, Japan

Carbohydr Polym 1997 **33** (4) 285

Subcutaneous injected chitosan induces systemic activation in dogs

Miyashita Y, Yamada Y, Kimura N, Suzuki H, Iwata M, Nishio Y*// *Tokyo Univ Agr & Technol, Dept Mat Syst Engr, Koganei, Tokyo 184, Japan

Polymer 1997 **38** (25) 6181

Phase structure of chitin poly(glycidyl methacrylate) composites synthesized by a solution coagulation bulk polymerization method

Morimoto M, Shigemasa Y// Tottori Univ, Dept Mat Sci, Tottori 680, Japan

Kobunshi Ronbunshu 1997 **54** (10) 621

Characterization and bioactivities of chitin and chitosan regulated their degree of deacetylation (Japanese, English Abstract)

Morita Y, Sugahara Y, Takahashi A, Ibonai M// Kogakuin Univ, Dept Appl Chem, Hachioji, Tokyo 192, Japan

Eur Polym J 1997 **33** (9) 1505

Non-catalytic photo-induced graft copolymerization of methyl methacrylate onto O-acetyl-chitin

Nam SY, Lee YM*// *Hanyang Univ, Coll Engr, Dept Ind Chem, Seoul 133791, South Korea

J Membrane Sci 1997 **135** (2) 161

Pervaporation and properties of chitosan poly(acrylic acid) complex membranes

Nordtveit-Hjerde RJ, Varum KM*, Grasdalen H, Tokura S, Smidsrod O// *Norwegian Univ Sci & Technol, Dept Biotechnol, Norwegian Biopolym Lab (NOBIPOL) N-7034 Trondheim, Norway

Carbohydr Polym 1997 **34** (3) 131

Chemical composition of O-(carboxymethyl)-chitins in relation to lysozyme degradation rates

Suzuki T, Mizushima Y// Sci Univ Tokyo, Dept Biol Sci & Technol, 2641 Yamazaki, Noda, Chiba 278, Japan

J Ferment Bioeng 1997 **84** (2) 128

Characteristics of silica-chitosan complex membrane and their relationships to the characteristics of growth and adhesiveness of L-929 cells cultured on the biomembrane

Tokuyasu K, Ono H, Ohnishi-Kameyama M, Hayashi K, Mori Y// Natl Food Res Inst, 2-1-2 Kannondai, Tsukuba, Ibaraki 305, Japan

Carbohydr Res 1997 **303** (3) 353

Deacetylation of chitin oligosaccharides of dp 2-4 by chitin deacetylase from *Colletotrichum lindemuthianum*

Zhang DL, Quantick PC*// *Univ Lincolnshire & Humberside, Ctr Food Res, 61 Bargate, Grimsby DN34 5AA, England

Postharvest Biol Technol 1997 **12** (2) 195

Effects of chitosan coating in enzymatic browning and decay during posthar-

vest storage of litchi (*Litchi chinensis* Sonn) fruit

5 CYCLODEXTRINS

Bahaddi Y, Lelievre F, Gareil P, Maignan J, Galons H*// *Univ Paris 05, Chim Organ Lab, 4 Ave Observatoire F-75270 Paris, France
Carbohydr Res 1997 **303** (2) 229

Preparation and complexation ability of zwitterionic derivatives of cyclodextrins

Burli R, Vasella A*// *ETH Zentrum, Organ Chem Lab, Universitatstr 16, CH-8092 Zurich, Switzerland
Helv Chim Acta 1997 **80** (7) 2215

Oligosaccharide analogues of polysaccharides. XIV. Carbocyclic cyclodextrin analogues. Synthesis of all trimeric and tetrameric isomers by homo- and heterocoupling of 1,4-*cis*-diethynylated 1,5-anhydroglucitols

Catoire L, Michon V, Monville L, Hocquet A, Jullien L, Canceill J, Lehn JM, Piotto M, Du Penhoat CH*// *Ecole Normale Super, Dept Chim, URA 1679, 24 rue Lhomond, F-75231 Paris, France
Carbohydr Res 1997 **303** (4) 379

Dynamic behavior of a perfunctionalized β -cyclodextrin as probed by NMR and molecular modeling

Chmurski K, Defaye J*// *CNRS, Dept Pharmacochim Mol, BP 138, F-38243 Meylan, France
Tetrahedron Lett 1997 **38** (42) 7365

An improved synthesis of 6-deoxyhalo cyclodextrins via halomethylenemorpholinium halides Vilsmeier-Haack type reagents

Croft AK, Easton CJ*, Lincoln SF, May BL, Papageorgiou J// *Australian Natl Univ, Res Sch Chem, GPO Box 4, Canberra, ACT 0200, Australia
Aust J Chem 1997 **50** (8) 857

An HPLC study of cooperative guest binding by a covalently linked β -cyclodextrin dimer

Farkas E, Janossy L, Harangi J, Kandra L, Liptak A*// *Lajos Kossuth Univ, Dept Biochem, POB 55, H-4010 Debrecen, Hungary
Carbohydr Res 1997 **303** (4) 407

Synthesis of chromogenic substrates of α -amylases on a cyclodextrin basis

Harada A// Osaka Univ, Dept Macromol Sci, Toyonaka, Osaka 560, Japan
Carbohydr Polym 1997 **34** (3) 183

Construction of supramolecular structures from cyclodextrins and polymers

Harada A, Nishiyama T, Kawaguchi Y, Okada M, Kamachi M// Address as above.

Macromolecules 1997 **30** (23) 7115

Preparation and characterization of inclusion complexes of aliphatic polyesters with cyclodextrins

Huang MJ, Watts JD, Bodor N*// *Univ Florida, Hlth Sci Ctr, Ctr Drug Discovery, POB 100497, Gainesville, FL 32610, USA
Int J Quantum Chem 1997 **65** (6) 1135

Theoretical studies of inclusion complexes of α - and β -cyclodextrin with benzoic acid and phenol

Juvancz Z, Jicsinsky L, Markides KE*// *Univ Uppsala, Dept Analyt Chem, S-75121 Uppsala, Sweden
J Microcolumn Sep 1997 **9** (8) 581

Phosphated cyclodextrins as new acidic chiral additives for capillary electrophoresis

Kadokawa J, Sato M, Karasu M, Tagaya H, Chiba K// Yamagata Univ, Dept Mat Sci & Engn, Yonezawa, Yamagata 992, Japan
Nippon Kagaku Kaishi 1997 (10) 728

Preparation of maltoheptaose having hydroxy groups at both ends by selective acid hydrolysis of acetylated β -cyclodextrin (Japanese, English Abstract)

Kassab R, Felix C, Parrot-Lopez H*, Bonaly R// *Univ Lyon 1, CNRS, Equipe Reconnaissance & Org Mol & Biomol, Bat 305, 43 Blvd 11 Novembre 1918, F-69622 Villeurbanne, France
Tetrahedron Lett 1997 **38** (43) 7555

Synthesis of cyclodextrin derivatives carrying bio-recognisable saccharide antennae

Kishimoto K, Nakamura H*// *Sci Univ Tokyo, Fac Pharmaceut Sci, Shinjuku ku, Tokyo 162, Japan
Anal Sci 1997 **13** (5) 815

Direct and individual determination of α -, β - and γ -cyclodextrins by flow injection analysis electrospray ionization mass spectrometry (Letter)

Kollengode ANR, Hanna MA*// *Univ Nebraska, Dept Biol Syst Engn, 208 LW Chase Hall, Lincoln, NE 68583, USA
J Food Sci 1997 **62** (5) 1057-1060

Cyclodextrin complexed flavors retention in extruded starches

Kraus T, Budesinsky M, Zavada J*// *Acad Sci Czech Republic, Inst Organ

Chem & Biochem, Flemingovo Nam 2, CR-16610 Prague 6, Czech Republic
Carbohydr Res 1997 **304** (1) 81

A simple synthesis of hexakis(6-*O*-carboxymethyl-2,3-di-*O*-methyl)cyclomaltohexaose and heptakis (6-*O*-carboxymethyl-2,3-di-*O*-methyl)cyclomaltoheptaose

Loftsson T, Petersen DS// Univ Iceland, Dept Pharm, POB 7210, IS-127 Reykjavik, Iceland

Pharmazie 1997 **52** (10) 783

Cyclodextrin solubilization of water-insoluble drugs: Calcipotriol and EB-1089

Loukas YL// Riga Ferreou 21, GR-16343 Athens, Greece

J Pharm Pharmacol 1997 **49** (10) 944

Measurement of molecular association in drug-cyclodextrin inclusion complexes with improved ^1H NMR studies

Matsuda K, Inazu T, Haneda K, Mizuno M, Yamanoi T, Hattori K, Yamamoto K, Kumagai H// Tokyo Inst Polytechn, Fac Engn, Atsugi, Kanagawa 24302, Japan

Bioorg Medicinal Chem Letter 1997 **7** (18) 2353

The chemo-enzymatic synthesis and evaluation of oligosaccharide-branched cyclodextrins

May BL, Kean SD, Easton CJ, Lincoln SF*// *Univ Adelaide, Dept Chem, Adelaide, SA 5005, Australia

J Chem Soc Perkin Trans 1 1997 (21) 3157

Preparation and characterization of 6^A-polyamine-mono-substituted β -cyclodextrins

Moyano JR, Arias-Blanco MJ*, Gines JM, Giordano F// *Univ Sevilla, Dept Pharmaceut Technol, E-41012 Seville, Spain

Int J Pharm 1997 **157** (2) 239

Study of the complexation behaviour of gliclazide with partially methylated β -cyclodextrin in solution and solid state

Nelissen HFM, Venema F, Uittenbogaard RM, Feiters MC*, Nolte RJM// *Catholic Univ, Dept Organ Chem, NSR Ctr, Toernooiveld 1, NL-6525 ED Nijmegen, The Netherlands

J Chem Soc Perkin Trans 2 1997 (10) 2045

Synthesis of novel dansyl appended cyclodextrins. Self-inclusion and sensor properties

Nowakowski R, Bielejewska A, Duszczek K, Sybiliska D*// *Polish Acad Sci, Inst Phys Chem, Kasprzaka 44-52, PL-01224 Warsaw, Poland

J Chromatogr A 1997 **782** (1) 1

Chiral discrimination by high-performance liquid chromatography with joint use of two cyclodextrin additives

Tanaka Y, Terabe S// Nippon Boehringer Ingelheim Co Ltd, Dept Analyt Chem, 3-10-1 Yato, Kawanishi, Hyogo 66601, Japan

J Chromatogr A 1997 **781** (1-2) 151

Enantiomer separation of acidic racemates by capillary electrophoresis using cationic and amphoteric β -cyclodextrins as chiral selectors

Vincent JB, Kirby DM, Nguyen TV, Vigh G*// *Texas A&M Univ, Dept Chem, College Station, TX 77845, USA

Anal Chem 1997 **69** (21) 4419

A family of single-isomer chiral resolving agents for capillary electrophoresis. II. Hepta-6-sulfato- β -cyclodextrin

Wilson LD, Verrall RE*// *Univ Saskatchewan, Dept Chem, 110 Sci Pl, Saskatoon, Saskatchewan, Canada S7N 5C9

J Phys Chem B 1997 **101** (45) 9270

A volumetric study of β -cyclodextrin/hydrocarbon and β -cyclodextrin/fluorocarbon surfactant inclusion complexes in aqueous solutions

Yan JC, Dong SJ, Li JH, Chen WQ// Chinese Acad Sci, Changchun Inst Appl Chem, Electroanal Chem Lab, Changchun 130022, Peoples Rep China

J Electrochem Soc 1997 **144** (11) 3858

Formation of self-assembled monolayers on gold electrodes with inclusion complexes of cyclodextrins and viologens

6 LIGNIN

Feldman D, Banu D// Concordia Univ, Ctr Bldg Studies, 1455 Maisonneuve Blvd West, Montreal, Quebec, Canada H3G 1M8

J Appl Polym Sci 1997 **66** (9) 1731

Contribution to the study of rigid PVC polyblends with different lignins

Quesada J, Rubio M*, Gomez D// *Univ Murcia, Dept Ingn Quim, Campus Espinardo, Apdo 4021, E-30071 Murcia, Spain

J High Res Chromatogr 1997 **20** (10) 565

Chemical characterization of ozonated lignin solutions from corn (*Zea mays*) stalk and poplar (*Populus deltoides*) wood by capillary gas chromatography

Terashima N, Atalla RH, Vanderhart DL// USDA, Forest Prod Lab, Madison, WI 53705, USA

Phytochemistry 1997 **46** (5) 863

Solid state NMR spectroscopy of specifically ^{13}C -enriched lignin in wheat straw from conifer

7 LIPOPOLYSACCHARIDES

Batley M, Redmond JW, Packer NH, Liu D, Reeves P// MacQuarie Univ, Sch Med, Sydney, NSW 2109, Australia

Carbohydr Res 1997 **303** (3) 313

The relationship between the structures of the O polysaccharides from *Escherichia coli* O17 and O16

Galbraith L, Wilkinson SG// *Univ Hull, Sch Chem, Hull HU6 7RX, England

Carbohydr Res 1997 **303** (2) 245

Structural studies of the O-specific side-chain of lipopolysaccharide from *Burkholderia gladioli* pv. *gladioli* strain NCPPB 1891

Kjellberg A, Weintraub A, Albert MJ, Widmalm G// *Univ Stockholm, Arrhenius Lab, Dept Organ Chem, S-10691 Stockholm, Sweden

Eur J Biochem 1997 **249** (3) 758

Structural analysis of the O-antigenic polysaccharide from *Vibrio cholerae* O10

Knirel YA, Moll H, Helbig JH, Zahring U// *Forschungszentrum Borstel, Zentrum Med & Biowissenschaft, Parkallee 22, D-23845 Borstel, Germany

Carbohydr Res 1997 **304** (1) 77

Chemical characterization of a new 5,7-diamino-3,5,7,9-tetradeoxynonulosonic acid released by mild acid hydrolysis of the *Legionella pneumophila* serogroup 1 lipopolysaccharide

MacLean LL, Perry MB// *Nat'l Res Council Canada, Inst Biol Sci, 100 Sussex Dr, Ottawa, Ontario, Canada K1A 0R6

Biochem Cell Biol 1997 **75** (3) 199

Structural characterization of the serotype O:5 O-polysaccharide antigen of the lipopolysaccharide of *Escherichia coli* O:5

Moll H, Knirel YA, Helbig JH, Zahring U// *Forschungszentrum Borstel, Zentrum Med & Biowissenschaft, Parkallee 22, D-23845 Borstel, Germany

Carbohydr Res 1997 **304** (1) 91

Identification of an α -D-Manp-(1 $\rightarrow$ 8)-Kdo disaccharide in the inner core region and the structure of the complete core region of the *Legionella pneumophila* serogroup 1 lipopolysaccharide

Parolis H, Parolis LAS, Olivieri G// Rhodes Univ, Sch Pharmaceut Sci, ZA-6140 Grahamstown, Rep Sth Africa

Carbohydr Res 1997 **303** (3) 319

Structural studies on the Shigella-like *Escherichia coli* O121 O-specific polysaccharide

8 PECTIN

Arbaisah SM, Asbi BA, Junainah AH, Jamilah B, Kennedy JF// *Univ Birmingham, Sch Chem, Carbohydr & Protein Technol Grp, Birmingham B15 2TT, England

Carbohydr Polym 1997 **34** (3) 177

Soursopectinesterases: Thermostability and effect on cloud stability of sourso juice

Dinnella C, Stagni A, Lanzarini G// Univ Basilicata, Dipt Biol Difesa & Biotechnol Agroforestal, Potenza, Italy

Process Biochem 1997 **32** (8) 715

Pectolytic enzymes co-immobilization on γ -alumina spheres via organophosphate compounds

Ebringerova A, Hromadkova Z, Machova E, Naran R, Hribalova V// Slovak Acad Sci, Inst Chem, SK-84238 Bratislava, Slovakia

Chem Pap-Chem Zvesti 1997 **51** (5) 289

Isolation and characterization of mitogenic pectic polysaccharides from *Cistanche deserticola* Y. C. Ma

Macleod GS, Fell JT*, Collett JH// *Univ Manchester, Sch Pharm & Pharmaceut Sci, Manchester M13 9PL, England

Int J Pharm 1997 **157** (1) 53

Studies on the physical properties of mixed pectin/ethylcellulose films intended for colonic drug delivery

Massiot P, Perron V, Baron A, Drilleau JF// INRA, Stn Rech Cidricoles Bio-transformat Fruits & Legumes, BP 29, F-35650 Le Rheu, France

Food Sci Technol-Lebensm Wiss 1997 **30** (7) 697

Release of methanol and depolymerization of highly methyl esterified apple pectin with an endopolygalacturonase from *Aspergillus niger* and pectin methylsterases from *A. niger* or from orange

Pericin D, Antov M, Dimic N, Vujicic B// Univ Novi Sad, Fac Technol, Blvd Cara Lazara 1, YU-21000 Novi Sad, Yugoslavia

Biotechnol Technique 1997 **11** (11) 833

Rapid method for detecting low basal activity of exo-pectinase of *Polyporus squamosus*

Round AN, MacDougall AJ, Ring SG, Morris VJ// AFRC Inst Food Res, Norwich Res Pk, Norwich NR4 7UA, England

Carbohydr Res 1997 **303** (3) 251

Unexpected branching in pectin observed by atomic force microscopy

9 STARCH

Aburto J, Thiebaud S, Alric I, Borredon E, Bikiaris D, Prinos J, Panayiotou C// *Aristotle Univ, Dept Chem Engr, GR-54006 Thessaloniki, Greece

Carbohydr Polym 1997 **34** (1-2) 101

Properties of octanoated starch and its blends with polyethylene

Aggarwal P, Dollimore D*, Kim YW// *Univ Toledo, Dept Chem, Toledo, Oh 43606, USA

STP Pharma Sciences 1997 **7** (4) 295

A comparative thermal analysis study of starch, cellulose and cationically modified products of these compounds

Aguilera JM, Baffico P// Univ Catolica Chile, Dept Chem Engr & Bioproc, POB 306, Santiago 22, Chile

J Food Sci 1997 **62** (5) 1048

Structure-mechanical properties of heat-induced whey protein/cassava starch gels

Athawale VD, Rath SC// Univ Bombay, Dept Chem, Bombay 400098, India

J Appl Polym Sci 1997 **66** (7) 1399

Syntheses and characterization of starch-poly(methacrylic acid) graft copolymers

Baik MY, Kim KJ*, Cheon KC, Ha YC, Kim WS// *Agcy Def Dev, Food Div, POB 35-1, Taejon 305600, South Korea

J Agr Food Chem 1997 **45** (11) 4242

Recrystallization kinetics and glass transition of rice starch gel system

Betancur AD, Chel GL// Univ Autonoma Yucatan, Fac Ingn Quim, Avda Juarez 421, Cd Ind, CP 97288, Merida 1266A, Yucatan, Venezuela

J Agr Food Chem 1997 **45** (11) 4237

Acid hydrolysis and characterization of *Canavalia ensiformis* starch

Brook MA, Jiang JX, Heritage P, Bartzoka V, Underdown B, McDermott MR// McMaster Univ, Dept Chem, 1280 Main St West, Hamilton, Ontario, Canada L8S 4M1

Langmuir 1997 **13** (23) 6279

Silicone-protein interaction at the interface between a functional silicone and a protein/starch microparticle

Cheetham NWH, Tao LP// Univ New South Wales, Sch Chem, Sydney, NSW 2052, Australia

Carbohydr Polym 1997 **33** (4) 251

The effects of amylose content on the molecular size of amylose, and on the distribution of amylopectin chain length in maize starches

Cheetham NWH, Tao LP// Address as above.

Starch 1997 **49** (10) 407

Amylose conformational transitions in binary DMSO/water mixtures

Chun J, Lim S*, Takeda Y, Shoki M// *Korea Univ, Grad Sch Biotechnol, 5-1 Anam dong, Seoul 136701, South Korea

Cereal Food World 1997 **42** (10) 813

Properties of high-crystalline rice amylopectins prepared in acid-alcohol media as fat replacers

Conde-Petit B, Pfirter A, Escher F// ETH Zurich, Dept Food Sci, CH-8092 Zurich, Switzerland

Food Hydrocolloid 1997 **11** (4) 393

Influence of xanthan on the rheological properties of aqueous starch-emulsifier systems

Cornillon P, McCarthy MJ, Reid DS// Purdue Univ, Dept Food Sci, Whistler Ctr Carbohydrate Res, Smith Hall, West Lafayette, In 47907, USA

J Texture Stud 1997 **28** (4) 421

Study of restricted diffusion by NMR in freeze-dried starch gels

Galinsky G, Burchard W// *Univ Freiburg, Inst Macromol Chem, Sonnenstr 5, D-79104 Freiburg, Germany

Macromolecules 1997 **30** (22) 6966

Starch fractions as examples for nonrandomly branched macromolecules. IV. Angular dependence in dynamic light scattering

Gard R, Holmgren A, Forsling W// Lulea Univ Technol, Dept Inorgan Chem, S-97187 Lulea, Sweden

J Colloid Interface Sci 1997 **194** (2) 319

Spectroscopic studies of dextrin adsorption onto colloidal ZnS

Glenn GM, Hsu J// USDA/ARS, Western Reg Res Ctr, 800 Buchanan St, Al-

- bany, Ca 94710, USA
Ind Crops Products 1997 7 (1) 37
 Compression-formed starch-based plastic
- Halliday PJ, Smith AC*// *AFRC Inst Food Res, Norwich Res Pk, Norwich NR4 7UA, England
Food Sci Technol Int 1997 3 (5) 333
 Compaction and flow of potato starch and potato granules
- Hoover R, Li YX, Hynes G, Senanayake N// Mem Univ Newfoundland, Dept Biochem, St Johns, Newfoundland, Canada A1B 3X9
Food Hydrocolloid 1997 11 (4) 401
 Physicochemical characterization of mung bean starch
- Hopkinson I, Jones RAL, Black S, Lane DM, MacDonald PJ// Univ Cambridge, Cavendish Lab, Polymers & Colloids Grp, Cambridge CB3 0IE, England
Carbohydr Polym 1997 34 (1-2) 39
 Fickian and case II diffusion of water into amylose: A stray field NMR study
- Kitahara K, Eitoku E, Suganuma T, Nagahama T// Kagoshima Univ, Dept Biochem Sci & Technol, 1-21-24 Korimoto, Kagoshima 890, Japan
Carbohydr Polym 1997 33 (2/3) 187
 Some properties of branched and linear dextrans from *Nageli* amyloextrin
- Klingler R, Busch KG, Vahedi B// TFH Berlin, Kurfürstenstr 141, D-10785 Berlin, Germany
Starch 1997 49 (10) 391
 Acid modification of starch in a semi-dry process (German, English Abstract)
- Kulik AS, Haverkamp J*// *Unilever Res Lab, Olivier van Noortlaan 120, NL-3133 AT Vlaardingen, The Netherlands
Carbohydr Polym 1997 34 (1-2) 49
 Molecular mobility of polysaccharide chains in starch investigated by two-dimensional solid-state NMR spectroscopy
- Kweon MR, Sosulski FW, Bhirud PR// Nabisco Inc, 200 Deforest Ave, East Hanover, NJ 07936, USA
Starch 1997 49 (10) 419
 Preparation of amphoteric starches during aqueous alcoholic cationization
- Larsson A, Wall S// Gothenburg Univ, Dept Phys Chem, S-41296 Gothenburg, Sweden
Starch 1997 49 (10) 396
 The dissolution of cationic potato amylopectin
- Lii CY, Lai VMF, Liu KF, Chang WH// Acad Sinica, Inst Chem, Taipei 11529, Taiwan
Starch 1997 49 (9) 346
 Influences of polyols on thermal and dynamic viscoelastic properties of rice starches during gelatinization
- Lin S, Hsieh F*, Huff HE// *Univ Missouri, Dept Biol & Agr Engr, Columbia, Mo 65211, USA
Food Sci Technol-Lebensm Wiss 1997 30 (7) 754
 Effects of lipids and processing conditions on degree of starch gelatinization of extruded dry pet food
- Lue JT, Mao CC// Natl Tsing Hua Univ, Dept Phys, Hsinchu, Taiwan
Meas Sci Technol 1997 8 (11) 1323
 Viscosity measurement of electrorheological fluids: Corn starch and silicon microparticles mixed with silicone oil
- Mallikarjunan P, Chinnan MS*, Balasubramaniam VM, Phillips RD// *Univ Georgia, Dept Food Sci & Technol, Griffin, Ga 30223, USA
Food Sci Technol-Lebensm Wiss 1997 30 (7) 709
 Edible coatings for deep-fat frying of starchy products
- Mua JP, Jackson DS*// *Univ Nebraska, Dept Food Sci & Technol, 256 Food Ind Bldg, Lincoln, Ne 68508, USA
J Agr Food Chem 1997 45 (10) 3840
 Fine structure of corn amylose and amylopectin fractions with various molecular weights
- Mua JP, Jackson DS*// *Address as above.
J Agr Food Chem 1997 45 (10) 3848
 Relationships between functional attributes and molecular structures of amylose and amylopectin fractions from corn starch
- Mua JP, Rosowski JR, Jackson DS// Address as above.
Starch 1997 49 (10) 401
 Initial phase solubilization of normal corn starch by methyl sulfoxide (DMSO): Evidence from scanning electron microscopy and size exclusion chromatography
- Parovuori P, Manelius R, Suortti T, Bertoft E, Autio K*// *VTI, Biotechnol & Food Res, Biologinkuja 1, POB 1500, FIN-02044 Espoo, Finland
Food Hydrocolloid 1997 11 (4) 471
 Effects of enzymically modified amylopectin on the rheological properties of amylose-amylopectin mixed gels
- Psomiadou E, Arvanitoyannis I*, Biliaderis CG, Ogawa H, Kawasaki N// *Aristotle Univ, Lab Food Chem & Biochem, GR-54006 Thessaloniki, Greece
Carbohydr Polym 1997 33 (4) 227
 Biodegradable films made from low density polyethylene (LDPE), wheat starch and soluble starch for food packaging applications. Part II.
- Raju GB, Holmgren A, Forsling W*// *Univ Lulea, Dept Chem & Met Engr, S-97187 Lulea, Sweden
J Colloid Interface Sci 1997 193 (2) 215
 Adsorption of dextrin at mineral/water interface
- Rao MA, Okechukwu PE, Da Silva PMS, Oliveira JC// Cornell Univ Geneva, Dept Food Sci & Technol, New York, NY 14456, USA
Carbohydr Polym 1997 33 (4) 273
 Rheological behavior of heated starch dispersions in excess water: Role of starch granule
- Rath SK, Singh RP*// *Indian Inst Technol, Ctr Mat Sci, Kharagpur 721302, West Bengal, India
J Appl Polym Sci 1997 66 (9) 1721
 Flocculation characteristics of grafted and ungrafted starch, amylose, and amylopectin
- Rein H, Steffens KJ// Univ Bonn, Immenburg 4, D-53121 Bonn, Germany
Starch 1997 49 (9) 364
 Surface modification of water-insoluble drug particles with starch
- Reis RL, Cunha AM, Allan PS, Bevis MJ// Univ Oporto, Dept Engr Met, Rua Bragas, P-4099 Oporto, Portugal
Adv Polym Technol 1997 16 (4) 263
 Structure development and control of injection-molded hydroxylapatite-reinforced starch/EVOH composites
- Rindlav A, Hulleman SHD, Gatenholm P*// *Chalmers Univ Technol, Dept Polym Technol, S-41296 Goteborg, Sweden
Carbohydr Polym 1997 34 (1-2) 25
 Formation of starch films with varying crystallinity
- Ruffer H, Kremser U, Seekamp M// Univ Hannover, Inst Siedlungswasserwirtschaft & Abfalltech, Welfengarten 1, Hannover, Germany
Starch 1997 49 (9) 354
 Experiences with a reverse osmosis pilot plant for the concentration of potato tuber water in the potato starch industry
- Simkovic I, Francis BA, Reeves JB// Slovak Acad Sci, Inst Chem, Dubravska Cesta 9, Bratislava 84238, Slovakia
J Anal Appl Pyrol 1997 43 (2) 145
 Pyrolysis-gas chromatography/mass spectrometry analysis of starch-based ion-exchangers
- Simkovic I// Address as above.
Carbohydr Polym 1997 34 (1-2) 21
 Quaternization/cross linking of starch with choline chloride/epichlorohydrin
- Singh N, Cheryan M*// *Univ Illinois, Agr Bioproc Lab, 1302 West Penn Ave, Urbana, IL 61801, USA
J Membrane Sci 1997 135 (2) 195
 Fouling of a ceramic microfiltration membrane by corn starch hydrolysate
- Tamaki S, Teranishi K, Hisamatsu M, Yamada T*// *Mie Univ, Dept Food Sci, Tsu, Mie 514, Japan
Starch 1997 49 (10) 387
 Inner structure of potato starch granules
- Te Wierik GHP, Eissens AC, Bergsma J, Arend-Scholtz AW, Bolhuis GK*// *Univ Groningen, Groningen Inst Drug Studies, Dept Pharmaceut Tech & Biopharm, Ant Deusinglaan 1, NL-8713 AV Groningen, The Netherlands
Int J Pharm 1997 157 (2) 181
 A new generation starch product as excipient in pharmaceutical tablets. III. Parameters affecting controlled drug release from tablets based on high surface area retrograded pregelatinized potato starch
- Treib J, Haass A// Univ Saarland, Neurol Klin, Oscar Orth Str, D-66421 Homburg, Germany
Deut Med Wochenschr 1997 122 (43) 1319
 Rheological properties of hydroxyethyl starch (German)
- Tyrlik SK, Tomasik P*, Anderegg JW, Baczkoicz M// *Univ Agr, Dept Chem, Mickiewicz Ave, 21, PL-31120 Cracow, Poland
Carbohydr Polym 1997 34 (1-2) 1
 Titanium (IV) starch complexes
- Valles-Pamies B, Barclay F, Hill SE*, Mitchell JR, Paterson LA, Blanshard JMV// *Univ Nottingham, Fac Agr & Food Sci, Dept Appl Biochem & Food Sci, Sutton Bonington Campus, Loughborough LE12 5RD, England
Carbohydr Polym 1997 34 (1-2) 31
 The effects of low molecular weight additives on the viscosities of cassava starch
- Van Soest JGG, Hulleman SHD, Vlegenthart JFG// DLO, Agrotechnol Res

Inst, POB 17, NL-6700 AA Wageningen, The Netherlands

Zuckerindustrie 1997 **122** (10) 810

Influence of starch source on properties of "pure" starch plastics (News)

Veelaert S, De Wit D, Gotlieb KF, Verhe R// TO-DLO, Agrotechnol Res Inst, PO Box 17, NL-6700 AA Wageningen, The Netherlands

Carbohydr Polym 1997 **33** (2/3) 153

Chemical and physical transitions of periodate oxidized potato starch in water
Willett JL, Millard MM, Jasberg BK// USDA/ARS, Natl Ctr Agr Utilizat Res, Peoria, IL 61604, USA

Polymer 1997 **38** (24) 5983

Extrusion of waxy maize starch: Melt rheology and molecular weight degradation of amylopectin

Wing RE, Willett JL// USDA/ARS, Natl Ctr Agr Utilizat Res, 1815 Nth Univ St, Peoria, IL 61604, USA

Ind Crops Products 1997 **7** (1) 45

Water soluble oxidized starches by peroxide reactive extrusion

Woo K, Seib PA// Kansas State Univ, Dept Grain Sci & Ind, Shellenberger Hall, Manhattan, KS, USA

Carbohydr Polym 1997 **33** (4) 263

Cross-linking of wheat starch and hydroxypropylated wheat starch in alkaline slurry with sodium trimetaphosphate

Yanez-Farias GA, Moreno-Valencia JG, Falcon-Villa MD, Barron-Hoyos JM// Univ Sonora, Dept Invest & Postgrado Alimentos, AP 1658, Hermosillo 83000, Sonora, Mexico

Starch 1997 **49** (9) 341

Isolation and partial characterization of starches from dry beans (*Phaseolus vulgaris*) and chickpeas (*Cicer arietinum*), grown in Sonora, Mexico

Yin PM, Nishina N, Kosakai Y, Yahiro K, Park Y, Okabe M// *Shizuoka Univ, Biotechnol Lab, 836 Ohya, Shizuoka 422, Japan

J Ferment Bioeng 1997 **84** (3) 249

Enhanced production of L(+)-lactic acid from corn starch in a culture of *Rhizopus oryzae* using an air-lift bioreactor

10 STARCH-DEGRADING ENZYMES

Ariff AB, Asbi BA, Azubin MN, Kennedy JF// *Univ Birmingham, Sch Chem, Carbohydrate & Protein Technol Grp, Birmingham B15 2TT, England

Carbohydr Polym 1997 **33** (2/3) 101

Effect on mixing on enzymatic liquefaction of sago starch

Furuta H, Arai T, Hama H, Shiomi N, Kondo A, Fukuda H// *Kobe Univ, Div Mol Sci, 1-1 Rokkodai, Nada, Hyogo 657, Japan

J Ferment Bioeng 1997 **84** (2) 169

Production of glucoamylase by passively immobilized cells of a flocculent yeast *Saccharomyces diastaticus*

Gajjar L, Singh A, Dubey RS, Srivastava RC// *Banaras Hindu Univ, Dept Chem, Varansi 221005, Uttar Pradesh, India

Appl Biochem Biotech 1997 **66** (2) 159

Enzymic activity of whole cells entrapped in reversed micelles: Studies on α -amylase and invertase in the entrapped yeast cells

Hill GA, Macdonald DG, Lang X// Univ Saskatchewan, Dept Chem Engr, 110 Sci Pl, Saskatoon, Saskatchewan, Canada S7N 5C9

Biotechnol Lett 1997 **19** (11) 1139

α -Amylase inhibition and inactivation in barley malt during cold starch hydrolysis

Kang GJ, Kim MJ, Kim JW, Park KH// *Seoul Natl Univ, Dept Food Sci & Technol, Suwon 441744, South Korea

J Agr Food Chem 1997 **45** (10) 4168

Immobilization of thermostable maltogenic amylase from *Bacillus stearothermophilus* for continuous production of branched oligosaccharides

Kurakake M, Ueki M, Hashimoto S, Komaki T// Fukuyama Univ, Dept Food Sci & Technol, Sanzou, Fukuyama, Gakuenchou 1 banchi, Hiroshima 729-02, Japan

Carbohydr Polym 1997 **34** (1-2) 55

Adsorption of α -amylase on dextran immobilized on kieselguhr or chitin

Leloup L, Haddaoui EA, Chambert R, Petit-Glatron MF// *Univ Paris 07, Inst Jacques Monod, CNRS, Lab Genet & Membranes, Tour 43-2, Pl Jussieu, F-75251 Paris 05, France

Microbiology-UK 1997 **143** (10) 3295

Characterization of the rate-limiting step of the secretion of *Bacillus subtilis* α -amylase overproduced during the exponential phase of growth

Liu HS, Chen WH, Lai JT// Natl Taiwan Univ, Dept Chem Engr, Taipei 10764, Taiwan

Appl Biochem Biotech 1997 **66** (1) 57

Immobilization of isoamylase on carboxymethyl-cellulose and chitin

Ludikhuyze LR, Van den Broeck I, Weemaes CA, Herremans CH, Van Impe JF, Hendrickx ME*, Tobback PP// *Katholieke Univ Leuven, Dept Food & Microbial Technol, B-3001 Heverlee, Belgium

Biotechnol Progr 1997 **13** (5) 532

Kinetics for isobaric-isothermal inactivation of *Bacillus subtilis* α -amylase

Ludikhuyze LR, Van den Broeck I, Weemaes CA, Hendrickx ME// *Katholieke Univ Leuven, Dept Food & Microbial Technol, B-3001 Heverlee, Belgium

Biotechnol Progr 1997 **13** (5) 617

Kinetic parameters for pressure-temperature inactivation of *Bacillus subtilis* α -amylase under dynamic conditions

Ohnishi M, Mitsune T, Tabata M, Kubota M, Rokushika S// Univ Kyoto Prefecture, Dept Agr & Biol Chem, Sakyo Ward, Kyoto 606, Japan

Starch 1997 **49** (9) 360

An attempt to evaluate the subsite structure of cycloamylose glucanotransferase from *Bacillus stearothermophilus*: Based on its transfer reaction with substrate malto-oligosaccharides

Okolo BN, Ezeogu LI, Ugwuanyi KE// Univ Nigeria, Dept Microbiol, Brewing Sci Lab, Nsukka, Nigeria

J Inst Brew 1997 **103** (6) 371

Amylolysis of sorghum starch as influenced by cultivar, germination time and gelatinisation temperature

Sidhu GS, Sharma P, Chakrabarti T, Gupta JK// *Punjabi Univ, Dept Microbiol, Sector 39, Chandigarh 160014, India

Enzyme Microb Technol 1997 **21** (7) 525

Strain improvement for the production of a thermostable α -amylase

Sierks MR, Sico C, Zaw M// Univ Maryland, Dept Chem & Biochem Engr, 1000 Hilltop Circle, Baltimore, Md 21250, USA

Biotechnol Progr 1997 **13** (5) 601

Solvent and viscosity on the rate-limiting product release step of glucoamylase during maltose hydrolysis

Takata H, Takaha T, Nakamura N, Fujii K, Okada S, Takagi M, Imanaka T// Ezaki Glico Co Ltd, Biochem Res Lab, Nishiyodogawa ku, Osaka 555, Japan

J Ferment Bioeng 1997 **84** (2) 119

Production and some properties of a dextrin with a narrow size distribution by the cyclization reaction of branching enzyme

Torto N, Gorton L, Marko-Varga G, Emneus J, Akerberg C, Zacchi G, Laurell T// Lund Univ, Dept Analyt Chem, POB 124, S-22100 Lund, Sweden

Biotechnol Bioeng 1997 **56** (5) 546

Monitoring of enzymatic hydrolysis of starch by microdialysis sampling coupled on-line to anion exchange chromatography and integrated pulsed electrochemical detection using post-column switching

Wang WJ, Powell AD, Oates CG// *Nat Univ Singapore, Dept Biochem, 10 Kent Ridge Crescent, Singapore 0511, Rep Singapore

Carbohydr Polym 1997 **33** (2/3) 195

Effect of annealing on the hydrolysis of sago starch granules

Yebra MJ, Arroyo J*, Sanz P, Prieto JA// *CSIC, Inst Agroquim & Tecnol Alimentos, Mailbox 73, E-46100 Burjassot, Spain

Appl Biochem Biotechnol 1997 **68** (1-2) 113

Characterization of novel neopullulanase from *Bacillus polymyxa*

11 POLYSACCHARIDES - MICROBIAL

Bekers M, Ventina E, Laukevics J, Kaminska E, Upite D, Vigants A// Latvian State Univ, Inst Microbiol & Biotechnol, Kronvalda Blvd 4, LV-1586 Riga, Latvia

Acta Biotechnol 1997 **17** (3) 265

Levan production by *Zymomonas mobilis* cells attached to plaited spheres

Bouzar F, Cerning J, Desmazeaud M// INRA, Unite Rech Laitieres, F-78352 Jouy-en-Josas, France

J Dairy Sci 1997 **80** (10) 2310

Exopolysaccharide production and texture-promoting abilities of mixed-strain starter cultures in yoghurt production

Cascone MG, Polacco G, Lazzeri L, Barbani N// Univ Pisa, Dept Chem Engr, Via Diotisalvi 2, I-56126 Pisa, Italy

J Appl Polym Sci 1997 **66** (11) 2089

Dextran/poly(acrylic acid) mixtures as miscible blends

Chen CS, Lee CK, Tsai YJ// Natl Taiwan Inst Technol, Dept Chem Engr, 43 Keelung Rd, Sect 4, Taipei 106, Taiwan

Colloid Polym Sci 1997 **275** (9) 841

Dextran stabilized poly(methyl methacrylate) latex particles and their potential application for affinity purification of lectins

Christov LP, Prior BA// Sappi Management Serv, Box 3252, ZA-1560 Springs, Rep Sth Africa

Biotechnol Progr 1997 **13** (5) 695

Bleaching responses of sulfite pulps to pretreatment with xylanases

Deme B, Lee LT// *CENS, CEA, CNRS, Lab Leon Brillouin, F-91191 Gif sur Yvette, France

J Phys Chem B 1997 **101** (41) 8250

Adsorption of a hydrophobically modified polysaccharide at the air-water interface: Kinetics and structure

Duenas-Chasco HT, Rodriguez-Carvajal MA, Mateo PT, Franco-Rodriguez G, Espartero JL, Irastorza-Iribas A, Gil-Serrano AM// *Univ Sevilla, Dept Quim Organ, AC 553, E-41071 Seville, Spain
Carbohydr Res 1997 **303** (4) 453

Structural analysis of the exopolysaccharide produced by *Pedococcus damnosus* 2.6

El-Shafei HA// Natl Res Ctr, Microbial Chem Lab, Dokki, Cairo, Egypt

Polym Degrad Stab 1997 **57** (2) 151

Influence of L-sorbose and the cell-wall-lytic *Micrococcus* sp. on the major polymers of *Aspergillus fumigatus*

Fardeau ML, Ollivier B*, Patel BKC, Magot M, Thomas P, Rimbault A, Rochiccioli F, Garcia JL// *Univ Aix Marseille 1, CESB ESIL, Lab Microbiol Anaerobies, ORSTOM, Case 925, 163 Ave Luminy, F-13288 Marseille 9, France

Int J Syst Bact 1997 **47** (4) 1013

Thermotoga hypogea sp. nov., a xylanolytic, thermophilic bacterium from an oil-producing well

Farres J, Caminal G, Lopez-Santin J*// *Univ Autonoma Barcelona, Dept Engrn Quim, E-08193 Bellaterra, Spain

Appl Microbiol Biotechnol 1997 **48** (4) 522

Influence of phosphate on rhamnose-containing exopolysaccharide rheology and production by *Klebsiella* 1-714

Fischer D, Schlosser UG, Pohl P*// *Christian Albrechts Univ Kiel, Pharmazeut Inst, Abt Pharmazeut Biol, Gutenbergstr 76-78, D-24118 Kiel, Germany

J Appl Phycol 1997 **9** (3) 205

Exopolysaccharide production by cyanobacteria grown in closed photobioreactors and immobilized using white cotton towelling

Frank BP, Belfort G*// *Rensselaer Polytech Inst, Isermann Dept Chem Engrn, Troy, NY 12180, USA

Langmuir 1997 **13** (23) 6234

Intermolecular forces between extracellular polysaccharides measured using the atomic force microscope

Gawronski M, Donkai N, Fukuda T, Miyamoto T, Conrad H, Springer T// Kyoto Univ, Inst Chem Res, Uji 611, Japan

Macromolecules 1997 **30** (22) 6994

Triple helix of the polysaccharide cinerean in aqueous solution

Grobbe GJ, Van Casteren WHM, Schols HA, Oosterveld A, Sala G, Smith MR, Sikkema J, De Bont JAM// Agr Univ Wageningen, Div Ind Microbiol, POB 8129, NL-6700 EV Wageningen, The Netherlands

Appl Microbiol Biotechnol 1997 **48** (4) 516

Analysis of the exopolysaccharide produced by *Lactobacillus delbrueckii* subsp. *bulgaricus* NCFB 2772 grown in continuous culture on glucose and fructose

Gupte MD, Kamat MY// Univ Mumbai, Dept Chem Technol, Food & Fermentat Technol Div, Mumbai 400019, India

Folia Microbiol Prague 1997 **42** (6) 621

Isolation of wild *Xanthomonas* strains from agricultural produce, their characterization and potential related to polysaccharide production

Harnau L, Winkler RG, Reineker P// Univ Ulm, Theoret Phys Abt, D-89069 Ulm, Germany

Macromolecules 1997 **30** (22) 6974

Remarks on the interpretation of dynamic light scattering from gellan in dilute solution

Kadowaki MK, Souza CGM, Simao RCG, Peralta RM*// *Univ Estadual Maringa, Dept Bioquim, BR-87020-900 Maringa, Parana, Brazil

Appl Biochem Biotech 1997 **66** (2) 97

Xylanase production by *Aspergillus tamarii*

Kumae T, Saburi Y, Nasu M// Inst Publ Hlth, Dept Ind Hlth, Minato ku, 4-6-1 Shirokanedai, Tokyo 108, Japan

Biotherapy 1997 **10** (2) 121

In vivo and *in vitro* effects of sizofiran on the human neutrophils and the serum opsonic activity

Leao AMAC, Buchi DF, Iacomini M*, Gorin PAJ, Oliveira MBM// *Univ Fed Parana, Dept Bioquim, POB 19046, BR-81531-990 Curitiba, Parana, Brazil

J Submicrosc Cytol Pathol 1997 **29** (4) 503

Cytotoxic effect against HeLa cells of polysaccharides from the lichen *Ramalina celastri*

Li YX, Nothnagel J, Kissel T// Univ Marburg, Dept Pharmaceut & Biopharm, Ketzerbach 63, D-35032 Marburg, Germany

Polymer 1997 **38** (25) 6197

Biodegradable brush-like graft polymers from poly(D,L-lactide) or poly(D,L-lactide-co-glycolide) and charge-modified, hydrophilic dextrans as backbone: Synthesis characterization and *in vitro* degradation properties

Liu SX, Chen Y, Zhou M, Wan J// First Military Med Univ, Res Lab Free Rad Med, Guang Zhou 510515, Peoples Rep China

Med Sci Res 1997 **25** (8) 507

Protective effect of the polysaccharide krestin on inhibition of lipopolysaccharide-induced nitric oxide production in macrophages caused by oxidised low-density lipoprotein

Murata J, Nagae H, Ohya Y, Ouchi T// Kansai Univ, Dept Appl Chem, Suita, Osaka 564, Japan

J Biomater Sci-Polym Ed 1997 **8** (12) 931

Design of macromolecular biological response modifier by immobilizing of D-glucose analogue of muramyl dipeptide on carboxymethyl-dextran having mannose branches

Niemetz R, Karcher U, Kandler O, Tindall BJ, Konig H// Univ Ulm, D-89069 Ulm, Germany

Eur J Biochem 1997 **249** (3) 905

The cell wall polymer of the extremely halophilic archaeon *Natronococcus occultus*

Novik GI, Astapovich NI, Samartsev AA, Ryabaya NE// Belarussian Acad Sci, Inst Microbiol, Minsk, Byelarus

Microbiology-Engl Tr 1997 **66** (5) 519

Isolation and characterization of the extracellular protein-polysaccharide complex of *Bifidobacterium adolescentis*

Novik GI, Astapovich NI, Ryabaya NE, Bogdan AS// Address as above.

Microbiology-Engl Tr 1997 **66** (5) 525

Biological activity of the extracellular protein-polysaccharide complex of *Bifidobacterium adolescentis*

Pavlov GM, Yevlampieva NP, Korneeva EV// St Petersburg State Univ, Inst Phys, Ulianovskaja St 1, St Petersburg 198904, Russia

Polymer 1998 **39** (1) 235

Flow birefringence of pullulan molecules in solutions

Pena C, Campos N, Galindo E*// *Univ Nacl Autonoma Mexico, Dept Bioingn, AP 510-3, Cuernavaca 62250, Morelos, Mexico

Appl Microbiol Biotechnol 1997 **48** (4) 510

Changes in alginate molecular mass distributions, broth viscosity and morphology of *Azotobacter vinelandii* cultured in shake flasks

Percheron F// Address not available.

Bull Acad Natl Med 1997 **181** (6) 1237

Authorization requested to use xylanase from *Trichoderma longibrachiatum* in wheat starch processing (French, English Abstract)

Pollock TJ, Mikolajczak M, Yamazaki M, Thorne L, Armentrout RW// Shin Etsu Bio Inc, 6650 Lusk Blvd, San Diego, CA 92121, USA

J Ind Microbiol Biotechnol 1997 **19** (2) 92

Production of xanthan gum by *Sphingomonas* bacteria carrying genes from *Xanthomonas campestris*

Raguenes G, Christen R, Guezennec J, Pignet P, Barbier G// Inst Francais Rech Exploitat Mer, Ctr Brest, DRV VP CMM, BP 70, F-29280 Plouzane, France

Int J Syst Bact 1997 **47** (4) 989

Vibrio diabolicus sp. nov., a new polysaccharide-secreting organism isolated from a deep-sea hydrothermal vent polychaete annelid, *Alvinella pompejana*

Renn DW// Creative Solutions, 4 Brewster Point, Glen Cove, Me 04846, USA

Carbohydr Polym 1997 **33** (4) 219

Purified curdlan and its hydroxyalkyl derivatives: Preparation, properties and applications

Saito K, Goto H, Yokota A, Tomita F*// *Hokkaido Univ, Dept Biosci & Chem, Sapporo, Hokkaido 060, Japan

Biosci Biotechnol Biochem 1997 **61** (10) 1705

Purification of levan fructotransferase from *Arthrobacter nicotinovorans* GS-9 and production of DFA IV from levan by the enzyme

Sanchez-Chaves M, Rodriguez JL, Arranz F// CSIC, Inst Ciencia & Tecnol Polimeros, Juan Cierva 3, E-28006 Madrid, Spain

Macromol Chem Phys 1997 **198** (11) 3465

Synthesis and controlled release behaviour of dextran bioactive esters by direct reaction of dextran with the potassium salts of bioactive carboxylic acids

Sawabe T, Ohtsuka M, Ezura Y// Hokkaido Univ, Dept Food Sci & Technol, 3-1-1 Minato cho, Hakodate, Hokkaido 041, Japan

Carbohydr Res 1997 **304** (1) 69

Novel alginate lyases from marine bacterium *Alteromonas* sp. strain H-4

Shashkov AS, Senchenkova SN, Nazarenko EL, Zubkov VA, Gorshkova NM,

- Knirel YA, Gorshkova RP// Zelinskii Inst Organ Chem, Moscow 117913, Russia
Carbohydr Res 1997 **303** (3) 333
 Structure of a phosphorylated polysaccharide from *Shewanella putrefaciens* strain S29
- Shimada A, Nakata H, Nakamura I// Univ Tsukuba, Inst Appl Biochem, Ibaraki, Osaka 305, Japan
J Ferment Bioeng 1997 **84** (2) 113
 Acidic exopolysaccharide produced by *Enterobacter* sp.
- Uraz I, Guner A// Hacettepe Univ, Chem Dept, Beytepe, TR-06532 Ankara, Turkey
Carbohydr Polym 1997 **34** (3) 127
 Comparison of molecular association of dextran and periodate-oxidized dextran in aqueous solutions
- Van Dijk-Wolthuis WNE, Tsang SKY, Kettenes-van den Bosch JJ, Hennink WE*// *Univ Utrecht, Fac Pharm, Dept Pharmaceut, Utrecht Inst Pharmaceut Sci, POB 80 082, NL-3508 TB Utrecht, The Netherlands
Polymer 1997 **38** (25) 6235
 A new class of polymerizable dextrans with hydrolyzable groups: Hydroxyethyl methacrylated dextran with and without oligolactate spacer
- Weiner RM// Univ Maryland, Dept Microbiol, College Park, Md 20742, USA
Trends Biotech 1997 **15** (10) 390
 Biopolymers from marine prokaryotes
- Wessels MR// Brigham & Women's Hosp, Channing Lab, 181 Longwood Ave, Boston, Ma 02115, USA
J Appl Microbiol 1997 **83** S20
 Biology of streptococcal capsular polysaccharides
- Zevenhuizen LPTM// Schuurhoven 11, NL-6721 SM Bennekom, The Netherlands
Carbohydr Polym 1997 **33** (2/3) 139
 Succinoglycan and galactoglycan
- Montreal, Quebec, Canada H3A 2A7
Appl Biochem Biotech 1997 **67** (3) 215
 Alginate properties and heavy metal biosorption by marine algae
- Garcia RB, Andrade CT*// *UFRJ, Inst Macromol, PO Box 68525, BR-21945-970 Rio de Janeiro, Brazil
Carbohydr Polym 1997 **34** (3) 157
 Evidence of interaction between agarose and guar gum from changes in network response to solvent perturbation
- Gomez C, Navarro A, Garnier C, Horta A, Carbonell JV// INVESECEMA, PO Box 73, E-46100 Burjassot, Valencia, Spain
Carbohydr Polym 1997 **34** (3) 141
 Physical and structural properties of barley (1→3),(1→4)-β-D-glucan. III. Formation of aggregates analysed through its viscoelastic and flow behaviour
- Ipsen R// Royal Vet & Agr Univ, Dept Food & Dairy Sci, Rolighedsvej 30, DK-1958 Frederiksberg C, Denmark
J Texture Stud 1997 **28** (4) 405
 Uniaxial compression of gels made from protein and κ-carrageenan
- Joosten PHM, Tiemersma E, Threels A, Caumartin-Dhieux C, Rombout JHWM*// *Wageningen Univ Agr, Cell Biol & Immunol Grp, Wageningen Inst Anim Sci, POB 338, NL-6700 AH Wageningen, The Netherlands
Fish Shellfish Immunol 1997 **7** (7) 471
 Oral vaccination of fish against *Vibrio anguillarum* using alginate microparticles
- Kailasapathy K, Singh N, Cheryan M// Univ Western Sydney, Ctr Adv Food Res, Richmond NSW 2753, Australia
Milchwissenschaft 1997 **52** (9) 491
 Carrageenan-thickened milk base by ultrafiltration
- Kohyama K, Nishinari K// Natl Food Res Inst, Div Food Sci, 2-1-2 Kannon-dai, Tsukuba, Ibaraki 305, Japan
Jpn Agr Res Quart 1997 **31** (4) 301
 New application of konjac glucomannan as a texture modifier
- Kolender AA, Pujol CA, Damonte EB, Matulewicz MC, Cerezo AS*// *Univ Buenos Aires, CONICET, CIHIDECAR, Dept Quim Organ, Pabellon 2, RA-1428 Buenos Aires, DF, Argentina
Carbohydr Res 1997 **304** (1) 53
 The system of sulfated α-(1→3)-linked D-mannans from the red seaweed *Notogonia fastigiata*: Structures, antihyperlipidemic and anticoagulant properties
- Lee JP, Lee KH*, Song HK*// *Pohang Univ Sci & Technol, Dept Chem Engr, Nam ku, San 31, Pohang 790784, Kyungbuk, South Korea
J Mater Sci 1997 **32** (21) 5825
 Manufacture of biodegradable packaging foams from agar by freeze-drying
- Liu S, Zhong JJ*// *China Univ Sci & Tech, Key Lab Bioreactor Engr, Biochem Engr Res Inst, 130 Meilong Rd, Shanghai 200237, Peoples Rep China
Enzyme Microb Technol 1997 **21** (7) 518
 Simultaneous production of ginseng saponin and polysaccharide by suspension cultures of *Panax ginseng*: Nitrogen effects
- Losso DN, Nakai S// Univ British Columbia, Dept Food Sci, 6650 NW Marine Dr, Vancouver, Brit Columbia, Canada V6T 1Z4
J Agr Food Chem 1997 **45** (11) 4342
 Molecular size of garlic fructooligosaccharides and fructopolysaccharides by matrix-assisted laser desorption/ionization mass spectrometry
- Ocio MJ, Fiszman SM, Gasque F, Rodrigo M, Martinez A// CSIC, Ctr Edafol & Biol Aplicada Segura, AC 4195, E-30080 Murcia, Spain
Food Hydrocolloid 1997 **11** (4) 423
 Development of a restructured alginate food particle suitable for high temperature short time process validation
- Onunkwo GC, Adikwu MU// Univ Nigeria, Fac Pharm Sci, Nsukka, Nigeria
STP Pharma Sciences 1997 **7** (4) 320
 Stability of veegum/*Mucuna* gum emulsions
- Percheron F// Address not available.
Bull Acad Natl Med 1997 **181** (4) 725
 Authorization requested to use maltitol syrup with high hydrogenated polysaccharide content (French)
- Rath RK, Subramanian S*, Laskowski JS// *Indian Inst Sci, Dept Met, Bangalore 560012, India
Langmuir 1997 **13** (23) 6260
 Adsorption of dextran and guar gum onto talc. A comparative study
- Schorsch C, Garnier C, Doublier JL*// INRA, Lab Physicochim Macromol, rue Geraudiere, BP 71627, F-44316 Nantes 03, France
Carbohydr Polym 1997 **34** (3) 165
 Viscoelastic properties of xanthan/galactomannan mixtures: Comparison of guar gum with locust bean gum
- Schwarzlos M, Blochwitz R, Senge B// TU Berlin, Fachbereich Lebensmittelwiss & Biotech, Fachgebiet Lebensmitteltech, D-13353 Berlin, Germany
- Baba T, Itasaka Y, Kodama H, Mukamoto M, Tsuji S// Kagoshima Univ, Dept Vet Publ Hlth, Korimoto 1, Kagoshima 890, Japan
J Vet Med B-ZBL Vet B-Infect 1997 **44** (8) 485
 Immunopotentiating activities of polysaccharide fraction from pine seed shell extract
- Baweja JM, Misra AN*// *Maharaja Sayajirao Univ, Dept Pharm, POB 51, Kalabhavan Baroda 390001, Gujarat, India
Pharmazie 1997 **52** (11) 856
 Modified guar gum as a tablet disintegrant
- Ben-Zion O, Nussinovitch A*// *Hebrew Univ Jerusalem, Inst Biochem Food Sci & Nutr, POB 12, IL-76100 Rehovot, Israel
Food Hydrocolloid 1997 **11** (4) 373
 Adhesion-strength characteristics of double-layered agar-galactomannan mixed gels
- Benhura MAN, Mavhudzi-Nyambayo I// Univ Zimbabwe, Dept Biochem, PO Box MP 167, Mount Pleasant, Harare, Zimbabwe
Carbohydr Polym 1997 **34** (1-2) 67
 Some properties of ruredzo (*Dicerocaryum zanguebarium*) mucilage cross-linked with epichlorohydrin
- Davies MJ, Smethurst DE, Howard KM, Todd M, Higgins LM, Bruce IJ// Univ Greenwich, Dept Chem & Life Sci, Wellington St, London SE18 6PF, England
Appl Biochem Biotechnol 1997 **68** (1-2) 95
 Improved manufacture and application of an agarose magnetizable solid-phase support
- Dickinson E, Pawlowsky K// Univ Leeds, Procter Dept Food Sci, Leeds LS2 9JT, England
J Agr Food Chem 1997 **45** (10) 3799
 Effect of L-carrageenan on flocculation, creaming, and rheology of a protein-stabilized emulsion
- Dronnet VM, Renard CMGC, Axelos MAV, Thibault JF*// *INRA, Ctr Rech Agro-Aliment, rue Geraudiere, BP 71627, F-44316 Nantes, France
Carbohydr Polym 1997 **34** (1-2) 73
 Binding of divalent metal cations by sugar-beet pulp
- Eder K, Jamroz D, Kirchgessner M// Tech Univ Munchen Weihenstephan, Inst Ernährungsphysiol, D-85350 Freising Weihenstephan, Germany
Agribiol Res 1997 **50** (2) 175
 Determination of sugars from non-starch polysaccharides as their aldononitrile acetates by gas chromatography (German, English Abstract)
- Fourast E, Volesky B*// *McGill Univ, Dept Chem Engr, 3480 Univ St,

Nahrung 1997 **41** (5) 274

Rheological examination of the sol-gel transition of agar-agar

Seifert DB, Phillips JA*// *Lehigh Univ, Bioproc Inst, Bethlehem, Pa 18052, USA

Biotechnol Progr 1997 **13** (5) 562

Production of small, monodispersed alginate beads for cell immobilization

Shanthi C, Rao KP*// *Cent Leather Res Inst, Biomat Div, Madras 600020, India

J Biomater Sci-Polym Ed 1997 **8** (12) 919

New treatments using alginate in order to reduce the calcification of bovine bioprosthetic heart valve tissue

Singh V, Mishra UC, Khare GC, Gupta PC// Univ Allahabad, Dept Chem, Allahabad 211 002, India

Carbohydr Polym 1997 **33** (2/3) 203

A neutral seed gum from *Abutilon indicum*

Stortz CA, Cases MR, Cerezo AS*// *Univ Buenos Aires, Dept Quim Organica, Pabellon 2, RA-1428 Buenos Aires, Argentina

Carbohydr Polym 1997 **34** (1-2) 61

The system of agaroids and carrageenans from the soluble fraction of the tetrasporic stage of the red seaweed *Iridaea undulosa*

Subramanian A, Kannan L, Pugalandhi T, Muruganatham A// Annamalai Univ, Ctr Adv Study Marine Biol, Porto Novo 608502, India

Curr Sci 1997 **73** (7) 566

Heparin from seaweeds (Letter)

Wang Q, Ellis PR, Ross-Murphy SB*, Burchard W// *KCL, Biopolym Grp, Campden Hill Rd, London W8 7AH, England

Carbohydr Polym 1997 **33** (2/3) 115

Solution characteristics of the xyloglucan extracted from *Detarium senegalense* Gmelin

Yeom CK, Lee KH// Korea Res Inst Chem Technol, App Chem & Engrn Div, Chem Engrn Ctr, POB 107, Taejeon 305606, South Korea

J Membrane Sci 1997 **135** (2) 225

Vapor permeation of ethanol-water mixtures using sodium alginate membranes with crosslinking gradient structure

13 POLYSACCHARIDES - OTHER

Abatangelo G, Barbucci R*, Brun P, Lamponi S// *Univ Siena, CRISMA, Via Ettore Bastianini 12, I-53100 Siena, Italy

Biomaterials 1997 **18** (21) 1411

Biocompatibility and enzymatic degradation studies on sulphated hyaluronic acid derivatives

Aoi K, Tsutsumiuchi K, Okada M*// *Nagoya Univ, Dept Appl Biol Sci, Chikusa ku, Nagoya, Aichi 46401, Japan

Kobunshi Ronbunshu 1997 **54** (10) 649

Architectural control of carbohydrate macromolecules based on sugar balls and living glucopeptides (Japanese, English Abstract)

Chassaing C, Thienpont A, Soulard MH, Felix G*// *ENSCP, Ave Pey Berland, BP 108, F-33402 Talence, France

J Chromatogr A 1997 **786** (1) 13

Regioselectively carbamoylated polysaccharides for the separation of enantiomers in high-performance liquid chromatography

Danishefsky SJ, Hu S, Cirillo PF, Eckhardt M, Seeberger PH// Sloan Kettering Inst Canc Res, Bioorgan Chem Lab, 1275 York Ave, New York, NY 10021, USA

Chem-Eur J 1997 **3** (10) 1617

A highly convergent total synthetic route to glycopeptides carrying a high-mannose core pentasaccharide domain N-linked to a natural peptide motif

Fiessinger JN// Hop Broussais, Serv Med Vasc, 96 rue Didot, F-75674 Paris 14, France

Bull Acad Natl Med 1997 **181** (5) 875

Low molecular weight heparins in the treatment of deep venous thrombosis. Progress and future (French, English Abstract)

Gaus K, Hall EAH*// *Univ Cambridge, Inst Biotechnol, Tennis Court Rd, Cambridge CB2 1QT, England

J Colloid Interface Sci 1997 **194** (2) 364

Evaluation of surface plasmon resonance (SPR) for heparin assay. I. Protamine as a heparin affinity surface

Gaus K, Hall EAH*// *Address as above.

J Colloid Interface Sci 1997 **194** (2) 373

Evaluation of surface plasmon resonance (SPR) for heparin assay. II. Polyethylene imine (PEI) as an affinity surface

Guo ZW, Nakahara Y, Nakahara T, Ogawa T// RIKEN, Inst Phys & Chem Res, 2-1 Hirosawa, Wako, Saitama 35101, Japan

Bioorgan Med Chem 1997 **5** (10) 1917

Solid-phase synthesis of CD52 glycopeptide and an efficient route to Asn-core pentasaccharide conjugate

Ichida A// Daicel Chem Ind Ltd, Res Ctr, Aboshi ku, 1239 Shinzaike, Himeji, Hyogo 67112, Japan

Bunseki Kagaku 1997 **46** (8) 613

Liquid chromatographic resolution: Development and characteristics of the chiral stationary phases consist of polysaccharide derivatives and application to large-scale separation (Japanese, English Abstract)

Kanno KI, Minamisawa T, Hatanaka K*// *Tokyo Inst Technol, Dept Biomol Engrn, Miduri ku, 4259 Nagatsuta cho, Yokohama, Kanagawa 226, Japan

Polym J 1997 **29** (9) 773

Synthesis of glycosaminoglycan-like copolysaccharide derivative. The system of anhydroglucosamine monomer and carboxyl-containing monomer has a tendency to alternate

Kinoshita A, Yamada S, Haslam SM, Morris HR, Dell A, Sugahara K*// *Kobe Pharm Univ, Dept Biochem, Higashinada ku, Kobe, Hyogo 658, Japan

J Biol Chem 1997 **272** (32) 19656

Novel tetrasaccharides isolated from squid cartilage chondroitin sulfate E contain unusual sulfated disaccharide units GlcA(3-O-sulfate)β1→3GalNAc(6-O-sulfate) or GlcA(3-O-sulfate)β1→3GalNAc(4,6, O-disulfate)

Kobayashi K, Kondo T// Nagoya Univ, Grad Sch Engrn, Nagoya, Aichi 46401, Japan

Macromolecules 1997 **30** (21) 6531

Synthesis of a regiospecifically fluorinated polysaccharide 3-deoxy-3-fluoro-(1→6)-α-D-glucopyranan via ring-opening polymerization

Kobayashi S, Shoda SI, Wen X, Okamoto E, Kiyosada T// Tohoku Univ, Grad Sch Engrn, Dept Mat Chem, Sendai, Miyagi 98077, Japan

J Macromol Sci Pure Appl Chem 1997 **A34** (10) 2135

Choroselective enzymatic polymerization for synthesis of natural polysaccharides

Medvedovici A, Sandra P*, Toribio L, David F// *State Univ Ghent, Dept Organ Chem, Organ Synth Lab, Krijgslaan 281, B-9000 Ghent, Belgium

J Chromatogr A 1997 **785** (1-2) 159

Chiral packed column subcritical fluid chromatography on polysaccharide and macrocyclic antibiotic chiral stationary phases

Praest BM, Greiling H, Kock R*// *Univ Technol Aachen, Inst Clin Chem & Pathobiochem, Pauwelsstr 30, D-52057 Aachen, Germany

Carbohydr Res 1997 **303** (2) 153

Effects of oxygen-derived free radicals on the molecular weight and the polydispersity of hyaluronan solutions

Price KN, Tuinman A, Baker DC*, Chisena C, Cysyk RL// *Univ Tennessee, Dept Chem, Knoxville, Tn 37996, USA

Carbohydr Res 1997 **303** (3) 303

Isolation and characterization by electrospray-ionization mass spectrometry and high-performance anion-exchange chromatography of oligosaccharides derived from hyaluronic acid by hyaluronate lyase digestion: Observation of some heretofore unobserved oligosaccharides that contain an odd number of units

Sano Y, Nat Food Res Inst, Kannondai 2-1-2, Ibaraki-ken 305// Nat Food Res Inst, Kannondai 2-1-2, Ibaraki-ken, Tsukuba City 305, Japan

Carbohydr Polym 1997 **33** (2/3) 125

Antiviral activity of chondroitin sulfate against infection by tobacco mosaic virus

Sorvari S, Toldi O, Ahanen K, Viinamaki T, Hakonen T, Tahvonen R// Inst Hort, Agr Res Ctr, Toivonlinnantie 518, FIN-21500 Piikkio, Finland

J Amer Soc Hort Sci 1997 **122** (6) 878

Using polysaccharides and galactomannans as gelling agents in capsule formation of artificial seeds

Tomihata K, Ikada Y*// *Kyoto Univ, Biomed Engrn Res Ctr, Sakyo ku, 53 Kawahara cho, Kyoto 606, Japan

J Biomed Mater Res 1997 **37** (2) 243

Crosslinking of hyaluronic acid with water-soluble carbodiimide

Tomihata K, Ikada Y*// *Address as above.

J Polym Sci A-Polym Chem 1997 **35** (16) 3553

Crosslinking of hyaluronic acid with glutaraldehyde

Unverzagt C// Univ Munich, Inst Organ Chem, Karlstr 23, D-80333 Munich, Germany

Angew Chem Int Ed 1997 **36** (18) 1989

A modular system for the synthesis of complex N-glycans

Zhou WJ, Wilson ME, Kurth MJ*, Hsieh YL, Krochta JM, Shoemaker CF// *Univ Calif, Dept Chem, Davis, Ca 95616, USA

Macromolecules 1997 **30** (23) 7063

Synthesis and properties of a novel water-soluble lactose-containing polymer and its cross-linked hydrogel