

Bibliography of carbohydrate polymers

(7 weeks journals. Search completed at 6th May 1998)

1 Books, reviews & symposia

- Contreras-Esquivel JC, Hours RA, Aguilar CN, Reyes-Vega ML, Romero J// Univ Autonoma Coahuila, Dept Invest Alimentos, Coahuila, Mexico
Arch Latinoamer Nutr 1997 **47** (3) 208
- Microbial and enzymatic extraction of pectin: A review (Spanish, English Abstract)
- Haines J, Patel PD// *Leatherhead Food Res Assoc, Rapid Methods Sect, Randalls Rd, Leatherhead KT23 4HW, England
Trends Food Sci Technol 1997 **8** (12) 395
- Antibody- and lectin-based assays for the rapid analysis of food-grade gums and thickeners
- Morris VJ, Wilde PJ// AFRC Inst Food Res, Food Biophys Dept, Norwich Res Pk, Norwich NR4 7UA, England
Curr Opin Colloid Interface Sci 1997 **2** (6) 567
- Interactions of food biopolymers
- Oates CG// Natl Univ Singapore, Dept Biochem, 10 Kent Ridge Crescent, SG-119260 Singapore, Singapore
Trends Food Sci Technol 1997 **8** (11) 375
- Towards an understanding of starch granule structure and hydrolysis (Review)
- Ross-Murphy SB, Wang Q, Ellis PR// KCL, Div Life Sci, Biopolymers Group, Campden Hill Rd, London W8 7AH, England
Macromol Symposia 1998 **127** 13
- Structure and mechanical properties of polysaccharides
- Wang TL, Bogracheva TY, Hedley CL// John Innes Ctr Plant Sci Res, Norwich Res Park, Norwich NR4 7UH, England
J Exp Bot 1998 **49** (320) 481
- Starch: As simple as A, B, C? (Review article)

2 Cellulose

- Amash A, Zugenmaier P// Tech Univ Clausthal, Inst Phys Chem, Arnold Sommerfeld Str 4, DE-38678 Clausthal Zellerfeld, Germany
Polym Bull 1998 **40** (2-3) 251
- Study on cellulose and xylan filled polypropylene composites
- Aoki S, Ito Y, Danjo K, Sunada H// Taisho Pharmaceut Co Ltd, OTC Res Lab, 1-403 Yoshino cho, Omiya, Saitama 330, Japan
Yakugaku Zasshi-J Pharm Soc J 1998 **118** (2) 72
- Controlled release dosage form of ibuprofen which was layered with ethylcellulose binder
- Bykanov NV, Ulitin MV, Krasukhin VO, Prusov AN// Ivanovo Chem Technol Inst, Ivanovo, Russia
Zh Fiz Khim 1998 **72** (1) 107
- Heats of interaction of individual and binary solvents with the surface of a cellulose fiber (Russian)
- Cerdeira AM, Goucha P, Almeida AJ// *Univ Nova Lisboa, Unidade Ciencias & Tecnol Farmaceut, Avda Forcas Armadas, PT-1600 Lisbon, Portugal
Int J Pharm 1998 **164** (1-2) 147
- Hydroxypropyl methylcellulose phthalate beads containing a model non-steroid anti-inflammatory drug
- Chatlapalli R, Rohera BD// *St Johns Univ, Coll Pharm & Allied Hlth Profess, 8000 Utopia Pkwy, New York, NY 11439, USA
Int J Pharm 1998 **161** (2) 179
- Physical characterization of HPMC and HEC and investigation of their use as pelletization aids
- Chauvelon G, Renard CMGC, Saulnier L, Buleon A, Thibault JF*, Benhaddou

- R, Granet R, Krausz P// *INRA, Ctr Rech Agroalimentaire, BP 71627, FR-44316 Nantes 3, France
J Appl Polym Sci 1998 **68** (2) 331
- Preliminary study of formation of films from cellulose-enriched agricultural by-products
- Chellapandian M, Velan M// Anna Univ, Dept Chem Engr, IN-600025 Madras, India
Acta Aliment 1998 **27** (1) 13
- Epichlorohydrin activated cellulose beads for the immobilization of alkaline protease
- Delgado AV, Gonzalez-Caballero F*, Arroyo FI, Carrique F, Dukhin SS, Razilov IA// *Univ Granada, Fac Sci, Dept Appl Phys, ES-18071 Granada, Spain
Colloid Surface A 1998 **13** (1-3) 95
- Low frequency dielectric dispersion in ethylcellulose latex. Effect of pH and ionic strength
- Erbil HY// Tubitak, Marmara Res Ctr, Dept Chem, POB 21, Gebze, Kocaeli, Turkey
Turk J Chem 1997 **21** (4) 332
- Calculation of spreading pressure of water on cellulosic films from contact angle data
- Godinho MH, Martins AF, Figueirinhas JL// *Univ Lisbon, CFMC, Avda Prof Gama Pinto 2, PT-1699 Lisbon, Portugal
Opt Mater 1998 **9** (1-4) 226
- Composite systems for display applications from cellulose elastomers and nematic liquid crystals
- Gregg DJ, Boussaid A, Saddler JN// *Univ British Columbia, Fac Forestry, Forest Prod Biotechnol, Vancouver, Brit Columbia, Canada
Bioresource Technol 1998 **63** (1) 7
- Techno-economic evaluations of a generic wood-to-ethanol process: Effect of increased cellulose yields and enzyme recycle
- Hamad WY// UMIST, Fibre Sci & Technol Ctr, POB 88, Sackville St, Manchester M60 1QD, Lancs, England
J Mater Sci Lett 1998 **17** (5) 433
- On the mechanisms of cumulative damage and fracture in native cellulose fibres
- Hayashi N, Sugiyama J, Okano T, Ishihara M// Forestry Forest Prod Res Inst, POB 16, Tsukuba Norin Kenkyu Danchi-Nai, Ibaraki, Osaka 305, Japan
Carbohydr Res 1997 **305** (2) 261
- The enzymatic susceptibility of cellulose microfibrils of the algal-bacterial type and the cotton-ramie type
- Hongladarom K, Burghardt WR// *Northwestern Univ, Dept Chem Engr, Evanston, IL 60208, USA
Rheol Acta 1998 **37** (1) 46
- Molecular orientation, "region I" shear thinning and the cholesteric phase in aqueous hydroxypropylcellulose under shear
- Huang MR, Li XG// *Tongji Univ, Dept Polymer Mat Sci & Engr, 1239 Siping Rd, CN-200092 Shanghai, Peoples Rep China
J Appl Polym Sci 1998 **68** (2) 293
- Thermal degradation of cellulose and cellulose esters
- Inghelbrecht S, Remon JP// *State Univ Ghent, Pharmaceut Technol Lab, Harelbekestr 72, BE-9000 Ghent, Belgium
Int J Pharm 1998 **161** (2) 215
- Roller compaction and tableting of microcrystalline cellulose drug mixtures
- Ishikawa A, Kuga S, Okano T// Forestry & Forest Prod Res Inst, POB 16, Ibaraki, Osaka 305, Japan
Polymer 1998 **39** (10) 1875
- Determination of parameters in mechanical model for cellulose III fibre

As a service to subscribers, each issue of the Journal contains a bibliography of newly published material in the field of carbohydrate polymers. The bibliography is divided into thirteen sections: 1 Books, Reviews & Symposia; 2 Cellulose; 3 Cellulose-degrading Enzymes; 4 Chitin/Chitosan; 5 Cyclodextrins; 6 Lignin; 7 Lipopolysaccharides; 8 Pectin; 9 Starch; 10 Starch-degrading Enzymes; 11 Polysaccharides - Microbial; 12 Polysaccharides - Plant; 13 Polysaccharides - Other. Within each section, articles are listed in alphabetical order with respect to author. When there are no publications to appear under one of these headings, that section will be omitted.

- Johansson B, Nicklasson F, Alderborn G*// *Univ Uppsala, Dept Pharm, Box 580, S-75123 Uppsala, Sweden
Int J Pharm 1998 **163** (1-2) 35
 Effect of pellet size on degree of deformation and densification during compression and on compactility of microcrystalline cellulose pellets
- Kifani-Sahban F, Kifani A, Belkhir L, Bouhlassa S, Zoulalian A, Arauzo J, Cordero T// Fac Sci Rabat, Lab React Syst Solide Gaz, BP 1014, Rabat, Morocco
Thermochim Acta 1997 **307** (2) 135
 Dimensional variations accompanying thermal treatment of cellulose in an inert atmosphere (French, English Abstract)
- Kjoniksen AL, Nystrom B*, Lindman B// *Univ Oslo, Dept Chem, POB 1033, Blindern, NO-0315 Oslo, Norway
Macromolecules 1998 **31** (6) 1852
 Dynamic viscoelasticity of gelling and nongelling aqueous mixtures of ethyl (hydroxyethyl)cellulose and an ionic surfactant
- Kojima M, Ando S, Kataoka K, Hirota T, Aoyagi K, Nakagami H// Daiichi Pharmaceut Co Ltd, Pharmaceut Formul Res Lab, Edogawa ku, 16-13 Kita kasai 1 chome, Tokyo 134, Japan
Chem Pharm Bull Tokyo 1998 **46** (2) 324
 Magnetic resonance imaging (MRI) study of swelling and water mobility in micronized low-substituted hydroxypropylcellulose matrix tablets
- Kokubo H, Nakashima C, Sunada H// Shin Etsu Chem Co Ltd, Specialty Chem Res Ctr, 28-1, Nishifukushima, Niigata 942, Japan
Chem Pharm Bull Tokyo 1998 **46** (3) 488
 Effect of several cellulosic binders and method of their addition on the properties and binder distribution of granules prepared in an agitating fluidized bed
- Konrad R, Christ A, Zessin G, Cobet U// Univ Halle Wittenberg, Inst Pharmaceut Technol & Biopharmaceut, DE-06099 Halle, Germany
Int J Pharm 1998 **163** (1-2) 123
 The use of ultrasound and penetrometer to characterize the advancement of swelling and eroding fronts in HPMC matrices
- Lashkevich OV, Dyagileva AB, Chernoberezhskii YM// State Technol Univ Plant Polymers, ul Ivana Chernykh 4, RU-198092 St Petersburg, Russia
Colloid J-Engl Tr 1998 **60** (1) 38
 Effect of pH on the electrosurface properties and aggregation stability of the aqueous dispersions of powdered cellulose
- Liebert T, Klemm D// Univ Jena, Inst Organ Chem & Makromol Chem, Humboldtstr 10, DE-07743 Jena, Germany
Acta Polym 1998 **49** (2-3) 124
 New soluble and hydrolytically cleavable intermediate in cellulose functionalization: Cellulose dichloroacetate (CDCA)
- Mondal IH, Kai A*// *Tokyo Metropolitan Univ, Dept Ind Chem, Tokyo 19203, Japan
Polym J 1998 **30** (2) 78
 Structure of nascent microbial cellulose I. Effects of methyl and methoxy groups of Direct Blue 1 and 53 on nascent microbial cellulose
- Mondal IH, Kai A*// *Address as above.
Polym J 1998 **30** (2) 84
 Structure of nascent microbial cellulose II. Effects of methyl and methoxy groups groups of Direct Blue 14 and 15 on nascent microbial cellulose
- Murthy BVR, Sundaram S, Jaber BL, Perrella C, Meyer KB, Pereira BJB*// *Tufts Univ New England Med Ctr, Div Nephrol, Box 391, 750 Washington St, Boston, MA 02111, USA
J Amer Soc Nephrol 1998 **9** (3) 464
 Effect of formaldehyde/bleach reprocessing on *in vivo* performances of high-efficiency cellulose and high-flux polysulfone dialyzers
- Naritomi T, Kouda T, Yano H, Yoshinaga F// Biopolymer Res Co Ltd, KSP R&D, Takatsu ku, Business Pk Bldg, 3-2-1 Sakato, Kawasaki, Kanagawa 213, Japan
J Ferment Bioeng 1998 **85** (1) 89
 Effect of lactate on bacterial cellulose production from fructose in continuous culture
- Ramsay JA, Hassan MCA, Ramsay BA// Queen's Univ, Dept Chem Engr, Kingston, Ontario, Canada K7L 3N6
Enzyme Microb Technol 1998 **22** (4) 292
 Biological conversion of hemicellulose to propionic acid
- Riti JB, Navard P*// *Ecole Mines Paris, Ctr Muse Forme Mat, CNRS, UMR 7635, BP 207, FR-06904 Sophia Antipolis, France
J Rheol 1998 **42** (2) 225
 Textures during recoil of anisotropic hydroxypropylcellulose solutions
- Ruan WH, Shen JW, Li BQ// Sichuan Union Univ, Dept Plast Engr, CN-610065 Chengdu, Peoples Rep China
Chem J Chinese Univ-Chinese 1998 **19** (3) 469
 Studies on nucleation of cellulose aromatic ester thermotropic liquid crystal on polyethylene terephthalate
- Shieh JJ, Chung TS*// *Natl Univ Singapore, Dept Chem Engr, 10 Kent Ridge Crescent, SG-119260 Singapore, Rep Singapore
J Membrane Sci 1998 **140** (1) 67
 Effect of liquid-liquid demixing on the membrane morphology, gas permeation, thermal and mechanical properties of cellulose acetate hollow fibers
- Shlieout G, Zessin G// Univ Halle Wittenberg, Inst Pharmaceut Technol & Biopharm, Fachbereich Pharm, DE-06120 Halle, Germany
Pharmazie 1997 **52** (9) 713
 Investigation of the internal stress of ethylcellulose tablets by means of thermal mechanical analysis (German, English Abstract)
- Solinis MA, Lugara S, Calvo B, Hernandez RM, Gascon AR, Pedraz JL*// *Univ Basque Country, UPV/EHU, Fac Pharm, Lab Pharm & Pharmaceut Technol, Paso Univ 7, ES-01006 Vitoria, Spain
Int J Pharm 1998 **161** (1) 37
 Release of salbutamol sulfate enantiomers from hydroxypropylmethylcellulose matrices
- Thiebaud S, Borredon ME*// *Inst Natl Polytech, Ecole Natl Super Chim, INRA, Lab Chim Agroind, Equipe 31A1010, FR-31077 Toulouse, France
Bioresource Technol 1998 **63** (2) 139
 Analysis of the liquid fraction after esterification of sawdust with octanoyl chloride: Production of esterified hemicelluloses
- Tokura S, Asano H, Sakairi N, Nishi N// Hokkaido Univ, Grad Sch, Environm Earth Sci, Sapporo, Hokkaido 060, Japan
Macromol Symposia 1998 **127** 23
 Direct filtration of bacterial cellulose from culture medium
- Tsai TM, Wu JS, Ho HO, Sheu MT*// *Taipei Med Coll, Grad Inst Pharmaceut Sci, 250 Wu Hsing St, Taipei, Taiwan
J Pharm Sci 1998 **87** (1) 117
 Modification of physical characteristics of microcrystalline cellulose by codrying with β -cyclodextrins
- Wolf B// Schonauer Str 160, DE-04207 Leipzig, Germany
Pharmazie 1998 **53** (3) 177
 The use of bead celluloses as carrier for controlled delivery of drugs - Part X: Lipophilic coprecipitates of bead cellulose and fatty oils

3 Cellulose-degrading enzymes

- Gokhale DV, Patil SG, Bastawde KB*// *Natl Chem Lab, NCIM, Div Biochem Sci, IN-41108 Pune, India
Bioresource Technol 1998 **63** (2) 187
 Potential application of yeast cellulase-free xylanase in agrowaste material treatment to remove hemicellulose fractions
- Hayahsi N, Sugiyama J, Okano T, Ishihara M// Forestry & Forest Prod Res Inst, POB 16, Ibaraki, Osaka 305, Japan
Carbohydr Res 1997 **305** (1) 109
 Selective degradation of the cellulose I- α component in *Cladophora* cellulose with *Trichoderma viride* cellulase
- Samejima M, Sugiyama J, Igarashi K, Eriksson KEL// Univ Tokyo, Sch Agr & Life Sci, Bunkyo ku, Tokyo 113, Japan
Carbohydr Res 1997 **305** (2) 281
 Enzymatic hydrolysis of bacterial cellulose

4 Chitin/chitosan

- Bernkop-Schnurch A, Scerbe-Saiko A*// *Univ Vienna, Ctr Pharm, Inst Pharmaceut Technol, Althanstr 14, AU-1090 Vienna, Austria
Pharmaceut Res 1998 **15** (2) 263
 Synthesis and *in vitro* evaluation of chitosan-EDTA-protease-inhibitor conjugates which might be useful in oral delivery of peptides and proteins
- Chen X, Li WJ, Zhong W, Lu YH, Yu TY// Fudan Univ, State Educ Commiss China, Lab Mol Engr Polymers, Dept Macromol Sci, CN-200433 Shanghai, Peoples Rep China
Chem J Chinese Univ-Chinese 1998 **19** (2) 300
 Studies on chitosan-fibroin blend membranes (I): Structure of the blend membrane and the improvement of the water adsorption and the mechanical property of fibroin
- De Angelis AA, Capitani D, Crescenzi V// Univ Calif, Dept Chem, Irvine, CA 92697, USA
Macromolecules 1998 **31** (5) 1595
 Synthesis and ^{13}C CP-MAS NMR characterization of a new chitosan-based polymeric network
- Inukai Y, Kaide Y, Yasuda S// AIST, Kyushu Natl Ind Res Inst, 807-1 Shukumachi, Saga 841, Japan
Anal Sci 1997 **13** (Suppl) 221
 Adsorption behavior of germanium(IV) on branched-saccharide chitosan derivatives

- Jameela SR, Kumary TV, Lal AV, Jayakrishnan A*// *Sree Chitra Tirunal Inst Med Sci & Technol, Biomed Technol Wing, Div Polymer Chem, IN-695012 Trivandrum, India
J Control Release 1998 **52** (1-2) 17
 Progesterone-loaded chitosan microspheres: A long acting biodegradable controlled delivery system
- Kosyakov VN, Yakovlev NG, Veleshko IE, Goroboi LF// Kurchatovskii Inst Russian Sci Ctr, Moscow, Russia
Radiochemistry-Engl Tr 1997 **39** (6) 544
 Sorption of actinides on chitin sorbents with fibrous structure
- Kunisawa T, Sato T, Yonezawa Y, Popva GV// Kyoto Univ, Grad Sch Engn, Dept Mol Engn, Sakyo ku, Kyoto 60601, Japan
Thin Solid Films 1997 **311** (1-2) 267
 Preferred formation of the H-aggregate of thiacyanine dye having meso-amino group in chitosan films
- Lee KY, Kwon IC, Kim YH, Jo WH, Jeong SY*// *KAIST, Biomed Res Ctr, POB 131, Seoul 130650, South Korea
J Control Release 1998 **51** (2-3) 213
 Preparation of chitosan self-aggregates as a gene delivery system
- Lorenzo-Lamosa ML, Remunan-Lopez C, Vila-Jato JL, Alonso MJ*// *Univ Santiago de Compostela, Fac Pharm, Dept Pharmaceut Technol, ES-15706 Santiago de Compostela, Spain
J Control Release 1998 **52** (1-2) 109
 Design of microencapsulated chitosan microspheres for colonic drug delivery
- Milot C, McBrien J, Allen S, Guibal E*// *Ecole Mines, Lab Genie Environm Ind, 6 Ave Clavieres, FR-30319 Ales, France
J Appl Polymer Sci 1998 **68** (4) 571
 Influence of physicochemical and structural characteristics of chitosan flakes on molybdate sorption
- Mullagaliev IR, Kabalnova NN, Yakhina EZ, Galiaskharova GG, Safarova VG, Shereshovets VV, Monakov YB// Ufa Res Ctr, Inst Organ Chem, Ufa, Russia
Dokl Akad Nauk 1997 **357** (6) 787
 Influence of chitosan macromolecules conformation on rate of interaction with ozone (Russian)
- Noomhorm A, Kupongsak S, Chandkrachang S// Asian Inst Technol, Sch Environm Resources & Dev, Agr & Food Engn Program, Bangkok, Thailand
J Sci Food Agr 1998 **76** (2) 226
 Deacetylated chitin used as adsorbent in production of clarified pineapple syrup
- Piron E, Domard A*// *Univ Lyon 1, CNRS, UMR 5627, Etud Mat Plast & Biomater Lab, 43 Blvd 11 Novembre 1918, F-69622 Villeurbanne, France
Int J Biol Macromol 1998 **22** (1) 33
 Interactions between chitosan and uranyl ions. Part II. Mechanism of interaction
- Ren JZ, Jiang CZ*// *Chinese Acad Sci, Dalian Inst Chem Phys, CN-116023 Dalian, Peoples Rep China
Separ Sci Technol 1998 **33** (4) 517
 Transport phenomena of chitosan membrane in pervaporation of water-ethanol mixture
- Ruckenstein E, Zeng XF// SUNY Buffalo, Dept Chem Engn, Buffalo, NY 14260, USA
J Membrane Sci 1998 **142** (1) 13
 Albumin separation with Cibacron Blue carrying macroporous chitosan and chitin affinity membranes
- Saha TK, Jono K, Ichikawa H, Fukumori Y*// *Kobe Gakuin Univ, Fac Pharmaceut Sci, Nishi ku, Ikawadani cho, Kobe, Hyogo 651, Japan
Chem Pharm Bull Tokyo 1998 **46** (3) 537
 Preparation and evaluation of glutaraldehyde cross-linked chitosan microspheres as a gadolinium reservoir for neutron-capture therapy
- Tan SC, Khor E*, Tan TK, Wong SM// *Natl Univ Singapore, Dept Chem, 10 Kent Ridge, SG-119260 Singapore, Rep Singapore
Talanta 1998 **45** (4) 713
 The degree of deacetylation of chitosan: Advocating the first derivative UV-spectrophotometry method of determination
- Tartakovsky B, Petti L, Hawari J, Guiot SR*// *NRC, Biotechnol Res Inst, 6100 Royalmount Ave, Quebec City, Quebec, Canada H4P 2A2
J Ind Microbiol Biotechnol 1998 **20** (1) 45
 Immobilization of anaerobic sludge using chitosan crosslinked with lignosulfonate
- Viala S, Freche M*, Lacout JL// *ENSCT, INPT, Lab Mat Physicochim Solides, UPRESA 5071, 38 rue 36 Ponts, FR-31400 Toulouse, France
Ann Chim-Sci Mat 1998 **23** (1-2) 69
 Preparation of a new organic-mineral composite: Chitosan-hydroxyapatite
- Vikhoreva GA, Babak VG, Lukina IG, Galbraikh LS// Moscow State Text Acad, ul Malaya Kaluzhskaya 1, RU-117918 Moscow, Russia
- Vysokomol Soedin 1998 **40** (2) 345
 Structure of cetylpyridinium chloride-carboxymethyl chitin complexes (Russian, English Abstract)
- Wang PF, Wu SK, Shi XY, Deng BM*, Sun C// *Beijing Inst Technol, CN-100081 Beijing, Peoples Rep China
J Mater Sci 1998 **33** (7) 1753
 The aggregation behaviour of chitosan bioelectret in aqueous solution using a fluorescence probe
- Yokoi H, Aratake T, Nishio S, Hirose J, Hayashi S, Takasaki Y// Miyazaki Univ, Fac Engn, Dept Mat Sci, 1-1 Nishi, Miyazaki 88921, Japan
J Ferment Bioeng 1998 **85** (2) 246
 Chitosan production from shochu distillery wastewater by fungi
- Zhao CZ, Egashira N, Kurauchi Y, Ohga K// Oita Univ, Dept Appl Chem, 700 Dannoharu, Oita 87011, Japan
Anal Sci 1997 **13** (Suppl) 333
 Substrate selectivity of an electrochemiluminescence Pt electrode coated with a Ru(bpy)₃²⁺-modified chitosan silica gel membrane

5 Cyclodextrins

- Aki H, Niiya T, Iwase Y, Yamamoto M// Fukuoka Univ, Fac Pharmaceut Sci, 8-19-1 Nanakuma, Fukuoka 81480, Japan
Thermochim Acta 1998 **308** (1-2) 115
 Two types of inclusion realized in the complexation between phenobarbital and 2-hydroxypropyl- β -cyclodextrin in aqueous solution
- Akiyoshi K, Sasaki Y, Kuroda K, Sunamoto J// Kyoto Univ, Grad Sch Engn, Dept Synthet Chem & Biol Chem, Sakyo ku, Yoshida, Hommachi, Kyoto 60601, Japan
Chem Lett 1998 (1) 93
 Controlled association of hydrophobized polysaccharide by cyclodextrin
- Aoyagi T, Ueno A*, Fukushima M, Osa T// *Tokyo Inst Technol, Fac Biosci & Biotechnol, Dept Bioengn, Midori ku, 4259 Nagatsuta cho, Yokohama, Kanagawa 226, Japan
Macromol Rapid Commun 1998 **19** (2) 103
 Synthesis and photoisomerization of an azobenzene derivative bearing two β -cyclodextrin units at both ends
- Bakshi MS// Guru Nanak Dev Univ, Dept Chem, IN-143005 Amritsar, Punjab, India
Indian J Chem Sect A 1998 **36** (11) 931
 Host-guest interactions: Part II - Volumes of β -cyclodextrin plus 18-crown-6 ether plus water and sucrose plus 18-crown-6 ether plus water ternary systems at 25°C
- Bicchi C, Balbo C, D'Amato A, Manzin V, Schreier P, Rozenblum A, Brunerie P// Univ Turin, Dipt Sci & Tecnol Farm, via Pietro Giuria 9, IT-10125 Turin, Italy
J High Res Chromatogr 1998 **21** (2) 103
 Cyclodextrin derivatives in GC separation of racemic mixtures of volatiles - Part XIV: Some applications of thick-film wide-bore columns to enantiomer GC micropreparation
- Birlirakis N, Henry B, Berthault P*, Venema F, Nolte RJM// *Ctr Etud Saclay, Lab Commun RMN, Serv Chim Mol, CEA, FR-91191 Gif sur Yvette, France
Tetrahedron 1998 **54** (14) 3513
 High resolution ¹H-NMR study on self-complexation phenomena in cyclodextrin dimers
- Bunke A, Jira T*// *Univ Greifswald, Inst Pharm, Med Chem & Dept Pharmaceut, Friedrich Ludwig Jahn Str 17, DE-17487 Greifswald, Germany
J Chromatogr A 1998 **798** (1-2) 275
 Use of cationic cyclodextrin for enantioseparation by capillary electrophoresis
- Ciccarelli D, Paduano L, Costantino L, Ortona O, Vitagliano V// Univ Naples Federico II, Dipt Chim, via Mezzocannone 4, IT-80134 Naples, Italy
J Mol Liq 1998 **75** (2) 169
 Mutual diffusion coefficients in systems with inclusion compounds: α cyclodextrin-polyoxyethylene 5 hexylether-water and α -cyclodextrin-sodium 1 hexylsulfonate-water
- Cuzzola A, Menicaglieri R, Salvadori P*// *Univ Pisa, Dipt Chim & Chim Ind, via Risorgimento 35, IT-56126 Pisa, Italy
Syn Commun 1998 **28** (5) 813
 An easy synthetic route to hexakis(6-O-benzoyl)- α -cyclodextrin
- De Grip WJ, Van Oostrum J, Bovee-Geurts PHM// Univ Nijmegen, Dept Biochem, FMW 160, Inst Cellular Signalling, POB 9101, NL-6500 HB Nijmegen, The Netherlands
Biochem J 1998 **330** (2) 667
 Selective detergent-extraction from mixed detergent/lipid/protein micelles, using cyclodextrin inclusion compounds: A novel generic approach for the preparation of proteoliposomes

- Diaz C, Arancibia A// Univ Chile, Fac Ciencias, Dept Quim, Casilla 653, Santiago, Chile
J Inclusion Phenom Mol Recogn 1998 **30** (2) 127
 Molecular encapsulation of half-sandwich complexes of iron with cyclodextrins: New laminar materials
- Diot M, De Braver C, Germain P// Inst Natl Sci Appl, Lab Thermodynam Appl, Bat 401, FR-69621 Villeurbanne, France
J Inclusion Phenom Mol Recogn 1998 **30** (2) 143
 Calorimetric behaviour of anhydrous β -cyclodextrin at very low temperature
- Douhal A, Fiebig T, Chachisvilis M// Calif Inst Technol, Noyes Lab Chem Phys, Pasadena, Ca 91125, USA
J Phys Chem A 1998 **102** (10) 1657
 Femtochemistry in nanocavities: Reactions in cyclodextrins (Letter)
- Grosse PY, Bressolle F, Pinguet F// *Val d'Aurelle Anticanc Ctr, Pharm Serv, Dept Oncol Pharmacol, Parc Euromed, FR-34298 Montpellier 05, France
Eur J Cancer 1998 **34** (1) 168
In vitro modulation of doxorubicin and docetaxel antitumoral activity by methyl- β -cyclodextrin
- Gulik A, Delacroix H, Wouessidjewe D, Skiba M// CNRS, Ctr Genet Mol, UPR 9061, FR-91198 Gif sur Yvette, France
Langmuir 1998 **14** (5) 1050
 Structural properties of several amphiphile cyclodextrins and some related nanospheres. An X-ray scattering and freeze-fracture electron microscopy study
- Guo QX, Luo SH, Liu YC// Univ Sci & Technol China, Dept Chem, CN-230026 Hefei, Peoples Rep China
J Inclusion Phenom Mol Recogn 1998 **30** (2) 173
 Substituent effects on the driving force for inclusion complexation of α - and β -cyclodextrin with monosubstituted benzene derivatives
- Jacob J, Gessler K*, Hoffmann D, Sanbe H, Koizumi K, Smith SM, Takaha T, Saenger W// *Free Univ Berlin, Inst Kristallog, Takustr 6, DE-14195 Berlin, Germany
Angew Chem Int Ed 1998 **37** (5) 606
 Strain-induced "band flips" in cyclodecaamylose and higher homologues
- Jira T, Bunke A, Karbaum A// Univ Greifswald, Dept Pharmaceut Med Chem, Inst Pharm, FL Jahn Str 17, DE-17487 Greifswald, Germany
J Chromatogr A 1998 **798** (1-2) 281
 Use of chiral and achiral ion-pairing reagents in combination with cyclodextrins in capillary electrophoresis
- Kano K, Negi S, Kamo H, Kitae T, Yamaguchi M, Okubo H, Hiram M// Doshisha Univ, Fac Engn, Dept Mol Sci & Technol, Kyoto 61003, Japan
Chem Lett 1998 (2) 151
 Recognition of helicity by native cyclodextrins. Highly enantioselective complexation of tetrahelicene dicarboxylic acid with β -cyclodextrin
- Kim BE, Kim MK, Ryu YK, Park JK, Park JH// Res Inst Ind Sci & Technol, Pohang 790330, South Korea
Anal Sci 1997 **13** (Suppl) 263
 Enantioselectivity of heptakis(6-*O*-alkyldimethylsilyl)-2,3-di-*O*-ethyl- β -cyclodextrins as chiral stationary phases in capillary gas chromatography
- Leclercq L, Bria M, Morcellet M, Martel B// Univ Sci & Technol Lille, Lab Chim Macromol, CNRS, UA 351, Batiment C6, FR-59655 Villeneuve d'Ascq, France
J Inclusion Phenom Mol Recogn 1998 **30** (3) 215
 β -Cyclodextrin-polyelectrolyte interactions in aqueous solution: I. Poly(4-sodium styrenesulfonate) (NaPSS)
- Lee C, Sung YW, Park JW// EWA Woman's Univ, Dept Chem, Seoul 120750, South Korea
Anal Sci 1997 **13** (Suppl) 167
 Size-selective inclusion complexes of phenothiazine dye monomers and dimers with cyclodextrins
- Lipkowitz KB, Coner R, Peterson MA, Morreale A, Shackelford J// Indiana Univ Purdue Univ, Dept Chem, Indianapolis, In 46202, USA
J Org Chem 1998 **63** (3) 732
 The principle of maximum chiral discrimination: Chiral recognition in permethyl- β -cyclodextrin
- Lofsson T, Friordottir H// Univ Iceland, Inst Pharm Pharmacol & Toxicol, POB 7210, IS-127 Reykjavik, Iceland
Int J Pharm 1998 **163** (1-2) 115
 The effect of water-soluble polymers on the aqueous solubility and complexing abilities of β -cyclodextrin
- Loukas YL// Riga Ferreou 21, GR-16343 Athens, Greece
Anal Chem 1998 **70** (5) 966
 Understanding molecular association and isomers recognition in isomer-cyclodextrin multiple complex formation by improved liquid chromatographic studies
- Loukas YL, Vraha V, Gregoriadis G// *Univ London, Ctr Drug Delivery Res, 29-39 Brunswick Sq, London WC1N 1AX, England
Int J Pharm 1998 **162** (1-2) 137
 Drugs, in cyclodextrins, in liposomes: A novel approach to the chemical stability of drugs sensitive to hydrolysis
- Maafi M, Aaron JJ*, Lion C// *Univ Paris 07, Inst Topol & Dynam Syst, CNRS, URA 34, 1 rue Guy de la Brosse, FR-75005 Paris, France
J Inclusion Phenom Mol Recogn 1998 **30** (3) 227
 Effect of the formation of inclusion complexes with β -cyclodextrin on the photoisomerization and fluorescence properties of aromatic norbornadiene derivatives
- Madrid JM, Mendicuti F, Mattice WL*// *Univ Alcalá de Henares, Dept Quim Fis, ES-28871 Madrid, Spain
J Phys Chem B 1998 **102** (11) 2037
 Inclusion complexes of 2-methylnaphthoate and γ -cyclodextrin: Experimental thermodynamics and molecular mechanics calculations
- Masson M, Loftsson T*, Jonsdottir S, Fridriksdottir H, Petersen DS// *Univ Iceland, Dept Pharm, IS-107 Reykjavik, Iceland
Int J Pharm 1998 **164** (1-2) 45
 Stabilisation of ionic drugs through complexation with non-ionic and ionic cyclodextrins
- Mielcarek J// K Marcinkowski Univ Med Sci, Dept Inorgan & Analyt Chem, PL-60780 Poznan, Poland
J Inclusion Phenom Mol Recogn 1998 **30** (3) 243
 Studies on inclusion complexes of felodipine with β -cyclodextrin
- Okada Y, Koizumi K*// *Mukogawa Women's Univ, Sch Pharmaceut Sci, 11-68 Koshein, Kyuban cho, Nishinomiya, Hyogo 663, Japan
Chem Pharm Bull Tokyo 1998 **46** (2) 319
 Some properties and the inclusion behavior of three positional isomers of 6',6'-di-*O*- α -D-glucosyl-cyclomaltoheptaoses (β -cyclodextrins)
- Owens PK, Fell AF*, Coleman MW, Berridge JC// *Univ Bradford, Sch Pharm, Pharmaceut Anal Res Unit, Bradford BD7 1DP, England
J Chromatogr A 1998 **797** (1-2) 149
 Screening of cyclodextrins by nuclear magnetic resonance for the design of chiral capillary electrophoresis separations
- Ozaki K, Hayashi M// Mitsubishi Chem Corp, Pharmaceut Dev Lab, 14 Sunayama, Kashima Gun, Hasaki, Ibaraki 31402, Japan
Int J Pharm 1998 **160** (2) 219
 Effect of cyclonulohexaose with additives on the freeze-drying of liposome
- Park DC, Kim TK, Lee YH*// *Kyungpook Natl Univ, Coll Nat Sci, Dept Genet Engn, Taegu 702701, South Korea
Enzyme Microb Technol 1998 **22** (4) 217
 Characteristics of transglycosylation reaction of cyclodextrin glucanotransferase in the heterogeneous enzyme reaction system using extrusion starch as a glucosyl donor
- Piojer E, Wouessidjewe D, Duchene D*, Bogdanova S// *Univ Paris 11, Fac Pharm, Lab Physicochim, CNRS, URA 1218, rue Jean Baptiste Clement, FR-92290 Chateaufort Malabry, France
J Inclusion Phenom Mol Recogn 1998 **30** (2) 151
 Effects of some hydrotropic agents on the formation of indomethacin/ β -cyclodextrin inclusion compounds
- Ravichandran R, Divakar S*// *Cent Food Technol Res Inst, Dept Microbiol, IN-570013 Mysore, India
J Inclusion Phenom Mol Recogn 1998 **30** (3) 253
 Inclusion of ring *a* of cholesterol inside the β -cyclodextrin cavity: Evidence from oxidation reactions and structural studies
- Ryu JW, Kim DW, Lee KP// Korea Res Inst Chem Technol, POB 107, Taejeon 305606, South Korea
Anal Sci 1997 **13** (Suppl) 217
 Preparation of methylated β -cyclodextrin bonded stationary phases and chromatographic evaluation for chiral separation
- Sanchez-Ruiz X, Ramos M, Jaime C*// *Univ Autonoma, Fac Ciencias, Dept Quim, ES-08193 Bellaterra, Barcelona, Spain
J Mol Struct 1998 **442** (1-3) 93
 Conformational equilibria and cyclodextrin inclusion complexes. Computational study by force field calculations (MM3⁹²)
- Schulte G, Heitmeier S, Chankvetadze B, Blaschke G*// Univ Munster, Inst Pharmaceut Chem, Hittorfstr 58-62, DE-48149 Munster, Germany
J Chromatogr A 1998 **800** (1) 77
 Chiral capillary electrophoresis/electrospray mass spectrometry coupling with charged cyclodextrin derivatives as chiral selectors
- Singh UV, Aithal KS, Udupa N*// *Kasturba Med Coll & Hosp, Coll Pharmaceut Sci, Dept Pharmaceut, IN-576119 Manipal, India
Pharmazie 1998 **53** (3) 208
 Inclusion complex of plumbagin with β -cyclodextrin as evidenced by spectral data and molecular modelling

Szafranek A, Szafranek J// Univ Gdansk, Inst Phys, ul Wita Stwosza 57, PL-80952 Gdansk, Poland

J Inclusion Phenom Mol Recogn 1998 **30** (2) 163

Kinetic deuterium isotopic effects in the thermal decomposition of β -cyclodextrin hydrates

Tanemura I, Saito Y*, Ueda H, Sato T// *Nihon Univ, Coll Pharm, 7-7-1 Narashinodai, Funabashi, Chiba 274, Japan

Chem Pharm Bull Tokyo 1998 **46** (3) 540

Solubility method using static head-space gas chromatography for determination of the stability constants of fragrance materials with 2-hydroxypropyl- β -cyclodextrin

Topchieva IN, Gerasimov VI, Panova IG, Karezin KI, Efremova NV// Moscow MV Lomonosov State Univ, Dept Chem, Vorobevy Gory, RU-119899 Moscow, Russia

Vysokomol Soedin 1998 **40** (2) 310

Nanostructures based on poly(alkylene oxide)-cyclodextrin complexes (Russian, English Abstract)

Ventura CA, Puglisi G*, Zappala M, Mazzone G// *Univ Catania, Dipt Sci Farmaceut, V A Doria 6, IT-95125 Catania, Italy

Int J Pharmaceut 1998 **160** (2) 163

A physico-chemical study on the interaction between papaverine and natural and modified β -cyclodextrins

Vivas N, De Gaulejac NSC, Bourgeois G, Vitry C, Pianet I, Barbe B, Glories Y// Univ Victor Segalen, Fac Oenol, 351 Cours Libérat, FR-33405 Talence, France

J Chim Phys Phys-Chim Biol 1998 **95** (2) 430

Structural study of extractable lignins from oak heartwood (French)

Vizzardi M, Visconti CS, Pedrotti L, Marzano N, Berruto M, Scotti A*// *Italfarmaco SpA, Dept Med Sci, via Lavoratori 54, IT-20092 Milan, Italy

Curr Ther Res 1998 **59** (3) 162

Nimesulide- β -cyclodextrin (nimesulide-betadex) versus nimesulide in the treatment of pain after arthroscopic surgery

Wang H, Gu JL, Hu HF, Dai RJ, Ding TH, Fu RN// Hebei Univ, Dept Chem, CN-071002 Baoding, Hebei, Peoples Rep China

Anal Chim Acta 1998 **359** (1-2) 39

Study on the chiral separation of basic drugs by capillary zone electrophoresis using β -CD and derivatized β -CDs as chiral selectors

Yoshida N, Yamaguchi H, Higashi M// Hokkaido Univ, Grad Sch Environm Earth Sci, Lab Mol Func Chem, Sapporo, Hokkaido 060, Japan

J Phys Chem A 1998 **102** (9) 1523

Dynamic aspects in host-guest interactions. V. Kinetics of the metal complexation reactions of 2-(5-bromo-2-pyridylazo)-5-(*N*-propyl-*N*-sulfopropyl-amino)phenol associated with cyclodextrin inclusion reactions

7 Lipopolysaccharides

Amano KI, Williams JC, Dasch GA// Akita Univ, Sch Med, Cent Res Lab, Hondo 1-1-1, Akita 010, Japan

Infect Immunity 1998 **66** (3) 923

Structural properties of lipopolysaccharides from *Rickettsia typhi* and *Rickettsia prowazekii* and their chemical similarity to the lipopolysaccharide from *Proteus vulgaris* OX19 used in the Weil-Felix test

Batta G, Liptak A, Schneerson R, Pozsgay V*// *NIH/NICHHD, Dev & Mol Immun Lab, Bethesda, Md 20892, USA

Carbohydr Res 1997 **305** (1) 93

Conformational stabilization of the altruronic acid residue in the O-specific polysaccharide of *Shigella sonnei*/Plesiomonas shigelloides

8 Pectin

Catoire L, Goldberg R, Pierron M, Morvan C, Du Penhoat CH*// *Ecole Normale Supér, Dept Chim, CNRS, URA 1679, 24 rue Lhomond, FR-75231 Paris 05, France

Eur Biophys J Biophys Lett 1998 **27** (2) 127

An efficient procedure for studying pectin structure which combines limited depolymerization and ^{13}C NMR

Sinitnya A, Copikova J, Pavlikova H// Prague Inst Chem Technol, Tech 5, CZ-16628 Prague 6, Czech Republic

J Carbohydr Chem 1998 **17** (2) 279

^{13}C CP/MAS NMR spectroscopy in the analysis of pectins

Sriamornsak P, Nunthanid J// Silpakorn Univ, Fac Pharm, TH-73000 Nakhon Pathom, Thailand

Int J Pharm 1998 **160** (2) 207

Calcium pectinate gel beads for controlled release drug delivery: I. Preparation and *in vitro* release studies

9 Starch

Aguilera JM, Rojas GV// Pontificia Univ Católica Chile, Dept Chem Engr & Bioproc, POB 306, Santiago 22, Chile

Food Res Int 1997 **30** (5) 349

Determination of kinetics of gelation of whey protein and cassava starch by oscillatory rheometry

Agunbiade SO// Polytech, Biol Dept, Ibadan, Nigeria

Food Chem 1998 **61** (1-2) 173

The chemical composition and *in vitro* digestibility of yambean starch

Alfani R, Iannace S*, Nicolais L// *CNR, Inst Composite Mat Technol, Piazzale Tecchio 80, IT-80125 Naples, Italy

J Appl Polymer Sci 1998 **68** (5) 739

Synthesis and characterization of starch-based polyurethane foams

Bachmann F, Reimer J, Ruppenstein M, Thiem J// Inst Organ Chem, Martin Luther King Pl 6, DE-20146 Hamburg, Germany

Macromol Rapid Commun 1998 **19** (1) 21

Synthesis of a novel starch-derived AB-type polyurethane

Forsell P, Shamekh S, Harkonen H, Poutanen K// VTT, Biotechnol & Food Res, POB 1500, FI-02044 Espoo, Finland

J Sci Food Agr 1998 **76** (1) 31

Effects of native and enzymatically hydrolysed soya and oat lecithins in starch phase transitions and bread making

Franco P, Senso A, Minguillon C*, Oliveros L// *Univ Barcelona, Fac Farm, Quim Farmaceut Lab, Avda Diagonal s/n, ES-08028 Barcelona, Spain

J Chromatogr A 1998 **796** (2) 265

3,5-Dimethylphenylcarbamates of amylose, chitosan and cellulose bonded on silica gel: Comparison of their chiral recognition abilities as high-performance liquid chromatography chiral stationary phases

Gao JP, Yu JG, Wang W, Chang LM, Tian RC// Tianjin Univ, CN-300072 Tianjin, Peoples Rep China

J Macromol Sci Pure Appl Chem 1998 **A35** (3) 483

Comparison of transition metals in the graft copolymerization of vinyl monomers onto starch

Ghorpade VM, Bhatnagar S, Hanna MA// Univ Nebraska, Ind Agr Prod Ctr, Dept Biol Syst Engr, Lincoln, Ne 68583, USA

Plant Food Hum Nutr 1997 **51** (2) 109

Structural characteristics of corn starches extruded with soy protein isolate or wheat gluten

Hulleman SHD, Janssen FHP, Feil H// DLO, ATO, Agrotechnol Res Inst, POB 17, NL-6700 AA Wageningen, The Netherlands

Polymer 1998 **39** (10) 2043

The role of water during plasticization of native starches

Husband JC// ECC Int Cent Res, John Keay House, St Austell PL25 4DJ, England

Colloid Surface A 1998 **131** (1-3) 145

The adsorption of starch derivatives onto kaolin

Islam MN, Azemi BMNM*// *Univ Sains Malaysia, Sch Ind Technol, George Town, Malaysia

J Sci Food Agr 1998 **76** (2) 161

Effect of calcium and hydroxypropylation on crystallinity and digestibility of rice starches

Jacobs H, Eerlingen RC, Spaepen H, Grobet PJ, Delvour JA// Katholieke Univ Leuven, Food Chem Lab, K Mericierlaan 92, BE-3001 Heverlee, Belgium

Carbohydr Res 1997 **305** (2) 193

Impact of annealing on the susceptibility of wheat, potato and pea starches to hydrolysis with pancreatin

Keilbach A, Tomka I*// *ETH Zentrum, Swiss Fed Inst Technol, Inst Polymers, CH-8092 Zurich, Switzerland

Macromol Symposia 1998 **127** 37

Starch-polyvinylalcohol-acetal: A water soluble film

Kobayashi F, Sawada T*, Nakamura Y, Ohnaga M, Godliving M, Ushiyama T// *Kanazawa Univ, Dept Chem & Chem Engr, 2-40 Kodatsuno, Kanazawa, Ishikawa 920, Japan

Appl Biochem Biotech 1998 **69** (3) 177

Saccharification and alcohol fermentation in starch solution of steam-exploded potato

Koch K, Andersson R, Aman P// Swedish Univ Agr Sci, Dept Food Sci, POB 7051, SE-75007 Uppsala, Sweden

J Chromatogr A 1998 **800** (2) 199

Quantitative analysis of amylopectin unit chains by means of high-performance anion-exchange chromatography with pulsed amperometric detection

Kohyama K, Ohtsubo K, Toyoshima H, Shiozawa K// Natl Food Res Inst, Food Rheol Lab, 2-1-2 Kannondai, Ibaraki, Osaka 305, Japan

J Texture Stud 1998 **29** (1) 101

Electromyographic study on cooked rice with different amylose contents

- Matser AM, Steeneken PAM*// *TNO, Netherlands Inst Carbohydrate Res, Rouaanstr 27, NL-9723 CC Groningen, The Netherlands
Cereal Chem 1998 **75** (2) 241
Filtration characteristics of maize and wheat starch hydrolysates
- McCormack B, Gregoriadis G*// *Univ London, Ctr Drug Delivery Res, 29-39 Brunswick Sq, London WC1N 1AX, England
Int J Pharm 1998 **162** (1-2) 59
Drugs-in-cycle dextrans-in-liposomes: An approach to controlling the fate of water insoluble drugs *in vivo*
- Moussa IS, Lenaerts V, Cartilier LH*// *Univ Montreal, Fac Pharm, CP 6128, Succ Ctr-Ville, Montreal, Quebec, Canada H3C 3J7
J Control Release 1998 **52** (1-2) 63
Image analysis studies of water transport and dimensional changes occurring in the early stages of hydration in cross-linked amylose matrices
- Pellegrini C, Tomka I*// *ETH Zentrum, Swiss Fed Inst Technol, Inst Polymers, CH-8092 Zurich, Switzerland
Macromol Symposia 1998 **127** 31
Starch alkanoylates as models for thermoplastic polysaccharides
- Perez EE, Breene WM, Bahnsen YA// Cent Univ, Fac Ciencias, Inst Ciencia & Tecnol Alimentos, Apdo 47097, VE-1041 Caracas A, Venezuela
Starch 1998 **50** (1) 14
Gelatinization profiles of Peruvian carrot, cocoyam and potato starches as measured with the Brabender viscoamylograph, Rapid visco-analyzer, and differential scanning calorimeter (German, English Abstract)
- Radosavljevic M, Jane J*, Johnson LA// *Iowa State Univ, Dept Food Sci & Human Nutr, Ames, Ia 50011, USA
Cereal Chem 1998 **75** (2) 212
Isolation of amaranth starch by diluted alkaline-protease treatment
- Reid CA, Hillman K, Henderson C// Scottish Agr Coll, Div Microbiol, BORC, 581 King St, Aberdeen AB24 5UD, Scotland
J Sci Food Agr 1998 **76** (2) 221
Effect of retrogradation, pancreatin digestion and amylose/amylopectin ratio of the fermentation of starch by *Clostridium butyricum* (NCIMB 7423)
- Watanabe N, Miura H// Gifu Univ, Fac Agr, 1-1 Yanagido, Gifu 50111, Japan
Cereal Res Commun 1997 **25** (4) 963
P gene effects on the starch pasting properties of tetraploid and hexaploid wheat
- Wilhelm E, Themeier HW, Lindhauer MG// Bundesanstalt Getreide Kartoffel & Fettforsch, Inst Getreide Kartoffel & Starketechnol, DE-32756 Detmold, Germany
Starch 1998 **50** (1) 7
Small granule starches and hydrophilic polymers as components for novel biodegradable two-phase compounds for special applications. Part I: Separation and refinement techniques for small granule starches from amaranth and quinoa (German, English Abstract)
- Xu ZM, Raphaelides SN*// *TEI, Dept Food Technol, Food Proc Engr Lab, POB 14561, GR-54101 Thessaloniki, Greece
J Texture Stud 1998 **29** (1) 1
Flow behaviour of concentrated starch dispersions using a tube rheometer of novel design
- Zhao WY, Kloczkowski A, Mark JE*, Erman B// *Univ Cincinnati, Dept Chem, Cincinnati, Oh 45221, USA
Chem Mater 1998 **10** (3) 784
Novel high-performance materials from starch. I. Factors influencing the lyotropic liquid crystallinity of some starch ethers
- Zhao WY, Kloczkowski A, Mark JE*, Erman B// *Address as above.
Chem Mater 1998 **10** (3) 794
Novel high-performance materials from starch. II. Orientation and mechanical properties of lightly cross-linked starch-ether films
- Zhao WY, Kloczkowski A, Mark JE*, Erman B// *Address as above.
Chem Mater 1998 **10** (3) 804
Novel high-performance materials from starch. III. Influence of degree of substitution and amylose/amylopectin ratio on performance
- Zheng GH, Sosulski FW// Univ Saskatchewan, Dept Appl Microbiol & Food Sci, 51 Campus Dr, Saskatoon, Saskatchewan, Canada S7N 5A8
J Food Sci 1998 **63** (1) 134
Determination of water separation from cooked starch and flour pastes after refrigeration and freeze-thaw
- Zheng GH, Bhatti RS// Address as above.
Cereal Chem 1998 **75** (2) 247
Enzyme-assisted wet separation of starch from other seed components of hull-less barley
- Nordisk AS, Novo Allee, DK-2880 Bagsvaerd, Denmark
Starch 1998 **50** (1) 39
Enzymatic characterisation of Novamyl®, a thermostable α -amylase (German, English Abstract)
- Hirokado M, Hirata K, Uematsu Y, Sadamasu Y, Ito K, Suzuki S// Tokyo Metropolitan Res Lab Publ Hlth, Shinjuku ku, 3-24-1 Hyakunincho, Tokyo 169, Japan
J Food Hyg Soc Jpn 1997 **38** (5) 341
Assay for α -amylase of commercial enzyme preparations used in food processing
- Maruta I, Kurahashi Y, Takano R, Hayashi K, Kudo KI, Hara S*// *Kyoto Inst Technol, Fac Engr & Design, Dept Chem & Mat Technol, Matsugasaki, Sakyo-ku, Kyoto 606, Japan
Food Chem 1998 **61** (1-2) 163
Enzymic digestibility of reduced-pressure, heat-moisture treated starch
- Pocsi I, Nogrady N, Szentirmai A// Lajos Kossuth Univ, Dept Microbiol & Biotechnol, POB 63, HU-4010 Debrecen, Hungary
Starch 1998 **50** (1) 36
Assay for simultaneous determination of β -cyclodextrin glycosyltransferase (β -CGTase) and amylase

11 Polysaccharides - microbial

- Adachi Y, Ohno N, Yadomae T*// *Tokyo Univ Pharm & Life Sci, Lab Immunopharmacol Microbial Prod, 1432-1 Horinouchi, Tokyo 19203, Japan
Biol Pharm Bull 1998 **21** (3) 278
Activation of murine Kupffer cells by administration with gel-forming (1 $\rightarrow$ 3)- β -D-glucan from *Grifola frondosa*
- Baudys M, Letourneur D, Liu F, Mix D, Jozefonvicz J, Kim SW*// *Univ Utah, Ctr Controlled Chem Delivery, Dept Pharmaceut & Pharmaceut Chem, Salt Lake City, Ut 84112, USA
Bioconjugate Chemistry 1998 **9** (2) 176
Extending insulin action *in vivo* by conjugation to carboxymethyl dextran
- Cheng LP, Lin HY, Chen LW, Young TH*// Natl Taiwan Univ, Coll Med, Ctr Biomed Engr, Taipei 10016, Taiwan
Polymer 1998 **39** (11) 2135
Solute rejection of dextran by EVAL membranes with asymmetric and particulate morphologies
- Choi JH// MIT, Biomat Sci & Engr Lab, 56-270, Cambridge, Ma 02139, USA
Biotechnol Lett 1998 **20** (3) 253
Chemically induced gelation of polysaccharide produced by *Methylobacterium organophilum*
- Coviello T, Maeda H, Yuguchi Y, Urakawa H, Kajiura A*, Dentini M, Crescenzi V// *Kyoto Inst Technol, Fac Engr & Design, Sakyo ku, Kyoto Matsugasaki 606, Japan
Macromolecules 1998 **31** (5) 1602
Conformational characteristics of oxidized scleroglucan
- De Philippis R, Margheri MC, Materassi R, Vincenzini M// Univ Florence, Dipt Sci & Tecnol Alimentari & Microbiol, Piazzale Cascine 27, IT-50144 Florence, Italy
Appl Environ Microbiol 1998 **64** (3) 1130
Potential of unicellular cyanobacteria from saline environments as exopolysaccharide producers
- Donabedian DH, McCarthy SP*// *Univ Massachusetts, Dept Chem, Lowell, Ma 01854, USA
Macromolecules 1998 **31** (4) 1032
Acylation of pullulan by ring-opening of lactones
- Evans SG, Morrison D, Kaneko Y, Havik I// Univ Witwatersrand, Dept Expt & Clin Pharmacol, 7 York Rd, ZA-2193 Parktown, Rep Sth Africa
Trans Roy Soc Trop Med Hyg 1998 **92** (1) 87
The effect of curdlan sulphate on development *in vitro* of *Plasmodium falciparum*
- Fournier C, Leonard M*, Dellacherie E, Chikhi M, Hommel H, Legrand AP// *Ecole Natl Super Ind Chim, Lab Chim Phys Macromol, URA CNRS 494, BP 451, FR-54001 Nancy, France
J Colloid Interface Sci 1998 **198** (1) 27
EPR spectroscopy analysis of hydrophobically modified dextran-coated polystyrene
- Gibbs PA, Seviour RJ// Food Sci Australia, CRC Ind Plant Biopolymers, POB 52, North Ryde, NSW 2113, Australia
Appl Microbiol Biotechnol 1998 **49** (2) 168
The production of exopolysaccharides by *Aureobasidium pullulans* in fermenters with low-shear configurations
- Huynh R, Chaubet F, Jozefonvicz J// Univ Paris 13, Inst Galilee, Lab Rech Macromol, CNRS, URA 502, Ave JB Clement, FR-93430 Villetaneuse, France

10 Starch-degrading enzymes

Christophersen C, Otzen DE, Norman BE, Christensen S, Schafer T*// *Novo

- Angew Makromol Chem* 1998 **254** 61
Carboxymethylation of dextran in aqueous alcohol as the first step of the preparation of derivatized dextrans
- Li HB, Rief M, Oesterhelt F, Gaub HE*// *Univ Munich, Lehrstuhl Angew Phys, DE-80799 Munich, Germany
Advan Mater 1998 **10** (4) 316
Single-molecule force spectroscopy of xanthan by AFM
- Matsuda M, Okutani K// Kagawa Univ, Fac Agr, Kagawa 7610701, Japan
Fisheries Science 1997 **63** (6) 983
Structural investigation of a mucopolysaccharide from a marine *Pseudomonas* WAK-1 strain
- Miura N, Yagihara S, Mashimo S, Gu H, Teramoto A// Tokai Univ, Dept Phys, 1117 Kitakaname, Kanagawa 2591207, Japan
Proc Jpn Acad B 1998 **74** (1) 1
Structured water mobile below the freezing point in aqueous solutions of a triple-helical polysaccharide schizophyllan
- Nilsson M, Norberg T// Swedish Univ Agr Sci, Dept Chem, POB 7015, SE-75007 Uppsala, Sweden
J Carbohydr Chem 1998 **17** (2) 305
Solid-phase synthesis of an analog of *Haemophilus influenzae* type B capsular polysaccharide
- Ohta T, Nakamura H*// *Sci Univ Tokyo, Fac Pharmaceut Sci, 12 Ichigaya Funagawara machi, Tokyo 162, Japan
J Trace Microprobe Tech 1998 **16** (1) 31
Unique affinity of curdlan sulfonephthalein dyes
- Ojinnaka C, Brownsey GJ, Morris ER*, Morris VJ// *Cranfield Univ, Silsoe Coll, Bedford MK45 4DT, England
Carbohydr Res 1997 **305** (1) 101
Effect of deacetylation on the synergistic interaction of acetan with locust bean gum or konjac mannan
- Polycarpo CR, Leita EA, Duarte RS, Boas MHSV, Pinto MR, Barreto-Berger E*// *Fed Univ Rio de Janeiro, Inst Microbiol Prof Paulo de Goes, Dept Microbiol Geral, BR-21941-590 Rio de Janeiro, Brazil
Rev Microbiol 1997 **28** (4) 268
Partial characterization of polysaccharides from *Fusarium solani*
- Poveda A, Martin-Pastor M, Bernabe M, Leal JA, Jimenez-Barbero J*// *CSIC, Inst Quim Organ, Grp Carbohidratos, Juan de la Cierva 3, ES-28006 Madrid, Spain
Glycoconjugate J 1998 **15** (3) 309
Solution conformation and dynamics of a fungal cell wall polysaccharide isolated from *Microsporium gypseum*
- Sheng SQ, Cherniak R*// *Georgia State Univ, Dept Chem, LBCS, Atlanta, Ga 30303, USA
Carbohydr Res 1997 **305** (1) 65
Structure of the capsular polysaccharide of *Clostridium perfringens* Hobbs 10 determined by NMR spectroscopy
- Spychaj T, Bartkowiak A// Tech Univ Szczecin, Inst Polymer, Pulaskiego 10, PL-70322 Szczecin, Poland
Polym Advan Technol 1998 **9** (2) 138
Polyvalent metal cation modified dextran hydrogels: Non-size exclusion applications
- Tajima K, Uenishi N, Fujiwara M, Erata T, Munekata M, Takai M// Hokkaido Univ, Grad Sch Eng, Div Mol Chem, Sapporo, Hokkaido 060, Japan
Carbohydr Res 1997 **305** (1) 117
The production of a new water-soluble polysaccharide by *Acetobacter xylinum* NCI 1005 and its structural analysis by NMR spectroscopy
- Tavernier P, Portais JC, Besson I, Courtois J, Courtois B, Barbotin JN// Univ Picardie, Fac Sci, CNRS, UPRESA 6022, Lab Genie Cellulaire, 33 rue St Leu, FR-80039 Amiens, France
J Chim Phys Phys-Chim Biol 1998 **95** (2) 256
A ¹³C-NMR study of exopolysaccharide synthesis in *Rhizobium meliloti* Su47 strain
- Tikhomirova OM, Vitovskaya GA, Sinitskaya IA// State Chemicopharmaceut Acad, St Petersburg, Russia
Microbiology-Engl Tr 1998 **67** (1) 61
Cellular polysaccharides of *Cryptococcus laurentii* (Kufferath) Skinner, a producer of extracellular heteroglycan
- Tikhomirova OM, Vitovskaya GA, Sinitskaya IA// Address as above.
Microbiology-Engl Tr 1998 **67** (1) 66
Changes in the composition of *Rhodotorula rubra* (Demme) Lodder polysaccharides during exomannan synthesis
- Wang W, Kong FZ*// *Ecoenvironm Sci Res Ctr, POB 2871, CN-100085 Beijing, Peoples Rep China
Tetrahedron Lett 1998 **39** (14) 1937
A highly convergent synthesis of the phytoalexin elicitor hexasaccharide
- Yamazaki K, Inukai K, Suzuki M, Kuga H, Korenaga H// Daiichi Pharmaceut Co Ltd, Basic Technol Res Lab, Edogawa ku, 16-13 Kitasaki 1 chome, Tokyo 134, Japan
Carbohydr Res 1997 **305** (2) 253
Structural studies on a sulfated polysaccharide from an *Arthrobacter* sp. by NMR spectroscopy and methylation analysis

12 Polysaccharides - plant

- Abbadi A, Gotlieb KF, Van Bekkum H// Arachem, POB 2021, NL-6020 AA Budel, The Netherlands
Starch 1998 **50** (1) 23
Study on solid acid catalyzed hydrolysis of maltose and related polysaccharides
- Aydelotte MB, Thonar EJMA, Mollenhauer J, Flechtenmacher J// Rush Presbyterian St Luke's Med Ctr, Dept Biochem, 1653 West Congress Pkwy, Chicago, IL 60612, USA
In Vitro Cell Dev Biol-Animal 1998 **34** (2) 123
Culture of chondrocytes in alginate gel: Variations in conditions of gelation influence the structure of the alginate gel, and the arrangement and morphology of proliferating chondrocytes
- Bonferoni MC, Rossi S, Ferrari F, Bertoni M, Bolhuis GK, Caramella C*// *Univ Pavia, Dept Pharmaceut Chem, Viale Taramelli 12, IT-27100 Pavia, Italy
J Control Release 1998 **51** (2-3) 231
On the employment of λ -carrageenan in a matrix system. III. Optimization of a λ -carrageenan-HPMC hydrophilic matrix
- Chen YY, Hu ZB*, Lang JC// *Univ Texas, Dept Phys, Denton, Tx 76203, USA
J Appl Polym Sci 1998 **68** (1) 29
Turbidity investigation of the sol-gel transition in carrageenan gels under physiologic conditions
- Chevolot L, Collic-Jouault S, Foucault A, Ratiskol J, Sinquin C// IFREMER, Lab VP BM, URM2, rue Ile Yeu, BP 21105, FR-44311 Nanest 3, France
J Chromatogr B 1998 **706** (1) 43
Preliminary report on fractionation of fucans by ion-exchange displacement centrifugal partition chromatography
- Chiovitti A, Bacic A, Craik DJ, Munro SLA, Kraft GT, Liao ML*// *Univ Melbourne, CRC Ind Plant Biopolymers, Parkville, Vic 3052, Australia
Carbohydr Res 1997 **305** (2) 243
Carrageenans with complex substitution patterns from red algae of the genus *Erythroclonium*
- Dashevsky A// Kiev Inst Postgrad Adv Physicians, Dorogozhytskaja Str 9, UA-254112 Kiev, Ukraine
Int J Pharm 1998 **161** (1) 1
Protein loss by the microencapsulation of an enzyme (lactase) in alginate beads
- Ding YQ, Li Y, Chen CY, Elmahadi EA, Xu HB// Nanyang Inst Sci & Technol, Expt Ctr, CN-473066 Nanyang, Peoples Rep China
Biomed Chromatogr 1998 **12** (2) 86
Chromatographic analysis of polysaccharides extracted from Chinese *Indocalamus tessellatus*
- Fernandez-Hervas MJ, Holgado MA, Fini A, Fell JT// Univ Sevilla, Dept Farm & Tecnol Farmaceut, ES-41012 Seville, Spain
Int J Pharm 1998 **163** (1-2) 23
In vitro evaluation of alginate beads on a diclofenac salt
- Freile-Pelegrin Y, Robledo D// CINVESTAV, Unidad Merida, AP 73, MX-97310 Merida, Yucatan, Mexico
J Appl Phycol 1997 **9** (6) 533
Influence of alkali treatment on agar from *Gracilaria cornea* from Yucatan, Mexico
- Grizzi I, Braud C*, Vert M// *Univ Montpellier 1, Fac Pharm, CRBA, CNRS, URA 1465, 15 Ave Charles Flahault, FR-34060 Montpellier, France
J Biomater Sci-Polym Ed 1998 **9** (2) 189
Calcium alginate dressings: I. Physico-chemical characterization and effect of sterilization
- Gustavsson PE, Axelsson A, Larsson PO*// *Lund Univ, Ctr Chem & Chem Engr, Dept Pure & Appl Biochem, POB 124, SE-22100 Lund, Sweden
J Chromatogr A 1998 **795** (2) 199
Direct measurements of convective fluid velocities in superporous agarose beads
- Hjerde T, Smidsrod O, Stokke BT, Christensen BE*// *Norwegian Univ Sci & Technol, Dept Biotechnol, Norwegian Polymer Lab, NO-7034 Trondheim, Norway
Macromolecules 1998 **31** (6) 1842
Acid hydrolysis of κ - and ι -carrageenan in the disordered and ordered conformations: Characterization of partially hydrolyzed samples and single-stranded

oligomers released from the ordered structures

- Janaki B, Sashidhar RB*// *Osmania Univ, Univ Coll Sci, Dept Biochem, IN-500007 Hyderabad, India
Food Chem 1998 **61** (1-2) 231
 Physico-chemical analysis of gum kondagogu (*Cochlospermum gossypium*): A potential food additive
- Kim KH, Lee YS, Jung IS, Park SY, Chung HY, Lee IR, Yun YS*// *KAERI, Korea Canc Ctr Hosp, Immunol Lab, Seoul 139706, South Korea
Planta Med 1998 **64** (2) 110
 Acidic polysaccharide from *Panax ginseng*, ginsan, induces Th1 cell and macrophage cytokines and generates LAK cells in synergy with rIL-2
- Lai MF, Lii C*// *Acad Sinica, Inst Chem, Taipei 11529, Taiwan
Bot Mar 1998 **41** (2) 223
 Effects of extraction conditions on structural and rheological characteristics of agar from *Pterocladia capillacea* and carrageenan from *Grateloupia filicina*
- McLarnon-Riches CJ, Robinson PK*// *Univ Cent Lancashire, Dept Appl Biol, Preston PR1 2HE, England
Biotechnol Technique 1998 **12** (3) 215
 Simple method for the production of agarose bioparticles
- Mischnick P// Univ Hamburg, Inst Organ Chem, Martin Luther King Pl 6, DE-20146 Hamburg, Germany
Starch 1998 **50** (1) 33
 Determination of the substituent distribution of *O*-(2-hydroxypropyl)inulin by methylation analysis (German, English Abstract)
- Phillips GO// 2 Plymouth Dr, Radyr, Cardiff CF4 8BL, Wales
Food Addit Contam 1998 **15** (3) 251
 Acacia gum (gum arabic): A nutritional fibre metabolism and calorific value
- Pillay V, Dangor CM, Govender T, Moopanar KR, Hurbans N// Univ Durban Westville, Dept Pharm, Private Bag X54001, ZA-4000 Zwazulu Natal, Rep Sth Africa
J Microencapsul 1998 **15** (2) 215
 Ionotropic gelation: Encapsulation of indomethacin in calcium alginate gel discs
- Prasad YVR, Krishnaiah YSR, Satyanarayana S*// *Andhra Univ, Dept Pharmaceut Sci, IN-530003 Visakhapatnam, Andhra Pradesh, India
J Control Release 1998 **51** (2-3) 281
In vitro evaluation of guar gum as a carrier for colon-specific drug delivery
- Purwanto ZI, Van der Broek LAM, Schols HA, Pilnik W, Voragen AGJ// Natl Atom Energy Agcy, Ctr Applicat Isotopes & Radiat, POB 7002 KBL, ID-12070 Jakarta, Indonesia
Acta Aliment 1998 **27** (1) 29
 Degradation of low molecular weight fragments of pectin and alginates by γ -irradiation
- Remize F, Schorr-Galindo S*, Guiraud JP, Dequin S, Blondin B// *Univ Montpellier 2, Lab GBSA Microbiol & Biochim Ind, FR-34095 Montpellier, France
Biotechnol Lett 1998 **20** (3) 313
 Construction of a flocculating yeast for fructose production from inulin
- Renard CMGC, Lahaye M, Mutter M, Voragen FGJ, Thibault JF// INRA, Lab Biochim & Technol Glucides, BP 71627, FR-44316 Nantes 03, France
Carbohydr Res 1997 **305** (2) 271
 Isolation and structural characterisation of rhamnogalacturonan oligomers generated by controlled acid hydrolysis of sugar-beet pulp
- Richardson PH, Norton IT// Unilever Res Labs, Colworth House, Sharnbrook MK44 1LQ, England
Macromolecules 1998 **31** (5) 1575
 Gelation behavior of concentrated locust bean gum solutions
- Shi YQ, Wang XW, Chen GW, Golemme G*, Zhang SM, Drioli E// *Univ Calabria, Dept Chem & Mat Engr, Cda Arcavacata, IT-87030 Rende, CS, Italy
J Appl Polym Sci 1998 **68** (6) 959
 Preparation and characterization of high-performance dehydrating alginate membranes
- Spronk BA, Rademaker GJ, Haverkamp J, Thomas-Oates JE, Vincken JP, Voragen AGJ*, Kamerling JP, Vliegthart JFG// *Agr Univ Wageningen, Dept Food Sci, POB 8129, NL-6700 EV Wageningen, The Netherlands
Carbohydr Res 1997 **305** (2) 233
 Dimers of a GFG hexasaccharide occur in apple fruit xyloglucan
- Timmers CM, Wighert SCM, Leeuwenburgh MA, Van der Marel GA, Van Boom JH// Leiden Univ, Leiden Inst Chem, Gorlaeus Labs, POB 9502, NL-2300 RA Leiden, The Netherlands
Eur J Org Chem 1998 (1) 91
 Synthesis of tetrameric arabinogalactans based on 1,2-anhydrosugars
- Usov AI, Bilan MI// Zelinskii Organ Chem Inst, Leninskii pr 47, GSP-1, Moscow 117913, Russia
Bioorg Khim 1998 **24** (2) 139

- Polysaccharides of algae. LII. The structure of sulfated xylogalactan from the calcareous red alga *Boswellia cretacea* (P. et R.) Johansen (Rhodophyta, Corallinales) (Russian, English Abstract)
- Valuev IL, Popovich SN, Talyzenkov YA, Sytov GA, Chupov VV, Valuev LI, Plate NA, Zhofefovich Z// AV Topchiev Petrochem Synth Inst, RU-117912 Moscow, Russia
Dokl Akad Nauk 1997 **357** (5) 634
 Complexation of fucans polysaccharides with lectins and polypeptides (Russian)
- Van Waes C, Baert J, Carlier L, Van Bockstaele E// Plant Breeding Inst, Burg Van Gansberghelaan 109, BE-9820 Merelbeke, Belgium
J Sci Food Agr 1998 **76** (1) 107
 A rapid determination of the total sugar content and the average inulin chain length in roots of chicory (*Cichorium intybus* L.)
- Viebbe C, Borgstrom J, Carlsson I, Piculell L, Williams P// NE Wales Inst, Ctr Water Soluble Polymers, Plas Coch, Mold Rd, Wrexham LL11 2AW, Wales
Macromolecules 1998 **31** (6) 1833
 A differential scanning calorimetry study of κ -carrageenan in the NaCl/NaI/CsI/CsCl systems and analysis by Poisson-Boltzmann calculations
- Villanueva RD, Rumbaoa RO, Gomez AV, Loquias MM, De la Rosa AM, Montano NE// Univ Philippines, Coll Sci, Inst Marine Sci, PH-1101 Quezon City, Philippines
Bot Mar 1998 **41** (2) 199
 γ -Irradiation in the extraction of agar from *Gelidiella acerosa* (Forsskaal) Feldmann et Hamel.
- Yano M, Inoue K// Saga Univ, Dept Applied Chem, 1 Honjo, Saga 840, Japan
Anal Sci 1997 **13** (Suppl) 359
 Adsorption of metal ions on alginic acid amide, pectic acid amide, crosslinked pectic acid and crosslinked alginic acid

13 Polysaccharides - other

- Deguine V, Menasche M, Ferrari P, Fraisse L, Pouliquen Y, Robert L*// *Hop Hotel Dieu, Serv Ophthalmol, 2 Pl Parvis Notre Dame, FR-75004 Paris, France
Int J Biol Macromol 1998 **22** (1) 17
 Free radical depolymerization of hyaluronan by Maillard reaction products: Role in liquefaction of aging vitreous
- Iozep AA, Kuznetsova TE, Ilina TY, Passet BV// St Petersburg State Pharmaceutical Chem Acad, St Petersburg, Russia
Russ J Appl Chem-Eng Tr 1997 **70** (9) 1471
 Influence of reaction conditions on the degree of aminocarbonylmethylation of polysaccharides
- Jeon KJ, Katsuraya KJ, Kaneko Y, Mimura T, Uryu T*// *Univ Tokyo, Inst Ind Sci, Minato ku, 7-22-1 Roppongi, Tokyo 106, Japan
Polym J 1998 **30** (2) 106
 Studies on ionic interactions between a glycosaminoglycan chondroitin-6-sulfate and lysine-containing polypeptides by NMR spectroscopy
- Miyazaki T, Yomota C, Okada S// Natl Inst Hyg Sci, Osaka Branch, Chuo ku, 1-1-43 Hoenzaka, Osaka 540, Japan
J Appl Polym Sci 1998 **67** (13) 2199
 Change in molecular weight of hyaluronic acid during measurement with a cone-plate rotational viscometer
- Rinnbauer M, Mikros E, Peters T*// *Univ Lubeck, Inst Chem, Ratzeburger Allee 160, DE-23538 Lubeck, Germany
J Carbohydr Chem 1998 **17** (2) 217
 Conformational analysis of a complex between *Dolichos biflorus* lectin and the Forssman pentasaccharide using transferred NOE build-up curves
- Su H, Caldwell HD*// *NIH/NIHID, Rocky Mt Lab, Intracellular Parasites Lab, Immunol Sect, 903 Sth 4th St, Hamilton, Mt 59840, USA
Infect Immunity 1998 **66** (3) 1258
 Sulfated polysaccharides and a synthetic sulfated polymer are potent inhibitors of *Chlamydia trachomatis* infectivity *in vitro* but lack protective efficacy *in vivo* murine model of chlamydial genital tract infection
- Yamagaki T, Mitsuishi Y, Nakanishi H*// *AIST, Natl Inst Biosci & Human Technol, 1-1 Higashi, Ibaraki, Osaka 305, Japan
Chem Lett 1998 (1) 57
 Post-source decay fragment analysis of a highly branched nonasaccharide of xyloglucan using MALDI-TOF mass spectrometry
- Zhu T, Boons GJ*// *Univ Birmingham, Sch Chem, POB 363, Birmingham B15 2TT, England
J Chem Soc Perkin Trans 1 1998 (5) 857
 Two-directional, convergent synthesis of a pentasaccharide that is involved in the hyperacute rejection response in xenotransplantation from pig to man