

Bibliography of carbohydrate polymers

(6 weeks journals. Search completed at 25th Mar 1998)

1 Books, reviews & symposia

- Bucke C// Univ Westminster, Sch Biosci, 115 New Cavendish St, London W1M 8JS, England
Trends Biotech 1998 16 (2) 50
 Polysaccharide biotechnology: A Cinderella subject (Meeting Report)
 Chatterjee D, Khoo KH// Colorado State Univ, Dept Microbiol, Fort Collins, Co 80523, USA
Glycobiology 1998 8 (2) 113
 Mycobacterial lipoarabinomannan: An extraordinary lipoheteroglycan with profound physiological effects (Mini-Review)
 Sutherland IW// Univ Edinburgh, Inst Cell & Mol Biol, Mayfield Rd, Edinburgh EH9 3JH, Scotland
Trends Biotech 1998 16 (1) 41
 Novel and established applications of microbial polysaccharides (Review)

2 Cellulose

- Akande OF, Ford JL, Rowe PH, Rubinstein MH// *Liverpool John Moores Univ, Drug Delivery & Pharmaceut Technol Grp, Byrom St, Liverpool L3 3AF, England
J Pharm Pharmacol 1998 50 (1) 19
 The effects of lag-time and dwell-time on the compaction properties of 1:1 paracetamol/microcrystalline cellulose tablets prepared by pre-compression and main compression
 Al Soraya AM, Henaish BA*, Mohammed HO// *King Saud Univ, Dept Phys, POB 2455, IN-11451 Riyadh, Saudi Arabia
Polym Degrad Stabil 1997 58 (1-2) 139
 Gamma and electron response of coloured cellulose acetate
 Awadel-Karim S, Leclerc D, Grondy H, Yatich SK, Nazhad MM, Paszner L// Univ British Columbia, Fac Forestry, 270-2357 Main Mall, Vancouver, Brit Columbia, Canada V6T 1Z4
Holzforchung 1998 52 (1) 67
 Changes in H-bonding of cellulose during solvent purification treatment (acetonation)
 Azizbekyan SG, Manenok GS, Daineko SN, Nefedova GM// Byelorussian Acad Sci, Inst Phys Organ Chem, Minsk, Byelorussia
Russ J Appl Chem-Eng Tr 1997 70 (6) 987
 Structural modification of carboxymethyl cellulose solutions by mechanical activation
 Borzani W, De Souza SJ// Inst Maua Tecnol, Estrada Lagrimas 2035, BR-09580-900 Sao Caetano do Sul, SP, Brazil
World J Microbiol Biotechnol 1998 14 (1) 59
 A simple method to control the bacterial production of cellulosic films in order to obtain dried pellicles presenting a desired average thickness
 Brooks SE, Laird ML, Marcus DM, Johnson MH, Ramage JJ, Green K// Med Coll Georgia, Dept Ophthalmol, 1120 15th St, Augusta, Ga 30912, USA
J Glaucoma 1998 7 (1) 16
 Kinetics of fluid delivery from methylcellulose sponges
 Byrne CE, Nagle DC// *Johns Hopkins Univ, Dept Mat Sci & Engr, Baltimore, Md 21218, USA
Mater Res Innov 1997 1 (3) 137
 Cellulose derived composites: A new method for materials processing
 Cantoni C, Zennaro F, Bertocchi C, Mariotti P, Rizzo R// *Univ Trieste, Dipt Biochim Biofis & Chim Macromol, via Licio Giorgieri 1, IT-34127 Trieste, Italy
Biopolymers 1998 45 (2) 157
 C₆-oxidized cellulose: Ion interactions with mono- and divalent cations
 Chen JM, Huang Y*, Wang HL, Shen JR// *Chinese Acad Sci, Guangzhou

- Inst Chem, Lab Cellulose & Lignocellulose Chem, CN-510650 Guangzhou, Peoples Rep China
J Appl Polym Sci 1998 67 (7) 1285
 Morphology of polyethylene blended with thermotropic hydroxyethyl cellulose acetate
 Dias CR, Rosa MJ, De Pinho MN// *Inst Super Tecn, Dept Chem Engr, Avda Rovisco Pais, PT-1096 Lisbon, Portugal
J Membrane Sci 1998 138 (2) 259
 Structure of water in asymmetric cellulose ester membranes: An ATR-FTIR study
 Dolz M, Bugaj J, Pellicer J, Hernandez MJ, Gorecki M// Univ Valencia, Dept Thermodynam, ES-46100 Valencia, Spain
J Pharm Sci 1997 86 (11) 1283
 Thixotropy of highly viscous sodium (carboxymethyl)cellulose hydrogels
 Franco P, Minguillon C*, Oliveros L// *Univ Barcelona, Quim Farmaceut Lab, Avda Diagonal s/n, ES-08028 Barcelona, Spain
J Chromatogr A 1997 791 (1-2) 37
 Bonded cellulose-derived high-performance liquid chromatography chiral stationary phases III. Effect of the reticulation of the cellulose derivative on performance
 Gao PJ, Liu J, Zhang YZ, Qu YB, Pang SJ// Shandong Univ, State Key Lab Microbial Technol, CN-250100 Jinan, Peoples Rep China
Prog Nat Sci 1998 8 (1) 117
 Structural changes in macromolecules of native cellulose during biodegradation: Exploring the effect of splitting of hydrogen bonds in cellulose depolymerization
 Gordon BR, Kelsey SF, Dau PC, Gotto AM, Graham K, Illingworth DR, Isaacsohn J, Jones PH, Leitman SF, Saal SD *et al*// Rogosin Inst, 505 East 70th St, New York, NY 10021, USA
Amer J Cardiol 1998 81 (4) 407
 Long-term effects of low-density lipoprotein apheresis using an automated dextran sulfate cellulose adsorption system
 Hattori M, Koga T, Shimaya Y, Saito M// Asahi Chem Ind Co Ltd, Cent Lab, 11-7 Hachonawate, Osaka 569, Japan
Polym J 1998 30 (1) 43
 Aqueous calcium thiocyanate solution as a cellulose solvent. Structure and interactions with cellulose
 Hattori M, Shimaya Y, Saito M// Address as above
Polym J 1998 30 (1) 49
 Solubility and dissolved cellulose in aqueous calcium- and sodium-thiocyanate solution
 Holmberg M, Wigren R, Erlandsson R, Claesson PM// Royal Inst Technol, Dept Chem, POB 5607, SE-10044 Stockholm, Sweden
Colloid Surface A 1997 130 175
 Interactions between cellulose and colloidal silica in the presence of polyelectrolytes
 Iloanusi NO, Schwartz JB// *Philadelphia Coll Pharm & Sci, Dept Pharmaceut, Philadelphia, Pa 19104, USA
Drug Develop Ind Pharm 1998 24 (1) 37
 The effect of wax on compaction of microcrystalline cellulose beads made by extrusion and spheronization
 Jussiaux-Devilder C, Moliton JP, Lazzaroni R, Bredas JL, Kihn Y, Sevely J// Fac Sci, Unite Microelect Optoelect & Polymeres, 123 Ave Albert Thomas, FR-87060 Limoges, France
J Polym Sci B-Polym Phys 1998 36 (2) 319
 Relation between plasmons and ion-induced damaging in cellulosic derivatives
 Kataoka Y, Kondo T// *Forestry & Forest Prod Res Inst, POB 16, Tsukuba Norin 305, Japan
Macromolecules 1998 31 (3) 760
 FT-IR microscopic analysis of changing cellulose crystalline structure during

As a service to subscribers, each issue of the Journal contains a bibliography of newly published material in the field of carbohydrate polymers. The bibliography is divided into thirteen sections: 1 Books, Reviews & Symposia; 2 Cellulose; 3 Cellulose-degrading Enzymes; 4 Chitin/Chitosan; 5 Cyclodextrins; 6 Lignin; 7 Lipopolysaccharides; 8 Pectin; 9 Starch; 10 Starch-degrading Enzymes; 11 Polysaccharides - Microbial; 12 Polysaccharides - Plant; 13 Polysaccharides - Other. Within each section, articles are listed in alphabetical order with respect to author. When there are no publications to appear under one of these headings, that section will be omitted.

wood cell wall formation

Kriz D, Berggren C, Palmqvist E// IDEON, Chem Res Inst, SE-22370 Lund, Sweden

Instrum Sci Technol 1998 **26** (1) 69

Sire-technology. Part III. Glucose monitoring during fermentation of a ligno-cellulosic hydrolysate by *Saccharomyces cerevisiae* employing a differential amperometric biosensor

Laszkiewicz B// Tech Univ Lodz, Dept Man Made Fibers, PL-90924 Lodz, Poland

J Appl Polym Sci 1998 **67** (11) 1871

Solubility of bacterial cellulose and its structural properties

Li JT, Wang SC*, Nagai K, Nakagawa T, Mau AWH// *Tianjin Univ, Chem Engn Res Ctr, CN-300072 Tianjin, Peoples Rep China

J Membrane Sci 1998 **138** (2) 143

Effect of polyethyleneglycol (PEG) on gas permeabilities and permselectivities in its cellulose acetate (CA) blend membranes

Okimoto K, Miyake M, Ibuki R, Yasumura M, Ohnishi N, Nakai T// Fujisawa Pharmaceut Co Ltd, Technol Dev Labs, Yodogawa ku, 1-6-2 chome, Osaka 532, Japan

Int J Pharm 1997 **159** (1) 85

Dissolution mechanism and rate of solid dispersion particles of nilvadipine with hydroxypropylmethylcellulose

Sanchez-Romero C, Guillen R, Heredia A*, Jimenez A, Fernandez-Bolanos J// *CSIC, Inst Grasa, Dept Biotecnol Alimentos, Apdo 1078, ES-41012 Seville, Spain

J Food Protect 1998 **61** (1) 87

Degradation of hemicellulosic and cellulosic polysaccharides in pickled green olives

Sivakumar M, Mohanasundaram AK, Mohan D*, Balu K, Rangarajan R// *Anna Univ, Alagappa Coll Technol, Dept Chem Engn, IN-600025 Madras, India

J Appl Polym Sci 1998 **67** (11) 1939

Modification of cellulose acetate: Its characterization and application as an ultrafiltration membrane

Svensson O, Josefson M, Langkilde FW// Gothenburg Univ, Dept Analyt & Marine Chem, SE-41296 Gothenburg, Sweden

Appl Spectrosc 1997 **51** (12) 1826

Classification of chemically modified celluloses using a near-infrared spectrometer and soft independent modeling of class analogues

Tenkanen M// VTT Biotechnol & Food Res, POB 1501, FI-02044 Espoo, Finland

Biotechnol Appl Biochem 1998 **27** (1) 19

Action of *Trichoderma reesei* and *Aspergillus oryzae* esterases in the deacetylation of hemicelluloses

Varma AJ, Chavan VB, Rajmohan PR, Ganapathy S// Natl Chem Lab, IN-411008 Pune, India

Polym Degrad Stabil 1997 **58** (3) 257

Some observations on the high-resolution solid-state CP-MAS ¹³C-NMR spectra of periodate-oxidised cellulose

Venkatesh KV// Indian Inst Technol, Dept Chem Engn, IN-400076 Bombay, India

Bioresource Technol 1997 **62** (3) 91

Simultaneous saccharification and fermentation of cellulose to lactic acid

Vennat B, Lardy F, Arvouet Grand A, Pourrat A*// *UFR Pharm, Serv Pharm Galen & Pharmacotech, 28 Pl H Dunant, BP 38, FR-63001 Clermont Ferrand, France

Drug Develop Ind Pharm 1998 **24** (1) 27

Comparative texturometric analysis of hydrogels based on cellulose derivatives, carrageenates, and alginates: Evaluation of adhesiveness

Yamamura S, Terada K, Momose Y// Toho Univ, Sch Pharmaceut Sci, Miyama 2-2-1, Chiba 274, Japan

J Pharm Pharmacol 1997 **49** (12) 1178

Change of the microstructure of microcrystalline cellulose with grinding and compression

Yamane S, Takayama K*, Nagai T// *Hishi Univ, Dept Pharmaceut, Shinagawa ku, Ebara 2-4-41, Tokyo 142, Japan

J Control Release 1998 **50** (1-3) 103

Effect of fractal dimension on drug permeation through porous ethylcellulose films

Yang GA, Zhang LN*, Yamane C, Miyamoto I, Inamoto M, Okajima K// *Wuhan Univ, Dept Chem, CN-430072 Wuhan, Peoples Rep China

J Membrane Sci 1998 **139** (1) 47

Blend membranes from cellulose/konjac glucomannan cuprammonium solution

3 Cellulose-degrading enzymes

Li X, Zhou Z, Zhang S, Jin F, Gao P// Dalian Coll Light Ind, Dept Food Technol, CN-116001 Dalian, Peoples Rep China

World J Microbiol Biotechnol 1997 **13** (6) 683

Production and properties of a cellulose-oxidizing enzyme from a newly isolated cellulolytic bacterium *Cytophaga* sp. LX-7

4 Chitin/chitosan

Bierstedt A, Stankiewicz BA, Briggs DEG, Evershed RP// Shell E & P Technol Co, 3737 Bellaire Blvd, Houston, Tx 77025, USA

Analyst 1998 **123** (1) 139

Quantitative and qualitative analysis of chitin in fossil arthropods using a combination of colorimetric assay and pyrolysis gas chromatography/mass spectrometry

Cheng GX, Liu J, Zhao RZ, Yao KD*, Sun PC, Men AJ, Wang WH, Wei L// *Tianjin Univ, Dept Mat Sci & Engr, CN-300072 Tianjin, Peoples Rep China

J Appl Polym Sci 1998 **67** (6) 983

Studies on dynamic behavior of water in crosslinked chitosan hydrogel

Dong YM, Li ZQ, Guo R// Xiamen Univ, Dept Chem, CN-361005 Xiamen, Peoples Rep China

Chem J Chinese Univ-Chinese 1998 **19** (1) 161

Synthesis and characterization of a new liquid crystalline polymer: Butyryl chitosan (Letter)

Gamblin BE, Stevens JG, Wilson KL// Univ Nth Carolina, Dept Chem, Asheville, NC 28804, USA

Hyperfine Interactions 1998 **112** (1-4) 117

Structural investigations of chitin and chitosan complexed with iron or tin

Guan YL, Liu XF, Zhang YP, Yao KD// Tianjin Univ, Res Inst Polymer Mat, CN-300072 Tianjin, Peoples Rep China

J Appl Polym Sci 1998 **67** (12) 1965

Study of phase behavior on chitosan/viscose rayon blend film

Inui K, Tsukamoto K, Miyata T, Urugami T*// *Kansai Univ, Fac Engr, Chem Branch, Osaka 56480, Japan

J Membrane Sci 1998 **138** (1) 67

Permeation and separation of a benzene/cyclohexane mixture through benzoyl-chitosan membranes

Kittur FS, Kumar KR, Tharanathan RN*// *Cent Food Technol Res Inst, Dept Biochem & Nutr, IN-570013 Mysore, India

Z Lebensm Unters Forsch A-Food 1998 **206** (1) 44

Functional packaging properties of chitosan films

Ko MJ, Jo WH*, Kim HC, Lee SC// *Seoul Natl Univ, Dept Fiber & Polymer Sci, Seoul 151742, South Korea

Polym J 1997 **29** (12) 997

Miscibility of chitosans/polyamide 6 blends

Kotze AF, Luessen HL, De Leeuw BJ, De Boer BG, Verhoef JC, Junginger HE// Univ Christian Higher Educ, Dept Pharmaceut, ZA-2520 Potchefstroom, Rep Sth Africa

J Control Release 1998 **51** (1) 35

Comparison of the effect of different chitosan salts and *N*-trimethyl chitosan chloride on the permeability of intestinal epithelia cells (Caco-2)

Koyano T, Minoura N, Nagura M, Kobayashi K// Natl Inst Mat & Chem Res, Ibaraki, Osaka 305, Japan

J Biomed Mater Res 1998 **39** (3) 486

Attachment and growth of cultured fibroblast cells on PVA/chitosan-blended hydrogels

Lee KY, Jo WH, Kwon IC, Kim YH, Jeong SY*// *Seoul Natl Univ, Dept Fiber & Polymer Sci, Seoul 151742, South Korea

Macromolecules 1998 **31** (2) 378

Structural determination and interior polarity of self-aggregates prepared from deoxycholic acid-modified chitosan in water

Ngah WSW, Isa IM// Univ Sains Malaysia, Sch Chem Sci, Georgetown 11800, Malaysia

J Appl Polym Sci 1998 **67** (6) 1067

Comparison study of copper ion adsorption on chitosan, Dowex A-1, and Zerolit 225

Piron E, Domard A*// *Univ Lyon 1, Etud Mat Plast & Biomat Lab, CNRS, UMR 5627, 43 Blvd 11 Novembre 1918, FR-69622 Villeurbanne, France

Int J Biol Macromol 1997 **21** (4) 327

Interaction between chitosan and uranyl ions: Part I. Role of physicochemical parameters

Shin Y, Yoo DI// Chonnam Natl Univ, Dept Clothing & Text, Kwangju 5000757, South Korea

J Appl Polym Sci 1998 **67** (9) 1515

Use of chitosan to improve dyeability of DP-finished cotton (II)

Uragami T, Tsukamoto K, Inui K, Miyata T// Kansai Univ, Chem Branch, Fac Engr, Osaka 56480, Japan

Macromol Chem Physics 1998 **199** (1) 49

Pervaporation characteristics of a benzoylchitosan membrane for benzene-cyclohexane mixtures

Volkov VI, Skirda VD, Vasina EN, Korotchkova SA, Ohya H*, Soontarapa K// *Yokohama Natl Univ, Dept Mat Sci & Chem Engr, Hodogaya ku, Yoko-

- hama, Kanagawa 240, Japan
J Membrane Sci 1998 **138** (2) 221
 Self-diffusion of water-ethanol mixture in chitosan membranes obtained by pulsed-field gradient nuclear magnetic resonance technique
 Wu SZ, Zeng F, Shen JU// S China Univ Technol, Dept Polymer Sci & Engrn, CN-510641 Guangzhou, Peoples Rep China
J Appl Polym Sci 1998 **67** (12) 2077
 The conductive properties of the electrorheological suspensions based on dihydroxypropyl chitosan particles
 Yao KD, Liu J, Cheng GX, Zhao RZ, Wang WH, Wei L// Tianjin Univ, Res Inst Polymer Mat, CN-300072 Tianjin, Peoples Rep China
Polym Int 1998 **45** (2) 191
 The dynamic swelling behaviour of chitosan-based hydrogels
 Yoshizuka K, Fujikawa K, Inoue K// Saga Univ, Dept Appl Chem, Saga 840, Japan
J Membrane Sci 1997 **137** (1-2) 201
 Permeation behavior of cisplatin analogs through chitosan and DOLSA-chitosan hybrid membranes
- ## 5 Cyclodextrins
- Armstrong DW, Chang LW, Chang SSC// Univ Missouri, Dept Chem, 142 Schrenk Hall, Rolla, Mo 65401, USA
J Chromatogr A 1998 **793** (1) 115
 Mechanism of capillary electrophoresis enantioseparations using a combination of an achiral crown ether plus cyclodextrins
 Becirevic-Lacan M, Skalko N// Univ Zagreb, Dept Pharmaceut, a Kovacica 1, HR-10000 Zagreb, Croatia
STP Pharma Sciences 1997 **7** (5) 343
 Hydrocortisone/cyclodextrin complex: Complexation methods and complex incorporation in liposomes
 Fini A, Fernandez-Hervas MJ, Holgado MA, Rodriguez L, Cavallari C, Passerini N, Caputo O// Univ Bologna, Ist Sci Chim, via Sth Donato 15, IT-40127 Bologna, Italy
J Pharm Sci 1997 **86** (11) 1303
 Fractal analysis of β -cyclodextrin-indomethacin particles compacted by ultrasound
 Fujisawa M, Kimura T, Takagi S// Kinki Univ, Fac Biol Oriented Sci & Technol, Uchita cho, Wakayama 64964, Japan
Fluid Phase Equilibria 1997 **136** (1-2) 197
 The enthalpic stabilization of molecular inclusion of butanediol isomers into cyclodextrin cavities
 Gadre A, Connors KA*// *Univ Wisconsin, Sch Pharm, 425 Nth Charter St, Madison, WI 53706, USA
J Pharm Sci 1997 **86** (11) 1210
 Binding of substituted acetic acid to α -cyclodextrin in aqueous solution
 Gafni A, Cohen Y, Katak R, Palmer S, Parker D*// *Tel Aviv Univ, Sackler Fac Exact Sci, Sch Chem, IL-69978 Tel Aviv, Israel
J Chem Soc Perkin Trans 2 1998 (1) 19
 Enantiomer discrimination using lipophilic cyclodextrins studied by electrode response, pulsed-gradient spin-echo (PGSE) NMR and relaxation rate measurements
 Godinez LA, Lin J, Munoz M, Coleman AW, Rubin S, Parikh A, Zawodzinski TA, Loveday D, Ferraris JP, Kaifer AE*// *Univ Miami, Dept Chem, Coral Gables, FL 33124, USA
Langmuir 1998 **14** (1) 137
 Multilayer self-assembly of amphiphilic cyclodextrin hosts on bare and modified gold substrates: Controlling aggregation via surface modification
 Kaukonen AM, Kilpelainen I, Mannermaa JP// Univ Helsinki, Div Pharmaceut Technol, POB 56, FI-00014 Helsinki, Finland
Int J Pharm 1997 **159** (2) 159
 Water-soluble β -cyclodextrins in paediatric oral solutions of spironolactone: Solubilization and stability of spironolactone in solutions of β -cyclodextrin derivatives
 Linares M, De Bertorello MM, Longhi M*// *Univ Nacl, Dept Farmacia, AP 4, CC 61, AR-5000 Cordoba, Argentina
Int J Pharm 1997 **159** (1) 13
 Solubilization of naphthoquinones by complexation with hydroxypropyl- β -cyclodextrin
 Luong JHT, Nguyen AL// Natl Res Council, Biotechnol Res Inst, 6100 Royalmount Ave, Montreal, Quebec, Canada H4P 2R2
J Chromatogr A 1997 **792** (1-2) 431
 Achiral selectivity in cyclodextrin-modified capillary electrophoresis
 Lurie IS// US Drug Enforcement Adm, Special Testing & Res Lab, 7704 Old Springhouse Rd, McLean, Va 22102, USA
J Chromatogr A 1997 **792** (1-2) 297
 Separation selectivity in chiral and achiral capillary electrophoresis with mixed cyclodextrins
 MacKenzie CR, Fawcett JP*, Boulton DW, Tucker IG// *Univ Otago, Sch Pharm, POB 913, Dunedin, New Zealand
Int J Pharm 1997 **159** (2) 191
 Formulation and evaluation of a propanidid hydroxypropyl- β -cyclodextrin solution for intravenous anesthesia
 Manunza B, Deiana S, Pintore M, Gessa C// Univ Sassari, DISAABA, via Italia 39, IT-07100 Sassari, Italy
Theochem-J Mol Struct 1997 **419** 133
 Structure and internal motion of solvated β -cyclodextrin: A molecular dynamics study
 Mir M, Wilkinson F*, Worrall DR, Bourdelande JL, Marquet J// *Univ Autonoma, Dept Quim, ES-08193 Barcelona, Spain
J Photochem Photobiol A-Chem 1997 **111** (1-3) 241
 Study of bimolecular processes in ternary cyclodextrin complexes in the solid state by diffuse reflectance laser flash photolysis
 Ozdemir N, Ordu S// Ankara Univ, Dept Pharmaceut Technol, TR-06100 Ankara, Turkey
Drug Develop Ind Pharm 1998 **24** (1) 19
 Improvement of dissolution properties of furosemide by complexation with β -cyclodextrin
 Pistolis G, Malliaris A*// *Demokritos Natl Ctr Sci Res, GR-15310 Athens, Greece
J Phys Chem B 1998 **102** (7) 1095
 Size effect of α,ω -diphenylpolyenes on the formation of nanotubes with γ -cyclodextrin
 Qian J, Hentschke R*, Knoll W// *Max Planck Inst Polymer Res, Postfach 3148, DE-55021 Mainz, Germany
Langmuir 1997 **13** (26) 7092
 Superstructures of cyclodextrin derivatives on Au(111): A combined random planting molecular dynamics approach
 Salvador A, Herbreteau B, La Fosse M, Dreux M*// *Univ Orleans, UPRES A6005, UFR Sci, Inst Chim Organ & Analyt, BP 6759, FR-45067 Orleans 2, France
Analisis 1997 **25** (8) 263
 A simplified approach for the determination of substitution patterns of methylated cyclodextrins by liquid and subcritical fluid chromatography
 Szafran B, Pawlaczyk J// K Marcinkowski Univ Med Sci, Dept Inorgan & Analyt Chem, Grunwaldzka 6, PL-60780 Poznan, Poland
Polish J Chem 1998 **72** (2) 480
 Spectroscopic study of inclusion complexes of β -cyclodextrin with sulfonamides
 Tee OS, Fedortchenko AA, Soo PL// Concordia Univ, Dept Chem & Biochem, Montreal, Quebec, Canada H3G 1M8
J Chem Soc Perkin Trans 2 1998 (1) 123
 Retardation of acetal hydrolysis by cyclodextrins and its use in probing cyclodextrin-guest binding
 Wilson LD, Verrall RE*// *Univ Saskatchewan, Dept Chem, 110 Sci Pl, Saskatoon, Saskatchewan, Canada S7N 5V9
J Phys Chem B 1998 **102** (2) 480
 Volumetric study of modified β -cyclodextrin/hydrocarbon and fluorocarbon surfactant inclusion complexes in aqueous solutions
- ## 6 Lignin
- Lu FC, Ralph J*// *USDA/ARS, US Dairy Forage Res Ctr, 1925 Linden Dr West, Madison, WI 53706, USA
J Agr Food Chem 1998 **46** (2) 547
 The DFRC method for lignin analysis. II. Monomers from isolated lignins
 Peng JP, Lu FC, Ralph J*// *Address as above.
J Agr Food Chem 1998 **46** (2) 553
 The DFRC method for lignin analysis. IV. Lignin dimers isolated from DFRC-degraded loblolly pine wood
 Sun RC, Lawther JM, Banks WB// Univ Wales, Biocomposites Ctr, Bangor LL57 2UW, Wales
Wood Fiber Sci 1998 **30** (1) 56
 Isolation and characterization of organosolv lignins from wheat straw
 Thring RW, Vanderlaan MN, Griffin SL// Univ New Brunswick, Dept Chem Engrn, POB 4400, Fredericton, New Brunswick, Canada E3B 5A3
Biomass Bioenerg 1997 **13** (3) 125
 Polyurethanes from Alcell® lignin
- ## 7 Lipopolysaccharides
- Agrawal PK, Bush CA, Qureshi N, Takayama K// Cent Inst Med & Aromat Plants, IN-226015 Lucknow, Uttar Pradesh, India
Magn Reson Chem 1998 **36** (1) 1
 NMR spectral investigations, Part XLVIII. ^1H and ^{13}C NMR assignments of a lipopolysaccharide obtained from the deep rough mutant of *Escherichia coli* D31m4
 Blakeman KH, Weintraub A, Widmalm G*// *Univ Stockholm, Arrhenius

Lab, Dept Organ Chem, SE-10691 Stockholm, Sweden

Eur J Biochem 1998 **251** (1-2) 534

Structural determination of the O-antigenic polysaccharide from the enterotoxigenic *Escherichia coli* O147

Cedzynski M, St Swierko A, Ziolkowski A, Rozalski A, Paramonov NA, Vinogradov EV, Knirel YA, Kaca W// Polish Acad Sci, Ctr Microbiol & Virol, Lodowa 106, PL-93232 Lodz, Poland

Microbiol Immunol 1998 **42** (1) 7

Structural and immunochemical studies of two cross-reactive *Proteus mirabilis* O-antigens, O6 and O23, containing β 1 $\rightarrow$ 3-linked 2-acetamido-2-deoxy-D-glucopyranose residues

Forsberg LS, Carlson RW// *Univ Georgia, Complex Carbohydrate Res Ctr, 220 Riverbend Rd, Athens, Ga 30602, USA

J Biol Chem 1998 **273** (5) 2747

The structures of the lipopolysaccharides from *Rhizobium etli* strains CE358 and CE359: The complete structure of the core region of *R. etli* lipopolysaccharides

Haseley SR, Holst O*, Brade H// *Res Ctr Borstel, Div Med & Biochem Microbiol, Ctr Med & Biosci, Parkallee 22, DE-23845 Borstel, Germany

Eur J Biochem 1998 **251** (1-2) 189

Structural studies of the O-antigen isolated from the phenol-soluble lipopolysaccharide of *Acinetobacter baumannii* (DNA group 2) strain 9

Katzenellenbogen E, Kocharova NA, Zatonsky GV, Mieszala M, Gamian A, Bogulska M, Shashkov AS, Romanowska E, Knirel YA// Hirsfeld Inst Immunol & Expt Therapy, Weigla 12, PL-53114 Wroclaw, Poland

Eur J Biochem 1998 **251** (3) 980

Immunochemical studies of the lipopolysaccharide O-specific polysaccharide of *Hafnia alvei* PCM 1199 related to *H. alvei* PCM 1205

Konadu EY, Parke JC, Tran HT, Bryla DA, Robbins JB, Szu SC// *NIH, Bldg 6, Room 424, Bethesda, Md 20892, USA

J Infect Dis 1998 **177** (2) 383

Investigational vaccine for *Escherichia coli* O157: Phase I study of O157 O-specific polysaccharide *Pseudomonas aeruginosa* recombinant exoprotein A conjugates in adults

Landersjö C, Weintraub A, Ansaruzzaman M, Albert MJ, Widmalm G// *Univ Stockholm, Dept Organ Chem, SE-10691 Stockholm, Sweden

Eur J Biochem 1998 **251** (3) 986

Structural analysis of the O-antigenic polysaccharide from *Vibrio mimicus* N-1990

Olsthoorn MMA, Petersen BO, Schlecht S, Haverkamp J, Bock K, Thomas Oates JE, Holst O// *Res Ctr Borstel, Ctr Med & Biosci, Div Med & Biochem Microbiol, Parkallee 22, DE-23845 Borstel, Germany

J Biol Chem 1998 **273** (7) 3817

Identification of a novel type in *Salmonella* lipopolysaccharide: Complete structural analysis of the core region of the lipopolysaccharide from *Salmonella enterica* sv. *arizonae* O62

Senchenkova SN, Zatonskii GV, Ujazda E, Shashkov AS, Kaca W, Knirel YA// *Russian Acad Sci, Zelinskii Inst Organ Chem, Leninskii pr 47, RU-117913 Moscow, Russia

Biochemistry-Engl Tr 1997 **62** (12) 1444

Structure of a neutral O-specific polysaccharide of the bacterium *Proteus mirabilis* O24

Zatonskii GV, Kocharova NA, Katzenellenbogen E, Shashkov AS, Knirel YA// *Russian Acad Sci, Zelinskii Inst Organ Chem, Leninskii pr 47, RU-117913 Moscow, Russia

Biochemistry-Engl Tr 1997 **62** (12) 1448

NMR spectroscopic elucidation of the structure of a glycerol teichoic acid-like O-specific polysaccharide of the bacterium *Hafnia alvei* strain PCM 1199

8 Pectin

Blanco P, Sieiro C, Diaz A, Villa TG// *Univ Santiago, Dept Microbiol, ES-15706 Santiago de Compostela, Spain

World J Microbiol Biotechnol 1997 **13** (6) 711

Differences between pectic enzymes produced by laboratory and wild-type strains of *Saccharomyces cerevisiae*

Pimenta-Braz PN, Richardoda-Silva JM*, Laureano O// *Univ Tecn, Inst Super Agron, Lab Ferreira Lapa, Sector Enol, PT-1399 Lisbon, Portugal

Z Lebensm Unters Forsch A-Food 1998 **206** (1) 14

Evaluation of pectolytic activities of enological interest in industrial enzyme preparations

Sanchez-Romero C, Guillen R, Heredia A*, Jimenez A, Fernandez-Bolanos J// *CSIC, Inst Grasa, Dept Biotec Aliment, Apdo 1078, ES-41012 Seville, Spain

J Food Protect 1998 **61** (1) 78

Degradation of pectic polysaccharides in pickled green olives

9 Starch

Abdel-Aal ESM, Hucl P, Sosulski FW// Univ Saskatchewan, Ctr Crop Dev,

51 Campus Dr, Saskatoon, Saskatchewan, Canada S7N 5A8

Starch 1997 **49** (12) 475

Characteristics of canaryseed (*Phalaris canariensis* L.) starch

Bikiaris D, Prinios J, Panayiotou C// *Univ Thessaloniki, Dept Chem Engr, GR-54006 Thessaloniki, Greece

Polym Degrad Stabil 1997 **58** (1-2) 215

Effect of methyl methacrylate-butadiene-styrene copolymer on the thermooxidation and biodegradation of LDPE/plasticized starch blends

Bogacheva TY, Morris VJ, Ring SG, Hedley CL// John Innes Ctr Plant Sci Res, Norwich Res Pk, Norwich NR4 7UH, England

Biopolymers 1998 **45** (4) 323

The granular structure of C-type pea starch and its role in gelatinization

Chan WC, Fu TP// Chung Hua Polytech Inst, Dept Civil Engr, Hsinchu 30067, Taiwan

J Appl Polym Sci 1998 **67** (6) 1085

Adsorption/ion-exchange behavior between a water-insoluble cationic starch and 2-chlorophenol in aqueous solutions

Couso I, Alvarez C, Solas MT, Barba C, Tejada M// *CSIC, Inst Frio, Ciudad Univ, ES-28040 Madrid, Spain

Z Lebensm Unters Forsch A-Food 1998 **206** (1) 38

Morphology of starch in surimi gels

De Carvalho CWP, Cruz R, Da Silva LV, Heinemann RB// EMBRAPA, CTAA, Avda Americas, 29501 Guaratiba, BR-23020-470 Rio de Janeiro, Brazil

Arg Biol Tecnol 1997 **40** (3) 504

Extraction and characterization of starch produced from thermoprocessed mango kernel (Portuguese, English Abstract)

Demiate IM, Sanger SA, Vogler Z, Cereda MP, Wosiaki G// Univ Estadual Ponta Grossa, Dept Zootech & Tecnol Alimentos, Postal 992-3, BR-84010-330 Ponta Grossa, PR, Brazil

Arg Biol Tecnol 1997 **40** (2) 321

Characteristics of quality of sour starch samples produced or commercialized in Parana state (Portuguese, English Abstract)

Falk H, Stanek M, Wutka R// Johannes Kepler Univ, Inst Chem, Altenbergstr 68, AU-4040 Linz, Austria

Starch 1997 **49** (12) 488

Aspects of partially acetylated degraded amylopectins: A ^{13}C NMR study

Fujita S, Yamamoto H, Sugimoto Y, Morita N, Yamamori M// Tsu City Coll, Div Food & Nutr, 157 Ishinden, Tsu, Mie 51401, Japan

J Cereal Sci 1998 **27** (1) 1

Thermal and crystalline properties of waxy wheat (*Triticum aestivum* L.) starch

Hau MYM, Gray DA, Taylor AJ// *Univ Nottingham, Dept Appl Biochem & Food Sci, Sutton Bonington Campus, Loughborough LE12 5RD, England

Flavour Fragr J 1998 **13** (2) 77

Binding of volatiles to extruded starch at low water contents

Igura N, Katoh T, Hayakawa I, Fujio Y// Kyushu Univ, Fac Agr, Lab Food Technol, Fukuoka 81281, Japan

J Fac Agr Kyushu Univ 1997 **42** (1-2) 139

Flow properties of low-moisturized starch melts at an elevated temperature

Ishida T, Song IS, Ohtani N, Sato K, Iwai Y, Arai Y// Kyushu Univ, Dept Chem Engr, Higashi ku, 6-10-1 Hakozaki, Fukuoka 81281, Japan

Fluid Phase Equilibria 1997 **136** (1-2) 163

Swelling equilibria of poly(*N*-isopropylacrylamide) gel in glucose and starch aqueous solution

Jacobson MR, BeMiller JN// *Purdue Univ, Whistler Ctr, Carbohydrate Res, 1160 Smith Hall, West Lafayette, In 47907, USA

Cereal Chem 1998 **75** (1) 22

Method for determining the rate and extent of accelerated starch retrogradation

Kim BS, Chang HN// Konyang Univ, Dept Chem Engr, San 30, Chungnam 320030, South Korea

Biotechnol Lett 1998 **20** (2) 109

Production of poly(3-hydroxybutyrate) from starch by *Azotobacter chroococcum*

Kwon KS, Auh JH, Kim JW, Park KH*, Park CH, Ko CJ// *Korea Food & Drug Adm, Pusan Off, Pusan 608080, South Korea

Starch 1997 **49** (12) 499

Physicochemical properties and functionality of highly carboxymethylated starch

Li S, Dickinson LC, Chinachoti P// *Univ Massachusetts, Dept Food Sci, Amherst, Ma 01003, USA

J Agr Food Chem 1998 **46** (1) 62

Mobility of "unfreezable" and "freezable" water in waxy corn starch by ^2H and ^1H NMR

Lu TJ, Lacourse WR, Jane JL// *Iowa State Univ, Dept Food Sci & Human Nutr, Ames, Ia 50011, USA

Starch 1997 **49** (12) 505

Evaluating sodium salts as pushing agents on high-performance anion-exchange chromatography with pulsed amperometric detection for maltodex-

trin analysis

Mitchell G, Wijnberg AC// Vilvoorde Res & Dev Ctr, Montedison Grp, Havenstr 84, BE-1800 Vilvoorde, Belgium
Starch 1997 **49** (12) 485
 Standardization of methodology for chemical functions in starch derivatives. Part 2

Mizuno A, Mitsuiki M, Motoki M// Ajinomoto Co Inc, Food Res & Dev Labs, Kawasaki ku, 1-1 Suzuki cho, Kawasaki, Kanagawa 210, Japan
J Agr Food Chem 1998 **46** (1) 98

Effect of crystallinity on the glass transition temperature of starch

Moheno-Perez JA, Almeida-Dominguez HC, Serna-Saldivar SO// Texas A&M Univ, Dept Soil & Crop Sci, Cereal Qual Lab, College Station, Tx 77843, USA

Starch 1997 **49** (12) 480

Effect of fiber degrading enzymes on wet milling and starch properties of different types of sorghums and maize

Perera C, Hoover R*, Martin AM// *Mem Univ Newfoundland, Dept Biochem, St Johns, Newfoundland, Canada A1B 3X9

Food Res Int 1997 **30** (3-4) 235

The effect of hydroxypropylation on the structure and physicochemical properties of native defatted and heat-moisture treated potato starches

Pizzoferrato L, Paci M, Rotilio G// Ist Nazl Nutr, via Ardeatina 546, IT-00178 Rome, Italy

J Agr Food Chem 1998 **46** (2) 438

Structural modification and bioavailability of starch components as related to the extent of Maillard reaction: An enzymatic degradation and a solid-state ¹³C CP/MAS NMR study

Seguchi M, Hayashi M, Kanenaga K, Ishihara C, Noguchi S// Kobe Women's Univ, Lab Food Technol, Suma ku, Kobe, Hyogo 614, Japan

Cereal Chem 1998 **75** (1) 37

Springiness of pancake and its relation to binding of prime starch to tailings in stored wheat flour

Singh N, Smith AC// AFRC Inst Food Res, Norwich Lab, Norwich Res Pk, Norwich NR4 7UA, England

J Food Eng 1997 **34** (1) 15

A comparison of wheat starch, whole wheat meal and oat flour in the extrusion cooking process

Umerie SC, Obi NAN, Okafor EO// Nnamdi Azikiwe Univ, Dept Sci Technol, PMB 5025, Auka, Anambra State, Nigeria

Bioresource Technol 1997 **62** (1-2) 63

Isolation and characterization of starch from *Cyperus esculentus* tubers

Voduvotz Y, Chinachoti P*// *Univ Massachusetts, Dept Food Sci, Amherst, Ma 01003, USA

J Agr Food Chem 1998 **46** (2) 446

Glassy-rubbery transition and recrystallization during aging of wheat starch gels

Whistler RL, Madson MA, Zhao JG, Daniel JR// Purdue Univ, Whistler Ctr Carbohydrate Res, Smith Hall, West Lafayette, In 47907, USA

Cereal Chem 1998 **75** (1) 72

Surface derivatization of corn starch granules

Yang WH, Hattori M, Kawaguchi T, Takahashi K*// *Tokyo Univ Agr & Technol, Fac Agr, Dept Appl Biol Sci, Tokyo 183, Japan

J Agr Food Chem 1998 **46** (2) 442

Properties of starches conjugated with lysine and poly(lysine) by the Maillard reaction

Yokoi H, Tokushige T, Hirose J, Hayashi S, Takasaki Y// Miyazaki Univ, Dept Mat Sci, 1-1 Nishi, Gakuen Kibanadai, Miyazaki 88921, Japan

Biotechnol Lett 1998 **20** (2) 143

H₂ production from starch by a mixed culture of *Clostridium butyricum* and *Enterobacter aerogenes*

Yuan RC, Thompson DB*// *Penn State Univ, Dept Food Sci, University Park, Pa 16802, USA

Cereal Chem 1998 **75** (1) 117

Rheological and thermal properties of aged starch pastes from three waxy maize genotypes

10 Starch-degrading enzymes

Arica MY, Alaeddinoglu NG, Hasirci V*// *Middle East Tech Univ, Dept Sci Biol, Biotechnol Res Unit, TR-06531 Ankara, Turkey

Enzyme Microb Technol 1998 **22** (3) 152

Immobilization of glucoamylase onto activated pHEMA/EGDMA microspheres: Properties and application to a packed-bed reactor

Busch JE, Stutzenberger FJ*// *Clemson Univ, Dept Microbiol, Clemson, SC 29631, USA

World J Microbiol Biotechnol 1997 **13** (6) 637

Amylolytic activity of *Thermomonospora fusca*

Copinnet A, Coma V, Legin E, Couturier Y, Prudhomme JC// Technopole Ge-nie Ind Alimentaire, Alimentec Rech, FR-01060 Bourg en Bresse 9, France

Starch 1997 **49** (12) 492

Hydrolysis of acetylated starches with a thermostable α -amylase

Min BC, Yoon SH, Kim JW, Lee YW, Kim YB, Park KH*// *Seoul Natl Univ, Dept Food Sci & Technol, New Biomat Agr Res Ctr, Suwon 441744, South Korea

J Agr Food Chem 1998 **46** (2) 779

Cloning of novel maltotrioligosaccharide-producing amylases as antistaling agents for bread

Pastrana L, Gonzalez MP, Miron J, Murado MA*// *CSIC, Inst Invest Mari-nas Vigo, R Eduardo Cabello 6, ES-36208 Vigo, Spain

Biotechnol Lett 1998 **20** (2) 127

A new device for measuring diffusional restrictions and modelling substrate inhibition in a starch-glucoamylase system

Pena-Valdivia CB, Salazar-Zazueta A// Colegio Postgrad, Inst Recursos Nat, Carretera Mexico Texcoco km 35-5, MX-56230 Mexico City DF, Mexico

J Food Sci Technol-Mysore 1997 **34** (6) 516

Effect of amylases and proteases on bread making quality of durum wheat flour

Reddy PRM, Swamy MV, Seenayya G// Osmania Univ, Dept Microbiol, IN-500007 Hyderabad, India

World J Microbiol Biotechnol 1998 **14** (1) 89

Purification and characterization of thermostable β -amylase and pullulanase from high-yielding *Clostridium thermosulfurogenes* SV2

11 Polysaccharides - microbial

Algarra I, Collado A, Garrido F*// *Hosp Univ Virgen de Las Nieves, Dept Anal Clin & Immunol, ES-18014 Granada, Spain

J Exp Clin Cancer Res 1997 **16** (4) 373

Protein bound polysaccharide PSK abrogates more efficiently experimental metastases derived from H2 negative than from H2 positive fibrosarcoma tumor clones

Braccini I, Heyraud A, Perez S*// *CNRS, CERMAV, BP 53X, FR-38041 Grenoble, France

Biopolymers 1998 **45** (2) 165

Three-dimensional features of the bacterial polysaccharide (1 $\rightarrow$ 4)- β -D-glucuronan: A molecular modeling study

Frazier RA, Davies MC*, Matthijs G, Roberts CJ, Schacht E, Tendler SJB, Williams PM// *Univ Nottingham, Lab Biophys & Surface Anal, Univ Pk, Nottingham NG7 2RD, England

Langmuir 1998 **13** (26) 7115

In situ surface plasmon resonance analysis of dextran monolayer degradation by dextranase

Gao Y, Katsuraya K, Kaneko Y, Mimura T, Nakashima H, Uryu T*// *Univ Tokyo, Inst Ind Sci, Minato ku, Tokyo 106, Japan

Polym J 1998 **30** (1) 31

Synthesis of azidothymidine-bound curdlan sulfate with anti-human immunodeficiency virus activity in vitro

Gong S, Zhang HQ, Yin WP, Yin QZ*, Zhang Y, Gu ZL, Qian ZM, Tang PL// *Suzhou Med Coll, Neurobiol Lab, CN-215007 Suzhou, Peoples Rep China

Acta Pharmacol Sin 1998 **19** (1) 67

Involvement of interleukin-2 in analgesia produced by *Coriolus versicolor* polysaccharide peptides

Kimmel SA, Roberts RF*, Ziegler GR// *Penn State Univ, Dept Food Sci, Borland Lab 111, University Park, Pa 16802, USA

Appl Environ Microbiol 1998 **64** (2) 659

Optimization of exopolysaccharide production by *Lactobacillus delbruekii* subsp. *bulgaricus* RR grown in a semidefined medium

Lim MAGD, De Araujo JM, De Franca FP// UFPE, Dept Eng Quim, Cidade Univ, BR-50739-540 Recife, PE, Brazil

Arq Biol Tecnol 1997 **40** (1) 179

The evaluation of different parameters to characterize xanthan gum: Producing strains of *Xanthomonas campestris* pv *campestris*

Mozzi F, De Giori GS, Oliver G, De Valdez GF// CERELA, Centro Referencia Lactobacilos, Chacabuco 145, AR-4000 San Miguel de Tucuman, Argentina

Milchwissenschaft 1997 **52** (12) 663

A suitable culture medium for the production of exopolysaccharide by *Lactobacillus casei*

Ortqvist A, Hedlund J, Burman LA, Elbel N, Hofer M, Leinonen M, Lindblad I, Sundelof B, Kalin M// Karolinska Inst, Danderyd Hosp, Div Infect Dis, SE-18288 Danderyd, Sweden

Lancet 1998 **351** (9100) 399

Randomised trial of 23-valent pneumococcal capsular polysaccharide vaccine in prevention of pneumonia in middle-aged and elderly people

Pozsgay V// NIH/NICHHD, Dev & Mol Immun Lab, 6 Ctr Dr, MSC 2720, Bethesda, Md 20892, USA

Angew Chem Int Ed 1998 **37** (1-2) 138

Synthetic *Shigella* vaccines: A carbohydrate-protein conjugate with totally synthetic hexadecasaccharide haptens

Qiu YX, Zhang TH, Rueggsegger M, Marchant RE*// *Case Western Reserve Unit, Department Biomedical Engn, Wickenden Bldg, Cleveland, Oh 44106, USA

Macromolecules 1998 **31** (1) 165

Novel nonionic oligosaccharide surfactant polymers derived from poly(vinylamine) with pendant dextran and hexanoyl groups

Rebizak R, Schaefer M, Dellacherie E*// *Ecole Natl Super Ind Chim, Inst Natl Polytech, URA/CNRS 494, Lab Chim Phys Macromol, BP 451, FR-54001 Nancy, France

Bioconjugate Chemistry 1998 **9** (1) 94

Polymeric conjugates of Gd³⁺-diethylenetriaminepentaacetic acid and dextran. II. Influence of spacer arm length and conjugate molecular mass on the paramagnetic properties and some biological parameters

Sanchez C, Schmitt C, Babak VG, Hardy J// INPL, ENSAIA, Lab Physicochem & Genie Alimentaire, 2 Ave Foret Haye, FR-54500 Vandoeuvre les Nancy, France

Nahrung 1997 **41** (6) 336

Rheology of whey protein isolate-xanthan mixed solutions and gels. Effect of pH and xanthan concentration

Serrano-Carreón L, Corona RM, Sanchez A, Galindo E*// *Univ Nac Autonoma, Inst Biotecnol, Dept Bioingn, AP 510-3, MX-62250 Cuernavaca 62250, Morelos, Mexico

Process Biochem 1998 **33** (2) 133

Prediction of xanthan fermentation development by a model linking kinetics, power drawn and mixing

West TP, Strohfus B// Sth Dakota State Univ, Dept Chem & Biochem, Olson Biochem Labs, Brookings, SD 57007, USA

Microbios 1997 **91** (367) 121

Fungal cell immobilization on zeolite for pullulan production

12 Polysaccharides - plant

De Paula RCM, Heatley F, Budd PM*// *Univ Manchester, Dept Chem, Manchester M13 9PL, England

Polym Int 1998 **45** (1) 27

Characterization of *Anacardium occidentale* exudate polysaccharide

Denef B, Gamini A, Delben F, Paoletti S*, Reynaers H, Vanneste K// *Univ Trieste, Dept Biochem Biophys & Macromol Chem, via L Giorgieri 1, IT-34127 Trieste, Italy

Biopolymers 1998 **45** (2) 105

Thermodynamics of conformational transition and chain association of t-carrageenan in aqueous solution: Calorimetric and chiro-optical data

Ebringerova A, Sroková I, Talaba P, Kacurakova M, Hromadkova Z// Slovak Acad Sci, Inst Chem, SK-84238 Bratislava, Slovakia

J Appl Polym Sci 1998 **67** (9) 1523

Amphiphilic beechwood glucuronoxylan derivatives

Elias CJ, Coggins C*, Alvarez F, Brache V, Fraser IS, Lacarra M, Lahteenmaki P, Massai R, Mishell DR, Phillips DM *et al*// *Populat Council, 1 Dag Hammarskjöld Plaza, New York, NY 10017, USA

Contraception 1997 **56** (6) 387

Colposcopic evaluation of a vaginal gel formulation of t-carrageenan

Fujiki K, Shin DH, Nakao M, Yano T// Kyushu Univ, Fac Agr, Marine Biochem Lab, Fukuoka 81281, Japan

J Fac Agr Kyushu Univ 1997 **42** (1-2) 113

Protective effect of κ-carrageenan against bacterial infections in carp *Cyprinus carpio*

Glicklis R, Mills D, Sitton D, Stortelder W, Merchuk JC*// *Ben Gurion Univ Negev, Inst Appl Res, Program Biotechnol, POB 1025, IL-84105 Beer Sheva, Israel

Biotechnol Bioeng 1998 **57** (6) 732

Polysaccharide production by plant cells in suspension: Experiments and mathematical modeling

Johnson FA, Craig DQM*, Mercer AD, Chauhan S// *Univ London, Ctr Mat Sci, 29-39 Brunswick Sq, London WC1N 1AX, England

Int J Pharm 1997 **159** (1) 35

The effects of alginate molecular structure and formulation variables on the physical characteristics of alginate raft systems

Okazaki M, Sato T, Mutho N, Wada N, Umegaki T// Tokyo Gakugei Univ, Dept Biol, Tokyo 184, Japan

J Mar Biotechnol 1998 **6** (1) 16

Calcified scales (coccoliths) of *Pleurochrysis carterae* (Haptophyta): Structure, crystallography, and acid polysaccharides

Scholten HJ, Pierik RLM// Agr Univ, Dept Hort. Haagsteeg 3, NL-6708 PM Wageningen, The Netherlands

Plant Cell Rep 1998 **17** (3) 230

Agar as a gelling agent: Chemical and physical analysis

Sogawa K, Kodama E, Matsuda M, Shigeta S, Okutani K*// *Kagawa Univ,

Fac Agr, Dept Bioresource Sci, Kagawa 76107, Japan

J Mar Biotechnol 1998 **6** (1) 35

Marine microalgal polysaccharide induces apoptosis in human lymphoid cells

Sonoda Y, Kasahara T*, Mukaida N, Shimizu N, Tomoda M, Takeda T// *Kyoritsu Coll Pharmaceut Sci, Minato ku, Tokyo 105, Japan

Immunopharmacology 1998 **38** (3) 287

Stimulation of interleukin-8 production by acidic polysaccharides from the root of *Panax ginseng*

Suzuki Y, Nishimura Y, Tanihara M, Suzuki K, Nakamura T, Shimizu Y, Yamawaki Y, Kakimaru Y// Kyoto Univ, Dept Plast & Reconstruct Surg, Sakyo ku, Kyoto 606, Japan

J Biomed Mater Res 1998 **39** (2) 317

Evaluation of a novel alginate gel dressing: Cytotoxicity to fibroblasts *in vitro* and foreign-body reaction in pig skin *in vivo*

Tanaka R, Hatakeyama T, Hatakeyama H// Japan Int Res Ctr Agr Sci, Div Forestry, 1-2 Ohwashi, Ibaraki, Osaka 305, Japan

Polym Int 1998 **45** (1) 118

Formation of locust bean gum hydrogel by freezing-thawing

Tian BS, Dong CM, Chen L// Wuhan Univ, Dept Chem, CN-430072 Hubei, Peoples Rep China

J Appl Polym Sci 1998 **67** (6) 1035

Preparation of konjac glucomannan ester of palmitic acid and its emulsification

Ueda K, Itoh M, Matsuzaki Y, Ochiai H, Imamura A// Yokohama Natl Univ, Dept Mat Sci, Hodogaya ku, 79-5 Tokiwadai, Yokohama, Kanagawa 240850, Japan

Macromolecules 1998 **31** (3) 675

Observation of the molecular weight change during the helix-coil transition of κ-carrageenan measured by the SEC-LALLS method

Wakabayashi T, Hirokawa S, Yamauchi N, Kataoka T, Woo JT, Nagai K*// *Tokyo Inst Technol, Dept Bioengn, Midori ku, 4259 Nagatsuta cho, Yokohama, Kanagawa 226, Japan

Cytotechnology 1997 **25** (1-3) 205

Immunomodulating activities of polysaccharide fractions from dried safflower petals

Yeom CK, Lee KH// Korea Res Inst Chem Technol, Chem Proc & Engr Ctr, POB 107, Taejeon 305606, South Korea

J Appl Polym Sci 1998 **67** (5) 949

Characterization of sodium alginate and poly(vinyl alcohol) blend membranes in pervaporation separation

13 Polysaccharides - other

Hoskins AR, Robb ID, Williams PA*// *NE Wales Inst, Ctr Water Soluble Polymers, Mold Rd, Wrexham LL11 2AW, Wales

Biopolymers 1998 **45** (2) 97

Selective separation of proteins from mixtures using polysaccharides

Jhurry D, Deffieux A// Univ Mauritius, Dept Chem, Reduit, Mauritius

Eur Polym J 1997 **33** (10-12) 1577

Sucrose-based polymers: Polyurethanes with sucrose in the main chain

Kadokawa J, Kasai S, Watanabe Y, Karasu M, Tagaya H, Chiba K// Yamagata Univ, Dept Mat Sci & Engr, Yamagata 992, Japan

Macromolecules 1997 **30** (26) 8212

Synthesis of natural- and non-natural-type aminopolysaccharides: 2-Acetamido-2-deoxy-β-D-glucopyranan derivatives by acid-catalyzed polymerization of 2-methyl(3,6- and 3,4-di-O-benzyl-1,2-dideoxy-α-D-glucopyranan)-[2,1-d]-2-oxazolines involving stereoregular glycosylation

Kaufmann J, Mohle K, Hofmann HJ, Arnold K*// *Univ Leipzig, Inst Med Phys & Biophys, Liebigstr 27, DE-04103 Leipzig, Germany

Theochem-J Mol Struct 1998 **422** 109

Molecular dynamics study of hyaluronic acid in water

Kjellberg A, Nishida T, Weintraub A, Widmalm G*// *Univ Stockholm, Arrhenius Lab, Dept Organ Chem, SE-10691 Stockholm, Sweden

Magn Reson Chem 1998 **36** (2) 128

NMR spectroscopy of ¹³C-enriched polysaccharides: Application of ¹³C-¹³C TOCSY to sugars of different configuration

Ludewig M, Thiem J// Univ Hamburg, Inst Organ Chem, Martin Luther King Pl 6, DE-20146 Hamburg, Germany

Synthesis-Stuttgart 1998 (1) 56

Synthesis of a fucose hexasaccharide

Nishi H// Tanabe Seiyaku Co Ltd, Analyt Res Labs, Yodogawa ku, 16-89 Kashima 3 chome, Osaka 532, Japan

J Chromatogr A 1997 **792** (1-2) 327

Enantioselectivity in chiral capillary electrophoresis with polysaccharides

Yang JM, Wang MC, Hsu YG, Chang CH, Lo SK// Chang Gung Univ, Dept Chem Engr, Tayuan 333, Taiwan

J Membrane Sci 1998 **138** (1) 19

Preparation of heparin containing SBS-g-VP copolymer membrane for biomaterial usage