

Bibliography of carbohydrate polymers

(2 weeks journals. Search completed at 24th. Apr. 2002)

1. Books, reviews & symposia

- Alban S, Franz G// Univ Regensburg, Inst Pharm, Universitätsstr 31, DE-93040 Regensburg, Germany
Biomacromolecules 2001 **2** (2) 354
Partial synthetic glucan sulfates as potential new antithrombotics: A review
- Burchard W// Univ Freiburg, Inst Macromol Chem, Stefan Meier Str 31, DE-79104 Freiburg, Germany
Biomacromolecules 2001 **2** (2) 342
Structure formation by polysaccharides in concentrated solution (Review)
- Laws A, Gu YC, Marshall V// Univ Huddersfield, Sch Appl Sci, Huddersfield HD1 3DH, England
Biotechnol Advan 2002 **19** (8) 597
Biosynthesis, characterisation, and design of bacterial exopolysaccharides from lactic acid bacteria (Review)
- Smith AM// John Innes Ctr Plant Sci Res, Colney Lane, Norwich NR4 7UH, England
Biomacromolecules 2001 **2** (2) 335
The biosynthesis of starch granules (Review)

2. Cellulose

- Almeida PL, Godinho MH, Cidade MT, Nunes P, Marques A, Martins R, Fortunato E, Figueirinhas JL// UNL, FCT, Dept Ciencia Mat, PT-2829-516 Caparica, Portugal
Synthet Metal 2002 **127** (1-3) 111
Composite systems for flexible display applications from cellulose derivatives
- Amouriq Y, Bourges X, Weiss P, Bosco J, Boulter JM, Daculsi G// Ctr Rech INSERM-EMI 9903 Mat Interet Biol, 1 Pl Alexis Ricordeau, FR-44042 Nantes 1, France
J Mater Sci-Mater Med 2002 **13** (2) 149
Skin sensitization study of two hydroxypropyl methylcellulose components (Benecel® and E4M®) of an injectable bone substitute in guinea pigs
- Chankvetadze L, Kartoziya I, Yamamoto C, Chankvetadze B, Blaschke G, Okamoto Y// *Nagoya Univ, Grad Sch Engn, Dept Appl Chem, Nagoya, Aichi, Japan
Electrophoresis 2002 **23** (3) 486
Enantioseparations in nonaqueous capillary liquid chromatography and capillary electrochromatography using cellulose tris(3,5-dimethyl-phenylcarbamate) as chiral stationary phase
- Frisoni G, Baiardo M, Scandola M*, Lednicka D, Cnockaert MC, Mergaert J, Swings J// *Univ Bologna, Dipt Chim G Ciamician, via Selmi 2, IT-40126 Bologna, Italy
Biomacromolecules 2001 **2** (2) 476
Natural cellulose fibers: Heterogeneous acetylation kinetics and biodegradation behavior
- Gu L, Ruan R*, Chen P, Wilcke W, Addis P// *Univ Minnesota, Dept Agr & Biosyst Engn, 1390 Eckles Ave, St Paul, Mn 55108, USA
Trans ASAE 2002 **44** (6) 1707
Structure-function relationships of highly refined cellulose
- Jacobs A, Dahlman O// *Swedish Pulp & Paper Res Inst, POB 5604, SE-11486 Stockholm, Sweden
Biomacromolecules 2001 **2** (3) 894
Characterization of the molar masses of hemicelluloses from wood and pulps employing size exclusion chromatography and matrix-assisted desorption/ionization time-of-flight mass spectrometry

- Kondo T, Togawa E, Brown RM// Forestry & Forest Prod Res Inst, POB 16, Tsukuba, Ibaraki 305 8687, Japan
Biomacromolecules 2001 **2** (4) 1324
Nematic ordered cellulose: A concept of glucan chain association
- Langan P, Nishiyama Y, Chanzy H// *Los Alamos Natl Lab, Biosci Div, Los Alamos, NM 87545, USA
Biomacromolecules 2001 **2** (2) 410
X-ray structure of mercerized cellulose II at 1 Å resolution
- Liebert TF, Heinze TJ// *Berg Univ Gesamthoch Wuppertal, Gauss Str 20, DE-42097 Wuppertal, Germany
Biomacromolecules 2001 **2** (4) 1124
Exploitation of reactivity and selectivity in cellulose functionalization using unconventional media for the design of products showing new superstructures
- Maestro A, Gonzalez C, Gutierrez JM// Univ Barcelona, Dept Chem Engn & Mat Sci, C/ Marti-i-Franques 1, ES-08028 Barcelona, Spain
J Rheol 2002 **46** (1) 127
Rheological behavior of hydrophobically modified hydroxyethyl cellulose solutions: A linear viscoelastic model
- Rodriguez R, Alvarez-Lorenzo C, Concheiro A// *Univ Santiago de Compostela, Fac Farm, Dept Farm & Tecnol Farmaceut, ES-15706 Santiago de Compostela, Spain
Biomacromolecules 2001 **2** (3) 886
Rheological evaluation of the interactions between cationic celluloses and Carboxypol 974P in water
- Roy C, Budtova T, Navard P*, Bedue O// *Ecole Mines, UMR CNRS 7635, Ctr Mise Forme Mat, BP 207, FR-06904 Sophia Antipolis, France
Biomacromolecules 2001 **2** (3) 687
Structure of cellulose-soda solutions at low temperatures
- Tsunashima Y, Hattori K, Kawanishi H, Horii F// Kyoto Univ, Inst Chem Res, Kyoto 611 0011, Japan
Biomacromolecules 2001 **2** (3) 991
Regioselectively substituted 6-O- and 2,3-di-O-acetyl-6-O-triphenylmethyl-cellulose: Its chain dynamics and hydrophobic association in polar solvents

4. Chitin/Chitosan

- Angelova N, Hunkeler D// Swiss Fed Inst Technol, Dept Chem, Lab Polyelectrolytes & Biomacromol, CH-1015 Lausanne, Switzerland
J Biomater Sci-Polym Ed 2001 **12** (12) 1317
Effect of preparation conditions on properties and permeability of chitosan-sodium hexametaphosphate capsules
- Cai KY, Yao KD*, Li Z, Yang ZM, Li XQ// *Tianjin Univ, Res Inst Polymer Mat, CN-300072 Tianjin, Peoples Rep China
J Biomater Sci-Polym Ed 2001 **12** (12) 1303
Rat osteoblast functions on the o-carboxymethyl chitosan-modified poly(D,L-lactic acid) surface
- Chen TH, Vazquez-Duhalt R, Wu CF, Bentley WE, Payne GF// *Univ Maryland, Maryland Biotechnol Inst, Agr Biotechnol Ctr, 5115 Plant Sci Bldg, College Park, Md 20742, USA
Biomacromolecules 2001 **2** (2) 456
Combinatorial screening for enzyme-mediated coupling. Tyrosinase-catalyzed coupling to create protein-chitosan conjugates
- Dambies L, Vincent T, Domard A, Guibal E// *Ecole Mines Ales, Lab Genie Environm Ind, 6 Ave Clavieres, FR-30319 Ales, France
Biomacromolecules 2001 **2** (4) 1198
Preparation of chitosan gel beads by ionotropic molybdate gelation

As a service to subscribers of the journal, this bibliography contains newly published material in the field of carbohydrate polymers. The bibliography is divided into thirteen sections: 1 Books, reviews & symposia; 2 Cellulose; 3 Cellulose-degrading enzymes; 4 Chitin/Chitosan; 5 Cyclodextrins; 6 Lignin; 7 Lipopolysaccharides; 8 Pectin; 9 Starch; 10 Starch-degrading enzymes; 11 Polysaccharides - Microbial; 12 Polysaccharides - Plant; 13 Polysaccharides - Other. Within each section, articles are listed in alphabetical order with respect to author. When there are no publications to appear under one of these headings, that section will be omitted.

- Desbrieres J// Univ Joseph Fourier, CNRS-CERMAV, BP 53, FR-38041 Grenoble, France
Biomacromolecules 2002 **3** (2) 342
 Viscosity of semiflexible chitosan solutions: Influence of concentration, temperature, and role of intermolecular interactions
- Fang N, Chan V*, Mao HQ, Leong KW// *Nanyang Technol Univ, Sch Mech & Prod Engr, Tissue Engr Lab, 50 Nanyang Ave, SG-639798 Singapore, Rep Singapore
Biomacromolecules 2001 **2** (4) 1161
 Interactions of phospholipid bilayer with chitosan: Effect of molecular weight and pH
- Kurita K, Ikeda H, Yoshida Y, Shimojoh M, Harata M// Seikei Univ, Fac Engr, Dept Appl Chem, Musashino, Tokyo 180 8633, Japan
Biomacromolecules 2002 **3** (1) 1
 Chemoselective protection of the amino groups of chitosan by controlled phthaloylation: Facile preparation of a precursor useful for chemical modifications
- Morimoto M, Saimoto H, Usui H, Okamoto Y, Minami S, Shigemasa Y*// *Tottori Univ, Fac Engr, Dept Mat Sci, Tottori 680 8552, Japan
Biomacromolecules 2001 **2** (4) 1133
 Biological activities of carbohydrate-branched chitosan derivatives
- Philippova OE, Volkov EV, Sitnikova NL, Khokhlov AR, Desbrieres J, Rinaudo M// Moscow MV Lomonosov State Univ, Dept Phys, RU-117234 Moscow, Russia
Biomacromolecules 2001 **2** (2) 483
 Two types of hydrophobic aggregates in aqueous solutions of chitosan and its hydrophobic derivative
- Sagoo SK, Board R, Roller S*// *Sth Bank Univ, Sch Appl Sci, 103 Borough Rd, London SE1 0AA, England
Lett Appl Microbiol 2002 **34** (3) 168
 Chitosan potentiates the antimicrobial action of sodium benzoate on spoilage yeasts
- Sorlier P, Denuziere A, Viton C, Domard A*// *ISTIL, Lab Mat Polymeres & Biomat, UMR CNRS 5627, Domaine Sci Doua, 15 Blvd Lataret, FR-69622 Villeurbanne, France
Biomacromolecules 2001 **2** (3) 765
 Relation between the degree of acetylation and the electrostatic properties of chitin and chitosan
- Strand SP, Tommeraa K, Varum KM, Ostgaard K// Norwegian Univ Sci & Technol, Dept Biotechnol, Norwegian Biopolymer Lab-NOBIPOL, NO-7491 Trondheim, Norway
Biomacromolecules 2001 **2** (4) 1310
 Electrophoretic light scattering studies of chitosans with different degrees of N-acetylation
- Tokura S, Tamura H// Kansai Univ, Fac Engr & HRC, Osaka 564 8680, Japan
Biomacromolecules 2001 **2** (2) 417
 O-Carboxymethyl-chitin concentration in granulocytes during bone repair
- Tsai GJ, Su WH, Chen HC, Pan CL// Natl Taiwan Ocean Univ, Dept Food Sci, Chilung 202, Taiwan
Fisheries Sci 2002 **68** (1) 170
 Antimicrobial activity of shrimp chitin and chitosan from different treatments and applications of fish preservation
- Vachoud L, Domard A*// *Univ Lyon 1, ISTIL, UMR CNRS 5627, Lab Mat Polymeres & Biomat, 43 Blvd 11, Novembre 1918, FR-69622 Villeurbanne, France
Biomacromolecules 2001 **2** (4) 1294
 Physicochemical properties of physical chitin hydrogels: Modeling and relation with the mechanical properties
- Yoksan R, Akashi M, Biramontri S, Chirachanchai S*// *Chulalongkorn Univ, Petr & Petrochem Coll, TH-10330 Bangkok, Thailand
Biomacromolecules 2001 **2** (3) 1038
 Hydrophobic chain conjugation at hydroxyl group onto γ -ray irradiated chitosan

5. Cyclodextrins

- Aggarwal S, Singh PN, Mishra B*// *Banaras Hindu Univ, Inst Technol, Dept Pharmaceut, IN-221005 Varanasi, India
Pharmazie 2002 **57** (3) 191
 Studies on solubility and hypoglycemic activity of glielazide β -cyclodextrin-hydroxypropylmethylcellulose complexes
- Busby MB, Maldonado O, Vigh G*// *Texas A&M Univ, Dept Chem, College Station, Tx 77842, USA
Electrophoresis 2002 **23** (3) 456
 Nonaqueous capillary electrophoretic separation of basic enantiomers using octakis(2,3-O-dimethyl-6-O-sulfo)- γ -cyclodextrin, a new, single-isomer chiral resolving agent

- Cheong KA, Kim TJ, Yoon JW, Park CS, Lee TS, Kim YB, Park KH, Kim JW*// *Korea Univ, Grad Sch Biotechnol, Seoul 136701, South Korea
Biotechnol Appl Biochem 2002 **35** (1) 27
 Catalytic activities of intracellular dimeric neopullulanase on cyclodextrin, acarbose and maltose
- Nayak DP, Kotha AM, Yemul OS, Ponrathnam S*, Raman RC// *Natl Chem Lab, Div Chem Engr, IN-411008 Pune, India
Biomacromolecules 2001 **2** (4) 1116
 Macroporous copolymer matrix: I. Effectiveness of different diisocyanate spacer arms to bind cyclodextrins
- Shuai XT, Wei M, Porbeni FE, Bullions TA, Tonelli AE*// *Nth Carolina State Univ, Coll Text Fiber & Polymer Sci Program, Raleigh, NC 27695, USA
Biomacromolecules 2002 **3** (1) 201
 Formation of and coalescence from the inclusion complex of a biodegradable block copolymer and α -cyclodextrin. II: A novel way to regulate the biodegradation behavior of biodegradable block copolymers

7. Lipopolysaccharides

- Matora LY, Serebrennikova OB, Shchyogolev SY// Russian Acad Sci, Inst Biochem & Physiol Plants & Microorganisms, prosp Entuziastov 13, RU-410015 Saratov, Russia
Biomacromolecules 2001 **2** (2) 402
 Structural effects of the *Azospirillum* lipopolysaccharides in cell suspensions
- Molinaro A, Evidente A, Iacobellis NS, Lanzetta R, Lo Cantore P, Mancino A, Parrilli M// Univ Naples Federico II, Dipt Chim Organ & Biochim, via Cintia 4, IT-80126 Naples, Italy
Carbohydr Res 2002 **337** (5) 467
 O-specific chain structure from the lipopolysaccharide fraction of *Pseudomonas reactans*: a pathogen of the cultivated mushrooms
- Schweda EKH, Li JJ, Moxon ER, Richards JC// Karolinska Inst, Clin Res Ctr, SE-14186 Huddinge, Sweden
Carbohydr Res 2002 **337** (5) 409
 Structural analysis of lipopolysaccharide oligosaccharide epitopes expressed by non-typeable *Haemophilus influenzae* strain 176
- Todokoro M, Sakata M*, Matama S, Kunitake M, Ohkuma K, Hirayama C// *Kumamoto Univ, Fac Engr, Dept Appl Chem & Biochem, 2-39-1 Kurokami, Kumamoto 860 8555, Japan
J Liq Chromatogr Relat Technol 2002 **25** (4) 601
 Pore-size controlled and poly(ϵ -lysine)-immobilized cellulose spherical particles for removal of lipopolysaccharides
- Zhang JJ, Kong FZ*// *Acad Sinica, Ecoenvironm Sci Res Ctr, POB 2871, CN-100085 Beijing, Peoples Rep China
Carbohydr Res 2002 **337** (5) 391
 Synthesis of a xylosylated rhamnose pentasaccharide, the repeating unit of the O-chain polysaccharide of the lipopolysaccharide of *Xanthomonas campestris* pv. *begoniae* GSPB 525

8. Pectin

- Braccini I, Perez S*// *Univ Joseph Fourier, CNRS-CERMAV, BP 53X, FR-38041 Grenoble, France
Biomacromolecules 2001 **2** (4) 1089
 Molecular basis of Ca^{2+} -induced gelation in alginates and pectins: The egg-box model revisited
- Chellegatti MAD, Fonseca MJV, Said S*// *Univ Sao Paulo, Fac Ciencias Farmaceut Ribeirao Preto, Dept Ciencias Farmaceut, Avda Cafe s/n, BR-14040-903 Ribeirao Preto, SP, Brazil
Microbiol Res 2002 **157** (1) 19
 Purification and partial characterization of exopolysaccharide I from *Penicillium frequentans*

9. Starch

- Akiyoshi K, Maruichi N, Kohara M, Kitamura S// Kyoto Univ, Grad Sch Engr, Dept Synthet Chem & Biol Chem, Sakyo ku, Kyoto 606 8501, Japan
Biomacromolecules 2002 **3** (2) 280
 Amphiphilic block copolymer with a molecular recognition site: Induction of a novel binding characteristic of amylose by self-assembly of poly(ethylene oxide)-block-amylose in chloroform
- Baille WE, Malveau C, Zhu XX*, Marchessault RH// *Univ Montreal, Dept Chim, CP 6128, Succ Ctr-Ville, Montreal, Quebec, Canada H3C 3J7
Biomacromolecules 2002 **3** (1) 214
 NMR imaging of high-amylose starch tablets. I. Swelling and water uptake
- Chiotelli E, Le Meste M// Univ Bourgogne I, Ecole Natl Super Biol Appl

Nutr & Alimentat, FR-21000 Dijon, France

Cereal Chem 2002 **79** (2) 286

Effect of small and large wheat starch granules on thermomechanical behavior of starch

Cruz-Orea A, Pitsi G, Jamee P, Thoen J// Katholieke Univ Leuven, Dept Natuurkunde, Lab Akoesiek Therm Fys, Celestijnenlaan 200D, BE-3001 Louvain, Belgium

J Agric Food Chem 2002 **50** (6) 1335

Phase transitions in the starch-water system studied by adiabatic scanning calorimetry

Franco CML, Wong KS, Yoo SH, Jane JL*// *Iowa State Univ, Dept Food Sci & Human Nutr, Ames, Ia 50011, USA

Cereal Chem 2002 **79** (2) 243

Structural and functional characteristics of selected soft wheat starches

Olivier A, Cazaux F, Coqueret X*// *Univ Sci & Technol Lille, Lab Chim Macromol, UPRESA CNRS 8009, FR-59655 Villeneuve d'Ascq, France

Biomacromolecules 2001 **2** (4) 1260

Compatibilization of starch-allylurea blends by electron beam irradiation: Spectroscopic monitoring and assessment of grafting efficiency

Petzold K, Einfeldt L, Gunther W, Stein A, Klemm D*// *Univ Jena, Inst Organ & Macromol Chem, Humboldtstr 10, DE-07743 Jena, Germany

Biomacromolecules 2001 **2** (3) 965

Regioselective functionalization of starch: Synthesis and ¹H NMR characterization of 6-O-silyl ethers

Radosta S, Haberer M, Vorwerk W// Fraunhofer Inst Angew Polymerforsch, Geiselbergstr 69, DE-14476 Golm, Germany

Biomacromolecules 2001 **2** (3) 970

Molecular characteristics of amylose and starch in dimethyl sulfoxide

Rindlav-Westling A, Stading M, Gatenholm P*// *Chalmers Univ Technol, Dept Polymer Technol, SE-41296 Gothenburg, Sweden

Biomacromolecules 2002 **3** (1) 84

Crystallinity and morphology in films of starch, amylose and amylopectin blends

Tuovinen LM, Peltonen SH, Suortti TM, Crowther NJ, Elomaa MA, Jarvinen KP// Univ Kuopio, Dept Pharmaceut, POB 1627, FI-70211 Kuopio, Finland

Biomacromolecules 2002 **3** (2) 284

Enzymatic degradation of and bovine serum albumin release from starch-acetate films

Vikso-Nielsen A, Blennow A, Jorgensen K, Kristensen KH, Jensen A, Moller BL*// *Royal Vet & Agr Univ, Dept Plant Biol, Plant Biochem Lab, Thorvaldsensvej 40, DK-1871 Frederiksberg C, Denmark

Biomacromolecules 2001 **2** (3) 836

Structural, physicochemical, and pasting properties of starches from potato plants with repressed *rl*-gene

Wang YJ, Wang LF// Univ Arkansas, Dept Food Sci, Fayetteville, Ar 72704, USA

Cereal Chem 2002 **79** (2) 252

Structures of four waxy rice starches in relation to thermal, pasting and textural properties

Wilhelm E, Aberle T, Burchard W*, Landers R// *Univ Freiburg, Inst Macromol Chem, Stefan Meier Str, DE-79104 Freiburg, Germany

Biomacromolecules 2002 **3** (1) 17

Peculiarities of aqueous amaranth starch suspensions

Yilmaz G, Ongen G, Jongboom ROJ, Feil H, Van Dijk C, Hennink WE// Agrotechnol Res Inst, Bornsesteeg 59, POB 17, NL-6700 AA Wageningen, The Netherlands

Biomacromolecules 2002 **3** (2) 305

Modulated release of a volatile compound from starch matrixes via enzymatically controlled degradation

10. Starch-degrading enzymes

Tanriseven A, Uludag YB, Dogan S// Gebze Inst Technol, Dept Biochem, Gebze, Kocaeli, Turkey

Enzyme Microb Technol 2002 **30** (3) 406

A novel method for the immobilization of glucoamylase to produce glucose from maltodextrin

11. Polysaccharides - Microbial

Annaka M, Takahashi R, Nakahira T, Tokita M, Matsuura T// Chiba Univ, Dept Mat Technol, Inage ku, 1-33 Yayoi cho, Chiba 263 8522, Japan

Biomacromolecules 2001 **2** (3) 635

Rb⁺ and Na⁺ spin relaxation in aqueous gellan solutions and implication of selective site binding of alkali metal ions

Camesano TA, Wilkinson KJ// Worcester Polytech Inst, Dept Chem Engn,

100 Inst Rd, Worcester, Ma 01609, USA

Biomacromolecules 2001 **2** (4) 1184

Single molecule study of xanthan conformation using atomic force microscopy

Chen LQ, Zhu YL, Kong FZ*// *Acad Sinica, Ecoenvironm Sci Res Ctr, POB 2871, CN-100085 Beijing, Peoples Rep China

Carbohydr Res 2002 **337** (5) 383

Synthesis of α -Manp-(1 $\rightarrow$ 2)- α -Manp-(1 $\rightarrow$ 3)-Manp, the tetrasaccharide repeating unit of *Escherichia coli* O9a, and α -Manp-(1 $\rightarrow$ 2)- α -Manp-(1 $\rightarrow$ 3)- α -Manp-(1 $\rightarrow$ 3)-Manp, the pentasaccharide repeating unit of *E. coli* O9 and *Klebsiella* O3

Crescenzi V, Dentini M, Bernalda MS, Masci G, Rori V, Skjak-Brack G// Univ Roma La Sapienza, Dept Chem, P A Moro 5, IT-00185 Rome, Italy

Biomacromolecules 2001 **2** (3) 958

Enzymatic epimerization of bacterial mannuronan and of C-6 oxidized, galactose-depleted guar: A circular dichroism and ¹H NMR study

Dais P, Vlachou S, Taravel FR// Univ Crete, Dept Chem, NMR Lab, GR-91409 Iraklion, Crete, Greece

Biomacromolecules 2001 **2** (4) 1137

¹³C nuclear magnetic relaxation study of segmental dynamics of the heteropolysaccharide pullulan in dilute solutions

Edelman MW, Van der Linden E, De Hoog E, Tromp RH*// *NIZO Food Res, Kernhemseweg 2, NL-6718 ZB Ede, The Netherlands

Biomacromolecules 2001 **2** (4) 1148

Compatibility of gelatin and dextran in aqueous solution

Jang JH, Bae SK, Lim DJ, Kim BJ, Kong JY*// *Pukyong Natl Univ, Fac Food Sci & Biotechnol, Pusan, South Korea

Biotechnol Lett 2002 **24** (4) 297

Rheological properties of polysaccharides produced by a *Zoogloea* sp

Kido S, Nakanishi T, Norisuye T*, Kaneda I, Yanaki T// *Osaka Univ, Grad Sch Sci, Dept Macromol Sci, Toyonaka, Osaka 560 0043, Japan

Biomacromolecules 2001 **2** (3) 952

Ordered conformation of succinoglycan in aqueous sodium chloride

Kumashiro Y, Huh KM, Ooya T, Yui N*// *Japan Adv Inst Sci & Technol, Sch Mat Sci, 1-1 Asahidai, Tatsunokuchi, Ishikawa 923 129, Japan

Biomacromolecules 2001 **2** (3) 874

Modulatory factors on temperature-synchronized degradation of dextran grafted with thermoresponsive polymers and their hydrogels

Nikolic G, Cakic M, Ilic L, Ristic S, Cakic Z// Univ Nis, Fac Technol, Blvd Oslobodjenja 124, YU-16000 Leskovac, Yugoslavia

Pharmazie 2002 **57** (3) 155

Synthesis of some new antianemics. I. Iron pullulan complexes of pharmaceutical interest

Sakurai K, Mizu M, Shinkai S// PRESTO, Org & Funct, 2432 Aikawa, Kurume, Fukuoka 839 0861, Japan

Biomacromolecules 2001 **2** (3) 641

Polysaccharide-polynucleotide complexes. II. Complementary polynucleotide mimic behaviour of the natural polysaccharide schizophyllan in the macromolecular complex with single-stranded RNA and DNA

Uzochukwu S, Balogh E, Loeffler RT, Ngoddy PO// Univ Agr, Dept Food Sci & Technol, Abeokuta, Nigeria

Food Chem 2002 **76** (3) 287

Structural analysis by ¹³C-nuclear magnetic resonance spectroscopy of glucan extracted from natural palm wine

Yoon JH, Seo WT, Shin YK, Kho YH, Kang KH, Park YH*// *Korea Res Inst Biosci & Biotechnol, POB 115, Taejeon, South Korea

Int J Syst Evol Microbiol 2002 **52** (2) 415

Paenibacillus chinjuensis sp nov., a novel exopolysaccharide-producing bacterium

Zhang J, Wang R, Jiang P, Liu Z*// *Nanjing Univ, Dept Biol, 22 Hankou Rd, CN-210093 Nanjing, Peoples Rep China

Lett Appl Microbiol 2002 **34** (3) 178

Production of an exopolysaccharide bioflocculant by *Sorangium cellulosum*

12. Polysaccharides - Plant

Arvizu-Higuera DL, Hernandez-Carmona G, Rodriguez-Montesinos YE// Ctr Interdisciplinario Ciencias Marinas, Apdo Postal 592, MX-23000 La Paz, Baja California, Mexico

Cienc Mar 2002 **28** (1) 27

Parameters affecting the conversion of alginic acid to sodium alginate (Spanish, English Abstract)

Butler MF, Heppenstall-Butler M// Unilever Res, Colworth House, Sharnbrook MK44 1LQ, England

Biomacromolecules 2001 **2** (3) 812

Phase separation in gelatin/maltodextrin and gelatin/maltodextrin/gum arabic mixtures studied using small-angle light scattering, turbidity, and microscopy

- De Vos P, Hoogmoed CG, Busscher HJ// Univ Groningen, Dept Pathol & Lab Med, Sect Med Biol, Hanzplein 1, NL-9700 RB Groningen, The Netherlands *J Biomed Mater Res* 2002 **60** (2) 252
Chemistry and biocompatibility of alginate-PLL capsules for immuno-protection of mammalian cells
- Doria-Serrano MC, Ruiz-Trevino FA*, Rios-Arciga C, Hernandez-Esparza M, Santiago P// *Univ Iberoamericana, Dept Ingn, MX-01210 Mexico City, DF, Mexico
Biomacromolecules 2001 **2** (2) 568
Physical characteristics of a poly(vinyl alcohol) and calcium alginate hydrogels for the immobilization of activated sludge
- Ferreira L, Carvalho R, Gil MH, Dordick JS// Univ Coimbra, Dept Engn Quim, Pinhal Marrocos, PT-3030 Coimbra, Portugal
Biomacromolecules 2002 **3** (2) 333
Enzymatic synthesis of inulin-containing hydrogels
- Grinberg VY, Grinberg NV, Usov AI, Shusharina NP, Khokhlov AR, De Kruij KG// Russian Acad Sci, Inst Biochem Phys, Vavilov St 28, GSP-1, RU-117813 Moscow, Russia
Biomacromolecules 2001 **2** (3) 864
Thermodynamics of conformational ordering of κ -carrageenan in KCl solutions using high-sensitivity differential scanning calorimetry
- Hagglund P, Sabini E, Boisset C, Wilson K, Chanzy H, Stalbrand H*// *Lund Univ, Dept Biochem, Ctr Chem & Chem Engn, POB 124, SE-22100 Lund, Sweden
Biomacromolecules 2001 **2** (3) 694
Degradation of mannan I and II crystals by fungal *endo*- β -1,4-mannanases and a β -1,4-mannosidase studied with transmission electron microscopy
- Hossain KS, Miyana K, Maeda H, Nemoto N*// *Kyushu Univ, IGSES, Dept Mol & Mat Sci, Fukuoka 812 8581, Japan
Biomacromolecules 2001 **2** (2) 442
Sol-gel transition behavior of pure κ -carrageenan in both salt-free and added salt states
- Ikeda S, Morris VJ, Nishinari K// Osaka City Univ, Dept Food & Nutr, Sumiyoshi ku, 3-3-138 Sugimoto, Osaka 558 8585, Japan
Biomacromolecules 2001 **2** (4) 1331
Microstructure of aggregated and nonaggregated κ -carrageenan helices visualized by atomic force microscopy
- Koroskenyi B, McCarthy SP*// *Univ Massachusetts, Dept Plast Engn, Biodegradable Polymer Res Ctr, 1 Univ Ave, Lowell, Ma 01854, USA
Biomacromolecules 2001 **2** (3) 824
Synthesis of acetylated konjac glucomannan and effect of degree of acetylation on water absorbency
- Lima RDN, Lima JR, De Salis CR, Moreira RD// Fed Univ Ceara, Lectins & Glycoconjugates Lab, Campus Pici, Block 907, POB 6020, BR-60455-900 Fortaleza, Ceara, Brazil
Biotechnol Appl Biochem 2002 **35** (1) 45
Cashew-tree (*Anacardium occidentale* L) exudate gum: A novel bioligand tool
- Manoli F, Dalas E*// *Univ Patras, Dept Chem, GR-26500 Patras, Greece
J Mater Sci-Mater Med 2002 **13** (2) 155
The effect of sodium alginate on the crystal growth of calcium carbonate
- Miller IJ, Blunt JW// Carina Chem Labs Ltd, POB 80366, Lower Hutt, New Zealand
Bot Mar 2002 **45** (1) 1
Evaluation of the structure of the polysaccharides from *Chondria macrocarpa* and *Ceramium rubrum* as determined by ^{13}C NMR spectroscopy
- Oliveira AEA, Sasaki GL, Iacomini M, Da Cunha M, Gomes VM, Fernandes BKVS, Xavier J*// *Univ Estadual Norte Fluminense, Ctr Biociencias & Biotecnol, Lab Quim & Funcao Proteinas & Peptideos, BR-28015-620 Campos-dos-Goytacazes, RJ, Brazil
Entomol Exp Appl 2001 **101** (3) 225
Isolation and characterization of a galactorhamnan polysaccharides from the seed coat of *Canavalia ensiformis* that is toxic to the cowpea weevil (*Callosobruchus maculatus*)
- Pelletier E, Viebke C*, Meadows J, Williams PA// *NE Wales Inst, Ctr Water Soluble Polymers, PP 21, Plas Coch, Wrexham LL11 2AW, Wales
Biomacromolecules 2001 **2** (3) 946
Solution rheology of κ -carrageenan in the ordered and disordered conformations
- Picout DR, Ross-Murphy SB*, Errington N, Harding SE// *KCL, Div Life Sci, Biopolymers Grp, Franklin Wilkins Bldg, 150 Stamford St, London SE1 9NN, England
Biomacromolecules 2001 **2** (4) 1301
Pressure cell assisted solution characterization of polysaccharides. I. Guar gum
- Redgwell RJ, Trovato V, Curti D, Fischer M// Nestec Ltd, Nestle Res Ctr, Verchez-les-Blanc, POB 44, CH-1000 Lausanne 26, Switzerland
Carbohydr Res 2002 **337** (5) 421
Effect of roasting on degradation and structural features of polysaccharides in Arabica coffee beans
- Stevens CV, Meriggi A, Peristeropoulou M, Christov PP, Booten K, Levecke B, Vandamme A, Pittevels N, Tadros TF// State Univ Ghent, Fac Agr & Appl Biol Sci, Dept Organ Chem, Coupure Links 653, BE-9000 Ghent, Belgium
Biomacromolecules 2001 **2** (4) 1256
Polymeric surfactants based on inulin, a polysaccharide extracted from chicory. I. Synthesis and interfacial properties
- Villarreal-Rivera L, Martinez-Lozano SJ// Univ Autonoma Nuevo Leon, Fac Ciencias Biol, Dept Bot, Apdo Postal F-16, MX-66450 San Nicolas de Los Garza, Nuevo Leon, Mexico
Phyton-Int J Exp Bot Arg 2001 **69** (Spec Iss) 179
Alginate acid, fucoidan and laminaran in three species of Phaeophytas algae (Spanish, English Abstract)
- Yu GL, Guan HS, Ioanovicu AS, Sikkander SA, Thanawiroon C, Tobacman JK, Toida T, Linhardt RJ*// *Univ Iowa, Coll Pharm, Dept Med & Nat Prod Chem, Iowa City, Ia 52242, USA
Carbohydr Res 2002 **337** (5) 433
Structural studies on κ -carrageenan derived oligosaccharides

13. Polysaccharides - Other

- Courel MN, Maingonnat C, Tranchepain F, Deschrevel B, Vincent JC, Bertrand P, Delpech B*// *Ctr Henri Becquerel, Dept Mol Oncol, rue Amiens, FR-76000 Rouen, France
Anal Biochem 2002 **302** (2) 285
Importance of hyaluronan length in a hyaladherin-based assay for hyaluronan
- Duchemin V, Le Potier I*, Troubat C, Ferrier D, Taverna M// *Univ Paris XI, Fac Pharm, Grp Chim Analyt Paris Sud, rue JB Clement, FR-92290 Chateaufort, France
Biomed Chromatogr 2002 **16** (2) 127
Analysis of intact heparin by capillary electrophoresis using short end injection configuration
- Gohda M, Magoshi T, Kato S, Noguchi T, Yasuda S, Nonogi H, Matsuda T*// *Kyushu Univ, Grad Sch Med, Dept Biomed Engn, Higashi ku, 3-1-1 Maidashi, Fukuoka 812 8562, Japan
Biomacromolecules 2001 **2** (4) 1178
Terminally alkylated heparin. II. Potent antiproliferative agent for vascular smooth muscle cells
- Kinoshita M, Shiraishi H, Muranushi C, Mitsumori N, Ando T, Oda Y, Kakehi K*// *Kinki Univ, Fac Pharmaceut Sci, Kowakae 3-4-1, Higashiosaka, Osaka 577 8502, Japan
Biomed Chromatogr 2002 **16** (2) 141
Determination of molecular mass of acidic polysaccharides by capillary electrophoresis
- Kislyuk VV, Varbanets LD, Kosenko LV, Vasiliev VN, Vinarskaya NV, Pahuta IM, Lozovski VZ// Natl Acad Sci Ukraine, Inst Semicond Phys, prospekt Nauki 45, UA-03028 Kiev, Ukraine
Synthet Metal 2002 **127** (1-3) 23
The laser spectroscopy of glycopolymers
- Matsuda T, Magoshi T// Kyushu Univ, Grad Sch Med, Dept Biomed Engn, Higashi ku, 3-1-1 Maidashi, Fukuoka 812 8582, Japan
Biomacromolecules 2001 **2** (4) 1169
Terminally alkylated heparin. I. Antithrombotic surface modifier
- Ohya S, Nakayama Y, Matsuda T*// *Natl Cardiovasc Ctr, Res Inst, Dept Bioengn, Suita, Osaka 565 8565, Japan
Biomacromolecules 2001 **2** (3) 856
Thermoresponsive artificial extracellular matrix for tissue engineering: Hyaluronic acid bioconjugated with poly(*N*-isopropylacrylamide) grafts
- Serizawa T, Yasunaga S, Akashi M*// *Kagoshima University, Fac Engn, Dept Appl Chem & Chem Engn, 1-21-40 Korimoto, Kagoshima 890 0065, Japan
Biomacromolecules 2001 **2** (2) 469
Synthesis and lectin recognition of polystyrene core-glycopolymer corona nanospheres
- Tokarz M, Gustavsson P, Stefansson M*// *AstraZeneca AB, Dept Subst Anal, SE-43183 Molndal, Sweden
Biomed Chromatogr 2002 **16** (2) 134
Employment of detergent-tag/solute interactions in capillary electrophoresis of neutral polysaccharides
- Walenga JM, Jeske WP, Samama MM, Frapaise FX, Bick RL, Fareed JJ// Loyola Univ, Med Ctr, Cardiovasc Inst, Dept Pathol, 2160 Sth 1st Ave, Maywood, IL 60153, USA
Expert Opin Invest Drugs 2002 **11** (3) 397
Fondaparinux: A synthetic heparin pentasaccharide as a new antithrombotic agent
- Wang S, Van Dijk JAPP, Odijk T*, Smit JAM// *POB 11036, NL-2301 EA Leiden, The Netherlands