



CONTENTS OF VOLUME 54

Number 1

Papers

- 1 Surface octanoylation of high-amylose potato starch films
M. BENGTSSON (GÖTEBORG, SWEDEN), K. KOCH (UPPSALA, SWEDEN) & P. GATENHOLM (GÖTEBORG, SWEDEN)
- 13 Structural characterization of the water-extractable polysaccharides from *Sophora subprostrata* roots
Q. DONG, J. YAO & J.-N. FANG (SHANGHAI, CHINA)
- 21 Concentration and purification of soluble pectin from mandarin peels using crossflow microfiltration system
C.-W. CHO, D.-Y. LEE, & C.-W. KIM (SEOUL, SOUTH KOREA)
- 27 A physico-chemical comparative study on extracellular carbohydrate polymers from five desert algae
S. HOKPUTSA (LOUGHBOROUGH, UK), C. HU (WUHAN, CHINA), B. S. PAULSEN (OSLO, NORWAY) & S. E. HARDING (LOUGHBOROUGH, UK)
- 33 Extracellular carbohydrate polymers from five desert soil algae with different cohesion in the stabilization of fine sand grain
C. HU, Y. LIU (WUHAN, CHINA), B. S. PAULSEN, D. PETERSEN & D. KLAVERNESS (OSLO, NORWAY)
- 43 Properties of three purified α -amylases from malted finger millet (Ragi, *Eleusine coracana*, Indaf-15)
M. NIRMALA & G. MURALIKRISHNA (MYSORE, INDIA)
- 51 Determination of the molecular weight of barley β -glucan using intrinsic viscosity measurements
Z. BURKUS & F. TEMELLI (ALTA, CANADA)
- 59 A 96-well assay for uronic acid carbazole reaction
M. CESARETTI, E. LUPPI, F. MACCARI & N. VOLPI (MODENA, ITALY)
- 63 Flow properties of sugar beet pulp cellulose and intrinsic viscosity–molecular weight relationship
H. TOĞRUL & N. ARSLAN (ELAZIĞ, TURKEY)
- 73 Production of carboxymethyl cellulose from sugar beet pulp cellulose and rheological behaviour of carboxymethyl cellulose
H. TOĞRUL & N. ARSLAN (ELAZIĞ, TURKEY)
- 83 Effect of sucrose on agarose gels mechanical behaviour
V. NORMAND (BEDFORDSHIRE, UK), P. AYMARD (LE PLESSIS ROBINSON, FRANCE), D. L. LOOTENS, E. AMICI, K. P. PLUCKNETT & W. J. FRITH (BEDFORDSHIRE, UK)
- 97 Fourier transform Raman and infrared spectroscopy of pectins
A. SYNITSYA, J. ČOPÍKOVÁ, P. MATĚJKA & V. MACHOVIČ (PRAGUE, CZECH REPUBLIC)
- 107 Characterization of a novel modified alternan
T. D. LEATHERS, M. S. NUNNALLY, J. A. AHLGREN & G. L. CÔTÉ (PEORIA, USA)

Short Communication

- 115 Starch mono-phosphorylation for enhancing the stability of starch/PVA blend pastes for warp sizing
Z. ZHU (WUXI, PEOPLE'S REPUBLIC OF CHINA)

Book reviews

- 119 HPLC of Biological Macromolecules: 2nd edition
- 120 Carbohydrate Chemistry
- 121 Bibliography
- 129 Calendar

Number 2**Papers**

- 131 Some fragrant fibres and yarns based on chitosan
S. HIRANO & H. HAYASHI (TOTTORI, JAPAN)
- 137 Preparation of *N*-alkyl-*O*-sulfate chitosan derivatives and micellar solubilization of taxol
C. ZHANG, Q. PING, H. ZHANG & J. SHEN (NANJING, PEOPLES REPUBLIC OF CHINA)
- 143 Carbamoylethylation of *Cassia tora* gum
B. R. SHARMA, V. KUMAR & P. L. SONI (DEHRA DUN, INDIA)
- 149 High resolution imaging of the microstructure of maize starch films
R. M. S. M. THIRÉ, R. A. SIMÃO & C. T. ANDRADE (RIO DE JANEIRO, BRAZIL)
- 159 A new non-degrading isolation process for 1,3- β -D-glucan of high purity from baker's yeast *Saccharomyces cerevisiae*
S. FREIMUND, M. SAUTER (ZÜRICH, SWITZERLAND), O. KÄPPELI (SCHLIEREN, SWITZERLAND) & H. DUTLER (ZÜRICH, SWITZERLAND)
- 173 Evaluation of degradability of hydroxypropylated potato starch/polyethylene blend films
M. KIM (DAEGU, SOUTH KOREA)
- 183 Effect of roasting on the carbohydrate composition of *Coffea arabica* beans
A. OOSTERVELD, A. G. J. VORAGEN & H. A. SCHOLS (WAGENINGEN, THE NETHERLANDS)
- 193 Reaction kinetics and gel properties of blocked diisocyanate crosslinked chitosan hydrogels
S. LIN-GIBSON, H. J. WALLS, S. B. KENNEDY (GAITHERSBURG, MD, USA) & E. R. WELSH (WASHINGTON, DC, USA)
- 201 α -(1–4) Chain distributions of three-dimensional, randomly generated models, amylopectin and mammalian glycogen: comparisons of chromatograms of debranched chains of these polysaccharides and models with random dendrimeric models with the same chain lengths (CL, ICL, ECL) and fractions of A chains
R. A. CALDWELL & N. K. MATHESON (SYDNEY, NSW, AUSTRALIA)
- 215 Resistant starch derived from processed legumes—purification and structural characterization
S. MAHADEVAMMA, K. V. HARISH PRASHANTH & R. N. THARANATHAN (MYSORE, INDIA)
- 221 Degradation of pullulans of narrow molecular weight distribution—the role of aldehydes in the oxidation of polysaccharides
M. STRLIČ, D. KOČAR, J. KOLAR (LJUBLJANA, SLOVENIA), J. RYCHLÝ (BRATISLAVA, SLOVAKIA) & B. PIHLAR (LJUBLJANA, SLOVENIA)
- 229 Effect of mono and divalent salts on gelation of native, Na and deacetylated *Sterculia striata* and *Sterculia urens* polysaccharide gels
D. A. SILVA, A. C. F. BRITO, R. C. M. DE PAULA (CEARÁ, BRAZIL), J. P. A. FEITOSA & H. C. B. PAULA (CEARÁ, BRAZIL)
- 237 Structural features of water soluble (1,3) (1,4)- β -D-glucans from high- β -glucan and traditional oat lines
M. COLLEONI-SIRGHIE, D. B. FULTON & P. J. WHITE (AMES, IA, USA)
- 251 Enhanced healing of cartilaginous injuries by *N*-acetyl-D-glucosamine and glucuronic acid
Y. TAMAI, K. MIYATAKE, Y. OKAMOTO (TOTTORI, JAPAN), Y. TAKAMORI, K. SAKAMOTO (TOKYO, JAPAN) & S. MINAMI (TOTTORI, JAPAN)

Book review

- 263 Handbook of spices, seasoning, and flavorings

- 265 Bibliography
- 277 Calendar

Number 3

Papers

- 279 Gelation mechanism of deacetylated rhamnan gum
M. TAKO, S. TOHMA, T. TAIRA & M. ISHIHARA (OKINAWA, JAPAN)
- 287 Physico–chemical aspects of galactoxyloglucan from the seeds of *Hymenaea courbaril* and its tetraborate complex
S. MARTIN, R. A. FREITAS, E. OBAYASHI & M.-R. SIERAKOWSKI (CURITIBA, PR, BRAZIL)
- 297 Structure and antitumor activity of extracellular polysaccharides from mycelium
Y. PENG, L. ZHANG, F. ZENG & Y. XU (WUHAN, CHINA)
- 305 Structure and function of starch from advanced generations of new corn lines
Y. JI, K. WONG, J. HASJIM, L. M. POLLAK, S. DUVICK, J. JANE & P. J. WHITE (AMES, IA, USA)
- 321 The effect of cooling conditions on jet-cooked normal corn starch dispersions
J. A. BYARS, G. F. FANTA & F. C. FELKER (PEORIA, IL, USA)
- 327 Mesquite gum: fractionation and characterization of the gum exuded from *Prosopis laevigata* obtained from plant tissue culture and from wild trees
J. OROZCO-VILLAFUERTE, F. CRUZ-SOSA, E. PONCE-ALQUICIRA & E. J. VERNON-CARTER (MÉXICO, MEXICO)
- 335 Hemicellulosic polymer from Vetiver grass and its physicochemical properties
P. METHACANON (PATHUMTHANI, THAILAND), O. CHAIKUMPOLLERT (BANGKOK, THAILAND), P. THAVORNITI (PATHUMTHANI, THAILAND) & K. SUCHIVA (PATHUMTHANI, THAILAND)
- 343 Studies on graft copolymerization of chitosan with synthetic monomers
K. V. HARISH PRASHANTH & R. N. THARANATHAN (MYSORE, INDIA)
- 353 Determination of the substituent distribution along cellulose acetate chains as revealed by enzymatic and chemical methods
S.-J. LEE, C. ALTANER, J. PULS & B. SAAKE (HAMBURG, GERMANY)
- 363 Polymorphism of resistant starch type III
K. SHAMAI, H. BIANCO-PELED & E. SHIMONI (HAIFA, ISRAEL)
- 371 Thermodynamic considerations on polysaccharide functions. Polysaccharides came first
VLADIMIR TOLSTOGUZOV (LAUSANNE, SWITZERLAND)

Short Communications

- 381 Biosynthesis of hetero-polysaccharides by *Pestalotiopsis microspora* from various monosaccharides as carbon source
A. KAI, M. KIKAWA, K. HATANAKA, K. MATSUZAKI, T. MIMURA & Y. KANEKO (TOKYO, JAPAN)
- 385 New starches for the food industry: *Curcuma longa* and *Curcuma zedoaria*
M. LEONEL (BOTUCATU, BRAZIL), S. B. S. SARMENTO (PIRACICABA, BRAZIL) & M. P. CEREDA (BOTUCATU, BRAZIL)

Book reviews

- 389 Glycoscience—chemistry and chemical biology I–III
- 389 Food Processing: Biotechnological Applications
- 390 Biotechnology in agriculture and environment
- 391 Biotechnological Avenues for Entrepreneurship Development—A Compendium-Focus: Women and Rural Development
- 391 Starch and starch containing origins—structure, properties and new technologies
- 392 Biochemical Methods
- 392 McCance and Widdowson's the Composition of Foods sixth summary edition
- 393 The Maillard reaction

- 394 Food: The Chemistry of its Components (4th edition)
- 394 Encyclopedia of Dairy Sciences (Volume 1–4)
- 395 Bibliography
- 399 Calendar

Number 4

Papers

- 401 In vitro and in vivo hydrolysis of legume starches by α -amylase and resistant starch formation in legumes—a review
R. HOOVER & Y. ZHOU (NEWFOUNDLAND, CANADA)
- 419 Structure and molecular weight of Asian lacquer polysaccharides
R. LU & T. YOSHIDA (KITAMI, JAPAN)
- 425 Preparation and sorption activity of chitosan/cellulose blend beads
Y.-K. TWU, H.-I. HUANG, S.-Y. CHANG & S.-L. WANG (CHANG-HWA, TAIWAN, ROC)
- 431 Thermal depolymerization of alginate in the solid state
H. K. HOLME, K. LINDMO, A. KRISTIANSEN (OSLO, NORWAY) & O. SMIDSRØD (TRONDHEIM, NORWAY)
- 439 The polysaccharides of red wine: total fractionation and characterization
S. VIDAL (GLEN OSMOND, AUSTRALIA), P. WILLIAMS, T. DOCO, M. MOUTOUNET & P. PELLERIN (MONTPELLIER, FRANCE)
- 449 Effects of acid hydrolysis and defatting on crystallinity and pasting properties of freeze-thawed high amylose corn starch
H.-J. CHUNG, H.-Y. JEONG & S.-T. LIM (SEOUL, SOUTH KOREA)
- 457 A new linear potentiometric titration method for the determination of deacetylation degree of chitosan
X. JIANG, L. CHEN & W. ZHONG (SHANGHAI, PEOPLE'S REPUBLIC OF CHINA)
- 465 Influence of the chain length of chitosan on complement activation
Y. SUZUKI, K. MIYATAKE, Y. OKAMOTO (TOTTORI, JAPAN), E. MURAKI (OSAKA, JAPAN) & S. MINAMI (TOTTORI, JAPAN)
- 471 Binding of ions to chitosan—selectivity studies
I. M. N. VOLD, K. M. VÅRUM (TRONDHEIM, NORWAY), E. GUIBAL (ALES CEDEX, FRANCE) & O. SMIDSRØD (TRONDHEIM, NORWAY)
- 479 Preparation and characterization of physical gels and beads from chitin solutions
E. YILMAZ & M. BENGISU (MERSIN, TURKEY)
- 489 A comparative study of edible canna (*Canna edulis*) starch from different cultivars. Part II. Molecular structure of amylose and amylopectin
K. THITIPRAPHUNKUL, D. UTTAPAP, K. PIYACHOMKWAN (BANGKOK, THAILAND) & Y. TAKEDA (KAGOSHIMA, JAPAN)
- 499 X-ray scattering study on potato (*Solanum tuberosum* L.) cultivars during winter storage
T. VÄÄNÄNEN, T. IKONEN, K. JOKELA, R. SERIMAA (HELSINKI, FINLAND), L. PIETILÄ (JOKIOINEN, FINLAND) & E. PEHU (HELSINKI, FINLAND)
- 509 GMA grafted sago starch as a reactive component in ultra violet radiation curable coatings
T. L. HAN, R. N. KUMAR, H. D. ROZMAN & M. A. M. NOOR (PULAU PINANG, MALAYSIA)
- 517 Effect of calcium concentration on textural properties of high and low acyl mixed gellan gels
Y. HUANG, J. TANG, B. G. SWANSON & B. A. RASCO (PULLMAN, WA, USA)
- 523 Hydrolysis of plant seed gums by microwave irradiation
V. SINGH, R. SETHI, A. TEWARI, V. SRIVASTAVA (ALLAHABAD, INDIA) & R. SANGHI (KANPUR, INDIA)

Short Communication

- 527 Study on antimicrobial activity of chitosan with different molecular weights
L.-Y. ZHENG & J.-F. ZHU (HANGZHOU, CHINA)

Book reviews

- 531 Chemical and functional properties of food proteins
- 531 Separation processes in the food and biotechnology industries
- 532 Handbook of analytical techniques
- 532 Chemical and Functional Properties of Food Components
- 533 Chemical and Functional Properties of Food Lipids
- 533 Environmental Chemistry
- 535 Calendar
- 537 Volume Contents