

Bibliography of carbohydrate polymers

(4 weeks journals. Search completed at 16th. June 2004)

1. Books, reviews & symposia

Berger J, Reist M, Mayer JM, Felt O, Peppas NA, Gurny R*// *Univ Geneva, Sch Pharm, 30 Quai E Ansermet, CH-1211 Geneva 4, Switzerland

Eur J Pharm Biopharm 2004 **57** (1) 19

Structure and interactions in covalently and ionically crosslinked chitosan hydrogels for biomedical applications

Berger J, Reist M, Mayer JM, Felt O, Gurny R*// *Address as above

Eur J Pharm Biopharm 2004 **57** (1) 35

Structure and interactions in chitosan hydrogels formed by complexation or aggregation for biomedical applications

Bernkop-Schnurch A, Hornof M, Guggi D// Univ Vienna, Inst Pharmaceut Technol & Biopharmaceut, Ctr Pharm, Althanstr 14, AT-1090 Vienna, Austria

Eur J Pharm Biopharm 2004 **57** (1) 9

Thiolated chitosans

Mansouri S, Lavigne P, Corsi K, Benderdour M, Beaumont E, Fernandes JC*// *Hop Sacre Coeur, Ctr Rech, Lab Rech Orthopedie, 5400 Blvd Gouin Ouest, Montreal, Quebec, Canada H4J 1C5

Eur J Pharm Biopharm 2004 **57** (1) 1

Chitosan-DNA nanoparticles as non-viral vectors in gene therapy: Strategies to improve transfection efficacy

2. Cellulose

Bu HT, Kjoniksen AL, Nystrom B*// *Univ Oslo, Dept Chem, POB 1033, Blindern, NO-0315 Oslo, Norway

Biomacromolecules 2004 **5** (2) 610

Rheological characterization of photochemical changes of ethyl(hydroxyethyl) cellulose dissolved in water in the presence of an ionic surfactant and a photosensitizer

Ebube NK, Jones AB// Wyeth Consumer Healthcare, 1211 Sherwood Ave, Richmond, Va 23261, USA

Int J Pharm 2004 **272** (1-2) 19

Sustained release of acetaminophen from a heterogeneous mixture of two hydrophilic non-ionic cellulose ether polymers

Fu XC, Wang GP, Liang WQ, Chow MSS// Zhejiang Univ, City Coll, Dept Pharm, CN-310015 Hangzhou, Peoples Rep China

J Controlled Release 2004 **95** (2) 209

Prediction of drug release from HPMC matrices: Effect of physicochemical properties of drug and polymer concentration

Fukui A, Fujii R, Yonezawa Y, Sunada H// Ryukakusan Co Ltd, Chiyoda ku, Tokyo 101 0031, Japan

Chem Pharm Bull Tokyo 2004 **52** (3) 298

Analysis of the release process of phenylpropanolamine hydrochloride from ethylcellulose matrix granules II. Effects of the binder solution on the release process

Gomez-Bujedo S, Fleury E, Vignon MR*// *CNRS, Ctr Rech Macromol Vegetales, BP 53, FR-38041 Grenoble 9, France

Biomacromolecules 2004 **5** (2) 565

Preparation of cellulouronic acids and partially acetylated cellulouronic acids by TEMPO/NaClO oxidation of water-soluble cellulose acetate

Olsson AM, Salmen L// Swedish Pulp & Paper Res Inst - STFI, Box 5604, SE-11486 Stockholm, Sweden

Carbohydr Res 2004 **339** (4) 813

The association of water to cellulose and hemicellulose in paper examined by FTIR spectroscopy

Sasai Y, Yamauchi Y, Kondo S, Kuzuya M*// *Gifu Pharmaceut Univ, Lab Pharmaceut Phys Chem, 5-6-1 Mitahora higashi, Gifu 502 8585, Japan

Chem Pharm Bull Tokyo 2004 **52** (3) 339

Nature of mechanoradical formation of substituted celluloses as studied by electron spin resonance

Tamai N, Tatsumi D, Matsumoto T*// *Kyoto Univ, Grad Sch Agr, Div Forest & Biomat Sci, Kyoto 606 8502, Japan

Biomacromolecules 2004 **5** (2) 422

Rheological properties and molecular structure of tunicate cellulose in LiCl/1,3-dimethyl-2-imidazolidinone

Teramoto Y, Nishio Y*// *Kyoto Univ, Grad Sch Agr, Div Forest & Biomed Sci, Sakyo ku, Kyoto 606 8502, Japan

Biomacromolecules 2004 **5** (2) 397

Biodegradable cellulose diacetate-graft-poly(L-lactide)s: Thermal treatment effect on the development of supramolecular structures

Teramoto Y, Nishio Y*// *Address as above

Biomacromolecules 2004 **5** (2) 407

Biodegradable cellulose diacetate-graft-poly(L-lactide)s: Enzymatic hydrolysis behavior and surface morphological characterization

Turhan KN, Sahbaz F// Univ Wisconsin, Dept Food Sci, 1605 Linden Dr, Babcock Hall 38, Madison, WI 53706, USA

J Food Eng 2004 **61** (3) 459

Water vapor permeability, tensile properties and solubility of methyl-cellulose-based edible films

Wu J, Zhang J*, Zhang H, He JS, Ren Q, Guo M// *Chinese Acad Sci, Inst Chem, State Key Lab Engn Plast, Ctr Mol Sci, CN-100080 Beijing, Peoples Rep China

Biomacromolecules 2004 **5** (2) 266

Homogeneous acetylation of cellulose in a new ionic liquid

3. Cellulose-degrading enzymes

Wang LS, Zhang YZ, Yang H, Gao PJ*// *Shandong Univ, State Key Lab Microbial Technol, CN-250100 Jinan, Peoples Rep China

Carbohydr Res 2004 **339** (4) 819

Quantitative estimate of the effect of cellulase components during degradation of cotton fibers

Yang B, Wyman CE*// *Dartmouth Coll, Thayer Sch Engr, 8000 Cummings Hall, Hanover, NH 03755, USA

Biotechnol Bioeng 2004 **86** (1) 88

Effect of xylan and lignin removal by batch and flowthrough pretreatment on the enzymatic digestibility of corn stover cellulose

4. Chitin/Chitosan

Badawy MEI, Rabea EI, Rogge TM, Stevens CV*, Smaghe G, Steurbaut W, Hofte M// *State Univ Ghent, Fac Agr & Appl Biol Sci, Dept Organ Chem, Coupure Links 653, BE-9000 Ghent, Belgium

Biomacromolecules 2004 **5** (2) 589

Synthesis and fungicidal activity of new N,O-acyl chitosan derivatives

Chaussard G, Domard A*// *Lab Mat Polymeres & Biomat, UMR CNRS 5627, Domaine Sci Doua, Batiment ISTIL, 15 Blvd A Latarjet, FR-69622 Villeurbanne, France

Biomacromolecules 2004 **5** (2) 559

New aspects of the extraction of chitin from squid pens

Chiu SH, Chung TW, Giridhar R, Wu WT*// *Nat'l Tsing Hua Univ, Dept

As a service to subscribers of the journal, this bibliography contains newly published material in the field of carbohydrate polymers. The bibliography is divided into thirteen sections: 1 Books, reviews & symposia; 2 Cellulose; 3 Cellulose-degrading enzymes; 4 Chitin/Chitosan; 5 Cyclodextrins; 6 Lignin; 7 Lipopolysaccharides; 8 Pectin; 9 Starch; 10 Starch-degrading enzymes; 11 Polysaccharides - Microbial; 12 Polysaccharides - Plant; 13 Polysaccharides - Other. Within each section, articles are listed in alphabetical order with respect to author. When there are no publications to appear under one of these headings, that section will be omitted.

- Chem Engn, Hsinchu 30043, Taiwan
Food Res Int 2004 **37** (3) 217
 Immobilization of β -cyclodextrin in chitosan beads for separation of cholesterol from egg yolk
- Geremias R, Pedrosa RC*, Benassi JC, Favere VT, Stolberg J, Menezes CTB, Laranjeira MCM// *Univ Fed Santa Catarina, Dept Bioquim, CCB, Campus Univ Rio Trindade, BR-88040-900 Florianopolis, SC, Brazil
Environ Technol 2003 **24** (12) 1509
 Remediation of coal mining wastewaters using chitosan microspheres
- Kofuji K, Akamine H, Qian CJ, Watanabe K, Togan Y, Nishimura M, Sugiyama I, Murata Y, Kawashima S// Hokuriku Univ, Fac Pharmaceut Sci, Ho 3, Kanagawa machi, Kanazawa, Ishikawa 920 118, Japan
Int J Pharm 2004 **272** (1-2) 65
 Therapeutic efficacy of sustained drug release from chitosan gel on local inflammation
- Lertworasirikul A, Yokoyama S, Noguchi K, Ogawa K, Okuyama K*// *Tokyo Univ Agr & Technol, Fac Technol, Koganei, Tokyo 184 8588, Japan
Carbohydr Res 2004 **339** (4) 825
 Molecular and crystal structures of chitosan/HI type I salt determined by X-ray fiber diffraction
- Lertworasirikul A, Noguchi K, Ogawa K, Okuyama K*// *Address as above
Carbohydr Res 2004 **339** (4) 835
 Plausible molecular and crystal structures of chitosan/HI type II salt
- Liu Y, Tian F, Hu KA// Shanghai Jiao Tong Univ, State Key Lab Metal Matrix Composites, CN-200030 Shanghai, Peoples Rep China
Carbohydr Res 2004 **339** (4) 845
 Synthesis and characterization of a brush-like copolymer of polylactide grafted onto chitosan
- Murata Y, Hirai D, Kofuji K, Miyamoto E, Kawashima S// Hokuriku Univ, Fac Pharmaceut Sci, Ho-3, Kanazawa, Ishikawa 920 118, Japan
Biol Pharm Bull 2004 **27** (3) 440
 Properties of an alginate gel bead containing a chitosan-drug salt
- Niederhofer A, Muller BW*// *Univ Kiel, Dept Pharmaceut & Biopharmaceut, Gutenbergstr 76, DE-24118 Kiel, Germany
Eur J Pharm Biopharm 2004 **57** (1) 101
 A method for direct preparation of chitosan with low molecular weight from fungi
- Polnok A, Borchard G, Verhoef JC, Sarisuta N, Junginger HE*// *Leiden Univ, Dept Pharmaceut Technol, Leiden Amsterdam Ctr, Drug Res, POB 9502, NL-2300 RA Leiden, The Netherlands
Eur J Pharm Biopharm 2004 **57** (1) 77
 Influence of methylation process on the degree of quaternization of N-trimethyl chitosan chloride
- Roldo M, Hornof M, Caliceti P, Bernkop-Schnurch A*// *Univ Vienna, Inst Pharmaceut Technol & Biopharmaceut, Ctr Pharm, Althanstr 14, AT-1090 Vienna, Austria
Eur J Pharm Biopharm 2004 **57** (1) 115
 Mucoadhesive thiolated chitosans as platforms for oral controlled drug delivery: Synthesis and *in vitro* evaluation
- Ruel-Gariepy E, Shive M, Bichara A, Berrada M, Le Garrec D, Chenite A, Leroux JC*// *Univ Montreal, POB 6128, Succ Ctr Ville, Montreal, Quebec, Canada H3C 3J7
Eur J Pharm Biopharm 2004 **57** (1) 53
 A thermosensitive chitosan-based hydrogel for the local delivery of paclitaxel
- Sakkinen M, Marvola J, Kanerva H, Lindevall K, Lipponen M, Kekki T, Ahonen A, Marvola M// Univ Helsinki, Dept Pharm, Div Biopharmaceut & Pharmacokinet, POB 56, FI-00014 Helsinki, Finland
Eur J Pharm Biopharm 2004 **57** (1) 133
 Gamma scintigraphic evaluation of the fate of microcrystalline chitosan granules in human stomach
- Steckel H, Mindermann-Nogly F// Univ Kiel, Dept Pharmaceut & Biopharmaceut, Gutenbergstr 76, DE-24118 Kiel, Germany
Eur J Pharm Biopharm 2004 **57** (1) 107
 Production of chitosan pellets by extrusion/spheronization
- Tapia C, Escobar Z, Costa E, Sapag-Hagar J, Valenzuela F, Basualto C, Gai MN, Yazdani-Pedram M// Univ Chile, Fac Chem & Pharmaceut Sci, Lab Unit Operat, POB 233, Santiago 1, Chile
Eur J Pharm Biopharm 2004 **57** (1) 65
 Comparative studies on polyelectrolyte complexes and mixtures of chitosan-alginate and chitosan-carrageenan as prolonged diltiazem chloride release systems
- Usui M, Tamura H, Nakamura K, Ogawa T, Muroshita M, Azakami H, Kanuma S, Kato A*// *Yamaguchi Univ, Fac Agr Sci, Dept Biol Chem, Yamaguchi, Japan
Nahrung 2004 **48** (1) 69
 Enhanced bactericidal action and masking of allergen structure of soy protein by attachment of chitosan through Maillard-type protein-polysaccharide conjugation
- Van der Merwe SM, Verhoef JC, Kotze AF, Junginger HE// Potchefstroom Univ Christian Higher Educat, Sch Pharm, Dept Pharmaceut, Private Bag X6001, ZA-2520 Potchefstroom, Rep Sth Africa
Eur J Pharm Biopharm 2004 **57** (1) 85
 N-Trimethyl chitosan chloride as absorption enhancer in oral peptide drug delivery. Development and characterization of minitab and granule formulations
- Vila A, Sanchez A, Janes K, Behrens I, Kissel T, Jato JLV, Alonso MJ*// *Sch Pharm, Dept Pharm & Pharmaceut Technol, ES-15782 Santiago de Compostela, Spain
Eur J Pharm Biopharm 2004 **57** (1) 123
 Low molecular weight chitosan nanoparticles as new carriers for nasal vaccine delivery in mice
- Zerrouk N, Mennini N, Maestrelli F, Chemtob C, Mura P*// *Univ Florence, Fac Farm, Dipt Sci Farmaceut, Via Gino Capponi 9, IT-50121 Florence, Italy
Eur J Pharm Biopharm 2004 **57** (1) 93
 Comparison of the effect of chitosan and polyvinylpyrrolidone on dissolution properties and analgesic effect of naproxen
- Zhai ML, Kudoh H, Wu GZ, Wach RA, Muroya Y, Katsumura Y, Nagasawa N, Zhao L, Yoshii F// Peking Univ, Coll Chem & Mol Engn, CN-100871 Beijing, Peoples Rep China
Biomacromolecules 2004 **5** (2) 453
 Laser photolysis of carboxymethylated chitin derivatives in aqueous solution. Part 1. Formation of hydrated electron and a long-lived radical
- Zhai ML, Kudoh H, Wach RA, Wu GZ, Lin MZ, Muroya Y, Katsumura Y, Zhao L, Nagasawa N, Yoshii F// Address as above
Biomacromolecules 2004 **5** (2) 458
 Laser photolysis of carboxymethylated chitin derivatives in aqueous solution. Part 2. Reaction of OH $\cdot$ and SO $_4^{\cdot-}$ radicals with carboxymethylated chitin derivatives

5. Cyclodextrins

- Ishizuka Y, Nemoto T, Kanazawa K, Nakanishi H// Natl Inst Adv Ind Sci & Technol, Biol Informat Res Ctr, Central 6, 1-1 Higashi, Tsukuba, Ibaraki 305 8566, Japan
Carbohydr Res 2004 **339** (4) 777
 ^1H NMR spectra of branched-chain cyclomaltohexaoses (α -cyclodextrins)
- Kim JH, Lee SK, Ki MH, Choi WK, Ahn SK, Shin HJ, Hong CI// Amore Pacific R&D Ctr, DDS Team, Pharmaceut & Hlth Res Inst, 314-1 Bora ri, Giheung-eup, Yongin si 449729, Gyeonggi do, South Korea
Int J Pharm 2004 **272** (1-2) 79
 Development of parenteral formulation for a novel angiogenesis inhibitor, CKD-732 through complexation with hydroxypropyl- β -cyclodextrin
- Valle BC, Billiot FH, Shamsi SA, Zhu XF, Powe AM, Warner IM*// *Louisiana State Univ, Dept Chem, 432 Choppin Hall, Baton Rouge, La 70808, USA
Electrophoresis 2004 **25** (4-5) 743
 Combination of cyclodextrins and polymeric surfactants for chiral separations

6. Lignin

- Yeh TF, Chang HM, Kadla JF*// *Univ British Columbia, Vancouver, Brit Columbia, Canada V6T 1Z4
J Agric Food Chem 2004 **52** (6) 1435
 Rapid prediction of solid wood lignin content using transmittance near-infrared spectroscopy

7. Lipopolysaccharides

- Bedoux G, Vallee-Rehel K, Kooistra O, Zahringer U, Haras D// Univ Bretagne Sud, Lab Biol & Chim Mol, BP 92116, FR-56321 Lorient, France
J Mass Spectrom 2004 **39** (5) 505
 Lipid A components from *Pseudomonas aeruginosa* PAO1 (serotype O5) and mutant strains investigated by electrospray ionization ion-trap mass spectrometry
- Knirel YA, Vinogradov E, Jimenez N, Merino S, Tomas JM// Russian Acad Sci, ND Zelinskii Organ Chem Inst, RU-119991 Moscow, Russia
Carbohydr Res 2004 **339** (4) 787
 Structural studies on the R-type lipopolysaccharide of *Aeromonas hydrophila*
- Lee CS, Kim YG, Joo HS, Kim BG*// *Seoul Nat Univ, Sch Chem Engn & Inst Mol Biol & Genet, Kwanak-gu, Seoul 151 742, Korea
J Mass Spectrom 2004 **39** (5) 514
 Structural analysis of lipid A from *Escherichia coli* O157:H7:K $^-$ using thin-layer chromatography and ion-trap mass spectrometry
- Mulard LA, Guerreiro C// Inst Pasteur, Unite Chim Organ, URA CNRS 2128, 28 rue Dr Roux, FR-75724 Paris 15, France
Tetrahedron 2004 **60** (11) 2475

Total synthesis of a tetra- and two pentasaccharide fragments of the O-specific polysaccharide of *Shigella flexneri* serotype 2a

Ovchinnikova OG, Kocharova NA, Katzenellenbogen E, Zatonsky GV, Shashkov AS, Knirel YA*, Lipinski T, Gamian A// *Russian Acad Sci, ND Zelinskii Organ Chem Inst, Moscow, Russia
Carbohydr Res 2004 **339** (4) 881
 Structures of two O-polysaccharides of the lipopolysaccharide of *Citrobacter youngae* PCM 1538 (serogroup O9)

8. Pectin

Almeida C, Branyik T, Moradas-Ferreira P, Teixeira J*// *Univ Minho, Ctr Engr Biol, Campus Gualtar, PT-4710-057 Braga, Portugal
J Biosci Bioeng 2003 **96** (6) 513

Continuous production of pectinase by immobilized yeast cells on spent grains
 Duan JY, Zheng Y, Dong Q, Fang JN*// *Chinese Acad Sci, Shanghai Inst Biol Sci, Shanghai Inst Mat Med, CN-201203 Shanghai, Peoples Rep China
Phytochemistry 2004 **65** (5) 609

Structural analysis of a pectic polysaccharide from the leaves of *Diospyros kaki*

Fishman ML, Cooke PH, Coffin DR// USDA/ARS, Eastern Reg Res Ctr, Crop Convers Sci & Engr Res Unit, Wyndmoor, Pa 19038, USA

Biomacromolecules 2004 **5** (2) 334
 Nanostructure of native pectin sugar acid gels visualized by atomic force microscopy

Liu LS, Won YJ, Cooke PH, Coffin DR, Fishman ML, Hicks KB, Ma PX// USDA, ERRC, East 600 Mermaid Lane, Wyndmoor, Pa 19038, USA
Biomaterials 2004 **25** (16) 3201

Pectin/poly(lactide-co-glycolide) composite matrices for biomedical applications

9. Starch

Al-Muhtaseb AH, McMinn WAM, Magee TRA*// *Queens Univ Belfast, Sch Chem Engr, Food Proc Engr Res Grp, David Keir Bldg, Stranmillis Rd, Belfast BT9 5AG, Northern Ireland
J Food Eng 2004 **61** (3) 297

Water sorption isotherms of starch powders - Part 1: Mathematical description of experimental data

Altunakar B, Sahin S*, Sumnu G// *Middle East Tech Univ, Dept Food Engr, TR-06531 Ankara, Turkey
Eur Food Res Technol 2004 **218** (4) 318

Functionality of batters containing different starch types for deep-fat frying of chicken nuggets

Chen JJ, Lai VMF, Lii CY*// *Acad Sinica, Institute Chem, Taipei 11529, Taiwan
Cereal Chem 2004 **81** (2) 267

Composition dependencies of the rheological properties of rice starch blends
 Gaffa T, Yoshimoto Y, Hanashiro I, Honda O, Kawasaki S, Takeda Y*// *Kagoshima Univ, Fac Agr, Dept Biochem Sci & Technol, Kagoshima 890 0065, Japan
Cereal Chem 2004 **81** (2) 255

Physicochemical properties and molecular structures of starches from millet (*Pennisetum typhoides*) and sorghum (*Sorghum bicolor* L Moench) cultivars in Nigeria

Genovese DB, Acquarone VM, Youn KS, Rao MA*// *Cornell Univ Geneva, Dept Food Sci & Technol, Geneva, NY 14456, USA
Food Sci Technol Int 2004 **10** (1) 51

Influence of fructose and sucrose on small and large deformation rheological behaviour of heated amioca starch dispersions

Gray JA, BeMiller JN*// *Purdue Univ, Whistler Ctr Carbohydrate Res, Smith Hall, West Lafayette, In 47907, USA
Cereal Chem 2004 **81** (2) 278

Development and utilization of reflectance confocal laser scanning microscopy to locate reaction sites in modified starch granules

Guan J, Fang Q, Hanna MA*// *Univ Nebraska, Ind Agr Prod Ctr, 208 LW Chase Hall, Lincoln, Ne 68583, USA
Cereal Chem 2004 **81** (2) 199

Selected functional properties of extruded starch acetate and natural fibers foams

Kim SK, Kwak JE// Dankook Univ, Dept Food Sci & Nutr, Seoul 140 714, South Korea
Food Sci Biotechnol 2004 **13** (1) 71

Estimation of resistant starch content of high-amylose corn starch
 Ma YHC, Manolache S, Sarmadi M, Denes FS*// *Univ Wisconsin, Ctr Plasma Aided Mfg, 1410 Engr Dr, Room 101, Madison, Wi 53706, USA
Starch 2004 **56** (2) 47

Synthesis of starch copolymers by silicon tetrachloride plasma-induced graft polymerization

Martin JM, Talbert LE, Habernicht DK, Lanning SP, Sherman JD, Carlson G, Giroux MJ// Montana State Univ, Dept Plant Sci & Plant Pathol, Bozeman, Mt 59717, USA

Cereal Chem 2004 **81** (2) 188
 Reduced amylose effects on bread and white salted noodle quality

Park CS, Baik BK*// *Washington State Univ, Dept Food Sci & Human Nutr, Pullman, Wa 99164, USA
Cereal Chem 2004 **81** (2) 165

Cooking time of white salted noodles and its relationship with protein and amylose contents of wheat

Riley CK, Wheatley AO, Hassan I, Ahmad MH, Morrison EYSA, Asemota HN*// *Univ West Indies, Dept Basic Med Sci Biochem, Ctr Biotechnol, Mona Campus, Kingston 7, Jamaica

Starch 2004 **56** (2) 69
 In vitro digestibility of raw starches extracted from five yam (*Dioscorea* spp) species grown in Jamaica

Sasaki T, Kohyama K, Yasui T, Satake T// Univ Tsukuba, Grad Sch Life & Environm Sci, Tsukuba, Ibaraki 305 8572, Japan
Cereal Chem 2004 **81** (2) 226

Rheological properties of white salted noodles with different amylose content at small and large deformation

Shin SI, Byun J, Park KH, Moon TW*// *Seoul Natl Univ, Natl Lab Funct Food Carbohydrate, Sch Agr Biotechnol, Seoul 151 742, South Korea
Cereal Chem 2004 **81** (2) 194

Effect of partial acid hydrolysis and heat-moisture treatment on formation of resistant tuber starch

Sopade PA, Halley PJ, Junming LL// Univ Queensland, Ctr High Performance Polymers, Div Chem Engr, St Lucia, Qld 4078, Australia
J Food Eng 2004 **61** (3) 439

Gelatinisation of starch in mixtures of sugars. I. Dynamic rheological properties and behaviours of starch-honey systems

Storz E, Steffens KJ*// *Univ Bonn, Gerhard Domagk Str 3, DE-53121 Bonn, Germany
Starch 2004 **56** (2) 58

Feasibility study for determination of the dextrose equivalent (DE) of starch hydrolysis products with near-infrared spectroscopy (NIRS)

Vargas-Torres A, Osorio-Diaz P, Tovar J, Paredes-Lopez O, Ruales J, Bello-Perez LA*// *IPN, Ctr Desarrollo Prod Biot, Carr Yautepec Jojutla km 8.5, Colonia San Isidro, MX-62731 Yautepec, Morelos, Mexico

Starch 2004 **56** (2) 74
 Chemical composition, starch bioavailability and indigestible fraction of common beans (*Phaseolus vulgaris* L)

Yilmaz G, Jongboom ROJ, Feil H, Van Dijk C, Hennink WE// Agrotechnol & Food Innovat, Bornsesteeg 59, POB 17, NL-6700 AA Wageningen, The Netherlands

Biomacromolecules 2004 **5** (2) 650
 Permeation of volatile compounds through starch films

10. Starch-degrading enzymes

Moreno A, Saab-Rincon G, Santamaria RI, Soberon X, Lopez-Munguia A*// *Univ Nacl Autonoma Mexico, Inst Biotecnol, Apdo Postal 510-3, MX-62271 Cuernavaca, Morelos, Mexico

Starch 2004 **56** (2) 63

A more efficient starch degradation by the combination of hydrolase and transferase activities of α -amylase and cyclomaltodextrin glucanotransferase

11. Polysaccharides - Microbial

Chan CS, De Stasio G*, Welch SA, Girasole M, Frazer BH, Nesterova MV, Fakra S, Banfield JF// *Univ Calif Berkeley, Dept Earth & Planetary Sci, Berkeley, Ca 94720, USA

Science 2004 **303** (5664) 1656
 Microbial polysaccharides template assembly of nanocrystal fibers

Jiang HL, Fang DF, Hsiao BS, Chu B, Chen WL*// *SUNY Stony Brook, Dept Biomed Engr, 548 Psychol A Bldg, Stony Brook, NY 11794, USA
Biomacromolecules 2004 **5** (2) 326

Optimization and characterization of dextran membranes prepared by electrospinning

Kim TH, Park TG*// *Korea Adv Inst Sci & Technol, Dept Sci Biol, Taejon 305 701, South Korea
Int J Pharm 2004 **271** (1-2) 207

Critical effect of freezing/freeze-drying on sustained release of FITC-dextran encapsulated within PLGA microspheres

Li YX, Zhang XR, Chu SD, Yu KY, Guan HS// Ocean Univ Qingdao, Marine

- Drug & Food Inst, CN-266003 Qingdao, Peoples Rep China
Carbohydr Res 2004 **339** (4) 873
 Synthesis of cluster mannosides via a Ugi four-component reaction and their inhibition against the binding of yeast mannan to concanavalin A
 Nagasaki T, Hojo M, Uno A, Satoh T, Koumoto K, Mizu M, Sakurai K, Shinkai S// Osaka City Univ, Grad Sch Engn, Dept Appl & Bioappl Chem, Osaka 558 8585, Japan
Bioconjug Chemistry 2004 **15** (2) 249
 Long-term expression with a cationic polymer derived from a natural polysaccharide: Schizophyllan
 Petit E, Papy-Garcia D, Muller G, Courtois B, Caruelle JP, Courtois J// Univ Picardie, Lab Glucides, Ave Faculte, FR-80025 Amiens, France
Biomacromolecules 2004 **5** (2) 445
 Controlled sulfation of natural anionic bacterial polysaccharides can yield agents with specific regenerating activity *in vivo*
 Senthilkumar V, Rameshkumar N, Busby SJW, Gunasekaran P// *Madurai Kamaraj Univ, Sch Biol Sci, Ctr Excellence Gen Sci, Dept Microbial Technol, IN-625021 Madurai, India
J Appl Microbiol 2004 **96** (4) 671
 Disruption of the *Zymomonas mobilis* extracellular sucrose gene (*sacC*) improves levan production
 Takahashi R, Tokunou H, Kubota K, Ogawa E, Oida T, Kawase T, Nishinari K// Osaka City Univ, Grad Sch Human Life Sci, Dept Food & Human Hlth Sci, Sumiyoshi, Osaka 558 8585, Japan
Biomacromolecules 2004 **5** (2) 516
 Solution properties of gellan gum: Change in chain stiffness between single- and double-stranded chains
 Ughini F, Andreatza IF, Ganter JLMS, Bresolin TMB// *UNIVALI, Curso Farm, NIQFAR, CP 360, BR-88302-202 Itajaí, SC, Brazil
Int J Pharm 2004 **271** (1-2) 197
 Evaluation of xanthan and highly substituted galactomannan from *M. scabrella* as a sustained release matrix
 Volpi N// Univ Modena, Dept Anim Biol, Via Campi 213/d, IT-41100 Modena, Italy
Electrophoresis 2004 **25** (4-5) 692
 Separation of capsular polysaccharide K4 and defructosylated K4 by high-performance capillary electrophoresis

12. Polysaccharides - Plant

- Araujo PM, Oliveira GB, Curdula CR, Leite EL, Carvalho LB, Silva MPC// *Univ Fed Pernambuco, Ctr Ciencias Biol, Lab Imunopatol Keizo Asami, Recife, PE, Brazil
Braz J Med Biol Res 2004 **37** (3) 301
 Sulfated fucan as support for antibiotic immobilization
 Awad HA, Wickham MQ, Leddy HA, Gimble JM, Guilak F// *Duke Univ Med Ctr, Dept Surg, Div Orthopaed Surg, Durham, NC 27710, USA
Biomaterials 2004 **25** (16) 3211
 Chondrogenic differentiation of adipose-derived adult stem cells in agarose, alginate, and gelatin scaffolds
 Chiovitti A, McManus LJ, Kraft GT, Bacic A, Liao ML// Univ Melbourne, Sch Bot, Plant Cell Biol Res Ctr, CRC Bioprod, Parkville, Vic 3010, Australia
J Appl Phycol 2004 **16** (1) 41
 Extraction and characterization of agar from Australian *Pterocladia lucida*
 Choi EM, Koo SJ, Hwang JK// *Yonsei Univ, Dept Biotechnol, Shinchon dong 134, Seoul 120 749, South Korea
J Ethnopharmacol 2004 **91** (1) 1
 Immune cell stimulating activity of mucopolysaccharide isolated from yam (*Dioscorea batatas*)
 Crescenzi V, Dentini M*, Risica D, Spadoni S, Skjak-Brack G, Capitani D, Mannina L, Viel S// *Univ Roma La Sapienza, Dept Chem, Ple A Moro 5, IT-00185 Rome, Italy
Biomacromolecules 2004 **5** (2) 537
 C₆-oxidation followed by C₅-epimerization of guar gum studied by high field NMR
 Drury JL, Dennis RG, Mooney DJ// *Univ Michigan, Dept Biol & Mat Sci, 1011 Nth Univ, Rm 5210 Dental, Ann Arbor, MI 48109, USA
Biomaterials 2004 **25** (16) 3187
 The tensile properties of alginate hydrogels
 Gotz J, Zick K, Hinrichs R, Weisser H// Tech Univ Munich, Lehrstuhl Brauereianlagen & Lebensmittel Verpackungstechnik, Weihenstephaner Steig 22, DE-85350 Freising Weihenstephan, Germany
Eur Food Res Technol 2004 **218** (4) 323
 Characterisation of carrageenan and whey protein gels using NMR PGSTE diffusion experiments
 Hokpitsa S, Harding SE, Inngjerdingen K, Jumel K, Michaelsen TE, Heinze T, Koschella A, Paulsen BS// Univ Nottingham, Sch Biosci, Sutton Bonington

- Campus, Loughborough LE12 5RD, England
Carbohydr Res 2004 **339** (4) 753
 Bioactive polysaccharides from the stems of the Thai medicinal plant *Acanthus ebracteatus*: Their chemical and physical features
 Mondal K, Roy I, Gupta MN// *Indian Inst Technol, Dept Chem, Hauz Khas, IN-110016 New Delhi, India
Biocatal Biotransform 2004 **22** (1) 9
 Enhancement of catalytic efficiencies of xylanase, pectinase and cellulase by microwave pretreatment of their substrates
 Mourao PAS// Univ Fed Rio de Janeiro, Dept Bioquim Med, Lab Tecido Conjuntivo, Ctr Ciencias Saude, BR-21941-590 Rio de Janeiro, Brazil
Curr Pharm Des 2004 **10** (9) 967
 Use of sulfated fucans as anticoagulant and antithrombotic agents: Future perspectives
 Murthy SN, Hiremath SRR, Paranjothy KLK// Roswell Pk Canc Inst, Mol & Cellular Biophys Dept, Elm & Carlton St, Buffalo, NY 14263, USA
Int J Pharm 2004 **272** (1-2) 11
 Evaluation of carboxymethyl guar films for the formulation of transdermal therapeutic systems
 Nergard CS, Diallo D, Michaelsen TE, Malterud KE, Kiyohara H, Matsumoto T, Yamada H, Paulsen BS// Sch Pharm, Dept Pharmacognosy, POB 1068, NO-0316 Oslo, Norway
J Ethnopharmacol 2004 **91** (1) 141
 Isolation, partial characterisation and immunomodulating activities of polysaccharides from *Vernonia kotschyana* Sch Bip. ex Walp
 Polyak B, Gersh S, Marks RS// *Ben Gurion Univ Negev, Inst Appl Biosci, POB 653, IL-84105 Beer Sheva, Israel
Biomacromolecules 2004 **5** (2) 389
 Synthesis and characterization of a biotin-alginate conjugate and its application in a biosensor construction
 Taguchi I, Kiyohara H, Matsumoto T, Yamada H// *Kitasato Univ, Kitasato Inst Life Sci, Minato ku, Tokyo 108 8642, Japan
Carbohydr Res 2004 **339** (4) 763
 Structure of oligosaccharide side chains of an intestinal immune system modulating arabinogalactan isolated from rhizomes of *Atractylodes lancea* DC
 Valenta C, Schultz K// Univ Vienna, Inst Pharmaceut Technol & Biopharmaceut, Althanstr 14, AT-1909 Vienna, Austria
J Controlled Release 2004 **95** (2) 257
 Influence of carrageenan on the rheology and skin permeation of micro-emulsion formulations

13. Polysaccharides - Other

- Aldenhoff YBJ, Knetsch MLW, Hanssen JHL, Lindhout T, Wielders SJH, Koole LH// Univ Maastricht, Ctr Biomater Res, POB 616, NL-6200 MD Maastricht, The Netherlands
Biomaterials 2004 **25** (16) 3125
 Coils and tubes releasing heparin. Studies on a new vascular graft prototype
 Fareed J, Hoppenstead D, Schultz C, Ma Q, Kujawski MF, Neville B, Messmore H// Loyola Univ, Med Ctr, Dept Pathol, 2160 Sth 1st Ave, Maywood IL 60153, USA
Curr Pharm Des 2004 **10** (9) 983
 Biochemical and pharmacologic heterogeneity in low molecular weight heparins. Impact on the therapeutic profile
 Karousou EG, Porta G, De Luca G, Passi A// *Univ Insubria, Dept Expt & Clin Biomed Sci, Varese, Italy
J Pharm Biomed Anal 2004 **34** (4) 791
 Analysis of fluorophore-labelled hyaluronan and chondroitin sulfate disaccharides in biological samples
 Kuboe Y, Tonegawa H, Ohkawa K*, Yamamoto H// *Shinshu Univ, Fac Text Sci & Technol, Inst High Polymer Res, Tokida 3-15-1, Ueda, Nagano 386 8567, Japan
Biomacromolecules 2004 **5** (2) 348
 Quinone cross-linked polysaccharide hybrid fiber
 Nader HB, Lopes CC, Rocha HAO, Santos EA, Dietrich CP// Univ Fed Sao Paulo, Escola Paulista Med, Dept Bioquim, Rua 3 Maio 100, 4 Andar, BR-04044-020 Sao Paulo, Brazil
Curr Pharm Des 2004 **10** (9) 951
 Heparins and heparinoids: Occurrence, structure and mechanism of antithrombotic and hemorrhagic activities
 Tischer CA, Oliveira MBM, Reicher F, Iacomini M, Petkowicz CLO, Duarte MER, Noseda MD, Gorin PAJ// *Univ Fed Parana, Dept Bioquim, Caixa Postal 19046, BR-81530-990 Curitiba, Parana, Brazil
Carbohydr Res 2004 **339** (4) 771
 Complexation of vanadium (V) oxyanions with hexopyranose- and mannopyranoseuronic acid-containing polysaccharides: Stereochemical considerations