

## CONTENTS OF VOLUME 56 AND VOLUME 57

### VOLUME 56

#### Number 1

#### Papers

- 1 A facile synthesis of a novel polyacetal containing trehalose residue in the main chain  
N. TERAMOTO, Y. ARAI, Y. SHIBASAKI & M. SHIBATA (CHIBA, JAPAN)
- 7 Solubilization of dialdehyde cellulose by hot water  
U.-J. KIM, M. WADA & S. KUGA (TOKYO, JAPAN)
- 11 Physical behaviour of fish gelatin- $\kappa$ -carrageenan mixtures  
I. J. HAUG, K. I. DRAGET & O. SMIDSRØD (TRONDHEIM, NORWAY)
- 21 Preparation, characterization and antimicrobial activity of chitosan–Zn complex  
X. WANG, Y. DU & H. LIU (WUHAN, CHINA)
- 27 Gelling temperatures of high acyl gellan as affected by monovalent and divalent cations with dynamic rheological analysis  
Y. HUANG (PULLMAN, WA, USA), P. P. SINGH (MOSCOW, ID, USA), J. TANG & B. G. SWANSON (PULLMAN, WA, USA)
- 35 A reliable reducing end assay for chito-oligosaccharides  
S. J. HORN & V. G. H. EIJSINK (ÅS, NORWAY)
- 41 Microencapsulation of astaxanthin in a chitosan matrix  
I. HIGUERA-CAPIPARA, L. FELIX-VALENZUELA, F. M. GOYCOOLEA & W. ARGÜELLES-MONAL (SONORA, MEXICO)
- 47 The complexation of Fe(III)-ions in cellulose fibres: a fundamental property  
A. KONGDEE & T. BECHTOLD (DORNBIRN, AUSTRIA)
- 55 High-performance capillary electrophoresis separation of hyaluronan oligosaccharides produced by *Streptomyces hyalurolyticus* hyaluronate lyase  
F. MACCARI, F. TRIPODI & N. VOLPI (MODENA, ITALY)
- 65 Swelling-solubility characteristics, granule size distribution and rheological behavior of banana (*Musa paradisiaca*) starch  
M. C. NUÑEZ-SANTIAGO, L. A. BELLO-PÉREZ (YAUTEPEC MORELOS, MEXICO) & A. TECANTE (MÉXICO, MEXICO)
- 77 Graft polymerization of acrylonitrile onto spherocrystals formed from jet cooked cornstarch  
G. F. FANTA, F. C. FELKER & R. L. SHOGREN (ST. PEORIA, IL, USA)
- 85 Characterization of Nubet and Franubet barley starches  
D. S. SUH (AMES, IA, USA), T. VERHOEVEN, K. DENYER (NORWICH, UK) & J.-L. JANE (AMES, IA, USA)

#### Book reviews

- 95 Advances in Chitin Science, Volume VI
- 95 Wound Healing: Methods and Protocols
- 97 Calendar
- 99 Bibliography

## Number 2

### Papers

- 111 Biocomposites based on plasticized starch: thermal and mechanical behaviours  
L. AVEROUS (STRASBOURG, FRANCE) & N. BOQUILLON (POMACLE, FRANCE)
- 123 Molecular weight and anti-tumor activity of the water-soluble polysaccharides isolated by hot water and ultrasonic treatment from the sclerotia and mycelia of *Pleurotus tuber-regium*  
M. ZHANG, L. ZHANG (WUHAN, CHINA), P. C. K. CHEUNG & V. E. C. OOI (HONG KONG, CHINA)
- 129 Barrier, mechanical and optical properties of plasticized yam starch films  
S. MALI, M. V. E. GROSSMANN (LONDRINA, BRAZIL), M. A. GARCÍA, M. N. MARTINO  
& N. E. ZARITZKY (BUENOS AIRES, ARGENTINA)
- 137 Susceptibility of dibutyl chitin and regenerated chitin fibres to deacylation and depolymerization by lipases  
C. MUZZARELLI, O. FRANCESCANGELI, G. TOSI & R. A. A. MUZZARELLI (ANCONA, ITALY)
- 147 <sup>1</sup>H NMR study of amylose films plasticised by glycerol and water  
R. PARTANEN (ESPOO, FINLAND), V. MARIE, W. MACNAUGHTAN (LOUGHBOROUGH, UK),  
P. FORSSELL (ESPOO, FINLAND) & I. FARHAT (LOUGHBOROUGH, UK)
- 157 Annealing of normal, low and high amylose starches extracted from barley cultivars grown under different environmental conditions  
V. I. KISELEVA, N. K. GENKINA (MOSCOW, RUSSIA), R. TESTER (GLASGOW, UK),  
L. A. WASSERMAN, A. A. POPOV & V. P. YURYEV (MOSCOW, RUSSIA)
- 169 *N*-octadecylpectinamide, a hydrophobic sorbent based on modification of highly methoxylated citrus pectin  
A. SYNITSYA, J. ČOPIKOVÁ (PRAGUE, CZECH REPUBLIC), M. MAROUNEK  
(LIBECHOV, CZECH REPUBLIC), P. MLČOCHOVÁ, L. SIHELNÍKOVÁ, S. SKOBYLA,  
H. HAVLÁTOVÁ, P. MATĚJKA, M. MARYŠKA & V. MACHOVIČ (PRAGUE, CZECH REPUBLIC)
- 181 The effect of microwave heating of fresh orange peels on the fruit tissue and quality of extracted pectin  
M. KRATCHANOVA, E. PAVLOVA & I. PANCHEV (PLOVDIV, BULGARIA)
- 187 Dihydrazone of dialdehyde starch and its metal complexes  
A. PARA, S. KAROLCZYK-KOSTUCH & M. FIEDOROWICZ (KRAKÓW, POLAND)
- 195 Fractional extraction and structural characterization of sugarcane bagasse hemicelluloses  
J. X. SUN (YANGLING, CHINA), X. F. SUN, R. C. SUN (GUANGZHOU, CHINA)  
& Y. Q. SU (YANGLING, CHINA)
- 205 Preparation of chitosan filament applying new coagulation system  
H. TAMURA, Y. TSURUTA (OSAKA, JAPAN), K. ITOYAMA (SIZUOKA, JAPAN),  
W. WORAKITKANCHANAKUL (BANGKOK, THAILAND), R. RUJIRAVANIT (BANGKOK, THAILAND)  
& S. TOKURA (OSAKA, JAPAN)
- 213 Geopolymerization of biopolymers: a preliminary inquiry  
D. KIM, I. G. PETRISOR & T. F. YEN (LOS ANGELES, CA, USA)
- 219 Differently sized granules from acetylated potato and sweet potato starches differ in the acetyl substitution pattern of their amylose populations  
Z. CHEN, H. A. SCHOLS & A. G. J. VORAGEN (WAGENINGEN, THE NETHERLANDS)
- 227 Application of a fiber-reactive chitosan derivative to cotton fabric as an antimicrobial textile finish  
S.-H. LIM & S. M. HUDSON (RALEIGH, NC, USA)
- 235 Rheological properties of fermented finger millet (*Eleusine coracana*) thin porridge  
N. K. O. OJIJO (NAIROBI, KENYA) & E. SHIMONI (HAIFA, ISRAEL)
- 243 Interaction between chitosan and alkyl  $\beta$ -D-glucopyranoside and its effect on their antimicrobial activity  
H. LIU, Y. DU, X. WANG, Y. HU (WUHAN, CHINA) & J. F. KENNEDY (BIRMINGHAM, UK)

### Short communication

- 251 Mechanical properties of gellan and gelatin composite films  
K. Y. LEE (SEOUL, SOUTH KOREA), J. SHIM (ANSUNG-CITY, SOUTH KOREA)  
& H. G. LEE (SEOUL, SOUTH KOREA)

**Book review**

- 255 Polymeric Materials in Organic Synthesis and Catalysis
- 257 Calendar
- 259 Bibliography

**Number 3****Papers**

- 271 The physicochemical properties of partially digested starch from sprouted wheat grain  
T. NODA, S. TAKIGAWA, C. MATSUURA-ENDO, K. SAITO, K. TAKATA, T. TABIKI,  
H. A. M. WICKRAMASINGHE & H. YAMAUCHI (HOKKAIDO, JAPAN)
- 279 An exo  $\beta$ -1,3-glucanase synthesized de novo degrades lentinan during storage of *Lentinule edodes*  
and diminishes immunomodulating activity of the mushroom  
K.-i. Minato (Sendai, Japan), S. Kawakami, K. Nomura, H. Tsuchida  
& M. Mizuno (Kobe, Japan)
- 287 Occurrence of furfuraldehydes during the processing of *Quercus suber* L. cork. Simultaneous determination  
of furfural, 5-hydroxymethylfurfural and 5-methylfurfural and their relation with cork polysaccharides  
S. M. ROCHA, M. A. COIMBRA & I. DELGADILLO (AVEIRO, PORTUGAL)
- 295 Partitioning of pectinase produced by *Polyporus squamosus* in aqueous two-phase system polyethylene  
glycol 4000/crude dextran at different initial pH values  
M. G. ANTOV (NOVI SAD, SERBIA AND MONTENEGRO)
- 301 Synthesis and characterization of persilylated cyclodextrins  
V. HARABAGIU, B. C. SIMIONESCU, M. PINTEALA (IASI, ROMANIA), C. MERRIENNE,  
J. MAHUTEAU (CHATENAY-MALABRY, FRANCE), P. GUÉGAN & H. CHERADAME (EVRY, FRANCE)
- 313 On the physico-chemical and dielectric properties of glutaraldehyde crosslinked  
galactomannan–collagen films  
S. D. FIGUEIRÓ, J. C. GÓES, R. A. MOREIRA & A. S. B. SOMBRA (FORTALEZA, BRAZIL)
- 321 Theoretical and experimental study of  $M^{2+}$  adsorption on biopolymers. III. Comparative kinetic pattern  
of Pb, Hg and Cd  
A. L. DEBAUDT, M. L. FERREIRA & M. E. GSCHAUER (BAHÍA BLANCA, R. ARGENTINA)
- 333 Trimethylsilylation of chitosan and some properties of the product  
K. KURITA, M. HIRAKAWA, S. KIKUCHI, H. YAMANAKA & J. YANG (TOKYO, JAPAN)
- 339 Characterization of composite hydrocolloid films  
M. A. GARCÍA, A. PINOTTI, M. N. MARTINO (LA PLATA, ARGENTINA)  
& N. E. ZARITZKY (BUENOS AIRES, ARGENTINA)
- 347 Flow behaviour of sago starch-g-poly(acrylic acid) in distilled water and NaOH—effect of photografting  
J. S. LEE (SABAH, MALAYSIA), R. N. KUMAR, H. D. ROZMAN & B. M. N. AZEMI (PENANG, MALAYSIA)
- 355 Three phase partitioning of starch and its structural consequences  
K. MONDAL, A. SHARMA & M. N. GUPTA (NEW DELHI, INDIA)
- 361 Dielectric processes of wet and well-dried wheat starch  
T. P. MAJUMDER (KRISHNANAGAR, INDIA), D. MEIBNER & C. SCHICK (ROSTOCK, GERMANY)

**Short communication**

- 367 Annealing of starches from potato tubers grown at different environmental temperatures. Effect of heating  
duration  
N. K. GENKINA, L. A. WASSERMAN & V. P. YURYEV (MOSCOW, RUSSIAN FEDERATION)

**Book reviews**

- 371 NMR Spectroscopy of Glycoconjugates
- 371 Whole-grain Foods in Health and Disease

373 Calendar

375 Bibliography

## Number 4

### Papers

- 387 Preparation and utilization of ionic exchange resin via graft copolymerization of  $\beta$ -CD itaconate with chitosan  
M. A. GAFFAR, S. M. EL-RAFIE & K. F. EL-TAHLAWY (CAIRO, EGYPT)
- 397 A feasible method to determine the critical DS for modified polysaccharide derivatives' gelation by gel point,  $t_g$   
H. XING (SUNNYVALE, CA, USA), W. NIERLING & M. D. LECHNER (OSNABRÜCK, GERMANY)
- 403 Starch modification by iterated syneresis  
G. LEWANDOWICZ (LUBON, POLAND) & M. SORAL-ŚMIETANA (OLSZTYN, POLAND)
- 415 Molecular breakdown of corn starch by thermal and mechanical effects  
R. M. VAN DEN EINDE, C. AKKERMANS, A. J. VAN DER GOOT & R. M. BOOM (WAGENINGEN, THE NETHERLANDS)
- 423 Isolation and characterization of an extracellular polysaccharide from *Pseudomonas caryophylli* CFR 1705  
S. R. SUDHAMANI, R. N. THARANATHAN & M. S. PRASAD (MYSORE, INDIA)
- 429 Synthetic polymers functionalized by carbohydrates: a review  
A. J. VARMA (PUNE, INDIA), J. F. KENNEDY (BIRMINGHAM, UK) & P. GALGALI (PUNE, INDIA)
- 447 Amylose–lipid complexation: a new fractionation method  
G. G. GELDERS, T. C. VANDERSTUKKEN, H. GOESAERT & J. A. DELCOUR (LEUVEN, BELGIUM)
- 459 Swelling behaviour of alginate–chitosan microcapsules prepared by external gelation or internal gelation technology  
X. LIU, W. XUE, Q. LIU, W. YU, Y. FU, X. XIONG, X. MA & Q. YUAN (DALIAN, PEOPLE'S REPUBLIC OF CHINA)
- 465 Determination of the degree of esterification of pectinates with decyl and benzyl ester groups by diffuse reflectance infrared Fourier transform spectroscopy (DRIFTS) and curve-fitting deconvolution method  
C. S. PAPPAS (ATHENS, GREECE), A. MALOVIKOVA, Z. HROMADKOVA (BRATISLAVA, SLOVAKIA), P. A. TARANTILIS (ATHENS, GREECE), A. EBRINGEROVA (BRATISLAVA, SLOVAKIA) & M. G. POLISSIOU (ATHENS, GREECE)
- 471 Water-soluble polysaccharides with pharmaceutical importance from Durian rinds (*Durio zibethinus* Murr.): isolation, fractionation, characterisation and bioactivity  
S. HOKPUTSA (LOUGHBOROUGH, UK), W. GERDDIT, S. PONGSAMART (BANGKOK, THAILAND), K. INNGJERDINGEN (OSLO, NORWAY), T. HEINZE, A. KOSCHELLA (LESSINGSTRASSE, GERMANY), S. E. HARDING (LOUGHBOROUGH, UK) & B. S. PAULSEN (OSLO, NORWAY)
- 483 Curdlan as a support matrix for immobilization of enzyme  
P. S. SAUDAGAR & R. S. SINGHAL (MUMBAI, INDIA)
- 489 Kinetics of ultrasonic degradation and polymerisation degree distribution of sonochemically degraded chitosans  
S. TRZCIŃSKI & D. U. STASZEWSKA (TORUŃ, POLAND)
- 499 Influence of thickness on the mechanical properties for starch films  
A. JANSSON & F. THUVANDER (KARLSTAD, SWEDEN)
- 505 Gel formation in mixtures of high amylopectin potato starch and potato starch  
F. E. ORTEGA-OJEDA, H. LARSSON & A.-C. ELIASSON (LUND, SWEDEN)

### Book review

515 Advances in Macromolecular Carbohydrate Research, Vol 2

517 Calendar

**VOLUME 57****Number 1****Papers**

- 1 Hyaluronan-based hydrogels particles prepared by crosslinking with trisodium trimetaphosphate. Synthesis and characterization  
V. DULONG, S. LACK, D. LE CERF, L. PICTON (MONT SAINT AIGNAN, FRANCE), J. P. VANNIER (ROUEN, FRANCE) & G. MULLER (MONT SAINT AIGNAN, FRANCE)
- 7 Cell wall polysaccharides of *Brassica campestris* seed cake: isolation and structural features  
P. GHOSH, P. GHOSAL, S. THAKUR (W.B. BURDWAN, INDIA), P. LEROUGE, C. LOUTELIER-BOURHIS, A. DRIOUICH (MONT SAINT AIGNAN, FRANCE) & B. RAY (W.B. BURDWAN, INDIA)
- 15 Physical aging of glassy normal and waxy rice starches: thermal and mechanical characterization  
H.-J. CHUNG & S.-T. LIM (SEOUL, SOUTH KOREA)
- 23 Purification and characterization of a  $\beta$ -mannanase from *Trichoderma harzianum* strain T4  
H. M. FERREIRA & E. X. F. FILHO (BRASÍLIA, BRAZIL)
- 31 Study of the depolymerization behavior of chitosan by hydrogen peroxide  
F. TIAN, Y. LIU, K. HU & B. ZHAO (SHANGHAI, CHINA)
- 39 The influence of wet/dry treatment on pore structure-the correlation of pore parameters, water retention and moisture regain values  
A. KONGDEE, T. BECHTOLD, E. BURTSCHER (DORNBIRN, AUSTRIA) & M. SCHEINECKER (LENZING, AUSTRIA)
- 45 Interfacial shear rheology of interacting carbohydrate polyelectrolytes at the water–oil interface using an adapted conventional rheometer  
J. P. PÉREZ-OROZCO (MÉXICO, MEXICO), C. I. BERISTAIN (XALAPA, MEXICO), G. ESPINOSA-PAREDES (MÉXICO, MEXICO), C. LOBATO-CALLEROS (TEXCOCO, MEXICO) & E. J. VERNON-CARTER (MÉXICO, MEXICO)
- 55 Gel formation in mixtures of amylose and high amylopectin potato starch  
F. E. ORTEGA-OJEDA, H. LARSSON & A.-C. ELIASSON (LUND, SWEDEN)
- 67 Polysaccharides from bagasse: applications in cellulase and xylanase production  
M. G. ADSUL, J. E. GHULE, R. SINGH, H. SHAIKH, K. B. BASTAWDE, D. V. GOKHALE & A. J. VARMA (PUNE, INDIA)
- 73 Spray-drying of solutions containing chitosan together with polyuronans and characterisation of the microspheres  
C. MUZZARELLI, V. STANIC, L. GOBBI, G. TOSI & R. A. A. MUZZARELLI (ANCONA, ITALY)
- 83 Study on antibacterial starch/chitosan blend film formed under the action of irradiation  
M. ZHAI (BEIJING, CHINA), L. ZHAO (KIRYU, JAPAN), F. YOSHII & T. KUME (GUNMA-KEN, JAPAN)
- 89 Effect of ethanol concentration on the physicochemical properties of waxy corn starch treated by hydrochloric acid  
Y.-H. CHANG, J.-H. LIN (SHALU TAICHUNG, TAIWAN) & C.-Y. LII (TAIPEI, TAIWAN)
- 97 Rapid N-phthaloylation of chitosan by microwave irradiation  
L. LIU, Y. LI, Y. LI & Y.-E. FANG (ANHUI, CHINA)

**Book reviews**

- 101 Functional Dairy Products
- 102 Food Technology and Quality Evaluation
- 102 Antioxidant vitamins and health: cardiovascular disease, cancer, cataracts, and aging
- 103 Biophysical Chemistry
- 105 Calendar
- 107 Bibliography

**Number 2****Obituary**

- 111 Dr Robert James Sturgeon 1933–2003  
D. J. MANNERS

**Papers**

- 113 Yeast mannan-vanadium (IV) complexes and their effect on peritoneal macrophages  
G. R. NOLETO (PARANÁ, BRAZIL), A. L. R. MERCÊ (CURITIBA, BRAZIL),  
M. IACOMINI (PARANÁ, BRAZIL), P. A. J. GORIN & M. B. M. OLIVEIRA (PARANÁ, BRAZIL)
- 123 Liquefaction mechanism of cellulose in the presence of phenol under acid catalysis  
L. LIN, Y. YAO, M. YOSHIOKA & N. SHIRAISHI (KYOTO, JAPAN)
- 131 Studies upon the synthesis of cellulose stearate under microwave heating  
G. ANTOVA, P. VASVASOVA & M. ZLATANOV (PLOVDIV, BULGARIA)
- 135 Rheological properties of fermented finger millet (*Eleusine coracana*) thin porridge  
N. K. O. OJIJO (NAIROBI, KENYA) & E. SHIMONI (HAIFA, ISRAEL)
- 145 Relationship between functionality and structure in barley starches  
H. TANG, T. MITSUNAGA & Y. KAWAMURA (NARA, JAPAN)
- 153 Rheological characterisation of the gelation behaviour of maltodextrin aqueous solutions  
C. LORET, V. MEUNIER, W. J. FRITH (BEDFORD, UK) & P. J. FRYER (EDGBASTON, UK)
- 165 Structural features and biological activity of an acidic polysaccharide complex from *Mahonia aquifolium* (Pursh) Nutt  
A. KARDOSOVÁ, A. EBRINGEROVÁ, J. ALFÖLDI (BRATISLAVA, SLOVAKIA), G. NOSÁL'OVÁ,  
T. MATÁKOVÁ (MARTIN, SLOVAKIA) & V. HRÍBALOVÁ (PRAGUE, CZECH REPUBLIC)
- 177 Waxy maize starch subpopulations with different gelatinization temperatures  
Y. JI (WEST LAFAYETTE, IN, USA), Z. AO (AMES, IA, USA), J.-A. HAN (WEST LAFAYETTE, IN, USA),  
J.-L. JANE (AMES, IA, USA) & J. N. BEMILLER (WEST LAFAYETTE, IN, USA)
- 191 Structural elucidation of hemicelluloses from Vetiver grass  
O. CHAIKUMPOLLERT (BANGKOK, THAILAND), P. METHACANON  
& K. SUCHIVA (PATHUMTHANI, THAILAND)
- 197 The plastcizers containing amide groups for thermoplastic starch  
X. MA & J. YU (TIANJIN, CHINA)
- 205 Solution properties of a water-insoluble (1 → 3)- $\alpha$ -D-glucan isolated from *Poria cocos* mycelia  
Y. JIN, L. ZHANG, Y. TAO, C. ZENG, Y. CHEN (WUHAN, CHINA)  
& P. C. K. CHEUNG (HONG KONG, CHINA)
- 211 On the nature of categories of chains in amylopectin and their connection to the super helix model  
E. BERTOFT (TURKU, FINLAND)

**Short communication**

- 225 Synthesis of acrylated ethylcellulose for UV-curing ink  
P. GRANAT, M. PUDAS, O. HORMI, J. HAGBERG & S. LEPPÄVUORI (LINNANMAA, FINLAND)
- 229 Calendar
- 231 Bibliography

**Number 3****Papers**

- 235 Liquid crystalline behaviour of chitooligosaccharides  
Y. DONG, H. WANG, W. ZHENG, Y. ZHAO, D. BI (XIAMEN, CHINA), L. ZHAO & X. LI (JINAN, CHINA)
- 241 Structure of polysaccharides from the fruiting body of *Hericium erinaceus* Pers  
Z. WANG, D. LUO (QUANZHOU, CHINA) & Z. LIANG (CHANGCHUN, CHINA)

- 249 Evaluation of structure in the formation of gels by structurally diverse (1 → 3)(1 → 4)-β-D-glucans from four cereal and one lichen species  
S. M. TOSH, Y. BRUMMER, P. J. WOOD, Q. WANG & J. WEISZ (GUELPH, ONT., CANADA)
- 261 Determination of the degree of substitution of acetylated starch by hydrolysis, <sup>1</sup>H NMR and TGA/IR  
M. ELOMAA (KUOPIO, FINLAND), T. ASPLUND (RAISIO, FINLAND), P. SOININEN, R. LAATIKAINEN (KUOPIO, FINLAND), S. PELTONEN, S. HYVÄRINEN (RAJAMÄKI, FINLAND) & A. URTTI (KUOPIO, FINLAND)
- 269 Structure of a glycoglucuronomannan from the low-viscosity gum of *Vochysia lehmannii*  
R. WAGNER, S. M. WORANOVICZ-BARREIRA, M. IACOMINI (CURITIBA, BRAZIL), C. L. DELGOBO (FLORIANÓPOLIS, BRAZIL), N. M. PIMENTEL (RIO BRANCO, BRAZIL) & P. A. J. GORIN (CURITIBA, BRAZIL)
- 277 Complexation of metal ions with dioxime of dialdehyde starch  
A. PARA (KRAKÓW, POLAND)
- 285 Formation of nanostructured poly(lactic-co-glycolic acid)/chitin matrix and its cellular response to normal human keratinocytes and fibroblasts  
B.-M. MIN (SEOUL, SOUTH KOREA), Y. YOU (DAEJEON, SOUTH KOREA), J.-M. KIM, S. J. LEE (SEOUL, SOUTH KOREA) & W. H. PARK (DAEJEON, SOUTH KOREA)
- 293 Effect of modified α, β, and γ-cyclodextrins on the thermo-responsive behavior of the elastin-like polymer, poly(VPGVG)  
J. REGUERA, M. ALONSO, A. M. TESTERA, I. M. LÓPEZ, S. MARTÍN & J. C. RODRÍGUEZ-CABELLO (VALLADOLID, SPAIN)
- 299 Relationship between α-amylase degradation and the structure and physicochemical properties of legume starches  
Y. ZHOU, R. HOOVER (ST JOHN'S, NFLD, CANADA) & Q. LIU (GUELPH, ONT., CANADA)
- 319 Carboxymethylated β-glucans from mushroom sclerotium of *Pleurotus tuber-regium* as novel water-soluble anti-tumor agent  
M. ZHANG, P. C. K. CHEUNG (HONG KONG, CHINA), L. ZHANG (WUHAN, CHINA), C.-M. CHIU & V. E. C. OOI (HONG KONG, CHINA)
- 327 Effect of annealing on starch–palmitic acid interaction  
Y. NAKAZAWA & Y.-J. WANG (FAYETTEVILLE, AR, USA)
- 337 Towards on-line monitoring of the composition of commercial carrageenan powders  
M. DYRBY (FREDERIKSBERG C, DENMARK), R. V. PETERSEN, J. LARSEN, B. RUDOLF (LILLE SKENSVED, DENMARK), L. NØRGAARD & S. B. ENGELSEN (FREDERIKSBERG C, DENMARK)

## Book reviews

- 349 Organic Reaction Mechanisms: 40 Solved Cases
- 349 Fundamentals of food reaction technology
- 350 Water-Soluble Polymer Application in Foods
- 350 Performance Functional Foods
- 353 Calendar
- 355 Bibliography

## Number 4

### Papers

- 359 On the binding of copper and lead by water-soluble polysaccharides  
F. DELBEN, S. DESINAN, R. GIANNI, G. LIUT (TRIESTE, ITALY), C. MUZZARELLI (ANCONA, ITALY) & R. RIZZO (TRIESTE, ITALY)
- 369 Effects of Ca- and Na-lignosulfonate on starch gelatinization and network formation  
G. RICHARDSON, Y. SUN, M. LANGTON & A.-M. HERMANSSON (GÖTEBORG, SWEDEN)

- 379 Characterisation of carboxymethyl cellulose and polyacrylamide graft copolymer  
D. R. BISWAL & R. P. SINGH (KHARAGPUR, INDIA)
- 389 Recrystallisation behaviour of native and processed waxy maize starch in relation to the molecular characteristics  
L. ELFSTRAND (LUND, SWEDEN), T. FRIGÅRD, R. ANDERSSON (UPPSALA, SWEDEN),  
A.-C. ELIASSON (LUND, SWEDEN), M. JÖNSSON, M. RESLOW (MALMÖ, SWEDEN)  
& M. WAHLGREN (LUND, SWEDEN)
- 401 Extrusion of pectin and glycerol with various combinations of orange albedo and starch  
M. L. FISHMAN, D. R. COFFIN, C. I. ONWULATA & R. P. KONSTANCE (WYNDMOOR, PA, USA)
- 415 Preparation and characterization of persimmon leaves/cellulose blend fiber and comparison with cellulose fiber  
Z.-X. WANG, Q. SHEN & Q.-F. GU (SHANGHAI, CHINA)
- 419 Characterization of wood components of Portuguese medieval dugout canoes with high-resolution solid-state NMR  
M. BARDET, M. F. FORAY, S. MARON, P. GONCALVES & Q. K. TRÂN (GRENOBLE, FRANCE)
- 425 Specificity of monoclonal antibodies generated against arabinoxylans of cereal grains  
J. J. ORDAZ-ORTIZ, F. GUILLON, O. TRANQUET, G. DERVILLY-PINEL, V. TRAN  
& L. SAULNIER (NANTES, FRANCE)
- 435 Preparation and characterization on mechanical and antibacterial properties of chitsoan/cellulose blends  
Y.-B. WU, S.-H. YU (CHUNG-LI, TAIWAN, ROC), F.-L. MI (KAOHSIUNG, TAIWAN, ROC),  
C.-W. WU, S.-S. SHYU, C.-K. PENG (CHUNG-LI, TAIWAN, ROC)  
& A.-C. CHAO (MIAO-LI, TAIWAN, ROC)
- 441 Synthesis of glycoconjugate polymer carrying globotriaose as artificial multivalent ligand for Shiga toxin-producing *Escherichia coli* O157: H7  
A. MIYAGAWA, H. KUROSAWA, T. WATANABE, T. KOYAMA, D. TERUNUMA & K. MATSUOKA (SAITAMA, JAPAN)
- 451 Effect of water-soluble and insoluble non-starch polysaccharides isolated from wheat flour on the rheological properties of wheat starch gel  
T. SASAKI, K. KOHYAMA (TSUKUBA, JAPAN) & T. YASUI (HIROSHIMA, JAPAN)
- 459 NMR investigations of the 4-ethyl guaicol self-diffusion in iota ( $\iota$ )-carrageenan gels  
C. RONDEAU-MOURO, A. ZYKWINSKA, S. DURAND, J.-L. DOUBLIER  
& A. BULÉON (NANTES, FRANCE)

### Book reviews

- 469 Handbook of Basic Tables for Chemical Analysis, 2nd Edition
- 469 Textile Terms and Definitions, 11th edition
- 470 Texture in Food Volume 1: Semi-solid Foods
- 470 Chemical and Functional Properties of Food Saccharides
- 473 Contents of Volume 56 and 57
- 481 Calendar