

Bibliography of carbohydrate polymers

(3 weeks journals. Search completed at 24th. Nov. 2004)

1. Books, reviews & symposia

- Regul Toxicol Pharmacol* 2004 **39** (Suppl 1)
Special issue - Cyclodextrins
- Damonte EB, Matulewicz MC, Cerezo AS*// *Univ Buenos Aires, Fac Ciencias Exactas & Nat, CIHIDECAR-CONICET, Dept Quim Organ, AR-1428 Buenos Aires, DF, Argentina
Curr Med Chem 2004 **11** (18) 2399
Sulfated seaweed polysaccharides as antiviral agents
- Ladmiral V, Melia E, Haddleton DM*// *Univ Warwick, Dept Chem, Coventry CV4 7AL, England
Eur Polym J 2004 **40** (3) 431
Synthetic glycopolymers: An overview
- Uekama K// Kumamoto Univ, Grad Sch Pharmaceut Sci, 5-1 Oe Honmachi, Kumamoto 862 0973, Japan
Chem Pharm Bull (Tokyo) 2004 **52** (8) 900
Design and evaluation of cyclodextrin-based drug formulation (Review)

2. Cellulose

- Arthanareeswaran G, Srinivasan K, Mahendran R, Mohan D*, Rajendran M, Mohan V// *Anna Univ, AC Coll Technol, Dept Chem Engn, Membrane Lab, IN-600025 Madras, India
Eur Polym J 2004 **40** (4) 751
Studies on cellulose acetate and sulfonated poly(ether ether ketone) blend ultrafiltration membranes
- Batsoulis AN, Nacos MK, Pappas CS, Tarantilis PA, Mavromoustakos T, Polissiou MG*// *Agr Univ Athens, Dept Sci, Chem Lab, 75 Iera Odos, GR-11855 Athens, Greece
Appl Spectrosc 2004 **58** (2) 199
Determination of uronic acids in isolated hemicelluloses from kenaf using diffuse reflectance infrared Fourier transform spectroscopy (DRIFTS) and the curve-fitting deconvolution method
- Brown RM// Univ Texas, Austin, Tx 78712, USA
J Polym Sci A Polym Chem 2004 **42** (3) 487
Cellulose structure and biosynthesis: What is in store for the 21st century?
- Da Roz AL, Curvelo AAS*// *Univ Sao Paulo, Inst Quim Sao Carlos, POB 780, BR-13566-590 Sao Carlos, SP, Brazil
J Therm Anal Calorim 2004 **75** (2) 429
Thermal characterization of benzylcellulose derivatives prepared from bleached pinus kraft pulp
- De la Orden MU, Matias MC, Urreaga JM*// *Univ Complutense Madrid, Dept Quim Organ 1, EU Optica, Arcos de Jalon s/n, ES-28037 Madrid, Spain
J Appl Polym Sci 2004 **92** (4) 2196
Spectroscopic study of the modification of cellulose with polyethylenimines
- Dubey KA, Pujari PK, Ramnani SP, Kadam RM, Sabharwal S*// *Bhabha Atom Res Ctr, Radiat Technol Dev Sect, IN-400085 Mumbai, India
Radiat Phys Chem 2004 **69** (5) 395
Microstructural studies of electron beam-irradiated cellulose pulp
- Egermayer M, Karlberg M, Piculell L*// *Lund Univ, Ctr Chem & Chem Engn, Box 124, SE-22100 Lund, Sweden

- Langmuir* 2004 **20** (6) 2208
Gels of hydrophobically modified ethyl (hydroxyethyl) cellulose cross-linked by amylose: Effects of hydrophobe architecture
- Eymenenko G, Yu CJ, Kewalramani S, Dutta P// Northwestern Univ, Dept Phys & Astron, 2145 Sheridan Rd, Evanston, IL 60208, USA
Langmuir 2004 **20** (5) 1698
Structural characterization of thin hydroxypropylcellulose films. X-ray reflectivity studies
- Fu XC, Wang GP, Wang YH, Liang WQ// Zhejiang Univ, City Coll, Dept Pharm, CN-310015 Hangzhou, Peoples Rep China
Pharmazie 2004 **59** (8) 624
A predictive model for the release of slightly water-soluble drugs from HPMC matrices
- Gousse C, Chanzy H, Cerrada ML, Fleury E*// *Rhodia Rech, Ctr Rech Lyon, 85 Ave Freres Perret, FR-69192 St Fons, France
Polymer 2004 **45** (5) 1569
Surface silylation of cellulose microfibrils: Preparation and rheological properties
- Hattori K, Abe E, Yoshida T, Cuculo JA// Kitami Inst Technol, Dept Appl & Environm Chem, 165 Koen cho, Kitami, Hokkaido 090 850, Japan
Polym J 2004 **36** (2) 123
New solvents for cellulose. II. Ethylenediamine/thiocyanate salt system
- Jin FM, Zhou ZY, Enomoto H, Moriya T, Higashijima H// Tohoku Univ, Grad Sch Environm Studies, Dept Environm Sci & Technol, Aoba ku, Sendai, Miyagi 980 8579, Japan
Chem Lett 2004 **33** (2) 126
Conversion mechanism of cellulosic biomass to lactic acid in subcritical water and acid-base catalytic effect of subcritical water
- Kalinina NA, Silinskaya IG, Bocek AM, Filippov AP, Kutsenko LI, Karetnikova EB, Kalyuzhnaya LM// Russian Acad Sci, Inst Macromol Cpds, Bolshoi pr 31, RU-199004 St Petersburg, Russia
Polym Sci Ser A 2004 **46** (2) 184
Orientational order and dimensions of associates in moderately concentrated aqueous solutions of cyanoethyl methyl cellulose
- Kono H, Numata Y, Erata T, Takai M// Bruker Biospin Co Ltd, Tsukuba, Ibaraki 305 0051, Japan
Polymer 2004 **45** (8) 2843
Structural analysis of cellulose triacetate polymorphs by two dimensional solid-state ^{13}C - ^{13}C and ^1H - ^{13}C correlation NMR spectroscopies
- Li D, McHugh MA*// *Virginia Commonwealth Univ, Dept Chem Engn, Med Coll Virginia Campus, Richmond, Va 23284, USA
J Supercrit Fluid 2004 **28** (2-3) 225
Solubility behavior of ethyl cellulose in supercritical fluid solvents
- Liao CW, Lin SH, Lin PY, Chiou HY, Chang WF, Weng CN// Anim Technol Inst Taiwan, Div Anim Med, 52 Kedung 2 Rd, Ding Pu Lii, Chunan, Miaoli, Taiwan
Appl Microbiol Biotechnol 2004 **65** (3) 295
Orally administrable enterotoxigenic *Escherichia coli* vaccine encapsulated by ethylcellulose powder dispersion
- Lima MMD, Borsali R*// *Univ Bordeaux 1, ENSCPB, Lab Chim Polymeres Organ, UMR CNRS 5629, 16 Ave Pey Berland, FR-33607 Pessac, France
Macromol Rapid Commun 2004 **25** (7) 771

As a service to subscribers of the journal, this bibliography contains newly published material in the field of carbohydrate polymers. The bibliography is divided into thirteen sections: 1 Books, reviews & symposia; 2 Cellulose; 3 Cellulose-degrading enzymes; 4 Chitin/Chitosan; 5 Cyclodextrins; 6 Lignin; 7 Lipopolysaccharides; 8 Pectin; 9 Starch; 10 Starch-degrading enzymes; 11 Polysaccharides - Microbial; 12 Polysaccharides - Plant; 13 Polysaccharides - Other. Within each section, articles are listed in alphabetical order with respect to author. When there are no publications to appear under one of these headings, that section will be omitted.

Rodlike cellulose microcrystals: Structure, properties and applications

Mahendran R, Malaisamy R, Mohan D*// *Anna Univ, Dept Chem Engr, Membrane Lab, IN-600025 Madras, India

Eur Polym J 2004 **40** (3) 623

Preparation, characterization and effect of annealing on performance of cellulose acetate/sulfonated polysulfone and cellulose acetate/epoxy resin blend ultrafiltration membranes

Mahendran R, Malaisamy R, Mohan DR*// *Anna Univ, Dept Chem Engr, Membrane Lab, IN-600025 Madras, India

Polym Advan Technol 2004 **15** (3) 149

Cellulose acetate and polyethersulfone blend ultrafiltration membranes. Part I: Preparation and characterizations

Martins AF, De Meneses SM, Visconte LLY, Nunes RCR*// *Univ Fed Rio de Janeiro, Inst Macromol Prof Eloisa Mano, POB 68525, BR-21946-970 Rio de Janeiro, RJ, Brazil

J Appl Polym Sci 2004 **92** (4) 2425

Mechanical and dynamical mechanical properties of chloroprene rubber and cellulose II composites

Morin FG, Jordan BD, Marchessault RH*// *McGill Univ, Dept Chem, 3420 Univ St, Montreal, Quebec, Canada H3A 2A7

Macromolecules 2004 **37** (7) 2668

High-energy radiation-induced changes in the crystal morphology of cellulose

Mun GA, Nurkeeva ZS, Khutoryanskiy VV, Dubolazov AV// Al Farabi Kazakh State Natl Univ, Dept Chem, ul Karasai Batyra 95, KZ-480012 Almaty, Kazakhstan

Polym Sci Ser B 2003 **45** (11-12) 361

Effect of pH and ionic strength on complex formation between poly(acrylic acid) and hydroxyethyl cellulose in aqueous solutions

Nada AMA, Dawy M*, Salama AH// *NRC, Cellulose & Paper Dept, Cairo, Egypt

Mater Chem Phys 2004 **84** (2-3) 205

Dielectric properties and ac-conductivity of cellulose polyethylene glycol blends

Nakagaito AN, Yano H*// *Kyoto Univ, Wood Res Inst, Kyoto 611 0011, Japan

Appl Phys A Mat Sci Process 2004 **78** (4) 547

The effect of morphological changes from pulp fiber towards nano-scale fibrillated cellulose on the mechanical properties of high-strength plant fiber based composites

Nakamura K, Wada M, Kuga S, Okano T// Univ Tokyo, Grad Sch Agr & Life Sci, Bunkyo ku, Tokyo, Japan

J Polym Sci B Polym Phys 2004 **42** (7) 1206

Poisson's ratio of cellulose I_β and cellulose II

Pinto R, Moreira S, Mota M, Gama M*// *Univ Minho, Ctr Engr Biol, Largo Paco, PT-4710-057 Braga, Portugal

Langmuir 2004 **20** (4) 1409

Studies on the cellulose-binding domains adsorption to cellulose

Ruan D, Zhang LN*, Zhang ZJ, Xia XM// *Wuhan Univ, Dept Chem, CN-430072 Wuhan, Peoples Rep China

J Polym Sci B Polym Phys 2004 **42** (3) 367

Structure and properties of regenerated cellulose/tourmaline nanocrystal composite films

Samir MASA, Alloin F, Sanchez JY, El Kissi N, Dufresne A*// *INPG, Ecole Francaise Papeterie & Ind Graph, BP 65, FR-38402 St Martin d'Heres, France

Macromolecules 2004 **37** (4) 1386

Preparation of cellulose whiskers reinforced nanocomposites from an organic medium suspension

Seifert M, Hesse S, Kabrelan V, Klemm D*// *Univ Jena, Inst Organ Chem & Makromol Chem, Lessingstr 8, DE-07743 Jena, Germany

J Polym Sci A Polym Chem 2004 **42** (3) 463

Controlling the water content of never dried and reswollen bacterial cellulose by the addition of water-soluble polymers to the culture medium

Shipovskaya AB, Mikul'skii GF, Timofeeva GN// NG Chernyshevskii State Univ, Fac Chem, Saratov, Russia

Russ J Appl Chem Eng Tr 2004 **77** (1) 148

Structurization and optical activity in cellulose triacetate modified with tri-fluoroacetic acid vapor

Sun RC, Tomkinson J// Univ Wales, Biocomposites Ctr, Bangor LL57 2UW, Wales

Separ Sci Technol 2004 **39** (2) 391

Separation and characterization of cellulose from wheat straw

Sun XF, Sun RC*, Zhao L, Sun JX// *Sth China Univ Technol, State Key Lab Pulp & Paper Engr, CN-510641 Guangzhou, Peoples Rep China

J Appl Polym Sci 2004 **92** (1) 53

Acetylation of sugarcane bagasse hemicelluloses under mild reaction conditions by using NBS as a catalyst

Terada E, Samoshina Y, Nylander T, Lindman B*// *Lund Univ, Ctr Chem & Chem Engr, Box 124, SE-22100 Lund, Sweden

Langmuir 2004 **20** (5) 1753

Adsorption of cationic cellulose derivatives/anionic surfactant complexes onto solid surfaces. I. Silica surfaces

Valente AJM, Burrows HD, Polishchuk AY, Miguel MG, Lobo VMM// Univ Coimbra, Dept Chem, PT-3004-535 Coimbra, Portugal

Eur Polym J 2004 **40** (1) 109

Combined sorption/transport of sodium dodecyl sulfate and hydrochloric acid in a blend of cellulose acetate butyrate with cellulose acetate hydrogen phthalate

Voronova MI, Petrova SN, Lebedeva TN, Ivanova ON, Prusov AN, Zakharov AG// Russian Acad Sci, Inst Chem Solut, Ivanovo, Russia

Russ J Appl Chem Eng Tr 2003 **76** (12) 1993

Structural changes induced in flax cellulose by alkaline treatment

Wang LG, Wang XH, Huang Y*// *Chinese Acad Sci, Inst Chem, State Key Lab Polymer Phys & Chem, CN-100080 Beijing, Peoples Rep China

J Appl Polym Sci 2004 **92** (1) 213

Optical properties of ethyl-cyanoethyl cellulose/poly(acrylic acid) cholesteric liquid crystalline composite films

Wedin P, Martinez CJ, Lewis JA, Daicic J, Bergstrom L// YKI - Inst Surface Chem, POB 5607, SE-11486 Stockholm, Sweden

J Colloid Interface Sci 2004 **272** (1) 1

Stress development during drying of calcium carbonate suspensions containing carboxymethylcellulose and latex particles

Weng LH, Zhang LN*, Ruan D, Shi LH, Xu J// *Wuhan Univ, Dept Chem, CN-430072 Wuhan, Peoples Rep China

Langmuir 2004 **20** (6) 2086

Thermal gelation of cellulose in a NaOH/thiourea aqueous solution

Wielen LCV, Ragauskas AJ// Georgia Inst Technol, Sch Chem & Biochem, Inst Paper Sci & Technol, 500 10th St NW, Atlanta, Ga 30332, USA

Eur Polym J 2004 **40** (3) 477

Grafting of acrylamide onto cellulosic fibers via dielectric-barrier discharge

Wu CC, Gu QC, Zhang RB, Huang Y*, Chen SX// *Chinese Acad Sci, Inst Chem, State Key Lab Polymer Phys & Chem, Ctr Mol Sci, CN-100080 Beijing, Peoples Rep China

J Appl Polym Sci 2004 **92** (4) 2693

Synthesis and lyotropic behavior of mesogen-linked cellulose acetates

Zabivalova NM, Bocek AM, Kalyuzhnaya LM, Vlasova EN, Volchek BZ// Russian Acad Sci, Inst Macromol Cpsds, RU-199004 St Petersburg, Russia

Russ J Appl Chem Eng Tr 2003 **76** (12) 1998

Carboxymethyl cellulose amides and their properties

Zhang LN, Cai J, Zhou JP, Tang YR// Wuhan Univ, Dept Chem, CN-730072 Wuhan, Peoples Rep China

Separ Sci Technol 2004 **39** (5) 1203

Adsorption Cd²⁺ and Cu²⁺ on ion-exchange beads from cellulose/alginic acid blend

Zimin D, Craig VSJ, Kunz W*// *Univ Regensburg, Inst Phys & Theoret Chem, DE-93040 Regensburg, Germany

Langmuir 2004 **20** (6) 2282

Adsorption pattern of mixtures of trimethylammonium-modified hydroxy-ethylcellulose and sodium dodecyl sulfate at solid-liquid interfaces

3. Cellulose-degrading enzymes

Karim N, Kidokoro S*// *Nagaoka Univ Technol, Dept Bioengn, 1603-1 Kamitomioka, Nagaoka, Niigata 940 2188, Japan

Thermochim Acta 2004 **412** (1-2) 91

Precise and continuous observation of cellulase-catalyzed hydrolysis of cello-oligosaccharides using isothermal titration calorimetry

Vyas S, Pradhan SD, Pavaskar NR, Lachke A*// *Natl Chem Lab, Div Biochem Sci, IN-411008 Pune, India

Appl Biochem Biotechnol 2004 **118** (1-3) 177

Differential thermal and thermogravimetric analyses of bound water content in cellulosic substrates and its significance during cellulose hydrolysis by alkaline active fungal cellulases

4. Chitin/Chitosan

- Aksungur P, Sungur A, Unal S, Iskit AB, Squier CA, Senel S*// *Hacettepe Univ, Fac Pharm, Dept Pharmaceut Technol, TR-06100 Ankara, Turkey
J Controlled Release 2004 **98** (2) 269
 Chitosan delivery systems for the treatment of oral mucositis: *in vitro* and *in vivo* studies
- Chen L, Chen DL, Wu CL// Donghua Univ, Sch Environm Sci & Engn, CN-200051 Shanghai, Peoples Rep China
Chin J Chem 2003 **21** (9) 1224
 Studying flocculation mechanism of chitosan with pyrene-fluorescence probe method
- Choi YJ, Kim EJ, Piao Z, Yun YC, Shin YC*// *Gyeongsang Natl Univ, Dept Microbiol, Gazwa dong 900, Jinju 660 701, South Korea
Appl Environ Microbiol 2004 **70** (8) 4522
 Purification and characterization of chitosanase from *Bacillus* sp strain KCTC 0377BP and its application for the production of chitosan oligosaccharides
- Gorochovceva N, Makuska R// Vilnius Univ, Dept Polymer Chem, Naugarduko 24, LT-2006 Vilnius, Lithuania
Eur Polym J 2004 **40** (4) 685
 Synthesis and study of water-soluble chitosan-*O*-poly(ethylene glycol) graft copolymers
- Guan HM, Cheng XS// Fujian Normal Univ, Coll Chem & Mat Sci, Inst Polymer Sci, CN-350007 Fuzhou, Peoples Rep China
Polym Advan Technol 2004 **15** (1-2) 89
 Study of cobalt(II)-chitosan coordination polymer and its catalytic activity and selectivity for vinyl monomer polymerization
- Hardy JJE, Hubert S, Macquarrie DJ*, Wilson AJ// *Univ York, Dept Chem, York YO10 5DD, England
Green Chem 2004 **6** (1) 53
 Chitosan-based heterogeneous catalysts for Suzuki and Heck reactions
- Johnson SB, Dunstan DE, Franks GV*// *Univ Newcastle, Dept Chem Engr, Callaghan, NSW 2308, Australia
Colloid Polym Sci 2004 **282** (6) 602
 A novel thermally-activated crosslinking agent for chitosan in aqueous solution: A rheological investigation
- Jose AR, Bach EE, Vargas RR, Soares AW, De Queiroz AAA*// *Univ Fed Itajuba, Dept Quim & Fis, Inst Ciencias, BR-375 00903 Itajuba, MG, Brazil
J Appl Polym Sci 2004 **92** (2) 1310
 An investigation of cadmium(II) and nickel(II) adsorption by chitin graft copolymer
- Kim SJ, Yoon SG, Kim SI*// *Hanyang Univ, Dept Biomed Engr, Seoul 133 605, South Korea
J Polym Sci B Polym Phys 2004 **42** (5) 914
 Effect of the water state on the electrical bending behavior of chitosan/poly(diallyldimethylammonium chloride) hydrogels in NaCl solutions
- Kim SJ, Kim HI, Shin SR, Kim SI*// *Hanyang Univ, Dept Biomed Engr, Seoul 133 791, South Korea
J Appl Polym Sci 2004 **92** (2) 915
 Electrical behavior of chitosan and poly(hydroxyethyl methacrylate) hydrogel in the contact system
- Kovacs K, Szakacs G*, Pusztahelyi T, Pandey A// *Tech Univ Budapest, Dept Agr Chem Technol, Gellert ter 4, HU-1111 Budapest, Hungary
Appl Biochem Biotechnol 2004 **118** (1-3) 189
 Production of chitinolytic enzymes with *Trichoderma longibrachiatum* IMI 92027 in solid substrate fermentation
- Lee SB, Ha DI, Cho SK, Kim SJ, Lee YM*// *Hanyang Univ, Coll Engr, Sch Chem Engr, Seoul 133 791, South Korea
J Appl Polym Sci 2004 **92** (4) 2612
 Temperature/pH-sensitive comb-type graft hydrogels composed of chitosan and poly(*N*-isopropylacrylamide)
- Lee SH, Park SY, Choi JH// Kyungpook Natl Univ, Dept Clothing & Text, Taegu, South Korea
J Appl Polym Sci 2004 **92** (3) 2054
 Fiber formation and physical properties of chitosan fiber crosslinked by epichlorohydrin in a wet spinning system: The effect of the concentration of the crosslinking agent epichlorohydrin
- Li Y, Liu L, Zhang WA, Fang YE*// *Univ Sci & Technol China, Dept Polymer Sci & Engr, CN-230026 Hefei, Peoples Rep China
Radiat Phys Chem 2004 **69** (6) 467
 A new hybrid nanocomposite prepared by graft copolymerization of butyl acrylate onto chitosan in the presence of organophilic montmorillonite
- Liu CH, Xiao CB*// *Wuhan Univ, Dept Chem, CN-430072 Wuhan, Peoples Rep China
J Appl Polym Sci 2004 **92** (1) 559
 Characterization of films from chitosan and quaternized poly(4-vinyl-*N*-butyl) pyridine solutions
- Merrifield JD, Davids WG, MacRae JD, Amirbahman A*// *Univ Maine, Dept Civil & Environm Engr, 5711 Boardman Hall, Orono, Me 04469, USA
Water Res 2004 **38** (13) 3132
 Uptake of mercury by thiol-grafted chitosan gel beads
- Muangsin N, Prajuabsook M, Chimsook P, Chantarasiri N, Siraleartmukul K, Chaichit N, Hannongbua S// Chulalongkorn Univ, Fac Sci, Dept Chem, TH-10330 Bangkok, Thailand
J Appl Cryst 2004 **37** (2) 288
 Structure determination of diclofenac in a diclofenac-containing chitosan matrix using conventional X-ray powder diffraction data
- Nud'ga LA, Petrova VA, Lebedeva MF// Russian Acad Sci, Inst Macromol Cpd, RU-199004 St Petersburg, Russia
Russ J Appl Chem Eng Tr 2003 **76** (12) 1978
 Effect of allyl substitution in chitosan on the structure of graft copolymers
- Qian SH, Wang HY, Huang GQ, Mo SB, Wei W// Wuhan Univ, Coll Resource & Environm Sci, CN-430072 Wuhan, Peoples Rep China
J Appl Polym Sci 2004 **92** (3) 1584
 Studies of adsorption properties of crosslinked chitosan for vanadium(V), tungsten(VI)
- Qiu LY// Zhejiang Univ, Coll Pharmaceut Sci, CN-310031 Hangzhou, Peoples Rep China
J Appl Polym Sci 2004 **92** (3) 1993
 Preparation and evaluation of chitosan-coated polyphosphazene hydrogel beads for drug controlled release
- Rogovina SZ, Solov'eva AB, Aksenova NA, Zharov AA// Russian Acad Sci, NN Semenov Chem Phys Inst, ul Kosygina 4, RU-119991 Moscow, Russia
Polym Sci Ser A 2004 **46** (3) 238
 Solid-phase interaction of chitosan with carboxyl-containing porphyrins at high pressure and shear deformations
- Rosa RCRS, Andrade CT*// *Univ Fed Rio de Janeiro, Inst Macromol Prof Eloisa Mano, POB 68525, BR-21945-970 Rio de Janeiro, Brazil
J Appl Polym Sci 2004 **92** (4) 2706
 Effect of chitin addition on injection-molded thermoplastic corn starch
- Smitha B, Sridhar S, Khan AA*// *Indian Inst Chem Technol, Div Chem Engr, Membrane Separat Grp, IN-500007 Hyderabad, India
Macromolecules 2004 **37** (6) 2233
 Polyelectrolyte complexes of chitosan and poly(acrylic acid) as proton exchange membranes for fuel cells
- Ustinov MY, Vikhoreva GA, Artemenko SE, Aliev AD, Kechek'yan AS// Saratov State Tech Univ, Engels Technol Inst, pl Svobody 17, RU-413100 Engels, Russia
Polym Sci Ser B 2003 **45** (11-12) 321
 Preparation and characterization of coal-chitosan films
- Vincent T, Guibal E*// *Ecole Mines Ales, Lab Genie Environm Ind, 6 Ave Clavieres, FR-30319 Ales, France
Environ Sci Technol 2004 **38** (15) 4233
 Chitosan-supported palladium catalyst. 5. Nitrophenol degradation using palladium supported on hollow chitosan fibers
- Wan Y, Creber KAM*, Peppley B, Bui VT// *Royal Military Coll Canada, Dept Chem & Chem Engr, POB 17000, Kingston, Ontario, Canada K7K 7B4
J Polym Sci B Polym Phys 2004 **42** (8) 1379
 Ionic conductivity and tensile properties of hydroxyethyl and hydroxypropyl chitosan membranes
- Wang RM, Xie X, Wang JQ, Pan SJ, Wang YP, Xia CG// NW Normal Univ, Inst Polymer, CN-730070 Lanzhou, Peoples Rep China
Polym Advan Technol 2004 **15** (1-2) 52
 Preparation and adsorption properties of modified chitosan
- Wong YC, Szeto YS, Chung WH, McKay G*// *Hong Kong Polytech Univ, Inst Text, Kowloon, Hong Kong, Peoples Rep China
J Appl Polym Sci 2004 **92** (3) 1633
 Pseudo-first-order kinetic studies of the sorption of acid dyes onto chitosan
- Xue L, Zhou DJ, Tang L, Ji XF, Huang MY, Jiang YY// JAIST, Grad Sch Mat Sci, Asahidai 1-1, Tatsunokuchi, Ishikawa 923 129, Japan
React Funct Polym 2004 **58** (2) 117

The asymmetric hydration of 1-octene to *S*-(+)-2-octanol with a biopolymer-metal complex, silica-supported chitosan-cobalt complex

Yang H, Zhou SB, Deng XM// Acad Sinica, Chengdu Inst Organ Chem, CN-610041 Chengdu, Peoples Rep China
J Appl Polym Sci 2004 **92** (3) 1625

Preparation and properties of hydrophilic-hydrophobic chitosan derivatives

Yoksan R, Matsusaki M, Akashi M, Chirachanchai S*// *Chulalongkorn Univ, Petr & Petrochem Coll, Bangkok, Thailand
Colloid Polym Sci 2004 **282** (4) 337

Controlled hydrophobic/hydrophilic chitosan: Colloidal phenomena and nanosphere formation

Zeng MF, Fang ZP*, Xu CW// *Zhejiang Univ, Inst Polymer Composites, CN-310027 Hangzhou, Peoples Rep China
J Membr Sci 2004 **230** (1-2) 175

Effect of compatibility on the structure of the microporous membrane prepared by selective dissolution of chitosan/synthetic polymer blend membrane

Zhang L, Guo J, Peng XH, Jin Y// Wuhan Univ, Dept Chem, CN-430072 Wuhan, Peoples Rep China
J Appl Polym Sci 2004 **92** (2) 878

Preparation and release behavior of carboxymethylated chitosan/alginate microspheres encapsulating bovine serum albumin

Zotkin MA, Vikhoreva GA, Kechek'yan AS// Kosygin State Text Univ, ul Malaya Kaluzhskaya 1, RU-119991 Moscow, Russia
Polym Sci Ser B 2004 **46** (1-2) 39

Thermal modification of chitosan films in the form of salts with various acids

5. Cyclodextrins

Ali SM, Maheshwari A, Asmat F// Aligarh Muslim Univ, Dept Chem, IN-202002 Aligarh, Uttar Pradesh, India
Pharmazie 2004 **59** (8) 653

Complexation of roxatidine acetate hydrochloride with β -cyclodextrin: NMR spectroscopic study

Choi SW, Ritter H*// *Univ Dusseldorf, Inst Organ & Macromol Chem, Universitätsstr 1, GEB 26-33-00, DE-40225 Dusseldorf, Germany
Macromol Rapid Commun 2004 **25** (6) 716

Towards green routes for polymer synthesis: Polymerization of cyclodextrin host-guest complexed diethyl fumarate and copolymerization with complexed styrene in homogenous aqueous solution

Dobado JA, Benkadour N, Melchor S, Portal D// Univ Granada, Dipt Quim Organ, Grp Modelizacion & Diseno Mol, Campus Fuentenuueva, ES-18071 Granada, Spain
J Mol Struct THEOCHEM 2004 **672** (1-3) 127

Structure and theoretical NMR chemical shifts of modified cyclodextrins

Fenyvesi E, Otta K, Kolbe I, Novak C, Szejtli J// Cyclolab Cyclodextrin R&D Lab Ltd, POB 435, HU-1525 Budapest, Hungary
J Inclusion Phenom Macrocycl Chem 2004 **48** (3-4) 117

Cyclodextrin complexes of UV filters

Gao ZW, Zhao XP*// *Shaaxi Normal Univ, Dept Chem, Shida Rd, CN-710062 Xian, Peoples Rep China
Polymer 2004 **45** (5) 1609

Two roles of guest and crosslinked degree on hydrosoluble β -cyclodextrin polymer electrorheological fluids

Hapiot F, Lyskawa J, Bricout H, Tilloy S, Monflier E*// *Univ Artois, Fac Sci Jean Perrin, rue Jean Souvraz, SP 18, FR-62307 Lens, France
Adv Synth Catal 2004 **346** (1) 83

Cyclodextrins or calixarenes: What is the best mass transfer promoter for Suzuki cross-coupling reactions in water?

Katritzky AR, Fara DC, Yang HF, Karelson M, Suzuki T, Solov'ev VP, Varnek A// Univ Florida, Dept Chem, Ctr Heterocycl Cpds, Gainesville, FL 32611, USA
J Chem Inform Comput Sci 2004 **44** (2) 529

Quantitative structure-property relationship modeling of β -cyclodextrin complexation free energies

Kusumocahyo SP, Sumaru K, Kanamori T, Iwatsubo T, Shinbo T*// *Nat'l Inst AIST, Cent 5th, 1-1-1 Higashi, Tsukuba, Ibaraki 305 8565, Japan
J Membr Sci 2004 **230** (1-2) 171

Synthesis and characterization of an ultrathin polyion complex membrane containing β -cyclodextrin for separation of organic isomers

Liu Y, Duan ZY, Chen Y, Han JR, Cui L// Nankai Univ, Dept Chem, State

Key Lab Elementoorgan Chem, CN-300071 Tianjin, Peoples Rep China
Org Biomol Chem 2004 **2** (16) 2359

Cooperative self-assembly and molecular binding behavior of cyclodextrin-crown ether conjugates mediated by alkali metal ions

Lombardo D, Longo A, Darcy R, Mazzaglia A// CNR, IPCF, Sez Messina, Via Farina 237, IT-98123 Messina, Italy
Langmuir 2004 **20** (4) 1057

Structural properties of nonionic cyclodextrin colloids in water

Luo XY, Chen Y, Huber JG, Zhang YM, Sinay P*// *Ecole Normale Super, Dept Chim, UMR CNRS 8642, 24 rue Lhomond, FR-75231 Paris 5, France
C R Chim 2004 **7** (1) 25

Diisobutylaluminum hydride as a molecular scalpel: The regioselective stripping of four methyl groups from permethylated β -cyclodextrin

Naidoo KJ, Chen JYJ, Jansson JLM, Widmalm G, Maliniak A// Univ Cape Town, Dept Chem, ZA-7701 Rondebosch, Rep Sth Africa
J Phys Chem B 2004 **108** (14) 4236

Molecular properties related to the anomalous solubility of β -cyclodextrin

Nakama T, Ooya T, Yui N*// *Japan Adv Sci & Technol, Sch Mat Sci, 1-1 Asahidai, Tatsunokuchi, Ishikawa 923 129, Japan
Macromol Rapid Commun 2004 **25** (6) 739

Gelation rate modulation of an α -cyclodextrin and poly(ethylene glycol)-grafted hyaluronic acid solution system by inclusion complexation of a microphase-separated structure

Rao GCS, Kumar MS, Mathivanan N, Rao MEB// Roland Inst Pharmaceut Sci, Div Pharmaceut, Khodasingi Post, IN-760010 Berhampur, Orissa, India
Pharmazie 2004 **59** (8) 627

Improvement of physical stability and dissolution rate of celecoxib suspensions by complexation with β -cyclodextrins

Sallais F, Niikura K, Nishimura SI*// *Hokkaido Univ, Grad Sch Sci, Div Biol Sci, Lab Biomacromol Chem, Kita 21, Nishi 11, Kita ku, Sapporo, Hokkaido 060 002, Japan
Chem Commun 2004 (5) 596

A practical synthesis of amphiphilic cyclodextrins fully substituted with sugar residues on the primary face

Valero M, Esteban B, Pelaez R, Rodriguez LJ// Univ Salamanca, Fac Farm, Dept Quim Fis, ES-37008 Salamanca, Spain
J Inclusion Phenom Macrocycl Chem 2004 **48** (3-4) 157

Naproxen-hydroxypropyl- β -cyclodextrin-polyvinylpyrrolidone ternary complex formation

Yana D, Takahashi T, Mihara H*, Ueno A// *Tokyo Inst Technol, Grad Sch Biosci & Biotechnol, Dept Bioengn, 4259 Nagatsuta cho, Midori ku, Yokohama, Kanagawa 226 850, Japan
Macromol Rapid Commun 2004 **25** (4) 577

A peptide-cyclodextrin hybrid system capable of detecting guest molecules utilizing fluorescence resonance energy transfer

Yim JH, Seon JB, Jeong TD, Pu LYS, Baklanov MR, Gidley DW// Samsung Adv Inst Technol, Elect Mat Lab, San 14-1, Kyungki do, Yongin 449 712, South Korea
Adv Funct Mater 2004 **14** (3) 277

Morphological control of nanoporous films by the use of functionalized cyclodextrins as porogens

Zheng PJ, Hu X*, Zhao XY, Li L, Tam KC, Gan LH// *Nanyang Technol University, Sch Mat Engr, Nanyang Ave, SG-639798 Singapore, Rep Singapore
Macromol Rapid Commun 2004 **25** (5) 678

Photoregulated sol-gel transition of novel azobenzene-functionalized hydroxypropyl methylcellulose and its α -cyclodextrin complexes

6. Lignin

Bikova T, Treimanis A, Rossinska G, Telysheva G// 27 Dzerbenes Str, LV-1006 Riga, Latvia
Holzforchung 2004 **58** (5) 489

On-line study of lignin behaviour in dilute alkaline solution by the SEC-UV method

Jung HJG, Lamb JFS// USDA/ARS, Univ Minnesota, Dept Agron & Plant Genet, Plant Sci Res Unit, St Paul, Mn 55108, USA
Biomass Bioenergy 2004 **27** (4) 365

Prediction of cell wall polysaccharide and lignin concentrations of alfalfa stems from detergent fiber analysis

7. Lipopolysaccharides

- Li JJ, Purves RW, Richards JC// Natl Res Council Canada, Inst Biol Sci, 100 Sussex Dr, Ottawa, Ontario, Canada K1A 0R6
Anal Chem 2004 **76** (16) 4676
 Coupling capillary electrophoresis and high-field asymmetric waveform ion mobility spectrometry mass spectrometry for the analysis of complex lipopolysaccharides
- Nigou J, Gilleron M, Brando T, Puzo G// Inst Pharmacol & Biol Struct, Dept Mol Mech Mycobacterial Infect, UMR CNRS 5089, 205 Route Narbonne, FR-31077 Toulouse 4, France
Appl Biochem Biotechnol 2004 **118** (1-3) 253
 Structural analysis of mycobacterial lipoglycans

8. Pectin

- Jensen M, Petersen BR, Adler-Nissen J*// *Tech Univ Denmark, Bioctr, Build 221, DK-2800 Lyngby, Denmark
Food Biotechnol 2004 **18** (2) 217
 Enzymatic firming of processed red pepper by means of exogenous pectin-esterase
- Liu LS, Cooke PH, Coffin DR, Fishman ML, Hicks KB// USDA/ARS, Eastern Reg Research Center, 600 East Mermaid Lane, Wyndmoor, Pa 19038, USA
J Appl Polym Sci 2004 **92** (3) 1893
 Pectin and polyacrylamide composite hydrogels: Effect of pectin on structural and dynamic mechanical properties
- Suvorova AI, Tyukova IS, Smirnova EA, Peshekhonova AL// Ural State Univ, Ekaterinburg, Russia
Russ J Appl Chem Eng Tr 2003 **76** (12) 1988
 Viscosity of blends of pectins of various origins with ethylene-vinyl acetate copolymers

9. Starch

- Bao JS, Corke H, Sun M// Zhejiang Univ, Inst Nucl Agr Sci, Hua Jiachi Campus, CN-310029 Hangzhou, Peoples Rep China
J Sci Food Agric 2004 **84** (11) 1299
 Genetic diversity in the physicochemical properties of waxy rice (*Oryza sativa* L.) starch
- Benesi IRM, Labuschagne MT*, Dixon AGO, Mahungu NM// *University Free State, Department Plant Sci, POB 339, ZA-9300 Bloemfontein, Rep Sth Africa
J Sci Food Agric 2004 **84** (11) 1381
 Stability of native starch quality parameters, starch extraction and root dry matter of cassava genotypes in different environments
- Daniels DR, Donald AM// Univ Cambridge, Cavendish Lab, Polymers & Colloids Grp, Madingley Rd, Cambridge CB3 0HE, England
Macromolecules 2004 **37** (4) 1312
 Soft material characterization of the lamellar properties of starch: Smectic side-chain liquid-crystalline polymeric approach
- Kweon DK, Kawasaki N, Nakayama A, Aiba S*// *Natl Inst Adv Ind Sci & Technol, Special Div Human Life Technol, Green Biotechnol Res Grp, Ikeda, Osaka 563 8577, Japan
J Appl Polym Sci 2004 **92** (3) 1716
 Preparation and characterization of starch/polycaprolactone blend
- Larotonda FDS, Matsui KN, Soldi V, Laurindo JB*// *Univ Fed Santa Catarina, Dept Engr Quim & Engr Alimentos, Lab Propriedades Fis Alimentos, CP 476, BR-88040-900 Florianopolis, SC, Brazil
Braz Arch Biol Technol 2004 **47** (3) 477
 Biodegradable films made from raw and acetylated cassava starch
- Liu WJ, Wang YJ*, Sun ZH// *Univ Arkansas, Dept Food Sci, 2650 Nth Young Ave, Fayetteville, Ar 72704, USA
J Appl Polym Sci 2004 **92** (1) 484
 Crystallization behavior of starch-filled polypropylene
- Nystrom R, Hedstrom G, Gustafsson J, Rosenholm JB// Abo Akad Univ, Dept Phys Chem, FI-20500 Turku, Finland
Colloid Surface A 2004 **234** (1-3) 85
 Mixtures of cationic starch and anionic polyacrylate used for flocculation of calcium carbonate - Influence of electrolytes

- Tavares MIB, Bathista ALBS, Silva EO, Costa PM, Filho NP, Nogueira JS// UFRJ, IMA, CP 68525, BR-21945-970 Rio de Janeiro, Brazil
J Appl Polym Sci 2004 **92** (4) 2151
¹³C-NMR study of *Dipteryx alata* Vogel starch
- Tester RF, Yusuph M, Millam S, Davies HV// Glasgow Caledonian Univ, Dept Biol & Biomed Sci Food Sci, Cowcaddens Rd, Glasgow G4 0BA, Scotland
J Sci Food Agric 2004 **84** (11) 1397
 Effects of temperature on the physicochemical properties of starches extracted from microtubers grown from different potato cultivars
- Wang YJ, Liu W, Sun Z// Univ Arkansas, Dept Food Sci, Fayetteville, Ar 72704, USA
J Appl Polym Sci 2004 **92** (1) 344
 Effects of glycerol and PE-g-MA on morphology, thermal and tensile properties of LDPE and rice starch blends
- Wu YP, Ji MQ, Qi Q, Wang YQ, Zhang LQ*// *Beijing Univ Chem Technol, Key Lab Beijing City Preparat & Proc Novel Polym, CN-100029 Beijing, Peoples Rep China
Macromol Rapid Commun 2004 **25** (4) 565
 Preparation, structure, and properties of starch/rubber composites prepared by co-coagulating rubber latex and starch paste
- Xu SM, Feng S, Yue F, Wang JD*// *Xinjing Univ, Coll Chem & Chem Engr, CN-830046 Urumqi, Peoples Rep China
J Appl Polym Sci 2004 **92** (2) 728
 Adsorption of Cu(II) ions from an aqueous solution by crosslinked amphoteric starch

10. Starch-degrading enzymes

- Torres R, Pessela BCC, Mateo C, Ortiz C, Fuentes M, Guisan JM, Fernandez-Lafuente R*// *Inst Catalis - CSIC, Dept Biocatalis, Campus Univ Autonoma, ES-28049 Madrid, Spain
Biotechnol Prog 2004 **20** (4) 1297
 Reversible immobilization of glucoamylase by ionic adsorption on sephabeads coated with polyethyleneimine

11. Polysaccharides - Microbial

- Cristescu R, Stamatin I, Mihaiescu DE, Ghica C, Albulescu M, Mihaiescu IN, Chrisey DB// Natl Inst Lasers Plasma & Radiat Phys, POB MG-36, RO-76900 Bucharest, Romania
Thin Solid Films 2004 **453-54** 262
 Pulsed laser deposition of biocompatible polymers: A comparative study in case of pullulan
- Gu XM, Ma GR, Wu HM// Shandong University, Life Sch Shandong University, State Key Lab Microbial Technol, CN-250100 Jinan, Peoples Rep China
Chin J Chem 2003 **21** (12) 1661
 Structure of an extracellular polysaccharide from a strain of lactic acid bacteria
- Hasegawa T, Umeda M, Matsumoto T, Numata M, Mizu M, Koumoto K, Sakurai K, Shinkai S*// *Kyushu Univ, Grad Sch Engr, Dept Chem & Biotechnol, Hakozaki 6-10-1, Higashi ku, Fukuoka 812 8581, Japan
Chem Commun 2004 (4) 382
 Lactose-appended schizophyllan is a potential candidate as a hepatocyte-targeted antisense carrier
- Horie K, Sakagami M, Masuda K, Notoya M, Hamana H, Yoshikawa T, Hirano K// Shionogi & Co Ltd, Dev Res Labs, 3-1-1 Futaba cho, Toyonaka, Osaka 561 0825, Japan
Biol Pharm Bull 2004 **27** (8) 1275
 Sialyl Lewis X carboxymethylpullulan conjugate: A novel homing device to spleen and lymph nodes
- Jiao YH, Zhang LM, Jiang ZH*// *Jilin Univ, Coll Chem, CN-130023 Changchun, Peoples Rep China
Chem J Chinese Univ Chinese 2004 **25** (2) 289
 Studies on preparation and property of azobenzene-contained pullulan derivatives (Chinese, English Abstract)
- Kim BH, Kim D, Jung YS, Kim H, Cho DL// Chonnam Natl Univ, Fac Appl Chem Engr, Kwangju 500 757, South Korea
Macromol Res 2003 **11** (4) 291
 Swelling behavior and mechanical strength of crosslinked dextran hydrogel

- Koenderink GH, Sacanna S, Aarts DGAL, Philipse AP// *Univ Utrecht, Debye Inst, Van't Hoff Lab Phys & Colloid Chem, Padualaan 8, NL-3584 CH Utrecht, The Netherlands
Phys Rev E 2004 **69** (2) 1804
- Rotational and translational diffusion of fluorocarbon tracer spheres in semi-dilute xanthan solutions
- Mocanu G, Mihai D, LeCerf D, Picton L, Muller G// Petru Poni Inst, Macromol Chem, Aleea Gr Ghica Voda 41A, RO-6600 Iasi, Romania
Eur Polym J 2004 **40** (2) 283
- Synthesis of new associative gel microspheres from carboxymethyl pullulan and their interactions with lysozyme
- Neishlos AL, Novikova EV, Passet BV, Moskvina AV// St Petersburg State Chem & Pharmaceut Acad, St Petersburg, Russia
Russ J Appl Chem Eng Tr 2004 **77** (1) 128
- IR and NMR study of the structure of dextran polyaldehyde
- Numata M, Asai M, Kaneko K, Hasegawa T, Fujita N, Kitada Y, Sakurai K, Shinkai S// *Kyushu Univ, Grad Sch Engn, Dept Chem & Biochem, Fukuoka 812 8581, Japan
Chem Lett 2004 **33** (3) 232
- Curdlan and schizophyllan (β -1,3-glucans) can entrap single-wall carbon nanotubes in their helical superstructure
- Saudagar PS, Singhal RS// *Univ Mumbai, Inst Chem Technol, Food & Fermentat Technol Dept, IN-400019 Mumbai, India
Appl Biochem Biotechnol 2004 **118** (1-3) 21
- Fermentative production of curdlan
- Wang YF, Zhang LN*, Ruan D// *Wuhan Univ, Dept Chem, CN-430072 Wuhan, Peoples Rep China
Chin J Polym Sci 2004 **22** (2) 137
- Preparation and structure of five derivatives of β -(1 $\rightarrow$ 3)-D-glucan isolated from *Poria cocos* sclerotium
- Woiciechowski AL, Soccol CR*, Rocha S, Pandey A// *Univ Fed Parana, Dept Chem Engn, Biotechnol Proc Lab, POB 19011, BR-81531-990 Curitiba, Parana, Brazil
Appl Biochem Biotechnol 2004 **118** (1-3) 305
- Xanthan gum production from cassava bagasse hydrolysate with *Xanthomonas campestris* using alternative sources of nitrogen

12. Polysaccharides - Plant

- Chowdhury P, Samui S, Kundu T, Saha B// Visva Bharati Univ, Dept Chem, IN-731235 Santini Ketan, India
J Chin Chem Soc 2004 **51** (1) 97
- Synthesis and characterization of poly(methyl methacrylate) grafted from acacia gum
- Jiang ZQ, Deng W, Zhu YP, Li LT*, Sheng YJ, Hayashi K// *China Agr Univ, Coll Food Sci & Nutr Engn, Dept Biotechnol, POB 294, 17 Qinghua Donglu, CN-100083 Beijing, Peoples Rep China
J Mol Catal B Enzym 2004 **27** (4-6) 207
- The recombinant xylanase B of *Thermotoga maritima* is highly xylan specific and produces exclusively xylobiose from xylans, a unique character for industrial applications
- Kuduk-Jaworska J, Szpunar J, Gasiorowski K, Brokos B// Univ Wroclaw, Fac Chem, F Joliot Curie 14 Str, PL-50383 Wroclaw, Poland
Z Naturforsch C 2004 **59** (7-8) 485
- Immunomodulating polysaccharide fractions of *Menyanthes trifoliata* L.
- Lazzara MJ, Deen WM// *MIT, Dept Chem Engn, Cambridge, Ma 02139, USA
J Colloid Interface Sci 2004 **272** (2) 288
- Effects of concentration on the partitioning of macromolecule mixtures in agarose gels
- Lengsfeld C, Deters A, Faller G, Hensel A// Univ Dusseldorf, Universitatstr 1, DE-40225 Dusseldorf, Germany
Planta Med 2004 **70** (7) 620
- High molecular weight polysaccharides from black currant seeds inhibit adhesion of *Helicobacter pylori* to human gastric mucosa
- Mang ZY, Zhong JJ// *East China Univ Sci & Technol, State Key Lab Bioreact Engn, 130 Meilong Rd, CN-200237 Shanghai, Peoples Rep China
Biotechnol Prog 2004 **20** (4) 1076
- Scale-up of centrifugal impeller bioreactor for hyperproduction of ginseng saponin and polysaccharide by high-density cultivation of *Panax notoginseng* cells

- Sebastian-Francisco I, Simo-Alfonso EF, Mongay-Fernandez C, Ramis-Ramos G// *Univ Valencia, Fac Quim, Dept Quim Analit, Dr Moliner 50, ES-46100 Burjassot, Spain
Anal Chim Acta 2004 **508** (2) 135
- Improvement of the electrophoretic protein profiles of Leguminosae gums extracts using gamanase and application to the evaluation of carob-guar mixtures
- Singh V, Tiwari A, Tripathi DN, Sanghi R// Univ Allahabad, Dept Chem, IN-211002 Allahabad, India
J Appl Polym Sci 2004 **92** (3) 1569
- Grafting of polyacrylonitrile onto guar gum under microwave irradiation
- Skowronek M, Fiedurek J// *Marie Curie Sklodowska Univ, Dept Ind Microbiol, Akad 19, PL-20033 Lublin, Poland
Food Technol Biotechnol 2004 **42** (3) 141
- Optimisation of inulinase production by *Aspergillus niger* using simplex and classical method
- Toti US, Aminabhavi TM// *Karnatak Univ, Membrane Separat Div, Ctr Excellence Polymer Sci, IN-580003 Dharwad, India
J Appl Polym Sci 2004 **92** (3) 2030
- Synthesis and characterization of polyacrylamide grafted sodium alginate membranes for pervaporation separation of water plus isopropanol mixtures
- Urdiain M, Domenech-Sanchez A, Alberti S, Benedi VJ, Rossello JA// *Univ Valencia, Jardin Botanico, C/ Quart 80, ES-46008 Valencia, Spain
Food Addit Contam 2004 **21** (7) 619
- Identification of two additives, locust bean gum (E-410) and guar gum (E-412), in food products by DNA-based methods
- Wang QJ, Ding F, Li H, He PG, Fang YZ// East China Normal Univ, Dept Chem, CN-200062 Shanghai, Peoples Rep China
Chin J Chem 2003 **21** (9) 1198
- Capillary zone electrophoresis with amperometric detection for composition analysis of laminarin
- Xiao CM, Zhou LC// Huaqiao Univ, Coll Mat Sci & Engn, CN-362011 Quanzhou, Peoples Rep China
Chin J Polym Sci 2004 **22** (2) 183
- Chemical modification of the surface of calcium alginate gel beads
- Yang G, Huang QL, Zhang LN*, Zhou JP, Gao SJ// *Wuhan Univ, Dept Chem, CN-430072 Wuhan, Peoples Rep China
J Appl Polym Sci 2004 **92** (1) 77
- Miscibility and properties of blend materials from waterborne polyurethane and carboxymethyl konjac glucomannan

13. Polysaccharides - Other

- Buhler E, Boue F// Univ Montpellier 2, UMR 5581, Grp Dynam Phases Condensees, CC 26, FR-34095 Montpellier 5, France
Macromolecules 2004 **37** (4) 1600
- Chain persistence length and structure in hyaluronan solutions: Ionic strength dependence for a model semirigid polyelectrolyte
- Kim SJ, Lee CK, Kim SI// *Hanyang Univ, Dept Biomed Engn, POB 55, Seoul 133 605, South Korea
J Appl Polym Sci 2004 **92** (3) 1467
- Characterization of the water state of hyaluronic acid and poly(vinyl alcohol) interpenetrating polymer networks
- Richert L, Lavalle P, Payan E, Shu XZ, Prestwich GD, Stoltz JF, Schaaf P, Voegel JC, Picart C// *Univ Strasbourg 1, Fac Med, INSERM U595, Bat 3, 11 rue Humann, FR-67085 Strasbourg, France
Langmuir 2004 **20** (2) 448
- Layer by layer buildup of polysaccharide films: Physical chemistry and cellular adhesion aspects
- Turner NJ, Kielty CM, Walker MG, Canfield AE// *Univ Manchester, UK Ctr Tissue Engn, 2.205 Stopford Bldg, Oxford Rd, Manchester M13 9PT, England
Biomaterials 2004 **25** (28) 5955
- A novel hyaluronan-based biomaterial (Hyaff-11®) as a scaffold for endothelial cells in tissue engineered vascular grafts
- Xu S, Yamanaka J, Sato S, Miyata I, Yonese M// Nagoya City University, Grad Sch Pharmaceut Sci, Tanabe dori, Mizuho ku, Nagoya, Aichi 467 8603, Japan
Colloid Polym Sci 2004 **282** (5) 440
- Two-dimensional auto-organized nanostructure of sodium hyaluronate and its frictional properties