

Bibliography of carbohydrate polymers

(4 weeks journals. Search completed at 29th. June 2005)

1. Books, reviews & symposia

- Collins T, Gerday C, Feller G// Univ Liege, Inst Chem, Biochem Lab, B6, BE-4000 Liege, Belgium
FEMS Microbiol Rev 2005 **29** (1) 3
Xylanases, xylanase families and extremophilic xylanases
Ruas-Madiedo P, De los Reyes-Gavilan CG// Inst Prod Lactos Asturias - CSIC, Carretera Infesto s/n, ES-33300 Villaviciosa, Spain
J Dairy Sci 2005 **88** (3) 843
Invited review: Methods for the screening, isolation, and characterization of exopolysaccharides produced by lactic acid bacteria
Uekama K// Kumamoto Univ, Grad Sch Pharmaceut Sci, Dept Phys Pharmaceut, 5-1 Oe Honmachi, Kumamoto 862 0973, Japan
Yakugaku Zasshi 2004 **124** (12) 909
Pharmaceutical application of cyclodextrins as multi-functional drug carriers (Japanese, English Abstract)

2. Cellulose

- Bartolotta A, D'Oca MC, Campisi M, De Caro V, Giandalia G, Giannola LI, Brai M, Calderaro E// Univ Palermo, Dipt Farmacochim Tossicol & Biol, Via Archirafi 32, IT-90123 Palermo, Italy
Eur J Pharm Biopharm 2005 **59** (1) 139
Effects of γ -irradiation on trehalose-hydroxyethylcellulose microspheres loaded with vancomycin
Bouwman AM, Henstra MJ, Westerman D, Chung JT, Zhang Z, Ingram A, Seville JPK, Frijlink HW// Univ Groningen, Dept Pharmaceut Technol & Biopharm, Deusinglaan 1, NL-9713 AV Groningen, The Netherlands
Int J Pharm 2005 **290** (1-2) 129
The effect of the amount of binder liquid on the granulation mechanisms and structure of microcrystalline cellulose granules prepared by high shear granulation
Chatchawalsaisin J, Podczek F, Newton JM// *Univ London, Sch Pharm, 29-39 Brunswick Sq, London WC1N 1AX, England
Eur J Pharm Sci 2005 **24** (1) 35
The preparation by extrusion/spheronization and the properties of pellets containing drugs, microcrystalline cellulose and glyceryl monostearate
Jimenez L, Ramos E, Rodriguez A, De la Torre MJ, Ferrer JL// Univ Cordoba, Fac Ciencias, Dept Ingn Quim, Campus Rabanales, Edificio C-3, ES-14071 Cordoba, Spain
Bioresource Technol 2005 **96** (9) 977
Optimization of pulping conditions of abaca. An alternative raw material for producing cellulose pulp
Kiortsis S, Kachrimanis K*, Broussali T, Malamataris S// *Univ Thessaloniki, Sch Pharm, Dept Pharmaceut Technol, GR-54124 Thessaloniki, Greece
Eur J Pharm Biopharm 2005 **59** (1) 73
Drug release from tableted wet granulations comprising cellulosic (HPMC or HPC) and hydrophobic component
Matthews KH, Stevens HNE, Auffret AD, Humphrey MJ, Eccleston GM// Robert Gordon Univ, Sch Pharm, Schoolhill, Aberdeen AB10 1FR, Scotland
Int J Pharm 2005 **289** (1-2) 51
Lyophilised wafers as a drug delivery system for wound healing containing methylcellulose as a viscosity modifier
Oh SY, Yoo DI*, Shin Y, Seo G// *Chonnam Natl Univ, Dept Text Engn, Kwangju 500 757, South Korea
Carbohydr Res 2005 **340** (3) 417

- FTIR analysis of cellulose treated with sodium hydroxide and carbon dioxide
Repka MA, Gutta K, Prodduturi S, Munjal M, Stodghill SP// Univ Mississippi Sch Pharm, Dept Pharmaceut, POB 1848, University, Ms 38677, USA
Eur J Pharm Biopharm 2005 **59** (1) 189
Characterization of cellulosic hot-melt extruded films containing lidocaine
Sun XF, Sun RC*, Fowler P, Baird MS// *Univ Coll Nth Wales, Bio-composites Ctr, Bangor LL57 2UW, Wales
J Agric Food Chem 2005 **53** (4) 860
Extraction and characterization of original lignin and hemicelluloses from wheat straw
Van Veen B, Bolhuis GK*, Wu YS, Zuurman K, Frijlink HW// *Univ Groningen, Dept Pharmaceut Technol & Biopharm, GUIDE, Antonius Deusinglaan 1, NL-9713 AV Groningen, The Netherlands
Eur J Pharm Biopharm 2005 **59** (1) 133
Compaction mechanism and table strength of unlubricated and lubricated (silyfied) microcrystalline cellulose
Yokoi Y, Yonemochi E, Terada K// Meiji Seika Kaisha Ltd, Pharmaceut Dev Dept, Chem Mfg & Control Res Labs, 760 Morooka cho, Kohoku ku, Yokohama, Kanagawa 222 856, Japan
Int J Pharm 2005 **290** (1-2) 91
Effects of sugar ester and hydroxypropyl methylcellulose on the physicochemical stability of amorphous cefditoren pivoxil in aqueous suspension
Zheng WJ, Sauer D, McGinity JW// Univ Texas, Coll Pharm, Austin, Tx 78712, USA
Eur J Pharm Biopharm 2005 **59** (1) 147
Influence of hydroxyethylcellulose on the drug release properties of theophylline pellets coated with Eudragit® RS 30 D

3. Cellulose-degrading enzymes

- Cao Y, Tan HM// Chinese Acad Sci, Inst Chem, State Key Lab Polymer Phys & Chem, CN-100080 Beijing, Peoples Rep China
Enzyme Microb Technol 2005 **36** (2-3) 314
Study on crystal structures of enzyme-hydrolyzed cellulosic materials by X-ray diffraction
Jang HD, Chang KS// Yuanpei Univ Sci & Technol, Dept Food Sci, Hsinchu 300, Taiwan
Biotechnol Lett 2005 **27** (4) 239
Thermostable cellulases from *Streptomyces* sp.: Scale-up production in a 50-l fermenter
Kashima Y, Mori K, Fukada H, Ishikawa K// *Natl Inst Adv Ind Sci, AIST Kansai, Res Inst Cell Engn, 1-8-31 Midorigaoka, Ikeda, Osaka 563 8577, Japan
Extremophiles 2005 **9** (1) 37
Analysis of the function of a hyperthermophilic endoglucanase from *Pyrococcus horikoshii* that hydrolyzes crystalline cellulose
Kenyon WJ, Esch SW, Buller CS// Univ Sth Alabama, Dept Biomed Sci, Mobile, AL 36688, USA
Antonie van Leeuwenhoek 2005 **87** (2) 143
The curdlan-type exopolysaccharide produced by *Cellulomonas flavigena* KU forms part of an extracellular glycocalyx involved in cellulose degradation
Miettinen-Oinonen A, Paloheimo M, Lantto RA, Suominen P// VTT Biotechnol, POB 1500, FI-02044 Espoo, Finland
J Biotechnol 2005 **116** (3) 305
Enhanced production of cellobiohydrolases in *Trichoderma reesei* and evaluation of the new preparations in biofinishing of cotton

As a service to subscribers of the journal, this bibliography contains newly published material in the field of carbohydrate polymers. The bibliography is divided into thirteen sections: 1 Books, reviews & symposia; 2 Cellulose; 3 Cellulose-degrading enzymes; 4 Chitin/Chitosan; 5 Cyclodextrins; 6 Lignin; 7 Lipopolysaccharides; 8 Pectin; 9 Starch; 10 Starch-degrading enzymes; 11 Polysaccharides - Microbial; 12 Polysaccharides - Plant; 13 Polysaccharides - Other. Within each section, articles are listed in alphabetical order with respect to author. When there are no publications to appear under one of these headings, that section will be omitted.

Yang WH, Liu H, Wang W, Zhang YS, Gao PJ// *Shandong Univ, State Key Lab Microbial Technol, CN-250100 Jinan, Peoples Rep China
Biotechnol Lett 2004 **26** (23) 1799
 Function of a low molecular peptide generated by cellulolytic fungi for the degradation of native cellulose

4. Chitin/Chitosan

Alvarez-Lorenzo C, Concheiro A, Dubovik AS, Grinberg NV, Burova TV, Grinberg VY// Univ Santiago de Compostela, Fac Farm, Dept Farm & Tecnol Farmaceut, ES-15782 Santiago de Compostela, Spain
J Controlled Release 2005 **102** (3) 629

Temperature-sensitive chitosan-poly(*N*-isopropylacrylamide) interpenetrated networks with enhanced loading capacity and controlled release properties

Anal AK, Stevens WF// Univ Otago, Sch Pharm, POB 913, Dunedin 9015, New Zealand
Int J Pharm 2005 **290** (1-2) 45

Chitosan-alginate multilayer beads for controlled release of ampicillin

Barreiro-Iglesias R, Coronilla R, Concheiro A, Alvarez-Lorenzo C// *Univ Santiago de Compostela, Fac Farm, Dept Farm & Tecnol Farmaceut, ES-15872 Santiago de Compostela, Spain
Eur J Pharm Sci 2005 **24** (1) 71

Preparation of chitosan beads by simultaneous cross-linking/insolubilisation in basic pH rheological optimisation and drug loading/release behaviour

Berger J, Reist A, Chenite A, Felt-Baeyens O, Mayer JM, Gurny R// *Univ Geneva, Sch Pharm, 30 Quai East Ansermet, CH-1211 Geneva, Switzerland
Int J Pharm 2005 **288** (2) 197

Pseudo-thermosetting chitosan hydrogels for biomedical application

Cafaggi S, Leardi R, Parodi B, Caviglioli G, Russo E, Bignardi G// Univ Genoa, Dipt Chim & Tecnol Farmaceut & Alimentari, Via Brigata Salerno, IT-16147 Genoa, Italy
J Controlled Release 2005 **102** (1) 159

Preparation and evaluation of a chitosan salt-polyoxamer 407 based matrix for buccal drug delivery

Chae SY, Jang MK, Nah JW// *Sunchon Natl Univ, Dept Polymer Sci & Engn, 315 Maegok, Sunchon 540 742, Jeonnam, South Korea
J Controlled Release 2005 **102** (2) 383

Influence of molecular weight on oral absorption of water soluble chitosans

Chen X, Xia WS*, Yu XB// *Sthn Yangtze Univ, Sch Food Sci, CN-214036 Wuxi, Peoples Rep China
Food Res Int 2005 **38** (3) 315

Purification and characterization of two types of chitosanase from *Aspergillus* sp CJ22-326

Du J, Zhang S, Sun R, Zhang LF, Xiong CD*, Peng YX// *Chinese Acad Sci, Chengdu Inst Organ Chem, CN-610041 Chengdu, Peoples Rep China
J Biomed Mater Res Pt B 2005 **72B** (2) 299

Novel polyelectrolyte carboxymethyl konjac glucomannan-chitosan nanoparticles for drug delivery II. Release of albumin *in vitro*

Ho MH, Wang DM, Hsieh HJ, Liu HC, Hsien TY, Lai JY, Hou LT// *Natl Taiwan Univ, Coll Med, Dept Periodontol, 1 Chang Te St, Taipei 10764, Taiwan
Biomaterials 2005 **26** (16) 3197

Preparation and characterization of RGD-immobilized chitosan scaffolds

Huang YZ, Gao JQ, Lang WQ*, Nakagawa S// *Osaka Univ, Grad Sch Pharmaceut Sci, 1-6 Yamadaoka, Suita, Osaka 565 0871, Japan
Biol Pharm Bull 2005 **28** (2) 387

Preparation and characterization of liposomes encapsulating chitosan nanoparticles

Huh R, Park YS, Lee JD, Chung YS, Park YG, Chung SS, Chang JW// *Yonsei Univ, Coll Med, Dept Neurosurg, 134 Shinchon dong, Seoul 120 752, South Korea
Yonsei Med J 2005 **46** (1) 51

Therapeutic effects of holmium-166 chitosan complex in rat brain tumor model

Keely S, Rullay A, Wilson C, Carmichael A, Carrington S, Corfield A, Haddleton DM, Brayden DJ// *Univ Coll Dublin, Fac Med Vet, Dublin 2, Rep Ireland
Pharmaceut Res 2005 **22** (1) 38

In vitro and *ex vivo* intestinal tissue models to measure mucoadhesion of poly(methacrylate) and *N*-trimethylated chitosan polymers

Kiang T, Bright CY, Cheung CY, Stayton PS, Hoffman AS, Leong KW// *Johns Hopkins Univ, Dept Biomed Engn, Baltimore, Md 21205, USA
J Biomater Sci-Polym Ed 2004 **15** (11) 1405

Formulation of chitosan-DNA nanoparticles with poly(propyl acrylic acid) enhances gene expression

Kisko G, Sharp R, Roller S// *Thames Valley Univ, Fac Hlth & Human Sci, Microbiol Res Grp, 32-38 Uxbridge Rd, London W5 2BS, England
J Appl Microbiol 2005 **98** (4) 872

Chitosan inactivates spoilage yeasts but enhances survival of *Escherichia coli* O157:H7 in apple juice

Kuk JH, Jung WJ, Jo GH, Ahn JS, Kim KY, Park RD// *Chonnam Natl Univ, Inst Agr Sci & Technol, Div Appl Biosci & Biotechnol, GSM-NRL, Kwangju 500 757, South Korea

Biotechnol Lett 2005 **27** (1) 7

Selective preparation of *N*-acetyl-D-glucosamine and *N,N'*-diacetylchitobiose from chitin using a crude enzyme preparation from *Aeromonas* sp

Lee MK, Chun SK, Choi WJ, Kim JK, Choi SH, Kim A, Oungbho K, Park JS, Ahn WS, Kim CK// *Seoul Natl Univ, Coll Pharm, Natl Res Lab Drug & Gene Delivery, San 56-1, Shillim dong, Seoul 151 742, South Korea
Biomaterials 2005 **26** (14) 2147

The use of chitosan as a condensing agent to enhance emulsion-mediated gene transfer

Li ZS, Ramay HR, Hauch KD, Xiao DM, Zhang MQ// *Univ Washington, Dept Mat Sci & Engn, 302L Roberts Hall, Seattle, Wa 98195, USA
Biomaterials 2005 **26** (18) 3919

Chitosan-alginate hybrid scaffolds for bone tissue engineering

Lin YH, Liang HF, Chung CK, Chen MC, Sung HW// *Natl Tsing Hua Univ, Dept Chem Engn, Hsinchu, Taiwan
Biomaterials 2005 **26** (14) 2105

Physically crosslinked alginate/*N*,*O*-carboxymethyl chitosan hydrogels with calcium for oral delivery of protein drugs

Liu CG, Desai KGH, Chen XG, Park HJ// *Korea Univ, Grad Sch Biotechnol, 1,5 Ka, Anam dong, Seoul 136 701, South Korea
J Agric Food Chem 2005 **53** (5) 1728

Preparation and characterization of nanoparticles containing trypsin based on hydrophobically modified chitosan

Liu WG, Sun SJ, Cao ZQ, Xin Z, Yao KD, Lu WW, Luk KDK// Tianjin Univ, Res Inst Polymeric Mat, CN-300072 Tianjin, Peoples Rep China
Biomaterials 2005 **26** (15) 2705

An investigation on the physicochemical properties of chitosan/DNA poly-electrolyte complexes

Masuoka K, Ishihara M, Asazuma T, Hattori H, Matsui T, Takase B, Kanatani Y, Fujita M, Saito Y, Yura H, Fujikawa K, Nemoto K// Natl Def Med Coll, Dept Orthopaed Surg, 3-1 Namiki, Tokorozawa, Saitama 359 8513, Japan

Biomaterials 2005 **26** (16) 3277

The interaction of chitosan with fibroblast growth factor-2 and its protection from inactivation

Montebault A, Viton C*, Domard A// *Univ Lyon 1, Lab Mat Polymers Biomat, CNRS UMR 5627, Domaine Sci La Doua, 15 Blvd A Latarjet, Bat ISTIL, FR-69622 Villeurbanne, France

Biomaterials 2005 **26** (14) 1633

Rheometric study of the gelation of chitosan in a hydroalcoholic medium

Monti D, Saccomani L, Chetoni P, Buralassi S, Saettone MF, Mailland F// Univ Pisa, Dept Bioorgan Chem & Biopharmaceut, Via Bonanno 33, IT-56100 Pisa, Italy

Drug Develop Ind Pharm 2005 **31** (1) 11

In vitro transungual permeation of ciclopirox from a hydroxypropyl chitosan-based, water-soluble nail lacquer

Nakano T, Ikawa N, Ozimek L// Univ Alberta, Dept Agr Food & Nutr Sci, Edmonton, Alberta, Canada T6G 2P5

Milchwissenschaft 2005 **60** (1) 62

Use of chitosan as an adsorbent to isolate κ -casein glycomacropeptide from sweet whey: Preliminary study

Park DJ, Choi BH*, Zhu SJ, Huh JY, Kim BY, Lee SH// *Yonsei Univ, Wonju Christian Hosp, Dept Oral & Maxillofacial Surg, 162 Ilsan dong, Wonju, Kangwon do, South Korea

J Craniomaxillofac Surg 2005 **33** (1) 50

Injectable bone using chitosan-alginate gel/mesenchymal stem cells/BMP-2 composites

Prashanth KVH, Tharanathan RN// *Cent Food Technol Res Inst, Dept Biochem & Nutr, IN-570020 Mysore, India

Biochim Biophys Acta 2005 **1722** (1) 22

Depolymerized products of chitosan as potent inhibitors of tumor-induced angiogenesis

Qi LF, Xu ZR, Jiang X, Hu CH, Zou XF// Zhenjiang Univ, Anim Sci Coll, Minist Educat Key Lab Mol Anim Nutr, CN-310029 Hangzhou, Peoples Rep China

Carbohydr Res 2004 **339** (16) 2693

Preparation and antibacterial activity of chitosan nanoparticles

Rai G, Jain SK, Agrawal S, Bhadra S, Pancholi SS, Agrawal GP// Dr HS Gour Univ, Dept Pharmaceut Sci, Sagar, MP, India

Pharmazie 2005 **60** (2) 131

Chitosan hydrochloride based microspheres of albendazole for colonic drug delivery

Wu SZ, Zeng F, Zhu HP, Tong Z// Sth China Univ Technol, Dept Polymer Sci & Engrn, CN-510640 Guangzhou, Peoples Rep China
J Am Chem Soc 2005 **127** (7) 2048
 Energy and electron transfers in photosensitive chitosan

Xing RG, Yu HH, Liu S, Zhang WW, Zhang QB, Li Z, Li PC// *Chinese Acad Sci, Inst Oceanol, CN-266071 Qingdao, Peoples Rep China
Bioorg Med Chem 2005 **13** (4) 1387
 Antioxidant activity of differently regioselective chitosan sulfates *in vitro*

Xing RG, Liu S, Guo ZY, Yu HH, Wang PB, Li CP, Li Z, Li PC// *Chinese Acad Sci, Inst Oceanol, CN-266071 Qingdao, Peoples Rep China
Bioorg Med Chem 2005 **13** (5) 1573
 Relevance of molecular weight of chitosan and its derivatives and their antioxidant activities *in vitro*

Xu YX, Kim KM, Hanna MA*, Nag D// *Univ Nebraska, Dept Food Sci & Technol, Ind Agr Prod Ctr, 208 LW Chase Hall, Lincoln, Ne 68583, USA
Ind Crops Products 2005 **21** (2) 185
 Chitosan-starch composite film: Preparation and characterization

Yang YM, Gu XS, Tan RX, Hu W, Hu W, Wang XD, Zhang PY, Zhang TY// Nanjing Univ, Sch Life Sci, Inst Funct Biomol, State Key Lab Pharmaceut Biotechnol, CN-210093 Nanjing, Peoples Rep China
Biotechnol Lett 2004 **26** (23) 1793
 Fabrication and properties of a porous chitin/chitosan conduit for nerve regeneration

Yoshizawa T, Shin-ya Y*, Hong KJ, Kajiuchi T// *Tokyo Inst Technol, Dept Int Dev Engrn, 2-12-1-14-18 Ookayama, Ishikawadai 4th Bldg, Meguro ku, Tokyo 152 8550, Japan
Eur J Pharm Biopharm 2005 **59** (2) 307
 pH- and temperature-sensitive release behaviors from polyelectrolyte complex films composed of chitosan and PAOMA copolymer

Yusof NLBM, Lee LY, Khor E// *Natl Univ Singapore, Dept Chem, 3 Sci Dr 3, SG-117543 Singapore, Rep Singapore
Carbohydr Res 2004 **339** (16) 2701
 Flexible chitin films: Structural studies

Zivanovic S, Chi S, Draughon AF// Univ Tennessee, Dept Food Sci & Technol, 2509 River Dr, Knoxville, Tn 37996, USA
J Food Sci 2005 **70** (1) M45
 Antimicrobial activity of chitosan films enriched with essential oils

5. Cyclodextrins

Cao XZ, Jin ZY*, Wang X, Chen F// *Stn Yangtze Univ, Sch Food Sci & Technol, 170 Huihe Rd, CN-214036 Wuxi, Jiangsu, Peoples Rep China
Food Res Int 2005 **38** (3) 309
 A novel cyclodextrin glycosyltransferase from an alkalophilic *Bacillus* species: Purification and characterization

Cao XZ, Jin ZY*, Chen F, Wang X// *Stn Yangtze Univ, Sch Food Sci & Technol, 170 Huihe Rd, CN-214036 Wuxi, Peoples Rep China
J Food Biochem 2004 **28** (6) 463
 Purification and properties of cyclodextrin glucanotransferase from an alkalophilic *Bacillus* sp 7-12

De Rosa G, Larobina D, La Rotonda MI*, Musto P, Quaglia F, Ungaro F// *Univ Naples Federico II, Dipt Chim Farmaceut & Tossicol, Via D Montesano 49, IT-80131 Naples, Italy
J Controlled Release 2005 **102** (1) 71
 How cyclodextrin incorporation affects the properties of protein-loaded PLGA-based microspheres: The case of insulin/hydroxypropyl- β -cyclodextrin system

Fan Z, Jing ZL, Diao CH// Tianjin Univ Sci & Technol, Coll Sci, CN-300222 Tianjin, Peoples Rep China
Carbohydr Res 2005 **340** (3) 513
 The molecular crystal structure and self-assembly behavior of 6^l-O-(3-nitrophenyl) cyclomaltoheptaose

Fukudome M, Yuan DQ, Fujita K// *Nagasaki Univ, Grad Sch Biomed Sci, Dept Mol Med Sci, Bunkyo machi 1-14, Nagasaki 852 8521, Japan
Tetrahedron Lett 2005 **46** (7) 1115
 Preparation of 2^A,3^A-alloepimino-2^A,3^A-dideoxy- β -cyclodextrin as a versatile scaffold candidate for the hetero-2^A3^A-bifunctionalization

Gu FG, Cui FD*, Gao YL// *Shenyang Pharmaceut Univ, Sch Pharm, Dept Pharmaceut, 103 Wenhua Rd, CN-110016 Shenyang, Peoples Rep China
Int J Pharm 2005 **290** (1-2) 101
 Preparation of prostaglandin E₁-hydroxypropyl- β -cyclodextrin complex and its nasal delivery in rats

Hussain LA, Dickens SH, Bowen RL// NIST, Amer Dent Assoc Hlth Fdn, Pafenbarger Res Ctr, 100 Bur Dr, Stop 8546f, Gaithersburg, Md 20899, USA
Dent Mater 2005 **21** (3) 210
 Properties of eight methacrylated β -cyclodextrin composite formulations

Hussain LA, Dickens SH, Bowen RL// US/FDA, 7500 Standish Pl, RME 120, Metro Pk Nth II, HFD-643, Rockville, Md 20855, USA
Biomaterials 2005 **26** (18) 3973
 Shear bond strength of experimental methacrylated β -cyclodextrin-based formulations

Kaulpiboon J, Pongsawasdi P// *Chulalongkorn Univ, Fac Sci, Dept Biochem, TH-10330 Bangkok, Thailand
Enzyme Microb Technol 2005 **36** (2-3) 168
 Purification and characterization of cyclodextrinase from *Paenibacillus* sp A11

Liao YC, Syu MJ// *Natl Cheng Kung Univ, Dept Chem Engrn, Tainan 70101, Taiwan
Biochem Eng J 2005 **23** (1) 17
 Novel immobilized metal ion affinity adsorbent based on cross-linked β -cyclodextrin matrix for repeated adsorption of α -amylase

Lin ZF, Kong DY, Zhong P, Yin KD, Dong LH// Chinese Acad Sci, Sth China Sea Inst Oceanol, Key Lab Trop Marine Environm Dynam, CN-510301 Guangzhou, Peoples Rep China
Chemosphere 2005 **58** (9) 1301
 Influence of hydroxypropylcyclodextrins on the toxicity of mixtures

Muderawan IW, Ong TT, Tang W, Young DJ*, Ching CB, Ng SC// *Natl Univ Singapore, Dept Chem, SG-117543 Singapore, Rep Singapore
Tetrahedron Lett 2005 **46** (10) 1747
 Synthesis of ammonium substituted β -cyclodextrins for enantioseparation of anionic analytes

Mura P, Bettinetti GP, Cirri M, Maestrelli F, Sorrenti M, Catenacci L// Univ Florence, Dipt Sci Farmaceut, Via G Capponi 9, IT-50121 Florence, Italy
Eur J Pharm Biopharm 2005 **59** (1) 89
 Solid-state characterization and dissolution properties of naproxen-arginine-hydroxypropyl- β -cyclodextrin ternary system

Yamaguchi S, Hong C, Mannen T, Tsukiji S, Nagamune T// *Univ Tokyo, Dept Chem & Biotechnol, 7-3-1 Hongo, Bunkyo ku, Tokyo 113 8656, Japan
Biotechnol Lett 2004 **26** (23) 1787
 Solid-phase artificial chaperone-assisted refolding using insoluble β -cyclodextrin-acrylamide copolymer beads

6. Lignin

Kishimoto T, Uraki Y, Ubukata M// Hokkaido Univ, Grad Sch Agr, Div Appl Biosci, Lab Wood Chem, Res Grp Bioorgan Chem, Sapporo, Hokkaido 060 858, Japan
Org Biomol Chem 2005 **3** (6) 1067
 Easy synthesis of β -O-4 type lignin related polymers

Marlin N, Lachenal D, Magnin L, Brochier-Salon MC// Ecole Francaise Papeterie & Ind Graph, Lab Paper Engrn, 461 rue Papeterie, BP 65, FR-38402 St Martin d'Heres, France
Holzforchung 2005 **59** (2) 116
 Study of the oxygen effect on mechanical pulp lignin using an improved lignin isolation method

Newman RH, Tauwhare SEK, Scheele S, Kanawa RT// Ind Res Ltd, Lower Hutt, New Zealand
Holzforchung 2005 **59** (2) 147
 Leaf-fiber lignins of *Phormium* varieties compared by solid-state ¹³C NMR spectroscopy

7. Lipopolysaccharides

Bedini E, De Castro C, Erbs G, Mangoni L, Dow JM, Newman MA, Parrilli M*, Unverzagt C// *Univ Mont Sant Angelo, Dipt Chim Organ & Biochim Complesso, Via Cintia 4, IT-80126 Naples, Italy
J Am Chem Soc 2005 **127** (8) 2414
 Structure-dependent modulation of a pathogen response in plants by synthetic O-antigen polysaccharides

Knirel YA, Lindner B, Vinogradov EV, Kocharova NA, Senchenkova SN, Shaikhutdinova RZ, Dentovskaya SV, Fursova NK, Bakhteeva IV, Titareva GM, Balakhonov SV, Holst O, Gremyakova TA, Pier GB*, Anisimov AP// *Harvard Univ Sch Med, Brigham & Womens Hosp, Channing Lab, Boston, Ma 02115, USA
Biochemistry 2005 **44** (5) 1731
 Temperature-dependent variations and intraspecies diversity of the structure of the lipopolysaccharide of *Yersinia pestis*

Leone S, Izzo V, Sturiale L, Garozzo D, Lanzetta R, Parrilli M, Molinaro A*, Di Donato A// *Univ Naples Federico II, Dipt Chim Organ & Biochim, Via Cintia 4, IT-80126 Naples, Italy
Carbohydr Res 2004 **339** (16) 2657
 Structure of minor oligosaccharides from the lipopolysaccharide fraction from *Pseudomonas stutzeri* OX1

- Mattos KA, Todeschini AR, Heise N, Jones C, Previato JO, Mendonca-Previato L*// *Fed Univ Rio de Janeiro, Inst Biofis Carlos Chagas Filho, Ctr Ciencias Saude, Bloco G, Ciudad Univ, BR-21944-970 Rio de Janeiro, RJ, Brazil
Glycobiology 2005 **15** (3) 313
 Nitrogen-fixing bacterium *Burkholderia brasiliensis* produces a novel yersiniose A-containing O-polysaccharide
 Zych K, Perepelov AV, Baranowska A, Zablotni A, Knirel YA, Sidorchuk Z*// *Univ Lodz, Inst Microbiol & Immunol, Dept Gen Microbiol, Banacha 12-16, PL-90237 Lodz, Poland
FEMS Immunol Med Microbiol 2005 **43** (2) 141
 Structure and serological studies of the O-polysaccharide of *Proteus penneri* 75 - Epitopes and subgroups of *Proteus* serogroup O73

8. Pectin

- Bedouet L, Courtois B, Courtois J// Museum Natl Hist Nat, USM 0401, 7 rue Cuvier, FR-75231 Paris, France
Biotechnol Lett 2005 **27** (1) 33
 Methods for obtaining neutral and acid oligosaccharides from flax pectins
 Shin HH, Kim CT, Cho YJ, Hwang JK*// *Yonsei Univ, Dept Biotechnol, Seoul 120 749, South Korea
Food Sci Biotechnol 2005 **14** (1) 28
 Analysis of extruded pectin extraction from apple pomace by response surface methodology

9. Starch

- Bauer BA, Knorr D// Berlin Univ Technol, Dept Food Proc Engn & Food Biotechnol, Konigin Luise Str 22, DE-14195 Berlin, Germany
J Food Eng 2005 **68** (3) 329
 The impact of pressure, temperature and treatment time on starches: Pressure-induced starch gelatinisation as pressure time temperature indicator for high hydrostatic pressure processing
 Bello-Perez LA, Ottenhof MA, Agama-Acevedo E, Farhat IA// IPN, Ctr Desarrollo Prod Bioticos, Km 8.5 Carr Yautepec-Jojutla, Apdo Postal 24, MX-62731 Yautepec, Mexico
J Agric Food Chem 2005 **53** (4) 1081
 Effect of storage time on the retrogradation of banana starch extrudate
 Fu YC, Dai L, Yang BB// Natl Chung Hsing Univ, Dept Food Sci, 250 Kuokuang Rd, Taichung 40227, Taiwan
Int J Food Sci Technol 2005 **40** (2) 119
 Microwave finish drying of (tapioca) starch pearls
 Hagenimana A, Pu PP, Ding XL// Sthn Yangtze Univ, Sch Food Sci & Technol, CN-214036 Wuxi, Jiangsu, Peoples Rep China
Food Res Int 2005 **38** (3) 257
 Study on thermal and rheological properties of native rice starches and their corresponding mixtures
 Johnston DE, Rutherford JA, Gray RH// Queens Univ, Dept Food Sci, Kingston, Ontario, Canada K7L 3N6
Milchwissenschaft 2005 **60** (1) 6
 Rheological characteristics of high pressure treated dispersions of waxy maize starch in skim milk
 Karam LB, Grossmann MVE*, Silva RSSF, Ferrero C, Zaritzky NE// *Univ Estadual Londrina, Dept Tecnol Alimentos, Caixa Postal 6001, BR-86051-970 Londrina, PR, Brazil
Starch 2005 **57** (2) 62
 Gel textural characteristics of corn, cassava and yam starch blends: A mixture surface response methodology approach
 Kim YJ, Park HG*, Yang YL, Yoon Y, Kim S, Oh E// *Korea Adv Inst Sci & Technol, Dept Chem & Biomol Engn, 373-1 Guseong dong, Taejon 305 701, South Korea
Biol Pharm Bull 2005 **28** (2) 394
 Multifunctional drug delivery system using starch-alginate beads for controlled release
 Koo HJ, Park SH, Jo JS, Kim BY, Baik MY*// *Kyunghee Univ, Dept Food Sci & Technol, Yongin, South Korea
LWT-Food Sci Technol 2005 **38** (1) 59
 Gelatinization and retrogradation of 6-year-old Korean ginseng starches studied by DSC
 Lawal OS// Olabisi Onabanjo Univ, Dept Chem Sci, PMB 2002, Ago Iwoye, Ogun, Nigeria
Carbohydr Res 2004 **339** (16) 2673
 Succinyl and acetyl starch derivatives of a hybrid maize: Physicochemical characteristics and retrogradation properties monitored by differential scanning calorimetry
 Liu Z, Han JH*// *Univ Manitoba, Dept Food Science, Winnipeg, Manitoba,

- Canada R3T 2N2
J Food Sci 2005 **70** (1) E31
 Film-forming characteristics of starches
 Manek RV, Kunle OO, Emeje MO, Builders P, Rao GVR, Lopez GP, Kolling WM*// *Univ Louisiana Monroe, Sch Pharm, Dept Basic Pharmaceut Sci, 263 Sugar Hall, Monroe, La 71209, USA
Starch 2005 **57** (2) 55
 Physical thermal and sorption profile of starch, obtained from *Tacca leontopetaloides*
 Marabi A, Saguy IS*// *Hebrew Univ Jerusalem, Fac Agr Food & Environm Qual Sci, Inst Biochem Food Sci & Nutr, POB 12, IL-76100 Rehovot, Israel
J Sci Food Agric 2005 **85** (4) 700
 Viscosity and starch particle size effects on rehydration of freeze-dried carrots
 Murphy SC, Gilroy D, Kerry JF, Kerry JP*// *Natl Univ Ireland, Univ Coll Cork, Dept Nutr & Food Sci, Cork, Rep Ireland
J Food Sci 2005 **70** (1) C21
 Assessment of added protein/starch on the functional properties of surimi gels manufactured from Atlantic whiting
 Phan TD, Debeaufort F*, Luu D, Voilley A// *Univ Bourgogne, ENSBANA-IMSAPS, 1 Esplanade Erasme, FR-21000 Dijon, France
J Agric Food Chem 2005 **53** (4) 973
 Functional properties of edible agar-based and starch-based films for food quality preservation
 Piyachomkwan K, Wanlapatit S, Chotineerant S, Sriroth K*// *Kasetsart Univ, Fac Agroind, Dept Biotechnol, 50 Phahon Yothin Rd, TH-10900 Bangkok, Thailand
Starch 2005 **57** (2) 71
 Transformation and balance of cyanogenic compounds in the cassava starch manufacturing process
 Resio ANC, Aguerre RJ, Suarez C// Univ Buenos Aires, Fac Ciencias Exactas & Nat, Dept Ind, Ciudad Univ, AR-1428 Buenos Aires, DF, Argentina
J Food Eng 2005 **68** (2) 265
 Analysis of simultaneous water absorption and water starch reaction during soaking of amaranth grain
 Sangseethonga K, Ketsilp S, Sriroth K*// *Kasetsart Univ, Fac Agroind, Dept Biotechnol, 50 Phahon Yothin, TH-10900 Bangkok, Thailand
Starch 2005 **57** (2) 84
 The role of reaction parameters on the preparation and properties of carboxymethyl cassava starch
 Stojanovic Z, Jeremic K*, Jovanovic S, Lechner MD// *Fac Technol & Met Belgrade, Karnegijeva 4, YU-11000 Belgrade, Yugoslavia
Starch 2005 **57** (2) 79
 A comparison of some methods for the determination of the degree of substitution of carboxymethyl starch
 Thymi S, Krokida MK, Pappa A, Maroulis ZB*// *Natl Tech Univ Athens, Dept Chem Engn, Zografou Campus, GR-15780 Athens, Greece
J Food Eng 2005 **68** (4) 519
 Structural properties of extruded corn starch
 Yuryev VP, Krivandin AV, Kiseleva VI, Wasserman LA, Genkina NK, Fornal J, Blaszcak W, Schiraldi A// Russian Acad Sci, Inst Biochem Phys, Kosygina Str 4, RU-119991 Moscow, Russia
Carbohydr Res 2004 **339** (16) 2683
 Structural parameters of amylopectin clusters and semi-crystalline growth rings in wheat starches with different amylose content

10. Starch-degrading enzymes

- Fukushima T, Mizuki T, Echigo A, Inoue A, Usami R// Toyo Univ, Fac Engn, Dept Appl Chem, 2100 Kujirai, Kawagoe, Saitama 350 8585, Japan
Extremophiles 2005 **9** (1) 85
 Organic solvent tolerance of halophilic α -amylase from a Haloarchaeon, *Haloarcula* sp strain S-1
 Lim JW, Mun SH, Shin M*// *Chonnam Natl Univ, Dept Food & Nutr, Kwangju 500 757, South Korea
Food Sci Biotechnol 2005 **14** (1) 32
 Action of α -amylase and acid on resistant starches prepared from normal maize starch
 Liu ZR, Zhang GY*, Liu SG// *Hebei Econ & Business Univ, Biosci & Bioengn Coll, 47 Xuefu Rd, CN-050061 Shijiazhuang, Peoples Rep China
J Biosci Bioeng 2004 **98** (6) 414
 Constructing an amylolytic brewing yeast *Saccharomyces pastorianus* suitable for accelerated brewing
 Lopez C, Torrado A, Guerra NP, Pastrana L*// *Univ Vigo, Fac Ciencias Ourense, Dept Biochem Genet & Immunol, Area Bioquim & Biol Mol, ES-32004 Orense, Spain
J Agric Food Chem 2005 **53** (4) 989
 Optimization of solid-state enzymatic hydrolysis of chestnut using mixtures of

α -amylase and glucoamylase

- Najafi MF, Kambhavi A// Razi Inst, Ahmadabad St, Mashhad, Iran
Enzyme Microb Technol 2005 **36** (4) 535
 One step purification and characterization of an extracellular α -amylase from marine *Vibrio* sp
 Ul-Haq I, Ashraf H, Qadeer MA, Iqbal J// GC Univ, Dept Bot, Biotechnol Res Labs, PK-54600 Lahore, Pakistan
Bioresource Technol 2005 **96** (10) 1201
 Pearl millet, a source of α amylase production by *Bacillus licheniformis*

11. Polysaccharides - Microbial

- Bae JS, Jang KH*, Yim H, Jin HK// *Kyungpook Natl Univ, Coll Vet Med, Dept Surg, Taegu 702 701, South Korea
Cancer Lett 2005 **218** (1) 43
 Polysaccharides isolated from *Phellinus gilvus* inhibit melanoma growth in mice
 Bos GW, Hennink WE, Brouwer LA, Den Otter W, Veldhuis TFJ, Van Nostrum CF, Van Luyn MJA*// *Univ Groningen, Fac Med Sci, Dept Pathol Lab Med, Hanzplein 1, NL-9713 GZ Groningen, The Netherlands
Biomaterials 2005 **26** (18) 3901
 Tissue reactions of *in situ* formed dextran hydrogels crosslinked by stereo-complex formation after subcutaneous implantation in rats
 Ceseutti P, Kallioinen A, Impallomeni G, Toffanin R, Pollesello P, Leisola M, Eerikainen T// Univ Trieste, Dept Biochem Biophys & Macromol Chem, Via L Giorgieri 1, IT-34127 Trieste, Italy
Carbohydr Res 2005 **340** (3) 439
 Structure of the exopolysaccharide produced by *Enterobacter amnigenus*
 Coviello T, Grassi M, Palleschi A, Bocchinfuso G, Coluzzi G, Banishoeib F, Alhaique F// Univ Roma La Sapienza, Fac Pharm, Dept Chem & Technol Biol Active Cpd, Piazzale Aldo Moro 5, IT-00185 Rome, Italy
Int J Pharm 2005 **289** (1-2) 97
 A new scleroglucan/borax hydrogel: Swelling and drug release studies
 Goh KKT, Hemar Y, Singh H// Massey Univ, Inst Food Nutr & Human Hlth, Private Bag 11 222, Palmerston North, New Zealand
Biopolymers 2005 **77** (2) 98
 Viscometric and static light scattering studies on an exopolysaccharide produced by *Lactobacillus delbrueckii* subspecies *bulgaricus* NCFB 2483
 Hasuda H, Kwon OH, Kang IK, Ito Y*// *Kanagwa Acad Sci & Technol, Regenerat Med Bioreact Project, KSP East 309, 3-2-1 Sakado, Takatsu ku, Kawasaki, Kanagawa 213 001, Japan
Biomaterials 2005 **26** (15) 2401
 Synthesis of photoreactive pullulan for surface modification
 Hsieh CY, Tsai MJ, Hsu TH, Chang DM, Lo CT// Da Yeh Univ, Dept Bioind Technol, Chang Hwu 51505, Taiwan
Appl Biochem Biotechnol 2005 **120** (2) 145
 Medium optimization for polysaccharide production of *Cordyceps sinensis*
 Jang JH, Hia HC, Ike M, Inoue C, Fujita M, Yoshida T// Daegu Univ, Res Ctr Proc & Applicat Agr Prod, 15 Naeri, Gyongsan 712 714, Gyeongbuk, South Korea
Biotechnol Lett 2005 **27** (1) 13
 Acid hydrolysis and quantitative determination of total hexosamines of an exopolysaccharide produced by *Citrobacter* sp
 Jayus, McDougall BM, Seviour RJ*// *La Trobe Univ, Biotechnol Res Ctr, Bendigo, Vic 3550, Australia
Enzyme Microb Technol 2005 **36** (2-3) 176
 The effect of dissolved oxygen concentrations on (1→3)- and (1→6)- β -glucanase production by *Acremonium* sp IMI 383068 in batch culture
 Jia LM, Liu L, Dong Q*, Fang JN// *Chinese Acad Sci, Shanghai Inst Materia Medica, Shanghai Inst Biol Sci, 555 Zu Chong Zhi Rd, CN-201203 Shanghai, Peoples Rep China
Carbohydr Res 2004 **339** (16) 2667
 Structural investigation of a novel rhamnoglucogalactan isolated from the fruiting bodies of the fungus *Hericium erinaceus*
 Jones C, Lemercinier X// Natl Inst Biol Stand & Controls, Mol Struct Lab, Blanche Lane, South Mimms, Potters Bar EN6 3QG, England
Carbohydr Res 2005 **340** (3) 403
 Full NMR assignment and revised structure for the capsular polysaccharide from *Streptococcus pneumoniae* type 15B
 Kim BD, Na K, Choi HK*// *Chosun Univ, Coll Pharm, 375 Seoseok dong, Kwangju 501 759, South Korea
Eur J Pharm Sci 2005 **24** (2-3) 199
 Preparation and characterization of solid lipid nanoparticles (SLN) made of cacao butter and curdlan
 Kim HO, Lim JM, Joo JH, Kim SW, Hwang HJ, Choi JW, Yun JW*// *Daegu Univ, Dept Biotechnol, Kyungsan 712 714, Kyungbuk, South Korea

- Bioresource Technol* 2005 **96** (10) 1175
 Optimization of submerged culture condition for the production of mycelial biomass and exopolysaccharides by *Agrocybe cylindracea*
 Kodama N, Asakawa A, Inui A, Masuda Y, Nanba H// Kobe Pharmaceut Univ, Dept Microbiol Chem, 4-19-1 Motoyama kitamachi, Higashinada ku, Kobe, Hyogo 658 8558, Japan
Oncol Rep 2005 **13** (3) 497
 Enhancement of cytotoxicity of NK cells by D-Fraction, a polysaccharide from *Grifola frondosa*
 Maire M, Logeart-Avramoglou D, Degat MC, Chaubet F*// *Univ Paris 13, Bichat Hosp, ERIT-M Inserm 0204, Lab Bio-ingn Polymers Cardiovasculaires, FR-75877 Paris 18, France
Biomaterials 2005 **26** (14) 1771
 Retention of transforming growth factor β 1 using functionalized dextran-based hydrogels
 Shih IL, Yu YT// 112 Shan Jiau Rd, Da Tsuen, Changhua 51505, Taiwan
Biotechnol Lett 2005 **27** (2) 103
 Simultaneous and selective production of levan and poly(γ -glutamic acid) by *Bacillus subtilis*
 Van Tomme SR, Van Steenberghe MJ, De Smedt SC, Van Nostrum CF, Hennink WE*// *Univ Utrecht, UIPS, Dept Pharmaceut, Sorbonnelaan 16, POB 800082, NL-3508 TB Utrecht, The Netherlands
Biomaterials 2005 **26** (14) 2129
 Self-gelling hydrogels based on oppositely charged dextran microspheres
 Wieruszkeski JM, Talaga P, Lippens G*// *Univ Lille 2, Inst Pasteur Lille, UMR CNRS 8525, 1 rue Professeur Calmette, FR-59019 Lille, France
Anal Biochem 2005 **338** (1) 20
 Development of a high-resolution magic-angle spinning nuclear magnetic resonance identity assay of the capsular polysaccharide from *Haemophilus influenzae* type b present in cetavlon precipitate
 Xu QW, Klees J, Teyral J, Capen R, Huang M, Sturgess AW, Hennessey JP, Washabaugh M, Sitrin R, Abeygunawardana C// Merck & Co Inc, Merck Res Lab, West Point, Pa 19486, USA
Anal Biochem 2005 **337** (2) 235
 Quantitative nuclear magnetic resonance analysis and characterization of the derivatized *Haemophilus influenzae* type b polysaccharide intermediate for PedvaxHIB

12. Polysaccharides - Plant

- Afzal AJ, Ali S, Latif F, Rajoka MI, Siddiqui KS// Sthn Illinois Univ, Dept Mol Biol Biochem & Microbiol, Carbondale, IL 62901, USA
Appl Biochem Biotechnol 2005 **120** (1) 51
 Innovative kinetic and thermodynamic analysis of a purified superactive xylanase from *Scopulariopsis* sp
 Ajithkumar A, Andersson R, Aman P// Swedish Univ Agr Sci, Dept Food Sci, POB 7051, SE-75007 Uppsala, Sweden
J Agric Food Chem 2005 **53** (4) 1205
 Content and molecular weight of extractable β -glucan in American and Swedish oat samples
 Ballal ME, El Siddig EA, Efadl MA*, Luukkanen O// *Viikki Trop Resources Inst, POB 28, FI-00014 Helsinki, Finland
Agroforest Syst 2005 **63** (3) 237
 Gum arabic yield in differently managed *Acacia senegal* stands in western Sudan
 Boonthekul T, Kong HJ, Mooney DJ*// *Univ Michigan, Dept Chem Engr, Ann Arbor, MI 48109, USA
Biomaterials 2005 **26** (15) 2455
 Controlling alginate gel degradation utilizing partial oxidation and bimodal molecular weight distribution
 Bornhoft M, Thommes M, Kleinebudde P*// *Univ Dusseldorf, Inst Pharmaceut, Dusseldorf, Germany
Eur J Pharm Biopharm 2005 **59** (1) 127
 Preliminary assessment of carrageenan as excipient for extrusion/spheronisation
 Bunger CM, Tiefenbach B, Jahnke A, Gerlach C, Freier T, Schmitz KP, Hopt UT, Schareck W, Klar E, De Vos P// Univ Rostock, Dept Surg, Schillingallee 35, DE-18055 Rostock, Germany
Biomaterials 2005 **26** (15) 2353
 Deletion of the tissue response against alginate-pil capsules by temporary release of co-encapsulated steroids
 Camacho MM, Martinez-Navarrete N*, Chiralt A// *Univ Politecn Valencia, Dept Food Technol, POB 22012, ES-46071 Valencia, Spain
Int Dairy J 2005 **15** (3) 243
 Rheological characterization of experimental dairy creams formulated with locust bean gum (LBG) and γ -carrageenan combinations

- Choi JH, Choi WY, Cha DS, Chinnan MJ, Park HJ*, Lee DS, Park JM// *Korea Univ, Grad Sch Biotechnol, 1,5 Ka, Anam dong, Seoul 136 701, South Korea
LWT-Food Sci Technol 2005 **38** (4) 417
- Diffusivity of potassium sorbate in κ -carrageenan based antimicrobial film
- Deters AM, Schroder KR, Smiatek T, Hensel A*// *Univ Munster, Inst Pharmaceut Biol & Phytochem, Hittorfstr 56, DE-48149 Munster, Germany
Planta Med 2005 **71** (1) 33
- Ispaghula (*Plantago ovata*) seed husk polysaccharides promote proliferation of human epithelial cells (skin keratinocytes and fibroblasts) via enhanced growth factor receptors and energy production
- Hosseinzadeh H, Pouravadi A*, Zohuriaan-Mehr MJ// *Sharif Univ Technol, Dept Chem, Polymer Res Lab, POB 11365, Azadi Ave, Tehran, Iran
J Biomater Sci-Polym Ed 2004 **15** (12) 1499
- Modified carrageenan. 2. Hydrolyzed crosslinked κ -carrageenan-g-PAAm as a novel smart superabsorbent hydrogel with low salt sensitivity
- Hurteaux R, Edwards-Levy F*, Laurent-Maquin D, Levy MC// *Univ Reims Champagne-Ardenne, Fac Pharm, IFR 53-Biomol, FRE2715/CNRS, Equipe Pharmacotech, 51 rue Cognacq Jay, FR-51096 Reims, France
Eur J Pharm Sci 2005 **24** (2-3) 187
- Coating alginate microspheres with a serum albumin-alginate membrane: Application to the encapsulation of a peptide
- Im SA, Oh ST, Song S, Kim MR, Kim DS, Woo SS, Jo TH, Park YI, Lee CK*// *Chungbuk Natl Univ, Coll Pharm, Cheongju 361 763, South Korea
Int Immunopharmacol 2005 **5** (2) 271
- Identification of optimal molecular size of modified *Aloe* polysaccharides with maximum immunomodulatory activity
- Jin ZY, Wang J, Jiang B, Xu XM// Sthn Yangtze Univ, Sch Food Sci & Technol, 170 Huihe Rd, CN-214036 Wuxi, Jiangsu, Peoples Rep China
Food Res Int 2005 **38** (3) 301
- Production of inulooligosaccharides by endoinulinases from *Aspergillus ficuum*
- Li N, Zhang QB*, Song JM// *Chinese Acad Sci, Inst Oceanol, CN-266071 Qingdao, Peoples Rep China
Food Chem Toxicol 2005 **43** (3) 421
- Toxicological evaluation of fucoidan extracted from *Laminaria japonica* in Wistar rats
- Liu C, Fu G, Tu Z, You H, Chen P, Ruan R*// *Univ Minnesota, Dept Agr & Biosyst Engr, 1390 Eckles Ave, St Paul, Mn 55108, USA
Trans ASAE 2005 **48** (1) 257
- Functional polysaccharides from lilies
- Lou JZ, Harinath V// Nth Carolina Agr & Tech State Univ, Dept Mech & Chem Engr, 1601 East Market St, Greensboro, NC 27411, USA
J Liq Chromatogr Relat Technol 2005 **28** (3) 357
- Separation of polysaccharides from industrial syrup using tubular membranes
- Marcelo G, Saiz E, Tarazona MP*// *Univ Alcalá de Henares, Dept Quim Fis, ES-28871 Alcalá de Henares, Madrid, Spain
Biophys Chem 2005 **113** (3) 201
- Unperturbed dimensions of carrageenans in different salt solutions
- Pereda-Miranda R, Escalante-Sanchez E, Escobedo-Martinez C// Univ Nacl Autonoma Mexico, Fac Quim, Dept Farm, Ciudad Univ, MX-04510 Mexico City, DF, Mexico
J Nat Prod 2005 **68** (2) 226
- Characterization of lipophilic pentasaccharides from beach morning glory (*Ipomoea pes-caprae*)
- Seydim ZBG, Sarikus G, Okur OD// Suleyman Demirel Univ, Dept Food Engr, TR-32260 Isparta, Turkey
Milchwissenschaft 2005 **60** (1) 51
- Effect of inulin and Dairy-Lo® as fat replacers on the quality of set type yogurt
- Seyis I, Aksoz N// Hacettepe Univ, Fac Sci, Dept Biol, TR-06530 Ankara, Turkey
Int Biodeterior Biodegrad 2005 **55** (2) 115
- Effect of carbon and nitrogen sources on xylanase production by *Trichoderma harzianum* 1073 D3
- Sugiura S, Oda T, Izumida Y, Aoyagi Y, Satake M, Ochiai A, Ohkohchi N, Nakajima M*// *Natl Food Res Inst, Food Engr Div, 2-1-12 Kannondai, Tsukuba, Ibaraki 305 8642, Japan
Biomaterials 2005 **26** (16) 3327
- Size control of calcium alginate beads containing living cells using micro-nozzle array
- Wada T, Sugatani JN, Terada E, Ohguchi M, Miwa M*// *Univ Shizuoka, Sch Pharmaceut Sci, Dept Pharmacobiochem, 52-1 Yada, Shizuoka 422 8526, Japan
J Agric Food Chem 2005 **53** (4) 1246
- Physicochemical characterization and biological effects of inulin enzymatically synthesized from sucrose
- Xiong HR, Von Weymar N, Turunen O, Leisola M, Pastinen O*// *Helsinki Univ Technol, Lab Bioproc Engr, POB 6100, FI-02015 Espoo, Finland
Bioresource Technol 2005 **96** (7) 753
- Xylanase production by *Trichoderma reesei* Rut C-30 grown on L-arabinose-rich plant hydrolysates
- Zhou GF, Xin H, Sheng WX, Sun YP, Li Z, Xu ZH*// *Chinese Acad Sci, Inst Oceanol, CN-266071 Qingdao, Peoples Rep China
Pharmacol Res 2005 **51** (2) 153
- In vivo* growth-inhibition of S 180 tumor by mixture of 5-FU and low molecular λ -carrageenan from *Chondrus ocellatus*

13. Polysaccharides - Other

- Coviello T, Alhaique F, Parisi C, Matricardi P, Bocchinfuso G, Grassi M// Univ Roma la Sapienza, Dipt Studi Chim & Tecnol Sostanze Biol Attive, Ple A Moro 5, IT-00185 Rome, Italy
J Controlled Release 2005 **102** (3) 643
- A new polysaccharidic gel matrix for drug delivery: Preparation and mechanical properties
- Giavaresi G, Torricelli P, Fornasari PM, Giardino R, Barbucci R*, Leone G// *CRISMA, Via Aldo Moro 2, IT-53100 Siena, Italy
Biomaterials 2005 **26** (16) 3001
- Blood vessel formation after soft-tissue implantation of hyaluronan based hydrogel supplemented with copper ions
- Goldberg VM, Buckwalter JA// Case Western Reserve Univ, Univ Hosp Cleveland, 11100 Euclid Ave, Cleveland, Oh 44106, USA
Osteoarthritis Cartilage 2005 **13** (3) 216
- Hyaluronans in the treatment of osteoarthritis of the knee: Evidence for disease-modifying activity
- Ha YH, Jeon BT, Moon SH, Toyoda H, Toida T, Linhardt RJ, Kim YS*// *Seoul Natl Univ, Coll Pharm, Inst Nat Prod Res, Seoul 110 460, South Korea
Carbohydr Res 2005 **340** (3) 411
- Characterization of heparan sulfate from the unossified antler of *Cervus elaphus*
- Hong SI, Lee JW, Son SM// Korea Food Res Inst, San 46-1, Seongnam 463 746, South Korea
Packag Technol Sci 2005 **18** (1) 1
- Properties of polysaccharide-coated polypropylene films as affected by biopolymer and plasticizer types
- Li AX, Kong FZ*// *Acad Sinica, Ecoenvironm Sci Res Ctr, CN-100085 Beijing, Peoples Rep China
Bioorg Med Chem 2005 **13** (3) 839
- Concise synthesis of arabinogalactans with β -(1 $\rightarrow$ 6)-linked galactopyranose backbones and α -(1 $\rightarrow$ 2)-linked arabinofuranose side chains
- Masters KS, Shah DN, Leinwand LA, Anseth KS*// *Univ Colorado, Dept Biol & Chem Engr, Campus Box 424, Boulder, Co 80309, USA
Biomaterials 2005 **26** (15) 2517
- Crosslinked hyaluronan scaffolds as a biologically active carrier for valvular interstitial cells
- Robert C, Robert AM, Robert L*// *Univ P&M Curie Paris 06, Fac Med Broussais-Hotel Dieu, Lab Univ Rech Ophtalmol, 1 Pl Parvis Notre Dame, FR-75181 Paris 04, France
Skin Res Technol 2005 **11** (1) 47
- Effect of a preparation containing a fucose-rich polysaccharide on periorbital wrinkles of human volunteers
- Sato H, Kajihara Y// Bruker BioSpin KK, 3-21-5 Ninomiya, Tsukuba, Ibaraki 305 0051, Japan
Carbohydr Res 2005 **340** (3) 469
- An unambiguous assignment method by 2D selective-TOCSY-HSQC and selective-TOCSY-DQF-COSY and structural analysis by selective-TOCSY-NOESY experiments of a biantennary undecasaccharide
- Sinha VR, Mittal BR, Kumria R// Panjab Univ, Inst Pharmaceut Sci, IN-160014 Chandigarh, India
Int J Pharm 2005 **289** (1-2) 79
- In vivo* evaluation of time and site of disintegration of polysaccharide tablet prepared for colon-specific drug delivery
- Suh KY, Yang JM, Khademhosseini A, Berry D, Tran TNT, Park H, Langer R*// *MIT, Dept Chem Engr, Cambridge, Ma 02139, USA
J Biomed Mater Res Pt B 2005 **72B** (2) 292
- Characterization of chemisorbed hyaluronic acid directly immobilized on solid substrates
- Zou MJ, Okamoto H, Cheng G, Hao XH, Sun J, Cui FD, Danjo K*// *Meijo Univ, Fac Pharm, 150 Yagotoyama, Tempaku ku, Nagoya, Aichi 468 8503, Japan
Eur J Pharm Biopharm 2005 **59** (1) 155
- Synthesis and properties of polysaccharide prodrugs of 5-aminosalicylic acid as potential colon-specific delivery systems