

Bibliography of carbohydrate polymers

(7 weeks journals. Search completed at 5th. Sept. 2007)

1. Reviews

Jayakumar R, Nwe N, Tokura S, Tamura H*// *Kansai Univ, Fac Engr, Biofunctionalization Lab, Osaka 564 8680, Japan
Int J Biol Macromol 2007 **40** (3) 175
Sulfated chitin and chitosan as novel biomaterials

Nikolaev AV, Botvinko IV, Ross AJ// Univ Dundee, Coll Life Sci, Div Biol Chem & Mol Microbiol, Dundee DD1 5EH, Scotland
Carbohydr Res 2007 **342** (3–4) 297
Natural phosphoglycans containing glycosyl phosphate units: Structural diversity and chemical synthesis

Prashanth KVH, Tharanathan RN*// *Cent Food Technol Res Inst, Dept Biochem & Nutr, IN-570020 Mysore, India
Trends Food Sci Technol 2007 **18** (3) 117
Chitin/chitosan: Modifications and their unlimited application potential - An overview

2. Cellulose

Adamopoulos L, Montegna J, Hampikian G, Argyropoulos DS, Heitmann J, Lucia LA*// *Nth Carolina State Univ, Dept Forest Biomaterials Sci & Engr, 3108 Biltmore Hall, Raleigh, NC 27695, USA
Carbohydr Polym 2007 **69** (4) 805
A simple method to tune the gross antibacterial activity of cellulosic biomaterials

Alves Cerqueira D, Rodrigues Filho G*, Da Silva Meireles C// *Univ Fed Uberlandia, Inst Quim, CP 593, BR-38400-902 Uberlandia, Minas Gerais, Brazil
Carbohydr Polym 2007 **69** (3) 579
Optimization of sugarcane bagasse cellulose acetylation

Baltazar-Y-Jimenez A, Bismarck A*// *Imperial Coll London, Dept Chem Engr Polymer & Composite Engr, PaCE, London SW7 2AZ, England
Cellulose 2007 **14** (2) 115
Wetting behaviour, moisture uptake and electrokinetic properties of ligno-cellulosic fibres

Barud HS, Ribeiro CA*, Crespi MS, Martines MAU, Dexpert-Ghys J, Marques RFC, Messaddeq Y, Ribeiro SJL// *UNESP, Inst Quim, CP 355, BR-14801-970 Araraquara, Brazil
J Therm Anal Calorim 2007 **87** (3) 815
Thermal characterization of bacterial cellulose-phosphate composite membranes

Cao XD, Dong H, Li CM*// *Nanyang Technol Univ, Sch Chem & Biomed Engr, SG-639798 Singapore, Rep Singapore
Biomacromolecules 2007 **8** (3) 899
New nanocomposite materials reinforced with flax cellulose nanocrystals in waterborne polyurethane

Cao Y, Wu J, Meng T, Zhang J, He J, Li H*, Zhang Y// *CAS, Inst Process Engr, Key Lab Green Process Engr, CN-100080 Beijing, Peoples Rep China
Carbohydr Polym 2007 **69** (4) 665
Acetone-soluble cellulose acetates prepared by one-step homogeneous acetylation of cornhusk cellulose in an ionic liquid 1-allyl-3-methylimidazolium chloride (AmimCl)

Chevalier-Billosta V, Joseleau JP, Cochaux A, Ruel K*// *CNRS, UPR 5301, Ctr Rech Macromol Vegetales, BP 53, FR-38041 Grenoble 9, France
Cellulose 2007 **14** (2) 141
Tying together the ultrastructural modifications of wood fibre induced by pulping processes with the mechanical properties of paper

Curling SF, Fowler PA, Hill CAS// Univ Wales - Bangor, Sch Environm & Natl Resources, Renewable Materials Res Grp, Gwynedd LL57 2UW, Wales
Carbohydr Polym 2007 **69** (4) 673
Development of a method for the production of hemicellulosic gels from Sitka spruce

Dang VQ, Nguyen KL*// *Monash Univ, Australian Pulp & Paper Inst, Wellington Rd, Clayton, Vic 3800, Australia
Cellulose 2007 **14** (2) 153
A universal kinetic equation for characterising the fractal nature of delignification of lignocellulosic materials

Deshmukh B, Harfmann RG, Conklin J, Turowski M, Lynch S// Dow Chem Co, Anal Sci R&D, 1897 Anal Sci, Midland, MI 48667, USA
Food Chem 2007 **104** (2) 852
Validation of a size exclusion liquid chromatographic method for determination of methylcellulose and hydroxypropyl methylcellulose food gums as soluble dietary fiber in food and food product

Egorov VM, Smirnova SV, Formanovsky AA, Pletnev IV*, Zolotov YA// *MV Lomonosov State Univ, Dept Chem, GSP-2, RU-119992 Moscow, Russia
Anal Bioanal Chem 2007 **387** (6) 2263
Dissolution of cellulose in ionic liquids as a way to obtain test materials for metal-ion detection

Eriksson M, Notley SM, Wagberg L*// *Royal Inst Technol - KTH, Sch Chem Sci & Engr, Dept Fibre & Polymer Technol, SE-10044 Stockholm, Sweden
Biomacromolecules 2007 **8** (3) 912
Cellulose thin films: Degree of cellulose ordering and its influence on adhesion

Feng XH, Pelton R*// *McMaster Univ, Dept Chem Engr, JHE-136, Hamilton, Ontario, Canada L8S 4L7
Macromolecules 2007 **40** (5) 1624
Carboxymethyl cellulose: Polyvinylamine complex hydrogel swelling

Feng XH, Pelton R*, Leduc M, Champ S// *Address as above
Langmuir 2007 **23** (6) 2970
Colloidal complexes from poly(vinyl amine) and carboxymethyl cellulose mixtures

Fridman OA, Sorokina AV// ZAO Eklipt, Branch OAO Polimersintez, Bolshaya Nizhegorodskaya ul 77, RU-600000 Vladimir, Russia
Polym Sci Ser B 2006 **48** (5) 233
Criteria of efficiency of cellulose acetate plasticization

Guan Y, Xiao H*, Sullivan H, Zheng A// *Univ New Brunswick, Dept Chem Engr, Fredericton, New Brunswick, Canada E3B 5A3
Carbohydr Polym 2007 **69** (4) 688
Antimicrobial-modified sulfate pulps prepared by *in situ* copolymerization

Hatakeyama H, Onishi T, Endo T, Hatakeyama T*// *Lignocell Res, Bunkyo-ku, Tokyo 102 8357, Japan
Carbohydr Polym 2007 **69** (4) 792
Gelation of chemically cross-linked methylcellulose studied by DSC and AFM

Hedlund A, Germgard U*// *Karlstad Univ, Dept Chem Engr, SE-65188 Karlstad, Sweden
Cellulose 2007 **14** (2) 161
Some aspects on the kinetics of etherification in the preparation of CMC

Hong P, Fa C*, Wei Y, Sen Z// *Tianjin Univ, Sch Sci, Dept Chem, CN-300072 Tianjin, Peoples Rep China
Carbohydr Polym 2007 **69** (4) 625
Surface properties and synthesis of the cellulose-based amphoteric polymeric surfactant

As a service to subscribers of the journal, this bibliography contains newly published material in the field of carbohydrate polymers. The bibliography is divided into thirteen sections: 1 Reviews; 2 Cellulose; 3 Cellulose-degrading enzymes; 4 Chitin/Chitosan; 5 Cyclodextrins; 6 Lignin; 7 Lipopolysaccharides; 8 Pectin; 9 Starch; 10 Starch-degrading enzymes; 11 Polysaccharides - Microbial; 12 Polysaccharides - Plant; 13 Polysaccharides - Other. Within each section, articles are listed in alphabetical order with respect to author. When there are no publications to appear under one of these headings, that section will be omitted.

- Jorgensen H, Vibe-Pedersen J, Larsen J, Felby C// Univ Copenhagen, Fac Life Sci, Rolighedsvej 23, DK-1958 Frederiksberg, Denmark
Biotechnol Bioeng 2007 **96** (5) 862
Liquefaction of lignocellulose at high-solids concentrations
- Krakhmalev V, Paiziev A// *Uzbek Acad Sci, UA Arifov Inst Electronics, UZ-700125 Tashkent, Uzbekistan
Cellulose 2007 **14** (2) 129
Influence of noncontractile motion of plasmalemma upon cotton fiber cell wall structure
- Kulpinski P// Tech Univ Lodz, Dept Man-Made Fibers, ul Zeromskiego 116, PL-90543 Lodz, Poland
J Appl Polym Sci 2007 **104** (1) 398
Cellulose fibers modified by hydrophobic-type polymer
- Liu HQ, Tang CY// Fujian Normal Univ, Coll Chem & Materials Sci, CN-350007 Fuzhou, Peoples Rep China
Polym J 2007 **39** (1) 65
Electrospinning of cellulose acetate in solvent mixture *N,N*-dimethylacetamide (DMAc)/acetone
- Meireles CDS, Filho GR*, De Assuncao RMN, Zeni M, Mello K// *Univ Fed Uberlandia, Inst Quim, Av Joao Naves de Avila 2121, Cx P 593, BR-38400-902 Uberlandia, MG, Brazil
J Appl Polym Sci 2007 **104** (2) 909
Blend compatibility of waste materials-cellulose acetate (from sugarcane bagasse) with polystyrene (from plastic cups): Diffusion of water, FTIR, DSC, TGA, and SEM study
- Nilsson C, Asplund A, Schagerlof H, Melander C, Andersen A, Tjerneld F, Cohen A, Gorton L// Lund Univ, Dept Anal Chem, SE-22100 Lund, Sweden
Anal Bioanal Chem 2007 **387** (6) 2045
Studies of the separation and characterisation of mixtures of starch and cellulose derivatives by use of chromatography and mass spectrometry
- Renken A, Hunkeler D// *AQUA & TECH Specialties, Chemin Chalet Bac 4, CP 28, CH-1283 La Plaine, Geneva, Switzerland
J Microencapsul 2007 **24** (1) 20
Polymethylene-co-guanidine based capsules: A mechanistic study of the formation using alginate and cellulose sulphate
- Rodrigues G, De Assuncao RMN*, Vieira JG, Meireles CD, Cerqueira DA, Barud HD, Ribeiro SJL, Messaddeq Y// *Univ Fed Uberlandia, Inst Chem, Av Joao Naves de Avila 2121, POB 593, BR-38400-902 Uberlandia, MG, Brazil
Polym Degrad Stabil 2007 **92** (2) 205
Characterization of methylcellulose produced from sugar cane bagasse cellulose: Crystallinity and thermal properties
- Rusinova EV, Vshivkov SA, Alekseeva MS// Ural State Univ, pr Lenina 51, RU-620083 Ekaterinburg, Russia
Polym Sci Ser B 2007 **49** (1-2) 26
Phase transitions in liquid crystalline solutions of hydroxypropyl cellulose under deformation
- Schuldt U, Hunkeler D// *AQUA & TECH Specialties, Chemin Chalet Bac 4, CP 28, CH-1283 La Plaine, Geneva, Switzerland
J Microencapsul 2007 **24** (1) 1
Alginate-cellulose sulphate-oligocation microcapsules: Optimization of mass transport and mechanical properties
- Shchipunov YA, Postnova IV// Russian Acad Sci, Far East Div, Inst Chem, pr Stoletiya Vladivostoka 159, RU-690022 Vladivostok, Russia
Polym Sci Ser A 2006 **48** (2) 171
Alginate polyelectrolyte complexes with cationic hydroxyethyl cellulose derivatives: Role of the block structure
- Sossna M, Hollas M, Schaper J, Scheper T// Univ Hannover, Inst Chem Tech, Callinstr 3, DE-30167 Hannover, Germany
J Membr Sci 2007 **289** (1-2) 7
Structural development of asymmetric cellulose acetate microfiltration membranes prepared by a single-layer dry-casting method
- Thomson CI, Lowe RM, Ragauskas AJ// *Georgia Inst Technol, Sch Chem & Biochem, Atlanta, Ga 30332, USA
Carbohydr Polym 2007 **69** (4) 799
Imaging cellulose fibre interfaces with fluorescence microscopy and resonance energy transfer
- Tomsic B, Simoncic B*, Orel B, Vilcnik A, Spreizer H// *Univ Ljubljana, Fac Nat Sci & Engn, Dept Textiles, Snezniska 5, SI-1000 Ljubljana, Slovenia
Carbohydr Polym 2007 **69** (3) 478
Biodegradability of cellulose fabric modified by imidazolidinone
- Viet D, Beck-Candanedo S, Gray DG// *McGill Univ, Dept Chem, Pulp & Paper Res Ctr, Montreal, Quebec, Canada H3A 2A7
Cellulose 2007 **14** (2) 109
Dispersion of cellulose nanocrystals in polar organic solvents
- Wenz G, Liepold P// Univ Saarland, Postfach 151150, DE-66041 Saarbrücken, Germany
Cellulose 2007 **14** (2) 89
Self-assembly of biotin and thio-functionalized carboxymethyl celluloses on gold and molecular recognition of streptavidin detected by surface plasmon resonance
- Xia HF, Lin DQ, Yao SJ// *Zhejiang Univ, Dept Chem & Biochem Engn, CN-310027 Hangzhou, Peoples Rep China
J Appl Polym Sci 2007 **104** (2) 740
Spherical cellulose-nickel powder composite matrix customized for expanded bed application
- Xiao YC, Chung TS// *Natl Univ Singapore, Dept Chem & Biomol Engn, 10 Kent Ridge Crescent, SG-119260 Singapore, Rep Singapore
J Membr Sci 2007 **290** (1-2) 78
Functionalization of cellulose dialysis membranes for chiral separation using β -cyclodextrin immobilization
- Yang G, Miyamoto H, Yamane C*, Okajima K// *Kobe Womens Univ, Fac Home Econ, 2-1 Aoyama, Suma ku, Kobe, Hyogo 654 8585, Japan
Polym J 2007 **39** (1) 34
Structure of regenerated cellulose films from cellulose/aqueous NaOH solution as a function of coagulation conditions
- Yasar F, Togrul H, Arslan N// *Firat Univ Fac Engn, Dept Chem Engn, TR-23279 Elazig, Turkey
J Food Eng 2007 **81** (1) 187
Flow properties of cellulose and carboxymethyl cellulose from orange peel
- Yigitoglu M, Isiklan N*, Ozmen R// *Kirikkale Univ, Sci & Arts Fac, Dept Chem, TR-71450 Kirikkale, Turkey
J Appl Polym Sci 2007 **104** (2) 936
Graft copolymerization of *N*-vinyl-2-pyrrolidone onto sodium carboxymethyl-cellulose with azobisisobutyronitrile as the initiator
- Yokota S, Kitaoka T*, Wariishi H// *Kyushu Univ, Grad Sch Bioresource & Bioenvironm Sci, Dept Forest & Forest Prod Sci, Fukuoka 812 8581, Japan
Appl Surf Sci 2007 **253** (9) 4208
Surface morphology of cellulose films prepared by spin coating on silicon oxide substrates pretreated with cationic polyelectrolyte
- Yu HF, Fu GQ, He BL// Nankai Univ, MoE Key Lab Funct Polymer Materials, CN-300071 Tianjin, Peoples Rep China
Cellulose 2007 **14** (2) 99
Preparation and adsorption properties of PAA-grafted cellulose adsorbent for low-density lipoprotein from human plasma
- Yui T, Hayashi S// Miyazaki Univ, Fac Engn, Dept Appl Chem, Nishi 1-1, Gakuen-kibanadai, Miyazaki 889 2192, Japan
Biomacromolecules 2007 **8** (3) 817
Molecular dynamics simulations of solvated crystal models of cellulose I- α and IIII
- Zhang J, Elder TJ, Pu Y, Ragauskas AJ// *Georgia Inst Technol, Sch Chem & Biochem, Atlanta, Ga 30332, USA
Carbohydr Polym 2007 **69** (3) 607
Facile synthesis of spherical cellulose nanoparticles

3. Cellulose-degrading enzymes

- Adsul MG, Bastawde KB, Varma AJ, Gokhale DV// *Natl Chem Lab, NCIM Resource Ctr, IN-411008 Pune, India
Bioresource Technol 2007 **98** (7) 1467
Strain improvement of *Penicillium janthinellum* NCIM 1171 for increased cellulase production
- Chen M, Xia LM*, Xue PJ// *Zhejiang Univ, Dept Chem Engn & Bioengn, CN-310027 Hangzhou, Peoples Rep China
Int Biodeterior Biodegrad 2007 **59** (2) 85
Enzymatic hydrolysis of corn cob and ethanol production from cellulosic hydrolysate
- Dincer A, Telefoncu A// Ege Univ, Fac Sci, Dept Biochem, TR-35100 Izmir, Turkey
J Mol Catal B Enzym 2007 **45** (1-2) 10
Improving the stability of cellulase by immobilization on modified polyvinyl alcohol coated chitosan beads
- Egusa S, Kitaoka T*, Goto M, Wariishi H// *Kyushu Univ, Grad Sch Bioresource & Bioenvironm Sci, Dept Forest & Forest Prod Sci, Higashi ku, Fukuoka 812 8581, Japan
Angew Chem Int Ed 2007 **46** (12) 2063
Synthesis of cellulose *in vitro* by using a cellulase/surfactant complex in a nonaqueous medium
- Igarashi K, Wada M, Samejima M// *Univ Tokyo, Grad Sch Agr & Life Sci, Dept Biomaterials Sci, 1-1-1 Yayoi, Bunkyo ku, Tokyo 113 8657, Japan
FEBS J 2007 **274** (7) 1785
Activation of crystalline cellulose to cellulose IIII results in efficient hydrolysis by cellobiohydrolase
- Li CZ, Yoshimoto M, Fukunaga K, Nakao K// *Yamaguchi Univ, Fac Engn, Dept Appl Chem & Chem Engn, 2-16-1 Tokiwadai, Ube, Yamaguchi 755 86, Japan
Bioresource Technol 2007 **98** (7) 1366
Characterization and immobilization of liposome-bound cellulase for hydrolysis of insoluble cellulose

- Melander C, Andersson E, Axelsson S, Gorton L*// *Lund Univ, Dept Anal Chem, SE-22100 Lund, Sweden
Anal Bioanal Chem 2007 **387** (7) 2585
 Determination of reducing ends with flow injection analysis with amperometric detection: Application to enzyme-hydrolysed methyl cellulose
- Papinutti VL, Forchiassin F// Univ Buenos Aires, Fac Ciencias Exactas & Nat, Dept Biodiversidad & Biol Expt, Lab Micol Expt, AR-1428 Buenos Aires, DF, Argentina
J Food Eng 2007 **81** (1) 54
 Lignocellulolytic enzymes from *Fomes sclerodermeus* growing in solid-state fermentation
- Wilkins MR, Widmer WW, Grohmann K, Cameron RG// Oklahoma State University, Dept Biosyst & Agr Engr, 111 Agricultural Hall, Stillwater, Ok 74078, USA
Bioresource Technol 2007 **98** (8) 1596
 Hydrolysis of grapefruit peel waste with cellulase and pectinase enzymes
- #### 4. Chitin/chitosan
- Batista LM, Da Rosa CA, Pinto LAA*// *Univ Fed Rio Grande-FURG, Fundacao, Dept Chem, POB 474, BR-96201-900 Rio Grande, RS, Brazil
J Food Eng 2007 **81** (1) 127
 Diffusive model with variable effective diffusivity considering shrinkage in thin layer drying of chitosan
- Bhattarai SR, Kc RB, Aryal S, Khil MS, Kim HY*// *Chonbuk Nat Univ, Dept Textile Engr, Jeonju 561 756, South Korea
Carbohydr Polym 2007 **69** (3) 467
 N-Acylated chitosan stabilized iron oxide nanoparticles as a novel nano-matrix and ceramic modification
- Chang MY, Juang RS*// *Yuan Ze Univ, Dept Chem Engr & Materials Sci, Chung-Li 320, Taiwan
Int J Biol Macromol 2007 **40** (3) 224
 Stability and reactivity of acid phosphatase immobilized on composite beads of chitosan and ZrO₂ powders
- Cherkasova EI, Smirnova LA, Smirnov VF// Nizhnii Novgorod State Univ, Fac Chem, pr Gagarina 23, RU-603950 Nizhnii Novgorod, Russia
Polym Sci Ser B 2006 **48** (3-4) 80
 Measurement of molecular mass of chitosan oligomers
- Cunha-Reis C, Tuzlakoglu K, Baas E, Yang Y, El Haj A, Reis RL// Keele Univ Sch Med, Inst Sci & Technol Med, Thornburrow Dr, Stoke-on-Trent ST4 7QB, England
J Mater Sci Mater Med 2007 **18** (2) 195
 Influence of porosity and fibre diameter on the degradation of chitosan fibre-mesh scaffolds and cell adhesion
- Deng CM, He LZ, Zhao M, Yang D*, Liu Y// *Guangdong Ocean Univ, Sci Inst, CN-524088 Zhanjiang, Peoples Rep China
Carbohydr Polym 2007 **69** (3) 583
 Biological properties of the chitosan-gelatin sponge wound dressing
- Donati I, Haug IJ, Scarpa T, Borgogna M, Dragnet KI, Skjak-Braek G, Paoletti S// Univ Trieste, Dept Biochem Biophys & Macromol Chem, Via Licio Giorgieri 1, IT-34127 Trieste, Italy
Biomacromolecules 2007 **8** (3) 957
 Synergistic effects in semidilute mixed solutions of alginate and lactose-modified chitosan (chitlac)
- El-Tahlawy K, Abdelhaleem E, Hudson SM*, Hebeish A// *North Carolina State University, Fiber & Polymer Science Program, POB 8301, Raleigh, NC 27695, USA
J Appl Polym Sci 2007 **104** (2) 727
 Acylation of iminichitosan: Its effect on blending with cellulose acetate
- Fedosheva EN, Semchikov YD, Smirnova LA// Lobachevskii State Univ, pr Gagarina 23/2, RU-603950 Nizhnii Novgorod, Russia
Polym Sci Ser B 2006 **48** (5) 295
 Degradation of chitosan in solutions in the presence of a redox system
- Gamage A, Shahidi F*// *Mem Univ Newfoundland, Dept Biochem, Environ Sci Program, St John's, Newfoundland, Canada A1B 3X9
Food Chem 2007 **104** (3) 989
 Use of chitosan for the removal of metal ion contaminants and proteins from water
- Han E, Shan D*, Xue HG, Cosnier S// *Yangzhou Univ, Sch Chem & Chem Engr, CN-225002 Yangzhou, Peoples Rep China
Biomacromolecules 2007 **8** (3) 971
 Hybrid material based on chitosan and layered double hydroxides: Characterization and application to the design of amperometric phenol biosensor
- Jawalkar SS, Raju KVS, Halligudi SB, Sairam M, Aminabhavi TM*// *Karnatak Univ, Mol Modeling Div, Ctr Excellence Polymer Sci, IN-580003 Dharwad, Karnataka, India
J Phys Chem B 2007 **111** (10) 2431
 Molecular modeling simulations to predict compatibility of poly(vinyl alcohol) and chitosan blends: A comparison with experiments
- Jiang HL, Park IK, Kang ML, Yoo HS, Choi YJ, Akaike T, Cho CS*// *Seoul Natl Univ, Sch Agric Biotechnol, Seoul 151 921, South Korea
Polym Adv Technol 2007 **18** (3) 220
 Immune stimulating activity of an atrophic rhinitis vaccine associated to pegylated chitosan microspheres *in vitro*
- Jiao YP, Liu ZH, Zhou CR// Jinan Univ, Dept Mat Sci & Engr, CN-510632 Guangzhou, Peoples Rep China
J Biomed Mater Res A 2007 **80A** (4) 820
 Fabrication and characterization of PLLA-chitosan hybrid scaffolds with improved cell compatibility
- Jou CH, Yuan L, Lin SM, Hwang MC, Chou WL, Yu DG, Yang MC*// *Natl Taiwan Univ Sci & Technol, Dept Polymer Engr, Taipei 10672, Taiwan
J Appl Polym Sci 2007 **104** (1) 220
 Biocompatibility and antibacterial activity of chitosan and hyaluronic acid immobilized polyester fibers
- Jou CH, Lin SM, Yun L, Hwang MC, Yu DG, Chou WL, Lee JS, Yang MC*// *Natl Taiwan Univ Sci & Technol, Dept Polymer Engr, 43 Sec 4 Keelung Rd, Taipei 10672, Taiwan
Polym Adv Technol 2007 **18** (3) 235
 Biofunctional properties of polyester fibers grafted with chitosan and collagen
- Kim HS, Kim JT, Jung YJ, Ryu SC, Son HJ, Kim YG// Pusan Natl Univ, Coll Nat Resources & Life Sci, Dept Biomat Engr, Joint Res Ctr PNU-Fraunhofer IGB, Miryang 627 706, South Korea
Macromol Res 2007 **15** (1) 65
 Preparation of a porous chitosan/fibroin-hydroxyapatite composite matrix for tissue engineering
- Krokeide IM, Eijsink VGH, Sorlie M*// *Norwegian Univ Life Sci, Dept Chem Biotechnol & Food Sci, POB 5003, NO-1432 As, Norway
Thermochim Acta 2007 **454** (2) 144
 Enzyme assay for chitinase catalyzed hydrolysis of tetra-N-acetylchitotetraose by isothermal titration calorimetry
- Kulish EI, Volodina VP, Kolesov SV, Zaikov GE// Bashkortostan State Univ, ul Frunze 32, RU-450074 Ufa, Bashkortostan, Russia
Polym Sci Ser B 2006 **48** (5) 244
 Enzymatic degradation of chitosan films by collagenase
- Lei Z, Bi S, Yang H// Shaanxi Normal Univ, Sch Chem & Materials Sci, Key Lab Macromol Sci Shaanxi Prov, CN-710062 Xian, Peoples Rep China
Food Chem 2007 **104** (2) 577
 Chitosan-tethered the silica particle from a layer-by-layer approach for pectinase immobilization
- Lin HR, Chen KS*, Chen SC, Lee CH, Chiou SH, Chang TL, Wu TH// *Tatung Univ, Dept Mat Engr, 40 Chungshan Nth Rd 3rd Sec, Taipei 104, Taiwan
Mater Sci Eng C Biomim Supramol Syst 2007 **27** (2) 280
 Attachment of stem cells on porous chitosan scaffold crosslinked by Na₅P₃O₁₀
- Lira AAM, Nanciaras DMA, Federman A, Marchetti JM*// *Univ Sao Paulo, Sch Pharmaceut Sci, BR-05508 Ribeirao Preto, Sao Paulo, Brazil
J Therm Anal Calorim 2007 **87** (3) 899
 Drug-polymer interaction in the all-*trans* retinoic acid release from chitosan microparticles
- Majtan J, Bilikova K, Markovic O, Grof J, Kogan G, Simuth J*// *Slovak Acad Sci, Inst Mol Biol, Dept Mol Apidol, Dubravska cesta 21, SK-84551 Bratislava, Slovakia
Int J Biol Macromol 2007 **40** (3) 237
 Isolation and characterization of chitin from bumblebee (*Bombus terrestris*)
- Mi FL, Wu YY, Chiu YL, Chen MC, Sung HW, Yu SH, Shyu SS, Huang MF// Vanung Univ, Dept Biotechnol, Chungli, Taiwan
Biomacromolecules 2007 **8** (3) 892
 Synthesis of a novel glycoconjugated chitosan and preparation of its derived nanoparticles for targeting HepG2 cells
- Mironov AV, Vikhoreva GA, Kil'deeva NR, Uspenskii SA// Kosygin State Textile Univ, Malaya Kaluzhskaya ul 1, RU-119071 Moscow, Russia
Polym Sci Ser B 2007 **49** (1-2) 15
 Reasons for unstable viscous properties of chitosan solutions in acetic acid
- Mochalova AE, Nikishchenkova LV, Smirnova NN, Smirnova LA// Lobachevskii State Univ, Chem Res Inst, pr Gagarina 23-5, RU-603950 Nizhnii Novgorod, Russia
Polym Sci Ser B 2007 **49** (1-2) 42
 Thermodynamic properties of chitosan-based hydrogels in the range 0–350 K
- Mogilevskaya EL, Akopova TA, Zelenetskii AN, Ozerin AN// Russian Acad Sci, Enikolopov Inst Synthet Polymer Materials, ul Profsoyuznaya 70, RU-117393 Moscow, Russia
Polym Sci Ser A 2006 **48** (2) 116
 The crystal structure of chitin and chitosan
- Muramatsu K, Oba K, Mukai D, Hasegawa K, Masuda S, Yoshihara Y// Tokyo Denki University, Sch Sci & Engr, Department Biotechnol, Saitama 350 0394, Japan
J Mater Sci Mater Med 2007 **18** (3) 513
 Subacute systemic toxicity assessment of β -tricalcium phosphate/carboxymethyl-chitin composite implanted in rat femur

- Pang HT, Chen XG*, Park HJ, Cha DS, Kennedy JF// *Ocean Univ China, Coll Marine Life Sci, CN-266003 Qingdao, Peoples Rep China
Carbohydr Polym 2007 **69** (3) 419
Preparation and rheological properties of deoxycholate-chitosan and carboxy-methyl-chitosan in aqueous systems
- Park I, Cheng J, Pisano AP, Lee ES, Jeong JH// Univ Calif Berkeley, Berkeley Sensor & Actuator Ctr, Berkeley, Ca 94720, USA
Appl Phys Lett 2007 **90** (9) 93902
Low temperature, low pressure nanoimprinting of chitosan as a biomaterial for bionanotechnology applications
- Pfister LA, Papaloizos M, Merkle HP, Gander B*// *ETH, Inst Pharmaceut Sci, Wolfgang Pauli Str 10, CH-8093 Zurich, Switzerland
J Biomed Mater Res A 2007 **80A** (4) 932
Hydrogel nerve conduits produced from alginate/chitosan complexes
- Qi LF, Xu ZR, Chen ML// Zhejiang Univ, Anim Sci Coll, Nano Biol Lab, CN-310029 Hangzhou, Peoples Rep China
Eur J Cancer 2007 **43** (1) 184
In vitro and *in vivo* suppression of hepatocellular carcinoma growth by chitosan nanoparticles
- Renbutsu E, Okabe S, Omura Y, Nakatsubo F, Minami S, Saimoto H*, Shigemasa Y// *Tottori Univ, Dept Materials Sci, Tottori 680 8552, Japan
Carbohydr Polym 2007 **69** (4) 697
Synthesis of UV-curable chitosan derivatives and palladium (II) adsorption behavior on their UV-exposed films
- Rokhade AP, Shelke NB, Patil SA, Aminabhavi TM*// *Karnatak Univ, Drug Delivery Div, Ctr Excellence Polym Sci, IN-580003 Dharwad, India
Carbohydr Polym 2007 **69** (4) 678
Novel interpenetrating polymer network microspheres of chitosan and methyl-cellulose for controlled release of theophylline
- Sun T, Zhou DX, Mao F, Zhu YN// Shanghai Fisheries Univ, Coll Food Sci, CN-200090 Shanghai, Peoples Rep China
Eur Polym J 2007 **43** (2) 652
Preparation of low-molecular-weight carboxymethyl chitosan and their superoxide anion scavenging activity
- Tang ZX, Qian JQ, Shi LE// Zhejiang Univ Technol, Coll Chem Engrg & Materials Sci, CN-310014 Hangzhou, Zhejiang, Peoples Rep China
Appl Biochem Biotechnol 2007 **136** (1) 77
Preparation of chitosan nanoparticles as carrier for immobilized enzyme
- Thanou M, Henderson S, Kydonieus A, Elson C// Imperial Coll London, Genet Therapies Ctr, London SW7 2AZ, England
J Controlled Release 2007 **117** (2) 171
N-Sulfonato-*N*,*O*-carboxymethylchitosan: A novel polymeric absorption enhancer for the oral delivery of macromolecules
- Wada T, Yasuda M, Yako H, Matoba Y, Uragami T// Kowa Chem Ind Co Ltd, Toyonaka, Osaka 561 0815, Japan
Macromol Mater Eng 2007 **292** (2) 147
Preparation and characterization of hybrid quaternized chitosan/acrylic resin emulsions and their films
- Wan Y, Fang Y, Wu H, Cao XY// Royal Military Coll Canada, Dept Chem & Chem Engrg, Kingston, Ontario, Canada K7K 7B4
J Biomed Mater Res A 2007 **80A** (4) 776
Porous polylactide/chitosan scaffolds for tissue engineering
- Wang YS, Liu LG, Weng J, Zhang QQ*// *CAMS, Peking Union Med Coll, Inst Biomed Engrg, PO Box 25-204, CN-300192 Tianjin, Peoples Rep China
Carbohydr Polym 2007 **69** (3) 597
Preparation and characterization of self-aggregated nanoparticles of cholesterol-modified *O*-carboxymethyl chitosan conjugates
- Wu J, Wang XF, Keum JK, Zhou HW, Gelfer M, Avila-Orta CA, Pan H, Chen WL, Chiao SM, Hsiao BS*, Chu B// *SUNY Stony Brook, Dept Chem, Stony Brook, NY 11794, USA
J Biomed Mater Res A 2007 **80A** (4) 800
Water soluble complexes of chitosan-*g*-MPEG and hyaluronic acid
- Wu XM, Black L, Santacana-Laffitte G, Patrick CW*// *Univ Texas, MD Anderson Canc Ctr, Dept Biomed Engrg, Houston, Tx 77030, USA
J Biomed Mater Res A 2007 **81A** (1) 59
Preparation and assessment of glutaraldehyde-crosslinked collagen-chitosan hydrogels for adipose tissue engineering
- Xu XY, Li L, Zhou HP*, Lu SY, Yang H, Yin XJ, Ren JS// *China Pharmaceut Univ, Dept Pharm, 24 Tongjiqiang, CN-210009 Nanjing, Peoples Rep China
Colloid Surface B 2007 **55** (2) 222
Preparation and characterization of *N*-succinyl-*N'*-octyl chitosan micelles as doxorubicin carriers for effective anti-tumor activity
- Yancheva E, Paneva D, Maximova V, Mespouille L, Dubois P, Manolova N, Rashkov I*// *Bulgarian Acad Sci, Inst Polymer, Lab Bioactive Polymers, Acad G Bonchev St, Bl 103A, BU-1113 Sofia, Bulgaria
Biomacromolecules 2007 **8** (3) 976
Polyelectrolyte complexes between (cross-linked) *N*-carboxyethylchitosan and (quaternized) poly [2-(dimethylamino)ethyl methacrylate]: Preparation, characterization, and antibacterial properties
- Yang WW, Zhou H, Sun CQ*// *Jilin Univ, Coll Chem, CN-130012 Changchun, Peoples Rep China
Macromol Rapid Commun 2007 **28** (3) 265
Synthesis of ferrocene-branched chitosan derivatives - Redox polysaccharides and their application to reagentless enzyme-based biosensors
- Yeh JT, Chen CL, Huang KS*// *Kun Shan Univ, Dept Polymer Materials, Tainan 71003, Taiwan
Mater Lett 2007 **61** (6) 1292
Synthesis and properties of chitosan/SiO₂ hybrid materials
- Youn DK, No HK*, Prinyawiwatkul W// *Catholic Univ Daegu, Dept Food Sci & Technol, Hayang 712 702, South Korea
Carbohydr Polym 2007 **69** (4) 707
Physical characteristics of decolorized chitosan as affected by sun drying during chitosan preparation
- Zambito Y, Zaino C, Burchielli S, Carelli V, Serafini MF, Di Colo G*// *Univ Pisa, Dipt Chim Bioorgan & Biofarm, Via Bonanno 33, IT-56126 Pisa, Italy
J Drug Deliv Sci Technol 2007 **17** (1) 19
Novel quaternary ammonium chitosan derivatives for the promotion of intraocular drug absorption
- Zhang L, Liu W, Han B, Wang D*// *Ocean Univ China, Coll Food Sci & Engrg, CN-266003 Qingdao, Peoples Rep China
Carbohydr Polym 2007 **69** (4) 644
Synthesis and antitumor activity of arginine-glucosamine conjugate
- Zhang XF, Hua H, Shen XY, Yang Q// Donghua Univ, Coll Material Sci & Engrg, State Key Lab Modification Chem Fibers & Polymer Materials, CN-200051 Shanghai, Peoples Rep China
Polymer 2007 **48** (4) 1005
In vitro degradation and biocompatibility of poly(L-lactic acid)/chitosan fiber composites

5. Cyclodextrins

- Ali SM, Maheshwari A, Fozdar BI// Aligarh Muslim Univ, Dept Chem, IN-202002 Aligarh, India
Magn Reson Chem 2007 **45** (3) 253
¹H NMR spectroscopic study of complexation of citalopram with β -cyclodextrin in aqueous solution
- Galia A, Navarre EC, Scialdone O, Ferreira M, Filardo G, Tilloy S, Monflier E// Univ Palermo, Dipt Ingn Chimica Processi & Materiali, Viale Scienza, Ed 6, IT-90128 Palermo, Italy
J Phys Chem B 2007 **111** (10) 2573
Complexation of phosphine ligands with peracetylated β -cyclodextrin in supercritical carbon dioxide: Spectroscopic determination of equilibrium constants
- Gotsev MG, Ivanov PM*, Jaime C// *Bulgarian Acad Sci, Inst Organ Chem, Ctr Phytochem, ul Acad G Bonchev, Bl 9, BU-1113 Sofia, Bulgaria
Chirality 2007 **19** (3) 203
Molecular dynamics study of the conformational dynamics and energetics of some large-ring cyclodextrins (CD_n, *n* = 24, 25, 26, 27, 28, 29)
- Liu R, Harada A, Takata T*// *Tokyo Inst Technol, Dept Organ & Polymer Materials, Meguro ku, Tokyo 152 8552, Japan
Polym J 2007 **39** (1) 21
Solvent-free synthesis of unmodified cyclodextrin-based pseudopolyrotaxane and polyrotaxane by grinding
- Moraes CM, Abrami P, De Paula E, Braga AFA, Fraceto LF*// *Univ Sorocaba, Fac Pharm, Cidade Univ, Rodovia Raposo-Tavares km 92.5, BR-18023-000 Sorocaba, SP, Brazil
Int J Pharm 2007 **331** (1) 99
Study of the interaction between *S*-(+)-bupivacaine and 2-hydroxypropyl- β -cyclodextrin
- Prabagar B, Yoo BK, Woo JS, Kim JA, Rhee JD, Piao MG, Choi HG*, Yong CS// *Yeungnam Univ, Coll Pharm, 214-1 Daedong, Kyongsan 712 749, South Korea
Arch Pharm Res 2007 **30** (2) 249
Enhanced bioavailability of poorly water-soluble clotrimazole by inclusion with β -cyclodextrin
- Ribeiro ACF, Valente AJM, Santos CIAV, Prazeres PMRA, Lobo VMM, Burrows HD, Esteiro MA, Cabral AMTDPV, Veiga FJB// Univ Coimbra, Dept Chem, PT-3004-535 Coimbra, Portugal
J Chem Eng Data 2007 **52** (2) 586
Binary mutual diffusion coefficients of aqueous solutions of α -cyclodextrin, 2-hydroxypropyl- α -cyclodextrin, and 2-hydroxypropyl- β -cyclodextrin at temperatures from 298.15 to 312.15 K
- Salipira KL, Mamba BB, Krause RW*, Malefsete TJ, Durbach SH// *Univ Johannesburg, Dept Chem Technol, POB 17011, ZA-2028 Johannesburg, Rep Sth Africa
Environ Chem Lett 2007 **5** (1) 13
Carbon nanotubes and cyclodextrin polymers for removing organic pollutants from water

Strerath M, Meng M, Kubik S*// *Tech Univ Kaiserslautern, Fachbereich Chem Organ Chem, Erwin Schrodinger Str, DE-67663 Kaiserslautern, Germany
Synthetis Stuttgart 2007 (3) 348

Facile one-step synthesis of mono-2-(*p*-tolylsulfonyl)- β -cyclodextrin under aqueous conditions

Wang EJ, Lian ZX, Cai JW*// *Sun Yat Sen Univ, Sch Chem & Chem Engr, CN-510275 Guangzhou, Peoples Rep China
Carbohydr Res 2007 **342** (5) 767

The crystal structure of the 1:1 inclusion complex of β -cyclodextrin with benzamide

Yuan DQ, Koga K, Kouno I, Fujioka T, Fukudome M, Fujita K// Nagasaki Univ, Grad Sch Biomed Sci, Dept Mol Med Sci, Bunkyo machi 1-14, Nagasaki 852 8521, Japan
Chem Commun 2007 (8) 828

The first topologically controlled synthesis of doubly bridged β -cyclodextrin dimers

6. Lignin

Tejado A, Pena C, Labidi J, Echeverria JM, Mondragon I*// *Univ Basque Country, Dept Chem & Environm Engr, Materials & Technol Grp, Pza Europa 1, ES-20018 Donostia-San Sebastian, Spain
Bioresource Technol 2007 **98** (8) 1655

Physico-chemical characterization of lignins from different sources for use in phenol-formaldehyde resin synthesis

7. Lipopolysaccharides

Adamo R, Kovac P// NIH/NIDDK, LBC, Sect Carbohydrates, Bethesda, Md 20892, USA

Eur J Org Chem 2007 (6) 988

Glycosylation under thermodynamic control: Synthesis of the di- and the hexasaccharide fragments of the O-SP of *Vibrio cholerae* O:1 serotype Ogawa from fully functionalized building blocks

Cheon HS, Wang YH, Ma JG, Kishi Y*// *Harvard Univ, Dept Chem & Biol Chem, 12 Oxford St, Cambridge, Ma 02138, USA
Chembiochem 2007 **8** (3) 353

Complexation of fatty acids and fatty acid-CoAs with synthetic *O*-methylated polysaccharides

Kocharova NA, Ovchinnikova OG*, Torzewska A, Shashkov AS, Knirel YA, Rozalski A// *Russian Acad Sci, ND Zelinskii Organ Chem Inst, RU-119991 Moscow, Russia
Carbohydr Res 2007 **342** (3-4) 665

The structure of the O-polysaccharide from the lipopolysaccharide of *Providencia alcalifaciens* O36 containing 3-deoxy-D-manno-oct-2-ulosonic acid

Kubler-Kielb J, Vinogradov E, Chu CY, Schneerson R// NIH/NICHHD, 9000 Rockville Pike, Bethesda, Md 20892, USA
Carbohydr Res 2007 **342** (3-4) 643

O-Acetylation in the *O*-specific polysaccharide isolated from *Shigella flexneri* serotype 2a

Parikh SJ, Chorover J*// *Univ Arizona, Dept Soil Water & Environm Sci, Tucson, Az 85721, USA

Colloid Surface B 2007 **55** (2) 241

Infrared spectroscopy studies of cation effects on lipopolysaccharides in aqueous solution

Perepelov AV, Han WQ, Senchenkova SN, Shevelev SD, Shashkov AS, Feng L, Liu YQ, Knirel YA, Wang L// Russian Acad Sci, ND Zelinskii Organ Chem Inst, RU-119991 Moscow, Russia
Carbohydr Res 2007 **342** (3-4) 648

Structure of the O-polysaccharide of *Escherichia coli* O150 containing 2-acetamido-4-*O*-(*S*)-1-carboxyethyl]-2-deoxy-D-glucose

Shashkov AS, Kocharova NA*, Zatonsky GV, Blaszczyk A, Knirel YA, Rozalski A// *Russian Acad Sci, ND Zelinskii Organ Chem Inst, RU-119991 Moscow, Russia
Carbohydr Res 2007 **342** (3-4) 653

Structure of the O-antigen of *Providencia stuartii* O20, a new polysaccharide containing 5,7-diacetamido-3,5,7,9-tetradecyloxy-L-glycero-D-galacto-non-2-ulosonic acid

Silipo A, Molinaro A*, Cheng-Lin J, Jiang Y, Xu P, Xu LH, Lanzetta R, Parrilli M// *Univ Naples Federico II, Dipt Chim Organ & Biochim, Via Cintia 4, IT-80126 Naples, Italy
Carbohydr Res 2007 **342** (5) 757

The O-chain structure from the LPS of the bacterium *Naxibacter alkalitolerans* YIM 31775^T

Vinogradov E// Natl Res Council Canada, Inst Biol Sci, 100 Sussex Dr, Ottawa, Ontario, Canada K1A 0R6

Carbohydr Res 2007 **342** (3-4) 638

The structure of the core-O-chain linkage region of the lipopolysaccharide from *Bordetella hinzii*

8. Pectin

Fraeye I, Duvetter T, Verlent I, Sila DN, Hendrickx M, Van Loey A*// *Katholieke Univ Leuven, Dept Microbial & Mol Syst, Lab Food Technol, Ctr Food & Microbial Technol, BE-3001 Louvain, Belgium

Innov Food Sci Emerg Technol 2007 **8** (1) 93

Comparison of enzymatic de-esterification of strawberry and apple pectin at elevated pressure by fungal pectinmethylesterase

Yapo BM, Lerouge P, Thibault JF, Ralet MC*// *INRA, UR1268 Biopolym Interactions Assemblages, FR-44000 Nantes, France

Carbohydr Polym 2007 **69** (3) 426

Pectins from citrus peel cell walls contain homogalacturonans homogenous with respect to molar mass, rhamnogalacturonan I and rhamnogalacturonan II

9. Starch

Aparicio-Saguilan A, Sayago-Ayerdi SG, Vargas-Torres A, Tovar J, Ascencio-Otero TE, Bello-Perez LA*// *IPN, Ctr Desarrollo Productos Bioticos, Km 8.5 Carretera Yautepec-Jojutla, Colonia San Isidro, AP 24, MX-62731 Morelos, Mexico

J Food Compos Anal 2007 **20** (3-4) 175

Slowly digestible cookies prepared from resistant starch-rich lintnerized banana starch

Bagheri R, Naimian F// Isfahan Univ Technol, Dept Chem Engr, Polymer Grp, IR-84154 Isfahan, Iran

J Appl Polym Sci 2007 **104** (1) 178

Melt flow properties of starch-filled linear low density polyethylene: Effect of photoinitiators

Bayer RK, Balta-Calleja FJ// Inst Estructura Materia - CSIC, Serrano 119, ES-28006 Madrid, Spain

J Appl Polym Sci 2007 **104** (2) 689

Nanostructure of potato starch. II. Structure of a highly crystalline gel obtained by retrogradation using X-ray diffraction techniques

Bertuzzi MA, Vidaurre EFC, Armada M, Gottifredi JC// Univ Nacl Salta, Fac Ingn, Inst Invest Ind Quim, Buenos Aires 177, AR-4402 Salta, Argentina

J Food Eng 2007 **80** (3) 972

Water vapor permeability of edible starch based films

Chen MH, Bergman CJ// USDA/ARS, Rice Res Unit, 1509 Aggie Dr, Beaumont, Tx 77713, USA

Carbohydr Polym 2007 **69** (3) 562

Method for determining the amylose content, molecular weights, and weight- and molar-based distributions of degree of polymerization of amylose and fine-structure of amylopectin

Cui DP, Liu MZ*, Liang R, Bi YH// *Lanzhou Univ, Dept Chem, CN-730000 Lanzhou, Peoples Rep China

Starch 2007 **59** (2) 91

Synthesis and optimization of the reaction conditions of starch sulfates in aqueous solution

Dolz M, Hernandez MJ, Delegido J, Alfaro MC, Munoz J// Univ Valencia, Fac Fis & Farm, Dept Termodinamica, ES-46100 Valencia, Spain

J Food Eng 2007 **81** (1) 179

Influence of xanthan gum and locust bean gum upon flow and thixotropic behaviour of food emulsions containing modified starch

El-Mohdy HLA// Natl Ctr Radiat Res & Technol, POB 26, Cairo, Egypt

J Appl Polym Sci 2007 **104** (1) 504

Synthesis of starch-based plastic films by electron beam irradiation

Elfstrand L, Eliasson AC, Jonsson M, Larsson M, Simpraga A, Thelin B, Wahlgren M// Lund Univ, Div Food Technol, PO Box 124, SE-22100 Lund, Sweden

Carbohydr Polym 2007 **69** (4) 732

Recrystallization of waxy maize starch during manufacturing of starch microspheres for drug delivery: Influence of excipients

Ghosh S, Viana JC, Reis RL, Mano JF*// *3Bs Res Grp Biomat Biodegradables & Biomimet, Campus Gualtar, PT-4710-057 Braga, Portugal

J Mater Sci Mater Med 2007 **18** (2) 185

The double porogen approach as a new technique for the fabrication of interconnected poly(L-lactic acid) and starch based biodegradable scaffolds

Huang M, Kennedy JF, Li B*, Xu X, Xie BJ// *Huazhong Agric Univ, Coll Food Sci & Technol, CN-430070 Wuhan, Peoples Rep China

Carbohydr Polym 2007 **69** (3) 411

Characters of rice starch gel modified by gellan, carrageenan, and glucomannan: A texture profile analysis study

Kawai K, Fukami K, Yamamoto K*// *Nat Food Res Inst, 2-1-12 Kannondai, Tsukuba, Ibaraki 305 8642, Japan

Carbohydr Polym 2007 **69** (3) 590

Effects of treatment pressure, holding time, and starch content on gelatinization and retrogradation properties of potato starch-water mixtures treated with high hydrostatic pressure

- Klimaviciute R, Riauka A, Zemaitaitis A// Kaunas Univ Technol, Dept Organ Technol, Radvilenu Pl 19, LT-50254 Kaunas, Lithuania
J Polym Res 2007 **14** (1) 67
The binding of anionic dyes by cross-linked cationic starches
- Kozlov SS, Krivandin AV, Shatalova OV, Noda T, Bertoft E, Fornal J, Yuryev VP// *Russian Acad Sci, Inst Biochem Phys, 4 Str Kosygina, RU-119334 Moscow, Russia
J Therm Anal Calorim 2007 **87** (2) 575
Structure of starches extracted from near-isogenic wheat lines - Part II. Molecular organization of amylopectin clusters
- Kshirsagar AC, Singhal RS// *Univ Mumbai, Inst Chem Technol, Food Engr & Technol Dept, Matunga, IN-400019 Mumbai, India
Carbohydr Polym 2007 **69** (3) 455
Optimization of starch oleate derivatives from native corn and hydrolyzed corn starch by response surface methodology
- Kuo WY, Lai HM// *National Taiwan University, Dept Agric Chem, Taipei, Taiwan
Carbohydr Polym 2007 **69** (3) 544
Changes of property and morphology of cationic corn starches
- Lille M, Autio K// VTT Tech Res Ctr Finland, POB 1000, FI-02044 VTT, Espoo, Finland
Innov Food Sci Emerg Technol 2007 **8** (1) 117
Microstructure of high-pressure vs. atmospheric frozen starch gels
- Liu H, Yu L*, Chen L, Li L// *SCUT, Sch Light Ind & Food, Ctr Polym Renewable Resources, Guangzhou, Peoples Rep China
Carbohydr Polym 2007 **69** (4) 756
Retrogradation of corn starch after thermal treatment at different temperatures
- Mwangwela AM, Waniska RD, McDonough C, Minnaar A// *Univ Pretoria, Dept Food Sci, Lynnwood Rd, ZA-0002 Pretoria, Rep Sth Africa
J Sci Food Agric 2007 **87** (3) 399
Cowpea cooking characteristics as affected by micronisation temperature: A study of the physicochemical and functional properties of starch
- Nepogodiev SA, Dedola S, Marmuse L, De Oliveira MT, Field RA// Univ East Anglia, Sch Chem Sci & Pharm, Ctr Carbohydrate Chem, Norwich NR4 7TJ, England
Carbohydr Res 2007 **342** (3-4) 529-540
Synthesis of triazole-linked pseudo-starch fragments
- Nilsson L, Bergenstahl B// Lund Univ, Div Food Technol, Ctr Chem & Chem Engr, POB 124, SE-22100 Lund, Sweden
J Colloid Interface Sci 2007 **308** (2) 508
Adsorption of hydrophobically modified anionic starch at oppositely charged oil/water interfaces
- Normand V, Bouquerand PE// 7 rue Bergere, CH-1217 Geneva 2, Switzerland
Starch 2007 **59** (2) 100
Dimensionless hygroscopic number of malto-oligomers
- Park IM, Ibanez AM, Shoemaker CF// Univ Calif Davis, Dept Food Sci & Technol, Davis, Ca 95616, USA
Starch 2007 **59** (2) 69
Rice starch molecular size and its relationship with amylose content
- Patindol JA, Gonzalez BC, Wang YJ*, McClung AM// *Univ Arkansas, Dept Food Sci, Fayetteville, Ar 72704, USA
J Cereal Sci 2007 **45** (2) 209
Starch fine structure and physicochemical properties of specialty rice for canning
- Primo-Martin C, Van Nieuwenhuijzen NH, Hamer RJ, Van Vliet T// Wageningen Ctr Food Sci, Wageningen, The Netherlands
J Cereal Sci 2007 **45** (2) 219
Crystallinity changes in wheat starch during the bread-making process: Starch crystallinity in the bread crust
- Pukkahuta C, Shobsngob S, Varavinit S// *Mahidol Univ, Fac Sci, Dept Biotechnol, Rama VI Rd, TH-10400 Bangkok, Thailand
Starch 2007 **59** (2) 78
Effect of osmotic pressure on starch: New method of physical modification of starch
- Radhakrishnan T, Georges MK, Nair PS, Luyt AS, Djokovic V// Univ Toronto, Dept Chem, Mississauga, Ontario, Canada L5L 1C6
J Nanosci Nanotechnol 2007 **7** (3) 986
Study of sago starch-CdS nanocomposite films: Fabrication, structure, optical and thermal properties
- Raina CS, Singh S, Bawa AS, Saxena DC// SL Inst Engr & Technol, Dept Food Technol, Longowal, IN-148106 Sangrur, Punjab, India
LWT-Food Sci Technol 2007 **40** (5) 885
A comparative study of Indian rice starches using different modification model solutions
- Salgado AJ, Coutinho OP, Reis RL, Davies JE// Univ Minho, 3Bs Res Grp, Campus Gualtar, Braga, Portugal
J Biomed Mater Res A 2007 **80A** (4) 983
In vivo response to starch-based scaffolds designed for bone tissue engineering applications
- Schlemmer D, De Oliveira ER, Sales MJA// *Univ Brasilia, Inst Quim, LabPol, BR-70904-970 Brasilia, DF, Brazil
J Therm Anal Calorim 2007 **87** (3) 635
Polystyrene/thermoplastic starch blends with different plasticizers - Preparation and thermal characterization
- Shi R, Zhang Z, Liu Q, Han Y, Zhang L*, Chen D, Tian W// *Beijing Univ Chem Technol, Key Lab Beijing City Prep & Processing Novel Polym Materials, CN-100029 Beijing, Peoples Rep China
Carbohydr Polym 2007 **69** (4) 748
Characterization of citric acid/glycerol co-plasticized thermoplastic starch prepared by melt blending
- Tan I, Flanagan BM, Halley PJ, Whittaker AK, Gidley MJ// *Univ Queensland, Ctr Nutr & Food Sci, Brisbane, Qld 4072, Australia
Biomacromolecules 2007 **8** (3) 885
A method for estimating the nature and relative proportions of amorphous, single, and double-helical components in starch granules by ¹³C CP/MAS NMR
- Teixeira EM, Da Roz AL, Carvalho AJF*, Curvelo AAS// *Univ Fed Sao Carlos, Campus Sorocaba, PB 3031, BR-18043-970 Sorocaba, SP, Brazil
Carbohydr Polym 2007 **69** (4) 619
The effect of glycerol/sugar/water and sugar/water mixtures on the plasticization of thermoplastic cassava starch
- Tuske Z, Eros I, Pintye-Hodi K// *Univ Szeged, Dept Pharmaceut Technol, Eotvos 6, HU-6720 Szeged, Hungary
J Adhes 2007 **83** (1-3) 27
Effects of the physicochemical properties of metronidazole-corn starch mixtures on the parameters of the pellets in the wet-granulation method
- Werner SRL, Jones JR, Paterson AHJ// Massey Univ, Inst Technol & Engr, Private Bag 11 222, Palmerston North, New Zealand
J Food Eng 2007 **80** (3) 859
Stickiness of maltodextrins using probe tack test during *in-situ* drying
- You S, Izydorczyk MS// *Grain Res Lab, 1404-303 Main St, Winnipeg, Manitoba, Canada R3C 3G8
Carbohydr Polym 2007 **69** (3) 489
Comparison of the physicochemical properties of barley starches after partial α -amylolysis and acid/alcohol hydrolysis
- Zaidul ISM, Norulaini NAN, Omar AKM, Yamauchi H, Noda T// Natl Agr Res Ctr Hokkaido Region, Memuro Upland Farm Res Station, Memuro-cho, Shinsei, Kasai, Hokkaido 082 0071, Japan
Carbohydr Polym 2007 **69** (4) 784
RVA analysis of mixtures of wheat flour and potato, sweet potato, yam, and cassava starches
- Zhou J, Song J*, Parker R// *Brunel Univ, Sch Engr & Design, Mech Engr, Uxbridge UB8 3PH, England
Carbohydr Polym 2007 **69** (3) 445
Microwave-assisted moulding using expandable extruded pellets from wheat flours and starch

10. Starch-degrading enzymes

- Bijttebier A, Goesaert H, Delcour JA// Katholieke Univ Leuven, Food Chem Lab, Kasteelpk Arenberg 20, BE-3001 Heverlee, Belgium
Biomacromolecules 2007 **8** (3) 765
Temperature impacts the multiple attack action of amylases

11. Polysaccharides - Microbial

- Bajaj I, Singhal R// *Univ Mumbai, Inst Chem Tech, IN-400019 Mumbai, India
Food Chem 2007 **104** (4) 1472
Gellan gum for reducing oil uptake in sev, a legume based product during deep-fat frying
- Barone JR, Medynets M// Virginia Tech, Biol Syst Engr Dept, 303 Seitz Hall, Blacksburg, Va 24061, USA
Carbohydr Polym 2007 **69** (3) 554
Thermally processed levan polymers
- Basavaraju KC, Demappa T, Rai SK// *Univ Mysore, Dept Polym Sci, Sir M VPG Ctr, Tubinakere, IN-571402 Mandya, Karnataka, India
Carbohydr Polym 2007 **69** (3) 462
Miscibility studies of polysaccharide xanthan gum and PEO (polyethylene oxide) in dilute solution
- Benichou A, Aserin A, Garti N// *Hebrew Univ Jerusalem, Inst Chem, Casali Inst Appl Chem, IL-91904 Jerusalem, Israel
Colloid Surface A 2007 **294** (1-3) 20
W/O/W double emulsions stabilized with WPI-polysaccharide complexes
- Chen Q, Wang AY, Li CF, Li TT, Jiao QC// *Nanjing Univ, State Key Lab Pharmaceut Biotechnol, CN-210093 Nanjing, Peoples Rep China
Spectrosc Lett 2007 **40** (1) 83
Spectroscopic characterization of pachyman sulfate and its binding interaction with azur A

- Choi SJ, Yoo B*// *Dongguk Univ, Dept Food Sci & Technol, Seoul 100 715, South Korea
Food Sci Biotechnol 2007 **16** (1) 146
 Dynamic rheological studies on mixtures of hot pepper-soybean paste and xanthan gum
- De Castro C, Gargiulo V, Lanzetta R, Parrilli M// Univ Naples, Dept Organ Chem & Biochem, Via Cintia 4, IT-80126 Naples, Italy
Biomacromolecules 2007 **8** (3) 1047
Agrobacterium rubi^T DSM 6772 produces a lipophilic polysaccharide capsule whose degree of acetylation is growth modulated
- De Philippis R, Paperi R, Sili C// Univ Florence, Dept Agric Biotechnol, Piazzale Cascine 24, IT-50144 Florence, Italy
Biodegradation 2007 **18** (2) 181
 Heavy metal sorption by released polysaccharides and whole cultures of two exopolysaccharide-producing cyanobacteria
- Kwon C, Park H, Jung S*// *Konkuk Univ, Dept Biosci & Biotechnol, Seoul 143 701, South Korea
Carbohydr Res 2007 **342** (5) 762
 Enantioseparation of some chiral flavanones using microbial cyclic β -(1 $\rightarrow$ 3), (1 $\rightarrow$ 6)-glucans as novel chiral additives in capillary electrophoresis
- Ladaviere C, Averlant-Petit MC, Fabre O, Durand A, Dellacherie E, Marie E*// *UMR CNRS-INPL 7568, Grp ENSIC, BP 20451, FR-54001 Nancy, France
Colloid Polym Sci 2007 **285** (6) 621
 Preparation of polysaccharide-coated nanoparticles by emulsion polymerization of styrene
- Liu GQ, Zhang KC*// *Stn Yangtze Univ, MoE Key Lab Ind Biotechnol, 170 Huihe Rd, CN-214036 Wuxi, Peoples Rep China
Appl Microbiol Biotechnol 2007 **74** (3) 572
 Enhancement of polysaccharides production in *Ganoderma lucidum* by the addition of ethyl acetate extracts from *Eupolyphaga sinensis* and *Catharsius molossus*
- Lowe BA, Miller JD, Neely MN*// *Wayne State Univ Sch Med, Dept Immunol & Microbiol, Detroit, MI 48201, USA
Infect Immun 2007 **75** (3) 1255
 Analysis of the polysaccharide capsule of the systemic pathogen *Streptococcus iniae* and its implications in virulence
- Maxson ME, Cook E, Casadevall A, Zaragoza O*// *Inst Salud Carlos III, Serv Micol, Ctr Nacl Microbiol, Ctra Majadahonda-Pozuelo, ES-28220 Madrid, Spain
Fungal Genet Biol 2007 **44** (3) 180
 The volume and hydration of the *Cryptococcus neoformans* polysaccharide capsule
- Pirog TP, Vysyatskaya NV, Korzh YV// Natl Acad Sci Ukraine, Zabolotnyi Inst Microbiol & Virol, ul Zabolotnogo 154, UA-03143 Kiev, Ukraine
Microbiology (Mosc) 2007 **76** (1) 25
 Specific features of the synthesis of the exopolysaccharide ethapolan on a mixture of energy-deficient growth substrates
- Srivastava A, Behari K*// *Univ Allahabad, Dept Chem, Polymer Sci Res Lab, Allahabad, India
J Appl Polym Sci 2007 **104** (1) 470
 Synthesis and study of metal ion sorption capacity of xanthan gum-g-2-acrylamido-2-methyl-1-propane sulphonic acid
- Survase SA, Saudagar PS, Singhal RS*// *Univ Bombay, Inst Chem Technol, Food Engn & Technol Dept, IN-400019 Mumbai, India
Bioresource Technol 2007 **98** (7) 1509
 Use of complex media for the production of scleroglucan by *Sclerotium rolfsii* MTCC 2156
- Tsai MC, Song TY, Shih PH, Yen GC*// *Nat Chung Hsing Univ, Dept Food Sci & Biotechnol, 250 Kuokuang Rd, Taichung 40227, Taiwan
Food Chem 2007 **104** (3) 1115
 Antioxidant properties of water-soluble polysaccharides from *Antrrodia cinnamomea* in submerged culture
- Vinderola G, Perdigon G, Duarte J, Farnworth E, Matar C*// *Univ Moncton, Dept Chim & Biochim, Moncton, New Brunswick, Canada E1A 3E9
Cytokine 2006 **36** (5-6) 254
 Effects of the oral administration of the exopolysaccharide produced by *Lactobacillus kefirifaciens* on the gut mucosal immunity
- Zhang AQ, Sun PL, Zhang JS*, Tang CH, Fan JM, Shi XM, Pan YJ// *Shanghai Acad Agric Sci, Inst Edible Fungi, CN-201106 Shanghai, Peoples Rep China
Food Chem 2007 **104** (2) 451
 Structural investigation of a novel fucoglucogalactan isolated from the fruiting bodies of the fungus *Hericium erinaceus*
- Bilan MI, Vinogradova EV, Shashkov AS, Usouy AI*// *Russian Acad Sci, ND Zelinskii Organ Chem Inst, Leninskii prosp 47, RU-119991 Moscow, Russia
Carbohydr Res 2007 **342** (3-4) 586
 Structure of a highly pyruvylated galactan sulfate from the Pacific green alga *Codium yezoense* (Bryopsidales, Chlorophyta)
- Buriti FCA, Cardarelli HR, Filisetti TMCC, Saad SMI*// *Univ Sao Paulo, Fac Ciencias Farmaceut, Dept Tecnol Bioquim-Farmaceut, Av Prof Lineu Prestes 580, BR-05508-000 Sao Paulo, SP, Brazil
Food Chem 2007 **104** (4) 1605
 Synbiotic potential of fresh cream cheese supplemented with inulin and *Lactobacillus paracasei* in co-culture with *Streptococcus thermophilus*
- Chattopadhyay K, Mandal P, Lerouge P, Driouch A, Ghosal P, Ray B*// *Univ Burdwan, Dept Chem, IN-713104 Golapbag, West Bengal, India
Food Chem 2007 **104** (3) 928
 Sulphated polysaccharides from Indian samples of *Enteromorpha compressa* (Ulvales, Chlorophyta): Isolation and structural features
- Chen HH, Xu SY, Wang Z// Laiyang Agr Coll, Dept Food Sci & Technol, CN-266109 Qingdao, Shandong, Peoples Rep China
J Food Eng 2007 **80** (4) 1051
 Interaction between flaxseed gum and meat protein
- Chen HX, Zhang M, Qu ZS, Xie BJ// Tianjin Univ, Sch Pharmaceut Sci & Technol, CN-300072 Tianjin, Peoples Rep China
J Agric Food Chem 2007 **55** (6) 2256
 Compositional analysis and preliminary toxicological evaluation of a tea polysaccharide conjugate
- Da S Maciel J, Kosaka PM, De Paula RCM, Feitosa JPA, Petri DFS*// *Univ Sao Paulo, Inst Quim, PO Box 26077, BR-05513-970 Sao Paulo, SP, Brazil
Carbohydr Polym 2007 **69** (3) 522
 Formation of cashew gum thin films onto silicon wafers or amino-terminated surfaces and the immobilization of concanavalin A on them
- De Vos P, De Haan BJ, Kamps JAAM, Faas MM, Kitano T// Univ Groningen, Dept Pathol & Lab Med, Div Immunoendocrinol, Sect Med Biol, Hanzeplein 1, NL-9700 RB Groningen, The Netherlands
J Biomed Mater Res A 2007 **80A** (4) 813
 Zeta-potentials of alginate-PLL capsules: A predictive measure for biocompatibility?
- Feng T, Gu ZB*, Jin ZY*// *Stn Yangtze Univ, Sch Food Sci & Technol, Dept Educat, Key Lab Food Sci & Safety, CN-214036 Wuxi, Peoples Rep China
Food Sci Technol Int 2007 **13** (1) 55
 Chemical composition and some rheological properties of *Mesona blumes* gum
- Guo R, Zhang LY, Jiang ZP, Cao Y, Ding Y, Jiang XQ*// *Nanjing Univ, Coll Chem, Lab Mesoscop Chem, CN-210093 Nanjing, Peoples Rep China
Biomacromolecules 2007 **8** (3) 843
 Synthesis of alginic acid-poly[2-(diethylamino)ethyl methacrylate] monodispersed nanoparticles by a polymer-monomer pair reaction system
- Huang Y, Yu H, Xiao C*// *Wuhan Univ, Coll Chem & Molec Sci, CN-430072 Wuhan, Peoples Rep China
Carbohydr Polym 2007 **69** (4) 774
 pH-sensitive cationic guar gum/poly (acrylic acid) polyelectrolyte hydrogels: Swelling and *in vitro* drug release
- Kar S, Mandal A, Das Mohapatra PK, Mondal KC, Pati BR*// *Vidyasagar Univ, Dept Microbiol, IN-721102 Midnapore, India
Braz J Microbiol 2006 **37** (4) 462
 Production of cellulase-free xylanase by *Trichoderma reesei* SAF3
- Lee JB, Hou X, Hayashi K, Hayashi T// Univ Toyama, Grad Sch Med & Pharmaceut Sci, 2630 Sugitani, Toyama, Toyama 930 0194, Japan
Carbohydr Polym 2007 **69** (4) 651
 Effect of partial desulfation and oversulfation of sodium spirulan on the potency of anti-herpetic activities
- Li XM, Li XL, Zhou AG// Xingjiang Agric Univ, Sch Food Technol, CN-830000 Urumqi, Xinjiang, Peoples Rep China
Eur Polym J 2007 **43** (2) 488
 Evaluation of antioxidant activity of the polysaccharides extracted from *Lycium barbarum* fruits *in vitro*
- Mahammad S, Comfort DA, Kelly RM, Khan SA*// *Nth Carolina State Univ, Dept Chem & Biomol Engn, Raleigh, NC 27695, USA
Biomacromolecules 2007 **8** (3) 949
 Rheological properties of guar galactomannan solutions during hydrolysis with galactomannanase and α -galactosidase enzyme mixtures
- Martins S, Sarmiento B*, Souto EB, Ferreira DC// *Univ Porto, Fac Pharm, Dept Pharmaceut Technol, Porto, Portugal
Carbohydr Polym 2007 **69** (4) 725
 Insulin-loaded alginate microspheres for oral delivery - Effect of polysaccharide reinforcement on physicochemical properties and release profile
- Maslen SL, Goubet F, Adam A, Dupree P, Stephens E*// *Univ Cambridge, Dept Chem, Lensfield Rd, Cambridge CB2 1EW, England
Carbohydr Res 2007 **342** (5) 724
 Structure elucidation of arabinoxylan isomers by normal phase HPLC-MALDI-TOF/TOF-MS/MS

12. Polysaccharides - Plant

- Meena R, Prasad K, Siddhanta AK*// *Cent Salt & Marine Chem Res Inst, IN-364002 Bhavnagar, Gujarat, India
J Appl Polym Sci 2007 **104** (1) 290
 Preparation of genipin-fixed agarose hydrogel
- Navarro DA, Flores ML, Stortz CA*// *Univ Buenos Aires, Fac Ciencias Exact & Naturales, Dept Quim Organ-CIHIDECAR, Ciudad Univ, AR-1428 Buenos Aires, Argentina
Carbohydr Polym 2007 **69** (4) 742
 Microwave-assisted desulfation of sulfated polysaccharides
- Nunez-Santiago MDC, Tecante A*// *UNAM, Fac Quim E, Dept Alimentos & Biotecnol, Ciudad Univ, MX-04510 Mexico City, DF, Mexico
Carbohydr Polym 2007 **69** (4) 763
 Rheological and calorimetric study of the sol-gel transition of κ -carrageenan
- Paseephol T, Small D, Sherkat F*// *RMIT Univ, Sch Appl Sci - Food Sci, 124 La Trobe St, Melbourne, Vic 3000, Australia
Food Chem 2007 **104** (1) 73
 Process optimisation for fractionating Jerusalem artichoke fructans with ethanol using response surface methodology
- Petkowicz CLO, Schaefer S, Reicher F// UFPR, Dept Bioquim & Biol Mol, CP 19046, BR-81531-990 Curitiba, PR, Brazil
Carbohydr Polym 2007 **69** (4) 659
 The mannan from *Schizolobium parahybae* endosperm is not a reserve polysaccharide
- Rao RSP, Muralikrishna G*// *Cent Food Technol Res Inst, Dept Biochem & Nutr, IN-570020 Mysore, India
Food Chem 2007 **104** (3) 1160
 Structural characteristics of water-soluble feruloyl arabinoxylans from rice (*Oryza sativa*) and ragi (finger millet, *Eleusine coracana*): Variations upon malting
- Rioux LE, Turgeon SL*, Beaulieu M// *Univ Laval, Fac Sci Agric & Alimentation, Inst Nutraceut & Aliments Fonction, Sainte Foy, Quebec, Canada G1K 7P4
Carbohydr Polym 2007 **69** (3) 530
 Characterization of polysaccharides extracted from brown seaweeds
- Singh B, Sharma N, Chauhan N// Himachal Pradesh Univ, Dept Chem, IN-171005 Shimla, HP, India
Carbohydr Polym 2007 **69** (4) 631
 Synthesis, characterization and swelling studies of pH responsive psyllium and methacrylamide based hydrogels for the use in colon specific drug delivery
- Singh V, Tiwari A, Pandey S, Singh SK, Sanghi R// Natl Phys Lab, Div Engn Mat, Dr KS Krishnan Rd, IN-110012 New Delhi, India
J Appl Polym Sci 2007 **104** (1) 536
 Synthesis and characterization of novel saponified guar-graft-poly(acrylonitrile)/silica nanocomposite materials
- Thanos CG, Bintz BE, Emerich DF// LCT BioPharma Inc, Providence, RI 02906, USA
J Biomed Mater Res A 2007 **81A** (1) 1
 Stability of alginate-polyornithine microcapsules is profoundly dependent on the site of transplantation
- Toneli JTC, Murr FEX, Martinelli P, Dal Fabbro IM, Park KJ// Univ Estadual Campinas, Sch Agric Engrn, POB 6011, BR-13083-875 Campinas, SP, Brazil
J Food Eng 2007 **80** (3) 832
 Optimization of a physical concentration process for inulin
- Verwimp T, Van Craeyveld V, Courtin CM, Delcour JA*// *Katholieke Univ Leuven, Lab Food Chem, Kasteelpk Arenberg 20, Louvain, Belgium
J Agric Food Chem 2007 **55** (5) 1985
 Variability in the structure of rye flour alkali-extractable arabinoxylans
- Wagner R, Simas FF, Pereira GCZ, Angeli A, Brito JO, Woranovicz-Barreira SM, Delgobo CL, Sasaki GL, Iacomini M, Gorin PAJ*// *Univ Fed Parana, Dept Bioquim & Biol Mol, Cx P 19046, BR-81531-990 Curitiba, PR, Brazil
Carbohydr Polym 2007 **69** (3) 512
 Structure of a glycoglucomannan from the gum exudate of *Vochysia tucanorum* (family Vochysiaceae)
- Yang XP, Guo DY, Zhang JM, Wu MC*// *Huazhong Agricultural Univ, Coll Food Sci & Technol, Lab Funct Food & Nutr, CN-430070 Wuhan, Peoples Rep China
Int Immunopharmacol 2007 **7** (3) 401
 Characterization and anti-tumor activity of pollen polysaccharide
- Yin YM, Zhang HB*, Nishinari K// *Shanghai Jiao Tong Univ, Dept Polymer Sci & Engrn, CN-200240 Shanghai, Peoples Rep China
J Phys Chem B 2007 **111** (7) 1590
 Voltammetric characterization on the hydrophobic interaction in polysaccharide hydrogels
- Yoo DH, Lee BH, Chang PS, Lee HG, Yoo SH*// *Sejong Univ, Dept Food Sci & Technol, 98 Gunja dong, Gwangjin gu, Seoul 143 747, South Korea
J Agric Food Chem 2007 **55** (5) 1656
 Improved quantitative analysis of oligosaccharides from lichenase-hydrolyzed water-soluble barley β -glucans by high-performance anion-exchange chromatography
- ### 13. Polysaccharides - Other
- Agoub AA, Smith AM, Giannouli P, Richardson RK, Morris ER*// *Univ Coll Cork, Dept Food & Nutr Sci, Cork, Rep Ireland
Carbohydr Polym 2007 **69** (4) 713
 "Melt-in-the-mouth" gels from mixtures of xanthan and konjac glucomannan under acidic conditions: A rheological and calorimetric study of the mechanism of synergistic gelation
- Gao C, Muthukrishnan S, Li WW, Yuan JY, Xu YY, Muller AHE// Shanghai Jiao Tong Univ, Coll Chem & Chem Engrn, 800 Dongchuan Rd, CN-200240 Shanghai, Peoples Rep China
Macromolecules 2007 **40** (6) 1803
 Linear and hyperbranched glycopolymer-functionalized carbon nanotubes: Synthesis, kinetics, and characterization
- Grombe R, Gouzy MF, Maitz MF, Freudenberg U, Zschoche S, Simon F, Pompe T, Sperling C, Werner C*// *Max Bergmann Ctr Biomaterials, Leibniz Inst Polymer Res, Hohe Str 6, DE-01069 Dresden, Germany
Macromol Biosci 2007 **7** (2) 195
 Sulfated glycopolymer thin films - Preparation, characterization, and biological activity
- Hahn SK, Kim JS, Shimobouji T// Pohang University Sci & Technol, Dept Materials Sci & Engrn, San 31, Hyoja dong, Nam gu, Pohang 790 784, South Korea
J Biomed Mater Res A 2007 **80A** (4) 916
 Injectable hyaluronic acid microhydrogels for controlled release formulation of erythropoietin
- Han S, Yoshida T*, Uryu T// *Kitami Inst Technol, Appl Chem Dept, 165 Koen-cho, Kitami 090 8507, Japan
Carbohydr Polym 2007 **69** (3) 436
 Synthesis of a new polylysine-dendritic oligosaccharide with alkyl spacer having peptide linkage
- Hsu MC, Lee J, Kishi Y*// *Harvard Univ, Dept Chem & Chem Biol, 12 Oxford St, Cambridge, Ma 02138, USA
J Org Chem 2007 **72** (6) 1931
 Synthetic 3-O-methylmannose-containing polysaccharides (SMMPS): Design and synthesis
- Jeske WP, McDonald MK, Hoppensteadt DA, Bau EC, Mendes A, Dietrich CP, Walenga JM, Coyne E// Loyola Univ Med Ctr, Cardiovasc Inst, 2160 Sth First Ave, Maywood, IL 60153, USA
Clin Appl Thromb Hemost 2007 **13** (2) 137
 Isolation and characterization of heparin from tuna skins
- Luong-Van E, Grondahl L, Nurcombe V, Cool S*// *Inst Mol & Cell Biol, 61 Biopolis Dr, SG-138673 Singapore, Rep Singapore
Biomaterials 2007 **28** (12) 2127
 In vitro biocompatibility and bioactivity of microencapsulated heparin sulfate
- Meppen M, Wang YH, Cheon HS, Kishi Y*// *Harvard University, Department Chemistry & Chem Biol, 12 Oxford Street, Cambridge, Massachusetts 02138, USA
J Org Chem 2007 **72** (6) 1941
 Synthetic 6-O-methylglucose-containing polysaccharides (SMGPS): Design and synthesis
- Mickova K, Copikova J, Synytsya A// Inst Chem Technol Prague, Fac Food & Biochem Technol, Dept Carbohydrate Chem & Technol, Technicka 5, CZ-16628 Prague 6, Czech Republic
Czech J Food Sci 2007 **25** (1) 25
 Determination of polydextrose as a fat replacer in butter
- Nakano J, Ishiwata A, Ohta H, Ito Y*// *RIKEN, Inst Phys & Chem Res, Wako, Saitama 351 0198, Japan
Carbohydr Res 2007 **342** (5) 675
 Synthesis of complex-type glycans derived from parasitic helminths
- Pongjanyakul T, Puttipatkhachorn S// Khon Kaen University, Faculty Pharmaceutical Science, Dept Pharmaceut Technol, TH-40002 Khon Kaen, Thailand
Int J Pharm 2007 **331** (1) 61
 Xanthan-alginate composite gel beads: Molecular interaction and *in vitro* characterization
- Pranoto Y, Lee CM, Park HJ*// *Korea Univ, Grad Sch Biotechnol, 1,5-Ga, Anam dong, Sungbuk gu, Seoul 136 701, South Korea
LWT-Food Sci Technol 2007 **40** (5) 766
 Characterizations of fish gelatin films added with gellan and κ -carrageenan
- Yang D, Li Y, Nie J*// *Beijing University Chemical Technology, College Material Science & Engineering, State Key Lab Chem Resource Engrn, CN-100029 Beijing, Peoples Rep China
Carbohydr Polym 2007 **69** (3) 538
 Preparation of gelatin/PVA nanofibers and their potential application in controlled release of drugs