

# Bibliography of carbohydrate polymers

(4 weeks journals. Search completed at 3rd. Oct. 2007)

## 1. Reviews

- J Inclusion Phenom Macrocycl Chem* 2007 **57** (1–4)  
Special issue: Proceedings of the XIII International Cyclodextrin Symposium  
Bhattacharya D, Nagpure A, Gupta RK\*// \*Guru Gobind Singh Indraprastha Univ, Sch Biotechnol, Kashmere Gate, IN-110006 Delhi, India  
*Crit Rev Biotechnol* 2007 **27** (1) 21  
Bacterial chitinases: Properties and potential  
Singh B// Himachal Pradesh Univ, Dept Chem, Summer Hill, IN-171005 Shimla, Himachal Pradesh, India  
*Int J Pharm* 2007 **334** (1–2) 1  
Psyllium as therapeutic and drug delivery agent  
Soares AF, De Albuquerque R, Carvalho, Veiga F// University Coimbra, Faculty Pharm, Pharmaceut Technol Laboratory, Rua Norte, PT-3000-004 Coimbra, Portugal  
*Nanomedicine* 2007 **2** (2) 183  
Oral administration of peptides and proteins: Nanoparticles and cyclodextrins as biocompatible delivery systems

## 2. Cellulose

- Alila S, Aloulou F, Beneventi D, Boufi S\*// \*Fac Sci Sfax, LMSE, BP 802, TN-3018 Sfax, Tunisia  
*Langmuir* 2007 **23** (7) 3723  
Self-aggregation of cationic surfactants onto oxidized cellulose fibers and coadsorption of organic compounds  
Bushin SV, Khripunov AK, Bezrukova MA, Astapenko EP// Russian Academy Sciences, Institute Macromol Cpds, Bolshoi pr 31, RU-199004 St Petersburg, Russia  
*Polym Sci Ser A* 2007 **49** (1) 71  
Hydrodynamic and conformational properties of cellulose myristate molecules in solution  
Cai J, Zhang LN\*, Zhou JP, Qi HS, Chen H, Kondo T, Chen XM, Chu B// \*Wuhan University, Department Chemistry, CN-430072 Wuhan, Peoples Rep China  
*Adv Mater* 2007 **19** (6) 821  
Multifilament fibers based on dissolution of cellulose in NaOH/urea aqueous solutions: Structure and properties  
Cheng CY, Chang KC// Chung Yuan Christian Univ, Dept Chem, Chungli 32023, Taiwan  
*Anal Sci* 2007 **23** (3) 305  
Sampling, dilution, and loading device-coupled high-performance liquid chromatography method for successive on-line analyses of major carbohydrate products in immobilized cellulase hydrolysate of paper cellulose  
Ciolacu D// Petru Poni Inst Macromol Chem, RO-700487 Iasi, Romania  
*J Optoelectron Adv Mater* 2007 **9** (4) 1033  
On the supramolecular structure of cellulose allomorphs after enzymatic degradation  
Cunha AG, Freire CSR\*, Silvestre AJD, Neto CP, Gandini A, Orblin E, Fardim P// \*Univ Aveiro, CICECO, Campus Santiago, PT-3810-193 Aveiro, Portugal  
*Biomacromolecules* 2007 **8** (4) 1347  
Highly hydrophobic biopolymers prepared by the surface pentafluorobenzoylation of cellulose substrates

- El Salmawi KM// Natl Ctr Radiat Res & Technol, Dept Radiat Chem, POB 29, Cairo, Egypt  
*J Macromol Sci Pure Appl Chem* 2007 **44** (4–6) 619  
Application of polyvinyl alcohol (PVA)/carboxymethyl cellulose (CMC) hydrogel produced by conventional crosslinking or by freezing and thawing  
Huang B, Ge JJ, Li YH, Hou HQ\*// \*Jiangxi Normal Univ, Coll Chem & Chem Engn, 99 Ziyang St, CN-330022 Nanchang, Jiangxi, Peoples Rep China  
*Polymer* 2007 **48** (1) 264  
Aliphatic acid esters of (2-hydroxypropyl)cellulose - Effect of side chain length on properties of cholesteric liquid crystals  
Ibbett RN, Domvoglou D, Fasching M// Univ Manchester, Sch Mat, Christian Doppler Laboratory Textile & Fibre Chem Cellulosics, Manchester M60 1QD, England  
*Polymer* 2007 **48** (5) 1287  
Characterisation of the supramolecular structure of chemically and physically modified regenerated cellulosic fibres by means of high-resolution carbon-13 solid-state NMR  
Ibrahim SM, El Salmawi KM, Zahran AH// Natl Ctr Radiat Res & Technol, Dept Radiat Chem, POB 29, Nasr City, Cairo, Egypt  
*J Appl Polym Sci* 2007 **104** (3) 2003  
Synthesis of crosslinked superabsorbent carboxymethyl cellulose/acrylamide hydrogels through electron-beam irradiation  
Jin HJ, Zha CX, Gu LX\*// \*Donghua Univ, State Key Lab Modificat Chem Fibers & Polymer Materials, CN-200051 Shanghai, Peoples Rep China  
*Carbohydr Res* 2007 **342** (6) 851  
Direct dissolution of cellulose in NaOH/thiourea/urea aqueous solution  
Kaczmarek H, Bajer K// Nicholas Copernicus Univ, Fac Chem, Gagarin 7, PL-87100 Torun, Poland  
*J Polym Sci B Polym Phys* 2007 **45** (8) 903  
Biodegradation of plasticized poly(vinyl chloride) containing cellulose  
Karst D, Yang YQ\*// \*Univ Nebraska, Dept Biol Syst Engn, Lincoln, Ne 68583, USA  
*Macromol Chem Phys* 2007 **208** (7) 784  
Effect of structure of large aromatic molecules grafted onto cellulose on hydrolysis of the glycosidic linkages  
Kohler S, Heinze T\*// \*Univ Jena, Ctr Excellence Polysaccharide Res, Humboldtstr 10, DE-07743 Jena, Germany  
*Macromol Biosci* 2007 **7** (3) 307  
New solvents for cellulose: Dimethyl sulfoxide/ammonium fluorides  
Kumar AP, Singh RP\*// \*Natl Chem Lab, Div Polymer Sci & Engn, IN-411008 Pune, Maharashtra, India  
*J Appl Polym Sci* 2007 **104** (4) 2672  
Novel hybrid of clay, cellulose, and thermoplastics. I. Preparation and characterization of composites of ethylene-propylene copolymer  
Kvien I, Oksman K\*// \*Norwegian Univ Sci & Technol, Dept Engn Design & Materials, Trondheim, Norway  
*Appl Phys A Mat Sci Process* 2007 **87** (4) 641  
Orientation of cellulose nanowhiskers in polyvinyl alcohol  
Lee SH, Teramoto Y, Wang SQ, Pharr GM, Rials TG// Univ Tennessee, Forest Prod Ctr, Knoxville, Tn 37996, USA  
*J Polym Sci B Polym Phys* 2007 **45** (9) 1114  
Nanoindentation of biodegradable cellulose diacetate-graft-poly(L-lactide) copolymers: Effect of molecular composition and thermal aging on mechanical properties

As a service to subscribers of the journal, this bibliography contains newly published material in the field of carbohydrate polymers. The bibliography is divided into thirteen sections: 1 Reviews; 2 Cellulose; 3 Cellulose-degrading enzymes; 4 Chitin/Chitosan; 5 Cyclodextrins; 6 Lignin; 7 Lipopolysaccharides; 8 Pectin; 9 Starch; 10 Starch-degrading enzymes; 11 Polysaccharides - Microbial; 12 Polysaccharides - Plant; 13 Polysaccharides - Other. Within each section, articles are listed in alphabetical order with respect to author. When there are no publications to appear under one of these headings, that section will be omitted.

- Liang SM, Zhang LN\*, Li YF, Xu J// \*Wuhan Univ, Dept Chem, CN-430072 Wuhan, Peoples Rep China  
*Macromol Chem Phys* 2007 **208** (6) 594  
 Fabrication and properties of cellulose hydrated membrane with unique structure
- Liu CF, Sun RC\*, Zhang AP, Ren JL, Wang XA, Qin MH, Chao ZN, Luo W// \*NW Univ Agric & Forest Sci & Technol, Coll Forestry, Yangling, Peoples Rep China  
*Carbohydr Res* 2007 **342** (7) 919  
 Homogeneous modification of sugarcane bagasse cellulose with succinic anhydride using a ionic liquid as reaction medium
- Lua YY, Cao XP\*, Rohrs BR, Aldrich DS// \*Pfizer Inc, Global Res & Dev, Eastern Point Rd, Groton, Ct 06340, USA  
*Langmuir* 2007 **23** (8) 4286  
 Surface characterizations of spin-coated films of ethylcellulose and hydroxypropyl methylcellulose blends
- Marsano E, Canetti M, Conio G, Corsini P, Freddi G// Univ Genoa, Dipt Chim & Chim Ind, Via Dodecaneso 31, IT-16146 Genoa, Italy  
*J Appl Polym Sci* 2007 **104** (4) 2187  
 Fibers based on cellulose-silk fibroin blend
- Ohno T, Nishio Y// \*Kyoto Univ, Grad Sch Agric, Div Forest & Biomaterials Sci, Kyoto 606 8502, Japan  
*Macromol Chem Phys* 2007 **208** (6) 622  
 Estimation of miscibility and interaction for cellulose acetate and butyrate blends with *N*-vinylpyrrolidone copolymers
- Ostmark E, Harisson S, Wooley KL, Malmstrom EE// \*KTH - Royal Inst Technol, Fibre & Polymer Technol, Teknikringen 56-58, SE-100044 Stockholm, Sweden  
*Biomacromolecules* 2007 **8** (4) 1138  
 Comb polymers prepared by ATRP from hydroxypropyl cellulose
- Parra V, Vilar MR\*, Battaglini N, Ferraria AM, Do Rego AMB, Boufi S, Rodriguez-Mendez ML, Fonavs E, Muzikante I, Bouvet M// \*1 rue Guy de la Brosse, FR-75005 Paris, France  
*Langmuir* 2007 **23** (7) 3712  
 New hybrid films based on cellulose and hydroxygallium phthalocyanine. Synergetic effects in the structure and properties
- Patel R, Pillay V\*, Choonara YE, Govender T// \*Univ Witwatersrand, Sch Med, Dept Pharm & Pharmacol, Johannesburg, Rep Sth Africa  
*J Bioact Compat Polym* 2007 **22** (2) 119  
 A novel cellulose-based hydrophilic wafer matrix for rapid bioactive delivery
- Raguime JA, Arthanareeswaran G, Thanikaivelan P, Mohan D\*, Raajenthiren M// \*Anna Univ, AC Coll Technol, Dept Chem Engrg, Membrane Lab, IN-600025 Chennai, India  
*J Appl Polym Sci* 2007 **104** (5) 3042  
 Performance characterization of cellulose acetate and poly(vinylpyrrolidone) blend membranes
- Salmi J, Osterberg M, Laine J// Helsinki Univ Technol, Lab Forest Prod Chem, POB 6300, FI-02015 Helsinki, Finland  
*Colloid Surface A* 2007 **297** (1-3) 122  
 The effect of cationic polyelectrolyte complexes on interactions between cellulose surfaces
- Seguchi M, Tabara A, Fukawa I, Ono H, Kumashiro C, Yoshino Y, Kusunose C, Yamane C// Kobe Womens Univ, Fac Home Econ, Lab Food Technol, Suma ku, Kobe, Hyogo 654 8585, Japan  
*J Food Sci* 2007 **72** (2) E79  
 Effects of size of cellulose granules on dough rheology, microscopy, and bread-making properties
- Tang XD, Gao LC, Fan XH, Zhou QF// Shanghai Jiao Tong Univ, Inst New Mat, CN-250023 Jinan, Peoples Rep China  
*J Polym Sci A Polym Chem* 2007 **45** (9) 1653  
 Controlled grafting of ethyl cellulose with azobenzene-containing polymethacrylates via atom transfer radical polymerization
- Ueno T, Yokota S, Kitaoka T\*, Wariishi H// \*Kyushi Univ, Grad Sci Bioresource & Bioenvironm Sci, Dept Forest & Forest Prod Sci, Fukuoka 812 8581, Japan  
*Carbohydr Res* 2007 **342** (7) 954  
 Conformational changes in single carboxymethylcellulose chains on a highly oriented pyrolytic graphite surface under different salt conditions
- Van den Berg O, Capadona JR, Weder C// \*Case Western Reserve Univ, Dept Macromol Sci & Engrg, 2100 Adelbert Rd, Cleveland, Oh 44106, USA  
*Biomacromolecules* 2007 **8** (4) 1353  
 Preparation of homogeneous dispersions of tunicate cellulose whiskers in organic solvents
- Videki B, Klebert S, Pukanszky B// \*Budapest Univ Technol & Econ, Dept Plast & Rubber Technol, POB 91, HU-1521 Budapest, Hungary  
*J Polym Sci B Polym Phys* 2007 **45** (8) 873  
 External and internal plasticization of cellulose acetate with caprolactone: Structure and properties
- Wheatley TA// FMC BioPolymer, POB 8, Princeton, NJ 08543, USA  
*Drug Develop Ind Pharm* 2007 **33** (3) 281  
 Water soluble cellulose acetate: A versatile polymer for film coating
- Yuan WZ, Yuan JY\*, Zhang FB, Xie XM// \*Tsing Hua Univ, Dept Chem, MoE Key Lab Organ Optoelect & Mol Engrg, CN-100084 Beijing, Peoples Rep China  
*Biomacromolecules* 2007 **8** (4) 1101  
 Syntheses, characterization, and *in vitro* degradation of ethyl cellulose-graft-poly( $\epsilon$ -caprolactone)-block-poly(L-lactide) copolymers by sequential ring-opening polymerization
- Zahrai S, Wikstrom G// Etek - Etanolteknik AB, Box 50, SE-89121 Ornskoldsvik, Sweden  
*Appl Biochem Biotech* 2007 **136** (2) 141  
 Mathematical modeling of flow and kinetics in a reactor for dilute-acid hydrolysis of cellulose particles - A mixture flow approach
- Zhang HL, Kannangara D, Hilder M, Ettl R, Shen W// \*Monash Univ, Dept Chem Engrg, Clayton, Vic 3800, Australia  
*Colloid Surface A* 2007 **297** (1-3) 203  
 The role of vapour deposition in the hydrophobization treatment of cellulose fibres using alkyl ketene dimers and alkenyl succinic acid anhydrides

### 3. Cellulose-degrading enzymes

- Den Haan R, McBride JE, LaGrange DC, Lynd LR, Van Zyl WH// \*Univ Stellenbosch, Dept Microbiol, ZA-7600 Stellenbosch, Rep Sth Africa  
*Enzyme Microb Technol* 2007 **40** (5) 1291  
 Functional expression of cellobiohydrolases in *Saccharomyces cerevisiae* towards one-step conversion of cellulose to ethanol
- Ikeda Y, Hayashi H, Okuda N, Park EY// \*Univ Shizuoka, Fac Agric, Dept Appl Biol Chem, Biotechnol Lab, 836 Ohya, Shizuoka 422 8529, Japan  
*Biotechnol Prog* 2007 **23** (2) 333  
 Efficient cellulase production by the filamentous fungus *Acremonium cellulolyticus*
- Kristensen JB, Borjesson J, Bruun MH, Tjerneld F, Jorgensen H// Royal Vet & Agric Univ, Danish Ctr Forest Landscape & Planning, Rolighedsvej 23, DK-1958 Frederiksberg, Denmark  
*Enzyme Microb Technol* 2007 **40** (4) 888  
 Use of surface active additives in enzymatic hydrolysis of wheat straw lignocellulose
- Ramos R, Pinto R, Mota M, Sampaio L, Gama FM// \*Univ Minho, Dept Engr Biol, Ctr Engr Biol, Campus Gualtar, PT-4710 Braga, Portugal  
*Biocatal Biotransform* 2007 **25** (1) 35  
 Textile depilling: Superior finishing using cellulose-binding domains with residual enzymatic activity

### 4. Chitin/Chitosan

- Atyabi F, Majzoob S, Dorkoosh F, Sayyah M, Ponchel G// Tehran Univ Med Sci, Fac Pharm, Med Nanotechnol Res Ctr, POB 14155-6451, IR-14174 Tehran, Iran  
*Drug Develop Ind Pharm* 2007 **33** (3) 291  
 The impact of trimethyl chitosan on *in vitro* mucoadhesive properties of pectinate beads along different sections of gastrointestinal tract
- Bravo-Osuna I, Vauthier C, Farabolini A, Palmieri GF, Ponchel G// \*Univ Paris Sud, Fac Pharm, CNRS UMR 8612, Lab Phys Chim Pharmacotech & Biopharm, 5 rue JB Clement, FR-92296 Chateaufort Malabry, France  
*Biomaterials* 2007 **28** (13) 2233  
 Mucoadhesion mechanism of chitosan and thiolated chitosan-poly(isobutyl cyanoacrylate) core-shell nanoparticles
- Celik O, Akbuga J// \*Univ Marmara, Dept Pharmaceut Biotechnol, TR-34668 Istanbul, Turkey  
*Eur J Pharm Biopharm* 2007 **66** (1) 42  
 Preparation of superoxide dismutase loaded chitosan microspheres: Characterization and release studies
- Chaiyakosa S, Charernjiratrakul W, Umsakul K, Vuddhakul V// \*Prince Songkal Univ, Fac Sci, Dept Microbiol, TH-90112 Sonkhkhla, Thailand  
*Food Control* 2007 **18** (9) 1031  
 Comparing the efficiency of chitosan with chlorine for reducing *Vibrio parahaemolyticus* in shrimp
- Chen JH, Liu QL\*, Zhang XH, Zhang QG// \*Xiamen Univ, Coll Chem & Chem Engrg, Dept Chem & Biochem Engrg, CN-361005 Xiamen, Peoples Rep China  
*J Membr Sci* 2007 **292** (1-2) 125  
 Pervaporation and characterization of chitosan membranes cross-linked by 3-aminopropyltriethoxysilane
- Chi H, Li HB\*, Liu WH, Zhan HY// \*Wuhan Univ, Sch Printing & Packaging, CN-430072 Wuhan, Peoples Rep China  
*Colloid Surface A* 2007 **297** (1-3) 147  
 The retention- and drainage-aid behavior or quaternary chitosan in papermaking system
- Correlo VM, Pinho ED, Pashkuleva I, Bhattacharya M\*, Neves NM, Reis RL// \*Univ Minnesota, Dept Bioprod & Biosyst Engrg, St Paul, Mn 55108, USA  
*Macromol Biosci* 2007 **7** (3) 354  
 Water absorption and degradation characteristics of chitosan-based polyesters and hydroxyapatite composites

- Djordjevic D, Ceraci L, Alamed J, McClements DJ, Decker EA// \*Univ Massachusetts, Dept Food Sci, Amherst, Ma 01003, USA  
*J Agric Food Chem* 2007 **55** (9) 3585
- Chemical and physical stability of citral and limonene in sodium dodecyl sulfate-chitosan and gum arabic-stabilized oil-in-water emulsions
- El Salmawi KM// Natl Ctr Radiat Res & Technol, Dept Radiat Chem, POB 29, Cairo, Egypt  
*J Macromol Sci Pure Appl Chem* 2007 **44** (4-6) 541
- Gamma radiation-induced crosslinked PVA/chitosan blends for wound dressing
- Eroglu H, Sargon MF, Oner L// \*Hacettepe Univ, Fac Pharm, Dept Pharmaceut Technol, TR-06100 Ankara, Turkey  
*Drug Develop Ind Pharm* 2007 **33** (3) 265
- Chitosan formulations for steroid delivery: Effect of formulation variables on *in vitro* characteristics
- Fan LH, Zheng H, Xu YM, Huang J, Zhang CC// Wuhan Univ Technol, Coll Chem Engn, CN-430071 Wuhan, Peoples Rep China  
*J Macromol Sci Pure Appl Chem* 2007 **44** (4-6) 439
- Preparation and properties of chitosan/konjac glucomannan blend fibers
- Gupta KC, Jabrail FH// Indian Inst Technol, Dept Chem, Polymer Res Lab, IN-247667 Roorkee, Uttar Pradesh, India  
*J Appl Polym Sci* 2007 **104** (3) 1942
- Controlled-release formulations for hydroxy urea and rifampicin using polyphosphate-anion-crosslinked chitosan microspheres
- Hu Y, Ding Y, Ding D, Sun MJ, Zhang LY, Jiang XQ\*, Yang CZ// \*Nanjing Univ, Dept Polymer Sci & Engn, CN-210093 Nanjing, Peoples Rep China  
*Biomacromolecules* 2007 **8** (4) 1069
- Hollow chitosan/poly(acrylic acid) nanospheres as drug carriers
- Kang B, Dai YD, Zhang HQ, Chen D// Nanjing Univ Aeronautics & Astronautics, Med Phys Ctr, CN-210016 Nanjing, Peoples Rep China  
*Polym Degrad Stabil* 2007 **92** (3) 359
- Synergetic degradation of chitosan with  $\gamma$  radiation and hydrogen peroxide
- Krokeide IM, Synstad B, Gaseidnes S, Horn SJ, Eijsink VGH, Sorlie M// \*Norwegian Univ Life Sci, Dept Chem Biotechnol & Food Sci, NO-1432 As, Norway  
*Anal Biochem* 2007 **363** (1) 128
- Natural substrate assay for chitinases using high-performance liquid chromatography: A comparison with existing assays
- Lagaron JM, Fernandez-Saiz P, Ocio MJ// IATA, Inst Agrochem & Food Technol - CSIC, Apartado Correos 73, ES-46100 Burjassot, Spain  
*J Agric Food Chem* 2007 **55** (7) 2554
- Using ATR-FTIR spectroscopy to design active antimicrobial food packaging structures, based on high molecular weight chitosan polysaccharide
- Li J, Du YM\*, Liang HB// \*Wuhan Univ, Dept Environm Sci, CN-430079 Wuhan, Peoples Rep China  
*Polym Degrad Stabil* 2007 **92** (3) 515
- Influence of molecular parameters on the degradation of chitosan by a commercial enzyme
- Li XY, Jin LJ, McAllister TA, Stanford K, Xu JY, Lu YN, Zhen YH, Sun YX, Xu YP// \*Dalian Univ Technol, Dept Biosci & Biotechnol, CN-116024 Dalian, Peoples Rep China  
*J Agric Food Chem* 2007 **55** (8) 2911
- Chitosan-alginate microcapsules for oral delivery of egg yolk immunoglobulin (IgY)
- Lin YH, Chou NK, Wu WJ, Hsu SH, Whu SW, Ho GH, Tsai CL, Wang SS, Chu SH, Hsieh KH// \*Natl Taiwan Univ, Dept Chem Engn, Taipei 10764, Taiwan  
*J Appl Polym Sci* 2007 **104** (4) 2683
- Physical properties of water-borne polyurethane blended with chitosan
- Maurstad G, Danielsen S, Stokke BT// \*Norwegian Univ Sci & Technol - NTNU, Dept Phys, NO-7491 Trondheim, Norway  
*Biomacromolecules* 2007 **8** (4) 1124
- The influence of charge density of chitosan in the compaction of the polyanions DNA and xanthan
- Osugi N, Dong T, Hexig B, Inoue Y// \*Tokyo Inst Technol, Dept Biomol Engn, Nagatsuta 4259-B-55, Yokohama, Kanagawa 226 850, Japan  
*J Appl Polym Sci* 2007 **104** (5) 2939
- Generation and characterization of compositional gradient structure in the biodegradable chitosan/poly(ethylene oxide) blend
- Payne GF, Raghavan SR// Univ Maryland, Inst Biotechnol, Ctr Biosyst Res, 5115 Plant Sci Bldg, College Park, Md 20742, USA  
*Soft Matter* 2007 **3** (5) 521
- Chitosan: A soft interconnect for hierarchical assembly of nano-scale components
- Phongying S, Aiba S, Chirachanchai S// \*Chulalongkorn Univ, Petroleum & Petrochemical Coll, Soi Chula 12, Phayathai Rd, TH-10330 Bangkok, Thailand  
*Polymer* 2007 **48** (1) 393
- Direct chitosan nanoscaffold formation *via* chitin whiskers
- Prabaharan M, Mano JF// Taiwan Text Res Inst, Dept Prod Dev, Tucheng 23674, Taipei County, Taiwan  
*J Macromol Sci Pure Appl Chem* 2007 **44** (4-6) 489
- Synthesis and characterization of chitosan-graft-poly(3-(trimethoxysilyl)propyl methacrylate) initiated by ceric (IV) ion
- Qun G, Ajun W\*, Yong Z// \*Shanghai Jiao Tong Univ, Sch Chem & Chem Technol, Dept Chem, CN-200240 Shanghai, Peoples Rep China  
*J Appl Polym Sci* 2007 **104** (4) 2720
- Effect of reacylation and degradation on the chemical and crystal structures of chitosan
- Radhakumary C, Nair PD, Mathew S, Nair CPR// Sree Chitra Tirunal Inst Med Sci & Technol, Biomed Technol Wing, IN-695012 Trivandrum, Kerala, India  
*J Appl Polym Sci* 2007 **104** (3) 1852
- Synthesis, characterization, and properties of poly(vinyl acetate)- and poly(vinyl alcohol)-grafted chitosan
- Saito Y, Tomotake Y, Shida S// Univ Tokyo, Grad Sch Agric & Life Sci, 1-1-1 Yayoi, Tokyo 113 8657, Japan  
*Biomacromolecules* 2007 **8** (4) 1064
- Formation of a lamellar compound by reaction of acrylic acid crystallosolvated in highly crystalline  $\beta$ -chitin
- Shon SO, Ji BC, Han YA, Park DJ, Kim IS, Choi JH// \*Kyungpook National University, Coll Agric & Life Sci, Dept Nat Fiber Sci, Taegu 702 701, South Korea  
*J Appl Polym Sci* 2007 **104** (3) 1408
- Viscoelastic sol-gel state of the chitosan and alginate solution mixture
- Son T, Kim D, Kim B, Koo K, Park Y, Kim J, Lim H// Yeungnam Univ, Sch Text, Dept Textile Materials & Chem Polymer Sci, Gyongsan 712 749, Gyeongbuk, South Korea  
*J Appl Polym Sci* 2007 **104** (5) 3057
- Stoichiometric and nonstoichiometric polyelectrolyte complex of chitosan and polyethyleneglycolmonosuccinate: Preparation and characterization
- Tao YG, Pan J, Yan SL, Tang B, Zhu LB// Anhui Univ Technol & Sci, Dept Biochem Engn, CN-241000 Wuhu, Peoples Rep China  
*Mater Sci Eng B Solid State Mat Adv Technol* 2007 **138** (1) 84
- Tensile strength optimization and characterization of chitosan/TiO<sub>2</sub> hybrid film
- Weng LH, Chen XM, Chen WL// \*SUNY Stony Brook, Dept Biomed Engn, Stonybrook, NY 11794, USA  
*Biomacromolecules* 2007 **8** (4) 1109
- Rheological characterization of *in situ* crosslinkable hydrogels formulated from oxidized dextran and *N*-carboxyethyl chitosan
- Wu J, Wei W, Wang LY, Su ZG, Ma GH// \*Chinese Academy Sciences, Inst Process Chem, State Key Lab Biochem Engn, CN-100080 Beijing, Peoples Rep China  
*Biomaterials* 2007 **28** (13) 2220
- A thermosensitive hydrogel based on quaternized chitosan and poly(ethylene glycol) for nasal drug delivery system
- Xu GF, Huang XD, Qiu LL, Wu JB, Hu YQ// Nantong Univ, Dept Nutr & Food Hyg, 19 Qixiu Rd, IN-226001 Lucknow, India  
*Asia Pac J Clin Nutr* 2007 **16** (Suppl 1) 313
- Mechanism study of chitosan on lipid metabolism in hyperlipidemic rats
- Xu XH, Zhang CH, Zhou YM, Liu Q, Cheng J, Yao KD, Chen Q// Tianjin Univ, Sch Materials Sci & Engn, CN-300072 Tianjin, Peoples Rep China  
*J Bioact Compat Polym* 2007 **22** (2) 195
- Quartz crystal microbalance study of protein adsorption on chitosan, chitosan/poly(vinyl pyrrolidone) blends and chitosan graft-poly(vinyl pyrrolidone) surfaces
- Yamada K, Aoki T, Ikeda N, Hirata M// Nihon Univ, Coll Ind Technol, Dept Appl Mol Chem, Narashino, Chiba 275 8575, Japan  
*J Appl Polym Sci* 2007 **104** (3) 1818
- Application of enzymatically gelled chitosan solutions to water-resistant adhesives
- Yang PF, Lee CK// \*Natl Taiwan Univ Sci & Technol, Dept Chem Engn, 43 Keelung Rd Sec 4, Taipei 106, Taiwan  
*Biochem Eng J* 2007 **33** (3) 284
- Hyaluronic acid interaction with chitosan-conjugated magnetite particles and its purification
- Yang YM, Zhao YH, Liu XH, Ding F, Gu XS// \*Nantong Univ, Jiangsu Key Lab Neuroregenerat, CN-226014 Nantong, Jiangsu, Peoples Rep China  
*J Appl Polym Sci* 2007 **104** (3) 1968
- The effect of different sterilization procedures on chitosan dried powder
- Yui T, Taki N, Sugiyama J, Hayashi S// Miyazaki Univ, Fac Engn, Dept Appl Chem, Nishi 1-1, Miyazaki 889 2192, Japan  
*Int J Biol Macromol* 2007 **40** (4) 336
- Exhaustive crystal structure search and crystal modeling of  $\beta$ -chitin
- Zha F, Lu RH\*, Chang Y// \*Chinese Acad Sci, Lanzhou Inst Chem Phys, CN-730000 Lanzhou, Peoples Rep China  
*J Macromol Sci Pure Appl Chem* 2007 **44** (4-6) 413
- Preparation and adsorption property of chitosan derivative bearing  $\beta$ -cyclodextrin and Schiff-Base
- Zhang J, Yuan K, Wang YP\*, Zhang ST, Zhang J// \*NW Normal University, Coll Chem & Chem Engn, Inst Polymer, CN-730070 Lanzhou, Peoples Rep China  
*J Bioact Compat Polym* 2007 **22** (2) 207
- Preparation and pH responsive behavior of poly(vinyl alcohol)chitosan-poly(acrylic acid) full-IPN hydrogels

Zhang J, Zhang ST, Wang YP, Zeng JY, Zhao XT// 967 East Rd Anning, CN-730070 Gansu, Peoples Rep China  
*J Macromol Sci Pure Appl Chem* 2007 **44** (4-6) 433

Composite magnetic microspheres of tamarind gum and chitosan: Preparation and characterization

Zhang SB, Wu ZS, Guo MM, Shen GL\*, Yu RQ// \*Hunan Univ, State Key Lab Chemobiosensing & Chemometr, CN-410082 Changsha, Peoples Rep China  
*Talanta* 2007 **71** (4) 1530

A novel immunoassay strategy based on combination of chitosan and a gold nanoparticle label

Zhang YQ, Chen JJ, Zhang YD\*, Pan YF, Zhao JF, Ren LF, Liao MM, Hu ZY, Kong L, Wang JW// \*Minist Hlth, Natl Key Lab Nanobiol Technol, CN-410078 Changsha, Hunan, Peoples Rep China  
*Biotechnol Appl Biochem* 2007 **46** (3-4) 197

A novel PEGylation of chitosan nanoparticles for gene delivery

Zhou XL, Chen SW, Liao GD, Shen ZJ, Zhang ZL, Sun L, Yu YJ, Hu QL, Jin XD\*// \*Zhejiang Univ, First Affiliated Hosp, Coll Med, Dept Urol, CN-310003 Hangzhou, Zhejiang Prov, Peoples Rep China  
*World J Gastroenterol* 2007 **13** (8) 1262

Preventive effect of gelatinizedly-modified chitosan film on peritoneal adhesion of different types

Zilberman M, Navon A, Sandovsky-Losica H, Segal E// Tel Aviv Univ, Dept Biomed Engr, IL-69978 Tel Aviv, Israel  
*J Biomed Mater Res A* 2007 **81A** (2) 392

Biomedical coatings based on chitin soluble extract for inhibition of fungal adhesion to polymeric surfaces

## 5. Cyclodextrins

Choi SJ, Geckeler KE\*// \*GIST, Dept Mat Sci & Engr, Lab Appl Macromol Chem, 1 Oryong dong, Buk gu, Kwangju 500 712, South Korea  
*Polymer* 2007 **48** (6) 1445

A novel polycondensate containing cyclodextrin and lactose: Synthesis, metal-complexing properties, and degradation

Dahiya S, Pathak K// Rajiv Acad Pharm, Dept Pharmaceut, Delhi Mathura Bypass, IN-281001 Mathura, Uttar Pradesh, India  
*Pharmazie* 2007 **62** (4) 278

Influence of amorphous cyclodextrin derivatives on aceclofenac release from directly compressible tablets

Li XP, McGuffin VL\*// \*Michigan State Univ, Dept Chem, East Lansing, MI 48824, USA  
*J Liq Chromatogr Relat Technol* 2007 **30** (5-7) 937

Thermodynamics and kinetics of chiral separations with  $\beta$ -cyclodextrin stationary phase: I. Effect of mobile phase composition

Li XP, McGuffin VL\*// \*Address as above  
*J Liq Chromatogr Relat Technol* 2007 **30** (5-7) 965

Thermodynamics and kinetics of chiral separations with  $\beta$ -cyclodextrin stationary phase II. Effect of temperature and pressure

Liao DS, Dai S, Tam KC\*// \*Nanyang Technol Univ, Sch Med & Aerospace Engr, 50 Nanyang Ave, SG-639798 Singapore, Rep Singapore  
*Macromolecules* 2007 **40** (8) 2936

Interaction between fluorocarbon end-capped poly(ethylene oxide) and cyclodextrins

Panova IG, Matuchina EV, Topchieva IN// Moscow MV Lomonosov State Univ, Dept Chem, Leninsky gory, GSP-3, RU-119992 Moscow, Russia  
*Polym Bull* 2007 **58** (4) 737

The template co-crystallization of  $\beta$ -cyclodextrin with polymeric inclusion complex

Rodriguez-Tenreiro C, Alvarez-Lorenzo C, Rodriguez-Perez A, Concheiro A, Torres-Labandeira JJ\*// \*Univ Santiago de Compostela, Fac Farm, Dept Farm & Tecnol Farmaceut, ES-15782 Santiago de Compostela, Spain  
*Eur J Pharm Biopharm* 2007 **66** (1) 55

Estradiol sustained release from high affinity cyclodextrin hydrogels

Singh I, Aboul-Enein HY// Univ Sharjah, Coll Pharm, POB 27272, Sharjah, United Arab Emirates  
*Pharmazie* 2007 **62** (4) 284

Influence of water soluble polymers on hydroxypropyl- $\beta$ -cyclodextrin complexation of rofecoxib

Smith AA, Kannan K, Manavalan R, Rajendiran N\*// \*Annamalai Univ, Dept Pharm, IN-608002 Annamalai Nagar, Tamil Nadu, India  
*J Inclusion Phenom Macrocycl Chem* 2007 **58** (1-2) 161

Spectral characteristics of bicalutamide drug in different solvents and  $\beta$ -cyclodextrin

Valli L, Giancane G, Mazzaglia A, Scolaro LM, Conoci S, Sortino S// Univ Salento, Dipt Ingn Innovazione, IT-73100 Lecce, Italy  
*J Mater Chem* 2007 **17** (17) 1660

Photoresponsive multilayer films by assembling cationic amphiphilic cyclodextrins and anionic porphyrins at the air/water interface

Wongmekiat A, Tozuka Y, Moribe K, Oguchi T, Yamamoto K\*// \*Chiba Univ, Grad Sch Pharmaceut Sci, 1-33 Yayoi cho, Inage ku, Chiba 263 8522, Japan  
*Chem Pharm Bull Tokyo* 2007 **55** (3) 359

Preparation of drug nanoparticles by co-grinding with cyclodextrin: Formation mechanism and factors affecting nanoparticle formation

## 6. Lignin

Asgher M, Asad MJ, Bhatti HN, Legge RL// Univ Agr Faisalabad, Dept Chem, Faisalabad, Pakistan

*World J Microbiol Biotechnol* 2007 **23** (4) 525

Hyperactivation and thermostabilization of *Phanerochaete chrysosporium* lignin peroxidase by immobilization in xerogels

Barakat A, Putaux JL, Saulnier L, Chabbert B, Cathala B\*// \*INRA, Unite Biopolymeres Interact & Assemblages, rue Geraudiere, BP 71627, FR-44316 Nantes, France  
*Biomacromolecules* 2007 **8** (4) 1236

Characterization of arabinoxylan-dehydrogenation polymer (synthetic lignin polymer) nanoparticles

Lee K// Keygen Life Sci Inst, 1271-11 Sa-1 dong, Sangrok gu, Ansan 426 901, Gyeonggi do, South Korea

*World J Microbiol Biotechnol* 2007 **23** (4) 599

Use of diluted medium in repeated-batch fermentation for production of lignin peroxidase by *Phanerochaete chrysosporium*

Reddy N, Salam A, Yang YQ\*// \*Univ Nebraska, Dept Biol Syst Engr, 234 HE Bldg, Lincoln, Ne 68583, USA

*Macromol Mater Eng* 2007 **292** (4) 458

Effect of lignin on the heat and light resistance of lignocellulosic fibers

## 7. Lipopolysaccharides

Lee BY, Baek JY, Jeon HB, Kim KS\*// \*Yonsei Univ, Ctr Bioactive Mol Hybrids, Seoul 120 749, South Korea

*Bull Korean Chem Soc* 2007 **28** (2) 257

Improved synthesis of the tetrasaccharide repeat unit of the O-antigen polysaccharide from *Escherichia coli* O77

## 8. Pectin

Aslan Y, Tanriseven A// Harran Univ, Fac Art & Sci, Dept Biochem, TR-63300 Sanliurfa, Turkey

*J Mol Catal B Enzym* 2007 **45** (3-4) 73

Immobilization of Pectinex Ultra SP-L to produce galactooligosaccharides

Funami T, Zhang G, Hiroe M, Noda S, Nakauma M, Asai I, Cowman MK, Al-Assaf S, Phillips GO// San-Ei Gen FFI Inc, Hydrocolloid Lab, 1-1-11 Sanwa-cho, Toyonaka, Osaka 561 8588, Japan

*Food Hydrocolloid* 2007 **21** (8) 1319

Effects of the proteinaceous moiety on the emulsifying properties of sugar beet pectin

Islam MS, Igura N\*, Shimoda M, Hayakawa I// \*Kyushu Univ, Fac Agric, Dept Biosci & Biotechnol, Lab Food Proc Engr, Hakozaki 6-10-1, Higashi ku, Fukuoka 812 8581, Japan

*Int J Food Sci Technol* 2007 **42** (4) 434

The synergistic effect of moderate heat and pressure on the physical properties and pectic substances of potato tissue

Itoh K, Hirayama T, Takahashi A, Koo W, Miyazaki S, Dairaku M, Togashi M, Mikami R, Attwood D\*// \*Univ Manchester, Sch Pharm & Pharmaceut Sci, Manchester M13 9PL, England

*Int J Pharm* 2007 **335** (1-2) 90

In situ gelling pectin formulations for oral drug delivery at high gastric pH

Kopjar M, Pilizota V, Tiban NN, Subaric D, Babic J, Ackar D// Faculty Food Technology, Dept Food Technol, Franje Kuhaca 18-20, HR-31107 Osijek, Croatia

*Dtsch Lebensm Rundsch* 2007 **103** (4) 164

Effect of different pectin addition and its concentration on colour and textural properties of raspberry jam

Verlent I, Hendrickx M\*, Verbeyst L, Van Loey A// \*Katholieke Univ Leuven, Fac Biosci Engr, Ctr Food Microbial Technol, Kasteelpk Arenberg 22, BE-3001 Louvain, Belgium

*Enzyme Microb Technol* 2007 **40** (5) 1141

Effect of temperature and pressure on the combined action of purified tomato pectinmethylesterase and polygalacturonase in presence of pectin

Wang Q, Fan XR, Hua ZZ, Chen J\*// \*Sthn Yangtze Univ, Sch Biotechnol, 170 Huihe Rd, CN-214036 Wuxi, Peoples Rep China  
*Biochem Eng J* 2007 **34** (2) 107

Optimizing bioscouring condition of cotton knitted fabrics with an alkaline pectinase from *Bacillus subtilis* WSHB04-02 by using response surface methodology

## 9. Starch

- Agbisit R, Alavi S\*, Cheng EZ, Herald T, Trater A// \*Kansas State Univ, Dept Grain Sci & Ind, Manhattan, Ks 66506, USA  
*J Texture Stud* 2007 **38** (2) 199  
 Relationships between microstructure and mechanical properties of cellular corn-starch extrudates
- Al-Hakkak J, Al-Hakkak F// New Zealand Inst Crop & Food Res Ltd, Private Bag 4707, Christchurch 8140, New Zealand  
*Starch* 2007 **59** (3–4) 117  
 New non-destructive method using gluten to isolate starch from plant materials other than wheat
- Alvarez MD, Canet W, Fernandez C// Inst Frio - CSIC, Dept Plant Foods Sci & Technol, Jose Novais 10, ES-28040 Madrid, Spain  
*J Sci Food Agric* 2007 **87** (6) 1108  
 Effect of modified starch concentration and freezing and thawing rates on properties of mashed potatoes (cv. Kennebec)
- Bravo-Osuna I, Ferrero C\*, Jimenez-Castellanos MR// \*Univ Seville, Fac Farm, Dept Farm & Tecnol Farmaceut, C/ Prof Garcia Gonzalez 2, ES-41012 Seville, Spain  
*Eur J Pharm Biopharm* 2007 **66** (1) 63  
 Influence of moisture content on the mechanical properties of methyl methacrylate-starch copolymers
- Buckow R, Heinz V, Knorr D\*// \*Technical University Berlin, Dept Food Biotechnol & Food Proc Engn, Koenigin Luise Str 22, DE-14195 Berlin, Germany  
*J Food Eng* 2007 **81** (2) 469  
 High pressure phase transition kinetics of maize starch
- Cardoso MB, Putaux JL\*, Nishiyama Y, Helbert W, Hytch M, Silveira NP, Chanzy H// \*CNRS, Ctr Rech Macromol Vegetales, BP 53, FR-38041 Grenoble 9, France  
*Biomacromolecules* 2007 **8** (4) 1319  
 Single crystals of V-amylose complexed with  $\alpha$ -naphthol
- Ciesla K, Eliasson AC// Inst Nucl Chem & Technol, Dorodna 16 St, PL-03195 Warsaw, Poland  
*Acta Aliment* 2007 **36** (1) 111  
 DSC studies of  $\gamma$  irradiation effect on the amylose-lipid complex formed in wheat and potato starches
- Dukic A, Mens R, Adriaenssens P, Foreman P, Gelan J, Remon JP, Vervae C\*// \*Univ Ghent, Pharmaceut Technol Lab, Harelbekestr 72, BE-9000 Ghent, Belgium  
*Eur J Pharm Biopharm* 2007 **66** (1) 83  
 Development of starch-based pellets via extrusion/spheronisation
- Enrione JI, Hill SE, Mitchell JR// Univ Santiago Chile, Ave Libertador Bernardo O'Higgins 3363, Santiago, Chile  
*J Agric Food Chem* 2007 **55** (8) 2956  
 Sorption behavior of mixtures of glycerol and starch
- Firoozmand H, Murray BS, Dickinson E\*// \*Univ Leeds, Procter Dept Food Sci, Leeds LS2 9JT, England  
*Langmuir* 2007 **23** (8) 4646  
 Fractal-type particle gel formed from gelatin plus starch solution
- Hemar Y, Hardacre A, Hedderley DI, Clark S, Illingworth D, Harper JW, Boland M// Fonterra Co-operative Grp Ltd, Private Bag 11 029, Dairy Farm Rd, Palmerston North, New Zealand  
*Starch* 2007 **59** (3–4) 149  
 Relationship between the pasting behaviour and the phosphorus content of different potato starches
- Huneault MA, Li HB// Natl Res Council Canada, Ind Materials Inst, 75 Mortagne, Boucherville, Quebec, Canada J4B 6Y4  
*Polymer* 2007 **48** (1) 270  
 Morphology and properties of compatibilized polylactide/thermoplastic starch blends
- Jyothi AN, Kiran KS, Wilson B, Moorthy SN, Nambisan B// Cent Tuber Crops Res Inst, Thiruvananthapuram, Kerala, India  
*Starch* 2007 **59** (3–4) 141  
 Wet storage of cassava starch: Use of sodium metabisulphite and acetic acid and the effect on starch properties
- Jyothi AN, Moorthy SN, Sreekumar JN, Rajasekharan KN// Cent Tuber Crops Res Inst, Thiruvananthapuram, Kerala, India  
*J Sci Food Agric* 2007 **87** (5) 871  
 Studies on the properties of citrate derivatives of cassava (*Manihot esculenta* Crantz) starch synthesized by microwave technique
- Karim AA, Toon LC, Lee VPL, Ong WY, Fazilah A, Noda T// Univ Sains Malaysia, Sch Ind Technol, Food Technol Div, Food Biopolymer Res Grp, MY-11800 Penang, Malaysia  
*J Food Sci* 2007 **72** (2) C132  
 Effects of phosphorus contents on the gelatinization and retrogradation of potato starch
- Khondkar D, Tester RF\*, Hudson N, Karkalas J, Morrow J// \*Glasgow Caledonian Univ, Dept Biol & Biomed Sci, Cowcaddens Rd, Glasgow G4 0BA, Scotland  
*Food Hydrocolloid* 2007 **21** (8) 1296  
 Rheological behaviour of uncross-linked and cross-linked gelatinised waxy maize starch with pectin gels
- Lagarigue S, Alvarez G\*, Flick D// \*UMR Genie Ind Alimentaire Cemagref/ ENSIA/INRA/INAPG, Parc Tourvoie, BP 44, FR-92163 Antony, France  
*J Food Eng* 2007 **81** (2) 273  
 Rheological characterisation of starch based food products under unsteady temperature conditions and high heating rate
- Llorca E, Hernando I\*, Perez-Munuera I, Quiles A, Larrea V, Lluch MA// \*Univ Politecn Valencia, Dept Tecnol Alimentos, PO Box 22012, ES-46071 Valencia, Spain  
*Food Hydrocolloid* 2007 **21** (8) 1407  
 The structure of starch granules in fried battered products
- Lopes GK, Azero EG, Da Silva MV, Goncalves MP, Andrade CT\*// \*Univ Fed Rio de Janeiro, Inst Macromol Professora Eloisa Mano, Ctr Tecnol, Bloco J, CP 68525, BR-21945-970 Rio de Janeiro, Brazil  
*J Brazil Chem Soc* 2007 **18** (1) 65  
 High-solid systems of partially hydrolysed waxy maize starch: Rheological and structural characterisations
- Ma XF, Yu JG\*, He K, Wang N// \*Tianjin Univ, Sch Sci, CN-300072 Tianjin, Peoples Rep China  
*Macromol Mater Eng* 2007 **292** (4) 503  
 The effects of different plasticizers on the properties of thermoplastic starch as solid polymer electrolytes
- Ma ZC, Zhao SM, Cheng K, Zhang XF, Xu XJ, Zhang LN\*// \*Wuhan Univ, Dept Chem, CN-430072 Wuhan, Peoples Rep China  
*J Appl Polym Sci* 2007 **104** (5) 3124  
 Molecular weight and chain conformation of amylopectin from rice starch
- Murakawa A, Mori T, Okahata Y\*// \*Toyko Inst Technol, Dept Biomol Engr, B-53 4259 Nagatsuta cho, Midori ku, Yokohama, Kanagawa 226 850, Japan  
*Chem Lett* 2007 **36** (2) 312  
 Direct monitoring of both phosphorylation and elongation of amylopectin catalyzed by phosphorylase on a 27-MHz quartz-crystal microbalance
- Nabais T, Brouillet F, Kyriacos S, Mroueh M, Da Silva PA, Bataille B, Chebli C, Cartilier L\*// \*Univ Montreal, Fac Pharm, POB 6128, Downtown Stn, Montreal, Quebec, Canada H3C 3J7  
*Eur J Pharm Biopharm* 2007 **65** (3) 371  
 High-amylose carboxymethyl starch matrices for oral sustained drug-release: *In vitro* and *in vivo* evaluation
- Poraj-Kozminski A, Hill RJ, Van de Ven TGM\*// \*McGill Univ, Dept Chem, Pulp & Paper Res Ctr, Montreal, Quebec, Canada H3A 2A7  
*J Colloid Interface Sci* 2007 **309** (1) 99  
 Flocculation of starch-coated solidified emulsion droplets and calcium carbonate particles
- Rosa DS, Lopes DR, Calil MR// Univ Sao Francisco, Lab Polimeros Biodegradaveis & Solucoes Ambientais, BR-13251-900 Itatiba, SP, Brazil  
*J Mater Sci* 2007 **42** (7) 2323  
 The influence of the structure of starch on the mechanical, morphological and thermal properties of poly ( $\epsilon$ -caprolactone) in starch blends
- Stevenson DG, Jane JL, Inglett GE// USDA/ARS, Cereal Prod & Food Sci Res Unit, Natl Ctr Agric Utilization Res, 1815 Nth University St, Peoria, IL 61604, USA  
*Starch* 2007 **59** (3–4) 132  
 Characterisation of jicama (Mexican potato) (*Pachyrhizus erosus* L. Urban) starch from taproots grown in USA and Mexico
- Suwannaporn P, Pitiphunpong S, Champangern S// Kasetsart Univ, Dept Food Sci & Technol, TH-10900 Bangkok, Thailand  
*Starch* 2007 **59** (3–4) 171  
 Classification of rice amylose content by analysis of physicochemical properties
- Taherian AR, Fustier P, Ramaswamy HS\*// \*McGill Univ, Dept Food Sci, MacDonald Campus, 21 111 Lakeshore, Ste Anne de Bellevue, Quebec, Canada H9X 3V9  
*J Food Process Eng* 2007 **30** (2) 204  
 Effects of added weighting agent and xanthan gum on stability and rheological properties of beverage cloud emulsions formulated using modified starch
- Takeiti C, Fakhouri F, Ormenese R, Steel C, Collares F\*// \*Univ Estadual Campinas, Fac Engr Alimentos, Dept Tecnol Alimentos, POB 6121, BR-13083-862 Campinas, SP, Brazil  
*Starch* 2007 **59** (3–4) 156  
 Freeze-thaw stability of gels prepared from starches of non-conventional sources
- Van Hung P, Maeda T, Morita N\*// \*Univ Osaka Prefecture, Grad Sch Life & Environm Sci, Food Chem Lab, 1-1 Gakuen cho, Naka ku, Sakai, Osaka 599 8531, Japan  
*Starch* 2007 **59** (3–4) 125  
 Study on physicochemical characteristics of waxy and high-amylose wheat starches in comparison with normal wheat starch

Vasques CT, Domenech SC, Severgnini VLS, Belmonte LAO, Soldi MS, Barreto PLM, Soldi V\*// \*Univ Fed Santa Catarina, Dept Quim, Grp Estudos Mat Polimer, BR-88040-900 Florianopolis, SC, Brazil

*Starch* 2007 **59** (3–4) 161

Effect of thermal treatment on the stability and structure of maize starch cast films

Vilaseca F, Mendez JA, Pelach A\*, Llop M, Canigual N, Girones J, Turon X, Mutje P// \*Univ Girona, Dept Chem Engr, Grp LEPAMAP, Campus Montilivi, Edifici Politecnica 1, ES-17071 Girona, Spain

*Process Biochem* 2007 **42** (3) 329

Composite materials derived from biodegradable starch polymer and jute strands

## 10. Starch-degrading enzymes

Buckow R, Weiss U, Heinz V, Knorr D\*// \*Berlin Univ Technol, Dept Food Biotechnol & Food Proc Engr, Koenigin Luise Str 22, DE-14195 Berlin, Germany

*Biotechnol Bioeng* 2007 **97** (1) 1

Stability and catalytic activity of  $\alpha$ -amylase from barley malt at different pressure-temperature conditions

Kumar P, Satyanarayana T\*// \*Univ Delhi, Dept Microbiol, Sth Campus, Benito Juarez Rd, IN-110021 New Delhi, India

*World J Microbiol Biotechnol* 2007 **23** (4) 509

Production of thermostable and neutral glucoamylase using immobilized *Thermomucor indicaeae*

Li HF, Chi ZM\*, Wang XH, Duan XH, Ma LY, Gao LM// \*Ocean Univ China, UNESCO Chinese Ctr Marine Biotechnol, Yushan Rd 5, Qingdao, Peoples Rep China

*Enzyme Microb Technol* 2007 **40** (5) 1006

Purification and characterization of extracellular amylase from the marine yeast *Aureobasidium pullulans* N13d and its raw potato starch digestion

## 11. Polysaccharides - Microbial

Araki Y, Sugihara H, Hattori T// 6-13-20 Aoyama, Otsu, Shiga 520 2101, Japan

*Biomed Chromatogr* 2007 **21** (4) 335

Chemical depolymerization of dextran sulfate sodium - The application of size-exclusion or ion-pair liquid chromatography

Bae AH, Numata M, Yamada S, Shinkai S\*// \*Kyushu Univ, Grad Sch Engr, Dept Chem & Biochem, 744 Moto-oka, Nishi ku, Fukuoka 819 0391, Japan

*New J Chem* 2007 **31** (5) 618

New approach to preparing one-dimensional Au nanowires utilizing a helical structure constructed by schizophyllan

Chakraborty I, Mondal S, Rout D, Chandra K, Islam SS\*// \*Vidyasagar Univ, Dept Chem & Chem Technol, IN-721102 West Midnapore, India

*Carbohydr Res* 2007 **342** (7) 982

Structural investigation of a heteroglycan isolated from the fruit bodies of an ectomycorrhizal fungus *Astraeus hygrometricus*

DiGiandomenico A, Rao J, Harcher K, Zaidi TS, Gardner J, Neely AN, Pier GB, Goldberg JB\*// \*Univ Virginia Hlth Syst, Dept Microbiol, Box 800734, 1300 Jefferson Ave, Charlottesville, Va 22908, USA

*Proc Natl Acad Sci U S A* 2007 **104** (11) 4624

Intranasal immunization with heterologously expressed polysaccharide protects against multiple *Pseudomonas aeruginosa* infections

Gao H, Gu WY\*// \*Sthn Yangtze Univ, Sch Food Sci & Technol, CN-214036 Wuxi, Peoples Rep China

*Biochem Eng J* 2007 **33** (3) 202

Optimization of polysaccharide and ergosterol production from *Agaricus brasiliensis* by fermentation process

Girard M, Schaffer-Lequart C\*// \*Nestec Ltd, Nestle Res Ctr, Vers-chez-les-Blanc, POB 44, CH-1000 Lausanne 26, Switzerland

*Int Dairy J* 2007 **17** (6) 666

Gelation and resistance to shearing of fermented milk: Role of exopolysaccharides

Hamcerencu M, Desbrieres J\*, Popa M, Khoukh A, Riess G// \*Pau & Pays Adour Univ, EPCP, IPREM, Phys & Chem Polymers Grp, CNRS UMR 5254, FR-64053 Pau 09, France

*Polymer* 2007 **48** (7) 1921

New unsaturated derivatives of xanthan gum: Synthesis and characterization

Hornig S, Liebert T, Heinze T\*// \*Univ Jena, Ctr Excellence Polysaccharide Res, Humboldtstr 10, DE-07743 Jena, Germany

*Macromol Biosci* 2007 **7** (3) 297

Structure design of multifunctional furoate and pyroglutamate esters of dextran by polymer-analogous reactions

Kim HD, Cho HR, Moon SB, Shin HD, Yang KJ, Park BR, Jang HJ, Kim LS, Lee HS, Ku SK\*// \*Dong Wha Pharmaceut Ind Co, Cent Res Labs, Pharmacol & Toxicol Lab, Anyang 430 017, South Korea

*Arch Pharm Res* 2007 **30** (3) 323

Effects of  $\beta$ -glucan from *Aureobasidium pullulans* on acute inflammation in mice

Lei H, Ma X, Wu WT\*// \*China Pharmaceut Univ, Sch Life Sci & Technol, Tongjia Xiang 24, CN-210009 Nanjing, Peoples Rep China

*J Pharm Pharmacol* 2007 **59** (4) 575

Anti-diabetic effect of an  $\alpha$ -glucan from fruit body of maitake (*Grifola frondosa*) on KK-Ay mice

Mao SR, Xu J, Cai CF, Germershaus O, Schaper A, Kissel T\*// \*Univ Marburg, Dept Pharmaceut & Biopharm, Ketzlerbach 63, DE-35032 Marburg, Germany

*Int J Pharm* 2007 **334** (1–2) 137

Effect of WOW process parameters on morphology and burst release of FITC-dextran loaded PLGA microspheres

Matskawa S, Watanabe T// Tokyo Univ Marine Sci & Technol, Dept Food Sci & Technol, 4-5-7 Konan, Minato-ku, Tokyo 108 8477, Japan

*Food Hydrocolloid* 2007 **21** (8) 1355

Gelation mechanism and network structure of mixed solution of low- and high-acyl gellan studied by dynamic viscoelasticity, CD and NMR measurements

Miyazaki Y, Yakou S, Takayama K// Tokyo Womens Med Univ, Dept Pharm, Med Ctr East, 2-1-10 Nishiogu, Arakawa ku, Tokyo 116 8567, Japan

*Biol Pharm Bull* 2007 **30** (3) 543

Effect of amount of water in dispersed phase on drug release characteristics of dextran microspheres prepared by emulsion-solvent evaporation process

Oba K, Teramukai S, Kobayashi M, Matsui T, Kodera Y, Sakamoto J// Kyoto Univ, Grad Sch Med, Dept Epidemiol & Clin Res Informat Management, Sakyo ku, Kyoto 606 8501, Japan

*Cancer Immunol Immunother* 2007 **56** (6) 905

Efficacy of adjuvant immunochemotherapy with polysaccharide K for patients with curative resections of gastric cancer

Secouard S, Grisel M, Malhiac C\*// \*Univ Havre, URCOM, EA 3221, Unite Rech Chim Organ & Macromol, 25 rue P Lebon, BP 540, FR-76058 Le Havre, France

*Food Hydrocolloid* 2007 **21** (8) 1237

Flavour release study as a way to explain xanthan-galactomannan interactions

Seto H, Kawakita H\*, Ohto K, Harada H, Inoue K// \*Saga Univ, Fac Sci & Engr, Dept Appl Chem, 1-Honjo, Saga 840 8502, Japan

*J Chem Technol Biotechnol* 2007 **82** (3) 248

Membrane porosity control with dextran produced by immobilized dextranucrase

Shin JY, Lee S, Bae IY, Yoo SH, Lee HG\*// \*Hanyang Univ, Dept Food & Nutr, 17 Haengdang dong, Sungdong gu, Seoul 133 791, South Korea

*J Agric Food Chem* 2007 **55** (9) 3368

Structural and biological study of carboxymethylated *Phellinus linteus* polysaccharides

Srivastava A, Behari K\*// \*Univ Allahabad, Dept Chem, Polymer Sci Res Lab, IN-211002 Allahabad, India

*J Macromol Sci Pure Appl Chem* 2007 **44** (4–6) 453

Synthesis, characterization and study of metal ion sorption capacity and water swelling behavior of xanthan gum-g-N,N'-dimethylacrylamide

Takeda Y, Shimada N, Kaneko K, Shinkai S, Sakurai K\*// \*Univ Kitakyushu, Dept Chem Proc & Environm, 1-1 Hibikino, Wakamatu ku, Fukuoka 808 0135, Japan

*Biomacromolecules* 2007 **8** (4) 1178

Ternary complex consisting of DNA, polycation, and a natural polysaccharide of schizophyllan to induce cellular uptake by antigen presenting cells

Tian HJ, Groner A, Boes M, Pirofski LA\*// \*Albert Einstein Coll Med, Dept Med, Div Infect Dis, 1300 Morris Pk Ave, Bronx, NY 10461, USA

*Infect Immun* 2007 **75** (4) 1643

Pneumococcal capsular polysaccharide vaccine-mediated protection against serotype 3 *Streptococcus pneumoniae* in immunodeficient mice

Urai M, Yoshizaki H, Anzai H, Ogihara J, Iwabuchi N, Harayama S, Sunairi M\*, Nakajima M// \*Nihon Univ, Coll Bioresource Sci, Dept Appl Biol Sci, Mol Microbiol Lab, Fujisawa, Kanagawa 252 851, Japan

*Carbohydr Res* 2007 **342** (7) 927

Structural analysis of mucoidan, an acidic extracellular polysaccharide produced by a pristane-assimilating marine bacterium, *Rhodococcus erythropolis* PR4

Urai M, Yoshizaki H, Anzai H, Ogihara J, Iwabuchi N, Harayama S, Sunairi M\*, Nakajima M// \*Address as above

*Carbohydr Res* 2007 **342** (7) 933

Structural analysis of an acidic, fatty acid ester-bonded extracellular polysaccharide produced by a pristane-assimilating marine bacterium, *Rhodococcus erythropolis* PR4

Verdier I, Durand G, Bes M, Taylor KL, Lina G, Vandenesch F, Fattom AI, Etienne J\*// \*Univ Lyon 1, Fac Laennec, Ctr Natl Reference Staphylococques, FR-69008 Lyon, France

*J Clin Microbiol* 2007 **45** (3) 725

Identification of the capsular polysaccharides in *Staphylococcus aureus* clinical isolates by PCR and agglutination tests

Wu YL, Hu N, Pan YJ\*, Zhou LJ, Zhou XX\*// \*Zhejiang Univ, Dept Chem, CN-310027 Hangzhou, Peoples Rep China

*Carbohydr Res* 2007 **342** (6) 870

Isolation and characterization of a mannoglucan from edible *Cordyceps sinensis* mycelium

Yin YM, Fu W, Fu ML, He GQ\*, Traore L// \*Zhejiang Univ, Dept Food Sci & Nutr, 268 Kaixuan Rd, CN-310029 Hangzhou, Zhejiang, Peoples Rep China  
*Asia Pac J Clin Nutr* 2007 **16** (Suppl 1) 258  
 The immune effects of edible fungus polysaccharides compounds in mice  
 Zhang ZC, Li Y, Zhang KC\*// \*Shn Yangtze Univ, MoE Key Lab Ind Biotechnol, CN-214036 Wuxi, Peoples Rep China  
*Food Technol Biotechnol* 2007 **45** (1) 45  
 Application of statistical analysis for the optimization of mycelia and polysaccharide production by *Tremella aurantialba*

## 12. Polysaccharides - Plant

Anez O, Leon de Pinto G\*, Martinez M, Gotera O, Sanabria L// \*Univ Zulia, Fac Humanidades & Educacion, Ctr Invest Quim Prod Nat, Maracaibo, Venezuela  
*Food Hydrocolloid* 2007 **21** (8) 1302  
 Structural features of a xylogalactan isolated from *Hymenaea courbaril* gum  
 Antonov Y, Lefebvre J, Doublier JL// Russian Acad Sci, NM Emanuel Inst Biochem Phys, Kosigin Str 4, GSP-1, RU-119991 Moscow, Russia  
*Polym Bull* 2007 **58** (4) 723  
 Phase separation in aqueous casein-guar gum systems  
 Ataman E, Pekcan O\*// \*Istanbul Tech Univ, Dept Phys, TR-80626 Istanbul, Turkey  
*J Biomol Struct Dyn* 2007 **24** (5) 505  
 Small molecule diffusion into swelling  $\kappa$ -carrageenan gels: A fluorescence study  
 Chang YH, Huang CF, Hsu WJ, Chang FC\*// \*Nat'l Chiao Tung Univ, Inst Appl Chem, Hsinchu 30050, Taiwan  
*J Appl Polym Sci* 2007 **104** (5) 2896  
 Removal of Hg<sup>2+</sup> from aqueous solution using alginate gel containing chitosan  
 Chen JR, Hu TJ, Zheng RL// Guangxi Univ, Coll Anim Sci & Technol, CN-530005 Nanning, Peoples Rep China  
*Int Immunopharmacol* 2007 **7** (4) 547  
 Antioxidant activities of *Sophora subprostrate* polysaccharide in immunosuppressed mice  
 Chen LY, Subirade M\*// \*Univ Laval, Fac Sci Agr & Alimentat, INAF, STELA, Pavillon Paul Comtois, Ste Foy, Quebec, Canada G1K 7P4  
*Eur J Pharm Biopharm* 2007 **65** (3) 354  
 Effect of preparation conditions on the nutrient release properties of alginate-whey protein granular microspheres  
 Constantinidis I, Grant SC, Celper S, Gauffin-Holmberg I, Agering K, Oca-Cossio JA, Bui JD, Flint J, Hamaty C, Simpson NE, Blackband SJ// Univ Florida, Dept Med, Div Endocrinol, POB 100226, Gainesville, FL 32610, USA  
*Biomaterials* 2007 **28** (15) 2438  
 Non-invasive evaluation of alginate/poly-L-lysine/alginate microcapsules by magnetic resonance microscopy  
 Cunha PLR, Maciel JS, Sierakowski MR, De Paula RCM, Feitosa JPA\*// \*Univ Fed Ceara, Dept Quim Organ & Inorgan, CP 12200, BR-60455-760 Fortaleza, Ceara, Brazil  
*J Brazil Chem Soc* 2007 **18** (1) 85  
 Oxidation of cashew tree gum exudate polysaccharide with TEMPO reagent  
 Daniel R, Chevrolat L, Carrascal M, Tissot B, Mourao PAS, Abian J// Univ Evry, Lab Anal & Modelisation Biol & Environm, CNRS UMR 8587, FR-91025 Evry, France  
*Carbohydr Res* 2007 **342** (6) 826  
 Electrospray ionization mass spectrometry of oligosaccharides derived from fucoidan of *Ascophyllum nodosum*  
 De Souza MCR, Marques CT, Dore CMG, Da Silva FRF, Rocha HAO, Leite EL\*// \*Univ Fed Rio Grande do Norte, Dept Bioquim, Ctr Biociencias, BR-59000 Rio Grande do Norte, RN, Brazil  
*J Appl Phycol* 2007 **19** (2) 153  
 Antioxidant activities of sulfated polysaccharides from brown and red seaweeds  
 Dunstan DE, Goodall DG// Univ Melbourne, Dept Chem & Biomol Engr, Melbourne, Vic 3010, Australia  
*Int J Biol Macromol* 2007 **40** (4) 362  
 Terraced self assembled nano-structures from laminarin  
 Fujioka R, Kawano Y, Yoshimura T// Fukuoka Womens Univ, Fac Human Environm Sci, Higashi ku, Fukuoka 813 8529, Japan  
*Kobunshi Ronbunshu* 2007 **64** (2) 128  
 Evaluation of superabsorbent hydrogels composed of carrageenans and glucmannan (Japanese, English Abstract)  
 George M, Abraham TE\*// \*CSIR, Reg Res Lab, Div Chem Sci, Polymer Sect, Trivandrum 19, IN-695019 Trivandrum, Kerala, India  
*Int J Pharm* 2007 **335** (1-2) 123  
 pH sensitive alginate-guar gum hydrogel for the controlled delivery of protein drugs  
 Huang YH, Xiao CB\*// \*Wuhan Univ, Coll Chem & Mol Sci, CN-430072 Wuhan, Peoples Rep China  
*Polymer* 2007 **48** (1) 371  
 Miscibility and mechanical properties of quaternized polysulfone/benzoyl guar gum blends

Juteau-Vigier A, Atlan S, Deleris I, Guichard E, Souchon I, Trelea IC\*// \*INRA, AgroParis Tech, UMR 782, BP01, FR-78850 Thiverval Grignon, France  
*J Agric Food Chem* 2007 **55** (9) 3577  
 Ethyl hexanoate transfer modeling in carrageenan matrices for determination of diffusion and partition properties  
 Kim HJ, Kim MH, Byon YY, Park JW, Jee Y, Joo HG\*// \*Cheju Natl Univ, Coll Appl Life Sci, Coll Engr, Dept Vet Med, Cheju 690 756, South Korea  
*J Vet Sci* 2007 **8** (1) 39  
 Radioprotective effects of an acidic polysaccharide of *Panax ginseng* on bone marrow cells  
 Li XM// Xingjiang Agric Coll, Sch Food Engr, CN-832000 Urumqi City, Xinjiang, Peoples Rep China  
*Int J Biol Macromol* 2007 **40** (5) 461  
 Protective effect of *Lycium barbarum* polysaccharides on streptozotocin-induced oxidative stress in rats  
 Li Y, Liu ZQ, Zhao H, Xu YY, Cui FJ// Nth Dakota State Univ, Dept Plant Sci, Fargo, ND 58105, USA  
*Biochem Eng J* 2007 **34** (1) 82  
 Statistical optimization of xylanase production from new isolated *Penicillium oxalicum* ZH-30 in submerged fermentation  
 Liu C, Ji XJ, Zhao KY, Cheng GX// Hebei Univ Technol, Sch Materials Sci & Engr, CN-300130 Tianjin, Peoples Rep China  
*J Appl Polym Sci* 2007 **104** (3) 2034  
 Preparation of hydroxyapatite/Ca-alginate composite microspheres via inverse suspension crosslinked method  
 Medeiros RG, Silva LP, Azevedo RB, Silva FG, Ximenes F E\*// \*Univ Brasilia, Dept Biol Celular, Lab Enzimol, BR-70910-900 Brasilia, DF, Brazil  
*Enzyme Microb Technol* 2007 **40** (4) 723  
 The use of atomic force microscopy as a tool to study the effect of a xylanase from *Hemicella grisea* var. *thermoidea* in kraft pulp bleaching  
 Nishi KK, Antony M, Jayakrishnan A\*// \*Sree Chitra Tirunal Inst Med Sci & Technol, Div Polymer Chem, IN-695012 Trivandrum, Kerala, India  
*J Pharm Pharmacol* 2007 **59** (4) 485  
 Synthesis and evaluation of ampicillin-conjugated gum arabic microspheres for sustained release  
 Prawitwong P, Takigami S\*, Phillips GO// \*Gunma Univ, Ctr Material Res Instrument Anal, 5-1 Tenjincho 1-chome, Kiryu, Gunma 376 8515, Japan  
*Food Hydrocolloid* 2007 **21** (8) 1362  
 Effects of  $\gamma$ -irradiation on molar mass and properties of konjac mannan  
 Prawitwong P, Takigami S\*, Phillips GO// \*Address as above  
*Food Hydrocolloid* 2007 **21** (8) 1368  
 Phase transition behaviour of sorbed water in konjac mannan  
 Safi S, Morshed M\*, Ravandi SAH, Ghiaci M// \*Isfahan Univ Technol, Dept Text Engr, IR-84156 Isfahan, Iran  
*J Appl Polym Sci* 2007 **104** (5) 3245  
 Study of electrospinning of sodium alginate, blended solutions of sodium alginate/poly(vinyl alcohol) and sodium alginate/poly(ethylene oxide)  
 Sharma A, Adhikari S, Satyanarayana T\*// \*Univ Delhi, Dept Microbiol, Sth Campus, Benito Juarez Rd, IN-110021 New Delhi, India  
*World J Microbiol Biotechnol* 2007 **23** (4) 483  
 Alkali-thermostable and cellulase-free xylanase production by an extreme thermophile *Geobacillus thermoleovorans*  
 Silva AKA, Da Silva EL, Oliveira EE, Nagashima T, Soares LAL, Medeiros AC, Araujo JH, Araujo IB, Carrico AS, Egito EST// Univ Fed Rio Grande do Norte, Programa Pos Grad Ciencias Saude, BR-59010-180 Natal, RN, Brazil  
*Int J Pharm* 2007 **334** (1-2) 42  
 Synthesis and characterization of xylan-coated magnetite microparticles  
 Singh RB// 17 Veer Nagar Colony, Dayal Bagh, IN-282005 Agra, India  
*J Environ Biol* 2007 **28** (2) 163  
 Structure of aldobiouronic acid and glucuronic acid from *Agathis australis* de-graded gum polysaccharide  
 Sirisaneeyakul S, Worawuthiyayan N, Vanichsriratanana W, Srinophakun P, Chisti Y// Kasetsart Univ, Dept Biotechnol, TH-10900 Bangkok, Thailand  
*World J Microbiol Biotechnol* 2007 **23** (4) 543  
 Production of fructose from inulin using mixed inulinases from *Aspergillus niger* and *Candida guilliermondii*  
 Sudan R, Bajaj BK\*// \*Univ Jammu, Dept Biotechnol, IN-180006 Jammu, India  
*World J Microbiol Biotechnol* 2007 **23** (4) 491  
 Production and biochemical characterization of xylanase from an alkalitolerant novel species *Aspergillus niveus* RS2  
 Trens P, Valentin R, Quignard F// UM1, ENSCM, CNRS UMR 5618, Inst Gerhardt FR 1878, FR-34296 Montpellier 5, France  
*Colloid Surface A* 2007 **296** (1-3) 230  
 Cation enhanced hydrophilic character of textured alginate gel beads  
 Vetvicka V, Dvorak B, Vetvickova J, Richter J, Krizan J, Sima P, Yvin JC// Univ Louisville, Dept Pathol, 511 Sth Floyd, MDR Bldg, Louisville, Ky 40202, USA  
*Int J Biol Macromol* 2007 **40** (4) 291  
 Orally administered marine (1 $\rightarrow$ 3)- $\beta$ -D-glucan phycarine stimulates both humoral and cellular immunity

- Wells LA, Sheardown H\*// \*McMaster Univ, Dept Chem Engr, 1280 Main St West, Hamilton, Ontario, Canada L8S 4L7  
*Eur J Pharm Biopharm* 2007 **65** (3) 329  
 Extended release of high pI proteins from alginate microspheres via a novel encapsulation technique
- Xiong C, Wang JH, Li DS// Hubei Univ Technol, Coll Bioengn, Hubei Key Lab Ind Microbiol, CN-430068 Wuhan, Peoples Rep China  
*Biochem Eng J* 2007 **34** (2) 179  
 Optimization of solid-state medium for the production of inulinase by *Kluyveromyces* S120 using response surface methodology
- Xu HD, You CG, Zhang RL, Gao P, Wang ZR\*// \*Lanzhou Univ, Sch Life Sci, 222 Tianshui Rd, CN-730000 Lanzhou, Peoples Rep China  
*J Int Med Res* 2007 **35** (1) 84  
 Effects of *Astragalus* polysaccharides and astragalosides on the phagocytosis of *Mycobacterium tuberculosis* by macrophages
- Yadav MP, Fishman ML, Chau HK, Johnston DB, Hicks KB// USDA/ARS, Eastern Regional Research Center, 600 East Mermaid Lane, Wyndmoor, Pa 19038, USA  
*Cereal Chem* 2007 **84** (2) 175  
 Molecular characteristics of corn fiber gum and their influence on CFG emulsifying properties
- Yang XP, Guo DY, Zhang JM, Wu MC\*// \*Huazhong Agric Univ, Coll Food Sci & Technol, Laboratory Funct Food & Nutr, CN-430070 Wuhan, Peoples Rep China  
*Int Immunopharmacol* 2007 **7** (4) 427  
 Characterization and antitumor activity of pollen polysaccharide
- Zhang LM, Kong T, Hui PS// Zhongshan Sun Yat Sen Univ, Sch Chem & Chem Engr, CN-510275 Guangzhou, Peoples Rep China  
*J Sci Food Agric* 2007 **87** (4) 684  
 Semi-dilute solutions of hydroxypropyl guar gum: Viscosity behaviour and thixotropic properties
- ### 13. Polysaccharides - Other
- Belluzzi A, Roda G, Tonon F, Soleti A, Caponi A, Tuci A, Roda A, Roda E// Univ Bologna, S Orsola Hosp, Gastroenterol Unit, UO Gastroenterol, Via Massarenti 9, IT-40138 Bologna, Italy  
*World J Gastroenterol* 2007 **13** (10) 1575  
 A new iron free treatment with oral fish cartilage polysaccharide for iron deficiency chronic anemia in inflammatory bowel diseases: A pilot study
- Benichou A, Aserin A, Garti N\*// \*Hebrew Univ Jerusalem, Casali Inst Appl Chem, IL-91904 Jerusalem, Israel  
*Colloid Surface A* 2007 **297** (1-3) 211  
 O/W/O double emulsions stabilized with WPI-polysaccharide conjugates
- Calciu-Rusu D, Rothfuss E, Eckelt J, Haase T, Dick HB, Wolf BA// University Mainz, Institute Chemical Phys, Jakob Welter Weg 13, DE-55099 Mainz, Germany  
*Biomacromolecules* 2007 **8** (4) 1287  
 Rheology of sodium hyaluronate saline solutions for ophthalmic use
- Chayed S, Winnik FM\*// \*Univ Montreal, Fac Pharm, CP 6128 Succursale Ctr-ville, Montreal, Quebec, Canada H3C 3J7  
*Eur J Pharm Biopharm* 2007 **65** (3) 363  
 In vitro evaluation of the mucoadhesive properties of polysaccharide-based nanoparticulate oral drug delivery systems
- Chen XM, Okamoto Y\*, Yamamoto C// \*Nagoya Univ, Ecotopia Sci Inst, Furo cho, Chikusa ku, Nagoya, Aichi 464 8603, Japan  
*Macromol Res* 2007 **15** (2) 134  
 Efficient immobilization of polysaccharide derivatives as chiral stationary phases via copolymerization with vinyl monomers
- Espinosa-Andrews H, Baez-Gonzalez JG, Cruz-Sosa F, Vernon-Carter EJ\*// \*Univ Autonoma Metropolitana Iztapalapa, DIPH, San Rafael Atlixco 186, MX-09340 Mexico City, DF, Mexico  
*Biomacromolecules* 2007 **8** (4) 1313  
 Gum arabic-chitosan complex coacervation
- Hahn SK, Park JK, Tomimatsu T, Shimoboji T// Pohang University Science & Technology, Department Material Sci & Engr, San 31, Pohang 790 784, South Korea  
*Int J Biol Macromol* 2007 **40** (4) 374  
 Synthesis and degradation test of hyaluronic acid hydrogels
- Higro J, Herald TJ\*, Alavi S, Bean S// \*Kansas State Univ, Inst Food Sci, Manhattan, Ks 66506, USA  
*Food Res Int* 2007 **40** (4) 435  
 Rheological study of xanthan and locust bean gum interaction in dilute solution: Effect of salt
- Hsu NY, Yang WB, Wong CH, Lee YC, Lee RT, Wang YS, Chen CH\*// \*Acad Sinica, Genomics Res Ctr, Taipei, Taiwan  
*Rapid Commun Mass Spectrom* 2007 **21** (13) 2137  
 Matrix-assisted laser desorption/ionization mass spectrometry of polysaccharides with 2',4',6'-trihydroxyacetophenone as matrix
- Ikai T, Yamamoto C, Kamigaito M, Okamoto Y// Nagoya Univ, Grad Sch Engr, Dept Appl Chem, Furo cho, Chikusa ku, Nagoya, Aichi 464 8603, Japan  
*Chem Rec* 2007 **7** (2) 91  
 Immobilized polysaccharide derivatives: Chiral packing materials for efficient HPLC resolution
- Khouryeh HA, Herald TJ\*, Aramouni F, Bean S, Alavi S// \*Kansas State Univ, Inst Food Sci, Manhattan, Ks 66506, USA  
*J Food Sci* 2007 **72** (3) C173  
 Influence of deacetylation on the rheological properties of xanthan-guar interactions in dilute aqueous solutions
- Kitajyo Y, Imai T, Sakai Y, Tamaki M, Tani H, Takahashi K, Narumi A, Kaga H, Kaneko N, Satoh T\*, Kakuchi T// \*Hokkaido Univ, Grad Sch Engr, Div Biotechnol & Macromol Chem, Sapporo, Hokkaido 060 862, Japan  
*Polymer* 2007 **48** (5) 1237  
 Encapsulation-release property of amphiphilic hyperbranched D-glucan as a unimolecular reverse micelle
- Lack S, Dulong V, Picton L, Le Cerf D, Condamine E\*// \*IRCOF-Univ Rouen, IFRMP 23, European Inst Peptide Res, Lab Chim Organ & Biol Struct, UMR CNRS 6014, FR-76821 Mont St Aignan, France  
*Carbohydr Res* 2007 **342** (7) 943  
 High-resolution nuclear magnetic resonance spectroscopy studies of polysaccharides crosslinked by sodium trimetaphosphate: A proposal for the reaction mechanism
- Larramendy-Gozalo C, Barret A, Daudigeos E, Mathieu E, Antonangeli L, Riffet C, Petit E, Papy-Garcia D, Barritault D, Brown P, Deslys JP\*// \*CEA, IMETI/SEPIA, 18 Route Panorama, BP6, FR-92265 Fontenay-aux-Roses, France  
*J Gen Virol* 2007 **88** (3) 1062  
 Comparison of CR36, a new heparan mimetic, and pentosan polysulfate in the treatment of prion diseases
- Liao E, Yaszemski M, Krebsbach P, Hollister S\*// \*2149 LBME Bldg, 1101 Beal Ave, Ann Arbor, Mi 48109, USA  
*Tissue Eng* 2007 **13** (3) 537  
 Tissue-engineered cartilage constructs using composite hyaluronic acid/collagen I hydrogels and designed poly(propylene fumarate) scaffolds
- Malay O, Bayraktar O, Batigun A// Izmir Inst Technol, Dept Chem Engr, Bioreact Engr Lab, TR-35430 Izmir, Turkey  
*Int J Biol Macromol* 2007 **40** (4) 387  
 Complex coacervation of silk fibroin and hyaluronic acid
- Monobe M, Ema K, Kato F, Hirokane H, Maeda-Yamamoto M// Natl Inst Vegetable & Tea Sci, 2769 Kanaya, Shimada, Shizuoka 428 850, Japan  
*J Agric Food Chem* 2007 **55** (7) 2543  
 Technique for screening immune-enhancing polysaccharides in food using 1,25-dihydroxyvitamin D<sub>3</sub>-differentiated HL60 cells
- Mundargi RC, Patil SA, Agnihotri SA, Aminabhavi TM\*// \*Karnatak Univ, Dept Chem, Drug Delivery Div, Ctr Excellence Polymer Sci, IN-580003 Dharwad, Karnataka, India  
*Drug Develop Ind Pharm* 2007 **33** (3) 255  
 Development of polysaccharide-based colon targeted drug delivery systems for the treatment of amoebiasis
- Ochiai H, Ohmae M, Mori T, Kobayashi S\*// \*Kyoto Inst Technol, Ctr Biobased Mat Res & Dev, Kyoto 606 8585, Japan  
*Biomacromolecules* 2007 **8** (4) 1327  
 Hyaluronidase-catalyzed copolymerization for the single-step synthesis of functionalized hyaluronan derivatives
- Oudshoorn MHM, Rissmann R, Bouwstra JA, Hennink WE\*// \*Univ Utrecht, UIPS, Dept Pharmaceut, Sorbonnelaan 16, POB 80082, NL-3508 TB Utrecht, The Netherlands  
*Polymer* 2007 **48** (7) 1915  
 Synthesis of methacrylated hyaluronic acid with tailored degree of substitution
- Patel VF, Patel NM// Shri BM Shah Coll Pharmaceut Educat & Res, Dhansura Rd, IN-383315 Modasa, Gujarat, India  
*Drug Develop Ind Pharm* 2007 **33** (3) 327  
 Statistical evaluation of influence of xanthan gum and guar gum blends on dipyrindamole release from floating matrix tablets
- Popa M, Bajan N, Popa AA, Verestiuc L// Gh Asachi Tech Univ, Fac Ind Chem, Dept Macromol, Blvd D Mangeron 71A, RO-700050 Iasi, Romania  
*J Macromol Sci Pure Appl Chem* 2007 **44** (4-6) 483  
 Novel supports based on polysaccharides for sustained-release of isosorbide dinitrate
- Sakai S, Otake E, Toida T, Goda Y\*// \*Natl Inst Hlth Sci, 1-18-1 Kamiyoga, Setagaya ku, Tokyo 158 8501, Japan  
*Chem Pharm Bull Tokyo* 2007 **55** (2) 299  
 Identification of the origin of chondroitin sulphate in "health foods"
- Srinivas A, Ramamurthi A\*// \*Clemson Univ, Dept Bioengn, 173 Ashley Ave, BSB 601, Charleston, SC 29425, USA  
*Tissue Eng* 2007 **13** (3) 447  
 Effects of  $\gamma$ -irradiation on physical and biologic properties of crosslinked hyaluronan tissue engineering scaffolds