Available online at www.sciencedirect.com
ScienceDirect
Carbohydrate Polymers 71 (2008) 482
Carbohydrate Polymers
www.elsevier.com/locate/carbpol

Erratum

Erratum to "Enhanced film forming and film properties of amylopectin using micro-fibrillated cellulose" [Carbohydr. Polym. 68 (2007) 718–727]

A. López-Rubio [a], J.M. Lagaron [a], M. Ankerfors [b], T. Lindström [b], D. Nordqvist [c], A. Mattozzi [c], M.S. Hedenqvist [c,*]

[a] *Institute of Agrochemistry and Food Technology, CSIC, Apdo. Correos 73, Burjassot, Spain*
[b] *STFI-Packforsk, P.O. Box 5604, SE-114 86 Stockholm, Sweden*
[c] *Royal Institute of Technology, Department of Fibre and Polymer Technology, SE-100 44 Stockholm, Sweden*

The Publisher regrets that the legend of Fig. 10 was inadvertently typeset as Fig. 10. Mass (wt%) as a function of temperature for D-0-10 (bold line) and C-38-0 (thin line) stored at 50% RH. The arrow indicates the upper temperature limit (120 °C) from which the moisture content was calculated. Please view the correct legend below.



Fig. 10. Mass (wt%) as a function of temperature for D-0-10 (thin line) and C-38-0 (bold line) stored at 50% RH. The arrow indicates the upper temperature limit (120 °C) from which the moisture content was calculated.

DOI of original article: 10.1016/j.carbpol.2006.08.008
* Corresponding author. Tel.: +46 8 7907645; fax: +46 8 20 88 56.
E-mail address: mikaelhe@polymer.kth.se (M.S. Hedenqvist).

0144-8617/$ - see front matter © 2007 Elsevier Ltd. All rights reserved.
doi:10.1016/j.carbpol.2007.08.001