

Bibliography of carbohydrate polymers

(4 weeks journals. Search completed at 26th. Dec. 2007)

1. Reviews

Almond A// Univ Manchester, Fac Life Sci, Manchester Interdisciplinary Bioctr, Princess St, Manchester M1 7DN, England
Cell Mol Life Sci 2007 **64** (13) 1591
Hyaluronan

Bianchini P, Liverani L, Spelta F, Mascellani G*, Parma B// *Opocrin SpA, Via Pacinotti 3, IT-41040 Corlo di Formigine, Modena, Italy
Semin Thromb Hemost 2007 **33** (5) 496
Variability of heparins and heterogeneity of low molecular weight heparins

Bisio A, Mantegazza A, Urso E, Naggi A, Torri G, Viskov C, Casu B// Institute Chemical & Biochemical Res G Ronzoni, Via G Colombo 81, IT-20133 Milan, Italy
Semin Thromb Hemost 2007 **33** (5) 488

High-performance liquid chromatographic/mass spectrometric studies on the susceptibility of heparin species to cleavage by heparanase

Borgenstrom M, Warri A, Hiilesvuo K, Kakonen R, Kakonen S, Nissinen L, Pihlavisto M, Marjamäki A, Vlodavsky I, Naggi A, Torri G, Casu B, Veromaa T, Salmivirta M, Elenius K*// *University of Turku, Department of Medical Biochemistry & Molecular Biology, Kiinamyllynkatu 10, FI-20520 Turku, Finland
Semin Thromb Hemost 2007 **33** (5) 547

O-Sulfated bacterial polysaccharides with low anticoagulant activity inhibit metastasis

Guerrini M, Guglieri S, Naggi A, Sasisekharan R, Torri G// Inst Chem & Biochem Res G Ronzoni, G Colombo 81, IT-20133 Milan, Italy
Semin Thromb Hemost 2007 **33** (5) 478

Low molecular weight heparins: Structural differentiation by bidimensional nuclear magnetic resonance spectroscopy

Linhardt RJ, Dordick JS, Deangelis PL, Liu J// Rensselaer Polytech Inst, Dept Chem & Biol Chem, Ctr Biotechnol & Interdisciplinary Studies, Troy, NY 12180, USA
Semin Thromb Hemost 2007 **33** (5) 453

Enzymatic synthesis of glycosaminoglycan heparin

No HK, Meyers SP, Prinyawiwatkul W, Xu Z// Catholic Univ Daegu, Dept Food Sci & Technol, Hayang 712 702, South Korea
J Food Sci 2007 **72** (5) R87

Applications of chitosan for improvement of quality and shelf life of foods: A review

Vismara E, Pierini M, Guglieri S, Liverani L, Mascellani G, Torri G// Politecn Milan, Dept Chim Materiali & Ingn Chim Giulio Natta, V Mancinelli 7, IT-20131 Milan, Italy
Semin Thromb Hemost 2007 **33** (5) 466

Structural modification induced in heparin by a Fenton-type depolymerization process

2. Cellulose

Bras J, Vaca-Garcia C, Borredon ME, Glasser W// Inst Natl Polytech Grenoble, CNRS UMR 5518, Lab Genie Procédés Papetiers, Ctr Technique Papier, 461 rue Papeterie, FR-38402 St Martin d'Heres, France
Cellulose 2007 **14** (4) 367

Oxygen and water vapor permeability of fully substituted long chain cellulose esters (LCCE)

Danilevicius A, Dobiliene J, Wutz C, Liesiene J*// *Kaunas Univ Technol, Dept Chem Technol, Radvilenu St 19, LT-50254 Kaunas, Lithuania
Cellulose 2007 **14** (4) 321

Phenoxyhydroxypropylhydroxyethylcellulose-new amphiphilic cellulose derivative
Dong W, Xu YS*, Yuan CD// *Tianjin Univ, Sch Chem Engn & Technol, CN-300072 Tianjin, Peoples Rep China
Cellulose 2007 **14** (4) 331

Preparation of HPMC-EA-DMAEMA nanosized latex
Duchemin BJCZ, Newman RH, Staiger MP// Univ Canterbury, Dept Mech Engn, Private Bag 4800, Christchurch 1, New Zealand
Cellulose 2007 **14** (4) 311

Phase transformations in microcrystalline cellulose due to partial dissolution

Faria EA, Prado AGS*// *Univ Brasilia, Inst Quim, Caixa Postal 4478, BR-70904-970 Brasilia, DF, Brazil
React Funct Polym 2007 **67** (7) 655

Kinetic studies of the thermal degradation of cellulose acetate/niobium and chitosan/niobium composites

Foyle T, Jennings L, Mulcahy P*// *Carlow Inst Technol, Dept Sci & Hlth, Kilkenny Rd, Carlow, Rep Ireland
Bioresour Technol 2007 **98** (16) 3026

Compositional analysis of lignocellulosic materials: Evaluation of methods used for sugar analysis of waste paper and straw

Gaspar M, Kalman G, Reczey K// Budapest University Technology & Economics, Dept Appl Biotechnol & Food Sci, Szent Gellert ter 4, HU-1111 Budapest, Hungary
Process Biochem 2007 **42** (7) 1135

Corn fiber as a raw material for hemicellulose and ethanol production

Hasani MM, Westman G*// *Chalmers Univ Technol, Dept Chem & Biol Engn, SE-41296 Gothenburg, Sweden
Cellulose 2007 **14** (4) 347

New coupling reagents for homogeneous esterification of cellulose

Hosono K, Kanazawa A, Mori H, Endo T// Yamagata Univ, Fac Engn, Yamagata 992 8510, Japan
J Appl Polym Sci 2007 **105** (6) 3235

Photodegradation of cellulose acetate film in the presence of benzophenone as a photosensitizer

Jalbert J, Gilbert R*, Tetreault P, Morin B, Lessard-Deziel D// *Inst Rech Hydro-Quebec, 1800 Blvd Lionel Boulet, Varennes, Quebec, Canada J3X 1S1
Cellulose 2007 **14** (4) 295

Identification of a chemical indicator of the rupture of 1,4-β-glycosidic bonds of cellulose in an oil-impregnated insulating paper system

Kadokawa J, Sarou S, Shoda S// Kagoshima Univ, Grad Sch Sci & Engn, Dept Nanostruct & Adv Mat, Kagoshima 890 0065, Japan
Polym Adv Technol 2007 **18** (8) 643

Preparation of polysaccharide-polymethacrylate hybrid materials by radical polymerization of cationic methacrylate monomer in the presence of anionic polysaccharide

Kalhoine M, Pekkarinen M, Manttari M, Nuortila-Jokinen J, Nystrom M// Lappeenranta Univ Technol, Dept Chem Technol, Lab Membrane Technol & Tech Polym Chem, POB 20, FI-53851 Lappeenranta, Finland
J Membr Sci 2007 **294** (1-2) 93

Comparison of the performance of two different regenerated cellulose ultra-filtration membranes at high filtration pressure

As a service to subscribers of the journal, this bibliography contains newly published material in the field of carbohydrate polymers. The bibliography is divided into thirteen sections: 1 Reviews; 2 Cellulose; 3 Cellulose-degrading enzymes; 4 Chitin/Chitosan; 5 Cyclodextrins; 6 Lignin; 7 Lipopolysaccharides; 8 Pectin; 9 Starch; 10 Starch-degrading enzymes; 11 Polysaccharides - Microbial; 12 Polysaccharides - Plant; 13 Polysaccharides - Other. Within each section, articles are listed in alphabetical order with respect to author. When there are no publications to appear under one of these headings, that section will be omitted.

- Karakawa M, Chikamatsu M, Yoshida Y, Azumi R, Yase K, Nakamoto C// Osaka Univ, Inst Sci & Ind Res, Dept Organ Mol Materials, Div Organ Mol Sci, 8-1 Mihogaoka, Ibaraki, Osaka 567 0047, Japan
Macromol Rapid Commun 2007 **28** (14) 1479
Organic memory device based on carbazole-substituted cellulose
- Latif A, Anwar T, Noor S// Ctr Materials Sci, PCSIR Labs Complex, Jamrud Rd, PK-25120 Peshawar, Pakistan
J Chem Soc Pakistan 2007 **29** (2) 143
Two-step synthesis and characterization of carboxymethylcellulose from rayon grade wood pulp and cotton linter
- Liu ZT, Yang YN, Zhang LL, Liu ZW, Xiong HP// Shaanxi Normal Univ, Sch Chem & Materials Sci, Key Lab Macromol Sci Shaanxi Province, Changan St St 199, CN-710062 Xian, Peoples Rep China
Cellulose 2007 **14** (4) 337
Study on the cationic modification and dyeing of ramie fiber
- Manyuhina OV, Fasolino A, Katsnelson MI// Univ Nijmegen St Radboud Hosp, Inst Molecules & Materials, Toernooiveld 1, NL-6525 ED Nijmegen, The Netherlands
Polymer 2007 **48** (16) 4849
Slow dynamics in a model of the cellulose network
- Moharram MA, Mahmoud OM// Natl Res Ctr, Phys Div, Dept Spectroscopy, Cairo, Egypt
J Appl Polym Sci 2007 **105** (5) 2978
X-ray diffraction methods in the study of the effect of microwave heating on the transformation of cellulose I into cellulose II during mercerization
- Muzikova J, Novakova P// Charles Univ Prague, Fac Pharm, Dept Pharmaceut Technol, CZ-50165 Hradec Kralove, Czech Republic
Drug Develop Ind Pharm 2007 **33** (7) 775
A study of the properties of compacts from silicified microcrystalline celluloses
- Panaiteanu DM, Donescu D, Bercu C, Vuluga DM, Iorga M, Ghiurea M// Natl Inst Res & Dev Chem & Petrochem ICECHIM, 202 Splaiul Independentei, RO-060021 Bucharest, Romania
Polym Eng Sci 2007 **47** (8) 1228
Polymer composites with cellulose microfibrils
- Penfold J, Tucker I, Petkov J, Thomas RK// Rutherford Appleton Lab, CCLRC, Chilton, Didcot OX11 0QX, England
Langmuir 2007 **23** (16) 8357
Surfactant adsorption onto cellulose surfaces
- Perez OE, Carrera Sanchez C, Pilosof AMR, Rodriguez Patino JM// *Univ Sevilla, Fac Quim, Dept Ingn Quim, C/ Prof Garcia Gonzalez 1, ES-41012 Sevilla, Spain
Food Hydrocolloid 2008 **22** (3) 387
Dynamics of adsorption of hydroxypropyl methylcellulose at the air-water interface
- Pongjanyakul T// Khon Kaen Univ, Fac Pharmaceut Sci, TH-40002 Khon Kaen, Thailand
Pharmazie 2007 **62** (7) 493
Characterization of microcrystalline cellulose loaded diclofenac calcium alginate gel beads *in vitro*
- Porro F, Bedue O, Chanzy H, Heux L// *CERMAV - CNRS, BP 53, FR-38041 Grenoble 9, France
Biomacromolecules 2007 **8** (8) 2586
Solid-state ¹³C NMR study of Na-cellulose complexes
- Reddy N, Yang YQ// *Univ Nebraska, Dept Textile Clothing & Design, Lincoln, NE 68583, USA
Biotechnol Bioeng 2007 **97** (5) 1021
Natural cellulose fibers from switchgrass with tensile properties similar to cotton and linen
- Ren JL, Sun RC*, Liu CF// *NW Univ Agric & Forest Sci & Technol, Yangling, Peoples Rep China
J Appl Polym Sci 2007 **105** (6) 3301
Etherification of hemicelluloses from sugarcane bagasse
- Rodrigues G, Toledo LC, Cerqueira DA, De Assuncao RMN, Meireles CD, Otaguro H, Rogero SO, Lugao AB// Univ Fed Uberlandia, Inst Quim, Av Joao Naves Avila 2121, Cx P 593, BR-38400-902 Uberlandia, MG, Brazil
Polym Bull 2007 **59** (1) 73
Water flux, DSC, and cytotoxicity characterization of membranes of cellulose acetate produced from sugar cane bagasse, using PEG 600
- Rokhade AP, Patil SA, Belhekar AA, Halligudi SB, Aminabhavi TM// *Karnatak Univ, Drug Delivery Div, Ctr Excellence Polym Sci, IN-580003 Dharwad, Karnataka, India
J Appl Polym Sci 2007 **105** (5) 2764
Preparation and evaluation of cellulose acetate butyrate and poly(ethylene oxide) blend microspheres for gastroretentive floating delivery of repaglinide
- Saito T, Kimura S, Nishiyama Y, Isogai A// *Univ Tokyo, Grad Sch Agric & Life Sci, Dept Biomaterials Sci, Bunkyo ku, Tokyo 113 8657, Japan
Biomacromolecules 2007 **8** (8) 2485
Cellulose nanofibers prepared by TEMPO-mediated oxidation of native cellulose
- Swagan AJ, Samir MASA, Berglund LA// *Royal Inst Technol, Dept Fiber & Polym Technol, SE-10044 Stockholm, Sweden
Biomacromolecules 2007 **8** (8) 2556
Biomimetic polysaccharide nanocomposites of high cellulose content and high toughness
- Takahara T, Yoshida Y, Isogai A// *Univ Tokyo, Grad Sch Agric & Life Sci, 1-1-1 Yayoi, Bunkyo ku, Tokyo 113 8657, Japan
Cellulose 2007 **14** (4) 357
Reactions between cellulose diacetate and alkenylsuccinic anhydrides and characterization of the reaction products
- Tanaka H, Koizumi S*, Hashimoto T, Kurosaki K, Kobayashi S// *Japan Atomic Energy Agency, Adv Sci Res Ctr, Tokai-mura, Naka-gun, Ibaraki 319 1195, Japan
Macromolecules 2007 **40** (17) 6304
Self-assembly of synthetic cellulose during *in-vitro* enzymatic polymerization process as studied by a combined small-angle scattering method
- Topalovic T, Nierstrasz VA, Bautista L, Jovic D, Navarro A, Warmoeskerken MMCG// Univ Twente, Fac Sci & Technol, Textile Technol Grp, POB 217, NL-7500 AE Enschede, The Netherlands
Cellulose 2007 **14** (4) 385
Analysis of the effects of catalytic bleaching on cotton
- Trey SM, Wicks DA, Mididoddi PK, Repka MA// *Univ Mississippi Sch Pharm, Dept Pharmaceut, University, Ms 38677, USA
Drug Develop Ind Pharm 2007 **33** (7) 727
Delivery of itraconazole from extruded HPC films
- Zervos S// GAK Archeia Nomou Kerkiras, Gen State Archives Corfu, Paper & Book Conservat Lab, GR-49100 Palaio Frourio, Kerkira, Corfu, Greece
Cellulose 2007 **14** (4) 375
Characterization of changes induced by ageing to the microstructure of pure cellulose paper by use of a gravimetric water vapour adsorption technique

3. Cellulose-degrading enzymes

- Chen Y, Stipanovic AJ*, Winter WT, Wilson DB, Kim YJ// *SUNY Coll Environm Sci & Forestry, Cellulose Res Inst, Dept Chem, 1 Forestry Dr, Syracuse, NY 13210, USA
Cellulose 2007 **14** (4) 283
Effect of digestion by pure cellulases on crystallinity and average chain length for bacterial and microcrystalline celluloses
- Gusakov AV, Salanovich TN, Antonov AI, Ustinov BB, Okunev ON, Burlingame R, Emalfarb M, Baez M, Sinitsyn AP// Moscow MV Lomonosov State Univ, Dept Chem, RU-119899 Moscow, Russia
Biotechnol Bioeng 2007 **97** (5) 1028
Design of highly efficient cellulase mixtures for enzymatic hydrolysis of cellulose
- Jeoh T, Ishizawa CI, Davis MF, Himmel ME, Adney WS, Johnson DK// *Chem & Biosci Ctr, Natl Renewable Energy Lab, Cole Blvd, Golden, Co 80401, USA
Biotechnol Bioeng 2007 **98** (1) 112
Cellulase digestibility of pretreated biomass is limited by cellulose accessibility
- Jing DB, Li PJ, Xiong XZ, Wang LH// Capital Normal Univ, Coll Life Sci, CN-100037 Beijing, Peoples Rep China
Appl Microbiol Biotechnol 2007 **75** (4) 793
Optimization of cellulase complex formulation for peashrub biomass hydrolysis
- Schagerlof U, Schagerlof H*, Momcilovic D, Brinkmalm G, Tjerneld F// *Lund Univ, Dept Biochem, POB 124, SE-22100 Lund, Sweden
Biomacromolecules 2007 **8** (8) 2358
Endoglucanase sensitivity for substituents in methyl cellulose hydrolysis studied using MALDI-TOFMS for oligosaccharide analysis and structural analysis of enzyme active sites

4. Chitin/Chitosan

- Amaral IF, Cordeiro AL, Sampaio P, Barbosa MA// Inst Biomed Engrn, Lab Biomaterials, Rua Campo Alegre 823, PT-4150-180 Oporto, Portugal
J Biomater Sci Polym Ed 2007 **18** (4) 469
Attachment, spreading and short-term proliferation of human osteoblastic cells cultured on chitosan films with different degrees of acetylation
- Chang JS, Chang KLB, Tsai ML// *Natl Taiwan Ocean Univ, Dept Food Sci, 2 Pei Ning Rd, Chilung 20224, Taiwan
J Appl Polym Sci 2007 **105** (5) 2670
Liquid-crystalline behavior of chitosan in malic acid
- Colonna C, Conti B, Perugini P, Pavanetto F, Modena T, Dorati R, Genta I// *Univ Pavia, Dept Pharmaceut Chem, Vle Taramelli 12, IT-27100 Pavia, Italy
J Microencapsul 2007 **24** (6) 553
Chitosan glutamate nanoparticles for protein delivery: Development and effect on prolidase stability
- De Vrieze S, Westbroek P*, Van Camp T, Van Langenhove L// *Univ Ghent, Dept Textiles, Technologiepk 907, BE-9052 Ghent, Belgium
J Mater Sci 2007 **42** (19) 8029
Electrospinning of chitosan nanofibrous structures: Feasibility study

- El-Tahlawy K, Hudson SM*, Hebeish AA// *Nth Carolina State Univ, Fiber & Polym Sci Program, Box 8301, Raleigh, NC 27695, USA
J Appl Polym Sci 2007 **105** (5) 2801
 Spinnability of chitosan butyrate/cellulose acetate for obtaining a blend fiber
- Gan Q, Wang T// Queens Univ Belfast, Sch Chem & Chem Engr, Belfast BT9 5AG, Northern Ireland
Colloid Surface B 2007 **59** (1) 24
 Chitosan nanoparticle as protein delivery carrier - Systematic examination of fabrication conditions for efficient loading and release
- Grenha A, Grainger CI, Dailey LA, Seijo B, Martin GP, Remunan-Lopez C, Forbes B*// *KCL, Pharmaceut Sci Div, London SE1 9NH, England
Eur J Pharm Sci 2007 **31** (2) 73
 Chitosan nanoparticles are compatible with respiratory epithelial cells *in vitro*
- Guo BL, Yuan JF, Gao QY*// *Henan Med Univ, Inst Fine Chem & Engr, CN-475001 Henan, Peoples Rep China
Colloid Surface B 2007 **58** (2) 151
 Preparation and characterization of temperature and pH-sensitive chitosan material and its controlled release on coenzyme A
- Ji X, Zhong ZM, Chen XL, Xing RG, Liu S, Wang L, Li PC// Chinese Acad Sci, Inst Oceanol, CN-266071 Qingdao, Peoples Rep China
Bioorg Med Chem Lett 2007 **17** (15) 4275
 Preparation of 1,3,5-thiadiazine-2-thione derivatives of chitosan and their potential antioxidant activity *in vitro*
- Jung KH, Huh MW, Meng W, Yuan J, Hyun SH, Bae JS, Hudson SM, Kang IK*// *Kyungpook Natl Univ, Dept Polym Sci, Taegu, South Korea
J Appl Polym Sci 2007 **105** (5) 2816
 Preparation and antibacterial activity of PET/chitosan nanofibrous mats using an electrospinning technique
- Kim DG, Jeong YI, Nah JW*// *Sunchon Natl Univ, Dept Polym Sci & Engr, Jeonnam 540 742, South Korea
J Appl Polym Sci 2007 **105** (6) 3246
 All-trans retinoic acid release from polyion-complex micelles of methoxy poly(ethylene glycol) grafted chitosan
- Krzyszowska M, Torz A, Zachariasz J, Muszynski J, Socha J, Marcinkowski A// Polish Acad Sci, Inst Coal Chem, Sowinskiego 5, PL-44121 Gliwice, Poland
Green Chem 2007 **9** (8) 842
 New chitosan/CEG (compressed expanded graphite) composites preparation and physical properties
- Lawrie G, Keen I, Drew B, Chandler-Temple A, Rintoul L, Fredericks P, Grondahl L*// *Univ Queensland, Sch Mol & Microbial Sci, Brisbane, Qld 4072, Australia
Biomacromolecules 2007 **8** (8) 2533
 Interactions between alginate and chitosan biopolymers characterized using FTIR and XPS
- Li MX, Cheng SL, Yan HS*// *Nankai Univ, Inst Polymer Chem, MoE Key Lab Funct Polymer Materials, CN-30071 Tianjin, Peoples Rep China
Green Chem 2007 **9** (8) 894
 Preparation of crosslinked chitosan/poly(vinyl alcohol) blend beads with high mechanical strength
- Li QL, Chen ZQ, Darvell BW, Liu LK, Jiang HB, Zen Q, Peng Q, Ou GM*// *Anhui Med Univ, Dept Stomatol, Hefei, Peoples Rep China
J Biomed Mater Res B 2007 **82B** (2) 481
 Chitosan-phosphorylated chitosan polyelectrolyte complex hydrogel as an osteoblast carrier
- Liang YY, Zhang LM*, Li W, Chen RF// *Zhongshan Univ, Lab Polym Composite & Funct Materials, CN-510275 Guangzhou, Peoples Rep China
Colloid Polym Sci 2007 **285** (11) 1193
 Polysaccharide-modified iron oxide nanoparticles as an effective magnetic affinity adsorbent for bovine serum albumin
- Liu WJ, Huang YM*, Liu HL, Hu Y// *China Univ Sci & Technol, State Key Lab Chem Engr, CN-200237 Shanghai, Peoples Rep China
J Colloid Interface Sci 2007 **313** (1) 117
 Composite structure of temperature sensitive chitosan microgel and anomalous behavior in alcohol solutions
- Loretz B, Thaler M, Bemkop-Schnurch A*// *Innsbruck Univ, Dept Pharmaceut Technol, Innrain 52c, Josef Moller Haus, AT-6020 Innsbruck, Austria
Bioconj Chem 2007 **18** (4) 1028
 Role of sulfhydryl groups in transfection? A case study with chitosan-NAC nanoparticles
- Ma LH, Yu WT, Ma XJ*// *Chinese Acad Sci, Dalian Inst Chem Phys, Div Biotechnol, Lab Biomed Mat Engr, CN-116023 Dalian, Peoples Rep China
J Appl Polym Sci 2007 **106** (1) 394
 Preparation and characterization of novel sodium alginate/chitosan two ply composite membranes
- Mohamed KR, El-Bassouy GT, Beherei HH// Natl Res Ctr, Biomaterials Dept, Giza, Egypt
J Appl Polym Sci 2007 **105** (5) 2553
 Chitosan graft copolymers-HA/DBM biocomposites: Preparation, characterization, and *in vitro* evaluation
- Nordqvist D, Idermark J, Hedenqvist MS*// *Royal Inst Technol, Sch Chem Sci & Engr, Fibre & Polym Technol, SE-10044 Stockholm, Sweden
Biomacromolecules 2007 **8** (8) 2398
 Enhancement of the wet properties of transparent chitosan-acetic-acid-salt films using microfibrillated cellulose
- Petri DFS, Donega J, Benassi AM, Bocangel JAJS// Univ Sao Paulo, Inst Quim, POB 26077, BR-05513-970 Sao Paulo, SP, Brazil
Dent Mater 2007 **23** (8) 1004
 Preliminary study on chitosan modified glass ionomer restoratives
- Rao V, Ramaprasad AT// Mangalore Univ, Dept Mat Sci, Mangalore, Karnataka, India
J Appl Polym Sci 2007 **106** (1) 309
 Optical and conductivity studies of pseudo-doped chitin-polyaniline blend
- Takahashi T, Imai M*, Suzuki I// *Tokyo Univ Sci, Fac Engr, Dept Ind Chem, 1-3 Kagurazaka, Shinjuku ku, Tokyo 162 8601, Japan
Biochem Eng J 2007 **36** (1) 43
 Water permeability of chitosan membrane involved in deacetylation degree control
- Wydro P, Krajewska B*, Hac-Wydro K// *Jagiellonian Univ, Fac Chem, Ingardena 3, PL-30060 Krakow, Poland
Biomacromolecules 2007 **8** (8) 2611
 Chitosan as a lipid binder: A Langmuir monolayer study of chitosan-lipid interactions
- Yang YD, Zhou YG*, Chuo HM, Wang SY, Yu JG// *Hebei Normal University Science & Technology, Department Chem, CN-066600 Changli, Peoples Rep China
J Appl Polym Sci 2007 **106** (1) 372
 Blood compatibility and mechanical properties of oxidized-chitosan films

5. Cyclodextrins

- Al Omari MM, Zughul MB, Davies JED, Badwan AA// Jordanian Pharmaceut Manufacturing Co, Naur, Jordan
J Inclusion Phenom Macrocycl Chem 2007 **58** (3-4) 227
 Effect of buffer species on the complexation of basic drug terfenadine with β -cyclodextrin
- Balbuena P, Lesur D, Alvarez MJG, Mendicuti F, Mellet CO*, Fernandez JMG// *Inst Invest Quim - CSIC, Americo Vespucio 49, Isla Cartuja, ES-41092 Seville, Spain
Chem Commun 2007 **31** 3270
 One-pot regioselective synthesis of 2',3'-O-(*o*-xylylene)-capped cyclomaltooligosaccharides: Tailoring the topology and supramolecular properties of cyclodextrins
- Cristiano A, Lim CW, Rozkiewicz DI, Reinhoudt DN, Ravoo BJ*// *Univ Munster, Inst Organ Chem, Corrensstr 40, DE-48149 Munster, Germany
Langmuir 2007 **23** (17) 8944
 Solid-supported monolayers and bilayers of amphiphilic β -cyclodextrins
- Holvoet C, Vander Heyden Y, Plaizier-Vercammen J*// *Vrije Univ Brussels, Dept Anal Chem & Pharmaceut Technol, Laarbeeklaan 103, BE-1090 Brussels, Belgium
Pharmazie 2007 **62** (7) 510
 Influence of preparation method on itraconazole oral solutions using cyclodextrins as complexing agents
- Kiss T, Fenyvesi F, Pasztor N, Feher P, Varadi J, Kocsan R, Szenté L, Fenyvesi E*, Szabo G, Vecsernyes M, Bacsakay I// *Debrecen University Medicine, Fac Pharm, Dept Pharmaceut Technol, Egyetem 1, POB 78, HU-4010 Debrecen, Hungary
Pharmazie 2007 **62** (7) 557
 Cytotoxicity of different types of methylated β -cyclodextrins and ionic derivatives
- Li FY, Sun XM, Zhang H, Li BH*, Gan FX// *Sth Cent Univ Natl, Coll Chem & Mat Sci, Key Lab Anal Chem State Ethnic Affairs Commission, CN-430074 Wuhan, Peoples Rep China
J Appl Polym Sci 2007 **105** (6) 3418
 Pyromellitic dianhydride-modified β -cyclodextrin microspheres for Pb(II) and Cd(II) adsorption
- Mahammad S, Roberts GW*, Khan SA// *Nth Carolina State Univ, Dept Chem & Biomol Engr, Raleigh, NC 27695, USA
Soft Matter 2007 **3** (9) 1185
 Cyclodextrin-hydrophobe complexation in associative polymers
- Miyawaki A, Takashima Y, Yamaguchi H, Harada A*// *Osaka Univ, Grad Sch Sci, Dept Macromol Sci, Osaka 560 0043, Japan
Chem Lett 2007 **36** (7) 828
 Supramolecular polymers formed by bifunctional cyclodextrin derivatives
- Salmaso S, Bersani S, Semenzato A, Caliceti P*// *Univ Padua, Dept Pharmaceut Sci, Via F Marzolo 5, IT-35131 Padua, Italy
J Drug Target 2007 **15** (6) 379
 New cyclodextrin bioconjugates for active tumour targeting

6. Lignin

- Baumberger S, Abaecherli A, Fasching M, Gellerstedt G, Gosselink R, Hortling B, Li J, Saake B, De Jong E// Inst Natl Agr Paris Grignon, AgroParisTech, INRA UMR 206 Chim Biol, FR-78850 Thiverval Grignon, France
Holzforchung 2007 **61** (4) 459
 Molar mass determination of lignins by size-exclusion chromatography: Towards standardisation of the method
- Doherty W, Halley P, Edye L, Rogers D, Cardona F, Park Y, Woo T// Queensland Univ Technol, Brisbane, Qld 4001, Australia
Polym Adv Technol 2007 **18** (8) 673
 Studies on polymers and composites from lignin and fiber derived from sugar cane

7. Lipopolysaccharides

- Tada R, Nagi-Miura N, Adachi Y, Ohno N// *Tokyo Univ Pharm & Life Sci, Sch Pharm, Lab Immunopharmacol Microbial Products, 1432-1 Horinouchi, Tokyo 192 0392, Japan
Chem Pharm Bull Tokyo 2007 **55** (7) 992
 An unambiguous assignment and structural analysis using solution NMR experiments of O-antigen from *Escherichia coli* ATCC23505 (serotype O9)
- Tam PH, Lowary TL// *Univ Alberta, Alberta Ingenu Ctr Carbohydrate Sci, Edmonton, Alberta, Canada T6G 2G2
Carbohydr Res 2007 **342** (12-13) 1741
 Synthesis of deoxy and methoxy analogs of octyl α -D-mannopyranosyl-(1 $\rightarrow$ 6)- α -D-mannopyranoside as probes for mycobacterial lipoarabinomannan biosynthesis

8. Pectin

- Chen CS, Penner MH// *Oregon State Univ, Dept Food Sci & Technol, Corvallis, Or 97331, USA
J Agric Food Chem 2007 **55** (15) 5907
 Turbidity-based assay for polygalacturonic acid depolymerase activity
- Doco T, Williams P, Cheynier V// INRA, Joint Res Unit Sci Enol 1083, 2 Pl Viala, FR-34060 Montpellier, France
J Agric Food Chem 2007 **55** (16) 6643
 Effect of flash release and pectinolytic enzyme treatments on wine polysaccharide composition
- Kida T, Inoue K, Akagi T, Akashi M// *Osaka Univ, Grad Sch Engn, Dept Appl Chem, 2-1 Yamadaoka, Suita, Osaka 565 0871, Japan
Chem Lett 2007 **36** (7) 940
 Preparation of novel polysaccharide nanoparticles by the self-assembly of amphiphilic pectins and their protein-encapsulation ability
- Liu J, Verespej E, Alexander M, Corredig M// *Univ Guelph, Dept Food Sci, Guelph, Ontario, Canada N1G 2W1
J Agric Food Chem 2007 **55** (15) 6270
 Comparison on the effect of high-methoxyl pectin or soybean-soluble polysaccharide on the stability of sodium caseinate-stabilized oil/water emulsions
- Maftoonazad N, Ramaswamy HS, Marcotte M// McGill Univ, Dept Food Sci, 21 111 Lakeshore, Ste Anne Bellevue, Quebec City, Quebec, Canada
J Food Process Eng 2007 **30** (5) 539
 Evaluation of factors affecting barrier, mechanical and optical properties of pectin-based films using response surface methodology
- Sriamornsak P, Thirawong N, Weerapol Y, Nunthanid J, Sunghongjeen S// Silpakorn Univ, Dept Pharmaceut Technol, TH-73000 Nakhon Pathom, Thailand
Eur J Pharm Biopharm 2007 **67** (1) 211
 Swelling and erosion of pectin matrix tablets and their impact on drug release behavior
- Ugurlu T, Turkoglu M, Gurer US, Akarsu BG// Marmara Univ, Fac Pharm, Dept Pharmaceut Technol, TR-34668 Istanbul, Turkey
Eur J Pharm Biopharm 2007 **67** (1) 202
 Colonic delivery of compression coated nisin tablets using pectin/HPMC polymer mixture
- Yamazaki E, Kurita O// Mie Prefectural Sci & Technol Promotion Ctr, Ind Res Div, Takachaya 414 0819, Japan
Int J Food Prop 2007 **10** (3) 505
 Extraction and characterization of the pectic substances from Japanese pepper (*Zanthoxylum piperitum* DC) fruit

9. Starch

- Bao JS, Shen Y, Jin L// Zhejiang Univ, Coll Agric & Biotechnol, Inst Nucl Agric Sci, Hua Jiachi Campus, CN-310029 Hangzhou, Peoples Rep China
J Cereal Sci 2007 **46** (1) 75
 Determination of thermal and retrogradation properties of rice starch using near-infrared spectroscopy

- Carvalho J, Goncalves C, Gil AM, Gama FM// *Univ Minho, Ctr Engn Biol, Campus Gualtar, PT-4710-057 Braga, Portugal
Eur Polym J 2007 **43** (7) 3050
 Production and characterization of a new dextrin based hydrogel
- Che LM, Li D*, Wang LJ, Chen XD, Mao ZH// *China Agric Univ, Coll Engn, POB 50 17 Qinghua Donglu, CN-100083 Beijing, Peoples Rep China
Int J Food Prop 2007 **10** (3) 527
 Micronization and hydrophobic modification of cassava starch
- Chen YX, Liu SY, Wang GY// *Chinese Acad Sci, Chengdu Inst Organ Chem, Dept Appl Chem, CN-610041 Chengdu, Peoples Rep China
J Appl Polym Sci 2007 **105** (5) 2841
 Flocculation properties and adsorption kinetics of cationic starches in kaolin suspensions
- Fitzsimons SM, Mulvihill DM, Morris ER// *Univ Coll Cork, Dept Food & Nutr Sci, Cork, Rep Ireland
Food Hydrocolloid 2008 **22** (3) 468
 Co-gels of whey protein isolate with crosslinked waxy maize starch: Analysis of solvent partition and phase structure by polymer blending laws
- Glenn GM, Klamczynski AP, Shey J, Chiou BS, Holtman KM, Wood DF, Ludvik C, Hoffman GD, Orts WJ, Imam S// USDA/ARS, Western Reg Res Ctr, 800 Buchanan St, Albany, Ca 94710, USA
Polym Adv Technol 2007 **18** (8) 636
 Controlled release of 2-heptanone using starch gel and polycaprolactone matrices and polymeric films
- Huang Q, Li L, Fu X// Sth China Univ Technol, Inst Light Chem Engn, CN-510640 Ghangzhou, Peoples Rep China
Starch 2007 **59** (8) 371
 Ultrasound effects on the structure and chemical reactivity of cornstarch granules
- Jantas R, Draczynski Z, Stawski D// Tech Univ Lodz, Dept Phys Chem Polym, Zeromskeigo 116, PL-90924 Lodz, Poland
Starch 2007 **59** (8) 366
 Starch functionalized by chloroacetate groups: Coupling of bioactive salicylic acid
- Joshi SS, Mebel AM// *Florida Int Univ, Dept Chem & Biochem, University Park, 11200 SW 8th St, Miami, Fl 33199, USA
Polymer 2007 **48** (13) 3893
 Computational modeling of biodegradable blends of starch amylose and polypropylene carbonate
- Jyothi AN, Moorthy SN, Rajasekharan KN// Cent Tuper Crops Res Inst, IN-695017 Thiruvananthapuram, Kerala, India
J Sci Food Agric 2007 **87** (10) 1964
 Studies on the synthesis and properties of hydroxypropyl derivatives of cassava (*Manihot esculenta* Crantz) starch
- Kittipongpatana OS, Chaitep W, Littipongpatana N, Laenger R, Sriroth K// Chiang Mai Univ, Fac Pharm, Dept Pharmaceut Sci, TH-50200 Chiang Mai, Thailand
Cereal Chem 2007 **84** (4) 331
 Physicochemical and pharmaceutical properties of carboxymethyl rice starches modified from native starches with different amylose content
- Kvien I, Sugiyama J, Votrubeck M, Oksman K// *Lulea Univ Technol, Div Manufacturing & Design Wood & Bionanocomposites, SE-93187 Skelleftea, Sweden
J Mater Sci 2007 **42** (19) 8163
 Characterization of starch based nanocomposites
- Li SF, Yang YJ*, Yang XL, Xu HB// *Huazhong Univ Sci & Technol, Dept Chem, CN-430074 Wuhan, Peoples Rep China
J Appl Polym Sci 2007 **105** (6) 3432
 In vitro degradation and protein release of semi-IPN hydrogels consisted of poly(acrylic acid-acrylamide-methacrylate) and amylose
- Mahmood T, Turner MA, Stoddard FL// *Univ Helsinki, Dept Appl Biol, POB 27, FI-00014 Helsinki, Finland
Starch 2007 **59** (8) 357
 Comparison of methods for colorimetric amylose determination in cereal grains
- Matero S, Pajander J, Soikkeli AM, Reinikainen SP, Lahtela-Kakkonen M, Korhonen O, Ketolainen J, Poso A// Univ Kuopio, Dept Pharmaceut Chem, POB 1627, FI-70211 Kuopio, Finland
Anal Chim Acta 2007 **595** (1-2) 190
 Predicting the drug concentration in starch acetate matrix tablets from ATR-FTIR spectra using multi-way methods
- Mihai M, Huneault MA*, Favis BD, Li HB// *Ecole Polytech, Dept Chem Engn, CREPEC, POB 6079, Stn Ctr-ville, Montreal, Quebec, Canada H3C 3A7
Macromol Biosci 2007 **7** (7) 907
 Extrusion foaming of semi-crystalline PLA and PLA/thermoplastic starch blends
- Noisuwan A, Hemar Y*, Bronlund JE, Wilkinson B, Williams MAK// *Fonterra Co-operat Grp Ltd, Private Bag 11 029, Dairy Farm Rd, Palmerston North, New Zealand
Starch 2007 **59** (8) 379
 Viscosity, swelling and starch leaching during the stages of pasting of normal and waxy rice early starch suspensions containing different milk protein ingredients

- Nowotna A, Gambus H, Kratsch G, Krawontka J, Gambus F, Sabat R, Ziobro R// Agric Univ, Fac Food Technol, Balicka Str 122, PL-30149 Krakow, Poland
Starch 2007 **59** (8) 397
- Effect of nitrogen fertilization on the physico-chemical properties of starch isolated from German Triticale varieties
- Onitilo MO, Sanni LO*, Oyewole OB, Maziya-Dixon B// *Univ Agric, Dept Food Sci & Technol, PMB 2240, NG-110001 Abeokuta, Nigeria
Int J Food Prop 2007 **10** (3) 607
- Physicochemical and functional properties of sour starches from different cassava varieties
- Orts WJ, Nobes GAR, Glenn GM, Gray GM, Imam S, Chiou BS// USDA/ARS, Western Reg Res Ctr, 800 Buchanan St, Albany, Ca 94710, USA
Polym Adv Technol 2007 **18** (8) 629
- Blends of starch with ethylene vinyl alcohol copolymers: Effect of water/glycerol, and amino acids as plasticizers
- Park IM, Lbanes AM, Zhong F, Shoemaker CF// Univ Calif Davis, Dept Food Sci & Technol, Davis, Ca 95616, USA
Starch 2007 **59** (8) 388
- Gelatinization and pasting properties of waxy and non-waxy rice starches
- Porter SE, Donohoe BS, Beery KE, Xu Q, Ding SY, Vinzant TB, Abbas CA, Himmel ME// Chem & Biosci Ctr, Natl Renewable Energy Lab, Golden, Co 80401, USA
Biotechnol Bioeng 2007 **98** (1) 123
- Microscopic analysis of corn fiber using starch- and cellulose-specific molecular probes
- Ratnayake WS, Wassinger AB, Jackson DS// *Univ Nebraska, Dept Food Sci & Technol, Lincoln, Ne 68583, USA
Cereal Chem 2007 **84** (4) 415
- Extraction and characterization of starch from alkaline cooked corn masa
- Sanchez EM, Martinez MG, Vega MLR, Cardenas JDCF// CICATA-IPN Unidad Queretaro, Jose Siurob 10, Col Alameda, MX-76040 Queretaro, Qro, Mexico
J Food Process Eng 2007 **30** (5) 578
- Electrical conductivity and kinetic parameters of rice starch
- Sandhu KS, Singh N, Lim ST// Korea Univ, Sch Life Sci & Biotechnol, 5-1 Anam dong, Sungbuk gu, Seoul 136 701, South Korea
LWT-Food Sci Technol 2007 **40** (9) 1527
- A comparison of native and acid thinned normal and waxy corn starches: Physicochemical thermal, morphological and pasting properties
- Tetchi FA, Rolland-Sabate A, Amani GN*, Colonna P// *Univ Abobo-Adjame, UFR STA, 02 BP 801, Abidjan, Cote d'Ivoire
J Sci Food Agric 2007 **87** (10) 1906
- Molecular and physicochemical characterisation of starches from yam, cocoyam, cassava, sweet potato and ginger produced in the Ivory Coast
- Watanabe H, Yahata Y, Fukuoka M, Sakiyama T, Mihori T// Tokyo Univ Marine Sci & Technol, Dept Food Sci & Technol, 4-5-7 Konan, Minato ku, Tokyo 108 8477, Japan
J Food Eng 2007 **83** (2) 130
- The thermodynamic basis for the Relative Water Demand Model that describes non-Fickian water diffusion in starchy foods
- Xu YX, Hanna M// *Univ Nebraska, Ind Agric Prod Ctr, 211 LW Chase Hall, East Campus, Lincoln, Ne 68583, USA
Packag Technol Sci 2007 **20** (3) 165
- Effect of eggshell powder as nucleating agent on the structure, morphology and functional properties of normal corn starch foams

10. Starch-degrading enzymes

- Bhanja T, Rout S, Banerjee R*, Bhattacharyya BC// *Indian Inst Technol, Agric & Food Engn Dept, IN-721302 Kharagpur, India
Bioprocess Biosyst Eng 2007 **30** (5) 369
- Comparative profiles of α -amylase production in conventional tray reactor and GROWTEK bioreactor
- Bhatti HN, Mustafa G, Asgher M// Univ Agric Faisalabad, Dept Chem, Ind Biotechnol Lab, PK-38040 Faisalabad, Pakistan
J Chem Soc Pakistan 2007 **29** (2) 161
- Production of glucoamylase by *Fusarium moniliforme* under solid-state fermentation
- Ezeji TC, Bahl H// Univ Illinois, Dept Food Sci & Human Nutr, Biotechnol & Bioengn Grp, 1207 West Gregory Dr, Urbana, Il 61801, USA
World J Microbiol Biotechnol 2007 **23** (9) 1311
- Production of raw-starch-hydrolysing α -amylase from the newly isolated *Geobacillus thermodenitrificans* HR010
- Ghang DM, Yu L, Lim MH, Ko HM, Im SY, Lee HB, Bai S// *Chonnam Natl Univ, Coll Nat Sci, Dept Biol Sci, Kwangju 500 757, South Korea
Biotechnol Lett 2007 **29** (8) 1203
- Efficient one-step starch utilization by industrial strains of *Saccharomyces cerevisiae* expressing the glucoamylase and α -amylase genes from *Debaryomyces occidentalis*

11. Polysaccharides - Microbial

- Akiyama E, Morimoto N, Kujawa P, Ozawa Y, Winnik FM*, Akiyoshit K// *Univ Montreal, Fac Pharm, CP 6128, Succursale Ctr-ville, Montreal, Quebec, Canada H3C 3J7
Biomacromolecules 2007 **8** (8) 2366
- Self-assembled nanogels of cholesteryl-modified polysaccharides: Effect of the polysaccharide structure on their association characteristics in the dilute and semidilute regimes
- Aumelas A, Serrero A, Durand A, Dellacherie E, Leonard M// *Nancy Univ, ENSIC, CNRS UMR 7568, Lab Chim Phys Macromol, BP 20451, FR-54001 Nancy, France
Colloid Surface B 2007 **59** (1) 74
- Nanoparticles of hydrophobically modified dextrans as potential drug carrier systems
- Baik YS, Cheong WJ// *Inha Univ, Dept Chem, Incheon, South Korea
J Sep Sci 2007 **30** (10) 1509
- Development of SPE for recovery of polysaccharides and its application to the determination of monosaccharides composition of the polysaccharide sample of a lactobacillus KLB 58
- Hassan AN, Awad S, Mistry VV// Univ Alexandria, Dept Dairy Sci & Technol, Alexandria, Egypt
J Dairy Sci 2007 **90** (8) 3604
- Reduced fat process cheese made from young reduced fat cheddar cheese manufactured with exopolysaccharide-producing cultures
- Joe M, Bai Y, Nacario RC, Lowary TL// *Univ Alberta, Alberta Ingenu Ctr Carbohydrate Sci, Edmonton, Alberta, Canada T6G 2G2
J Am Chem Soc 2007 **129** (32) 9885
- Synthesis of the docosanasaccharide arabinan domain of mycobacterial arabinogalactan and a proposed octadecasaccharide biosynthetic precursor
- Kurbanoglu EB, Kurbanoglu NI// Ataturk Univ, Fac Arts & Sci, Dept Biol, TR-25240 Erzurum, Turkey
Process Biochem 2007 **42** (7) 1146
- Ram horn hydrolysate as enhancer of xanthan production in batch culture of *Xanthomonas campestris* EBK-4 isolate
- Nickerson MT, Paulson AT*, Speers RA// *University Saskatchewan, Department Appl Microbiol & Food Sci, Saskatoon, Saskatchewan, Canada S7N 5A8
J Food Sci 2007 **72** (5) E315
- Time-temperature studies of gellan polysaccharide-high sugar mixtures: Effect of sodium ions on structure formation
- Pang X, Chen Z, Gao X, Liu W, Slavin M, Yao W*, Yu LL// *China Pharmaceut University, School Life Science & Technol, CN-210009 Nanjing, Peoples Rep China
J Food Sci 2007 **72** (6) S435
- Potential of a novel polysaccharide preparation (GLPP) from Anhui-grown *Ganoderma lucidum* in tumor treatment and immunostimulation
- Park KH, Song HC, Na K*, Bom HS, Lee KH, Kim S, Kang D, Lee DH// *Catholic Univ Korea, Dept Biotechnol, 43-1 Yockok 2 dong, Wonmi gu, Gyeonggi 420 743, South Korea
Colloid Surface B 2007 **59** (1) 16
- Ionic strength-sensitive pullulan acetate nanoparticles (PAN) for intratumoral administration of radioisotope: Ionic strength-dependent aggregation behavior and ^{99m}technetium retention property
- Psomas SK, Liakopoulou-Kyriakides M*, Kyriakidis DA// *Aristotle Univ Thessaloniki, Fac Chem Engn, GR-54124 Thessaloniki, Greece
Biochem Eng J 2007 **35** (3) 273
- Optimization study of xanthan gum production using response surface methodology
- Souguir Z, Roudesli S, About-Jaudet E, Le Cerf D, Picton L// *Univ Rouen, CNRS UMR 6522, FR-76821 Mont St Aignan, France
J Colloid Interface Sci 2007 **313** (1) 108
- Synthesis and physicochemical characterization of a novel ampholytic pullulan derivative with amphiphilic behavior in alkaline media
- Torres-Sanchez MI, Zaccaria C, Buzzi B, Miglio G, Lombardi G, Polito L, Russo G, Lay L// *Univ Milan, Dipt Chim Organ & Ind, Via Venezian 21, IT-20133 Milan, Italy
Chem Eur J 2007 **13** (23) 6623
- Synthesis and biological evaluation of phosphono analogues of capsular polysaccharide fragments from *Neisseria meningitidis* A
- Torrestiana-Sanchez B, Balderas-Luna L, Brito-De la Fuente E, Lencki RW// *Univ Guelph, Guelph, Ontario, Canada N1G 2W1
J Membr Sci 2007 **294** (1-2) 84
- The use of membrane-assisted precipitation for the concentration of xanthan gum
- Wu Q, Zheng C*, Ning ZX, Yang B// *Guangzhou Univ, Sch Chem & Chem Engn, CN-510091 Guangzhou, Peoples Rep China
Int J Mol Sci 2007 **8** (7) 670
- Modification of low molecular weight polysaccharides from *Tremella fuciformis* and their antioxidant activity *in vitro*

12. Polysaccharides - Plant

- Bah M, Cherigo L, Taketa ATC, Fragosso-Serrano M, Hammond GB, Pereda-Miranda R*// *Univ Nacl Autonoma Mexico, Dept Chem, MX-04510 Mexico City, DF, Mexico
J Nat Prod 2007 **70** (7) 1153
 Intrapilins I-VII, pentasaccharides from the seeds of *Ipomoea intrapilosa*
- Bahamdan A, Daly WH*// *Louisiana State Univ, Dept Chem, Macromol Studies Grp, Baton Rouge, La 70803, USA
Polym Adv Technol 2007 **18** (8) 652
 Hydrophobic guar gum derivatives prepared by controlled grafting processes
- Bahamdan A, Daly WH*// *Louisiana State University, Department Chemistry, Macromolecular Studies Group, Baton Rouge, La 70803, USA
Polym Adv Technol 2007 **18** (8) 660
 Hydrophobic guar gum derivatives prepared by controlled grafting processes - Part II: Rheological and degradation properties toward fracturing fluids applications
- Benhabane S, Subirade M, Vandenberg GW*// *Univ Laval, Dept Anim Sci, Ste Foy, Quebec, Canada G1K 7P4
J Microencapsul 2007 **24** (6) 565
 Production of BSA-loaded alginate microcapsules: Influence of spray dryer parameters on the microcapsule characteristics and BSA release
- Castro RR, Feitosa JPA, Da Cunha PLR, Da Rocha FAC*// *Univ Fed Ceara, Dept Internal Med, Fortaleza, Ceara, Brazil
Clin Rheumatol 2007 **26** (8) 1312
 Analgesic activity of a polysaccharide in experimental osteoarthritis in rats
- Deng ZY, Zhang JW, Wu GY, Yin YL, Ruan Z, Li TJ, Chu WY, Kong XF, Zhang YM, Fan YW, Liu R, Huang RL// Chinese Acad Sci, Inst Subtrop Agric, Lab Anim Nutr & Hlth, POB 10, CN-410125 Changsha, Hunan, Peoples Rep China
J Sci Food Agric 2007 **87** (10) 1868
 Dietary supplementation with polysaccharides from Semen Cassiae enhances immunoglobulin production and interleukin gene expression in early-weaned piglets
- Ikai T, Yamamoto C, Kamigaito M, Okamoto Y*// *Nagoya University, EcoTopia Science Institute, Furo cho, Chikusa ku, Nagoya, Aichi 464 8603, Japan
J Chromatogr A 2007 **1157** (1-2) 151
 Immobilization of polysaccharide derivatives onto silica gel - Facile synthesis of chiral packing materials by means of intermolecular polycondensation of triethoxysilyl groups
- Jorgensen TE, Sletmoen M, Draegt KI, Stokke BT*// *NTNU - Norwegian Univ Science & Technology, Department Phys, NOBIPOL, NO-7491 Trondheim, Norway
Biomacromolecules 2007 **8** (8) 2388
 Influence of oligoguluronates on alginate gelation, kinetics, and polymer organization
- Mazutti M, Ceni G, Di Luccio M, Treichel H*// *Univ Reg Integrada Alto Uruguai & Missoes, Dept Food Engn, Campus Erechim, Av Sete Setembro 1621, BR-99700-000 Erechim, RS, Brazil
Bioprocess Biosyst Eng 2007 **30** (5) 297
 Production of inulinase by solid-state fermentation: Effect of process parameters on production and preliminary characterization of enzyme preparations
- Nikolic GS, Cakic MD// Univ Nis, Fac Technol, Blvd Oslobodjenja 124, Leskovac 16000, Serbia
Colloid J Engl Tr 2007 **69** (4) 464
 Physical investigation of the colloidal iron-inulin complex
- Nussinovitch A, Zvitov-Marabi R// Hebrew Univ Jerusalem, Fac Agric Food & Environm Qual Sci, Inst Biochem Food Sci & Hum Nutr, PO Box 12, IL-76100 Rehovot, Israel
Food Hydrocolloid 2008 **22** (3) 364
 Unique shape, surface and porosity of dried electrified alginate gels
- Pal S, Mal D, Singh RP// Hindustan Gum & Chem Limited, Bhiwani, Haryana, India
J Appl Polym Sci 2007 **105** (6) 3240
 Synthesis and characterization of cationic guar gum: A high performance flocculating agent
- Pongjanyakul T, Puttipatkhachorn S// Khon Kaen Univ, Fac Pharmaceut Sci, TH-40002 Khon Kaen, Thailand
Eur J Pharm Biopharm 2007 **67** (1) 187
 Modulating drug release and matrix erosion of alginate matrix capsules by micro environmental interaction with calcium ion
- Pourjavadi A, Barzegar S, Zeidabadi F// Sharif University Technology, Department Chemistry, Polym Res Lab, Azadi Ave, POB 11365-9516, Tehran, Iran
React Funct Polym 2007 **67** (7) 644
 Synthesis and properties of biodegradable hydrogels of κ -carrageenan grafted acrylic acid-co-2-acrylamido-2-methylpropanesulfonic acid as candidates for drug delivery systems

- Rahimi J, Khosrowshahi A, Madadlou A, Aziznia S// Urmia Univ, Fac Agric, Dept Food Sci & Engr, Orumiyeh, Iran
J Dairy Sci 2007 **90** (9) 4058
 Texture of low-fat Iranian White cheese as influenced by gum tragacanth as a fat replacer
- Rojas-Grau MA, Raybaudi-Massilia RM, Soliva-Fortuny RC, Avena-Bustillos RJ, McHugh TH, Martin-Belloso O*// *Univ Lleida, UTPV CeRTA, Dept Food Technol, Rovira Roure 191, ES-25198 Lleida, Spain
Postharvest Biol Technol 2007 **45** (2) 254
 Apple puree-alginate edible coating as carrier of antimicrobial agents to prolong shelf-life of fresh-cut apples
- Rout S, Banerjee R*// *Indian Institute Technology, Agric & Food Engr Dept, Microbial Biotechnol & Downstream Processing Lab, IN-721302 Kharagpur, India
Bioresource Technol 2007 **98** (16) 3159
 Free radical scavenging, anti-glycation and tyrosinase inhibition properties of a polysaccharide fraction isolated from the rind from *Punica granatum*
- Schwikal K, Heinze T*// *Univ Jena, Kompetenzzentrum Polysaccharidforschung, Humboldtstr 10, DE-07743 Jena, Germany
Polym Bull 2007 **59** (2) 161
 Dialkylaminoethyl xylans: Polysaccharide ethers with pH-sensitive solubility
- Thommes M, Blaschek W, Kleinebudde P// Univ Dusseldorf, Inst Pharmaceut & Biopharmaceut, DE-4000 Dusseldorf, Germany
Eur J Pharm Sci 2007 **31** (2) 112
 Effect of drying on extruded pellets based on κ -carrageenan
- Wang B, Jia DY*, Ruan SQ, Qin S// *Sichuan Univ, Coll Light Ind & Food Sci, CN-610065 Chengdu, Peoples Rep China
J Appl Polym Sci 2007 **106** (1) 327
 Structure and properties of collagen-konjac glucomannan-sodium alginate blend films
- Yadav MP, Johnston DB, Hicks KB// USDA/ARS, Eastern Reg Res Ctr, 600 East Mermaid Lane, Wyndmoor, Pa 19038, USA
J Agric Food Chem 2007 **55** (15) 6366
 Structural characterization of corn fiber gums from coarse and fine fiber and a study of their emulsifying properties

13. Polysaccharides - Other

- Cheon HS, Lian Y, Kishi Y*// *Harvard Univ, Dept Chem & Chem Biol, 12 Oxford St, Cambridge, Ma 02138, USA
Org Lett 2007 **9** (17) 3323
 Highly stereoselective and iterative synthesis of α -(1 $\rightarrow$ 4)-linked polysaccharides composed of a 3-O-methyl-D-mannose
- Cheon HS, Lian Y, Kishi Y*// *Address as above
Org Lett 2007 **9** (17) 3327
 Practical and scalable synthesis of α -(1 $\rightarrow$ 4)-linked polysaccharides composed of 6-O-methyl-D-glucose
- Khouryieh HA, Herald TJ*, Aramouni F, Alavi S// *Kansas State Univ, 216 Call Hall, Manhattan, Ks 66502, USA
Food Res Int 2007 **40** (7) 883
 Intrinsic viscosity and viscoelastic properties of xanthan/guar mixtures in dilute solutions: Effect of salt concentration on the polymer interactions
- Maleki A, Kjoniksen AL*, Nystrom B// *Univ Oslo, Dept Chem, POB 1033, NO-0315 Oslo, Norway
Polym Bull 2007 **59** (2) 217
 Anomalous viscosity behavior in aqueous solutions of hyaluronic acid
- Matricardi P, Onorati I, Masci G, Coviello T, Alhaique F*// *Univ Roma La Sapienza, Dept Chem & Technol Biol Active Cps, Piazzale Aldo Moro 5, IT-00185 Rome, Italy
J Drug Deliv Sci Technol 2007 **17** (3) 193
 Semi-IPN hydrogel based on scleroglucan and alginate: Drug delivery behavior and mechanical characterisation
- Miura Y, Koketsu D, Kobayashi K// Japan Advanced Inst Sci & Technol, Sch Materials Sci, 1-1 Asahidai, Nomi, Ishikawa 923 129, Japan
Polym Adv Technol 2007 **18** (8) 647
 Synthesis and properties of a well-defined glycopolymer via living radical polymerization
- Tognana E, Borriore A, De Luca C, Pavesio A*// *Fidia Advanced Biopolymers, Via Ponte della Fabbrica 3/B, IT-35031 Abano Terme, Italy
Cells Tissues Organs 2007 **186** (2) 97
 Hyalograft® C: Hyaluronan-based scaffolds in tissue-engineered cartilage
- Yao C, Li XS*, Song TY// *Southeast Univ, Sch Chem & Chem Engr, Biomaterials & Drug Delivery Laboratories, CN-210018 Nanjing, Peoples Rep China
J Biomater Sci Polym Ed 2007 **18** (6) 731
 Fabrication of zein/hyaluronic acid fibrous membranes by electrospinning