

Bibliography of carbohydrate polymers

(4 weeks journals. Search completed at 23rd. Jan. 2008)

1. Reviews

Loethen S, Kim JM, Thompson DH*// *Purdue Univ, Dept Chem, 560 Oval Dr, West Lafayette, In 47907, USA

Polym Rev 2007 **47** (3) 383

Biomedical applications of cyclodextrin based polyrotaxanes

Muralikrishna G, Rao MVSSTS// Pennsylvania State Univ, Dept Pharmacol, Milton S Hershey Med Ctr, 500 University Dr, Hershey, Pa 17033, USA

Crit Rev Food Sci Nutr 2007 **47** (6) 599

Cereal non-cellulosic polysaccharides: Structure and function relationship - An overview

Nikitina VE, Tsivileva OM*, Pankratov AN, Bychkov NA// *Russian Acad Sci, Inst Biochem & Physiol Plants & Microorganisms, Lab Microbiol & Mycol, RU-410049 Saratov, Russia

Food Technol Biotechnol 2007 **45** (3) 230

Lentinula edodes biotechnology - From lentinan to lectins

2. Cellulose

Abu-Rous M, Varga K, Bechtold T, Schuster KC// Leopold Franzens Univ Innsbruck, Inst Textile Chem & Textile Phys, AT-6850 Dornbirn, Austria

J Appl Polym Sci 2007 **106** (3) 2083

A new method to visualize and characterize the pore structure of Tencel® (Lyocell) and other man-made cellulosic fibres using a fluorescent dye molecular probe

Badulescu R, Vivod V, Jausovec D, Voncina B*// *Univ Maribor, Textile Dept, Smetanova 17, SI-2000 Maribor, Slovenia

Carbohydr Polym 2008 **71** (1) 85

Grafting of ethylcellulose microcapsules onto cotton fibers

Bajpai J, Mishra S, Bajpai AK// Govt Autonomous Sci Coll, Dept Chem, Bose Mem Res Lab, IN-482001 Jabalpur, India

J Appl Polym Sci 2007 **106** (2) 961

Dynamics of controlled release of potassium nitrate from a highly swelling binary polymeric blend of alginate and carboxymethyl cellulose

Castellan A, Ruggiero R, Frollini E, Ramos LA, Chirat C// Univ Bordeaux 1, US2B, UMR 5103 CNRS-INRA-UBx1, FR-33405 Talence, France

Holzforchung 2007 **61** (5) 504

Studies on fluorescence of celluloses

Cyras VP, Commisso MS, Mauri AN, Vazquez A*// *Univ Nacl Mar del Plata, Fac Ingn, INTEMA, Mar del Plata, Argentina

J Appl Polym Sci 2007 **106** (2) 749

Biodegradable double-layer films based on biological resources: Polyhydroxybutyrate and cellulose

Dankovich TA, Hsieh YL*// *Univ Calif Davis, Fiber & Polymer Sci, Davis, Ca 95616, USA

Cellulose 2007 **14** (5) 469

Surface modification of cellulose with plant triglycerides for hydrophobicity

Fendler A, Villanueva MP, Gimenez E, Lagaron JM*// *IATA - CSIC, Novel Materials & Nanotechnol, Apdo Correos 73, ES-46100 Burjassot, Spain

Cellulose 2007 **14** (5) 427

Characterization of the barrier properties of composites of HDPE and purified cellulose fibers

He BQ, Li J, Bo ZS, Huang Y*// *Tianjin Polytech Univ, Sch Materials & Chem Engn, Tianjin Key Lab Fiber Modification & Funct Fiber, CN-300160 Tianjin, Peoples Rep China

J Appl Polym Sci 2007 **106** (2) 1390

The morphology and photoelectronic properties of poly(9,9'-dioctylfluorene)/ethyl-cyanoethyl cellulose blends

Henniges U, Kloser E, Patel A, Potthast A, Kosma P, Fischer M, Fischer K, Rosenau T*// *Univ Nat Resources & Appl Life Sci, Dept Chem, Muthgasse 18, AT-1990 Vienna, Austria

Cellulose 2007 **14** (5) 497

Studies on DMSO-containing carbanilation mixtures: Chemistry, oxidations and cellulose integrity

Henriksson M, Henriksson G, Berglund LA, Lindstrom T*// *STFI-Packforsk AB, Box 5604, SE-11486 Stockholm, Sweden

Eur Polym J 2007 **43** (8) 3434

An environmentally friendly method for enzyme-assisted preparation of micro-fibrillated cellulose (MFC) nanofibers

Henriksson M, Berglund LA*// *KTH - Royal Inst Technol, Dept Fibre & Polymer Technol, SE-10044 Stockholm, Sweden

J Appl Polym Sci 2007 **106** (4) 2817

Structure and properties of cellulose nanocomposites films containing melamine formaldehyde

Hosono K, Kanazawa A, Mori H, Endo T// Japan Tobacco Inc, Res & Dev Planning Div, 2-2-1 Toranomon, Minato ku, Tokyo 105 8422, Japan

Cellulose 2007 **14** (5) 529

Enhanced degradation of cellulose acetate film containing diphenyliodonium salt-benzophenone

Kamburova K, Radeva T*// *Bulgarian Acad Sci, Rostislav Kaischew Inst Phys Chem, BG-1113 Sofia, Bulgaria

J Colloid Interface Sci 2007 **313** (2) 398

Electro-optics of colloid-polyelectrolyte complexes: Counterion condensation on free and adsorbed sodium carboxymethyl cellulose

Kamitakahara H, Nakatsubo F, Klemm D// Kyoto Univ, Grad Sch Agric, Sakyo ku, Kyoto 606 8502, Japan

Cellulose 2007 **14** (5) 513

New class of carbohydrate-based nonionic surfactants: Diblock co-oligomers of tri-O-methylated and unmodified cello-oligosaccharides

Kennedy CJ, Sturcova A, Jarvis MC*, Wess TJ// *Glasgow Univ, Chem Dept, Glasgow G12 8QQ, Scotland

Cellulose 2007 **14** (5) 401

Hydration effects on spacing of primary-wall cellulose microfibrils: A small angle X-ray scattering study

Kim J, Wang N, Chen Y// Inha Univ, Dept Engrg Mech, Creative Res Ctr EAPap Actuator, 253 Yonghyun-dong, Nam ku, Incheon 402 751, South Korea

Cellulose 2007 **14** (5) 439

Effect of chitosan and ions on actuation behavior of cellulose-chitosan laminated films as electro-active paper actuators

Kiyose M, Yamamoto E, Yamane C*, Midorikawa T, Takahashi T// *Kobe Womens Univ, Fac Home Econ, 2-1 Aoyama Higashima, Suma ku, Kobe, Hyogo 654 8585, Japan

Polym J 2007 **39** (7) 703

Structure and properties of low-substituted hydroxypropylcellulose films and fibers regenerated from aqueous sodium hydroxide solution

As a service to subscribers of the journal, this bibliography contains newly published material in the field of carbohydrate polymers. The bibliography is divided into thirteen sections: 1 Reviews; 2 Cellulose; 3 Cellulose-degrading enzymes; 4 Chitin/Chitosan; 5 Cyclodextrins; 6 Lignin; 7 Lipopolysaccharides; 8 Pectin; 9 Starch; 10 Starch-degrading enzymes; 11 Polysaccharides - Microbial; 12 Polysaccharides - Plant; 13 Polysaccharides - Other. Within each section, articles are listed in alphabetical order with respect to author. When there are no publications to appear under one of these headings, that section will be omitted.

- Kohler S, Heinze T*// *Univ Jena, Ctr Excellence Polysaccharide Res, Humboldtstr 10, DE-07743 Jena, Germany
Cellulose 2007 **14** (5) 489
Efficient synthesis of cellulose furoates in 1-*N*-butyl-3-methylimidazolium chloride
- Konkin A, Wendler F*, Meister F, Roth HK, Aganov A, Ambacher O// *Thuringian Inst Textiles & Plast Res, Ctr Excellence Polysaccharide Res, Breitscheidstr 97, DE-07407 Thuringia, Germany
Cellulose 2007 **14** (5) 457
Degradation processes in the cellulose/*N*-methylmorpholine-*N*-oxide system studied by HPLC and ESR. Radical formation/recombination kinetics under UV photolysis at 77 K
- Kontturi E, Johansson LS, Kontturi KS, Ahonen P, Thune PC, Laine J// Helsinki Univ Technol, Lab Forest Prod Chem, POB 6300, FI-02015 Helsinki, Finland
Langmuir 2007 **23** (19) 9674
Cellulose nanocrystal submonolayers by spin coating
- Leitner J, Hinterstoisser B, Wastyn M, Keckes J, Gindl W*// *Univ Nat Resources & Appl Life Sci, Dept Materials Sci & Process Engn, Vienna, Austria
Cellulose 2007 **14** (5) 419
Sugar beet cellulose nanofibril-reinforced composites
- Li CZ, Zhao ZKB*// *Chinese Acad Sci, Dalian Inst Chem Phys, CN-116023 Dalian, Peoples Rep China
Adv Synth Catal 2007 **349** (11-12) 1847
Efficient acid-catalyzed hydrolysis of cellulose in ionic liquid
- Lingstrom R, Notley SM, Wagberg L// Royal Inst Technol, Sch Chem Sci & Engn, Div Fibre Technol, SE-10044 Stockholm, Sweden
J Colloid Interface Sci 2007 **314** (1) 1
Wettability changes in the formation of polymeric multilayers on cellulose fibres and their influence on wet adhesion
- McCall RD, Sharma HSS, Kernaghan K// Agri-Food & Biosci Inst, Appl Plant Sci Div, Newforge Lane, Belfast BT9 5PX, Northern Ireland
Thermochim Acta 2007 **460** (1-2) 1
Analysis of a cellulose cross-linking treatment of linen fabric using thermogravimetry
- Nadagouda MN, Varma RS*// *US/EPA, Sustainable Technol Div, Natl Risk Management Res Lab, 26 West Martin Luther King Dr, MS 443, Cincinnati, OH 45268, USA
Biomacromolecules 2007 **8** (9) 2762
Synthesis of thermally stable carboxymethyl cellulose/metal biodegradable nanocomposites for potential biological applications
- Nishino T, Arimoto N// Kobe Univ, Fac Engr, Dept Sci & Chem Engr, Kobe, Hyogo 657 8501, Japan
Biomacromolecules 2007 **8** (9) 2712
All-cellulose composite prepared by selective dissolving of fiber surface
- Ogushi Y, Sakai S*, Kawakami K// *Kyushu Univ, Fac Engr, Dept Chem Engr, 744 Moto-oka, Nishi ku, Fukuoka 819 0395, Japan
J Biosci Bioeng 2007 **104** (1) 30
Synthesis of enzymatically-gellable carboxymethylcellulose for biomedical applications
- Picker-Freyer KM// Univ Halle Wittenberg, Inst Pharmaceut Technol & Biopharm, Wolfgang Langenberg Str 4, DE-06120 Halle, Germany
J Therm Anal Calorim 2007 **89** (3) 745
An insight into the process of tablet formation of microcrystalline cellulose
- Sanchez-Garcia MD, Gimenez E, Lagaron JM*// *IATA - CSIC, Novel Materials & Nanotechnol, Apdo Correos 73, ES-46100 Burjassot, Spain
Carbohydr Polym 2008 **71** (2) 235
Morphology and barrier properties of solvent cast composites of thermoplastic biopolymers and purified cellulose fibers
- Sashina ES, Janowska G, Zaboriski M, Vnuchkin AV// St Petersburg State Univ Technol & Design, St Petersburg, Russia
J Therm Anal Calorim 2007 **89** (3) 887
Compatibility of fibroin/chitosan and fibroin/cellulose blends studied by thermal analysis
- Selih VS, Strlic M*, Kolar J, Pihlar B// *Univ Ljubljana, Fac Chem & Chem Technol, Askerceva 5, SI-1000 Ljubljana, Slovenia
Polym Degrad Stabil 2007 **92** (8) 1476
The role of transition metals in oxidative degradation of cellulose
- Shaker AM, El-Khatib RM, Mahran HS// Sohag Univ, Fac Sci, Dept Chem, EG-82524 Sohag, Egypt
J Appl Polym Sci 2007 **106** (4) 2668
Kinetics and mechanism of the decay of methyl cellulose-manganate(VI) polysaccharide transient species-novel spectrophotometric kinetic trace of methyl cellulose hypomanganate(V) gel intermediate polysaccharide
- Sopena F, Cabrera A, Maqueda C, Morillo E// Inst Nat Resources & Agrobiol - CSIC, Apartado 1052, ES-41080 Seville, Spain
J Agric Food Chem 2007 **55** (20) 8200
Ethylcellulose formulations for controlled release of the herbicide alachlor in a sandy soil
- Taepaiboon P, Rungsardthong U, Supaphol P*// *Chulalongkorn Univ, Technol Ctr Electrospun Fibers, TH-10330 Bangkok, Thailand
Eur J Pharm Biopharm 2007 **67** (2) 387
Vitamin-loaded electrospun cellulose acetate nanofiber mats as transdermal and dermal therapeutic agents, of vitamin A acid and vitamin E
- Tungprapa S, Jangchud I, Supaphol P*// *Chulalongkorn Univ, Technol Ctr Electrospun Fibers, TH-10330 Bangkok, Thailand
Polymer 2007 **48** (17) 5030
Release characteristics of four model drugs from drug-loaded electrospun cellulose acetate fiber mats
- Vikartovska A, Bucko M, Mislovicova D, Patoprsty V, Lacik I, Gemeiner P// Slovak Acad Sci, Inst Chem, Dept Glycobiotechnol, Ctr Glycomics, Dubravska cesta 9, SK-84538 Bratislava, Slovakia
Enzyme Microb Technol 2007 **41** (6-7) 748
Improvement of the stability of glucose oxidase *via* encapsulation in sodium alginate-cellulose sulfate-poly(methylene-co-guanidine) capsules
- Vilar MR, Boufi S, Ferraria AM, Do Rego AMB// Univ Paris Diderot, ITODYS, 1 rue Guy de la Brosse, Paris, France
J Phys Chem C 2007 **111** (34) 12792
Chemical modification of semiconductor surfaces by means of nanometric cellulose films
- Vshivkov SA, Rusinova EV, Kutsenko LI, Galyas AG// Ural State Univ, pr Lenina 51, RU-620083 Ekaterinburg, Russia
Polym Sci Ser B 2007 **49** (7-8) 200
Phase transitions in liquid-crystalline cyanoethyl cellulose solutions in magnetic field
- Vshivkov SA, Rusinova EV// Ural State Univ, pr Lenina 51, RU-620083 Ekaterinburg, Russia
Polym Sci Ser B 2007 **49** (7-8) 209
Phase diagrams of a hydroxypropyl cellulose-water system under static conditions and in the shear field
- Wang D, Sun G*// *Univ Calif Davis, Fiber & Polymer Sci, Davis, Ca 95616, USA
Eur Polym J 2007 **43** (8) 3587
Formation and morphology of cellulose acetate butyrate (CAB)/polyolefin and CAB/polyester *in situ* microfibrillar and lamellar hybrid blends
- Wang M, Wang L*, Huang Y// *Chinese Acad Sci, Guangzhou Inst Chem, Key Lab Cellulose & Lignocellulose Chem, CN-510650 Guangzhou, Peoples Rep China
J Appl Polym Sci 2007 **106** (4) 2177
Electrospun hydroxypropyl methyl cellulose phthalate (HPMCP)/erythromycin fibers for targeted release in intestine
- Yamaguchi M, Masuzawa K// Japan Advanced Sci & Technol, Sch Materials Sci, 1-1 Asahidai, Nomi, Ishikawa 923 129, Japan
Eur Polym J 2007 **43** (8) 3277
Birefringence control for binary blends of cellulose acetate propionate and poly(vinyl acetate)
- Yang HP, Yan R, Chen HP, Lee DH, Zheng CG// Huazhong University Science & Technology, National Lab Coal Combust, CN-430074 Wuhan, Peoples Rep China
Fuel 2007 **86** (12-13) 1781
Characteristics of hemicellulose, cellulose and lignin pyrolysis
- Yang XH, Zhu WL// Wuhan Polytechn Univ, Dept Environm Chem & Engr, CN-430023 Wuhan, Peoples Rep China
Cellulose 2007 **14** (5) 409
Viscosity properties of sodium carboxymethylcellulose solutions
- Yoshida Y, Isogai A*// *Univ Tokyo, Grad Sch Agr & Life Sci, 1-1-1 Yayoi, Bunkyo ku, Tokyo 113 8657, Japan
Cellulose 2007 **14** (5) 481
Preparation and characterization of cellulose β -ketoesters prepared by homogeneous reaction with alkylketene dimers: Comparison with cellulose/fatty acid esters
- Zhang L, Hsieh YL*// *University Calif, Fiber & Polym Sci, Davis, Ca 95616, USA
Carbohydr Polym 2008 **71** (2) 196
Ultra-fine cellulose acetate/poly(ethylene oxide) bicomponent fibers
- Zhang W, Liang M, Lu C*// *Sichuan University, Polymer Research Institute, State Key Laboratory Polymer Materials Engr, CN-610065 Chengdu, Peoples Rep China
Cellulose 2007 **14** (5) 447
Morphological and structural development of hardwood cellulose during mechanochemical pretreatment in solid state through pan-milling
- Zhao T, Sun G*// *Univ Calif Davis, Div Textiles & Clothing, Davis, Ca 95616, USA
J Appl Polym Sci 2007 **106** (4) 2634
Antimicrobial finishing of cellulose with incorporation of aminopyridinium salts to reactive and direct dyed fabrics

3. Cellulose-degrading enzymes

Han YJ, Chen HZ*// *Chinese Acad Sci, Inst Process Engn, Natl Key Lab Biochem Engn, CN-100080 Beijing, Peoples Rep China
Enzyme Microb Technol 2007 **41** (5) 638
 Synergism between corn stover protein and cellulase

4. Chitin/Chitosan

Babu VR, Hosamani KM, Aminabhavi TM*// *Karnatak Univ, Drug Delivery Div, Ctr Excellence Polym Sci, IN-580003 Dharwad, India
Carbohydr Polym 2008 **71** (2) 208

Preparation and *in-vitro* release of chlorothiazide novel pH-sensitive chitosan-*N,N*-dimethylacrylamide semi-interpenetrating network microspheres

Beppu MM, Vieira RS, Aimoli CG, Santana CC// Univ Estadual Campinas, Sch Chem Engn, BR-13083-970 Campinas, SP, Brazil
J Membr Sci 2007 **301** (1-2) 126

Crosslinking of chitosan membranes using glutaraldehyde: Effect on ion permeability and water absorption

Bratskaya S, Marinin D, Simon F, Synytska A, Zschoche S, Busscher HJ, Jager D, Van der Mei HC// Russian Acad Sci, Far East Dept, Inst Chem, 159 Ave 100-Letiya Vladivostoka, RU-690022 Vladivostok, Russia
Biomacromolecules 2007 **8** (9) 2960

Adhesion and viability of two enterococcal strains on covalently grafted chitosan and chitosan/ κ -carrageenan multilayers

Cao YX, Zhang C*, Shen WB, Cheng ZH, Yu LL, Ping QN// *China Pharmaceut Univ, Coll Pharm, CN-210009 Nanjing, Peoples Rep China
J Controlled Release 2007 **120** (3) 186

Poly(*N*-isopropylacrylamide)-chitosan as thermosensitive *in situ* gel-forming system for ocular drug delivery

Chernev G, Samunova B, Djambaski P, Kabaivanova L, Emanuilova E, Salvado IMM, Fernandes MHV, Wu A// Univ Chem Technol & Metallurgy, Dept Silicate Technol, Kliment Ohridski Blvd 8, Sofia, Bulgaria
Phys Chem Glasses 2007 **48** (3) 147

Synthesis and structure of new biomaterials containing silica and chitosan

Cruz-Silva R, Escamilla A, Nicho ME, Padron G, Ledezma-Perez A, Arias-Marin E, Moggio I, Romero-Garcia J*// *Ctr Invest Quim Aplicada, Blvd Enrique Reyna 140, MX-25140 Saltillo, Coahuila, Mexico
Eur Polym J 2007 **43** (8) 3471

Enzymatic synthesis of pH-responsive polyaniline colloids by using chitosan as steric stabilizer

Dai ZZ, Yin JB*, Yan SF, Cao T, Ma J, Chen X// *Shanghai Univ, Dept Polymer Materials, CN-201800 Shanghai, Peoples Rep China
Polym Int 2007 **56** (9) 1122

Polyelectrolyte complexes based on chitosan and poly(L-glutamic acid)

Elsabee MZ, Abdou ES, Nagy KSA, Eweis M// Cairo Univ, Fac Sci, Dept Chem, Cairo, Egypt
Carbohydr Polym 2008 **71** (2) 187

Surface modification of polypropylene films by chitosan and chitosan/pectin multilayer

Fedoseeva EN, Budruv AV, Smirnova LA, Semchikov YD, Fedoseev VB// Nizhnii Novgorod State Univ, pr Gagarina 23-2, RU-603950 Nizhnii Novgorod, Russia
Polym Sci Ser A 2007 **49** (8) 868

Preparation of alkyl-containing derivatives of chitosan and its oligomers in polymer-analogous reactions

Gomes P, Gomes CAR, Batista MKS, Pinto LF, Silva PAP// Univ Porto, Dept Quim, CIQUP, Rua do Campo Alegre 687, PT-4169-007 Porto, Portugal
Carbohydr Polym 2008 **71** (1) 54

Synthesis, structural characterization and properties of water-soluble *N*-(γ -propanoyl-amino acid)-chitosans

Gupta KC, Jabrail FH// Indian Inst Technol, Dept Chem, Polymer Res Lab, IN-247667 Roorkee, India
Carbohydr Res 2007 **342** (15) 2244

Glutaraldehyde cross-linked chitosan microspheres for controlled release of centchroman

He JK, Li DC*, Liu YX, Yao B, Lu BH, Lian Q// *Xian Jiaotong Univ, State Key Lab Mfg Systems Engn, CN-710049 Xian, Peoples Rep China
Polymer 2007 **48** (15) 4578

Fabrication and characterization of chitosan/gelatin porous scaffolds with predefined internal microstructures

Jintapattanakit A, Junyaprasert VB, Mao S, Sitterberg J, Bakowsky U, Kissel T*// *Univ Marburg, Dept Pharmaceut & Biopharm, Ketzerbach 63, DE-35032 Marburg, Germany
Int J Pharm 2007 **342** (1-2) 240

Peroral delivery of insulin chitosan derivatives: A comparative study of polyelectrolyte nanocomplexes and nanoparticles

Kaufmann S, Weiss IM*, Tanaka M// *Univ Heidelberg, Lehrstuhl Biophys Chem II, DE-69120 Heidelberg, Germany
J Am Chem Soc 2007 **129** (35) 10807

Quantitative *in vitro* biopolymerization to chitin in native chitosomal membranes supported by silica microparticles

Kim IY, Yoo MK, Seo JH, Park SS, Na HS, Lee HC*, Kim SC, Cho CS// *Chonnam Natl Univ, Res Inst Med Sci, Dept Microbiol, Kwangju 501 190, South Korea
Int J Pharm 2007 **341** (1-2) 35

Evaluation of semi-interpenetrating polymer networks composed of chitosan and poloxamer for wound dressing application

Ko YG, Sung BH, Choi US*// *Korea Inst Sci & Technol, Tribology Res Ctr, POB 131, Seoul 130 650, South Korea
Colloid Surface A 2007 **305** (1-3) 120

Electrorheological properties of aminated chitosans

Krauland AH, Alonso MJ*// *Univ Santiago de Compostela, Fac Pharm, Department Pharm & Pharmaceut Technol, ES-15782 Santiago de Compostela, Spain
Int J Pharm 2007 **340** (1-2) 134

Chitosan/cyclodextrin nanoparticles as macromolecular drug delivery system

Kulish EI, Fatkullina RR, Volodina VP, Kolesov SV, Monakov YB// Bashkir State Univ, RU-450074 Ufa, Bashkortostan, Russia
Russ J Appl Chem Eng Tr 2007 **80** (7) 1175
 Degradation of enzyme-containing chitosan films

Kulish EI, Fatkullina RR, Volodina VP, Kolesov SV, Monakov YB// Address as above

Russ J Appl Chem Eng Tr 2007 **80** (7) 1178
 Enzymatic degradation of modified chitosan films

Liu BB, Cato YM*, Wang TH, Yuan Q// *Chinese Academy Sciences, Dalian Institute Chem Phys, Lab Environm Engn, CN-116023 Dalian, Peoples Rep China
J Appl Polym Sci 2007 **106** (3) 2117

Preparation of novel ZSM-5 zeolite-filled chitosan membranes for pervaporation separation of dimethyl carbonate/methanol mixtures

Liu J, Zhang J, Xia W*// *Jiangnan University, State Key Laboratory Food Science & Technol, 1800 Lihu Ave, CN-214122 Wuxi, Jiangsu Province, Peoples Rep China
Food Chem 2008 **107** (1) 419

Hypocholesterolaemic effects of different chitosan samples *in vitro* and *in vivo*

Martinez L, Agnely F*, Leclerc B, Siepmann J, Cotte M, Geiiier S, Couarraze G// *Univ Paris XI, Fac Pharm, Lab Phys Pharmaceut, CNRS UMR 8612, 5 rue Jean Baptiste Clement, FR-92296 Chatenay Malabry, France
Eur J Pharm Biopharm 2007 **67** (2) 339

Cross-linking of chitosan and chitosan/poly(ethylene oxide) beads: A theoretical treatment

Pestov AV, Zhuravlev NA, Yatluk YG// Russian Acad Sci, Ural Div, Postovskii Inst Organ Synth, Ekaterinburg, Russia
Russ J Appl Chem Eng Tr 2007 **80** (7) 1154

Synthesis in a gel as a new procedure for preparing carboxyethyl chitosan

Schiffman JD, Schauer CL*// *Drexel Univ, Dept Materials Sci & Engn, Philadelphia, Pa 19104, USA
Biomacromolecules 2007 **8** (9) 2665

One-step electrospinning of cross-linked chitosan fibers

Shimizu Y, Akiyama K, Saito Y, Nakamura T// Univ Shiga Prefecture, Sch Engn, Dept Materials Sci, Shiga 522 8533, Japan
J Appl Polym Sci 2007 **106** (3) 1895

Synthesis of novel amino(alkylamino)deoxychitosans and those thiol-derivatives and the chemisorption behaviors of an acid dye and Hg²⁺ ion onto the resulting polymers

Strelina IA, Zoolshoev ZF, Nud'ga LA// Russian Acad Sci, Inst Macromol Cpd, Bolshoi pr 31, RU-199004 St Petersburg, Russia
Polym Sci Ser A 2007 **49** (8) 928

Chitosan and its derivatives in extensional and shear flows

Su YH, Teoh LG*, Lai WH, Chang SH, Yang HC, Hon MH// *Natl Pingtung Univ Sci & Technol, Dept Mech Engn, Pingtung 91201, Taiwan
Appl Spectrosc 2007 **61** (9) 1007

Ellipsometric advances for local surface plasmon resonance to determine chitosan adsorption on layer-by-layer gold nanoparticles

Sun SL, Wang Q, Wang AQ*// *Chinese Acad Sci, Lanzhou Inst Chem Phys, CN-730000 Lanzhou, Peoples Rep China
Biochem Eng J 2007 **36** (2) 131

Adsorption properties of Cu(II) ions onto *N*-succinyl-chitosan and crosslinked *N*-succinyl-chitosan template resin

Trimukhe KD, Varma AJ*// *Nat Chem Lab, Polym Sci & Engn Div, Dr Homi Bhabha Rd, IN-411008 Pune, India
Carbohydr Polym 2008 **71** (1) 66

Complexation of heavy metals by crosslinked chitin and its deacetylated derivatives

Wang AJ, Ao Q, Wei YJ, Gong K, Liu XS, Zhao NN, Gong YD, Zhang XF// *Tsing Hua Univ, Dept Biol Sci & Biotechnol, State Key Lab Biomembrane & Membrane Biotechnol, CN-100084 Beijing, Peoples Rep China
Biotechnol Lett 2007 **29** (11) 1697

Physical properties and biocompatibility of a porous chitosan-based fiber-reinforced conduit for nerve regeneration

Wang LC, Chen XG*, Yu LJ, Li PW// *Ocean Univ Qingdao, Coll Marine Life Sci, CN-266003 Qingdao, Peoples Rep China
Polym Eng Sci 2007 **47** (9) 1373

Controlled drug release through carboxymethyl-chitosan/poly(vinyl alcohol) blend films

Zeng D, Wu J, Kennedy JF// Wuhan Univ Technol, Sch Resource & Environm Engrn, CN-430070 Wuhan, Peoples Rep China
Carbohydr Polym 2008 **71** (1) 135

Application of a chitosan flocculant to water treatment

5. Cyclodextrins

Badi N, Guegan P// Univ Evry Val Essonne, UMR CNRS 7581, Lab Materiaux Polymeres Interfaces-LRP, Evry, France
Carbohydr Res 2007 **342** (14) 1989

Per-O-(3-hydroxy)propyl- β -cyclodextrin: A cyclodextrin derivative bearing only primary hydroxyl groups

Barillaro V, Dive G, Bertholet P, Evrard B, Delattre L, Eric Z, Piel G// Univ Liege, Dept Pharm, Lab Pharmaceut Technol, CHU-Tour 4, Bat B36, Ave Hospital 1, BE-4000 Liege, Belgium
Int J Pharm 2007 **342** (1-2) 152

Theoretical and experimental investigations on miconazole/cyclodextrin/acid complexes: Molecular modeling studies

Becuwe M, Cazier F, Bria M, Woisel P, Delattre F// *Univ Littoral Cote Dopale, Lab Synth Organ & Environm, EA 2599, FR-59140 Dunkerque, France
Tetrahedron Lett 2007 **48** (35) 6186

Tuneable fluorescent marker appended to β -cyclodextrin: A pH-driven molecular switch

Brewster ME, Noppe M, Peeters J, Loftsson T// *Univ Iceland, Fac Pharm, Hofsvallagata 53, IS-107 Reykjavik, Iceland
Int J Pharm 2007 **342** (1-2) 250

Effect of the unstirred water layer on permeability enhancement by hydrophilic cyclodextrins

Charalampopoulos VG, Papaioannou JC// *Univ Athens, Dept Chem, Phys Chem Lab, POB 64004, GR-15710 Athens, Greece
Carbohydr Res 2007 **342** (14) 2075

Two interconverting pentaoid forms in the cyclomaltohexaose (α -cyclodextrin) polyiodide inclusion complex with sodium ion: Dielectric and Raman spectroscopy studies

Chaudhari P, Sharma P, Barhate N, Kulkarni P, Mistry C// Dr DY Patil Inst Pharmaceut Sci & Res, Pimpri, IN-411018 Pune, Maharashtra, India
Curr Sci 2007 **92** (11) 1586

Solubility enhancement of hydrophobic drugs using synergistically interacting cyclodextrins and cosolvent

Denadai AML, Teixeira KI, Santoro MM, Pimenta AMC, Cortes ME, Sinisterra RD// *Univ Fed Minas Gerais, Inst Ciencias, Dept Quim, Ave Antonio Carlos 6627, BR-31270 Belo Horizonte, MG, Brazil
Carbohydr Res 2007 **342** (15) 2286

Supramolecular self-assembly of β -cyclodextrin: An effective carrier of the antimicrobial agent chlorhexidine

Figueiras A, Carvalho RA, Ribeiro L, Torres-Labandeira JJ, Veiga FJB// *Univ Coimbra, Fac Pharm, Pharmaceut Technol Lab, PT-3000 Coimbra, Portugal
Eur J Pharm Biopharm 2007 **67** (2) 531

Solid-state characterization and dissolution profiles of the inclusion complexes of omeprazole with native and chemically modified β -cyclodextrin

Gazpio C, Sanchez M, Isasi JR, Velaz I, Martin C, Martinez-Oharraz C, Zornoza A// *Univ Navarra, Fac Ciencias, Dept Quim & Edofologia, Irunlarrea s/n, ES-31080 Pamplona, Spain
Carbohydr Polym 2008 **71** (1) 140

Sorption of pindolol and related compounds by a β -cyclodextrin polymer: Isothermic heat of sorption

Nishi Y, Yamane N, Tanimoto T// *Mukogawa Womens Univ, Sch Pharmaceut Sci, 11-68 Koshien, Nishinomiya, Hyogo 663 8179, Japan
Carbohydr Res 2007 **342** (15) 2173

Preparation and characterization of 6',6"-di-O-(L-fucopyranosyl)- β -cyclodextrin (n = II-IV) and investigation of their functions

Nzeadibe K, Vigh G// *TAMU, Dept Chem, College Station, Tx 77842, USA
Electrophoresis 2007 **28** (15) 2589

Synthesis of mono-6-deoxy-6- N,N',N',N' -pentamethylethylenediammonio-cyclomaltoheptaose, a single-isomer, monosubstituted, permanently dicationic β -CD and its use for enantiomer separations by CE

Silva OF, Silber JJ, De Rossi RH, Correa NM*, Fernandez MA// *Univ Nacl Rio Cuarto, Dept Quim, Agencia Postal 3, AR-5804 Rio Cuarto, Argentina
J Phys Chem B 2007 **111** (36) 10703

On the possibility that cyclodextrins' chiral cavities can be available on AOT n -heptane reverse micelles. A UV-visible and induced circular dichroism study

Tamura K, Hatanaka K, Yoshie N// *Univ Tokyo, Inst Ind Sci, 4-6-1 Koamba, Meguro ku, Tokyo 153 8505, Japan
Polym Int 2007 **56** (9) 1115

Preparation of a topologically linked branch polymer containing cyclodextrin

Tang WH, Muderawan IW, Ong TT, Ng SC// Nanyang Technol Univ, Coll Engrn, Div Chem & Biomol Engrn, Singapore, Rep Singapore
Tetrahedron Asymmetry 2007 **18** (13) 1548

Facile synthesis of positively charged monosubstituted α - and γ -cyclodextrins for chiral resolution of anionic racemates

Todorova NA, Schwarz FP// *NIST, Ctr Advanced Res Biotechnol, 9600 Gudelsky Dr, Rockville, Md 20850, USA
J Chem Thermodyn 2007 **39** (7) 1038

The role of water in the thermodynamics of drug binding to cyclodextrin

Uccello-Barretta G, Nazzi S, Balzano F, Levkin PA, Schurig V, Salvadori P// Univ Pisa, Dipt Chim & Chim Ind, Via Risorgimento 35, IT-56126 Pisa, Italy
Eur J Org Chem 2007 (19) 3219

Heptakis[2,3-di-O-methyl-6-O-(L-valine-tert-butylamide- N - α -ylcarbonylmethyl)]- β -cyclodextrin: A new multifunctional cyclodextrin CSA for the NMR enantio-discrimination of polar and apolar substrates

6. Lignin

Bujanovic B, Ralph SA, Reiner RS, Atalla RH// SUNY-ESF, Dept Paper & Bioprocess Engrn, 1 Forestry Dr, Syracuse, NY 13206, USA
Holzforchung 2007 **61** (5) 492

Lignin modification in the initial phase of softwood kraft pulp delignification with polyoxometalates (POMs)

7. Lipopolysaccharides

Arbatsky NP, Kondakova AN*, Senchenkova SN, Siwinska M, Shashkov AS, Zych K, Knirel YA, Sidorczyk Z// *Russian Acad Sci, ND Zelinskii Organ Chem Inst, Leninsky prospekt 47, RU-119991 Moscow, Russia
Carbohydr Res 2007 **342** (14) 2061

Structure of a new ribitol teichoic acid-like O-polysaccharide of a serologically separate *Proteus vulgaris* strain, TG 276-1 classified into a new *Proteus* serogroup O53

Kumirska J, Szafraniek J, Czerwiczka M, Paszkiewicz M, Dziadziuszko H, Kunikowska D, Stepnowski P// Univ Gdansk, Dept Chem, Sobieskiego 18, PL-80952 Gdansk, Poland
Carbohydr Res 2007 **342** (14) 2138

The structure of the O-polysaccharide isolated from the lipopolysaccharide of *Salmonella* Dakar (serogroup O:28)

Ovchinnikova OG, Kocharova NA, Wykrota M, Shashkov AS, Knirel YA, Rozalski A// ND Zelinskii Organ Chem Inst, RU-119991 Moscow, Russia
Carbohydr Res 2007 **342** (14) 2144

Structure of a colitose-containing O-polysaccharide from the lipopolysaccharide of *Providencia alcalifaciens* O6

8. Pectin

Cameron RG, Luzio GA, Goodner K, Williams MAK// USDA/ARS, Citrus & Subtropical Prod Lab, 600 Ave S, NW, Winter Haven, FL 33881, USA
Carbohydr Polym 2008 **71** (2) 287

Demethylation of a model homogalacturonan with a salt-independent pectin methyltransferase from citrus: I. Effect of pH on demethylated block size, block number and enzyme mode of action

Chauhan GS, Kumari A, Sharma R// Himachal Pradesh Univ, Dept Chem, Summer Hill, IN-171005 Shimla, India
J Appl Polym Sci 2007 **106** (4) 2158

Pectin and acrylamide based hydrogels for environment management technologies: Synthesis, characterization, and metal ions sorption

Dinu D, Nechifor MT, Stoian G, Costache M, Dinischioti A// *Univ Bucharest, Dept Biochem, 91-95 Splaiul Independentei, RO-050095 Bucharest, Romania
J Biotechnol 2007 **131** (2) 128

Enzymes with new biochemical properties in the pectinolytic complex produced by *Aspergillus niger* MIUG 16

Faravash RS, Ashtiani FZ// *Amir Kabir Univ Technol, Chem Engrn Fac, PO Box 15875-4413, Tehran, Iran
Int J Food Sci Technol 2007 **42** (10) 1177

The effect of pH, ethanol volume and acid washing time on the yield of pectin extraction from peach pomace

- Kupchik LA, Kupchik MP, Alekseev OL, Bogdanov ES// Natl Acad Sci Ukraine, Inst Sorpt & Endoecol Problems, Kiev, Ukraine
Russ J Appl Chem Eng Tr 2007 **80** (7) 1078
 Effect of electrosurface properties of pectin substances on their sorption capacity for water and heavy metals
- Liu LS, Finkenshtadt VL, Liu CK, Jin T, Fishman ML, Hicks KB// USDA/ARS, Eastern Reg Res Ctr, Crop Conversion Sci & Engn Res Unit, Wyndmoor, Pa 19038, USA
J Appl Polym Sci 2007 **106** (2) 801
 Preparation of poly(lactic acid) and pectin composite films intended for applications in antimicrobial packaging
- Luzio GA, Cameron RG// USDA/ARS, Citrus & Subtropical Prod Lab, Winter Haven, FL 33881, USA
Carbohydr Polym 2008 **71** (2) 300
 Demethylation of a model homogalacturonan with the salt-independent pectin methylesterase from citrus: Part II. Structure-function analysis
- Rodriguez-Nogales JM, Ortega N, Perez-Mateos M, Busto MD// Univ Valladolid, ETS Ingn Agrarias, Dept Ingn Agraria & Forestal, Area Tecnol Alimentos, ES-34004 Palencia, Spain
Food Chem 2008 **107** (1) 112
 Pectin hydrolysis in a free enzyme membrane reactor: An approach to the wine and juice clarification
- Samavati V, Razavi SH, Mousavi SM, Aminifar M// Univ Tehran, Fac Biosyst Engn, Dept Food Sci & Engn, PO Box 31587-78659, Karaj, Iran
J Texture Stud 2007 **38** (5) 635
 A research note on intrinsic viscosity of high methoxyl pectin in dilute solution: Influence of sweeteners
- Sriamornsak P, Thirawong N, Nunthanid J, Puttipatkhachorn S, Thongborisute J, Takeuchi H// Silpakorn Univ, Fac Pharm, Dept Pharmaceut Technol, TH-73000 Nakhon Pathom, Thailand
Carbohydr Polym 2008 **71** (2) 324
 Atomic force microscopy imaging of novel self-assembling pectin-liposome nanocomplexes
- Strom A, Ribelles P, Lundin L, Norton I, Morris ER, Williams MAK// Unilever Res & Dev, Olivier van Nortaalan 120, NL-3133 AT Vlaardingen, The Netherlands
Biomacromolecules 2007 **8** (9) 2668
 Influence of pectin fine structure on the mechanical properties of calcium-pectin and acid-pectin gels
- Tamaki Y, Konishi T, Fukuta M, Tako M// *Univ Ryukyus, Fac Agric, Dept Biosci & Biotechnol, 1 Senbaru, Nishihara, Okinawa, Japan
Food Chem 2008 **107** (1) 352
 Isolation and structural characterisation of pectin from endocarp of *Citrus depressa*
- Thirawong N, Kennedy RA, Sriamornsak P// *Silpakorn Univ, Fac Pharm, Dept Pharmaceut Technol, TH-73000 Nakhon Pathom, Thailand
Carbohydr Polym 2008 **71** (2) 170
 Viscometric study of pectin-mucin interaction and its mucoadhesive bond strength

9. Starch

- Achayuthakan P, Suphantharika M// *Mahidol Univ, Fac Sci, Dept Biotechnol, Rama VI Rd, TH-10400 Bangkok, Thailand
Carbohydr Polym 2008 **71** (1) 9
 Pasting and rheological properties of waxy corn starch as affected by guar gum and xanthan gum
- Bao JS, Wang YF, Shen Y// Zhejiang University, College Agric & Biotechnol, Inst Nucl Agric Sci, Hua Jiachi Campus, CN-310029 Hangzhou, Peoples Rep China
J Sci Food Agric 2007 **87** (11) 2040
 Determination of apparent amylose content, pasting properties and gel texture of rice starch by near-infrared spectroscopy
- Butrim SM, Bil'dyukovich TD, Butrim NS, Yurkshtovich TL// Belorussian State Univ, Sci Res Inst Phys Chem Problems, Minsk, Byelarus
Chem Nat Compd 2007 **43** (3) 302
 Structural modification of potato starch by solutions of nitrogen(IV) oxide in CCl_4
- Cao X, Chang PR*, Huneault MA// *Agric & Agri-Food Canada, Bioproduct & Bioprocess Natl Prog, 107 Science Pl, Saskatoon, Saskatchewan, Canada S7N 0X2
Carbohydr Polym 2008 **71** (1) 119
 Preparation and properties of plasticized starch modified with poly(ϵ -caprolactone) based waterborne polyurethane
- Cao XD, Chen Y, Chang PR*, Huneault MA// *Address as above
J Appl Polym Sci 2007 **106** (2) 1431
 Preparation and properties of plasticized starch/multiwalled carbon nanotubes composites

- Chandramouleeswaran S, Mhaske ST, Kathe AA, Varadarajan PV, Prasad V, Vigneshwaran N// *Cent Inst Res Cotton Technol, Nanotechnol Res Grp, Adenwala Rd, IN-400019 Mumbai, India
Nanotechnology 2007 **18** (38) 85702
 Functional behaviour of polypropylene/ZnO-soluble starch nanocomposites
- Chauhan GS, Kumar R, Verma M// Himachal Pradesh Univ, Dept Chem, Summer Hill, IN-171005 Shimla, India
J Appl Polym Sci 2007 **106** (3) 1924
 A study on the sorption of NO_3^- and F^- on the carboxymethylated starch-based hydrogels with Fe^{2+} ions
- Fanta GF, Felker FC*, Shogren RL, Salch JH// *USDA, Nat Ctr Agr Utilizat Res Agr Res Serv, Cereal Prod & Food Sci Res Unit, 1815 Nth University St, Peoria, IL 61604, USA
Carbohydr Polym 2008 **71** (2) 253
 Preparation of spherulites from jet cooked mixtures of high amylose starch and fatty acids. Effect of preparative conditions on spherulite morphology and yield
- Guclu G, Guclu K, Keles S// Istanbul Univ, Fac Engn, Dept Chem Engn, TR-34320 Istanbul, Turkey
J Appl Polym Sci 2007 **106** (3) 1800
 Competitive removal of nickel (II), cobalt (II), and zinc (II) ions from aqueous solutions by starch-graft-acrylic acid copolymers
- Guclu G, Keles S// Address as above
J Appl Polym Sci 2007 **106** (4) 2422
 Removal of basic dyes from aqueous solutions using starch-graft-acrylic acid copolymers
- Henriquez C, Escobar B, Figuerola F, Chiffelle I, Speisky H, Estevez AM// Univ Chile, Fac Ciencias Agron, Casilla 1004, Santiago, Chile
Food Chem 2008 **107** (2) 592
 Characterization of pinon seed (*Araucaria araucana* (Mol) K. Koch) and the isolated starch from the seed
- Hess C, Hartmann B, Lechner MD*, Nierling W, Seidel C, Kulicke WM// *Univ Osnabruck, Inst Chem, Barbarastr 7, DE-4500 Osnabruck, Germany
Starch 2007 **59** (9) 423
 Influence of soluble polymer residues in crosslinked carboxymethyl starch on some physical properties of its hydrogels
- Kuakpetoon D, Wang YJ// *Chulalongkorn Univ, Dept Food Technol, TH-10500 Bangkok, Thailand
Carbohydr Res 2007 **342** (15) 2253
 Internal structure and physicochemical properties of corn starches as revealed by chemical surface gelatinization
- Labet M, Thielemans W, Dufresne A// *Univ Nottingham Sch Chem, Nottingham NG7 2RD, England
Biomacromolecules 2007 **8** (9) 2916
 Polymer grafting onto starch nanocrystals
- Li JM, Zhang LM// *Sun Yat Sen Univ, Sch Chem & Chem Engn, Inst Polymer Sci, Lab Polymer Composite & Funct Materials, CN-510275 Guangzhou, Peoples Rep China
Starch 2007 **59** (9) 418
 Characteristics of novel starch-based hydrogels prepared by UV photopolymerization of acryloylated starch and a zwitterionic monomer
- Loret C, Frith WJ, Fryer PJ// Unilever Foods & Hlth Res Inst, PO Box 114, NL-3130 AW Vlaardingen, The Netherlands
Appl Rheol 2007 **17** (3) 31412
 Mechanical and structural properties of maltodextrin/agarose microgels composites
- Ma X, Chang PR, Yu J*, Wang N// *Tianjin Univ, Sch Sci, CN-300072 Tianjin, Peoples Rep China
Carbohydr Polym 2008 **71** (2) 229
 Preparation and properties of biodegradable poly(propylene carbonate)/thermoplastic dried starch composites
- Massaux C, Sindic M, Lenartz J, Sinnaeve G, Bodson B, Falisse A, Dardenne P, Deroanne C// Gembloux Agric Univ, Unite Technol Ind Agro-Alimentaires, Passage Deportes 2, BE-5030 Gembloux, Belgium
Carbohydr Polym 2008 **71** (1) 32
 Variations in physicochemical and functional properties of starches extracted from European soft wheat (*Triticum aestivum* L.) The importance to preserve the varietal identity
- Mundargi RC, Shelke NB, Rokhade AP, Patil SA, Aminabhavi TM// *Karnatak Univ, Drug Delivery Div, Ctr Excellence Polym Sci, IN-580003 Dharwad, India
Carbohydr Polym 2008 **71** (1) 42
 Formulation and *in-vitro* evaluation of novel starch-based tableted microspheres for controlled release of ampicillin
- Mutalik V, Manjeshwar LS, Wali A, Sairam M, Sreedhar B, Raju KVS, Aminabhavi TM// *Karnatak Univ, Membrane Separat Div, Ctr Excellence Polymer Sci, IN-580003 Dharwad, India
J Appl Polym Sci 2007 **106** (2) 765
 Aqueous-solution and solid-film properties of poly(vinyl alcohol), poly(vinyl pyrrolidone), gelatin starch, and carboxymethylcellulose polymers

Odeku OA, Picker-Freyer KM*// *Univ Halle Wittenberg, Fac Pharm, Inst Pharmaceut Technol & Biopharm, Wolfgang Langenbeck Str 4, DE-4020 Halle, Germany

Starch 2007 **59** (9) 430

Analysis of the material and tablet formation properties of four *Dioscorea* starches

Peterson SC, Eller FJ, Fanta GF, Felker FC, Shogren RL// USDA, Nat Ctr Agr Utilizat Res, Cereal Products & Food Sci Res, 1815 Nth University St, Peoria, IL 61604, USA

Carbohydr Polym 2008 **71** (1) 74

Comparison of the effects of critical fluid and reflux-extracted techniques on cornstarch pasting properties

Sandhu KS, Lim ST*// *Korea Univ, Sch Life Sci & Biotechnol, 5-1 Anam-dong, Sungbuk-ku, Seoul 136 701, South Korea

Food Chem 2008 **107** (1) 92

Structural characteristics and *in vitro* digestibility of mango kernel starches (*Mangifera indica* L.)

Sandhu KS, Lim ST*// *Korea Univ, Sch Life Sci & Biotechnol, 5-1 Anam-dong, Sungbuk-ku, Seoul 136 701, South Korea

Carbohydr Polym 2008 **71** (2) 245

Digestibility of legume starches as influenced by their physical and structural properties

Talja RA, Helen H, Roos YH, Jouppila K// Univ Helsinki, Dept Food Technol, PO Box 66, Agnes Sjöbergin katu 2, FI-00014 Helsinki, Finland

Carbohydr Polym 2008 **71** (2) 269

Effect of type and content of binary polyol mixtures on physical and mechanical properties of starch-based edible films

Tankam PF, Muller R, Mischnick P*, Hopf H// *Tech Univ Braunschweig, Inst Food Chem, Schleinitzstr 20, DE-38106 Braunschweig, Germany

Carbohydr Res 2007 **342** (14) 2049

Alkynyl polysaccharides: Synthesis of propargyl potato starch followed by subsequent derivatizations

Wang CCR, Chiang PY*, Li PH, Huang CC// *National Chung-Hsing University, Department Food Science & Biotechnology, 250 Kuokuang Rd, Taichung 402, Taiwan

Carbohydr Polym 2008 **71** (2) 310

Physicochemical properties of water caltrop (*Trapa taiwanensis* Nakai) starch during growth period

Wang N, Yu J*, Chang PR, Ma X// *Tianjin Univ, Sch Sci, CN-300072 Tianjin, Peoples Rep China

Carbohydr Polym 2008 **71** (1) 109

Influence of formamide and water on the properties of thermoplastic starch/poly(lactic acid) blends

Wang N, Yu J*, Chang PR, Ma X// *Tianjin Univ, Sch Sci, CN-300072 Tianjin, Peoples Rep China

Starch 2007 **59** (9) 409

Influence of citric acid on the properties of glycerol-plasticized dry starch (DTPS) and DTPS/poly (lactic acid) blends

Wang YJ, Kuo MI, Wang LF, Patindol J// Univ Arkansas, Dept Food Sci, Fayetteville, Ar 72704, USA

Starch 2007 **59** (9) 445

Chemical composition and structure of granule periphery and envelope remnant of rice starches as revealed by chemical surface gelatinization

Xiong H, Tang S, Tang H, Zou P// Huazhong Agric Univ, Coll Food Sci & Technol, CN-430070 Wuhan, Peoples Rep China

Carbohydr Polym 2008 **71** (2) 263

The structure and properties of a starch-based biodegradable film

Yoon SD, Chough SH, Park HR*// *Chonnam Natl Univ, Dept Appl Chem Engr, 300 Yongbong dong, Buk gu, Kwangju 500 757, South Korea

J Appl Polym Sci 2007 **106** (4) 2485

Preparation of resistant starch/poly(vinyl alcohol) blend films with added plasticizer and crosslinking agents

Zhang DF, Ju BZ*, Zhang SF, Yang JZ// *Dalian Univ Technol, State Key Lab Fine Chem, CN-116012 Dalian, Peoples Rep China

Carbohydr Polym 2008 **71** (1) 80

The study on the synthesis and action mechanism of starch succinate half ester as water-reducing agent with super retarding performance

Zhang JF, Sun XZ*// *Kansas State Univ, Dept Grain Sci & Ind, BioMaterials & Technol Lab, 101 BIVAP Bldg, 1980 Kimball Avenue, Manhattan, Ks 66506, USA

J Appl Polym Sci 2007 **106** (2) 857

Biodegradable foams of poly(lactic acid)/starch. I. Extrusion condition and cellular size distribution

Zhu ZF, Chen PH// Sthn Yantze University, College Textiles & Garments, MoE Key Laboratory Ecotext Science & Technol, CN-214122 Wuxi, Peoples Rep China

J Appl Polym Sci 2007 **106** (4) 2763

Carbamoyl ethylation of starch for enhancing the adhesion capacity to fibers

10. Starch-degrading enzymes

Binky RB, Saikrnan R, Tushar S, Unies P, Yogeshi J, Syed AN// Roy Fdn Coll, Bioengn & Res Ctr, IN-400614 Mumbai, India

Curr Sci 2007 **93** (4) 459

Sago starch: An economical substitute for *in vitro* primary screening of starch utilizing microorganisms

Boussarsar H, Roge B, Mathlouthi M*// *Univ Reims Champagne Ardenne, Lab Chim Phys Ind, UMR 614 Fractionnement Agroressources Emballage, Ctr Europol Agro, BP 1039, FR-51687 Reims, France

Food Biophys 2007 **2** (2-3) 100

Physico-chemical approach of the amylolytic action pattern of a thermostable amylopullulanase

Kumar P, Satyanarayana T*// *Univ Delhi, Dept Microbiol, Sthn Campus, Benito Juarez Rd, IN-110021 New Delhi, India

Lett Appl Microbiol 2007 **45** (4) 392

Economical glucoamylase production by alginate-immobilized *Thermomucor indicia-seudaticae* in cane molasses medium

Wang F, Guo C*, Liu HZ, Liu CZ// *Chinese Acad Sci, Inst Process Engr, Natl Key Lab Biochem Engr, CN-100080 Beijing, Peoples Rep China

J Mol Catal B Enzym 2007 **48** (1-2) 1

Reversible immobilization of glucoamylase by metal affinity adsorption on magnetic chelator particles

11. Polysaccharides - Microbial

Caggioni M, Spicer PT, Blair DL, Lindberg SE, Weitz DA// Harvard Univ, Dept Phys, Cambridge, Ma 02138, USA

J Rheol 2007 **51** (5) 851

Rheology and microrheology of a microstructured fluid: The gellan gum case

Chen Y, Xie MY*, Nie SP, Li C, Wang YX// *Nanchang Univ, State Key Lab Food Sci & Technol, CN-330047 Nanchang, Peoples Rep China

Food Chem 2008 **107** (1) 231

Purification, composition analysis and antioxidant activity of a polysaccharide from the fruiting bodies of *Ganoderma atrum*

Grandpierre C, Janssen HG, Laroche C, Michaud P, Warrand J*// *Masterfoods GmbH, Eitzer Str 215, DE-27283 Verden, Aller, Germany

Carbohydr Polym 2008 **71** (2) 277

Enzymatic and chemical degradation of curdlan targeting the production of β -(1 $\rightarrow$ 3) oligoglucans

Hamcerencu M, Desbrieres J*, Khoukh A, Popa M, Riess G// *Pau & Pays Adour Univ, Inst Pluridisciplinaire Rech Environm Materiaux, UMR 5254 CNRS, Equipe Phys & Chim Polym, Helioparc Pau Pyrenees, 2 Ave President Angot, FR-64053 Pau 09, France

Carbohydr Polym 2008 **71** (1) 92

Synthesis and characterization of new unsaturated esters of gellan gum

Jelinek M, Cristescu R, Axente E, Kocourek T, Dybal J, Remsa J, Plestil J, Mihaiescu D, Albulescu M, Buruiana T, Stamatina I, Mihaiescu IN, Chrissey DB// Acad Sci Czech Rep, Inst Phys, Na Slovance 2, CZ-18221 Prague 8, Czech Republic

Appl Surf Sci 2007 **253** (19) 7755

Matrix assisted pulsed laser evaporation of cinnamate-pullulan and tosylate-pullulan polysaccharide derivative thin films for pharmaceutical applications

Ji Z, Tang QJ*, Zhang JS, Yang Y, Jia W, Pan YJ// *Shanghai Acad Agric Sci, Inst Edible Fungi, CN-201106 Shanghai, Peoples Rep China

J Ethnopharmacol 2007 **112** (3) 445

Immunomodulation of RAW264.7 macrophages by GLIS, a proteopolysaccharide from *Ganoderma lucidum*

Kawakita H, Seto H, Ohto K, Inoue K, Harada H// Saga Univ, Dept Appl Chem, 1-Hongo, Saga 840, Japan

Biochem Eng J 2007 **36** (2) 190

Pore control with dextran generated from immobilized dextransucrase

Lbarburu I, Soria-Diaz ME, Rodriguez-Carvajal MA, Velasco SE, Tejero-Mateo P, Gil-Serrano AM, Irastorza A, Duenas MT*// *Univ Pais Vasco, Fac Ciencias Quim, Dept Quim Aplicada, Box 1072, ES-20080 San Sebastian, Spain

J Appl Microbiol 2007 **103** (2) 477

Growth and exopolysaccharide (EPS) production by *Oenococcus oeni* 14 and structural characterization of their EPSs

Novikova EV, Smychenko VM, Iozep AA// St Petersburg State Acad Pharmaceut Chem, St Petersburg, Russia

Russ J Appl Chem Eng Tr 2007 **80** (7) 1151

Sulfation of dextran with chlorosulfonic acid in organic solvents

Patnaik S, Sharma AK, Garg BS, Gandhi RP, Gupta KC*// *Inst Genomics & Integrative Biol, Nucl Acid Res Lab, Mall Rd, Delhi Univ Campus, IN-110007 Delhi, India

Int J Pharm 2007 **342** (1-2) 184

Photoregulation of drug release in azo-dextran nanogels

Penaranda M, Falco V, Payeras A, Jordano Q, Curran A, Pareja A, Samperiz G, Dalmáu D, Ribera E, Riera M// Hosp Son Dureta, Infect Dis Unit, Andrea Doria 55, ES-07084 Palma de Mallorca, Spain
Clin Infect Dis 2007 **45** (7) e82
 Effectiveness of polysaccharide pneumococcal vaccine in HIV-infected patients: A case-control study

Perry MB, MacLean LL, Patrauchan MA, Vinogradov E// Natl Res Council Canada, Inst Biol Sci, Ottawa, Ontario, Canada K1A 0R6

Carbohydr Res 2007 **342** (15) 2223

The structure of the exocellular polysaccharide produced by *Rhodococcus* sp RHA1

Shin KS, Yu KW, Lee HK, Lee H, Cho WD, Suh HJ// *Korea Univ, Dept Food & Nutr, 1 Jeongneung dong, Sungbuk gu, Seoul 136 703, South Korea
Food Technol Biotechnol 2007 **45** (3) 319

Production of anti-complementary exopolysaccharides from submerged culture of *Flammulina velutipes*

Shu CH, Lin KJ, Wen BJ// Natl Cent Univ, Dept Chem & Materials Engn, Chung-Li 320, Tao Yuan, Taiwan

J Chem Technol Biotechnol 2007 **82** (9) 831

Effects of culture temperature on the production of bioactive polysaccharides by *Agaricus blazei* in batch cultures

Shu CH, Xu CJ// Address as above

Food Technol Biotechnol 2007 **45** (3) 327

Medium optimization for producing bioactive exopolysaccharides by *Agaricus brasiliensis* S. Wasser *et al.* (=A. *blazei* Murrill ss. Heinem) in submerged culture

Tseng YH, Yang JH, Mau JL// *Nat Chung-Hsing Univ, Dept Food Sci & Biotechnol, 250 Kuokung Rd, Taichung 40227, Taiwan
Food Chem 2008 **107** (2) 732

Antioxidant properties of polysaccharides from *Ganoderma tsugae*

Urkut Z, Dagbagli S, Goksungur Y// *Ege Univ, Fac Engn, Dept Food Engn, TR-35100 Izmir, Turkey

J Chem Technol Biotechnol 2007 **82** (9) 837

Optimization of pullulan production using Ca-alginate-immobilized *Aureobasidium pullulans* by response surface methodology

Van Thienen TG, Raemdonck K, Demeester J, De Smedt SC// *Univ Ghent, Gen Biochem & Phys Pharm Labs, Harelbekestr 72, BE-9000 Ghent, Belgium
Langmuir 2007 **23** (19) 9794

Protein release from biodegradable dextran nanogels

12. Polysaccharides - Plant

Baffoun A, Haidara H*, Dupuis D, Viallier P// *CNRS, Inst Chim Surfaces & Interfaces, 15 rue Jean Starky, BP 2488, FR-2488 Mulhouse, France

Langmuir 2007 **23** (18) 9447

Wetting-induced formation of quasiperiodical wrinkling patterns in alginate-based coatings

Becker CF, Guimaraes JA, Mourao PAS, Verli H// *Univ Fed Rio Grande do Sul, Fac Farm, Av Apiranga 2752, BR-90610-000 Porto Alegre, RS, Brazil

J Mol Graph Model 2007 **26** (1) 391

Conformation of sulfated galactan and sulfated fucan in aqueous solutions: Implications to their anticoagulant activities

Biswal J, Kumar V, Bhardwaj YK*, Groel NK, Dubey KA, Chaudhari CV, Sabharwal S// *Bhabha Atom Res Ctr, Radiat Technol Dev Sect, IN-400085 Mumbai, India

Radiat Phys Chem 2007 **76** (10) 1624

Radiation-induced grafting of acrylamide onto guar gum in aqueous medium: Synthesis and characterization of grafted polymer guar-g-acrylamide

Cheng LH, Karim AA, Seow CC// Univ Sains Malaysia, Sch Ind Technol, Food Technol Div, MY-11800 Penang, Malaysia

Food Chem 2008 **107** (1) 411

Characterisation of composite films made of konjac glucomannan (KGM), carboxymethyl cellulose (CMC) and lipid

Cordenunsi BR, Shiga TM, Lajolo F// Univ Sao Paulo, FCF, Dept Alimentos & Nutr Expt, Lab Quim Bioquim & Biol Mol Alimentos, Av Lineu Prestes 580, Bloco 14, BR-05508-900 Sao Paulo, SP, Brazil

Carbohydr Polym 2008 **71** (1) 26

Non-starch polysaccharide composition of two cultivars of banana (*Musa acuminata* L.: cvs Mysore and Nanicaio)

Dai WG, Dong LC, Song YQ// ALZA Corp, Pharmaceut Dev, 1900 Charleston Rd, Mountain View, Ca 94039, USA

Int J Pharm 2007 **342** (1-2) 201

Nanosizing of a drug/carrageenan complex to increase solubility and dissolution rate

Deladino L, Anbinder PS, Navarro AS*, Martino MN// *UNLP/CONICET, Fac Ciencias Exactas, Centro Invest Desarrollo Criotecnol Alimentos, 47 y 116, AR-1900 La Plata, Buenos Aires, Argentina

Carbohydr Polym 2008 **71** (1) 126

Encapsulation of natural antioxidants extracted from *Ilex paraguariensis*

Feng T, Gu ZB*, Jin ZY, Zhuang HN// *Sth Yangtze Univ, MoE Key Lab Food Sci & Safety, 1800 Lihu Rd, CN-214122 Jiangsu, Wuxi, Peoples Rep China

Carbohydr Polym 2008 **71** (2) 159

Isolation and characterization of an acidic polysaccharide from *Mesona blumes* gum

Gardea-Hernandez G, Ibarra-Gomez R, Flores-Gallardo SG, Hernandez-Escobar CA, Perez-Romo P, Zaragoza-Contreras EA// *Ctr Invest Materiales Avanzados SC, Miguel de Cervantes 120, MX-31109 Chihuahua, Chih, Mexico

Carbohydr Polym 2008 **71** (1) 1

Fast wood fiber esterification. I. Reaction with oxalic acid and cetyl alcohol

Hayashi L, De Paula EJ, Chow F// Univ Sao Paulo, Inst Biociencias, Dept Bot, Caixa Postal 11-461, BR-05422-970 Sao Paulo, Brazil

J Appl Phycol 2007 **19** (5) 393

Growth rate and carrageenan analyses in four strains of *Kappaphycus alvarezii* (Rhodophyta, Gigartinales) farmed in the subtropical waters of Sao Paulo State, Brazil

Hayashi L, Oliveira EC, Bleicher-Lhonnour G, Boulenger P, Pereira RTL, Von Seckendorff R, Shimoda VT, Leflamand A, Vallee P, Critchley AT// Address as above

J Appl Phycol 2007 **19** (5) 505

The effects of selected cultivation conditions on the carrageenan characteristics of *Kappaphycus alvarezii* (Rhodophyta, Solieriaceae) in Ubatuba Bay, Sao Paulo, Brazil

Jung WK, Athukorala Y, Cha SH, Lee CH, Vasanthan T, Choi KS, Yoo SH, Kim SK, Jeon YJ// *Cheju Natl Univ, Fac Appl Marine Sci, Cheju, South Korea

J Appl Phycol 2007 **19** (5) 425

Sulfated polysaccharide purified from *Ecklonia cava* accelerates antithrombin III-mediated plasma proteinase inhibition

Kim SW, Hwang HJ, Lee BC, Yun JW// *Daegu Univ, Dept Biotechnol, Kyungsan 712 714, Kyungbuk, South Korea

Food Technol Biotechnol 2007 **45** (3) 295

Submerged production and characterization of *Grifola frondosa* polysaccharides - A new application to cosmeceuticals

Lee YJ, Shin DS, Kwon OW, Park WH, Choi HG, Lee YR, Han SS, Noh SK, Lyoo WS// *Yeungnam Univ, Sch Textiles, Div Advanced Organ Materials, Kyongsan 712 749, South Korea

J Appl Polym Sci 2007 **106** (2) 1337

Preparation of atactic poly(vinyl alcohol)/sodium alginate blend nanoweb by electrospinning

Lisboa SA, Evtuguin DV*, Neto CP// *Univ Aveiro, CICECO, PT-3810-193 Aveiro, Portugal

Holzforchung 2007 **61** (5) 478

Characterization of non-cellulosic glucans in *Eucalyptus globulus* Labill. wood and kraft pulp

Liu ZT, Yang Y, Zhang L, Sun P, Liu ZW, Lu J, Xiong H, Peng Y, Tang S// Shaanxi Normal Univ, Sch Chem & Materials Sci, MoE Key Lab Appl Surface & Colloid Chem, CN-710062 Xian, Peoples Rep China

Carbohydr Polym 2008 **71** (1) 18

Study on the performance of ramie fiber modified with ethylenediamine

Lu J, Zhang JH, Xiao C// *Wuhan Univ, Coll Chem & Mol Sci, CN-430072 Wuhan, Peoples Rep China

J Appl Polym Sci 2007 **106** (3) 1972

Preparation and characterization of konjac glucomannan/poly(diallyldimethylammonium chloride) blend films

Lu Y, Wang D, Hu Y*, Huang X, Wang J// *Nanjing Agric Univ, Coll Vet Med, Inst Traditional Chinese Vet Med, CN-210095 Nanjing, Peoples Rep China

Carbohydr Polym 2008 **71** (2) 180

Sulfated modification of *Epimedium* polysaccharide and effects of the modifiers on cellular infectivity of IBDV

Ma XD, Pawlik M// *Univ British Columbia, Norman B Keevil Inst Mining Engn, 517-6350 Stores Rd, Vancouver, Brit Columbia, Canada V6T 1Z4

J Colloid Interface Sci 2007 **313** (2) 440

Role of background ions in guar gum adsorption on oxide minerals and kaolinite

Morch YA, Donati I, Strand BL, Skajak-Braek G// Norwegian Univ Sci & Technol, Dept Biotechnol, Sem Salandsvei 6-8, NO-7491 Trondheim, Norway

Biomacromolecules 2007 **8** (9) 2809

Molecular engineering as an approach to design new functional properties of alginate

Murillo-Alvarez JI, Hernandez-Carmona G// Inst Politecn Nacl, Dept Desarrollo Tecnol, Ctr Interdisciplinario Ciencias Marinas, MX-23000 La Paz, BCS, Mexico

J Appl Phycol 2007 **19** (5) 545

Monomer composition and sequence of sodium alginate extracted at pilot plant scale from three commercially important seaweeds from Mexico

Pillai S, Pillai C, Mitscher LA*, Cooper R// *Univ Kansas, Dept Med Chem, 4010 Malott Hall, 1 Wescoe Hall Dr, Lawrence, Ks 66045, USA

J Altern Complement Med 2007 **13** (6) 625

Use of quantitative flow cytometry to measure *ex vivo* immunostimulant activity of Echinacea: The case for polysaccharides

- Pourjavadi A, Ghasemzadeh H// Sharif Univ Technol, Dept Chem, Polymer Res Lab, Tehran, Iran
Polym Eng Sci 2007 **47** (9) 1388
- Carrageenan-*g*-poly(acrylamide)/poly(vinylsulfonic acid, sodium salt) as a novel semi-IPN hydrogel: Synthesis, characterization, and swelling behavior
- Qiu H, Tang W, Tong XK, Ding K*, Zuo JP// *Chinese Acad Sci, Shanghai Inst Materia Med, Shanghai Inst Biol Sci, CN-201203 Shanghai, Peoples Rep China
Carbohydr Res 2007 **342** (15) 2230
- Structure elucidation and sulfated derivatives preparation of two α -D-glucans from *Gastrodia elata* Bl. and their anti-dengue virus bioactivities
- Romero JB, Montano MNE, Merca FE, Villanueva RD, Liao ML, Bacic A// Mindanao State Univ Tawi Tawi, PH-1702 Bongao, Tawi Tawi, Philippines
Bot Mar 2007 **50** (3) 191
- Seasonal variations in the composition and gel quality of agar from *Gracilaria edulis* in the Philippines
- Ronkart SN, Deroanne C, Paquot M, Fougnyes C, Lambrechts JC, Blecker CS// Gembloux Agric Univ, Dept Food Technol, Passage des Deportes 2, BE-5030 Gembloux, Belgium
Food Biophys 2007 **2** (2-3) 83
- Characterization of the physical state of spray-dried inulin
- Sandolo C, Matricardi P, Alhaique F, Coviello T*// *Univ La Sapienza, Dept Chem & Technol Biol Active Cpd, Piazzale Aldo Moro 5, IT-00185 Rome, Italy
Eur Polym J 2007 **43** (8) 3355
- Dynamo-mechanical and rheological characterization of guar gum hydrogels
- Simas FF, Gorin PAJ, Wagner R, Sassaki GL, Bonkerner A, Iacomini M*// *Univ Fed Parana, Dept Bioquim & Biol Mol, CP 19046, BR-81531-900 Curitiba, PR, Brazil
Carbohydr Polym 2008 **71** (2) 218
- Comparison of structure of gum exudate polysaccharides from the trunk and fruit of the peach tree (*Prunus persica*)
- Singh RS, Dhaliwal R, Puri M// Panjab Univ, Dept Biotechnol, Carbohydrate & Prot Biotechnol Lab, IN-147002 Patiala, Punjab, India
J Ind Microbiol Biotechnol 2007 **34** (10) 649
- Production of high fructose syrup from *Asparagus* inulin using immobilized exoinulinase from *Kluyveromyces marxianus* YS-1
- Srivastava A, Tripathy J, Mishra MM, Behari K*// *Univ Allahabad, Dept Chem, Polymer Sci Res Lab, IN-211002 Allahabad, India
J Appl Polym Sci 2007 **106** (2) 1353
- Modification of guar gum through grafting of 4-vinyl pyridine using potassium peroxydisulfate/ascorbic acid redox pair
- Tommonaro G, Rodriguez CSS, Santillana M, Immirzi B, De Prisco R, Nicolaus B, Poli A*// *CNR, Ist Chim Biomol, Via Campi Flegrei 34, IT-80078 Pozzuoli, NA, Italy
J Agric Food Chem 2007 **55** (18) 7427
- Chemical composition and biotechnological properties of polysaccharide from the peels and antioxidant content from the pulp of *Passiflora ligularis* fruits
- Tong H, Liang Z, Wang G*// *Northeast Normal Univ, Sch Life Sci, 5268 Renmin St, CN-130024 Changchun, Jilin Prov, Peoples Rep China
Carbohydr Polym 2008 **71** (2) 316
- Structural characterization and hypoglycemic activity of a polysaccharide isolated from the fruit of *Physalis alkekengi* L.
- Torres MR, Sousa APA, Filho EATS, Dirce FMBB, Feitosa JPA, De Paula RCM*, Lima MGS// *Univ Fed Ceara, Dept Quim Organ & Inorgan, CP 12-200, BR-60455-760 Fortaleza, Ceara, Brazil
Carbohydr Res 2007 **342** (14) 2067
- Extraction and physicochemical characterization of *Sargassum vulgare* alginate from Brazil
- Turdumambetov K, Rakhimov DA, Malikova MK// Natl Acad Sci Kyrgyz Rep, Inst Chem & Chem Technol, prosp Chui 267, Bishkek, Kyrgyzstan
Chem Nat Compd 2007 **43** (3) 308
- Oligo- and polysaccharides from *Cousinia umbrosa*
- Wan XF, Li YM, Wang XJ, Chen SL, Gu XY// Sth China Univ Technol, Coll Resource Sci & Papermaking Engn, CN-510640 Guangzhou, Guangdong, Peoples Rep China
Eur Polym J 2007 **43** (8) 3655
- Synthesis of cationic guar gum-graft-polyacrylamide at low temperature and its flocculating properties
- Wang GH, Zhang LM*// *Zhongshan Univ, Inst Optoelect & Funct Composite Materials, Lab Polymer Composite & Funct Materials, CN-510275 Guangzhou, Peoples Rep China
J Phys Chem B 2007 **111** (36) 10665
- Manipulating formation and drug-release behavior of new sol-gel silica matrix by hydroxypropyl guar gum
- Yoon SJ, Pyun YR, Hwang JK, Mourao PAS*// *UFRJ, Hosp Univ Clementino Fraga Filho, Lab Tecido Conjuntivo, BR-21941 Rio de Janeiro, Brazil
Carbohydr Res 2007 **342** (15) 2326
- A sulfated fucan from the brown alga *Laminaria cichorioides* has mainly heparin cofactor II-dependent anticoagulant activity
- Zemnukhova LA, Tomshich SV, Kovekhova AV, Greben LY// Russian Acad Sci, Far Eastern Div, Inst Chem, RU-690022 Vladivostok, Russia
Russ J Appl Chem Eng Tr 2007 **80** (7) 1170
- Polysaccharides prepared from sunflower production waste
- Zheng H, Zhou ZY, Chan Y, Huang J*, Xiong FL// *Wuhan Univ Technol, Coll Chem Engn, CN-430070 Wuhan, Peoples Rep China
J Appl Polym Sci 2007 **106** (2) 1034
- pH-sensitive alginate/soy protein microspheres as drug transporter
- Zielhuis SW, Seppenwoolde JH, Bakker CJG, Jahnz U, Zonnenberg BA, Van het Schip AD, Hermink WE, Nijssen JFW*// *Univ Utrecht Med Ctr, Dept Nucl Med, Heidelberglaan 100, NL-3584 CX Utrecht, The Netherlands
J Biomed Mater Res A 2007 **82A** (4) 892
- Characterization of holmium loaded alginate microspheres for multimodality imaging and therapeutic applications

13. Polysaccharides - Other

- Bhatia SK, Arthur SD, Chenault HK, Kodokian GK// DuPont Expt Stn, Cent Res & Dev, Wilmington, De 19880, USA
Biotechnol Lett 2007 **29** (11) 1645
- Interactions of polysaccharide-based tissue adhesives with clinically relevant fibroblast and macrophage cell lines
- Chenl XM, Yamamoto C, Okamoto Y*// *Nagoya Univ, Ecotopia Sci Nutr, Chikusa ku, Nagoya, Aichi 464 8603, Japan
Pure Appl Chem 2007 **79** (9) 1561
- Polysaccharide derivatives as useful chiral stationary phases in high-performance liquid chromatography
- Giannotti MI, Rinaudo M*, Vancso GJ// *Univ Twente, Res Inst Nanotechnol, POB 217, NL-7500 AE Enschede, The Netherlands
Biomacromolecules 2007 **8** (9) 2648
- Force spectroscopy of hyaluronan by atomic force microscopy: From hydrogen-bonded networks towards single-chain behavior
- Kanazawa A, Namiki S, Suzuki M*// *Nagoya Inst Technol, Grad Sch Engr, Dept Materials Sci & Engr, Chikusa ku, Nagoya, Aichi 464 8603, Japan
J Polym Sci A Polym Chem 2007 **45** (17) 3851
- Thermal polycondensation of sugar fluoride to form highly branched polysaccharide
- Mori T, Sekine Y, Hasegawa M, Okhata Y*// *Tokyo Inst Technol, Dept Biomol Engr, Midori ku, Yokohama, Kanagawa 226 850, Japan
Biomacromolecules 2007 **8** (9) 2815
- Nanometer-scale immobilization of polysaccharides on hydrophobic polymer plates in supercritical fluoroform/water emulsions
- Morris GA, Ang S, Hill SE, Lewis S, Schafer B, Nobbmann U, Harding SE// Univ Nottingham, Sch Biosci, Sutton Bonington LE12 5RD, England
Carbohydr Polym 2008 **71** (1) 101
- Molar mass and solution conformation of branched α (1 $\rightarrow$ 4), α (1 $\rightarrow$ 6) glucans. Part I: Glycogens in water
- Pasparakis G, Cockayne A, Alexander C*// *Univ Nottingham, Sch Pharm, Inst Infect Immun & Inflamm, Ctr Biomol Sci, Nottingham NG7 2RD, England
J Am Chem Soc 2007 **129** (36) 11014
- Control of bacterial aggregation by thermoresponsive glycopolymers
- Sandolo C, Coviello T*, Matricardi P, Alhaique F// *Univ Roma la Sapienza, Fac Pharm, Piazzale Aldo Moro 5, IT-00185 Rome, Italy
Eur Biophys J Biophys Lett 2007 **36** (7) 693
- Characterization of polysaccharide hydrogels for modified drug delivery
- Serban MA, Prestwich GD*// *Univ Utah, Dept Med Chem, Ctr Therapeut Biomaterials, 419 Wakara Way, Salt Lake City, Ut 84108, USA
Biomacromolecules 2007 **8** (9) 2821
- Synthesis of hyaluronan haloacetates and biology of novel cross-linker-free synthetic extracellular matrix hydrogels
- Soltes L, Kogan G*, Stankovska M, Mendichi R, Rychly J, Schiller J, Gemeiner P// *Inst Chem, Dubravaska cesta 9, SK-84538 Bratislava, Slovakia
Biomacromolecules 2007 **8** (9) 2697
- Degradation of high-molar-mass hyaluronan and characterization of fragments
- Tankam PF, Mischnick P*, Hopf H, Jones PG// *Tech Univ Braunschweig, Inst Food Chem, Schleinitzstr 20, DE-38106 Braunschweig, Germany
Carbohydr Res 2007 **342** (14) 2031
- Modification of methyl *O*-propargyl-D-glucosides: Model studies for the synthesis of alkynyl based functional polysaccharides
- Volpi N// Univ Modena & Reggio Emilia, Dept Anim Biol, Modena, Italy
Anal Chem 2007 **79** (16) 6390
- On-line HPLC/ESI-MS separation and characterization of hyaluronan oligosaccharides from 2-mers to 40-mers
- Wieland JA, Houchin-Ray TL, Shea LD*// *Northwestern Univ, Dept Chem & Biol Engr, 2145 Sheridan Rd, Evanston, IL 60208, USA
J Controlled Release 2007 **120** (3) 233
- Non-viral vector delivery from PEG-hyaluronic acid hydrogels