

Bibliography of carbohydrate polymers

(5 weeks journals. Search completed at 14th. May 2008)

1. Reviews

- Araki J, Ito K// Univ Tokyo, Grad Sch Frontier Sci, Dept Advanced Materials Sci, 5-1-5 Kashiwanoha, Kashiwa, Chiba 277 8562, Japan
Soft Matter 2007 **3** (12) 1456
Recent advances in the preparation of cyclodextrin-based polyrotaxanes and their applications to soft materials
- Van de Velde F// NIZO Food Res, TI Food & Nutr, Texture Dept, Kernhemseweg 2, PO Box 20, NL-6710 BA Ede, The Netherlands
Food Hydrocolloid 2008 **22** (5) 727
Structure and function of hybrid carrageenans
- Varshosaz J// Isfahan Univ Med Sci, Sch Pharm, Dept Pharmaceut, Isfahan, Iran
Expert Opin Drug Deliv 2007 **4** (3) 263
The promise of chitosan microspheres in drug delivery systems
- Ye AQ// Fonterra Co-operative Grp Ltd, Fonterra Res Ctr, Private Bag 11 029, Palmerston North, New Zealand
Int J Food Sci Technol 2008 **43** (3) 406
Complexation between milk proteins and polysaccharides *via* electrostatic interaction: Principles and applications - A review

2. Cellulose

- Bagheri M, Rodriguez H, Swatloski RP, Spear SK, Daly DT, Rogers RD// *Univ Alabama, Dept Chem, Ctr Green Mfg, Tuscaloosa, AL 35487, USA
Biomacromolecules 2008 **9** (1) 381
Ionic liquid-based preparation of cellulose-dendrimer films as solid supports for enzyme immobilization
- Bootten TJ, Harris PJ*, Melton LD, Newman RH// *Univ Auckland, Sch Biol Sci, Private Bag 92 019, Auckland 1, New Zealand
Carbohydr Res 2008 **343** (2) 221
WAXS and ¹³C NMR study of *Gluconoacetobacter xylinus* cellulose in composites with tamarind xyloglucan
- Cuissinat C, Navard P*, Heinze T// *Ecole Mines Paris, UMR CNRS 7635, Ctr Mise Forme Matériaux, BP 207, FR-06904 Sophia Antipolis, France
Carbohydr Polym 2008 **72** (4) 590
Swelling and dissolution of cellulose. Part IV: Free floating cotton and wood fibres in ionic liquids
- Deguchi S, Tsujii K, Horikoshi K// Japan Agcy Marine Earth Sci & Technol, Extremobiosphere Res Ctr, Natsushimacho, Yokosuka, Kanagawa 237 006, Japan
Green Chem 2008 **10** (2) 191
Crystalline-to-amorphous transformation of cellulose in hot and compressed water and its implications for hydrothermal conversion
- Elazzouzi-Hafraoui S, Nishiyama Y*, Putaux JL, Heux L, Dubreuil F, Rochas C// *Univ Grenoble 1, CERMAV CNRS, BP 53, FR-38041 Grenoble 9, France
Biomacromolecules 2008 **9** (1) 57
The shape and size distribution of crystalline nanoparticles prepared by acid hydrolysis of native cellulose
- Fahmy TYA, Mobarak F// Nat Res Ctr, Cellulose & Paper Dept, Sh El-Tahrir, Dokki, Cairo, Egypt
Carbohydr Polym 2008 **72** (4) 751
Nanocomposites from natural cellulose fibers filled with kaolin in presence of sucrose

- Gavillon R, Budtova T// *Ecole Mines, CNRS UMR, BP 207, FR-06904 Sophia Antipolis, France
Biomacromolecules 2008 **9** (1) 269
Aerocellulose: New highly porous cellulose prepared from cellulose-NaOH aqueous solutions
- Ge J, Zhao L, Shi YP// Chinese Acad Sci, Lanzhou Inst Chem Phys, Key Lab Nat Med Gansu Prov, CN-730000 Lanzhou, Gansu, Peoples Rep China
Chin J Chem 2008 **26** (1) 139
Preparation and evaluation of a novel cellulose tris(*N*-3,5-dimethylphenylcarbamate) chiral stationary phase
- Hassan EBM, Shukry N// Natl Res Ctr Cellulose & Paper Dept, El Behoos St, Dokki, Giza, EG-12622 Cairo, Egypt
Ind Crops Products 2008 **27** (1) 33
Polyhydric alcohol liquefaction of some lignocellulosic agricultural residues
- Ito H, Kumari R, Takatani M, Okamoto T, Hattori H, Fujiyoshi I// Yamaha Livingtec Corp, Product Developing Dept, Hamamatsu, Shizuoka 432 400, Japan
Polym Eng Sci 2008 **48** (2) 415
Viscoelastic evaluation of effects of fiber size and composition on cellulose-polypropylene composite of high filler content
- Jain V, Ni YG// *Univ New Brunswick, Limerick Pulp & Paper Ctr, POB 4400, Fredericton, New Brunswick, Canada E3B 6C2
J Appl Polym Sci 2008 **107** (6) 3885
Alkaline hydrolysis of methyl acrylate grafted cellulose fibers
- Kawamoto H, Saito S, Saka S// Kyoto Univ, Grad Sch Energy Sci, Yoshida Honmachi, Sakyo ku, Kyoto 606 8501, Japan
Carbohydr Res 2008 **343** (2) 249
Inhibition of acid-catalyzed depolymerization of cellulose with boric acid in non-aqueous acidic media
- Kotel'nikova NE, Lysenko EL, Serimaa R, Pirkkalainen K, Vainio U, Lavrent'ev VK, Medvedeva DA, Shakhmin AL, Saprykina NN, Novoselov NP// Russian Acad Sci, Inst Macromol Cpds, Bolshoi pr 31, RU-199004 St Petersburg, Russia
Polym Sci Ser A 2008 **50** (1) 51
Cellulose as a nanoreactor for the synthesis of nickel nanoparticles
- Li CZ, Wang Q, Zhao ZK// *Chinese Acad Sci, Dalian Inst Chem Phys, CN-116023 Dalian, Peoples Rep China
Green Chem 2008 **10** (2) 177
Acid in ionic liquid: An efficient system for hydrolysis of lignocellulose
- Liu YQ, Zou HF// Mukogawa Women's Univ, Fac Pharmaceut Sci, Nishinomiya, Hyogo, Japan
J Chromatogr A 2008 **1178** (1-2) 118
High-performance liquid chromatographic evaluation of a coated cellulose tris(3,5-dimethylphenylcarbamate) chiral stationary phase having a small-pore silica support
- Nadagouda MN, Varma RS// *US/EPA, Sustainable Technol Div, 262 West Martin Luther King Dr, MS 443, Cincinnati, OH 45268, USA
Macromol Rapid Commun 2008 **29** (2) 155
Noble metal decoration and alignment of carbon nanotubes in carboxymethyl cellulose
- Nelson K, Deng YL// *Georgia Inst Technol, Sch Chem & Biomol Engrg, 500 19th St NW, Atlanta, GA 30332, USA
J Appl Polym Sci 2008 **107** (5) 2830
Enhanced bondability between inorganic particles and a polysaccharide substrate by encapsulation with regenerated cellulose

As a service to subscribers of the journal, this bibliography contains newly published material in the field of carbohydrate polymers. The bibliography is divided into thirteen sections: 1 Reviews; 2 Cellulose; 3 Cellulose-degrading enzymes; 4 Chitin/Chitosan; 5 Cyclodextrins; 6 Lignin; 7 Lipopolysaccharides; 8 Pectin; 9 Starch; 10 Starch-degrading enzymes; 11 Polysaccharides - Microbial; 12 Polysaccharides - Plant; 13 Polysaccharides - Other. Within each section, articles are listed in alphabetical order with respect to author. When there are no publications to appear under one of these headings, that section will be omitted.

- Oshima T, Kondo K, Ohto K, Inoue K, Baba Y// Miyazaki Univ, Fac Engn, Dept Appl Chem, 1-1 Gakuen Kibanadai nishi, Miyazaki 889 2192, Japan
React Funct Polym 2008 **68** (1) 376
Preparation of phosphorylated bacterial cellulose as an adsorbent for metal ions
- Phisalaphong M, Suwanmajo T, Tammarate P// Chulalongkorn Univ, Dept Chem Engn, TH-10330 Bangkok, Thailand
J Appl Polym Sci 2008 **107** (5) 3419
Synthesis and characterization of bacterial cellulose/alginate blend membranes
- Pohl M, Schaller J, Meister F, Heinze T// *Thuringian Inst Textile & Plast Res, Ctr Excellence Polysaccharide Res, Breitscheidstr 97, DE-07407 Rudolstadt, Germany
Macromol Rapid Commun 2008 **29** (2) 142
Selectively dendronized cellulose: Synthesis and characterization
- Rodrigues Filho G, Santos Monteiro D, De Silva Meireles C, Nascimento de Assuncao RM, Alves Cerqueira D, Silva Barud H, Ribeiro SJL, Messadeq Y// Univ Fed Uberlandia, Inst Quim, Uberlandia, Minas Gerais, Av Joao Naves de Avila 2121, Caixa Postal 593, BR-38400-902 Uberlandia, MG, Brazil
Carbohydr Polym 2008 **73** (1) 74
Synthesis and characterization of cellulose acetate produced from recycled newspaper
- Rosol K, Szczubialka K, Jachimska B, Zapotoczny S, Nowakowska M// *Jagiellonian Univ, Fac Chem, Ingardena 3, PL-30060 Krakow, Poland
J Appl Polym Sci 2008 **107** (5) 3184
Interactions of a smart cationic polyelectrolyte based on hydroxypropylcellulose with an anionic surfactant
- Roy D, Knapp JS, Guthrie JT, Perrier S// *Univ Sydney, Sch Chem, Key Ctr Polymer Colloids, Eastern Ave, Sydney, NSW 2006, Australia
Biomacromolecules 2008 **9** (1) 91
Antibacterial cellulose fiber via RAFT surface graft polymerization
- Sahin HT, Arslan MB// Suleyman Demirel Univ, Fac Forestry, Dept Forest Prod Engn, TR-32260 Isparta, Turkey
Int J Mol Sci 2008 **9** (1) 78
A study on physical and chemical properties of cellulose paper immersed in various solvent mixtures
- Sakata M, Todokoro M, Kunitake M// Kumamoto University, Grad Sch Sci & Technol, Dept Appl Chem & Biochem, 2-39-1 Kurokami, Kumamoto 860 8555, Japan
Kobunshi Ronbunshu 2007 **64** (12) 821
Pore-size controlled and polycation-immobilized cellulose spherical particles for removal of endotoxin (Japanese, English Abstract)
- Salvador A, Sanz T, Fiszman SM// Inst Agroquim & Tecnol Alimentos - CSIC, Apdo Correos 73, ES-46100 Burjassot, Valencia, Spain
Food Hydrocolloid 2008 **22** (6) 1062
Performance of methyl cellulose in coating batters for fried products
- Song Y, Zhou J*, Zhang L, Wu X// *Wuhan Univ, Dept Chem, CN-430072 Wuhan, Peoples Rep China
Carbohydr Polym 2008 **73** (1) 18
Homogenous modification of cellulose with acrylamide in NaOH/urea aqueous solutions
- Sui XF, Yuan JY*, Yuan WZ, Zhou M// *Tsing Hua University, Dept Chem, MoE Key Lab Organ Optoelect & Mol Engn, CN-100084 Beijing, Peoples Rep China
Chem Lett 2008 **37** (1) 114
Preparation of cellulose nanofibers/nanoparticles via electrospray
- Sun CC// Amgen Inc, Materials Sci Lab, One Amgen Ctr Dr 21-2-A, Thousand Oaks, La 91320, USA
Int J Pharm 2008 **346** (1-2) 93
Mechanism of moisture induced variations in true density and compaction properties of microcrystalline cellulose
- Trombino S, Cassano R, Bloise E, Muzzalupo R, Leta S, Puoci F, Picci N// Univ Calabria, Dept Pharmaceut Sci, IT-87036 Cosenza, Italy
Macromol Biosci 2008 **8** (1) 86
Design and synthesis of cellulose derivatives with antioxidant activity
- Virtanen T, Liisa Maunu S, Tamminen T, Hortling B, Liitia T// Univ Helsinki, Lab Polym Chem, PO Box 55, FI-00014 Helsinki, Finland
Carbohydr Polym 2008 **73** (1) 156
Changes in fiber ultrastructure during various kraft pulping conditions evaluated by ¹³C CPMAS NMR spectroscopy
- Wagberg L, Decher G, Norgren M, Lindstrom T, Ankerfors M, Axnas K// KTH, Teknikringen 56, SE-10044 Stockholm, Sweden
Langmuir 2008 **24** (3) 784
The build-up of polyelectrolyte multilayers of microfibrillated cellulose and cationic polyelectrolytes
- Wang JH, Cai Z// Donghua Univ, Coll Chem & Chem Engn, MoE Key Lab Sci & Technol Eco-Textile, CN-201620 Shanghai, Peoples Rep China
Carbohydr Polym 2008 **72** (4) 695
Incorporation of the antibacterial agent, miconazole nitrate into a cellulosic fabric grafted with β -cyclodextrin
- Xie K, Hou A, Wang X// Donghua Univ, Modern Textile Inst, CN-200051 Shanghai, Peoples Rep China
Carbohydr Polym 2008 **72** (4) 646
Dyeing and diffusion properties of modified novel cellulose with triazine derivatives containing cationic and anionic groups
- Yan ZY, Chen SY, Wang HP*, Wang B, Wang CS, Jiang JM// *Donghua Univ, State Key Lab Modification Chem Fibers & Polymer Materials, CN-201620 Shanghai, Peoples Rep China
Carbohydr Res 2008 **343** (1) 73
Cellulose synthesized by *Acetobacter xylinum* in the presence of multi-walled carbon nanotubes
- Yoneda Y, Krainz K, Liebner F, Potthast A, Rosenau T*, Karakawa M, Nakatsubo F// *Univ Agric Sci & Appl Life Sci Vienna, Dept Chem, Muthgasse 18, AT-1190 Vienna, Austria
Eur J Org Chem 2008 (3) 475
"Furan endwise peeling" of celluloses: Mechanistic studies and application perspectives of a novel reaction
- Zhou Z, Zheng H, Wei M, Huang J*, Chen Y// *Wuhan Univ Technol, Coll Chem Engn, CN-430070 Wuhan, Peoples Rep China
J Appl Polym Sci 2008 **107** (5) 3267
Structure and mechanical properties of cellulose derivatives/soy protein isolate blends

3. Cellulose-degrading enzymes

- Josefsson P, Henriksson G, Wagberg L// *Royal Inst Technol Fibre & Polymer Technol, Teknikringen 56, SE-10044 Stockholm, Sweden
Biomacromolecules 2008 **9** (1) 249
The physical action of cellulases revealed by a quartz crystal microbalance study using ultrathin cellulose films and pure
- Martins LF, Kolling D, Camassola M, Dillon AJP*, Ramos LP// *Univ Fed Parana, Department Chem, PO Box 19081, BR-81531-990 Curitiba, Parana, Brazil
Bioresource Technol 2008 **99** (5) 1417
Comparison of *Penicillium echinulatum* and *Trichoderma reesei* cellulases in relation to their activity against various cellulosic substrates

4. Chitin/Chitosan

- Abdou ES, Nagy KSA, Elsabee MZ// *Cairo Univ, Fac Sci, Dept Chem, EG-12631 Cairo, Egypt
Bioresource Technol 2008 **99** (5) 1359
Extraction and characterization of chitin and chitosan from local sources
- Andres Y, Giraud L, Gerente C, Le Cloirec P// Ecole Mines Nantes, GEPEA, UMR 6144, 4 rue Alfred Kastler, BP 20722, FR-44307 Nantes 3, France
Environ Technol 2007 **28** (12) 1357
Antibacterial effects of chitosan powder: Mechanisms of action
- Bornet A, Teissedre PL// Univ Victor Segalen Bordeaux 2, Fac Oenol, ISVV, UMR Oenol Ampelol 129, Lab Chim Appl, FR-33405 Talence, France
Eur Food Res Technol 2008 **226** (4) 681
Chitosan, chitin-glucan and chitin effects on minerals (iron, lead, cadmium) and organic (ochratoxin A) contaminants in wines
- Cathell MD, Szweczyk JC, Bui FA, Weber CA, Wolever JD, Kang J, Schauer CL// *Drexel University, Dept Materials Sci & Engn, Philadelphia, Pa 19104, USA
Biomacromolecules 2008 **9** (1) 289
Structurally colored thiol chitosan thin films as a platform for aqueous heavy metal ion detection
- Cho MH, No HK*, Prinyawiwatkul W// *Catholic Univ Daegu, Dept Food Sci & Technol, Hayang 712 702, South Korea
J Food Sci 2008 **73** (1) S70
Chitosan treatments affect growth and selected quality of sunflower sprouts
- Cooney MJ, Lau C, Windmeisser M, Liaw BY, Klotzbach T, Minteer SD// Univ Hawaii, Hawaii Nat Energy Inst, 1680 East West Rd, Post 109, Honolulu, HI 96822, USA
J Mater Chem 2008 **18** (6) 667
Design of chitosan gel pore structure: Towards enzyme catalyzed flow-through electrodes
- Cui Z, Xiang Y*, Si J, Yang M, Zhang Q, Zhang T// *Beihang Univ, Sch Materials Sci & Engn, CN-100083 Beijing, Peoples Rep China
Carbohydr Polym 2008 **73** (1) 111
Ionic interactions between sulfuric acid and chitosan membranes
- Deng LD, Qi HY, Yao CM, Feng MH, Dong AJ// *Tianjin Univ, Sch Chem Engn & Technol, Dept Polymer Sci & Technol, CN-300072 Tianjin, Peoples Rep China
J Biomater Sci Polym Ed 2007 **18** (12) 1575
Investigation on the properties of methoxy poly(ethylene glycol)/chitosan graft co-polymers

- Depan D, Kumar B, Singh RP// *Natl Chem Lab, Div Polymer Sci & Engr, Dr Homi Bhabha Rd, IN-411008 Pune, India
J Biomed Mater Res B 2008 **84B** (1) 184
Preparation and characterization of novel hybrid of chitosan-g-PDMS and sodium montmorillonite
- Fan Y, Saito T, Isogai A// *Univ Tokyo, Grad Sch Agric & Life Sci, Dept Biomaterials Sci, Tokyo 113 8657, Japan
Biomacromolecules 2008 **9** (1) 192
Chitin nanocrystals prepared by TEMPO-mediated oxidation of α -chitin
- Feng T, Du Y*, Li J, Hu Y, Kennedy JF// *Wuhan Univ, Dept Environ Sci, CN-430079 Wuhan, Peoples Rep China
Carbohydr Polym 2008 **73** (1) 126
Enhancement of antioxidant activity of chitosan by irradiation
- Guo BL, Yuan JF, Gao QY// *Henan Univ, Inst Fine Chem & Engr, CN-475001 Kaifeng, Henan, Peoples Rep China
Colloid Polym Sci 2008 **286** (2) 175
pH and ionic sensitive chitosan/carboxymethyl chitosan IPN complex films for the controlled release of coenzyme A
- Guo Z, Xing R, Liu S, Zhong Z, Li P// *Chinese Acad Sci, Inst Oceanography, CN-266071 Qingdao, Peoples Rep China
Carbohydr Polym 2008 **73** (1) 173
Synthesis and hydroxyl radicals scavenging activity of quaternized carboxymethyl chitosan
- Hua D, Tang J, Cheng J, Deng W, Zhu X// Suzhou Univ, Sch Chem & Chem Engr, Key Lab Organic Synthesis Jiangsu Prov, CN-215123 Suzhou, Peoples Rep China
Carbohydr Polym 2008 **73** (1) 98
A novel method of controlled grafting modification of chitosan via RAFT polymerization using chitosan-RAFT agent
- Jeong YI, Kim DG, Jang MK, Nah JW// *Sunchon Natl Univ, Coll Engr, Dept Nano Polymer Sci & Engr, Biomed Polymer Lab, 315 Maegok dong, Sunchon 540 742, Jeonnam, South Korea
Carbohydr Res 2008 **343** (2) 282
Preparation and spectroscopic characterization of methoxy poly(ethylene glycol)-grafted water-soluble chitosan
- Kiuchi H, Kai WH, Inoue Y// *Tokyo Inst Technol, Dept Biomol Engr, Yokohama, Kanagawa 226 850, Japan
J Appl Polym Sci 2008 **107** (6) 3823
Preparation and characterization of poly(ethylene glycol) crosslinked chitosan films
- Li QA, Su HJ, Tan TW// *Beijing Inst Chem Technol, Coll Life Sci & Technol, CN-100029 Beijing, Peoples Rep China
Biochem Eng J 2008 **38** (2) 212
Synthesis of ion-imprinted chitosan-TiO₂ adsorbent and its multi-functional performances
- Ma O, Lavertu M, Sun J, Nguyen S, Buschmann MD, Winnik FM, Hoemann CD// *Ecole Polytech, Inst Biomed Engr, Dept Chem Engr, CP 6079, Succ Centre-ville, Montreal, Quebec, Canada H3C 3A7
Carbohydr Polym 2008 **72** (4) 616
Precise derivatization of structurally distinct chitosans with rhodamine B isothiocyanate
- Ma YL, Zhou T, Zhao CS// *Sichuan University, College Polymer Science & Engr, State Key Lab Polymer Materials Engr, CN-610065 Chengdu, Peoples Rep China
Carbohydr Res 2008 **343** (2) 230
Preparation of chitosan-nylon-6 blended membranes containing silver ions as antibacterial materials
- Mano JF// University Minho, Department Polymer Engr, 3Bs Res Grp - Biomaterials Biodegradables & Biomimetics, Campus Gualtar, PT-4710-057 Braga, Portugal
Macromol Biosci 2008 **8** (1) 69
Viscoelastic properties of chitosan with different hydration degrees as studied by dynamic mechanical analysis
- Mao S, Augsten C, Mader K, Kissel T// *Univ Marburg, Dept Pharmaceut & Bipharm, DE-35032 Marburg, Germany
J Pharm Biomed Anal 2007 **45** (5) 736
Characterization of chitosan and its derivatives using asymmetrical flow field-flow fractionation: A comparison with traditional methods
- Mun GA, Nurkedva ZS, Dergunov SA, Nam IK, Maimakov TP, Shaikhutdinov EM, Lee SC, Park K// Kazakh Natl Univ, Dept Chem Phys & Macromol Chem, Karasai Batyra 95A, KZ-050012 Alma Ata, Kazakhstan
React Funct Polym 2008 **68** (1) 389
Studies on graft copolymerization of 2-hydroxyethyl acrylate onto chitosan
- Nwe N, Stevens WF, Tokura S, Tamura H// *Kansai Univ, Fac Chem Materials & Bioeng, Osaka 564 8680, Japan
Enzyme Microb Technol 2008 **42** (3) 242
Characterization of chitosan and chitosan-glucan complex extracted from the cell wall of fungus *Gongronella butleri* USDB 0201 by enzymatic method
- Papadimitriou S, Bikiaris D*, Avgoustakis K, Karavas E, Georgarakis M// *Aristotle Univ Thessaloniki, Dept Chem, GR-54124 Thessaloniki, Greece
Carbohydr Polym 2008 **73** (1) 44
Chitosan nanoparticles loaded with dorzolamide and pramipexole
- Peirano F, Vincent T, Guibal E// *Ecole Mines Ales, Lab Genie Environ Ind, 6 Ave Clavieres, FR-30319 Ales, France
J Appl Polym Sci 2008 **107** (6) 3568
Diffusion of biological molecules through hollow chitosan fibers
- Prabakaran M, Gong S// *Univ Wisconsin-Milwaukee, Dept Mech Engr, Milwaukee, WI 53211, USA
Carbohydr Polym 2008 **73** (1) 117
Novel thiolated carboxymethyl chitosan-g- β -cyclodextrin as mucoadhesive hydrophobic drug delivery carriers
- Qin C, Wang W, Peng H, Hu R, Li W// Xiaogan Univ, Lab Nat Polysaccharides, CN-432000 Xiaogan, Peoples Rep China
Carbohydr Polym 2008 **72** (4) 701
Preparation and properties of reduced chitoooligomers
- Qu RJ, Sun CM, Ji CN, Wang CH, Chen H, Niu Y, Liang CJ, Song QY// Ludong Univ, Sch Chem & Materials Sci, Yantai, Shandong, Peoples Rep China
Carbohydr Res 2008 **343** (2) 267
Preparation and metal-binding behaviour of chitosan functionalized by ester- and amino-terminated hyperbranched polyamidoamine polymers
- Rattanachan S, Lorprayoon C, Boonphayak P// Suranaree Univ Technol, Inst Engr, 111 University Ave, TH-30000 Muang, Nakhon Ratchasi, Thailand
J Ceramic Soc Jpn 2008 **116** (1349) 36
Synthesis of chitosan/brushite powders for bone cement composites
- Sajomsang W, Tantayanon S*, Tangpasuthadol V, Daly WH// *Chulalongkorn Univ, Fac Sci, Dept Chem, Green Chem Res Lab, Phyathai Rd, Pathumwan, TH-10330 Bangkok, Thailand
Carbohydr Polym 2008 **72** (4) 740
Synthesis of methylated chitosan containing aromatic moieties: Chemoselectivity and effect on molecular weight
- Wu H, Yao Z, Bai X, Du Y*, Lin B// *Chinese Acad Sci, Dalian Inst Chem Phys, CN-116023 Dalian, Peoples Rep China
Carbohydr Polym 2008 **73** (1) 105
Anti-angiogenic activities of chitoooligosaccharides
- Xu CX, Chen RY, Zheng X, Chen Z// *Fujian Normal Univ, Coll Chem & Materials Sci, Expt Ctr, CN-350007 Fuzhou, Peoples Rep China
J Appl Polym Sci 2008 **107** (5) 3076
Preparation of a sodium alginate-poly(vinyl alcohol)-chitosan bipolar membrane and its application in the electrogeneration of ferrate(VI)
- Yang J, Tian F, Wang Z, Wang Q, Zeng YJ, Chen SQ// Tianjin Inst Med Equipment, CN-300161 Tianjin, Peoples Rep China
J Biomed Mater Res B 2008 **84B** (1) 131
Effect of chitosan molecular weight and deacetylation degree on hemostasis
- Yang JM, Yang SJ, Lin HT, Wu TH, Chen HJ// Chang Gung Univ, Dept Chem & Materials Engr, Tao Yuan, Taiwan
Mater Sci Eng C Biomim Supramol Syst 2008 **28** (1) 150
Chitosan containing PU/poly(NIPAAm) thermosensitive membrane for wound dressing
- Zhang YZ, Su B, Ramakrishna S, Lim CT// Univ Bristol, Dept Oral & Dental Sci, Lower Maudlin St, Bristol BS1 2LY, England
Biomacromolecules 2008 **9** (1) 136
Chitosan nanofibers from an easily electrospinnable UHMWPEO-doped chitosan solution system
- Zhao L, Luo F, Wasikiewicz JM, Mitomo H, Nagasawa N, Yagi T, Tamada M, Yoshii F// Nissin Electric Co, R&D Labs, Advanced Materials Res Ctr, Umezutakase cho, Kyoto 615 8686, Japan
Bioresour Technol 2008 **99** (6) 1911
Adsorption of humic acid from aqueous solution onto irradiation-crosslinked carboxymethylchitosan
- Zhou YS, Yang DZ, Chen XM, Xu Q, Lu FM, Nie J// *Wuhan Univ, Dept Chem, MoE Key Lab Biomed Polymers, CN-430072 Wuhan, Peoples Rep China
Biomacromolecules 2008 **9** (1) 349
Electrospun water-soluble carboxyethyl chitosan/poly(vinyl alcohol) nanofibrous membrane as potential wound dressing for skin regeneration

5. Cyclodextrins

- Abdel-Mohdy FA, Fouda MMG, Rehan MF, Aly AS// Nat Res Ctr, Textile Res Div, Dokki, Cairo, Egypt
Carbohydr Polym 2008 **73** (1) 92
Repellency of controlled-release treated cotton fabrics based on cypermethrin and prallethrin
- Blach P, Fourmentin S*, Landy D, Cazier F, Surpateanu G// *Univ Littoral - Cote d'Opale, 145 Maurice Schumann, FR-59140 Dunkerque, France
Chemosphere 2008 **70** (3) 374
Cyclodextrins: A new efficient absorbent to treat waste gas streams

Callari FL, Mazzaglia A*, Scolari LM, Valli L, Sortino S// *Univ Messina, Ist Studio Materiali Nanostrutturati, ISMN-CNR, IT-98166 Messina, Italy
J Mater Chem 2008 **18** (7) 802

Biocompatible nanoparticles of amphiphilic cyclodextrins entangling porphyrins as suitable vessels for light-induced energy and electron transfer

Endo T, Ogawa N, Nagase H, Sambe H, Takaha T, Terada Y, Zimmermann W, Ueda H// Hoshi Univ, Dept Phys Chem, Tokyo 142 8501, Japan
Heterocycles 2007 **74** (1) 991

Production of large-ring cyclodextrins composed of 9 ~ 21 α -D-glucopyranose units by cyclodextrin glucanotransferase - Effects of incubation temperature and molecular weight of amylose

Gerbaud G, Hediger S, Gadelle A, Bardet M// CEA-Grenoble, Dept Rech Fondament Matière Condensée, Lab Chim Inorgan & Biol, UMR-E3 CEA/UJF, FR-38054 Grenoble 9, France
Carbohydr Polym 2008 **73** (1) 64

Synthesis and solid-state NMR study of chromium complexes of per(3,6-anhydro)- α -cyclodextrin based polymers

Ronio A, Penas FJ, Isasi JR*, Garcia-Zubiri HX, Gonzalez-Gaitano G// *Univ Navarra, Fac Ciencias, Dept Quim & Edafol, ES-31080 Pamplona, Spain
React Funct Polym 2008 **68** (1) 406

Extraction of phenols from aqueous solutions by β -cyclodextrin polymers. Comparison of sorptive capacities with other sorbents

6. Lignin

Cateto CA, Barreiro MF*, Rodrigues AE// *Inst Politecn Braganca, Lab Separat & React Engn - LSRE, Campus Santa, Apolonia Ap 1134, PT-5301-857 Braganca, Portugal

Ind Crops Products 2008 **27** (2) 168

Monitoring of lignin-based polyurethane synthesis by FTIR-ATR

Park Y, Doherty W, Halley PJ// Univ Queensland, Div Chem Engn, CHPP, Brisbane, Qld 4072, Australia
Ind Crops Products 2008 **27** (2) 163

Developing lignin-based resin coatings and composites

Sena-Martins G, Almeida-Vara E, Duarte JC// Natl Inst Engn & Ind Innovation, Dept Biotechnol, Estrada Paco Lumiar 22 Ed E, PT-1649-038 Lisbon, Portugal
Ind Crops Products 2008 **27** (2) 189

Eco-friendly new products from enzymatically modified industrial lignins

Stewart D// Scottish Crop Res Inst, Qual & Hlth Programme, Dundee DD2 5DA, Scotland
Ind Crops Products 2008 **27** (2) 202

Lignin as a base material for materials applications: Chemistry, application and economics

Vinardell MP, Ugartondo V, Mitjans M// Univ Barcelona, Fac Farm, Dept Fisiol, Av Joan XXIII s/n, ES-08028 Barcelona, Spain
Ind Crops Products 2008 **27** (2) 220

Potential applications of antioxidant lignins from different sources

7. Lipopolysaccharides

Choudhury B, Carlson RW*, Goldberg JB// *Univ Georgia, Complex Carbohydrate Res Ctr, 220 Riverbend Rd, Athens, Ga 30602, USA
Carbohydr Res 2008 **343** (2) 238

Characterization of the lipopolysaccharide from a *whjE* mutant of the serogroup O11 *Pseudomonas aeruginosa* strain, PA 103

Cimmino A, Marchi G, Surico G, Hanuszkiewicz A, Evidente A, Holst O// *Leibniz Ctr Med & Biosci, Res Ctr Borstel, Div Struct Biochem, DE-23845 Borstel, Germany
Carbohydr Res 2008 **343** (2) 392

The structure of the O-specific polysaccharide of the lipopolysaccharide from *Pantoea agglomerans* strain FL1

Kondakova AN, Vinogradov E, Lindner B, Kocharova NA, Rozalski A, Knirel YA// Russian Acad Sci, Inst Organ Chem, Leninsky prospekt 47, GSP-1, RU-119991 Moscow, Russia
J Carbohydr Chem 2007 **26** (7-9) 497

Mass-spectrometric studies of *Providencia* SR-form lipopolysaccharides and elucidation of the biological repeating unit structure of *Providencia rustigianii* O14-polysaccharide

8. Pectin

Aboughe-Angone S, Nguema-Ona E, Ghosh P, Lerouge P, Ishii T, Rayb B, Driouch A// Univ Rouen, IFRMP23, CNRS UMR 6037, FR-76821 Mont St Aignan, France
Carbohydr Res 2008 **343** (1) 67

Cell wall carbohydrates from fruit pulp of *Argania spinosa*: Structural analysis of pectin and xyloglucan polysaccharides

Bedie GK, Turgeon SL*, Makhlof J// *Laval Univ, Inst Nutraceut & Funct Foods, STELA Dairy Res Ctr, Laval, Quebec, Canada G1K 7P4

Food Hydrocolloid 2008 **22** (5) 836

Formation of native whey protein isolate-low methoxyl pectin complexes as a matrix for hydro-soluble food ingredient entrapment in acidic foods

Chang C, Wang ZC*, Quan CY, Cheng H, Cheng SX, Mang XZ, Zhuo RX// *Wuhan Univ, Renmin Hosp, Dept Pharm, CN-430072 Wuhan, Peoples Rep China
J Biomater Sci Polym Ed 2007 **18** (12) 1591

Fabrication of a novel pH-sensitive glutaraldehyde cross-linked pectin nanogel for drug delivery

Gullon B, Falque E, Alonso JL*, Parajo JC// *Univ Vigo, Fac Sci, Dept Chem Engn, Campus Ourense, ES-32004 As Lagoas, Ourense, Spain
Food Technol Biotechnol 2007 **45** (4) 426

Evaluation of apple pomace as a raw material for alternative applications in food industries

Ichibouji T, Miyazaki T, Ishida E, Ashizuka M, Sugino A, Ohtsuki C, Kuramoto K// Kyushu Inst Technol, Grad Sch Life Sci & Syst Engn, Wakamatsu Inst, 2-4 Hibikino, Kitakyushu, Fukuoka 808 0196, Japan
J Ceramic Soc Jpn 2008 **116** (1349) 74

Evaluation of apatite-forming ability and mechanical property pectin hydrogels

Mirhosseini H, Tan CP*, Aghlari A, Hamid NSA, Yusof S, Chern BH// *Univ Putra Malaysia, Fac Food Sci & Technol, Dept Food Technol, MY-43400 UPM Serdang, Selangor, Malaysia
Carbohydr Polym 2008 **73** (1) 83

Influence of pectin and CMC on physical stability, turbidity loss rate, cloudiness and flavor release of orange beverage emulsion during storage

Monge ME, Negri RM, Giacomazza D, Bulone D// *CNR, Ist BioFisica-Palermo, Via U La Malfa 153, IT-90146 Palermo, Italy
Food Hydrocolloid 2008 **22** (5) 916

Correlation between rheological properties and limonene release in pectin gels using an electronic nose

Reiffarth D, Reimer KB// *Univ Nthn British Columbia, Dept Chem, 3333 University Way, Prince George, Brit Columbia, Canada V2N 4Z9
Carbohydr Res 2008 **343** (2) 179

Synthesis of two repeat units corresponding to the backbone of the pectic polysaccharide rhamnogalacturonan I

Sato ACK, Oliveira PR, Cunha RL// *Univ Estadual Campinas, Fac Food Engn, Dept Food Engn, POB 6121, BR-13083-970 Campinas, SP, Brazil
Food Biophys 2008 **3** (1) 100

Rheology of mixed pectin solutions

Yamazaki E, Fujiwara T, Kurita O, Ikeda J, Matsumura Y// Mie Prefectural Sci & Technol Promotion Ctr, Ind Res Div, Takachaya, Tsu, Mie 514 0819, Japan
Food Sci Technol Res 2008 **14** (1) 18

Comparison of pectins from the alcohol-insoluble residue of Japanese pepper (*Zanthoxylum piperitum* DC.) fruit, a major by-product of antioxidant extraction

9. Starch

Adebooye OC, Singh V// Univ Bonn, Inst Gartenbauwissenschaft, Auf Hugel 6, DE-53121 Bonn, Germany
Innov Food Sci Emerg Technol 2008 **9** (1) 92

Physico-chemical properties of the flours and starches of two cowpea varieties (*Vigna unguiculata* (L.) Walp)

Ayoub A, Rizvi SSH// Cornell Univ, Coll Agric & Life Sci, Inst Food Sci, Dept Food Sci, Stocking Hall, Ithaca, NY 14853, USA
J Appl Polym Sci 2008 **107** (6) 3663

Properties of supercritical fluid extrusion-based crosslinked starch extrudates

Baks T, Bruins ME, Janssen AEM, Boom RM// Univ Wageningen & Res Ctr, Food & Bioproc Engn Grp, Bldg 307, Bomenweg 2, NL-6703 HD Wageningen, The Netherlands
Biomacromolecules 2008 **9** (1) 296

Effect of pressure and temperature on the gelatinization of starch at various starch concentrations

Brennan CS, Suter M, Luethi T, Matia-Merino L, Qvortrup J// Massey Univ, Inst Food Nutr & Human Hlth, Private Bag 11 222, Palmerston North, New Zealand
Starch 2008 **60** (1) 23

The relationship between wheat flour and starch pasting properties and starch hydrolysis: Effect of non-starch polysaccharides in a starch gel system

Brites CM, Dos Santos CAL, Bagulho AS, Beirao-da-Costa ML// INIAP, DTPA, PT-2784-505 Oeiras, Portugal
Eur Food Res Technol 2008 **226** (5) 1205

Effect of wheat puroindoline alleles on functional properties of starch

Bultosa G, Hamaker BR, BeMiller JN// Haramaya Univ, Dept Food Sci & Postharvest Technol, Dire Dawa, Ethiopia
Starch 2008 **60** (1) 8

An SEC-MALLS study of molecular features of water-soluble amylopectin and amylose of tef [*Eragrostis tef* (Zucc.) Trotter] starches

- Charoenrein S, Tatirat O, Muadklay J// Kasetsart Univ, Fac Agro-Ind, Dept Food Sci & Technol, TH-10900 Bangkok, Thailand
Carbohydr Polym 2008 **73** (1) 143
 Use of centrifugation-filtration for determination of syneresis in freeze-thaw starch gels
- Chaudemanche C, Budtova T*// *Ecole Mines Paris, UMR CNRS/Ecole Mines 7635, Ctr Mise & Forme Matériaux, rue Claude Daunesse, BP 207, FR-06904 Sophia Antipolis, France
Carbohydr Polym 2008 **72** (4) 579
 Mixtures of pregelatinised maize starch and κ-carrageenan: Compatibility, rheology and gelation
- Chen Y, Cao X, Chang PR*, Huneault MA// *Agric & Agri-Food Canada, Bioprod & Bioprocesses Nat Sci Program, 107 Science Pl, Saskatoon, Saskatchewan, Canada S7N 0X2
Carbohydr Polym 2008 **73** (1) 8
 Comparative study on the films of poly(vinyl alcohol)/pea starch nanocrystals and poly(vinyl alcohol)/native pea starch
- Cyras VP, Manfredi LB, Ton-That MT, Vazquez A*// *Univ Mar del Plata, Nat Res Council, Inst Material Sci & Technol, Av Juan B Justo 4302, AR-7608 Mar del Plata, Argentina
Carbohydr Polym 2008 **73** (1) 55
 Physical and mechanical properties of thermoplastic starch/montmorillonite nanocomposite films
- El-Tahlawy K, Venditti R*, Pawlak J// *North Carolina State Univ, Dept Wood & Paper Sci, 2820 Faucette Dr, Biltmore Hall, Rm 2105, Raleigh, NC 27695, USA
Carbohydr Polym 2008 **73** (1) 133
 Effect of alkyl ketene dimer reacted starch on the properties of starch microcellular foam using a solvent exchange technique
- Farmakis L, Koliadima A, Karaiskakis G, Zattoni A, Reschiglian P// Univ Patras, Dept Chem, Panepistimioupoli Rion, GR-26504 Patras, Greece
Food Hydrocolloid 2008 **22** (6) 961
 Study of the influence of surfactants on the size distribution and mass ratio of wheat starch granules by sedimentation/steric field-flow fractionation
- Funami T, Kataoka Y, Noda S, Hiroe M, Ishihara S, Asai I, Takahashi R, Nishinari K// San-Ei Gen FFI Inc, Hydrocolloid Lab, 1-1-11 Sanwa-cho, Toyonaka, Osaka 561 8588, Japan
Food Hydrocolloid 2008 **22** (5) 763
 Functions of fenugreek gum with various molecular weights on the gelatinization and retrogradation behaviors of corn starch—1: Characterizations of fenugreek gum and investigations of corn starch/fenugreek gum composite system at a relatively high starch concentration; 15w/v%
- Funami T, Kataoka Y, Noda S, Hiroe M, Ishihara S, Asai I, Takahashi R, Inouchi N, Nishinari K// Address as above
Food Hydrocolloid 2008 **22** (5) 777
 Functions of fenugreek gum with various molecular weights on the gelatinization and retrogradation behaviors of corn starch—2: Characterizations of starch and investigations of corn starch/fenugreek gum composite system at a relatively low starch concentration; 5 w/v%
- Ghosh S, Viana JC, Reis RL, Mano JF*// *3Bs Res Grp - Biomaterials Biodegradables & Biomimetics, Campus Gualtar, PT-4710-057 Braga, Portugal
Mater Sci Eng C Biomim Supramol Syst 2008 **28** (1) 80
 Bi-layered constructs based on poly(L-lactic acid) and starch for tissue engineering of osteochondral defects
- Haas R, Jin B*, Zepf FT// *Univ Adelaide, Sch Earth & Environm Sci, Adelaide, SA 5005, Australia
Biosci Biotechnol Biochem 2008 **72** (1) 253
 Production of poly(3-hydroxybutyrate) from waste potato starch
- Huang ZQ, Xie XL, Chen Y, Lu JP, Tong ZF*// *Guangxi University, School Chem & Chem Engn, 100 University Ave, CN-530004 Nanning, Peoples Rep China
C R Chim 2008 **11** (1-2) 73
 Ball-milling treatment effect on physicochemical properties and features for cassava and maize starches
- Johnston DE, Gray RH// Queen's Univ Belfast, Dept Food Sci, Belfast BT9 5PX, Northern Ireland
Milchwissenschaft 2008 **63** (1) 15
 The effects of operation sequence on the rheology of waxy maize starch dispersions in skim milk subjected to heat and high pressure treatments
- Karim AA, Nadiha MZ, Chen FK, Phuah YP, Chui YM, Fazilah A// University Sains Malaysia, Sch Ind Technol, Food Technol Div, MY-11800 Penang, Malaysia
Food Hydrocolloid 2008 **22** (6) 1044
 Pasting and retrogradation properties of alkali-treated sago (*Metroxylon sagu*) starch
- Kuakpetoon D, Wang YJ*// *Univ Arkansas, Dept Food Sci, Fayetteville, AR 72704, USA
Carbohydr Res 2008 **343** (1) 90
 Locations of hypochlorite oxidation in corn starches varying in amylose content
- Lagarigue S, Alvarez G*, Cuvelier G, Flick D// *Cemagref/ENSIA/INAPG/INRA, Unite Mixte Rech Genie Ind Alimentaire, Cemagref-Parc de Tourvoire, BP 44, FR-92163 Antony, France
Carbohydr Polym 2008 **73** (1) 148
 Swelling kinetics of waxy maize and maize starches at high temperatures and heating rates
- Larsen FH, Blennow A, Engelsen SB// Univ Copenhagen, Dept Food Sci Qual & Technol, Rolighedsvej 30, DK-1958 Frederiksberg, Denmark
Food Biophys 2008 **3** (1) 25
 Starch granule hydration - A MAS NMR investigation
- Li Y, Shoemaker CF, Ma J, Shen X, Zhong F*// *Jiangnan Univ, State Key Lab Food Sci & Technol, CN-214122 Wuxi, Peoples Rep China
Food Chem 2008 **109** (3) 616
 Paste viscosity of rice starches of different amylose content and carboxymethylcellulose formed by dry heating and the physical properties of their films
- Li ZG, Liu WJ, Shen Q*, Zheng W, Tan B// *China Agric Univ, Coll Food Sci & Nutr Engn, CN-100083 Beijing, Peoples Rep China
J Food Eng 2008 **86** (2) 162
 Properties and qualities of vermicelli made from sour liquid processing and centrifugation starch
- Liebert T, Kulicke WM, Heinze T// Univ Jena, Ctr Excellence Polysaccharide Res, Humboldtstr 10, DE-07743 Jena, Germany
React Funct Polym 2008 **68** (1) 1
 Novel approach towards hydrolytically stable starch acetates for physiological applications
- Mais A, Brennan CS*// *Massey Univ, Inst Food Nutr & Human Hlth, Private Bag 11 222, Palmerston North, New Zealand
Int J Food Sci Technol 2008 **43** (2) 373
 Characterisation of flour, starch and fibre obtained from sweet potato (kumara) tubers, and their utilisation in biscuit production
- Marcon MJA, Vieira GCN, De Simas KN, Santos K, Vieira MA, Arboni RDDC, Amante ER*// *Univ Fed Santa Catarina, Dept Ciencia Tecnol Alimentos, Ctr Ciencias Agrarias, BR-88034-001 Florianopolis, SC, Brazil
Braz Arch Biol Technol 2007 **50** (6) 1073
 Effect of the improved fermentation on physicochemical properties and sensorial acceptability of sour cassava starch
- Mathew S, Abraham TE*// *Reg Res Lab - CSIR, Chem Sci & Technol Div, IN-695019 Trivandrum, Kerala, India
Food Hydrocolloid 2008 **22** (5) 826
 Characterisation of ferulic acid incorporated starch-chitosan blend films
- Mounsey JS, O'Riordan ED// Teagasc, Food Res Ctr, Moorepark, Fermoy, Co Cork, Rep Ireland
Food Hydrocolloid 2008 **22** (6) 1160
 Characteristics of imitation cheese containing native or modified rice starches
- Mounsey JS, O'Riordan ED// Address as above
Eur Food Res Technol 2008 **226** (5) 1039
 Modification of imitation cheese structure and rheology using pre-gelatinised starches
- Mounsey JS, O'Riordan ED// Address as above
Milchwissenschaft 2008 **63** (1) 7
 Hydration related properties of rennet casein/starch mixtures
- Mourtzinis I, Kalogeropoulos N, Papadakis SE, Konstantinou K, Karathanos VT*// *Harokopio Univ, Dept Nutr & Dietet, Lab Food Chem Biochem & Phys Chem, 70 Venizelou Ave, GR-17671 Athens, Greece
J Food Sci 2008 **73** (1) S89
 Encapsulation of nutraceutical monoterpenes in β-cyclodextrin and modified starch
- Paes SS, Yakimets I, Mitchell JR// Univ Nottingham, Sch Biosci, Div Food Sci, Sutton Bonington Campus, Loughborough LE12 5RD, England
Food Hydrocolloid 2008 **22** (5) 788
 Influence of gelatinization process on functional properties of cassava starch films
- Parker ML, Kirby AR, Morris VJ*// *Inst Food Res, Norwich Res Pk, Colney, Norwich NR4 7UA, England
Food Biophys 2008 **3** (1) 66
 In situ imaging of pea starch in seeds
- Rajan A, Sudha JD, Abraham TE*// *CSIR, Reg Res Lab, Div Chem Sci, Polymer Sect, IN-695019 Trivandrum, Kerala, India
Ind Crops Products 2008 **27** (1) 50
 Enzymatic modification of cassava starch by fungal lipase
- Raphaelides SN, Georgiadis N// ATEI Thessaloniki, Dept Food Technol, Food Process Engn Lab, GR-57400 Thessaloniki, Greece
Food Res Int 2008 **41** (1) 75
 Effect of fatty acids on the rheological behaviour of amylomaize starch dispersions during heating
- Saibene D, Seetharaman K*// *Univ Guelph, Dept Food Sci, Guelph, Ontario, Canada N1G 2W1
Starch 2008 **60** (1) 1
 Use of iodine as a tool to understand wheat starch pasting properties

- Sanchez-Pardo ME, Ortiz-Moreno A, Mora-Escobedo R, Bello-Perez A, Yee-Madeira H, Ramos-Lopez G// Escuela NacI Ciencias Biol, Dept Ingn Bioquim, Casco Santo Tomas, Plan Ayala & Carpio, MX-11340 Mexico City, DF, Mexico *J Sci Food Agric* 2008 **88** (2) 207
- Effect of baking method on some characteristics of starch in pound cake crumbs
- Shi YC// Kansas State Univ, Dept Grain Sci & Ind, 201 Shellenberger Hall, Manhattan, Ks 66506, USA
J Agric Food Chem 2008 **56** (3) 1097
- Two and multi-step annealing of cereal starches in relation to gelatinization
- Sidlauskiene D, Klimaviciute R*, Zemaitaitis A// *Kaunas Univ Technol, Radvilenu 19, LT-50254 Kaunas, Lithuania
J Appl Polym Sci 2008 **107** (6) 3469
- Adsorption of hexavalent chromium on cationic starches with different degree of crosslinking
- Sikora M, Kowalski S, Tomasik P// Univ Agric, Dept Carbohydr Technol, Balicka St 122, PL-30149 Krakow, Poland
Food Hydrocolloid 2008 **22** (5) 943
- Binary hydrocolloids from starches and xanthan gum
- Singh N, Isono N, Srichuwong S, Noda T, Nishinari K// Guru Nanak Dev Univ, Dept Food Sci & Technol, IN-143005 Amritsar, India
Food Hydrocolloid 2008 **22** (6) 979
- Structural, thermal and viscoelastic properties of potato starches
- Singh V, Tiwari A// Univ Allahabad, Dept Chem, IN-211002 Allahabad, India
Carbohydr Res 2008 **343** (1) 151
- Microwave-accelerated methylation of starch
- Sozer N, Kaya A, Dalgic AC// Univ Gaziantep, Dept Food Engr, TR-27310 Gaziantep, Turkey
J Texture Stud 2008 **39** (1) 1
- The effect of resistant starch addition on viscoelastic properties of cooked spaghetti
- Suzuki S, Kitamura S// *Osaka Prefecture Univ, Grad Sch Life & Environm Sci, Gakuencho Nakaku, Sakai 599 8531, Japan
Food Hydrocolloid 2008 **22** (5) 862
- Unfrozen water in amylose molecules is dependent on the molecular structures—A differential scanning calorimetric study
- Szepes A, Makai Z, Blumer C, Mader K, Kasa P, Szabo-Revesz P// *Univ Szeged, Inst Pharmaceut Technol, Eotvos u 6, HU-6720 Szeged, Hungary
Carbohydr Polym 2008 **72** (4) 571
- Characterization and drug delivery behaviour of starch-based hydrogels prepared via isostatic ultrahigh pressure
- Tester RF, Yousuf R, Karkalas J, Kettlitz B, Roper H// Glasgow Caledonian Univ, Dept Biol Sci-Food Sci, Cowcaddens Rd, Glasgow G4 0BA, Scotland
Food Chem 2008 **109** (2) 257
- Properties of protease-treated maize starches
- Van Hung P, Yasui T, Maeda T, Morita N// Univ Osaka Prefecture, Grad Sch Life & Environm Sci, Food Chem Lab, 1-1 Gakuen cho, Naka ku, Sakai, Osaka 599 8531, Japan
Starch 2008 **60** (1) 34
- Physicochemical characteristics of starches of two sets of near-isogenic wheat lines with different amylose content
- Vittadini E, Carini E, Chiavaro E, Rovere P, Barbanti D// Univ Parma, Dipt Ingn Ind, Area Technol Alimentari, Via GP Usberti 181/A, IT-43100 Parma, Italy
Eur Food Res Technol 2008 **226** (4) 889
- High pressure-induced tapioca starch gels: Physico-chemical characterization and stability
- Wickramasinghe HAM, Noda T// *Natl Agric Res Ctr Hokkaido Reg, Memuro-cho, Shinsei, Sakai, Hokkaido 082 0071, Japan
Food Sci Technol Res 2008 **14** (1) 49
- Physicochemical properties of starches from Sri Lankan rice varieties
- Xue T, Yu L*, Xie F, Chen L, Li L// *Commonwealth Scientific & Ind Res Org, Mfg & Materials Technol, Gate 4 Normanby Rd, Clayton, Melbourne, Vic 3169, Australia
Food Hydrocolloid 2008 **22** (6) 973
- Rheological properties and phase transition of starch under shear stress

10. Starch-degrading enzymes

- Matheson NK, Caldwell RA// *Univ Sydney, Fac Agric Food & Nat Resources, Sydney, NSW 2006, Australia
Carbohydr Polym 2008 **72** (4) 625
- Modeling of α (1-4) chain arrangements in α (1-4)(1-6) glucans: The action and outcome of β -amylase and *Pseudomonas stutzeri* amylase on an α (1-4)(1-6) glucan model
- O'Brien S, Wang YJ// *Univ Arkansas, Dept Food Sci, 2650 Nth Young Ave, Fayetteville, Ar 72704, USA
Carbohydr Polym 2008 **72** (4) 597
- Susceptibility of annealed starches to hydrolysis by α -amylase and glucoamylase

- Sasaki T, Noel TR, Rino SG// Natl Food Res Inst, Tsukuba, Ibaraki 305 8642, Japan
J Agric Food Chem 2008 **56** (3) 1091
- Study on α -amylase hydrolysis of potato amylopectin by a quartz crystal microbalance
- Wu XH, Lin BC// *Univ Sci & Technol Liaoning, Ctr Separation Technol, CN-114044 Liaoning, Peoples Rep China
J Liq Chromatogr Relat Technol 2008 **31** (4) 586
- Biochemistry reaction and separation in a RP-HPLC system for starch hydrolysis

11. Polysaccharides - Microbial

- Ai LZ, Guo BH, Zhang H*, Wu ZJ, Chen W, Wang YY, Tang JA// *Sthn Yangtze University, Key Lab Food Sci & Safety, CN-214036 Wuxi, Peoples Rep China
Milchwissenschaft 2008 **63** (1) 3
- Isolation and antihypertensive effect of exopolysaccharides from *Lactobacillus casei* LC2W
- Augsten C, Knolle W, Mader K// *Martin-Luther-Univ Halle-Wittenberg, Inst Pharmaceut & Biopharmaceut, Wolfgang-Langenbeck-Str 4, DE-06120 Halle/Saale, Germany
Carbohydr Polym 2008 **72** (4) 707
- Characterizing the influence of electron irradiation on scleroglucan
- Celik GY, Aslim B, Beyatli Y// Nigde Univ, Fac Sci & Arts, Dept Biol, Campus, TR-51200 Nigde, Turkey
Carbohydr Polym 2008 **73** (1) 178
- Characterization and production of the exopolysaccharide (EPS) from *Pseudomonas aeruginosa* G1 and *Pseudomonas putida* G12 strains
- Chen S, Liu LY, Lu JJ, Han Z, Xu YJ, Mo HT// Guangxi Univ, Sugar Engr & Technol Res Ctr, CN-530004 Nanning, Peoples Rep China
C R Chim 2008 **11** (1-2) 80
- Clinical dextran purified by electric ultrafiltration coupling with solvent crystallization
- Herasimenka Y, Cescuttia P, Noguera CES, Ruggiero JR, Urbani R, Impallomeni G, Zanetti F, Campidelli S, Prato M, Rizzo R// *Univ Trieste, Dept Biochem Biophys & Macromol Chem, Via Licio Giorgieri 1, IT-34127 Trieste, Italy
Carbohydr Res 2008 **343** (1) 81
- Macromolecular properties of cepacian in water and in dimethylsulfoxide
- Hsieh C, Wang HL, Chen CC, Hsu TH, Tseng MH// Natl Kaohsiung Normal Univ, Dept Biotechnol, 62 Shenjhong Rd, Yanchao Township, Kaohsiung, Taiwan
Biochem Eng J 2008 **38** (2) 198
- Effect of plant oil and surfactant on the production of mycelial biomass and polysaccharides in submerged culture of *Grifola frondosa*
- Kumari M, Survase SA*, Singhal RS// *Univ Mumbai, Inst Chem Engr, Food Engr & Technol Dept, IN-400019 Mumbai, India
Bioresource Technol 2008 **99** (5) 1036
- Production of schizophyllan using *Schizophyllum commune* NRCM
- Laws AP, Chadha MJ, Chacon-Romero M, Marshall VM, Maqsood M// Univ Huddersfield, Sch Appl Sci, Huddersfield HD1 3DH, England
Carbohydr Res 2008 **343** (2) 301
- Determination of the structure and molecular weights of the exopolysaccharide produced by *Lactobacillus acidophilus* 5e2 when grown on different carbon feeds
- Noda S, Funami T, Nakauma M, Asai I, Takahashi R, Al-Assaf S, Ikeda S, Nishinari K, Phillips GO// San-Ei Gen FFI Inc, Hydrocolloid Lab Sect, Toyonaka, Osaka 561 8588, Japan
Food Hydrocolloid 2008 **22** (6) 1148
- Molecular structures of gellan gum imaged with atomic force microscopy in relation to the rheological behavior in aqueous systems. I. Gellan gum with various acyl contents in the presence and absence of potassium
- Rodrigues MR, Gassetta D// Univ Vale Paraiba, UNIVAP, Av Shishima Hifumi 2911, BR-12244-000 Sao Jose dos Campos, Brazil
J Carbohydr Chem 2007 **26** (7-9) 439
- Hydrogels produced by photocrosslinking of dextran chain: Characterization and properties
- Son MJ, Jang EK, Kwon OS, Seo JH, Kim IJ, Lee IS, Park SC, Lee SP// *Keimyung University, Department Food Sci & Technol, Taegu 704 701, South Korea
Eur Food Res Technol 2008 **226** (4) 697
- Characterization of dextran produced from *Leuconostoc citreum* S5 strain isolated from Korean fermented vegetable
- Sosa-Herrera MG, Berli CLA, Martinez-Padilla LP// *Univ Nac Autonoma Mexico, Fac Estudios Super Cuautitlan, Dept Ingn & Tecnol, Lab Propiedades Reol & Func Alimentos, Av Primero de Mayo s/n, MX-54740 Cuautitlan Izcalli, DF, Mexico
Food Hydrocolloid 2008 **22** (5) 934
- Physicochemical and rheological properties of oil-in-water emulsions prepared with sodium caseinate/gellan gum mixtures

Van Tomme SR, Mens A, Van Nostrum CF, Hennink WE*// *Univ Utrecht, Dept Pharmaceut, POB 80082, NL-3508 TB Utrecht, The Netherlands
Biomacromolecules 2008 **9** (1) 158
 Macroscopic hydrogels by self-assembly of oligolactate-grafted dextran microspheres
 Xu X, Xu J, Zhang Y, Zhang L// Wuhan Univ, Dept Chem, CN-430072 Wuhan, Peoples Rep China
Food Hydrocolloid 2008 **22** (5) 735
 Rheology of triple helical lentanin in solution: Steady shear viscosity and dynamic oscillatory behavior
 Zhang Y, Xu X*, Zhang L// *Address as above
Carbohydr Polym 2008 **73** (1) 26
 Dynamic viscoelastic behavior of triple helical lentanin in water: Effect of temperature

12. Polysaccharides - Plant

Adetogun GE, Alebiowu G*// *Obafemi Awolowo Univ, Fac Farm, Dept Pharmaceut, Ife, Nigeria
J Drug Deliv Sci Technol 2007 **17** (6) 443
 Influence of *Delonix regia* seed gum on the compressional characteristics of paracetamol tablet formations
 Bainy EM, Tosh SM*, Corredig M, Poysa V, Woodrow L// *Agric & Agri-Food Canada, Food Res Program, Guelph, Ontario, Canada N1G 5C9
Carbohydr Polym 2008 **72** (4) 664
 Varietal differences of carbohydrates in defatted soybean flour and soy protein isolate by-products
 Cernikova M, Bunka F*, Pavlinek V, Brezina P, Hrabec J, Valasek P// *Tomas Bata Univ Zlin, Dept Food Engn, Nam TG Masaryka 275, CZ-76272 Zlin, Czech Republic
Food Hydrocolloid 2008 **22** (6) 1054
 Effect of carrageenan type on viscoelastic properties of processed cheese
 Dakia PA, Blecker C, Robert C, Wathet B, Paquot M// Gembloux Agric University, Dept Ind Biol Chem, Passage Deportes 2, BE-5030 Gembloux, Belgium
Food Hydrocolloid 2008 **22** (5) 807
 Composition and physicochemical properties of locust bean gum extracted from whole seeds by acid or water dehulling pre-treatment
 De Zoysa M, Nikapitiya C, Jeon YJ, Jee Y, Lee J*// *Cheju Natl Univ, Dept Marine Biotechnol, 66 Jejudaehakno, Cheju 690 756, South Korea
J Appl Phycol 2008 **20** (1) 67
 Anticoagulant activity of sulfated polysaccharide isolated from fermented brown seaweed *Sargassum fulvellum*
 Ghosh K, Chandra K, Roy SK, Mondal S, Maiti D, Das D, Ojha AK, Islam SS*// *Vidyasagar University, Dept Chem & Chem Technol, IN-721102 Midnapore, India
Carbohydr Res 2008 **343** (2) 341
 Structural studies of a methyl galacturonosyl-methoxyxylan isolated from the stem of *Lagenaria siceraria* (Lau)
 Goksu EI, Karamanlioglu M, Bakir U*, Yilmaz L, Yilmazer U// *Middle East Tech Univ, Dept Chem Engn & Biotechnol, TR-06531 Ankara, Turkey
J Agric Food Chem 2007 **55** (26) 10685
 Production and characterization of films from cotton stalk xylan
 Goncalves VMF, Evtuguin DV, Domingues MRM// Univ Aveiro, Dept Chem, CICECO, PT-3810-193 Aveiro, Portugal
Carbohydr Res 2008 **343** (2) 256
 Structural characterization of the acetylated heteroxylan from the natural hybrid *Paulownia elongata*/*Paulownia fortunei*
 Goyal P, Kumar V*, Sharma P// *ICFRE, Ctr Advanced Studies Chem Forest Prod, IN-248006 Dehra Dun, India
Starch 2008 **60** (1) 41
 Cyanoethylation of tamarind kernel powder
 Guibet M, Boulenger P, Mazoyer J, Kervarec N, Antonopoulos A, Lafosse M, Helbert W*// *Univ Paris VI-CNRS, UMR 7139 Veg Marins & Biomol, Stn Biol, FR-29680 Roscoff, France
Biomacromolecules 2008 **9** (1) 408
 Composition and distribution of carrabiose moieties in hybrid κ -*t*-carrageenans using carrageenases
 Guimaraes M, Viana AG, Duarte MER, Ascencio SD, Plastino EM, Nosedá MD*// *Univ Fed Parana, Dept Bioquím & Biol Mol, Setor Ciencias Biol, POB 19046, BR-81531-990 Curitiba, Parana, Brazil
Bot Mar 2007 **50** (5-6) 314
 Low-molecular-mass carbohydrates and soluble polysaccharides of green and red morphs of *Gracilaria domingensis* (Gracilariaceae, Rhodophyta)
 Guo Q, Cui SW*, Wang Q, Young JC// *Agric & Agri-Food Canada, Food Res Program, Guelph, Ontario, Canada N1G 5C9
Carbohydr Polym 2008 **73** (1) 35
 Fractionation and physicochemical characterization of psyllium gum

Gupta S, Kapoor M, Sharma KK, Nair LM, Kuhad RC*// *Univ Delhi, Dept Microbiol, Lignocellulose Biotechnol Lab, Sth Campus, Benito Juarez Marg, IN-110021 New Delhi, India
Bioresour Technol 2008 **99** (5) 937
 Production and recovery of an alkaline *exo*-polygalacturonase from *Bacillus subtilis* RCK under solid-state fermentation using statistical approach
 Gurjanov OP, Ibragimova NN, Gnezdilov OI, Gorshkova TA// Russian Acad Sci, Kazan Inst Biochem & Biophys, PO Box 30, RU-420111 Kazan, Russia
Carbohydr Polym 2008 **72** (4) 719
 Polysaccharides, tightly bound to cellulose in cell wall of flax bast fibre: Isolation and identification
 Han G, Wang L, Liu M, Zhang Y// Qingdao Univ, Growing Base State Key Lab, Lab New Fiber Materials & Modern Textile, CN-266071 Qingdao, Peoples Rep China
Carbohydr Polym 2008 **72** (4) 652
 Component analysis and microfiber arrangement of *Apocynum venetum* fibers: The MS and AFM study
 Janaswamy S, Chandrasekaran R*// Purdue Univ, Dept Food Sci, Whistler Ctr Carbohydrate Res, 745 Agric Mall Dr, West Lafayette, IN 47907, USA
Carbohydr Res 2008 **343** (2) 364
 Heterogeneity in *t*-carrageenan molecular structure: Insights for polymorph II→III transition in the presence of calcium ions
 Jebrane M, Sebe G*// *Univ Bordeaux I, Unite Sci Bois & Biopolym, INRA, CNRS, UMR US2B, 351 Cours Liberation, FR-33405 Talence, France
Carbohydr Polym 2008 **72** (4) 657
 A new process for the esterification of wood by reaction with vinyl esters
 Jiang Y, Jiang YJ, Mang YF, Li R, Zhang L, Jiang ZY*// *Tianjin Univ, Sch Chem Engn & Technol, MoE Key Lab Green-Chem Technol, CN-300072 Tianjin, Peoples Rep China
J Biomater Sci Polym Ed 2007 **18** (12) 1517
 Biosilica-coated κ -carrageenan microspheres for yeast alcohol dehydrogenase encapsulation
 Komiya H, Kato A, Aimi H, Ogihara J, Shimizu K*// *Nihon Univ, Dept Forest Sci & Resources, 1866 Fujisawa, Kanagawa 252 8510, Japan
Carbohydr Polym 2008 **72** (4) 638
 Chemical structure of kenaf xylan
 Leal D, Matsuhiro B*, Rossi M, Caruso F// *Univ Santiago Chile, USACH, Fac Quím & Biol, Dept Ciencias Ambiente, Av LB O'Higgins 3363, Correo 33, Santiago, Chile
Carbohydr Res 2008 **343** (2) 308
 FT-IR spectra of alginic acid block fractions in three species of brown seaweeds
 Li X, Hua Y*, Qiu A, Yang C, Cui S// *Stn Yangtze Univ, Sch Food Sci & Technol, 1800 Lihu Rd, CN-214122 Wuxi, Jiangsu Prov, Peoples Rep China
Food Hydrocolloid 2008 **22** (5) 845
 Phase behavior and microstructure of preheated soy proteins and κ -carrageenan mixtures
 Liu P, Yang YH, Liu Y, Wang XY// Zhengzhou Univ, Dept Chem, CN-450052 Zhengzhou, Henan, Peoples Rep China
React Funct Polym 2008 **68** (1) 384
 Konjac glucomannan supported palladium complex: An efficient and recyclable catalyst for Heck reaction
 Mavrikis C, Kiosseoglou V*// *Aristotle Univ Thessaloniki, Sch Chem, Lab Food Chem & Technol, GR-54124 Thessaloniki, Greece
Food Hydrocolloid 2008 **22** (5) 854
 The structural characteristics and mechanical properties of bipolymer/mastic gum micro-sized particles composites
 McEntee MKE, Bhatia SK, Tao L, Roberts SC, Bhatia SR*// *DuPont Co Inc, Cent Res & Dev Biochem Sci & Engn, Wilmington, DE 19880, USA
J Appl Polym Sci 2008 **107** (5) 2956
 Tunable transport of glucose through ionically-crosslinked alginate gels: Effect of alginate and calcium concentration
 Mishra A, Clark JH, Pal S// CSJM Univ, Univ Inst Engn & Technol, Dept Chem, IN-208024 Kanpur, India
Carbohydr Polym 2008 **72** (4) 608
 Modification of okra mucilage with acrylamide: Synthesis, characterization and swelling behavior
 Okino EYA, Santana MAE, Resck IS, Da S Alves MV, Falcomer VAS, Da Cunha DA, De O dos Santos PH// Forest Prod Lab - LPF/IBAMA, SCEN Trecho 2, Edifício Sede IBAMA, BR-70818-900 Brasília, Brazil
Carbohydr Polym 2008 **73** (1) 164
 Liquid chromatography and solid state CP/MAS¹³C NMR techniques for chemical compound characterizations of cypress wood *Cupressus glauca* Lam. exposed to brown- and white-rot fungi
 Olenikov DN, Tankhaeva LM// Russian Acad Sci, Inst Gen & Expt Biol, Siberian Div, ul Sakhyanovoi 6, RU-670047 Ulan Ude, Russia
Chem Nat Compd 2007 **43** (6) 648
 Lamiaceae carbohydrates. II. Water-soluble polysaccharides from *Mentha x piperita*

- Pongjanyakul T, Puttipipatkachorn S// Khon Kaen Univ, Fac Pharmaceut Sci, TH-40002 Khon Kaen, Thailand
Int J Pharm 2008 **346** (1–2) 1
 Alginate-magnesium aluminium silicate composite films: Effect of film thickness on physical characteristics and permeability
- Pourjavadi A, Amini-Fazl MS, Barzegar S// Sharif Univ Technol, Dept Chem, Polymer Res Lab, Tehran, Iran
J Appl Polym Sci 2008 **107** (5) 2970
 Optimization of synthesis conditions of a novel carrageenan-based superabsorbent hydrogel by Taguchi method and investigation of its metal ions adsorption
- Reis RP, Yoneshigue-Valentin Y, Dos Santos CP// Ministerio Meio Ambiente, Inst Pesquisas, Rua Pacheco Leao 915, BR-22460-030 Rio de Janeiro, Brazil
J Appl Phycol 2008 **20** (1) 1
 Spatial and temporal variation of *Hypnea musciformis* carrageenan (Rhodophyta-Gigartinales) from natural beds in Rio de Janeiro State, Brazil
- Salomonsen T, Jensen HM, Stenbaek D, Engelsen SB// Univ Copenhagen, Fac Life Sci, Dept Food Sci Qual & Technol, Rolighedsvej 30, DK-1958 Frederiksberg C, Denmark
Carbohydr Polym 2008 **72** (4) 730
 Chemometric prediction of alginate monomer composition: A comparative spectroscopic study using IR, Raman, NIR and NMR
- Sheng J, Chi ZM*, Gong F, Li J// *Ocean Univ China, UNESCO Chinese Ctr Marine Biotechnol, Yushan Rd 5, Qingdao, Peoples Rep China
Appl Biochem Biotech 2008 **144** (2) 111
 Purification and characterization of extracellular inulinase from a marine yeast *Cryptococcus aureus* G7a and inulin hydrolysis by the purified inulinase
- Vinod VTP, Sashidhar RB*, Suresh KI, Rama Rao B, Vijaya Saradhi UVR, Prabhakar Rao T// *Osmania Univ, Univ Coll Sci, Dept Biochem, IN-500007 Hyderabad, India
Food Hydrocolloid 2008 **22** (5) 899
 Morphological, physico-chemical and structural characterization of gum kondagogu (*Cochlospermum gossypium*): A tree gum from India
- Wang DF, Zhou XL, Li L, Hou YF, Sun JP, Wang JF// Ocean Univ China, Coll Food Sci & Engn, 5 Yushan Rd, CN-266003 Qingdao, Peoples Rep China
Eur Food Res Technol 2008 **226** (4) 691
 A rapid quantitative method for polysaccharides in green tea and oolong tea
- Workman VL, Dunnett SB, Kille P, Palmer DD**// *Q Chip Ltd, Cardiff Medicentre, Heath Pk, Cardiff CF14 4UJ, Wales
Macromol Rapid Commun 2008 **29** (2) 165
 On-chip alginate microencapsulation of functional cells
- Yamazaki E, Kurita O, Matsumura Y// Mie Prefect Sci & Technol Promotion Ctr, Ind Res Div, Takachaya 5-5-45, Tsu, Mie 514 0819, Japan
Food Hydrocolloid 2008 **22** (5) 819
 Hydrocolloid from leaves of *Corchorus olitorius* and its synergistic effect on κ-carrageenan gel strength
- Zhang JZ, Tiller C, Shen JK, Wang C, Girouard GS, Dennis D, Barrow CJ, Miao MS, Ewart HS**// *Nat'l Res Council Canada, Inst Marine Biosci, 1411 Oxford St, Halifax, Nova Scotia, Canada B3H 3Z1
Can J Physiol Pharmacol 2007 **85** (11) 1116
 Antidiabetic properties of polysaccharide- and polyphenolic-enriched fractions from the brown seaweed *Ascophyllum nodosum*
- Zhao ZH, Liu MJ*, Tu PF// *Agric Univ Hebei, Coll Hort, Res Ctr Chinese Jujube, 289 Lingyusi Rd, CN-071001 Baoding, Peoples Rep China
Eur Food Res Technol 2008 **226** (5) 985
 Characterization of water soluble polysaccharides from organs of Chinese jujube (*Ziziphus jujuba* Mill. cv. Dongzao)
- Huang MH, Yang MC**// *Nat'l Taiwan Univ Sci & Technol, Dept Polym Engr, Taipei 10672, Taiwan
Int J Pharm 2008 **346** (1–2) 38
 Evaluation of glucan/poly(vinyl alcohol) blend wound dressing using rat models
- Jouquand C, Aguni Y, Malhiac C, Grisel M**// *Univ Le Havre, Unite Rech Chim Org & Macromol Chem, 25 rue Philippe Lebon, FR-76058 Le Havre, France
Food Hydrocolloid 2008 **22** (6) 1097
 Influence of chemical composition of polysaccharides on aroma retention
- Kang SW, Bada LP, Kang CS, Lee JS, Kim CH, Park JH, Kim BS**// *Hanyang Univ, Dept Bioengn, Seoul 133 791, South Korea
Biotechnol Lett 2008 **30** (3) 435
 Articular cartilage regeneration with microfracture and hyaluronic acid
- Koschella A, Inggjerdigen K, Paulsen BS, Morris GA, Harding SE, Heinze T// Univ Jena, Ctr Excellence Polysaccharide Res, Humboldtstr 10, DE-07743 Jena, Germany
Macromol Biosci 2008 **8** (1) 96
 Unconventional methyl galactan synthesized via the thexyldimethylsilyl intermediate: Preparation, characterization, and properties
- Kumar R, Srivastava A, Behari K// Banaras Hindu Univ, Dept Chem, IN-221005 Varanasi, India
J Appl Polym Sci 2008 **107** (5) 2883
 One-pot synthesis of a polysaccharide-based graft copolymer with an efficient redox pair ($\text{Fe}^{2+}/\text{BrO}_3^-$)
- Leone G, Delfini M, Di Cocco ME, Borioni A, Barbucci R**// *Univ Siena, Crisma, Via Aldo Moro 2, IT-53100 Siena, Italy
Carbohydr Res 2008 **343** (2) 317
 The applicability of an amidated polysaccharide hydrogel as a cartilage substitute: Structural and rheological characterization
- Liu Z, Maleki A, Zhu K, Kjoniksen AL*, Nystrom B// *Univ Oslo, Dept Chem, POB 1033, NO-0315 Oslo, Norway
J Phys Chem B 2008 **112** (4) 1082
 Intramolecular and intermolecular association during chemical cross-linking of dilute solutions of different polysaccharides under the influence of shear flow
- Luo Y, Dong DX, Barbault F, Fan BT, Hu YP, Zhang YM**// *UPMC, Ecole Normale Super, Dept Chim, CNRS UMR 8642, 24 rue Lhomond, FR-75231 Paris 05, France
C R Chim 2008 **11** (1–2) 29
 Total synthesis of 4d-deoxy Lewis^x pentasaccharide
- Metzke M, Guan Z**// *Univ Calif Irvine, Dept Chem, 1102 Natural Sciences 2, Irvine, Ca 92697, USA
Biomacromolecules 2008 **9** (1) 208
 Structure-property studies on carbohydrate-derived polymers for use as protein-resistant biomaterials
- Perdivara I, Sisu E, Sisu I, Dinca N, Tomer KB, Przybalski M, Zamfir AD**// *Plautius Andronescu Str 1, RO-300224 Timisoara, Romania
Rapid Commun Mass Spectrom 2008 **22** (6) 773
 Enhanced electrospray ionization Fourier transform ion cyclotron resonance mass spectrometry of long-chain polysaccharides
- Pravata L, Braud C, Boustta M, El Ghzaoui A, Tommeretas K, Guillaumie F, Schwach-Abdellaoui K, Vert M**// *CRBA, CNRS UMR 5473, 15 Ave Charles Flahault, FR-34060 Montpellier, France
Biomacromolecules 2008 **9** (1) 340
 New amphiphilic lactic acid oligomer-hyaluronan conjugates: Synthesis and physicochemical characterization
- Quynh TM, Mitomo H, Zhao L, Asai S// Gunma Univ, Fac Engr, Dept Biol & Chem Engr, Tenjin-cho 1-5-1, Kiryu, Gunma 376 8515, Japan
Carbohydr Polym 2008 **72** (4) 673
 The radiation crosslinked films based on PLLA/PDLA stereocomplex after TAIC absorption in supercritical carbon dioxide
- Rangaswamy V, Jain D// Reliance Life Sciences Pvt Ltd, Ind Biotechnol Grp, R-282, TTC Area MIDC, Thane-Belapur Rd, Rabale, IN-400701 Navi Mumbai, India
Biotechnol Lett 2008 **30** (3) 493
 An efficient process for production and purification of hyaluronic acid from *Streptococcus equi* subsp *zooepidemicus*
- Tamura J, Nakada Y, Taniguchi K, Yamane M// Tottori University, Faculty Reg Science, Dept Reg Environm, Koyamacho Minami 4-101, Tottori 680 8551, Japan
Carbohydr Res 2008 **343** (1) 39
 Synthesis of chondroitin sulfate E octasaccharide in a repeating region involving an acetamide auxiliary
- Zhang L, Bernard J, Davis TP, Barner-Kowollik C, Stenzel MH**// *University New South Wales, Sch Chem Sci & Engr, CAMD, Sydney, NSW 2052, Australia
Macromol Rapid Commun 2008 **29** (2) 123
 Acid-degradable core-crosslinked micelles prepared from thermosensitive glycopolymers synthesized via RAFT polymerization