



Contents lists available at ScienceDirect

Carbohydrate Polymers

journal homepage: www.elsevier.com/locate/carbpol

Bibliography of carbohydrate polymers

(4 weeks journals. Search completed at 20th. Aug. 2008)

1. Reviews

Jeske WP, Walenga JM, Hoppensteadt DA, Vandenberg C, Brubaker A, Adiguzel C, Bakhos M, Fareed J// Loyola Univ Med Ctr, Cardiovasc Inst, 2160 Sth First Ave, Maywood, IL 60153, USA

Semin Thromb Hemost 2008 **34** (1) 74

Differentiating low-molecular-weight heparins based on chemical, biological, and pharmacologic properties: Implications for the development of generic versions of low-molecular-weight heparins

Kozłowski CA, Sliwa W// Jan Długosz University Czestochowa, Institute Chem & Environm Protection, Armii Krajowej 13 Avenue, PL-42201 Czestochowa, Poland

Carbohydr Polym 2008 **74** (1) 1

The use of membranes with cyclodextrin units in separation processes: Recent advances

Singh RS, Saini GK, Kennedy JF// Punjab Univ, Dept Biotechnol, Carbohydr & Protein Biotechnol Lab, IN-147002 Patiala, India

Carbohydr Polym 2008 **73** (4) 515

Pullulan: Microbial sources, production and applications

2. Cellulose

Ahola S, Salmi J, Johansson LS, Laine J, Osterberg M// Helsinki Univ Technol, Fac Chem & Mat Sci, Dept Forest Products Technol, POB 3320, FI-02015 Espoo, Finland

Biomacromolecules 2008 **9** (4) 1273

Model films from native cellulose nanofibrils. Preparation, swelling, and surface interactions

Ain-Ai A, Gupta PK// *Univ Sci Philadelphia, Dept Pharmaceut Sci, 600 Sth 43rd St, Philadelphia, Pa 19104, USA

Int J Pharm 2008 **351** (1–2) 282

Effect of arginine hydrochloride and hydroxypropyl cellulose as stabilizers on the physical stability of high drug loading nanosuspensions of a poorly soluble compound

Auad ML, Contos VS, Nutt S, Aranguren MI, Marcovich NE// *Natl Univ Mar del Plata, INTEMA, Dept Chem Engr, CONICET, Av Juan B Justo 4302, AR-7600 Mar del Plata, Argentina

Polym Int 2008 **57** (4) 651

Characterization of nanocellulose-reinforced shape memory polyurethanes

Bajpai AK, Mishra A// Government Autonomous Science College, Department Chemistry, Bose Memorial Research Laboratory, IN-482001 Jabalpur, MP, India

J Mater Sci Mater Med 2008 **19** (5) 2121

Carboxymethyl cellulose (CMC) based semi-IPNs as carriers for controlled release of ciprofloxacin: An *in-vitro* dynamic study

Balu B, Breedveld V*, Hess DW// *Georgia Inst Technol, Sch Chem & Biomol Engr, 311 Ferst Dr, Atlanta, Ga 30332, USA

Langmuir 2008 **24** (9) 4785

Fabrication of "roll-off" and "sticky" superhydrophobic cellulose surfaces via plasma processing

Basavaraju KC, Damappa T*, Rai SK// *Univ Mysore, Dept Polym Sci, Sir M VPG Ctr, IN-571402 Tubinakere, Mandya, India

J Macromol Sci Phys 2008 **47** (3) 417

Miscibility studies of hydroxy propyl methylcellulose and poly(ethylene oxide) by viscometry, ultrasonic, and refractometric methods

Batista DA, Patriarca PA, Trindade EM, Wilhelm HM// *Inst Technol & Dev, Material & Chem Dept, LACTEC, PO Box 19067, BR-81531-980 Curitiba, Parana, Brazil

Cellulose 2008 **15** (3) 497

Colorimetric methodology for monitoring the cellulose insulating paper degradation in electrical equipments filled with mineral oil

Bhatt N, Gupta PK*, Naithani S// *Forest Research Institute, Centre Advanced Studies Chemistry Forest Products, PO New Forest, IN-248006 Dehra Dun, India

J Appl Polym Sci 2008 **108** (5) 2895

Preparation of cellulose sulfate from α -cellulose isolated from *Lantana camara* by the direct esterification method

Braun B, Dorgan JR*, Chandler JP// *Colorado Sch Mines, Dept Chem Engr, Golden, Co 80401, USA

Biomacromolecules 2008 **9** (4) 1255

Cellulosic nanowhiskers. Theory and application of light scattering from polydisperse spheroids in the Rayleigh-Gans-Debye regime

Chen CL, Li PY, Hu WH, Lan MH, Chen MJ, Chen HH// *Nat Ilan Univ, Dept Food Sci, 1 Sect 1 Shen Nung Rd, Ilan City, Taiwan

Food Hydrocolloid 2008 **22** (7) 1337

Using HPMC to improve crust crispness in microwave-reheated battered mackerel nuggets: Water barrier effect of HPMC

Dahiya JB, Kumar K, Muller-Hagedorn M, Bockhorn H// Guru Jambheshwar University Science & Technology, Department Chemistry, IN-125001 Hisar, India

Polym Int 2008 **57** (5) 722

Kinetics of isothermal and non-isothermal degradation of cellulose: Model-based and model-free methods

De Spirito M, Missori M, Papi M, Maulucci G, Teixeira J, Castellano C, Arcovito G// Univ Cattolica Sacro Cuore, Ist Fis, Lgo Francesco Vito 1, IT-00168 Rome, Italy

Phys Rev E 2008 **77** (4) 1801

Modifications in solvent clusters embedded along the fibers of a cellulose polymer network cause paper degradation

Egal M, Budtova T*, Navard P// *Ecole Mines Paris, CNRS UMR 7635, CEMEF, BP 207, FR-06904 Sophia Antipolis, France

Cellulose 2008 **15** (3) 361

The dissolution of microcrystalline cellulose in sodium hydroxide-urea aqueous solutions

El Seoud OA, Fidale LC, Ruiz N, D'Almeida MLO, Frollini E// Univ Sao Paulo, Inst Quim, CP 26077, BR-05513-970 Sao Paulo, Brazil

Cellulose 2008 **15** (3) 371

Cellulose swelling by protic solvents: Which properties of the biopolymer and the solvent matter?

Escudero JJ, Ferrero C, Jimenez-Castellanos MR// *Univ Seville, Fac Farm, Dept Farm & Technol Pharmaceut, C/ Profesor Garcia Gonzalez 2, ES-41012 Seville, Spain

Int J Pharm 2008 **351** (1–2) 61

Compaction properties, drug release kinetics and fronts movement studies from matrices combining mixtures of swellable and inert polymers: Effect of HPMC of different viscosity grades

Fernandez A, Sanchez MD, Ankerfors M, Lagaron JM// *Inst Agrochem & Food Technol - CSIC, ES-46100 Valencia, Spain

J Appl Polym Sci 2008 **109** (1) 126

Effects of ionizing radiation in ethylene-vinyl alcohol copolymers and in composites containing microfibrillated cellulose

As a service to subscribers of the journal, this bibliography contains newly published material in the field of carbohydrate polymers. The bibliography is divided into thirteen sections: 1 Reviews; 2 Cellulose; 3 Cellulose-degrading enzymes; 4 Chitin/Chitosan; 5 Cyclodextrins; 6 Lignin; 7 Lipopolysaccharides; 8 Pectin; 9 Starch; 10 Starch-degrading enzymes; 11 Polysaccharides - Microbial; 12 Polysaccharides - Plant; 13 Polysaccharides - Other. Within each section, articles are listed in alphabetical order with respect to author. When there are no publications to appear under one of these headings, that section will be omitted.

- Granstrom M, Kavakka J, King A, Majoinen J, Makela V, Helaja J, Hietala S, Virtanen T, Maunu SL, Argyropoulos DS, Kilpelainen I*// *Univ Helsinki, Dept Chem, Organ Chem Lab, PO Box 55, FI-00014 Helsinki, Finland
Cellulose 2008 **15** (3) 481
Tosylation and acylation of cellulose in 1-allyl-3-methylimidazolium chloride
- Heitfeld KA, Guo T, Yang G, Schaefer DW// Univ Cincinnati, Dept Chem & Material Engr, Cincinnati, OH 45221, USA
Mater Sci Eng C Biomim Supramol Syst 2008 **28** (3) 374
Temperature responsive hydroxypropyl cellulose for encapsulation
- Horikawa Y, Sugiyama JJ// Kyoto Univ, Res Inst Sustainable Humanosphere, Kyoto 6110 011, Japan
Cellulose 2008 **15** (3) 419
Accessibility and size of *Valonia* cellulose microfibril studied by combined deuteration/rehydrogenation and FTIR technique
- Ibbett R, Taylor J, Schuster KC, Cox M// Univ Manchester, Sch Materials, Christian Doppler Lab Fibre & Textile Chem Cellulosics, Sackville St, Manchester M60 1QD, England
Cellulose 2008 **15** (3) 393
Interpretation of relaxation and swelling phenomena in lyocell regenerated cellulosic fibres and textiles associated with the uptake of solutions of sodium hydroxide
- Inogamov SY, Mukhamedzhanova MY, Mukhamedov GI// Tashkent Pharmaceut Inst, Tashkent, Uzbekistan
Russ J Appl Chem Eng Tr 2008 **81** (2) 310
Rheological properties of polycomplex gels of carboxymethyl cellulose with urea-formaldehyde oligomers
- Jacobs LJM, Hurkens SAM, Kemmere MF, Keurentjes JTF// Eindhoven Univ Technol, Dept Chem Engr & Chem, Process Dev Grp, POB 513, NL-5600 MB Eindhoven, The Netherlands
Macromol Mater Eng 2008 **293** (4) 298
Porous cellulose acetate butyrate foams with a tunable bimodality in foam morphology produced with supercritical carbon dioxide
- Karimi K, Edebo L, Taherzadeh MJ// Isfahan Univ Technol, Dept Chem Engr, IR-84156-8311 Isfahan, Iran
Biochem Eng J 2008 **39** (2) 383
Mucor indicus as a biofilter and fermenting organism in continuous ethanol production from lignocellulosic hydrolyzate
- Khan FZ, Shiotsuki M, Sanda F, Nishio Y, Masuda T*// *Kyoto Univ, Grad Sch Engr, Dept Polym Chem, Katsura Campus, Kyoto 615 8510, Japan
J Polym Sci A Polym Chem 2008 **46** (7) 2326
Synthesis and properties of amino acid esters of hydroxypropyl cellulose
- Kim KJ, Bumm S, Gupta RK, White JL*// *Univ Akron, Inst Polym Engr, Akron, OH 44325, USA
Compos Interface 2008 **15** (2-3) 301
Interfacial adhesion of cellulose fiber and natural fiber filled polypropylene compounds and their effects on rheological and mechanical properties
- Kontturi KS, Tammelin T, Johansson LS, Stenius P// Helsinki Univ Technol, Lab Forest Prod Chem, POB 6300, FI-02015 Helsinki, Finland
Langmuir 2008 **24** (9) 4743
Adsorption of cationic starch on cellulose studied by QCM-D
- Lasseguette E, Roux D, Nishiyama Y*// *CNRS/UJF/ICMG, Ctr Rech Macromol Vegetales, BP 53, FR-38041 Grenoble 9, France
Cellulose 2008 **15** (3) 425
Rheological properties of microfibrillar suspension of TEMPO-oxidized pulp
- Liu SQ, Joshi SC*, Lam YC// *Nanyang Technol Univ, Sch Mech & Aerospace Engr, SG-639798 Singapore, Rep Singapore
J Appl Polym Sci 2008 **109** (1) 363
Effects of salts in the Hofmeister series and solvent isotopes on the gelation mechanisms for hydroxypropylmethylcellulose hydrogels
- Lue A, Zhang L*// *Wuhan Univ, Dept Chem, CN-430072 Wuhan, Peoples Rep China
J Phys Chem B 2008 **112** (15) 4488
Investigation of the scaling law on cellulose solution prepared at low temperature
- Mikulikova R, Svorcik V*, Nahlik J, Sopuch T, Havelka P// *Inst Chem Technol, Dept Solid State Engr, CZ-16628 Prague, Czech Republic
Cellulose 2008 **15** (3) 473
Cytocompatibility of surface ground PE doped with calcium salt of 6-carboxy-cellulose
- Pourjavadi A, Seidi F, Salimi H, Soleyman R// Sharif Univ Technol, Dept Chem Polym Res Lab, Tehran, Iran
J Appl Polym Sci 2008 **108** (5) 3281
Grafted CMC/silica gel superabsorbent composite: Synthesis and investigation of swelling behavior in various media
- Putra A, Kakugo A, Furukawa H, Gong JP*, Osada Y, Uemura T, Yamamoto M// *Hokkaido Univ, Div Biol Sci, Sapporo, Hokkaido 060 081, Japan
Polym J 2008 **40** (2) 137
Production of bacterial cellulose with well oriented fibril on PDMS substrate
- Putra A, Kakugo A, Furukawa H, Gong JP*, Osada Y// *Address as above
Polymer 2008 **49** (7) 1885
Tubular bacterial cellulose gel with oriented fibrils on the curved surface
- Qu JQ, Khan FZ, Satoh M, Wada J, Hayashi HY, Mizoguchi KJ, Masuda T*// *Kyoto Univ, Grad Sch Engr, Dept Polym Chem, Katsura Campus, Kyoto 615 8510, Japan
Polymer 2008 **49** (6) 1490
Synthesis and charge/discharge properties of cellulose derivatives carrying free radicals
- Sreekala MS, Goda K, Devi PV// Cochin Univ Sci & Technol, Dept Polym Sci & Rubber Technol, IN-682022 Cochin, India
Compos Interface 2008 **15** (2-3) 281
Sorption characteristics of water, oil and diesel in cellulose nanofiber reinforced corn starch resin/ramie fabric composites
- Stephens CH, Whitmore PM, Morris HR, Bier ME// Carnegie Mellon Univ, Mellon Coll Sci, Art Conservation Res Ctr, 700 Technology Dr, Pittsburgh, Pa 15219, USA
Biomacromolecules 2008 **9** (4) 1093
Hydrolysis of the amorphous cellulose in cotton-based paper
- Svagan AJ, Samir MASA, Berglund LA*// *Royal Inst Technol, Dept Fibre & Polym Technol, Teknikringen 56-58, SE-10044 Stockholm, Sweden
Adv Mater 2008 **20** (7) 1263
Biomimetic foams of high mechanical performance based on nanostructured cell walls reinforced by native cellulose nanofibrils
- Szczesniak L, Rachocki A, Tritt-Goc J// Polish Acad Sci, Inst Mol Phys, M Smoluchowskiego 17, PL-60179 Poznan, Poland
Cellulose 2008 **15** (3) 445
Glass transition temperature and thermal decomposition of cellulose powder
- Tanaka K, Tanabe Y, Morina T, Akiyama R// Kyoto Inst Technol, Grad Sch Sci & Technol, Dept Macromol Sci & Engr, Kyoto 606 8585, Japan
Liq Cryst 2008 **35** (3) 253
In-situ monitoring of a film preparation process for hydroxypropyl cellulose cast from isotropic aqueous solution using microdielectrometry
- Thomsen MH, Thygesen A*, Thomsen AB// *Tech Univ Denmark, Biosystem Dept, Riso Natl Lab, POB 49, DK-4000 Roskilde, Denmark
Bioresour Technol 2008 **99** (10) 4221
Hydrothermal treatment of wheat straw at pilot plant scale using a three-step reactor system aiming at high hemicellulose recovery, high cellulose digestibility and low lignin hydrolysis
- Tsiptsias C, Panayiotou C*// *Aristotle Univ Thessaloniki, Dept Chem Engr, GR-54124 Thessaloniki, Greece
Carbohydr Polym 2008 **74** (1) 99
Preparation of cellulose-nanohydroxyapatite composite scaffolds from ionic liquid solutions
- Xia YY, Wan JM// Anhui Univ Technol, Sch Chem & Chem Engr, Dept Polym Sci & Engr, CN-243002 Maanshan, Peoples Rep China
Polym Adv Technol 2008 **19** (4) 270
Preparation and adsorption of novel cellulosic fibers modified by β -cyclodextrin
- Xu F, Jiang JX, Sun RC*, She D, Peng B, Sun JX, Kennedy JF// *NW Univ Agric & Forestry Sci & Technol, Coll Forestry, Yangling, Peoples Rep China
Carbohydr Polym 2008 **73** (4) 612
Rapid esterification of wheat straw hemicelluloses induced by microwave irradiation
- Yun S, Kim JH, Li YX, Kim J// Inha Univ, Dept Mech Engr, Ctr EAPap Actuator, 253 Yonghyun dong, Nam ku, Incheon 402 751, South Korea
J Appl Phys 2008 **103** (8) 83301
Alignment of cellulose chains of regenerated cellulose by corona poling and its piezoelectricity
- Zhang J, Jiang N, Dang Z, Elder TJ, Ragauskas AJ*// *Georgia Inst Technol, Sch Chem & Biochem, Atlanta, Ga 30332, USA
Cellulose 2008 **15** (3) 489
Oxidation and sulfonation of celluloses
- Zykwinska A, Thibault JF, Ralet MC*// *INRA, UR1268 Biopolymers Interactions Assemblages, FR-44300 Nantes, France
Carbohydr Polym 2008 **74** (1) 23
Modelling of xyloglucan, pectins and pectic side chains binding onto cellulose microfibrils

3. Cellulose-degrading enzymes

- Ai-Zuhair S// United Arab Emirates Univ, Dept Chem & Petrol Engr, AE-17555 Al Ain, United Arab Emirates
Bioresour Technol 2008 **99** (10) 4078
The effect of crystallinity of cellulose on the rate of reducing sugars production by heterogeneous enzymatic hydrolysis
- Jung H, Yoon HG, Park WJ, Choi C, Wilson DB, Shin DH, Kim YJ*// *Korea Univ, Dept Food & Biotechnol, Jochiwon 339 700, Chungnam, South Korea
Cellulose 2008 **15** (3) 465
Effect of sodium hydroxide treatment of bacterial cellulose on cellulase activity
- Konno N, Habu N, Iihashi N, Isogai A*// *Univ Tokyo, Grad Sch Agric & Life Sci, 1-1-1 Yayoi, Bunkyo ku, Tokyo 113 8657, Japan
Cellulose 2008 **15** (3) 453
Purification and characterization of exo-type celluluronate lyase

4. Chitin/chitosan

- Atyabi F, Moghaddam FA, Dinarvand R, Zohuriaan-Mehr MJ, Ponchel G// Med Sci/Univ, Novel Drug Delivery Syst Lab, PO Box 14155-6451, Tehran, Iran
Carbohydr Polym 2008 **74** (1) 59
- Thiolated chitosan coated poly hydroxyethyl methacrylate nanoparticles: Synthesis and characterization
- Augsten C, Mader K*// *Inst Pharm Technol, Wolfgang Langenbeck Str 4, DE-06120 Halle, Germany
Int J Pharm 2008 **351** (1–2) 23
- Characterizing molar mass distributions and molecule structures of different chitosans using asymmetrical flow field-flow fractionation combined with multi-angle light scattering
- Casariello A, Souza BWS, Vicente AA*, Teixeira JA, Cruz L, Diaz R// *Univ Minho, IBB-Inst Biotechnol & Bioengn, Ctr Biol Engn, Campus Gualtar, PT-4710-057 Braga, Portugal
Food Hydrocolloid 2008 **22** (8) 1452
- Chitosan coating surface properties as affected by plasticizer, surfactant and polymer concentrations in relation to the surface properties of tomato and carrot
- Cho J, Heuzey MC*// *Ecole Polytech, Ctr Appl Res Polym & Composites - CREPEC, POB 6079, Stn Ctr-ville, Montreal, Quebec, Canada H3C 3A7
Colloid Polym Sci 2008 **286** (4) 427
- Dynamic scaling for gelation of a thermosensitive chitosan- β -glycerophosphate hydrogel
- Cortizo MS, Berghoff CF, Alessandrini JL*// *UNLP, Fac Ciencias Exactas, Dept Fis, CC 67, AR-1900 La Plata, Buenos Aires, Argentina
Carbohydr Polym 2008 **74** (1) 10
- Characterization of chitin from *Illex argentinus* squid pen
- Coutinho DF, Pashkuleva IH, Alves CM, Marques AP, Neves NM, Reis RL// Univ Minho, Dept Polym Engn, 3BS Res Grp - Biomaterials Biodegradables & Biomimetics, Campus Gualtar, PT-4710-057 Braga, Portugal
Biomacromolecules 2008 **9** (4) 1139
- The effect of chitosan on the *in vitro* biological performance of chitosan-poly(butylene succinate) blends
- De Britto D, Forato LA, Assis OBG// Embrapa Instrument Agropecuaria, Rua XV Novembro 1452, CP 741, BR-13560-970 Sao Carlos, SP, Brazil
Carbohydr Polym 2008 **74** (1) 86
- Determination of the average degree of quaternization of *N,N,N*-trimethylchitosan by solid state ^{13}C NMR
- De Moura MR, Aouada FA, Mattoso LHC*// *Embrapa Instrument Agropecuaria, Lab Nacl Nanotecnol Agronegocio, BR-13560-970 Sao Carlos, Brazil
J Colloid Interface Sci 2008 **321** (2) 477
- Preparation of chitosan nanoparticles using methacrylic acid
- Duan W, Chen C, Jiang L, Li GH// Guangxi Univ, Sch Chem & Chem Engn, 100 Daxue Rd, CN-530004 Nanning, Peoples Rep China
Carbohydr Polym 2008 **73** (4) 582
- Preparation and characterization of the graft copolymer of chitosan with poly[rosin-(2-acryloyloxy)ethyl ester]
- Fahmy HM, Fouda MMG*// *Nat Res Ctr, Textile Res Div, Dokki, Cairo, Egypt
Carbohydr Polym 2008 **73** (4) 606
- Crosslinking of alginate acid/chitosan matrices using polycarboxylic acids and their utilization for sodium diclofenac release
- Flores-Ramirez N, Luna-Barcenas G*, Vasquez-Garcia SR, Munoz-Saldana J, Elizalde-Pena EA, Gupta RB, Sanchez IC, Gonzalez-Hernandez J, Garcia-Gaitan B, Villasenor-Ortega F// *Unidad Queretaro, CINVESTAV, Libramiento Norponiente 2000, Fracc Real de Juriquilla, MX-76230 Queretaro, QRO, Mexico
J Biomater Sci Polym Ed 2008 **19** (2) 259
- Hybrid natural-synthetic chitosan resin: Thermal and mechanical behavior
- Hattori T, Katai K// Toyohashi Univ Technol, Dept Material Sci, Toyohashi, Aichi 441 8580, Japan
Anal Sci 2008 **24** (4) 543
- pH-potentiometric study of polyion complexes between chitosan and poly(vinyl sulfate) or dodecylbenzene sulfonate
- Henning Cederkvist F, Parmer MP, Varum KM, Eijssink VGH, Sorlie M*// Norwegian Univ Life Sci, Dept Chem Biotechnol & Food Sci, Chr M Falsensvei 1, As, Norway
Carbohydr Polym 2008 **74** (1) 41
- Inhibition of family 18 chitinase by chitoooligosaccharides
- Hernandez-Lauzardo AN, Bautista-Banos S, Velazquez-del Valle MG, Mendez-Montealvo MG, Sanchez-Rivera MM, Bello-Perez LA// Ctr Desarrollo Prod Bioticos IPN, Km 8.5 Carr Yauatepec-Jojutla, Apdo Postal 24, Col San Isidro, MX-62731 Yauatepec, Morelos, Mexico
Carbohydr Polym 2008 **73** (4) 541
- Antifungal effects of chitosan with different molecular weights on *in vitro* development of *Rhizopus stolonifer* (Ehrenb.:Fr.) Vuill
- Holme HK, Davidsen L, Kristiansen A, Smidsrod O// FMC BioPolymer AS/NovaMatrix, Industriveien 33, NO-1337 Sandvika, Norway
Carbohydr Polym 2008 **73** (4) 656
- Kinetics and mechanisms of depolymerization of alginate and chitosan in aqueous solution
- Huang KL, Ding P, Liu SQ, Li GY, Liu YF// Cent Sth Univ Technol, Coll Chem & Chem Engn, Sch Publ Hlth, CN-410083 Changsha, Peoples Rep China
Chin J Polym Sci 2008 **26** (1) 1
- Preparation and characterization of novel chitosan derivatives: Adsorption equilibrium of iron(III) ion
- Kamburova K, Milkova V, Petkanchin I, Radeva T*// *Bulgarian Acad Sci, Inst Phys Chem, BU-1113 Sofia, Bulgaria
Biomacromolecules 2008 **9** (4) 1242
- Effect of pectin charge density on formation of multilayer films with chitosan
- Kumari K, Kundu PP*// *St Longowal Inst Engn & Technol, Dept Chem Technol, IN-148106 Longowal, India
Bull Mater Sci 2008 **31** (2) 159
- Studies on *in vitro* release of CPM from semi-interpenetrating polymer network (IPN) composed of chitosan and glutamic acid
- Kyzas GZ, Bikiaris DN, Lazaridis NK*// *Aristotle Univ Thessaloniki, Sch Chem, Div Chem Technol, Lab Gen & Inorgan Chem Technol, GR-54124 Thessaloniki, Greece
Langmuir 2008 **24** (9) 4791
- Low-swelling chitosan derivatives as biosorbents for basic dyes
- Ma G, Yang D, Zhou Y, Xiao M, Kennedy JF, Nie J*// *Beijing Univ Chem Technol, State Key Lab Chem Resource Engn, CN-100029 Beijing, Peoples Rep China
Carbohydr Polym 2008 **74** (1) 121
- Preparation and characterization of water-soluble *N*-alkylated chitosan
- McIlwee HA, Schauer CL, Praig VG, Boukherroub R, Szunerits S*// *Inst Rech Interdisciplinaire, Inst Elect Microelect & Nanotechnol, CNRS UMR 8520, USR 3078, FR-59652 Villeneuve d'Ascq, France
Analyst 2008 **133** (5) 673
- Thin chitosan films as a platform for SPR sensing of ferric ions
- Mivehi L, Bahrami SH*, Malek RMA// *Amir Kabir Univ Technol, Dept Textile Engn, Tehran, Iran
J Appl Polym Sci 2008 **109** (1) 545
- Properties of polyacrylonitrile-*N*-(2-hydroxy) propyl-3-trimethylammonium chitosan chloride blend films and fibers
- Niamsa N, Puntumchai A, Sutthikhum V, Srisuwan Y, Baimark Y*// *Mahasarakham Univ, Fac Sci, Dept Chem, TH-44150 Mahasarakham, Thailand
J Appl Polym Sci 2008 **109** (1) 418
- Preparation and characterization of biodegradable chitosan and methoxy poly(ethylene glycol)-*b*-poly(ϵ -caprolactone) blend homogeneous films
- Ortona O, D'Errico G, Mangiapia G, Ciccirelli D// Naples Univ Federico II, Dept Chem, Via Cintia, Complesso di Montesantangelo, IT-80126 Naples, Italy
Carbohydr Polym 2008 **74** (1) 16
- The aggregative behavior of hydrophobically modified chitosans with high substitution degree in aqueous solution
- Park Y, Koo K, Kim S, Choe J// Yonsei Univ, 314 Sinchon dong, Sodaemun gu, Seoul 120 749, South Korea
J Appl Polym Sci 2008 **109** (1) 160
- Improving the colorfastness of poly(ethylene terephthalate) fabrics with the natural dye of *Caesalpinia sappan* L. wood extract and the effect of chitosan and low-temperature plasma
- Pasanphan W, Buettner GR, Chirachanchai S*// *Chulalongkorn Univ, Petrol & Petrochem Coll, TH-10330 Bangkok, Thailand
J Appl Polym Sci 2008 **109** (1) 38
- Chitosan conjugated with deoxycholic acid and gallic acid: A novel biopolymer-based additive antioxidant for polyethylene
- Rawat M, Singh D, Saraf S, Saraf S*// *PT Ravishankar Shukla Univ, Inst Pharm, IN-492010 Raipur, Madhya Pradesh, India
Drug Develop Ind Pharm 2008 **34** (2) 181
- Development and *in vitro* evaluation of alginate gel-encapsulated, chitosan-coated ceramic nanocores for oral delivery of enzyme
- Raymont P, Butler MF// Unilever R&D Colworth, Corp Res, Phys & Engn Sci, Sharnbrook MK44 1LQ, England
J Appl Polym Sci 2008 **108** (5) 2876
- Investigation of ionically crosslinked chitosan and chitosan-bovine serum albumin beads for novel gastrointestinal functionality
- Santos RHT, Santos NG, Alves JPH, Garcia CAB, Romao LCP, Arguelho MLPM*// *Univ Fed Sergipe, Dept Quim, BR-49100-000 Sao Cristovao, SE, Brazil
Bioelectrochemistry 2008 **72** (2) 122
- Evaluation of the physico-chemical properties of chitosan as a potential carrier for rifampicin, using voltammetric and spectrophotometric techniques
- Sasaki T, Shimizu M, Wu YS, Sakurai K// Fukui Univ, Fac Engn, Dept Material Sci & Engn, Fukui 910 8507, Japan
J Nanomater 2008 85632
- Chitosan derivatives/calcium carbonate composite capsules prepared by the layer-by-layer deposition method
- Seki Y, Yurdakoc K*// *Dokuz Eylul Univ, Fac Arts & Sci, Dept Chem Kaynaklar Campus, TR-35160 Buca Izmir, Turkey
J Appl Polym Sci 2008 **109** (1) 683
- Synthesis of pH dependent chitosan-EPI hydrogel films and their application for *in vitro* release of promethazine hydrochloride

- Seog EJ, Zuo L, Lee JH*, Rhim JW// *Daegu Univ, Dept Food Sci & Engr, Gyongsan 712 714, Gyeongbuk, South Korea
Food Sci Biotechnol 2008 **17** (2) 330
Kinetics of water vapor adsorption by chitosan-based nanocomposite films
- Shang J, Shao ZZ, Chen X*// *Fudan Univ, Dept Macromol Sci, Advanced Materials Lab, MoE Key Lab Mol Engr Polym, CN-200433 Shanghai, Peoples Rep China
Biomacromolecules 2008 **9** (4) 1208
Electrical behavior of a natural polyelectrolyte hydrogel: Chitosan/ carboxy-methylcellulose hydrogel
- Sheveleva IV, Zemskova LA, Zheleznev SV, Voit AV, Barinov NN, Kuryavii VG, Sergienko VI// Russian Acad Sci, Far Eastern Branch, Inst Chem, RU-690022 Vladivostok, Russia
Russ J Appl Chem Eng Tr 2008 **81** (2) 247
Correlation of electrochemical and structural characteristics of chitosan-carbon fibrous materials
- Sugita K, Yang J, Shimajoh M, Kurita K*// *Seikei Univ, Fac Sci & Technol, Dept Material & Life Sci, Tokyo 180 8633, Japan
Polym Bull 2008 **60** (4) 449
Influence of trimethylsilylation and detrimethylsilylation on the molecular weight of chitin: Evaluation of viscometry and gel permeation chromatography for molecular weight determination
- Verma D, Katti KS*, Katti DR, Mohanty B// *Nth Dakota State Univ, Dept Civil Engr, Fargo, ND 58105, USA
Mater Sci Eng C Biomim Supramol Syst 2008 **28** (3) 399
Mechanical response and multilevel structure of biomimetic hydroxyapatite/polygalacturonic/chitosan nanocomposites
- Wang J, Liu CS*, Chi P// *East China University, University Science & Technology, State Key Lab Bioreactor Engr, CN-200237 Shanghai, Peoples Rep China
Res Chem Intermediates 2008 **34** (2-3) 169
Aggregate formation and surface activity of partially deacetylated water-soluble chitin
- Wang W, Du Y*, Qiu Y, Wang X, Hu Y, Yang J, Cai J, Kennedy JF// *Wuhan University, Coll Resource & Environm Sci, CN-430072 Wuhan, Peoples Rep China
Carbohydr Polym 2008 **74** (1) 127
A new green technology for direct production of low molecular weight chitosan
- Wilson OC, Hull JR// Catholic Univ America, Dept Biomed Engr, BONE/CRAB Lab, Washington, DC 20064, USA
Mater Sci Eng C Biomim Supramol Syst 2008 **28** (3) 434
Surface modification of nanophase hydroxyapatite with chitosan
- Xing K, Chen XG*, Li YY, Liu CS, Liu CG, Cha DS, Park HJ// *Ocean Univ China, Coll Marine Life Sci, 5 Yushan Rd, CN-266003 Qingdao, Peoples Rep China
Carbohydr Polym 2008 **74** (1) 114
Antibacterial activity of oleoyl-chitosan nanoparticles: A novel antibacterial dispersion system
- Xu D, Meng Z, Han M, Xi K, Jia XD*, Yu XH, Chen QM// *Nanjing University, Department Polymer Sci & Engr, CN-210093 Nanjing, Peoples Rep China
J Appl Polym Sci 2008 **109** (1) 240
Novel blood-compatible waterborne polyurethane using chitosan as an extender
- Yu JM, Li YH, Qiu LY, Jin Y*// *Zhejiang Univ, Coll Pharmaceut Sci, CN-310058 Hangzhou, Peoples Rep China
Eur Polym J 2008 **44** (3) 555
Self-aggregated nanoparticles of cholesterol-modified glycol chitosan conjugate: Preparation, characterization, and preliminary assessment as a new drug delivery carrier
- Zhang W, Pan SR*, Zhang X, Luo X, Du Z// *First Affiliated Hosp Sun Yat Sen University, Cardiovascular Research Lab, CN-510080 Guangzhou, Peoples Rep China
J Appl Polym Sci 2008 **108** (5) 2958
Preparation of monomethyl poly (ethylene glycol)-*g*-chitosan copolymers with various degrees of substitution: Their ability to encapsulate and condense plasmid DNA
- 5. Cyclodextrins**
- Abdelwahed W, Degobert G*, Dubes A, Parrot-Lopez H, Fessi H// *Univ Lyon 1, CNRS UMR 5007, LAGEP, CPE Lyon, Bat 308 G, FR-69622 Villeurbanne, France
Int J Pharm 2008 **351** (1-2) 289
Sulfated and non-sulfated amphiphilic- β -cyclodextrins: Impact of their structural properties on the physicochemical properties of nanoparticles
- Deng W, Yamaguchi H, Takashima Y, Harada A*// *Osaka Univ, Grad Sch Sci, Dept Macromol Sci, Osaka 560 0043, Japan
Chem Asian 2008 **3** (4) 687
Construction of chemical-responsive supramolecular hydrogels from guest-modified cyclodextrins
- Gorin DA, Portnov SA, Inozemtseva OA, Karagaichev AL, Neveshkin AA, Khlebtsov BN, Shtykov SN// Saratov NG Chernyshevskii State Univ, Astrakhanskaya ul 83, RU-410012 Saratov, Russia
Colloid J Engl Tr 2008 **70** (2) 152
Polyelectrolyte microcapsules containing molecules of sulfated β -cyclodextrin in the structure of nanosized shell
- Huang J, Ren LX, Chen YM// Wuhan Univ Technol, Coll Chem Engr, CN-430070 Wuhan, Peoples Rep China
Polym Int 2008 **57** (5) 714
pH-temperature-sensitive supramolecular micelles based on cyclodextrin polyrotaxane
- Ingle JR, Busch KW, Busch MA*// *Baylor Univ, Dept Chem & Biochem, Ctr Anal Spect, 1 Bear Pl, Waco, Tx 76798, USA
Talanta 2008 **75** (2) 572
Chiral analysis by multivariate regression modeling of spectral data using cyclodextrin guest-host complexes - Methods for determining enantiomeric composition with varying chiral analyte concentration
- Liu XM, Wiswall AT, Rutledge JE, Akhter MR, Cullen DM, Reinhardt RA, Wang D*// *University Nebraska Medical Center, College Pharm, Department Pharmaceutical Science, 986025 Nebraska Med Ctr, Omaha, Nebraska 68198, USA
Biomaterials 2008 **29** (11) 1686
Osteotropic β -cyclodextrin for local bone regeneration
- Matilainen L, Toropainen T, Vihola H, Hirvonen J, Jarvinen T, Jarho P, Jarvinen K// University Kuopio, Dept Pharmaceut Chem, POB 1627, FI-70211 Kuopio, Finland
J Controlled Release 2008 **126** (1) 10
In vitro toxicity and permeation of cyclodextrins in Calu-3 cells
- Rodriguez-Lucena D, Benito JM, Alvarez E, Jaime C, Perez-Miron J, Mellet CO*, Fernandez JMG// *Univ Seville, Fac Quim, Dept Quim Organ, Apartado 1203, ES-41012 Seville, Spain
J Org Chem 2008 **73** (8) 2967
Synthesis, structure, and inclusion capabilities of trehalose-based cyclodextrin analogues (cyclotrehalans)
- Shin KM, Dong T, Yazawa K, Im SS, Inoue Y*// *Tokyo Inst Technol, Dept Biomol Engr, 4259 Nagatsuta cho, Midori ku, Yokohama, Kanagawa 226 850, Japan
J Polym Sci A Polym Chem 2008 **46** (9) 879
Solvent-dependent formation of inclusion complexes between methylated cyclodextrins and biodegradable polymers
- Tonelli AE// Nth Carolina State Univ, Fiber & Polym Sci Program, Campus Box 8301, Raleigh, NC 27695, USA
Polymer 2008 **49** (7) 1725
Nanostructuring and functionalizing polymers with cyclodextrins
- Yuan RX, Shuai XT*// *Nat'l Sun Yat Sen Univ, Sch Chem & Chem Engr, BME Ctr, CN-510275 Ghangzhou, Peoples Rep China
J Polym Sci B Polym Phys 2008 **46** (8) 782
Supramolecular micellization and pH-inducible gelation of a hydrophilic block copolymer by block-specific threading of α -cyclodextrin
- 6. Lignin**
- Chopabaeva NN, Ergozhin EE// Minist Educat & Sci, AB Bekturov Inst Chem Sci, ul Sh Valikhanova 106, KZ-050010 Alma Ata, Kazakhstan
Chem Nat Compd 2008 **44** (1) 69
Nitrogen- and phosphorus-containing polyampholyte based on lignin
- Fernandez-Perez M, Garrido-Herrera FJ, Gonzalez-Pradas E, Villafraanca-Sanchez M, Flores-Céspedes F// Univ Almeria, Dept Inorgan Chem, Canada San Urbano s/n, ES-04120 Almeria, Spain
J Appl Polym Sci 2008 **108** (6) 3796
Lignin and ethylcellulose as polymers in controlled release formulations of urea
- Pucciariello R, Bonini C, D'Auria M, Villani V, Giammarino G, Gorrasi G// Univ Basilicata, Dipt Chim, Via Nazazio Sauro 85, IT-85100 Potenza, Italy
J Appl Polym Sci 2008 **109** (1) 309
Polymer blends of steam-explosion lignin and poly(ϵ -caprolactone) by high-energy ball milling
- Rocha SM, Goncalves V, Evtuguin D, Delgadillo I// Univ Aveiro, Dept Chem, PT-3810-193 Aveiro, Portugal
Talanta 2008 **75** (2) 594
Distinction and identification of lignins based on their volatile headspace composition
- 7. Lipopolysaccharides**
- Kumirska J, Szafranek J, Czerwicka M, Golebiowski M, Paszkiewicz M, Dziadziuszko H, Kunikowska D, Stepnowska P// Univ Gdansk, Fac Chem, Sobieskiego 18, PL-80952 Gdansk, Poland
Carbohydr Res 2008 **343** (6) 1120
Smith degradation of the O-antigenic polysaccharide of *Salmonella* Dakar: Structural studies of the products

8. Pectin

- Cheng LH, Lim BL, Chow KH, Chong SM, Chang YC// Univ Sains Malaysia, Sch Ind Technol, Food Technol Div, MY-11800 Penang, Malaysia
Food Hydrocolloid 2008 **22** (8) 1637
Using fish gelatin and pectin to make a low-fat spread
- Koubala BB, Kansci G*, Mbome LI, Crepeau MJ, Thibault JF, Ralet MC// *Univ Yaounde I, Dept Biochem, PO Box 812, Yaounde, Cameroon
Food Hydrocolloid 2008 **22** (7) 1345
Effect of extraction conditions on some physicochemical characteristics of pectin from "Ameliorée" and "Mango" mango peels
- Littoz F, McClements DJ// *Univ Massachusetts, Dept Food Sci, Biopolym & Colloid Res Lab, Amherst, Ma 01003, USA
Food Hydrocolloid 2008 **22** (7) 1203
Bio-mimetic approach to improving emulsion stability: Cross-linking adsorbed beet pectin layers using laccase
- Morris GA, De la Torre JG, Ortega A, Castile J, Smith A, Harding SE// Univ Nottingham, Sch Biosci, Nat Ctr Macromol Hydrodynamics, Sutton Bonington LE12 5RD, England
Food Hydrocolloid 2008 **22** (8) 1435
Molecular flexibility of citrus pectins by combined sedimentation and viscosity analysis
- O'Donoghue EM, Somerfield SD// New Zealand Inst Crop & Food Res Ltd, Food Ind Sci Ctr, Private Bag 11 600, Palmerston North, New Zealand
Food Hydrocolloid 2008 **22** (7) 1326
Biochemical and rheological properties of gelling pectic isolates from buttercup squash fruit
- Ropers MH, Meister A, Blume A, Ralet MC// INRA, rue Geraudiere, BP 71627, FR-44316 Nantes, France
Biomacromolecules 2008 **9** (4) 1306
Pectin-lipid assembly at the air-water interface: Effect of the pectin charge distribution
- Ropers MH, Leroy T// INRA, UR1268 Biopolymeres Interactions Assemblages, FR-44300 Nantes, France
Food Hydrocolloid 2008 **22** (7) 1396
Calcium bridges in fatty acid/pectin assemblies

9. Starch

- Al E, Guclu G*, Iyim TB, Emik S, Ozgumus S// *Istanbul Univ, Fac Engrn, Dept Chem Engrn, Istanbul, Turkey
J Appl Polym Sci 2008 **109** (1) 16
Synthesis and properties of starch-graft-acrylic acid/Na-montmorillonite super-absorbent nanocomposite hydrogels
- Alias J, Silva I, Goni I, Gurruchaga M// Univ Pais Vasco, Fac Quim, POLYMAT, Dept Ciencia & Tecnol Polimeros, Apdo 1072, ES-2080 San Sebastian, Spain
Carbohydr Polym 2008 **74** (1) 31
Hydrophilic amylose-based graft copolymers for controlled protein release
- Biswas A, Shogren RL, Selling G, Salch J, Willett JL, Buchanan CM// Nat Ctr Agric Utilization Res, Plant Polym Res Unit, 1815 Nth University St, Peoria, IL 61604, USA
Carbohydr Polym 2008 **74** (1) 137
Rapid and environmentally friendly preparation of starch esters
- Chen CH, Lai LS// *Nat'l Chung Hsing Univ, Dept Food Sci & Biotechnol, 250 Kuo-Kuang Rd, Taichung 402, Taiwan
Food Hydrocolloid 2008 **22** (8) 1584
Mechanical and water vapor barrier properties of tapioca starch/decolorized hsian-tsao leaf gum films in the presence of plasticizer
- Chen GJ, Wei M, Chen JH, Huang J*, Dufresne A, Chang PR// *Wuhan Univ Technol, Coll Chem Engrn, 122 Loushi Rd, CN-430070 Wuhan, Peoples Rep China
Polymer 2008 **49** (7) 1860
Simultaneous reinforcing and toughening: New nanocomposites of waterborne polyurethane filled with low loading level of starch nanocrystals
- Cho SA, Yoo B// *Dongguk Univ, Dept Food Sci & Technol, Seoul 100 715, South Korea
Food Sci Biotechnol 2008 **17** (2) 417
Rheological behavior of sweet potato starch-glucose composites
- Emami SH, Orang F, Mahmoudi M, Rafienia M// Amir Kabir Univ Technol, Dept Biomed Engrn, POB 158754413, Tehran, Iran
Polym Adv Technol 2008 **19** (3) 167
A study of starch addition on burst effect and diameter of polyurethane microspheres containing theophylline
- Funami T, Noda S, Hiroe M, Asai I, Ikeda S, Nishinari K// San-Ei Gen FFI Inc, Hydrocolloid Laboratory, 1-1-11 Sanwa-cho, Toyonaka, Osaka 561 8588, Japan
Food Hydrocolloid 2008 **22** (7) 1273
Functions of t-carrageenan on the gelatinization and retrogradation behaviors of corn starch in the presence or absence of various salts
- Funami T, Nakauma M, Noda S, Ishihara S, Asai I, Inouchi N, Nishinari K// Address as above
Food Hydrocolloid 2008 **22** (8) 1528
Effects of some anionic polysaccharides on the gelatinization and retrogradation behaviors of wheat starch: Soybean-soluble polysaccharide and gum arabic
- Gurruchaga M, Echeverria I, Gonni I// Univ Basque Country, Fac Quim, Dept Ciencia & Tecnol Polimeros, POLYMAT, P Manuel de Lardizabal 3, ES-20018 San Sebastian, Spain
J Appl Polym Sci 2008 **108** (6) 4029
Synthesis and rheological characterization of graft copolymers of butyl and hydroxyethyl methacrylates on starches
- Han JA, BeMiller JN// *Purdue Univ, Dept Food Sci, Whistler Ctr Carbohydr Res, 745 Agricultural Mall Dr, West Lafayette, In 47907, USA
Carbohydr Polym 2008 **73** (4) 532
Effects of protein on crosslinking of normal maize, waxy maize, and potato starches
- Hansen MR, Blennow A, Pedersen S, Norgaard L, Engelsen SB// Univ Copenhagen, Fac Life Sci, Dept Food Sci, Rolighedsvej 30, DK-1958 Frederiksberg C, Denmark
Food Hydrocolloid 2008 **22** (8) 1551
Gel texture and chain structure of amylomaltase-modified starches compared to gelatin
- Kaewtatip K, Tanrattanakul V// *Prince Songkla Univ, Fac Sci, Polym Sci Program, Hatyai, TH-90112 Songkhla, Thailand
Carbohydr Polym 2008 **73** (4) 647
Preparation of cassava starch grafted with polystyrene by suspension polymerization
- Kaur L, Singh J, Singh H, McCarthy OJ// Massey Univ, Riddet Inst, Palmerston North, New Zealand
Food Chem 2008 **111** (1) 1
Starch-cassia gum interactions: A microstructure - rheology study
- Kavaliauskaitė R, Klimaviciute R*, Zemaitaitis A// *Kaunas Univ Technol, Dept Organ Technol, Radvilenu Str 19, LT-50254 Kaunas, Lithuania
Carbohydr Polym 2008 **73** (4) 665
Factors influencing production of cationic starches
- Kochkina NE, Ryabinin SS, Padokhin VA// Russian Acad Sci, Inst Anhydrous Solution Chem, Ivanovo, Russia
Russ J Appl Chem Eng Tr 2008 **81** (2) 316
Rheological properties of colloid solutions of starch, produced by the mechano-thermal method
- Kweon M, Slade L, Levine H// USDA/ARS, Soft Wheat Qual Lab, 1680 Madison Ave, Wooster, Oh 44691, USA
Starch 2008 **60** (3-4) 127
Effect of sodium chloride on glass and crystalline melting transitions of wheat starch treated with high hydrostatic pressure: Prediction of solute-induced barostability from nonmonotonic solute-induced thermostability
- Labanowska M, Bidzinska E, Dyrek K*, Fortuna T, Pietrzyk S, Roznowski J, Socha RP// *Jagiellonian Univ, Fac Chem, Ingardena 3, PL-30060 Krakow, Poland
Starch 2008 **60** (3-4) 134
Cu²⁺ ions as a paramagnetic probe in EPR studies of radicals generated thermally in starch
- Leblanc N, Saiah R, Beucher E, Gattin R, Castandet M, Saiter JM// ESITPA, Lab Genie Materiaux, rue Grande, BP 607, FR-27106 Val de Reuil, France
Carbohydr Polym 2008 **73** (4) 548
Structural investigation and thermal stability of new extruded wheat flour based polymeric materials
- Lee SY, Hanna MA*, Jones DD// *Univ Nebraska, Ind Agric Prod Ctr, Lincoln, Ne 68583, USA
Starch 2008 **60** (3-4) 159
An adaptive neuro-fuzzy inference system for modeling mechanical properties of tapioca starch-poly(lactic acid) nanocomposite foams
- Lopez OV, Garcia MA*, Zaritzky NE// *UNLP-CONICET, Fac Ciencias Exactas, CIDCA, 47 y 116, AR-1900 La Plata, Buenos Aires, Argentina
Carbohydr Polym 2008 **73** (4) 573
Film forming capacity of chemically modified corn starches
- Mariam I, Cho KY, Rizvi SSH// Cornell Univ, Inst Food Sci, Ithaca, NY 14850, USA
Int J Food Prop 2008 **11** (2) 415
Thermal properties of starch-based biodegradable foams produced using supercritical fluid extrusion (SCFX)
- Miyazaki M, Maeda T, Morita N// *Univ Osaka Prefecture, Grad Sch Life & Environm Sci, Food Chem Lab, 1-1 Gakuencho, Osaka 599 8531, Japan
Eur Food Res Technol 2008 **227** (2) 503
Bread quality of frozen dough substituted with modified tapioca starches
- Muadklay J, Charoenrein S// *Kasetsart Univ, Fac Agro-Ind, Dept Food Sci & Technol, TH-10900 Bangkok, Thailand
Food Hydrocolloid 2008 **22** (7) 1268
Effects of hydrocolloids and freezing rates on freeze-thaw stability of tapioca starch gels

- Noronha N, Duggan E, Ziegler GR, O'Riordan ED*, O'Sullivan M// *Univ Coll Dublin, Coll Life Sci, Sch Agric Food Sci & Veterinary Med, Belfield, Dublin 4, Rep Ireland
Food Hydrocolloid 2008 **22** (8) 1612
 Inclusion of starch in imitation cheese: Its influence on water mobility and cheese functionality
- Patil DR, Fanta GF, Felker FC*, Salch JH// *USDA/ARS, Natl Ctr Agric Utilization Res, Plant Polymer Res & Cereal Prod & Food Sci Res Units, Peoria, IL 61604, USA
J Appl Polym Sci 2008 **108** (5) 2749
 Application of hydrophilic starch-based coatings on polyethylene surfaces
- Perez CJ, Vazquez A, Alvarez VA*// *Natl Univ Mar del Plata, Res Inst Material Sci & Technol, Av Juan B Justo 4302, AR-7600 Mar del Plata, Argentina
J Therm Anal Calorim 2008 **91** (3) 749
 Isothermal crystallization of layered silicate/starch-polycaprolactone blend nanocomposites
- Reis AV, Guilherme MR*, Moia TA, Mattoso LHC, Muniz EC, Tambourgi EB// *Univ Estadual Campinas, Fac Engn Quim, Dept Sistemas Quim & Informat DESQ, Zeferino Vaz, BR-13081-970 Campinas, SP, Brazil
J Polym Sci A Polym Chem 2008 **46** (7) 2567
 Synthesis and characterization of a starch-modified hydrogel as potential carrier for drug delivery system
- Rodriguez-Sandoval E, Fernandez-Quintero A, Cuvelier G, Relkin P, Bello-Perez LA// Univ Bogota Jorge Tadeo Lozano, Fac Nat Sci, Dept Food Engn, Ctra 4 No 22-61, Bogota DC, Colombia
Starch 2008 **60** (3-4) 174
 Starch retrogradation in cassava flour from cooked parenchyma
- Saibene D, Zobel HF, Thompson DB, Seetharaman K*// *Univ Guelph, Dept Food Sci, Guelph, Ontario, Canada N1G 2W1
Starch 2008 **60** (3-4) 165
 Iodine-binding in granular starch: Different effects of moisture content for corn and potato starch
- Sailaja RRN, Seetharamu S// TERI Energy & Resources Inst, EET Div, Bangalore, India
React Funct Polym 2008 **68** (4) 831
 Itaconic acid-grafted-LDPE as compatibilizer for LDPE-plasticized tapioca starch blends
- Segura-Campos M, Chel-Guerrero L, Betancur-Ancona D*// *Univ Autonoma Yucatan, Fac Ingn Quim, Cd Industrial, Av Juarez 421, Apdo Postal 26, Suc Las Fuentes, MX-97288 Merida, Yucatan, Mexico
Food Hydrocolloid 2008 **22** (8) 1467
 Synthesis and partial characterization of octenylsuccinic starch from *Phaseolus lunatus*
- Song EB, Min BC, Hwang ES, Lee HJ*// *Seoul Natl Univ, Coll Agric & Life Sci, Dept Agric Biotechnol, Seoul 151 921, South Korea
Food Sci Biotechnol 2008 **17** (2) 234
 Physicochemical properties of corn starch-derived branched dextrin produced by a branching enzyme
- Therien-Aubin H, Zhu XX*, Ravenelle F, Marchessault RH// *Univ Montreal, Dept Chim, CP 6128, Succ Ctr-ville, Montreal, Quebec, Canada H3C 3J7
Biomacromolecules 2008 **9** (4) 1248
 Membrane formation and drug loading effects in high amylose starch tablets studied by NMR imaging
- Tongdang T// Prince Songkhla Univ, Fac Sci & Technol, Dept Food Sci & Nutr, Pattani Campus, TH-94000 Pattani, Thailand
Starch 2008 **60** (3-4) 199
 Some properties of starch extracted from three Thai aromatic fruit seeds
- Vitrawong Y, Achayuthakan P, Suphantharika M*// *Mahidol Univ, Fac Sci, Dept Biotechnol, Rama VI Rd, TH-10400 Bangkok, Thailand
Food Chem 2008 **111** (1) 106
 Gelatinization and rheological properties of rice starch/xanthan mixtures: Effects of molecular weight of xanthan and different salts
- Wang L, Yin ZH, Zhang Y, Xie BJ, Sun ZD*// *Huazhong Agric Univ, Coll Food Sci & Technol, CN-430070 Wuhan, Peoples Rep China
Starch 2008 **60** (3-4) 181
 Morphological physicochemical, and textural properties of starch separated from Chinese water chestnut
- Wang SJ, Yu JL, Yu JG, Pang JP, Liu HY// Tianjin Univ, Coll Pharmaceut Sci & Technol, CN-300072 Tianjin, Peoples Rep China
Food Hydrocolloid 2008 **22** (7) 1283
 Structure characterization of C-type starch granule by acid hydrolysis
- Willett JL// USDA/ARS, Natl Ctr Agric Utilization Res, Plant Polymer Res, 1815 Nth University St, Peoria, IL 61604, USA
Macromol Chem Phys 2008 **209** (7) 764
 Humidity-responsive starch-poly(methyl acrylate) films
- Yang BY, Montgomery R// Univ Iowa, Coll Med, Dept Biochem, Iowa City, Ia 52242, USA
Starch 2008 **60** (3-4) 146
 Preparation and physical properties of starch mixed esters
- Zhao XP, Wang BX, Li J// NW Polytech Univ, Inst Electrorheol Technol, Dept Appl Phys, CN-710072 Xian, Peoples Rep China
J Appl Polym Sci 2008 **108** (5) 2833
 Synthesis and electrorheological activity of a modified kaolinite/carboxymethyl starch hybrid nanocomposite
- Zuo JY, Hemar Y*, Hewitt S, Saunders A// *Fonterra Co-operative Group Ltd, Dairy Farm Rd, Private Bag 11 029, Palmerston North, New Zealand
Food Hydrocolloid 2008 **22** (8) 1567
 Effect of the extent of pasting on the dynamic rheological properties of acidified skim milk gels containing normal rice starch

11. Polysaccharides - Microbial

- Arar S, Vinogradov E, Shewmaker PL, Monteiro MA*// *Univ Guelph, Dept Chem, Guelph, Ontario, Canada N1G 2W1
Carbohydr Res 2008 **343** (6) 1079
 A polysaccharide of *Alloiooccus otitidis*, a new pathogen of otitis media: Chemical structure and synthesis of a neoglycoconjugate thereof
- Bajgai MP, Aryal S, Lee DR, Park SJ, Kim HY*// *Chonbuk Natl Univ, Dept Text Engn, Jeonju 561 756, South Korea
Colloid Polym Sci 2008 **286** (5) 517
 Physicochemical characterization of self-assembled poly(ϵ -caprolactone) grafted dextran nanoparticles
- Bernard J, Save M*, Arathoon B, Charleux B// *Univ Pau & Pays Adour, IPREM, CNRS UMR 5254, Equipe Phys & Chim Polym, FR-64053 Pau 9, France
J Polym Sci A Polym Chem 2008 **46** (8) 2845
 Preparation of a xanthate-terminated dextran by click chemistry: Application to the synthesis of polysaccharide-coated nanoparticles via surfactant-free *ab initio* emulsion polymerization of vinyl acetate
- Chen YH, Poly F, Pakulski Z, Guerry P, Monteiro MA*// *Naval Res Ctr, Enteric Dis Dept, Silver Spring, Md 20910, USA
Carbohydr Res 2008 **343** (6) 1034
 The chemical structure and genetic locus of *Campylobacter jejuni* CG8486 (serotype HS:4) capsular polysaccharide: The identification of 6-deoxy-D-ido-heptopyranose
- Duan X, Chi Z*, Wang L, Wang X// *Ocean University China, UNESCO Chinese Centre Marine Biotechnology, Yushan Rd 5, Qingdao, Peoples Rep China
Carbohydr Polym 2008 **73** (4) 587
 Influence of different sugars on pullulan production and activities of α -phosphoglucose mutase, UDPG-pyrophosphorylase and glucosyltransferase involved in pullulan synthesis in *Aureobasidium pullulans* Y68
- Ghosh K, Chandra K, Roy SK, Mondal S, Maiti D, Das D, Ojha AK, Islam SS*// *Vidyasagar Univ, Department Chem & Chem Technol, IN-721102 Midnapore, India
Carbohydr Res 2008 **343** (6) 1071
 Structural investigation of a polysaccharide (Fr. I) isolated from the aqueous extract of an edible mushroom, *Volvariella diplasia*
- Girard M, Schaffer-Lequart C*// *Nestec Ltd, Nestle Res Ctr, Vers-chez-les-Blanc, PO Box 44, CH-1000 Lausanne 26, Switzerland
Food Hydrocolloid 2008 **22** (8) 1425
 Attractive interactions between selected anionic exopolysaccharides and milk proteins
- Iorio E, Torosantucci A, Bromuro C, Chiani P, Ferretti A, Giannini M, Cassone A, Podo F*// *Ist Super Sanita, Dept Cell Biol & Neurosci, Viale Regina Elena 299, IT-00161 Rome, Italy
Carbohydr Res 2008 **343** (6) 1050
Candida albicans cell wall comprises a branched β -D-(1 $\rightarrow$ 6)-glucan with β -D-(1 $\rightarrow$ 3)-side chains
- Jeong HJ, Yoon SJ*, Pyun YR// *Yonsei Univ, Grad Program Biomaterial Sci & Engn, Seoul 120 749, South Korea
Food Sci Biotechnol 2008 **17** (2) 267
 Polysaccharides from edible mushroom *hinmogi* (*Tremella fuciformis*) inhibit differentiation of 3T3-L1 adipocytes by reducing mRNA expression of PPAR γ , C/EBP α , and leptin
- Legros M, Cardinael P, Dulong V, Picton L, Le Cerf D*// *Univ Rouen, CNRS UMR 6522, FR-76821 Mont St Aignan, France
Polym J 2008 **40** (3) 233
 Metastable amphiphilic hydrogels based on cross linked carboxymethylpullulan
- Liu L, Du G*, Chen J, Wang M, Sun J// *Jiangnan Univ, Sch Biotechnol, CN-214122 Wuxi, Peoples Rep China
Food Chem 2008 **110** (4) 923
 Influence of hyaluronidase addition on the production of hyaluronic acid by batch culture of *Streptococcus zooepidemicus*
- Luo X, Xu X, Yu M, Yang Z, Zheng L*// *Sichuan Univ, Coll Life Sci, CN-610064 Sichuan, Peoples Rep China
Food Chem 2008 **111** (2) 357
 Characterisation and immunostimulatory activity of an α -(1 $\rightarrow$ 6)-D-glucan from the cultured *Armillariella tabescens* mycelia

- Mondal S, Chandra K, Maiti D, Ojha AK, Das D, Roy SK, Ghosh K, Chakaborty I, Islam SS// *Vidyasagar Univ, Dept Chem & Chem Technol, IN-721102 Midnapore, India
Carbohydr Res 2008 **343** (6) 1062
 Chemical analysis of a new fucoglucan isolated from an edible mushroom, *Termitomyces robustus*
- Moulis C, Medina GV, Suwannarangsee S, Monsan P, Remaud-Simeon M, Potocki-Veronese G// *Inst Natl Sci Appl, INRA, CNRS, Lab Ingn System Biol & Procedes, Equipe Catalyse & Ingn Mol Enzym, FR-31077 Toulouse, France
Biocatal Biotransform 2008 **26** (1-2) 141
 One-step synthesis of isomalto-oligosaccharide syrups and dextrans of controlled size using engineered dextranase
- Piermaria JA, De La Canal ML, Abraham AG// *UNLP, CONICET-Fac Ciencias Exactas, Centro Invest & Desarrollo Criotecnol Alimentos, 47 y 116, AR-1900 La Plata, Argentina
Food Hydrocolloid 2008 **22** (8) 1520
 Gelling properties of kefir, a food-grade polysaccharide obtained from kefir grain
- Ritcharoen W, Thaiying Y, Saejeng Y, Jangchud I, Rangkupan R, Meechaiue C, Supaphol P// *Chulalongkorn Univ, Technol Ctr Electrospun Fiber, TH-10330 Bangkok, Thailand
Cellulose 2008 **15** (3) 435
 Electrospun dextran fibrous membranes
- Roy SK, Maiti D, Mondal S, Das D, Islam SS// *Vidyasagar Univ, Dept Chem & Chem Technol, IN-721102 Midnapore, India
Carbohydr Res 2008 **343** (6) 1108
 Structural analysis of a polysaccharide isolated from the aqueous extract of an edible mushroom, *Pleurotus sajor-caju*, cultivar Black Japan
- Serrato RV, Sasaki GL, Gorin PAJ, Cruz LM, Pedrosa FO, Choudhury B, Carlson RW, Iacomini M// *Univ Fed Parana, Dept Bioquim & Biol Mol, BR-81531-990 Curitiba, PR, Brazil
Carbohydr Polym 2008 **73** (4) 564
 Structural characterization of an acidic exoheteropolysaccharide produced by the nitrogen-fixing bacterium *Burkholderia tropica*
- Tang YJ, Zhu LL, Li DS, Mi ZY, Li HM// Hubei Univ Technol, Coll Bioengn, Hubei Province Key Lab Ind Microbiol, CN-430068 Wuhan, Peoples Rep China
Process Biochem 2008 **43** (5) 576
 Significance of inoculation density and carbon source on the mycelial growth and *Tuber* polysaccharides production by submerged fermentation of Chinese truffle *Tuber sinense*
- Xiao JH, Zhong JJ// East China Univ Sci & Technol, State Key Lab Bioreactor Engn, 130 Meilong Rd, CN-200237 Shanghai, Peoples Rep China
J Food Agric Environ 2008 **6** (2) 61
 Inhibitory effect of polysaccharides produced by medicinal macrofungus *Cordyceps jiangxiensis* on cancer cells via apoptotic pathway and cell cycle arrest
- ## 12. Polysaccharides - Plant
- Adoor SG, Manjeshwar LS, Aminabhavi TM// *Karnatak Univ, Membrane Separation Div, Ctr Excellence Polym Sci, IN-580003 Dharwad, India
Des Monomers Polym 2008 **11** (2) 147
 Blend membranes of sodium alginate/poly(styrene sulfonic acid) for isopropanol dehydration
- Bourgoin A, Zabackis E, Poli JB// *Sanofi Pasteur, Process Dev, Discovery Dr, Swiftwater, Pa 18370, USA
Food Hydrocolloid 2008 **22** (8) 1607
 Characterization of α -carrageenan solution behavior by field-flow fractionation and multiangle light scattering
- Estevez JM, Ciancia M, Cerezo AS// *Univ Buenos Aires, Fac Ciencias & Nat, CIHIDECAR-CONICET, Dept Quim Organ, Ciudad Univ-Pabellon 2, AR-1428 Buenos Aires, Argentina
Carbohydr Polym 2008 **73** (4) 594
 The system of sulfated galactans from the red seaweed *Gymnogongrus torulosus* (Phyllophoraceae, Rhodophyta): Location and structural analysis
- Farias EHC, Pomin VH, Valente AP, Nader HB, Rocha HAO*, Mourao PAS// *Univ Fed Rio Grande do Norte, Dept Bioquim, Lab Biotecnol Polimeros Nat-BIOPOL, BR-59072-970 Natal, RN, Brazil
Glycobiology 2008 **18** (3) 250
 A preponderantly 4-sulfated, 3-linked galactan from the green alga *Codium isthmocladum*
- Gao SJ, Wu CD, Nishina K// Wuhan Univ Technol, Sch Materials Sci & Engn, Dept Polym Materials & Engn, CN-430070 Wuhan, Peoples Rep China
J Appl Polym Sci 2008 **108** (5) 2825
 In situ pH-decrease-induced gelation of sodium alginate/carboxymethylated konjac glucomannan
- Gasljevic K, Hall K, Chapman D, Matthys EF// *Univ Calif Santa Barbara, Dept Mech Engn, Santa Barbara, Ca 93106, USA
J Appl Phycol 2008 **20** (3) 299
 Drag-reducing polysaccharides from marine microalgae: Species productivity and drag reduction effectiveness
- Girones J, Pimenta MTB, Vilaseca F*, Carvalho AJF, Mutje P, Curvelo AAS// *Univ Girona, Dept Chem Engn, LEPAMAP Grp, Avda Lluís Santalo s/n, ES-17071 Girona, Spain
Carbohydr Polym 2008 **74** (1) 106
 Blocked diisocyanates as reactive coupling agents: Application to pine fiber-polypropylene composites
- Gonzalez-Tomas L, Coll-Marques J, Costell E// *Inst Agroquim & Tecnol Alimentos - CSIC, Phys & Sensory Properties Lab, PO Box 73, ES-46100 Burjassot, Valencia, Spain
Food Hydrocolloid 2008 **22** (7) 1372
 Viscoelasticity of inulin-starch-based dairy systems. Influence of inulin average chain length
- Hong GP, Ko SH, Choi MJ, Min SG// *Konkuk Univ, Coll Anim Husbandry, Dept Food Sci & Biotechnol Anim Resources, 1 Hwayang dong, Kwangjin gu, Seoul 143 701, South Korea
Meat Sci 2008 **79** (2) 236
 Effect of glucono- δ -lactone and κ -carrageenan combined with high pressure treatment on the physico-chemical properties of restructured pork
- Jungnikl K, Paris O, Fratzl P, Burgert I// Max Planck Inst Colloids & Interfaces, Dept Biomaterials, DE-14424 Potsdam, Germany
Cellulose 2008 **15** (3) 407
 The implication of chemical extraction treatments on the cell nanostructure of softwood
- Kislichenko VS, Vladimirova IN// Natl Pharmaceut Univ, Pushkinskaya 53, UA-61002 Kharkov, Ukraine
Chem Nat Compd 2008 **44** (1) 77
 Polysaccharides from *Brassica oleracea* var. *italica*
- Kumar H, Siddaramaiah *, Somashekar R, Mahesh SS, Manjunath A// *Sri Jayachamarajendra Coll Engn, Dept Polymer Sci & Technol, IN-570006 Mysore, India
J Appl Polym Sci 2008 **108** (5) 2762
 Nanocrystallite regions of guar gum filled PU/PAN composites before and after biodegradation using WAXS
- Lang YY, Jiang TY, Li SM, Zheng LY// 202 Hosp Peoples Liberation Army, Dept Pharm, CN-110003 Liaoning, Peoples Rep China
J Appl Polym Sci 2008 **108** (6) 3473
 Study on physicochemical properties of thermosensitive hydrogels constructed using graft-copolymers of poly(*N*-isopropylacrylamide) and guar gum
- Lazaridou A, Chornick T, Biliaderis CG, Izydorczyk MS// *Grain Res Lab, 1404-303 Main St, Winnipeg, Manitoba, Canada R3C 3G8
Carbohydr Polym 2008 **73** (4) 621
 Sequential solvent extraction and structural characterization of polysaccharides from the endosperm cell walls of barley grown in different environments
- Liu HX, Wang CY*, Gao QX, Liu XX, Tong Z// *Sth China Univ Technol, Res Inst Material Sci, CN-510640 Ghangzhou, Peoples Rep China
Int J Pharm 2008 **351** (1-2) 104
 Fabrication of novel core-shell hybrid alginate hydrogel beads
- Martinez M, Leon de Pinto G, Bozo de Gonzalez M, Herrera J, Oulyadi H, Guilhaudis L// Univ Zulia, Fac Humanidades & Educacion, Ctr Invest Quim Productos Nat, Apdo 526, Maracaibo, Venezuela
Food Hydrocolloid 2008 **22** (7) 1310
 New structural features of *Spondias purpurea* gum exudate
- Mehyar GF, Liu Z, Han JH// *Frito-Lay Inc, 7701 Legacy Dr, Plano, Tx 75024, USA
Carbohydr Polym 2008 **74** (1) 92
 Dynamics of antimicrobial hydrogels in physiological saline
- Mohamadnia Z, Zohuriaan-Mehr MJ*, Kabiri K, Razavi-Nouri M// *Iran Polymer & Petrochem Inst, Tehran, Iran
J Polym Res 2008 **15** (3) 173
 Tragacanth gum-graft-polyacrylonitrile: Synthesis, characterization and hydrolysis
- Nakauma M, Funami T, Noda S, Ishihara S, Al-Assaf S, Nishinari K, Phillips GO// San-Ei Gen FFI Inc, Hydrocolloid Lab Sect, Toyonaka, Osaka 561 8588, Japan
Food Hydrocolloid 2008 **22** (7) 1254
 Comparison of sugar beet pectin, soybean soluble polysaccharide, and gum arabic as food emulsifiers. 1. Effect of concentration, pH, and salts on the emulsifying properties
- Pekcan O, Tari O// Isik Univ, Dept Phys, TR-34980 Istanbul, Turkey
Polym Bull 2008 **60** (4) 569
 Cation effect on gel-sol transition of κ carrageenan
- Pollard MA, Kelly R, Fischer PA, Windhab EJ, Eder B, Amado R// ETH Zurich, Inst Food Sci & Nutr, CH-8092 Zurich, Switzerland
Food Hydrocolloid 2008 **22** (8) 1596
 Investigation of molecular weight distribution of LBG galactomannan for flours prepared from individual seeds, mixtures, and commercial samples
- Qin Y// Jiaxing Coll, Biochem Material Res & Dev Ctr, CN-314001 Jiaxing, Peoples Rep China
J Appl Polym Sci 2008 **108** (5) 2756
 The preparation and characterization of fiber reinforced alginate hydrogel

Roque ACA, Wilson OC*// *Catholic Univ America, Dept Biomed Engr, BONE/CRAB Lab, 620 Michigan Ave, Washington, DC 20064, USA
Mater Sci Eng C Biomim Supramol Syst 2008 **28** (3) 443

Adsorption of gum Arabic on bioceramic nanoparticles

Spahn G, Beaza R, Santiago LG*, Pilosof AMR// *Universidad Nacional Litoral, Fac Ingn Quim, Inst Tecnol Alimentos, Paraje El Pozo, AR-3000 Santa Fe, Argentina
Food Hydrocolloid 2008 **22** (8) 1504

Whey protein concentrate/ λ -carrageenan systems: Effect of processing parameters on the dynamics of gelation and gel properties

Sundaram J, Durance TD// Univ British Columbia, Fac Land & Food Systems, 2205 East Mall, Vancouver, Brit Columbia, Canada V6T 1Z4
Food Hydrocolloid 2008 **22** (7) 1352

Water sorption and physical properties of locust bean gum-pectin-starch composite gel dried using different drying methods

Tapia MS, Rojas-Grau MA, Carmona A, Rodriguez FJ, Soliva-Fortuny R, Martin-Belloso O// Central University Venezuela, Faculty Science, Institute Food Science & Technol, Calle Suapure, Colinas Bello Monte, VE-1050 Caracas, Venezuela
Food Hydrocolloid 2008 **22** (8) 1493

Use of alginate- and gellan-based coatings for improving barrier, texture and nutritional properties of fresh-cut papaya

Tian DT, Xie HQ// Sch Chem & Environm Engr, Hubei Inst Nationalities, CN-44500 Enshi, Peoples Rep China
J Appl Polym Sci 2008 **108** (5) 3122

Graft copolymerization of acrylamide onto konjac glucomannan via inverse emulsion polymerization and its thickening properties

Vieira EFS, Cestari AR, Airoidi C, Loh W// Univ Fed Sergipe, Department Chemistry, Lab Material & Calorimetry, CCET, BR-49100-000 Sao Cristovao, Brazil
Biomacromolecules 2008 **9** (4) 1195

Polysaccharide-based hydrogels: Preparation, characterization, and drug interaction behaviour

Wang Q, Burchard W, Cui SW, Huang XQ, Phillips GO// Agric & Agri-Food Canada, Guelph Food Res Ctr, Guelph, Ontario, Canada N1G 5C9
Biomacromolecules 2008 **9** (4) 1163

Solution properties of conventional gum arabic and a matured gum arabic (*Acacia* (sen) SUPER GUM)

Wilson OC, Blair E, Kennedy S, Rivera G, Mehl P// Catholic Univ America, Dept Biomed Engr, BONE/CRAB Lab, Washington, DC 20064, USA
Mater Sci Eng C Biomim Supramol Syst 2008 **28** (3) 438

Surface modification of magnetic nanoparticles with oleylamine and gum Arabic

Wu HK, Aisa HA, Rakhmanberdyeva RK, Zhaiyubaeva KS, Xin XL// Chinese Acad Sci, Xinjiang Tech Inst Phys & Chem, Sth Beijing Rd 40-1, CN-830011 Urumqi, Peoples Rep China
Chem Nat Compd 2008 **44** (1) 79

Polysaccharides from *Cichorium glandulosum* seeds

Xie G, Schepetkin IA, Siemsen DW, Kirpotina LN, Wiley JA, Quinn MT*// *Montana State Univ, Department Veterinary Mol Biol, Bozeman, Mt 59717, USA
Phytochemistry 2008 **69** (6) 1359

Fractionation and characterization of biologically-active polysaccharides from *Artemisia tripartita*

Yang C, Chung D, You S*// *Kangnung Natl Univ, Fac Marine Biosci & Technol, Dept Marine Food Sci & Technol, Gangneung, Gangwon 210 702, South Korea
Food Chem 2008 **111** (2) 503

Determination of physicochemical properties of sulphated fucans from sporophyll of *Undaria pinnatifida* using light scattering technique

Ye H, Wang K, Zhou C, Liu J, Zeng X*// *Nanjing Agric Univ, Coll Food Sci & Technol, Weigang, CN-210095 Nanjing, Peoples Rep China
Food Chem 2008 **111** (2) 428

Purification, antitumor and antioxidant activities *in vitro* of polysaccharides from the brown seaweed *Sargassum pallidum*

Yin W, Zhang H*, Huang L, Nishinari K// *Shanghai Jiao Tong Univ, Sch Chem & Chem Technol, Dept Polym Sci & Engr, 800 Dongchuan Rd, CN-200240 Shanghai, Peoples Rep China
Carbohydr Polym 2008 **74** (1) 68

Effects of the lyotropic series salts on the gelation of konjac glucomannan in aqueous solutions

Zhao TT, Zhang QB*, Qi HM, Liu XG, Li Z// *Chinese Acad Sci, Inst Oceanol, CN-266071 Qingdao, Peoples Rep China
Pharmacol Res 2008 **57** (1) 67

Extension of life span and improvement of vitality of *Drosophila melanogaster* by long-term supplementation with different molecular weight polysaccharides from *Porphyra haitanensis*

Zheng Y, Mort A*// *Oklahoma State Univ, Dept Biochem & Mol Biol, Stillwater, Ok 74078, USA
Carbohydr Res 2008 **343** (6) 1041

Isolation and structural characterization of a novel oligosaccharide from the rhamnogalacturonan of *Gossypium hirsutum* L.

13. Polysaccharides - Other

Bezakova Z, Hermannova M, Drimalova E, Malovikova A, Ebringerova A*, Velebný V// *SAS, Inst Chem, Dubravska cesta, SK-84538 Bratislava, Slovakia
Carbohydr Polym 2008 **73** (4) 640

Effect of microwave irradiation on the molecular and structural properties of hyaluronan

Farkas P, Bystricky S// Slovak Acad Sci, Inst Chem, Dubravska cesta 9, SK-84538 Bratislava, Slovakia
Carbohydr Polym 2008 **74** (1) 133

Hydrolysis of the terminal dimethylacetal moiety on the spacers bound to carboxy groups containing glucans

Gody G, Boullanger P, Ladaviere C, Charreyre MT*, Delair T// *Ecole Normale Super Lyon, Unite Mixte CNRS-bioMerieux, FR-69364 Lyon 7, France
Macromol Rapid Commun 2008 **29** (6) 511

Biotin α -end-functionalized gradient glycopolymers synthesized by RAFT copolymerization

Gu SY, Zhang K, Ren J, Zhan H// Tongji Univ, Inst Nano- & Bio-Polym Material, 1239 Siping Rd, CN-200092 Shanghai, Peoples Rep China
Carbohydr Polym 2008 **74** (1) 79

Melt rheology of polylactide/poly(butylene adipate-co-terephthalate) blends

Jin Y, Ling P*, He Y, Chen L, Chen J, Zhang T// *Shandong Univ, Sch Pharmaceut Sci, 44 Wenhua West Rd, CN-250012 Jinan, Peoples Rep China
Carbohydr Polym 2008 **74** (1) 50

Preparation, characterization and anti-*Helicobacter pylori* activity of Bi³⁺-hyaluronate complex

Kjoniksen AL, Beheshti N, Kotlar HK, Zhu KZ, Nystrom B// Univ Oslo, Dept Chem, POB 1033, NO-0315 Oslo, Norway
Eur Polym J 2008 **44** (4) 959

Modified polysaccharides for use in enhanced oil recovery applications

Liang RJ// Taizhou Univ, Sch Life Sci, CN-317000 Taizhou City, Peoples Rep China
Carbohydr Polym 2008 **73** (4) 558

Orthogonal test design for optimization of the extraction of polysaccharides from *Phascolosoma esulenta* and evaluation of its immunity activity

Liu C, Li X, Li Y, Feng Y, Zhou S, Wang F*// *Shandong Univ, Sch Pharmaceut Sci, Inst Biochem & Biotechnol Drugs, CN-250012 Jinan, Peoples Rep China
Food Chem 2008 **110** (4) 807

Structural characterisation and antimutagenic activity of a novel polysaccharide isolated from *Sepiella maindroni* ink

Mirhosseini H, Tan CP*, Hamid NSA, Yusof S// *Univ Putra Malaysia, Dept Food Technol, MY-43400 UPM Serdang, Selangor, Malaysia
Food Hydrocolloid 2008 **22** (7) 1212

Optimization of the contents of Arabic gum, xanthan gum and orange oil affecting turbidity, average particle size, polydispersity index and density in orange beverage emulsion

Rabuka D, Forstner MB, Grovest JT, Bertozzi CR*// *Univ Calif Berkeley, Dept Chem, Howard Hughes Med Inst, Berkeley, Ca 94720, USA
J Am Chem Soc 2008 **130** (18) 5947

Noncovalent cell surface engineering: Incorporation of bioactive synthetic glycopolymers into cellular membranes

Sahiner N, Jha AK, Nguyen D, Jia XQ*// *Univ Delaware, Dept Materials Sci & Engr, 201 DuPont Hall, Newark, De 19716, USA
J Biomater Sci Polym Ed 2008 **19** (2) 223

Fabrication and characterization of cross-linkable hydrogel particles based on hyaluronic acid: Potential application in vocal fold regeneration

Sahoo S, Chung C, Khetan S, Burdick JA*// *Univ Pennsylvania, Dept Bioengn, Philadelphia, Pa 19104, USA
Biomacromolecules 2008 **9** (4) 1088

Hydrolytically degradable hyaluronic acid hydrogels with controlled temporal structures

Scuderi N, Onesti MG, Bistoni G, Ceccarelli S, Rotolo S, Angeloni A, Marchese C*// *Univ Roma La Sapienza, Dept Expt Med, Viale Regina Elena 324, IT-00161 Rome, Italy
Biomaterials 2008 **29** (11) 1620

The clinical application of autologous bioengineered skin based on a hyaluronic acid scaffold

Van den Berg L, Carolas AL, Van Vliet T, Van der Linden E, Van Boekel MAJS, Van de Velde F// NIZO Food Res, Texture Dept, Kernhemseweg 2, PO Box 20, NL-6710 BA Ede, The Netherlands
Food Hydrocolloid 2008 **22** (7) 1404

Energy storage controls crumbly perception in whey proteins/polysaccharide mixed gels

Van Leeuwen SS, Leeflang BR, Gerwig GJ, Kamerling JP*// *Univ Utrecht, Dept Bioorgan Chem, Bijvoet Ctr, Padualaan 8, NL-3584 CH Utrecht, The Netherlands
Carbohydr Res 2008 **343** (6) 1114

Development of a ¹H NMR structural-reporter-group concept for the primary structural characterisation of α -D-glucans