



Bibliography of carbohydrate polymers

(8 weeks journals. Search completed at 12th. Nov. 2008)

1. Reviews

- Donati F// Univ Montreal, Hop Maisson Neuve Rosemont, Dept Anesthesiol, 5415 Blvd Assomption, Montreal, Quebec, Canada H1T 2M4
Expert Opin Pharmacother 2008 **9** (8) 1375
- Sugammadex: A cyclodextrin to reverse neuromuscular blockade in anaesthesia
Hansen NML, Plackett D*// *Tech Univ Denmark, Riso Natl Lab Sustainable Energy, POB 49, DK-4000 Roskilde, Denmark
Biomacromolecules 2008 **9** (6) 1493
- Sustainable films and coatings from hemicelluloses: A review
Jayakody L, Hoover R*// *Memorial Univ Newfoundland, Dept Biochem, 232 Elizabeth Ave, St John's, Newfoundland, Canada A1B 3X9
Effect of annealing on the molecular structure and physicochemical properties of starches from different botanical origins - A review
Kanekiyo K, Hayashia K, Lee JB, Takenaka H, Hayashi T// Toyama University, Graduate School Med & Pharmaceut Sci, 2630 Sugitani, Toyama 930 0194, Japan
Yakugaku Zasshi 2008 **128** (5) 725
- Structure and antiviral activity of an acidic polysaccharide from an edible blue-green alga, *Nostoc flagelliforme* (Japanese, English Abstract)
Karim AA, Tie APL, Manan DMA, Zaidul ISM// Univ Sains Malaysia, Sch Ind Technol, Food Technol Div, Food Biopolymer Res Grp, MY-11800 Penang, Malaysia
Compr Rev Food Sci Food Saf 2008 **7** (3) 215
- Starch from the sago (*Metroxylon sagu*) palm tree - Properties, prospects, and challenges as a new industrial source for food and other uses
Mourya VK, Inamdar NN// Govt Coll Pharm, Dept Pharmaceut, Vedanta Hotel Rd, IN-431001 Aurangabad, India
React Funct Polym 2008 **68** (6) 1013
- Chitosan-modifications and applications: Opportunities galore
Petricek I, Berta A, Higazy MT, Nemeth J, Prost ME// Zagreb Univ Hosp, Dept Ophthalmol, Electrophysiol & Ultrasound Lab, Kispaticева 12, HR-10000 Zagreb, Croatia
Expert Opin Pharmacother 2008 **9** (8) 1431
- Hydroxypropyl-guar gellable lubricant eye drops for dry eye treatment
Volman JJ, Ramakers JD, Plat J*// *Maastricht Univ, Dept Human Biol, NUTRIM, POB 616, NL-6200 MD Maastricht, The Netherlands
Physiol Behav 2008 **94** (2) 276
- Dietary modulation of immune function by β -glucans
Weng JK, Li X, Bonawitz ND, Chapple C*// *Purdue Univ, Dept Biochem, 175 Sth University St, West Lafayette, IN 47907, USA
Curr Opin Biotechnol 2008 **19** (2) 166
- Emerging strategies of lignin engineering and degradation for cellulosic biofuel production
Widsten P, Kandelbauer A// Wood Kplus, Kompetenzzentrum Holz, Wood Carinthian Competence Ctr, Klagenfurterstr 87-89, AT-9300 St Veit an der Glan, Austria
Biotechnol Adv 2008 **26** (4) 379
- Adhesion improvement of lignocellulosic products by enzymatic pre-treatment
Xia WS, Liu P, Liu J// Jiangnan Univ, Sch Food Sci & Technol, State Key Lab Food Sci & Technol, CN-214122 Wuxi, Jiangsu, Peoples Rep China
Bioresour Technol 2008 **99** (15) 6751
- Advance in chitosan hydrolysis by non-specific cellulases

2. Cellulose

- Ali AEH, El-Rehim HAA, Kamal H, Hegazy DESA// Natl Ctr Radiat Res & Technol, POB 29, Cairo, Egypt
J Macromol Sci Pure Appl Chem 2008 **45** (8) 628
- Synthesis of carboxymethyl cellulose based drug carrier hydrogel using ionizing radiation for possible use as site specific delivery system
Amim J, Kosaka PM, Petri DFS*// *Univ Sao Paulo, Inst Quim, POB 26077, BR-05513-970 Sao Paulo, Brazil
Cellulose 2008 **15** (4) 527
- Characteristics of thin cellulose ester films spin-coated from acetone and ethyl acetate solutions
Benchabane A, Bekkour K*// *Inst Mecanique Fluides & Solides, UMR CNRS-ULP 7507, 2 rue Boussingault, FR-67000 Strasbourg, France
Colloid Polym Sci 2008 **286** (10) 1173
- Rheological properties of carboxymethyl cellulose (CMC) solutions
Bryjak J, Liesiene J, Stefuca V// Wroclaw Univ Technol, Fac Chem, Wybrzeze Wyspiarskiego 27, PL-50373 Wroclaw, Poland
Cellulose 2008 **15** (4) 631
- Man-tailored cellulose-based carriers for invertase immobilization
Cai J, Kimura S, Wada M, Kuga S, Zhang L// Univ Tokyo, Grad Sch Agric & Life Sci, Bunkyo ku, Tokyo 113 8657, Japan
ChemSusChem 2008 **1** (1-2) 149
- Cellulose aerogels from aqueous alkali hydroxide-urea solution
Chaa L, Joly N*, Lequart V, Faugeton C, Mollet JC, Martin P, Morvan H// *IUT Bethune, UMR CNRS 8181, Dept Chim, Unite Catal & Chim Solide, 1230 rue Universite, BP 819, FR-62408 Bethune, France
Carbohydr Polym 2008 **74** (3) 597
- Isolation, characterization and valorization of hemicelluloses from *Aristida pungens* leaves as biomaterial
Duarte AP, Bordado JC, Cidade MT*// *Univ Nova Lisboa, Dept Ciencias Materiais & CENIMAT, Campus Caparica, PT-2829-516 Caparica, Portugal
J Appl Polym Sci 2008 **109** (4) 2321
- Influence to the performance of cellulose acetate reverse osmosis membranes by fibers addition
El-Wakil NA, Hassan ML*// *Natl Res Ctr, Dept Cellulose & Paper, Cairo, Egypt
J Appl Polym Sci 2008 **109** (5) 2862
- Structural changes of regenerated cellulose dissolved in FeTNa, NaOH/thiourea, and NMMO systems
Elegir G, Kindl A, Sadocco P, Orlandi M// Stn Sperimentale Carta Cartoni & Paste Carta, Piazza L Da Vinci 16, IT-20133 Milan, Italy
Enzyme Microb Technol 2008 **43** (2) 84
- Development of antimicrobial cellulose packaging through laccase-mediated grafting of phenolic compounds
Fahmy TYA, El-Meligy MG, Mobarak F// Nat Res Ctr, Cell & Paper Dept, Sh El-Tahrir, Dokki, Cairo, Egypt
Carbohydr Polym 2008 **74** (3) 442
- Introducing deinked old newsprint as a new resource of electrical purposes paper
Follain N, Montanari S, Jeacomine I, Gambarelli S, Vignon MR*// *CERMAV-CNRS, Affiliated Joseph Fourier Univ, BP 53, FR-38041 Grenoble 9, France
Carbohydr Polym 2008 **74** (3) 333
- Coupling of amines with polyglucuronic acid: Evidence for amide bond formation

As a service to subscribers of the journal, this bibliography contains newly published material in the field of carbohydrate polymers. The bibliography is divided into thirteen sections: 1 Reviews; 2 Cellulose; 3 Cellulose-degrading enzymes; 4 Chitin/Chitosan; 5 Cyclodextrins; 6 Lignin; 7 Lipopolysaccharides; 8 Pectin; 9 Starch; 10 Starch-degrading enzymes; 11 Polysaccharides - Microbial; 12 Polysaccharides - Plant; 13 Polysaccharides - Other. Within each section, articles are listed in alphabetical order with respect to author. When there are no publications to appear under one of these headings, that section will be omitted.

- Fukui A, Fujii R, Yonezawa Y, Sunada H// Ryukakusan Co Ltd, Chiyoda ku, Tokyo 101 0031, Japan
Chem Pharm Bull Tokyo 2008 **56** (4) 525
Analysis of the release process of phenylpropanolamine hydrochloride from ethylcellulose matrix granules V. Release properties of ethylcellulose layered matrix granules
- Ganster J, Fink HP, Uihlein K, Zimmerer B// Fraunhofer Inst Appl Polymer Res, Geiselbergstr 69, DE-14476 Potsdam, Germany
Cellulose 2008 **15** (4) 561
Cellulose man-made fibre reinforced polypropylene - Correlations between fibre and composite properties
- Goncalves G, Marques PAAP*, Trindade T, Pascoal C, Gandini A// *Univ Aveiro, CICECO, PT-3810-193 Aveiro, Portugal
J Colloid Interface Sci 2008 **324** (1-2) 42
Superhydrophobic cellulose nanocomposites
- Guan Y, Qian L, Xiao H*, Zheng A// *Univ New Brunswick, Dept Chem Engr, POB 4400, Fredericton, New Brunswick, Canada E3B 5A3
Cellulose 2008 **15** (4) 609
Preparation of novel antimicrobial-modified starch and its adsorption on cellulose fibers: Part I. Optimization of synthetic conditions and antimicrobial activities
- Guan Y, Qian L, Xiao H*, Zheng A, He B// *Address as above
Cellulose 2008 **15** (4) 619
Synthesis of a novel antimicrobial-modified starch and its adsorption on cellulose fibers: Part II - Adsorption behaviors of cationic starch on cellulose fibers
- Guo Y, Wu P*// *Fudan Univ, Dept Macromol Sci & Advanced Materials Lab, MoE Key Lab Mol Engr Polym, Handan Rd 220, CN-200433 Shanghai, Peoples Rep China
Carbohydr Polym 2008 **74** (3) 509
Investigation of the hydrogen-bond structure of cellulose diacetate by two-dimensional infrared correlation spectroscopy
- Habibi Y, Heim T, Douillard R// UMR FARE INRA/URCA, Equipe Parois Vegetales & Matériaux Fibreux, CREA, 2 Esplanade R Garros BP 224, FR-51686 Reims 2, France
J Polym Sci A Polym Chem 2008 **46** (14) 1430
AC electric field-assisted assembly and alignment of cellulose nanocrystals
- Heinze T, Lincke T, Fenn D, Koschella A// Univ Jena, Ctr Excellence Polysaccharide Res, Humboldtstr 10, DE-07743 Jena, Germany
Polym Bull 2008 **61** (1) 1
Efficient allylation of cellulose in dimethyl sulfoxide/tetrabutylammonium fluoride trihydrate
- Henriksson M, Berglund LA*, Isaksson P, Lindstrom T, Nishino T// *KTH - Royal Inst Technol, SE-10044 Stockholm, Sweden
Biomacromolecules 2008 **9** (6) 1579
Cellulose nanopaper structures of high toughness
- Hosono K, Kanazawa A, Mori H, Endo T*// *Yamagata Univ, Fac Engr, 4-3-16 Jonan, Yamagata 992 8510, Japan
J Appl Polym Sci 2008 **109** (5) 3157
Enhanced degradation of cellulose acetate films in the copresence of triphenyl-sulfonium salt and benzophenone
- Hsieh YC, Yano H, Nogi M, Eichhorn SJ*// *Univ Manchester Sch Materials, Materials Sci Ctr, Grosvenor St, Manchester M1 7HS, England
Cellulose 2008 **15** (4) 507
An estimation of the Young's modulus of bacterial cellulose filaments
- Ishii D, Isogai A*// *Univ Tokyo, Grad Sch Agric & Life Sci, 1-1-1 Yayoi, Bunkyo ku, Tokyo 113 8657, Japan
Cellulose 2008 **15** (4) 547
The residual amide content of cellulose sequentially solvent-exchanged and then vacuum-dried
- Kangarlou S, Harririan I*, Gholipour Y// *Univ Tehran Med Sci, Sch Pharm, Dept Pharmaceut, POB 14176-14411, Tehran, Iran
Int J Pharm 2008 **356** (1-2) 153
Physico-mechanical analysis of free ethyl cellulose films comprised with novel plasticizers of vitamin resources
- Khelfa A, Fiqueneisel G*, Auber M, Weber JV// *Univ Paul Verlaine Metz, IUT Moselle Est, Lab Chim & Methodol Environm, rue Victor Demange, BP 80105, FR-57500 St Avold, France
J Therm Anal Calorim 2008 **92** (3) 795
Influence of some minerals on the cellulose thermal degradation mechanisms - Thermogravimetric and pyrolysis-mass spectrometry studies
- Kitkulnumchai Y, Ajavakom A, Sukwattanasinitt M*// *Chulalongkorn Univ, Fac Sci, Dept Chem, Bangkok, Thailand
Cellulose 2008 **15** (4) 599
Treatment of oxidized cellulose fabric with chitosan and its surface activity towards anionic reactive dyes
- Kohler S, Liebert T, Heinze T*// *Univ Jena, Ctr Excellence Polysaccharide Res, Humboldtstr 10, DE-07743 Jena, Germany
J Polym Sci A Polym Chem 2008 **46** (12) 4076
Interactions of ionic liquids with polysaccharides. VI. Pure cellulose nanoparticles from trimethylsilyl cellulose synthesized in ionic liquids
- Kohnke T, Pujolras C, Roubroeks JP, Gatenholm P*// *Chalmers Univ Technol, Dept Chem & Biol Engr, SE-41296 Gothenburg, Sweden
Cellulose 2008 **15** (4) 537
The effect of barley husk arabinoxylan adsorption on the properties of cellulose fibres
- Larsson PA, Wagberg L// Royal Inst Technol - KTH, SE-10044 Stockholm, Sweden
Cellulose 2008 **15** (4) 515
Influence of fibre-fibre joint properties on the dimensional stability of paper
- Lasseguette E// Savoie Technolac, CNRS-INES RDI LMOPS-UMR 5041, FR-73376 Bourget du Lac, France
Cellulose 2008 **15** (4) 571
Grafting onto microfibrils of native cellulose
- Mitchell SA, Balwinski KM// Dow Chem Co USA, Water Soluble Polymers, Midland, MI 48674, USA
J Pharm Sci 2008 **97** (6) 2277
A framework to investigate drug release variability arising from hypromellose viscosity specifications in controlled release matrix tablets
- Mondal MIH, Uraki Y*, Ubukata M, Itoyama K// *Hokkaido Univ, Res Fac Agric, Div Appl Biosci, Wood Chem Lab, Sapporo, Hokkaido 060 858, Japan
Cellulose 2008 **15** (4) 581
Graft polymerization of vinyl monomers onto cotton fibres pretreated with amines
- Moniruzzaman M, Bellerby JM*// *Cranfield Univ, Defence Coll Management & Technol, Dept Materials & Appl Sci, Swindon SN6 8LA, England
Polym Degrad Stab 2008 **93** (6) 1067
Use of UV-visible spectroscopy to monitor nitrocellulose degradation in thin films
- Mulinari DR, Da Silva MLC// Fac Engr Guaratingueta, Dept Materiais & Tecnol, Av Dr Ariberto Pereira da Cunha, BR-12516-410 Guaratingueta, Sao Paulo, Brazil
Carbohydr Polym 2008 **74** (3) 617
Adsorption of sulphate ions by modification of sugarcane bagasse cellulose
- Mussatto SI, Rocha GJM, Roberto IC// Univ Minho, Dept Engr Biol, Campus Gualtar, PT-4710-057 Braga, Portugal
Cellulose 2008 **15** (4) 641
Hydrogen peroxide bleaching of cellulose pulps obtained from brewer's spent grain
- Nakagaito AN, Yano H*// *Kyoto Univ, Res Inst Sustainable Humanosphere, Kyoto 611 0011, Japan
Cellulose 2008 **15** (4) 555
The effect of fiber content on the mechanical and thermal expansion properties of biocomposites based on microfibrillated cellulose
- Nogi M, Yano H// Kyoto Univ, Res Inst Sustainable Humanosphere, Gokasho, Uji, Kyoto 611 0011, Japan
Adv Mater 2008 **20** (10) 1849
Transparent nanocomposites based on cellulose produced by bacteria offer potential innovation in the electronics device industry
- Nouh SA, Mohamed A, El Hussieny HM, Sakr EM// Ain Shams Univ, Fac Sci, Dept Phys, Cairo, Egypt
Mater Chem Phys 2008 **110** (2-3) 376
Thermal and optical properties of electron beam irradiated cellulose triacetate
- Ostmark E, Nystrom D, Malmstrom E*// *Royal Inst Technol - KTH, Sch Chem Sci & Engr, Dept Fibre & Polymer Technol, Teknikringen 56-58, SE-10044 Stockholm, Sweden
Macromolecules 2008 **41** (12) 4405
Unimolecular nanocontainers prepared by ROP and subsequent ATRP from hydroxypropylcellulose
- Phisalaphong M, Jayupaiboon N// Chulalongkorn Univ, Dept Chem Engr, Phaya Thai Rd, TH-10330 Bangkok, Thailand
Carbohydr Polym 2008 **74** (3) 482
Biosynthesis and characterization of bacteria cellulose-chitosan film
- Pommet M, Juntaro J, Heng JYY, Mantalaris A, Lee AF, Wilson K, Kalinka G, Shaffer MSP, Bismarck A*// *Imperial Coll London, Dept Chem Engr, PaCE Grp, Sth Kensington Campus, London SW7 2AZ, England
Biomacromolecules 2008 **9** (6) 1643
Surface modification of natural fibers using bacteria: Depositing bacterial cellulose onto natural fibers to create hierarchical fiber reinforced nanocomposites
- Qian LY, Guan Y, He BH, Mao HN*// *China Univ Technol, State Key Lab Pulp & Paper Engr, CN-510640 Guangzhou, Guangdong, Peoples Rep China
Mater Lett 2008 **62** (21-22) 3610
Synergy of wet strength and antimicrobial activity of cellulose paper induced by a novel polymer complex
- Ren JL, Peng F, Sun RC*, Liu CF, Cao ZN, Luo W, Tang JN// *China Univ Technol, State Key Lab Pulp & Paper Engr, CN-510641 Guangzhou, Peoples Rep China
J Appl Polym Sci 2008 **109** (4) 2711
Synthesis of cationic hemicellulosic derivatives with a low degree of substitution in dimethyl sulfoxide media

- Ren XH, Kou L, Liang J, Worley SD*, Tzou YM, Huang TS// *Auburn Univ, Dept Chem & Biochem, Auburn, AL 36849, USA
Cellulose 2008 **15** (4) 593
- Antimicrobial efficacy and light stability of *N*-halamine siloxanes bound to cotton
- Song Y, Zheng Q, Liu C// Zhejiang Univ, Dept Polymer Sci & Engn, MoE Key Lab Macromol Synth & Functionalization, CN-310027 Hangzhou, PR China
Ind Crops Products 2008 **28** (1) 56
- Green biocomposites from wheat gluten and hydroxyethyl cellulose: Processing and properties
- Sreenath HK, Koegel RG// Forest Prod Lab, 1 Gifford Pinchot Dr, Madison, WI 53705, USA
Enzyme Microb Technol 2008 **43** (2) 226
- Bioconversion of spent cellulose sausage casings
- Sugimoto H, Miki T, Kanayama K, Norimoto M// Advanced Ind Sci & Technol, Materials Res Inst Sustainable Dev, Nagoya, Aichi 463 8560, Japan
J Non Cryst Solids 2008 **354** (27) 3220
- Dielectric relaxation of water adsorbed on cellulose
- Talasaz AHH, Ghahremankhani AA, Moghadam SH, Malekshahi MR, Atyabi F, Dinarvand R// *Med Sci Univ Tehran, Fac Pharm, Novel Drug Delivery Systems Lab, Tehran, Iran
J Appl Polym Sci 2008 **109** (4) 2369
- In situ* gel forming systems of poloxamer 407 and hydroxypropyl cellulose or hydroxypropyl methyl cellulose mixtures for controlled delivery of vancomycin
- Titova YV, Voronova MI, Maksimov AI// Inst Solut Chem, Ivanovo, Russia
Russ J Appl Chem Eng Tr 2008 **81** (5) 854
- Influence of gas-discharge plasma treatment in the electrolyte bulk on the cellulose properties
- Verhoeven E, De Beer TRM, Van den Mooter G, Remon JP, Vervaeke C// *Univ Ghent, Pharmaceut Technol Lab, Harelbekestr 72, BE-9000 Ghent, Belgium
Eur J Pharm Biopharm 2008 **69** (1) 312
- Influence of formulation and process parameters on the release characteristics of ethylcellulose sustained-release mini-matrices produced by hot-melt extrusion
- Vidya S, Vijayalakshmi A, Nagendran A, Mohan D// *Anna Univ, Dept Chem Engn, Membrane Lab, IN-600025 Chennai, India
Separ Sci Technol 2008 **43** (8) 1933
- Effect of additive concentration on cellulose acetate blend membranes-preparation, characterization and application studies
- Wada M, Nishiyama Y, Chanzy H, Forsyth T, Langan P// Univ Toyko, Grad Sch Agric & Life Sci, Dept Biomaterials Sci, Tokyo 113 8657, Japan
Powder Diffr 2008 **23** (2) 92
- The structure of celluloses
- Wang XL, Fang GZ*, Hu CP, Du TC// *NE Forestry Univ, Key Lab Bio-Based Material Sci & Technol, CN-150040 Harbin, Heilongjiang, Peoples Rep China
J Appl Polym Sci 2008 **109** (5) 2762
- Application of ultrasonic waves in activation of microcrystalline cellulose
- Xu SS, Zhang J, He AH*, Li JX, Zhang H, Han CC// *Chinese Acad Sci, Inst Chem, Beijing Natl Lab Mol Sci, CN-100190 Beijing, Peoples Rep China
Polymer 2008 **49** (12) 2911
- Electrospinning of native cellulose from nonvolatile solvent system
- Yan Z, Chen S, Wang H*, Wang B, Jiang J// *Donghua Univ, State Key Lab Modification Chem Fibers & Polym Materials, 2999 Rinmin Nth Rd, CN-201620 Shanghai, Peoples Rep China
Carbohydr Polym 2008 **74** (3) 659
- Biosynthesis of bacterial cellulose/multi-walled carbon nanotubes in agitated culture
- Yokota S, Kitaoka T, Wariishi H// Kyushu Univ, Grad Sch Bioresource & Bioenvironm Sci, Dept Forest & Forest Prod Sci, 6-10-1 Hakozaki, Higashi-ku, Fukuoka 812 8581, Japan
Carbohydr Polym 2008 **74** (3) 666
- Biofunctionality of self-assembled nanolayers composed of cellulosic polymers
- Yurkshtovich TL, Alinovskaya VA// Belarusian State Univ, Res Inst Physicochem Problems, ul Leningradskaia 14, BY-220050 Minsk, Byelorussia
Colloid J Engl Tr 2008 **70** (3) 377
- Sorption of aliphatic amines by monocarboxycellulose from aqueous and water-ethanol solutions
- Kovacs K, Megyeri L, Szakacs G*, Kubicek CP, Galbe M, Zacchi G// *Budapest Univ Technol & Econ, Dept Appl Biotechnol & Food Sci, Gellert ter 4, HU-1111 Budapest, Hungary
Enzyme Microb Technol 2008 **43** (1) 48
- Trichoderma atroviride* mutants with enhanced production of cellulase and β -glucosidase on pretreated willow
- Maciel GM, Vandenberghe LPD, Haminiuk CWI, Fendrich RC, Della Bianca BE, Brandalize TQD, Pandey A, Soccol CR// *UFPR, Bioprocess Engn & Biotechnol Div, POB 19011, Curitiba, PR, Brazil
Food Technol Biotechnol 2008 **46** (2) 183
- Xylanase production by *Aspergillus niger* LPB 326 in solid-state fermentation using statistical experimental designs
- Mussatto SI, Fernandes M, Milagres AMF, Roberto IC// Univ Minho, Dept Engn Biol, Campus Gualtar, PT-4710-057 Braga, Portugal
Enzyme Microb Technol 2008 **43** (2) 124
- Effect of hemicellulose and lignin on enzymatic hydrolysis of cellulose from brewer's spent grain
- Rotter BE, Barry DA, Gerhard JJ, Small JS// Univ Edinburgh, Contaminated Land Assessment & Remediation Res Ctr, Edinburgh EH9 3JL, Scotland
Bioresour Technol 2008 **99** (13) 5738
- Parameter and process significance in mechanistic modeling of cellulose hydrolysis
- Sun XY, Liu ZY, Zheng K, Song X*, Qu YB// *Shandong Univ, State Key Lab Microbial Technol, CN-250100 Jinan, Peoples Rep China
Enzyme Microb Technol 2008 **42** (7) 560
- The composition of basal and induced cellulase systems in *Penicillium decumbens* under induction or repression conditions
- Ustinov BB, Gusakov AV*, Antonov AI, Sinitsyn AP// *MV Lomonosov State Univ, Dept Chem, Div Chem Enzymol, RU-119992 Moscow, Russia
Enzyme Microb Technol 2008 **43** (1) 56
- Comparison of properties and mode of action of six secreted xylanases from *Chrysosporium lucknowense*
- Wang CM, Shyu CL, Ho SP, Chiou SH// *Natl Chung Hsing Univ, Grad Inst Veterinary Microbiol, Taichung 40227, Taiwan
Lett Appl Microbiol 2008 **47** (1) 46
- Characterization of a novel thermophilic, cellulose-degrading bacterium *Paenibacillus* sp strain B39
- Yoon JJ, Cha CJ, Kim YS, Kim W// Korea Inst Ind Technol - KITECH, Div Enrgy & Environm, Cheonan 330 825, Chungnam, South Korea
Biotechnol Lett 2008 **30** (8) 1373
- Degradation of cellulose by the major endoglucanase produced from the brown-rot fungus *Fomitopsis pinicola*
- Zhang X, Renaud S, Paice M// *Pulp & Paper Res Inst Canada, 570 Boul St Jean, Pointe Claire, Quebec, Canada H9R 3J9
Enzyme Microb Technol 2008 **43** (2) 103
- Cellulase deinking of fresh and aged recycled newsprint/magazines (ONP/OMG)
- Zhou J, Wang YH, Chu J*, Zhuang YP, Zhang SL, Yin P// *East China Univ Sci & Technol, Natl Res Ctr Biotechnol Shanghai, State Key Lab Bioreactor Engn, CN-200237 Shanghai, Peoples Rep China
Bioresour Technol 2008 **99** (15) 6826
- Identification and purification of the main components of cellulases from a mutant strain of *Trichoderma viride* T 100-14

4. Chitin/Chitosan

- Baran EJ// Univ Nac La Plata, Fac Ciencias Exactas, Ctr Quim Inorgan, Calle 47 Esq 115, Casilla de Correo 962, AR-1900 La Plata, Argentina
Carbohydr Polym 2008 **74** (3) 704
- Spectroscopic investigation of the VO²⁺/chitosan interaction
- Barikani M, Zia KM, Bhatti IA, Zuber M, Bhatti HN// Iran Polym & Petrochem Inst, Polyurethane Dept, PO Box 14965/115, Tehran, Iran
Carbohydr Polym 2008 **74** (3) 621
- Molecular engineering and properties of chitin based shape memory polyurethanes
- Bayat A, Dorkoosh FA, Dehpour AR, Moezi L, Larijani B, Junginger HE, Rafiee-Tehrani M// *Univ Med Sci, Sch Pharm, POB 14395-459, Tehran, Iran
Int J Pharm 2008 **356** (1-2) 259
- Nanoparticles of quaternized chitosan derivatives as a carrier for colon delivery of insulin: *Ex vivo* and *in vivo* studies
- Biro E, Nemeth AS, Sisak C*, Feczko T, Gyenis JJ// *Univ Pannonia, Fac Information Technol, Res Inst Chem & Process Engn, Egyetem St 10, HU-8200 Veszprem, Hungary
J Biochem Biophys Methods 2008 **70** (6) 1240
- Preparation of chitosan particles suitable for enzyme immobilization
- Boonsongrit Y, Mueller BW, Mitrevej A// *Mahidol Univ, Fac Pharm, Dept Ind Pharm, 447 Sri Ayudhaya Rd, TH-10400 Bangkok, Thailand
Eur J Pharm Biopharm 2008 **69** (1) 388
- Characterization of drug-chitosan interaction by ¹H NMR, FTIR and isothermal titration calorimetry

3. Cellulose-degrading enzymes

- Ahamed A, Vermette P// *Univ Sherbrooke, Dept Chem Engn, Lab Bioengn & Biophys, 2500 Blvd University, Sherbrooke, Quebec, Canada J1K 2R1
Biochem Eng J 2008 **40** (3) 399
- Culture-based strategies to enhance cellulase enzyme production from *Trichoderma reesei* RUT-C30 in bioreactor culture conditions
- Benko Z, Siika-aho M, Viikari L, Reczey K// Budapest Univ Technol & Econ, Dept Appl Biotech & Food Sci, Szent Gellert ter 4, HU-1521 Budapest, Hungary
Enzyme Microb Technol 2008 **43** (2) 109
- Evaluation of the role of xyloglucanase in the enzymatic hydrolysis of ligno-cellulosic substrates

- Castagnino E, Ottaviani MF, Cangiotti M, Morelli M, Casertari L, Muzzarelli RAA// Univ Urbino Carlo Bo, Pharmaceut Chem Inst, Piazza Rinascimento 6, IT-61029 Urbino, Italy
Carbohydr Polym 2008 **74** (3) 640
- Radical scavenging activity of 5-methylpyrrolidinone chitosan and dibutylol chitin
- Chang XH, Chen DR*, Jiao XL// *Shandong Univ, Sch Chem & Chem Engr, CN-250100 Jinan, Peoples Rep China
J Phys Chem B 2008 **112** (26) 7721
- Chitosan-based aerogels with high adsorption performance
- Christensen BE, Vold IMN, Varum KM// Norwegian Univ Sci & Technol, Dept Biotechnol, NOBIPOL, Sem Saelands v 6/8, NO-7491 Trondheim, Norway
Carbohydr Polym 2008 **74** (3) 559
- Chain stiffness and extension of chitosans and periodate oxidised chitosans studied by size-exclusion chromatography combined with light scattering and viscosity detectors
- Chuang CY, Don TM, Chiu WY*// *Nat'l Taiwan Univ, Inst Polymer Sci & Engr, Taipei 106, Taiwan
J Appl Polym Sci 2008 **109** (5) 3382
- Synthesis and properties of chitosan-modified poly(acrylic acid)
- Chun HJ, Kim GW, Kim CH*// *Korea Inst Radiol & Med Sci, Lab Tissue Engr, Seoul 139 240, South Korea
J Phys Chem Solids 2008 **69** (5-6) 1573
- Fabrication of porous chitosan scaffold in order to improve biocompatibility
- Copello GJ, Varela F, Vivot RM, Diaz LE*// *Univ Buenos Aires, Fac Farm & Bioquim, Catedra Quim Anal Instrumental, Junin 956, Piso 3, AR-1113 Buenos Aires, DF, Argentina
Bioresour Technol 2008 **99** (14) 6538
- Immobilized chitosan as biosorbent for the removal of Cd(II), Cr(III) and Cr(VI) from aqueous solutions
- Cui W, Hu QL*, Wu J, Li BQ, Shen JC// *Zhejiang Univ, Inst Polymer Composites, CN-310027 Hangzhou, Peoples Rep China
J Appl Polym Sci 2008 **109** (4) 2081
- Preparation and characterization of magnetite/hydroxyapatite/chitosan nanocomposite by *in situ* compositing method
- Dass CR, Choong PFM// St Vincents Hosp Melbourne, Dept Orthopaed, POB 2900, Fitzroy, Vic 3065, Australia
J Microencapsul 2008 **25** (4) 275
- The use of chitosan formulations in cancer therapy
- Davydova VN, Bratskaya SY, Gorbach VI, Solov'eva TF, Kaca W, Yermak IM// Russian Acad Sci, Pacific Inst Bioorgan Chem, Far East Branch, pr 100 Letiya Vladivostoka 159, RU-690022 Vladivostok, Russia
Biophys Chem 2008 **136** (1) 1
- Comparative study of electrokinetic potentials and binding affinity of lipopoly-saccharides-chitosan complexes
- Dhananjay SK, Mulimani VH*// *Gulbarga Univ, Dept Biochem, IN-585106 Gulbarga, India
Process Biochem 2008 **43** (6) 647
- Evaluation of modified chitosan as matrix for hydrophobic interaction chromatography
- Draczynski Z// Tech Univ Lodz, Zeromskiego 116, PL-90543 Lodz, Poland
J Appl Polym Sci 2008 **109** (3) 1974
- Honeybee corpses as an available source of chitin
- Ducamp-Collin MN, Ramaron H, Lebrun M, Self G, Reynes M// Cirad Persyst, TA B 95-16, 73 Ave JF Breton, FR-34398 Montpellier 5, France
Postharvest Biol Technol 2008 **49** (2) 241
- Effect of citric acid and chitosan on maintaining red colouration of litchi fruit pericarp
- Fernandez-Saiz P, Lagaron JM, Hernandez-Munoz P, Ocio MJ*// *Inst Agrochem & Food Technol IATA - CSIC, Apartado Correos 73, ES-46100 Valencia, Spain
Int J Food Microbiol 2008 **124** (1) 13
- Characterization of antimicrobial properties on the growth of *S. aureus* of novel renewable blends of gliadins and chitosan of interest in food packaging and coating applications
- Filipkowska U// Univ Warmia & Mazury Olsztyn, Fac Environm Sci & Fisheries, Prawochenski St 1, Olsztyn, Poland
Environ Technol 2008 **29** (6) 681
- Desorption of reactive dyes from modified chitin
- Ganji F, Abdekhodaie MJ*// *Sharif Univ Technol, Dept Chem Engr, Azadi Ave, Tehran, Iran
Carbohydr Polym 2008 **74** (3) 435
- Synthesis and characterization of a new thermosensitive chitosan-PEG diblock copolymer
- Gong J, Hu XL, Wong KW*, Zheng Z, Yang L, Lau WM, Du RX// *Chinese Univ Hong Kong, Inst Precision Engr, Hong Kong, Peoples Rep China
Adv Mater 2008 **20** (11) 2111
- Chitosan nanostructures with controllable morphology produced by a nonaqueous electrochemical approach
- Greene AH, Bumgardner JD, Yang Y, Moseley J, Haggard WO*// *Univ Memphis, Dept Biomed Engr, Memphis, Tn 38152, USA
Clin Orthop Related Res 2008 **466** (7) 1699
- Chitosan-coated stainless steel screws for fixation in contaminated fractures
- Grenha A, Remunán-Lopez C, Carvalho ELS, Seijo B*// *Univ Santiago de Compostela, Fac Pharm, Dept Pharm & Pharmaceut Technol, Campus Sur, ES-15782 Santiago de Compostela, Spain
Eur J Pharm Biopharm 2008 **69** (1) 83
- Microspheres containing lipid/chitosan nanoparticles complexes for pulmonary delivery of therapeutic proteins
- Guo J, Wang CC, Mao WY, Yang WL*, Liu CJ, Chen JY// *Fudan University, MoE Key Laboratory Mol Engr Polymers, CN-200433 Shanghai, Peoples Rep China
Nanotechnology 2008 **19** (31) 15605
- Facile one-pot preparation and functionalization of luminescent chitosan-poly(methacrylic acid) microspheres based on polymer-monomer pairs
- Hong Y, Gong YH, Gao CY*, Shen JC// *Zhejiang Univ, MoE Key Lab Micromol Synthesis & Functionalization, CN-310027 Hangzhou, Peoples Rep China
J Biomed Mater Res A 2008 **85A** (3) 628
- Collagen-coated polylactide microcarriers/chitosan hydrogel composite: Injectable scaffold for cartilage regeneration
- Hu Y, Wang M, Wang D, Gao XL, Gao CJ// Ocean Univ China, Coll Chem & Chem Engr, CN-266100 Qingdao, Shandong, Peoples Rep China
J Membr Sci 2008 **319** (1-2) 5
- Feasibility study on surface modification of cation exchange membranes by quaternized chitosan for improving its selectivity
- Jayakumar R, Nagahama H, Furukie T, Tamura H*// *Kansai Univ, Fac Chem Materials & Bioengn, Osaka 564 8680, Japan
Int J Biol Macromol 2008 **42** (4) 335
- Synthesis of phosphorylated chitosan by novel method and its characterization
- Jiang L, Li Y*, Wang X, Zhang L, Wen J, Gong M// *Sichuan Univ, Anal & Testing Ctr, Res Ctr Nano-Biomaterials, CN-610064 Chengdu, Peoples Rep China
Carbohydr Polym 2008 **74** (3) 680
- Preparation and properties of nano-hydroxyapatite/chitosan/carboxymethyl cellulose composite scaffold
- Jin Y, Yang DZ, Zhou YS, Ma GP, Nie J*// *Beijing Univ Chem Technol, Coll Materials Sci & Engr, State Key Lab Chem Resource Engr, CN-100029 Beijing, Peoples Rep China
J Appl Polym Sci 2008 **109** (5) 3337
- Photocrosslinked electrospun chitosan-based biocompatible nanofibers
- Jo GH, Jung WJ, Kuk JH, Oh KT, Kim YJ, Park RD*// *Chonnam Nat Univ, Inst Agric Sci & Technol, Div Appl Biosci & Biotechnol, Glucosamine Saccharide Materials-Nat Res Lab, Gwangju 500 757, South Korea
Carbohydr Polym 2008 **74** (3) 504
- Screening of protease-producing *Serratia marcescens* FS-3 and its application to deproteinization of crab shell waste for chitin extraction
- Kasaei MR, Arul J, Charlet G// Mazandaran Univ, Fac Agric Engr, Khazar Abad Rd, POB 578, Sari, Mazandaran, Iran
Ultrason Sonochemistry 2008 **15** (6) 1001
- Fragmentation of chitosan by ultrasonic irradiation
- Khamnang S, Baimark Y*, Chaichanadee S, Phinyocheep P, Kittipoom S// *Mahasarakham University, Fac Sci, Dept Chem, TH-44150 Mahasarakham, Thailand
Int J Polym Anal Charact 2008 **13** (3) 224
- Water vapor permeability and mechanical properties of biodegradable chitosan/methoxy poly (ethylene glycol)-*b*-poly(*ε*-caprolactone) nanocomposite films
- Kim MS, Choi YJ, Park HS, Noh I*// *Seoul Natl Univ Technol, Dept Chem Engr, Eco-Product & Materials Educat Ctr, 172 Gongnung dong, Nowon gu, Seoul 139 743, South Korea
J Phys Chem Solids 2008 **69** (5-6) 1569
- Analysis of chitosan irradiated with high-energy cyclotron ion beams
- Kim MS, Choi YJ, Noh I*// *Address as above
J Phys Chem Solids 2008 **69** (5-6) 1577
- Control of chitosan molecular weight with cyclotron ion beam irradiation
- Klepka MT, Nedelko N, Greneche JM, Lawniczack-Jablonska K, Demchenko IN, Slawska-Waniewska A, Rodrigues CA, Debrassi A, Bordini C// Polish Acad Sci, Inst Phys, Al Lotnikow 32-46, PL-02668 Warsaw, Poland
Biomacromolecules 2008 **9** (6) 1586
- Local atomic structure and magnetic ordering of iron in Fe-chitosan complexes
- Kumar SC, Satish CS*, Shivakumar HG// *Res Coll Pharm, Dept Pharmaceut, 50 Feet Rd, Hanumanthanagar, IN-570050 Bangalore, India
J Macromol Sci Pure Appl Chem 2008 **45** (8) 643
- Formulation and evaluation of chitosan-gellan based methotrexate implants
- Lau C, Cooney MJ*, Atanassov P// *Univ Hawaii Manoa, Hawaii Nat Energy Inst, Honolulu, HI 96822, USA
Langmuir 2008 **24** (13) 7004
- Conductive macroporous composite chitosan-carbon nanotube scaffolds

- Le Devedec F, Bazinet L, Furtos A, Venne K, Brunet S, Mateescu MA// *Univ Quebec, Dept Chem, CP 8888, Succursale Ctr-ville, Montreal, Quebec, Canada H3C 3P8
J Chromatogr A 2008 **1194** (2) 165
 Separation of chitosan oligomers by immobilized metal affinity chromatography
- Li GY, Huang KL, Jiang YR, Ding P, Yang DL// *Hunan Vocational Coll Sci & Technol, CN-410004 Changsha, Peoples Rep China
Biochem Eng J 2008 **40** (3) 408
 Preparation and characterization of carboxyl functionalization of chitosan derivative magnetic nanoparticles
- Li J, Cai J, Fan LH// Ocean Univ China, Coll Environm Sci & Engn, CN-266100 Qingdao, Peoples Rep China
J Appl Polym Sci 2008 **109** (4) 2417
 Effect of sonolysis on kinetics and physicochemical properties of treated chitosan
- Lipatova IM, Kornilova NA// Russian Acad Sci, Inst Solut Chem, Ivanovo, Russia
Russ J Appl Chem Eng Tr 2008 **81** (5) 815
 Effect of hydroacoustic treatment on the rate of hydrolytic degradation of chitosan in acetic acid solutions
- Liu BS, Yao CH*, Fang SS// *Cent Taiwan Univ Sci & Technol, Inst Biomed Engn & Material Sci, Taichung, Taiwan
Macromol Biosci 2008 **8** (5) 432
 Evaluation of a non-woven fabric coated with a chitosan bi-layer composite for wound dressing
- Lu SY, Gao WJ, Gu HY// *Nantong Univ, Sch Publ Hlth, Inst Anal Chem Life Sci, CN-226007 Nantong, Peoples Rep China
Burns 2008 **34** (5) 623
 Construction, application and biosafety of silver nanocrystalline chitosan wound dressing
- Malaekheh-Nikouei B, Tabassi SAS, Jaafari MR// Mashhad Univ Med Sci, Pharmaceut Res Ctr, Buali Sq, POB 9196773117, Mashhad, Iran
Drug Develop Ind Pharm 2008 **34** (5) 492
 Preparation, characterization, and mucoadhesive properties of chitosan-coated microspheres encapsulated with cyclosporine A
- Masson M, Holappa J, Hjalmsdottir M, Runarsson OV, Nevalainen T, Jarvinen T// University Iceland, Faculty Pharm, Hofsvallagata 53, IS-107 Reykjavik, Iceland
Carbohydr Polym 2008 **74** (3) 566
 Antimicrobial activity of piperazine derivatives of chitosan
- Meanwell RJJ, Shama G// *Univ Loughborough, Dept Chem Engr, Loughborough LE11 3TU, England
Bioresour Technol 2008 **99** (13) 5634
 Production of streptomycin from chitin using *Streptomyces griseus* in bioreactors of different configuration
- Min KH, Park K, Kim YS, Bae SM, Lee S, Jo HG, Park RW, Kim IS, Jeong SY*, Kim K, Kwon IC// *Kyung Hee Univ, Dept Life & Nanopharmaceut Sci, 1 Hoegi dong, Dongdaemun gu, Seoul 130 701, South Korea
J Controlled Release 2008 **127** (3) 208
 Hydrophobically modified glycol chitosan nanoparticles-encapsulated camptothecin enhance the drug stability and tumor targeting in cancer therapy
- Mishra DK, Tripathy J, Srivastava A, Mishra MM, Behari K// *Univ Allahabad, Dept Chem, Polym Sci Res Lab, IN-211002 Allahabad, India
Carbohydr Polym 2008 **74** (3) 632
 Graft copolymer (chitosan-*g*-*N*-vinyl formamide): Synthesis and study of its properties like swelling, metal ion uptake and flocculation
- Nagahama H, Higuchi T, Jayakumar R, Furuie T, Tamura H// *Kansai Univ, Fac Chem Materials & Bioengn, Osaka 564 8680, Japan
Int J Biol Macromol 2008 **42** (4) 309
 XRD studies of β -chitin from squid pen with calcium solvent
- Nakamura S, Nambu M, Ishizuka T, Hattori H, Kanatani Y, Takase B, Kishimoto S, Amano Y, Aoki H, Kiyosawa T, Ishihara M, Maehara T// *Nat'l Def Med Coll, Dept Surg, 3-2 Namiki, Saitama 359 8513, Japan
J Biomed Mater Res A 2008 **85A** (3) 619
 Effect of controlled release of fibroblast growth factor-2 from chitosan/fucoidan micro complex-hydrogel on *in vitro* and *in vivo* vascularization
- Namdeo M, Bajpai SK// Govt Model Sci Coll Autonomous, Dept Chem, Polymer Res Lab, IN-482001 Jabalpur, India
Colloid Surface A 2008 **320** (1-3) 161
 Chitosan-magnetite nanocomposites (CMNs) as magnetic carrier particles for removal of Fe(III) from aqueous solutions
- Nobile MR, Pirozzi V, Somma E, D'Alaya GG, Laurienz P// Univ Salerno, Dept Chem & Food Engr, Via Ponte Don Melillo, IT-84084 Salerno, Italy
J Polym Sci B Polym Phys 2008 **46** (12) 1167
 Development and rheological investigation of novel alginate/*N*-succinylchitosan hydrogels
- Nowakowska M, Moczek L, Szczubialka K// Jagiellonian Univ, Fac Chem, Ingardena 3, PL-30060 Krakow, Poland
Biomacromolecules 2008 **9** (6) 1631
 Photoactive modified chitosan
- Onesippe C, Lagerge S// Universite Antilles & Guyane, UFR SEN, Laboratoire COVACHIM EA 3592, Boite Postale 250, FR-97157 Pointe-a-Pitre, Guadeloupe, France
Carbohydr Polym 2008 **74** (3) 648
 Study of the complex formation between sodium dodecyl sulfate and hydrophobically modified chitosan
- Osifo PO, Webster A, Van der Merwe H, Neomagus HWJP, Van der Gun MA, Grant DM// Vaal Univ Technol, Dept Chem Engr, Private Bag X021, ZA-1900 Guateng, Rep Sth Africa
Bioresour Technol 2008 **99** (15) 7377
 The influence of the degree of cross-linking on the adsorption properties of chitosan beads
- Peschel G, Dahse HM, Konrad A, Wieland GD, Mueller PJ, Martin DP, Roth M// Hans Knoell Inst, Leibniz Inst Nat Prod Res & Infect Biol, Beutenbergstr 11A, DE-07745 Jena, Germany
J Biomed Mater Res A 2008 **85A** (4) 1072
 Growth of keratinocytes on porous films of poly(3-hydroxybutyrate) and poly(4-hydroxybutyrate) blended with hyaluronic acid and chitosan
- Pimpha N, Rattanachai U, Surasmo S, Opanasopit P, Rattananungchai C, Sunintaboon P// *Mahidol Univ, Fac Sci, Dept Chem, TH-10400 Bangkok, Thailand
Colloid Polym Sci 2008 **286** (8-9) 907
 Preparation of PMMA/acid-modified chitosan core-shell nanoparticles and their potential as gene carriers
- Pourjavadi A, Aghajani V, Ghasemzadeh H// Sharif Univ Technol, Dept Chem, Polymer Res Lab, Tehran, Iran
J Appl Polym Sci 2008 **109** (4) 2648
 Synthesis, characterization and swelling behavior of chitosan-sucrose as a novel full-polysaccharide superabsorbent hydrogel
- Qiu JD, Xie HY, Liang RP// Nanchang Univ, Dept Chem, CN-330031 Nanchang, Peoples Rep China
Microchim Acta 2008 **162** (1-2) 57
 Preparation of porous chitosan/carbon nanotubes film modified electrode for biosensor application
- Raafat D, Von Bargen K, Haas A, Sahl HG// University Bonn, IMMIP, Pharmaceut Microbiol Unit, Meckenheimer Allee 168, DE-53115 Bonn, Germany
Appl Environ Microbiol 2008 **74** (12) 3764
 Insights into the mode of action of chitosan as an antibacterial compound
- Rao V, Johns J// Mangalore Univ, Dept Materials Sci, IN-574199 Mangalagangothri, India
J Therm Anal Calorim 2008 **92** (3) 801
 Thermal behavior of chitosan/natural rubber latex blends - TG and DSC analysis
- Rassaei L, Bonne MJ, Sillanpaa M, Marken F// *Univ Bath, Dept Chem, Bath BA2 7AY, England
New J Chem 2008 **32** (7) 1253
 Binding site control in a layer-by-layer deposited chitosan-carbon nanoparticle film electrode
- Rodrigues AP, Sanchez EMS, Da Costa AC, Moraes AM// *Univ Estadual Campinas, Sch Chem Engr, Dept Biotechnol Process, BR-13083-970 Campinas, SP, Brazil
J Appl Polym Sci 2008 **109** (4) 2703
 The influence of preparation conditions on the characteristics of chitosan-alginate dressings for skin lesions
- Runarsson OV, Holappa J, Jonsdottir S, Steinsson H, Masson M// *Univ Iceland, Fac Pharm, Hofsvallagata 53, IS-107 Reykjavik, Iceland
Carbohydr Polym 2008 **74** (3) 740
N-selective 'one-pot' synthesis of highly *N*-substituted trimethyl chitosan (TMC)
- Sadeghi AMM, Amini A, Avadi MR, Siedi F, Rafiee-Tehrani M, Junginger HE// *Leiden Univ, Div Pharmaceut Technol, POB 9502, NL-2300 RA Leiden, The Netherlands
J Bioact Compat Polym 2008 **23** (3) 262
 Synthesis, characterization, and antibacterial effects of trimethylated and triethylated 6-NH₂-6-deoxy chitosan
- Sanpui P, Murugadoss A, Prasad PVD, Ghosh SS*, Chattopadhyay A// *Indian Inst Technol, Dept Biotechnol, IN-781039 Guwahati, India
Int J Food Microbiol 2008 **124** (2) 142
 The antibacterial properties of a novel chitosan-Ag-nanoparticle composite
- Shi XW, Liu Y, Lewandowski AT, Wu LQ, Wu HC, Ghodssi R, Rubloff GW, Bentley WE, Payne GF// *Univ Maryland, Inst Biotechnol, Ctr Biosystem Res, 5115 Plant Sci Bldg, College Park, Md 20742, USA
Macromol Biosci 2008 **8** (5) 451
 Chitosan biotinylation and electrodeposition for selective protein assembly
- Silva SS, Luna SM, Gomes ME, Benesch J, Pashkuleva I, Mano JF, Reis RL// 3Bs Res Grp Biomaterials Biodegradables & Biomimetics, Dept Polymer Engr, Campus Gualtar, PT-4710-057 Braga, Portugal
Macromol Biosci 2008 **8** (6) 568
 Plasma surface modification of chitosan membranes: Characterization and preliminary cell response studies

- Solovtsova OV, Grankina TY, Krasil'nikova OK, Serebryakova NV, Shinkarev SM, Voloshchuk AM// Russian Acad Sci, Frumkin Inst Phys Chem & Electrochem, Leninskii pr 31, RU-119991 Moscow, Russia
Colloid J Engl Tr 2008 **70** (3) 341
The effect of the dehydration conditions of chitosan-based polymeric adsorbents on the adsorption of nickel cations
- Takahashita T, Imai M*, Suzuki I, Sawai J// *Nihon Univ, Grad Sch Bioresource Sci, Course Bioresource Utilizat Sci, 1866 Kameino, Kanagawa 252 8510, Japan
Biochem Eng J 2008 **40** (3) 485
Growth inhibitory effect on bacteria of chitosan membranes regulated with deacetylation degree
- Vijayaraghavan C, Vasanthakumar S, Ramakrishnan A// Sri Ramakrishna Inst Paramedical Sci, Coll Pharm, Dept Pharmaceut, Sri Ramakrishna Hosp Campus, IN-640044 Coimbatore, India
Pharmazie 2008 **63** (5) 342
In vitro and *in vivo* evaluation of locust bean gum and chitosan combination as a carrier for buccal drug delivery
- Wang CC, Chen CC, Chen FL, Lin NS// Chinese Culture Univ, Dept Text Engr, Taipei 11114, Taiwan
J Appl Polym Sci 2008 **109** (3) 1431
An improvement on water absorbing and permeating properties: Heparin immobilizing on acrylic acid-grafted and collagen/chitosan-immobilized wound dressing
- Wang L, Zhang JP, Wang AQ// *Chinese Acad Sci, Lanzhou Inst Chem Phys, Ctr Ecomaterials & Green Chem, CN-730000 Lanzhou, Peoples Rep China
Colloid Surface A 2008 **322** (1-3) 47
Removal of methylene blue from aqueous solution using chitosan-g-poly (acrylic acid)/montmorillonite superadsorbent nanocomposite
- Wang LC, Chen XG*, Liu CS, Li PW, Zhou PM// *Ocean Univ Qingdao, Coll Marine Life Sci, CN-266003 Qingdao, Peoples Rep China
J Polym Sci A Polym Chem 2008 **46** (14) 1419
Dissociation behaviors of carboxyl and amine groups on carboxymethyl-chitosan in aqueous system
- Wang M, Xu L, Zhai M*, Peng J, Li J, Wei G// *Peking Univ, Dept Appl Chem, Beijing Nat Lab Mol Sci, CN-100871 Beijing, Peoples Rep China
Carbohydr Polym 2008 **74** (3) 498
 γ -Ray radiation-induced synthesis and Fe(III) ion adsorption of carboxy-methylated chitosan hydrogels
- Wang Q, Zhang N, Hu XW, Yang JH, Du YM// *Wuhan Univ, Dept Environ Sci, CN-430072 Wuhan, Peoples Rep China
J Biomed Mater Res A 2008 **85A** (4) 881
Chitosan/polyethylene glycol blend fibers and their properties for drug controlled release
- Wang W, Itoh S*, Matsuda A, Aizawa T, Demura M, Ichinose S, Shinomiya K, Tanaka J// *Tokyo Med & Dent Univ, Dept Orthopaed Surg, Yushima 1-5-45, Bunkyo ku, Tokyo 113 8519, Japan
J Biomed Mater Res A 2008 **85A** (4) 919
Enhanced nerve regeneration through a bilayered chitosan tube: The effect of introduction of glycine spacer into the CYIGSR sequence
- Wei W, Yuan L, Hu G, Wang LY, Wu H, Hu X, Su ZG, Ma GH// *Inst Process Engr, Natl Key Lab Biochem Engr, CN-100080 Beijing, PR China
Adv Mater 2008 **20** (12) 2292
Monodisperse chitosan microspheres with interesting structures for protein drug delivery
- Wong TW, Nurjaya S// Univ Teknol MARA, Non-Destructive Biomed & Pharmaceut Res Ctr, MY-40450 Selangor, Malaysia
Eur J Pharm Biopharm 2008 **69** (1) 176
Drug release property of chitosan-pectinate beads and its changes under the influence of microwave
- Wong YC, Szeto YS, Cheung WH, McKay G// *Univ Sci & Technol, Dept Chem Engr, Clear Water Bay, Kowloon, Hong Kong, Peoples Rep China
J Appl Polym Sci 2008 **109** (4) 2232
Sorption kinetics for the removal of dyes from effluents onto chitosan
- Wu H, Wan Y*, Cao XY, Dalai SQ, Wang S, Zhang SM// *Huazhong Univ Sci & Technol, Advanced Biomaterials & Tissue Engr Ctr, CN-430074 Wuhan, Peoples Rep China
Mater Lett 2008 **62** (17-18) 2733
Fabrication of chitosan-g-polycaprolactone copolymer scaffolds with gradient porous microstructures
- Wu J, Wei W, Wang LY, Su ZG, Ma GH// *Chinese Acad Sci, Inst Process Engr, State Key Lab Biochem Engr, CN-100080 Beijing, Peoples Rep China
Colloid Surface B 2008 **63** (2) 164
Preparation of uniform-sized pH-sensitive quaternized chitosan microsphere by combining membrane emulsification technique and thermal-gelation method
- Wu T, Zivanovic S*, Hayes DG, Weiss J// *Univ Tennessee, Dept Food Sci & Technol, Food Biopolymers Res Grp, 2509 River Dr, Knoxville, Tn 37996, USA
J Agric Food Chem 2008 **56** (13) 5112
Efficient reduction of chitosan molecular weight by high-intensity ultrasound: Underlying mechanism and effect of process parameters
- Xia WS, Lee DX// Jiangnan Univ, Sch Food Sci & Technol, State Key Lab Food Sci & Technol, 1800 Lihu Rd, CN-214122 Wuxi, Jiangsu Prov, Peoples Rep China
Carbohydr Polym 2008 **74** (3) 544
Purification and characterization of *exo*- β -D-glucosaminidase from commercial lipase
- Yang H, Wang R, Gu QS, Zhang XN// Huazhong Univ Sci & Technol, Tongji Hosp, Tongji Med Coll, Dept Ophthalmol, CN-430030 Wuhan, Peoples Rep China
Graefes Arch Clin Exp Ophthalmol 2008 **246** (8) 1097
Feasibility study of chitosan as intravitreal tamponade material
- Zarnbito Y, Zaino C, Uccello-Barretta G, Balzano F, Di Colo G// *University Pisa, Dept Bioorgan Chem & Biopharmaceut, Via Bonanno 33, IT-56126 Pisa, Italy
Eur J Pharm Sci 2008 **33** (4-5) 343
Improved synthesis of quaternary ammonium-chitosan conjugates (N⁺-Ch) for enhanced intestinal drug permeation
- Zhang C, Qu GW, Sun YJ, Yang T, Yao Z, Shen WB, Shen ZL, Ding Q, Zhou HP, Ping QN// *China Pharmaceut Univ, Coll Pharm, CN-210009 Nanjing, Peoples Rep China
Eur J Pharm Sci 2008 **33** (4-5) 415
Biological evaluation of *N*-octyl-*O*-sulfate chitosan as a new nano-carrier of intravenous drugs
- Zhang X, Ercelen S, Duportail G, Schaub E, Tikhonov V, Slita A, Zarubaev V, Babak V, Mely Y// *Univ Louis Pasteur, Fac Pharm, Inst Gilbert Laustriat, Dept Pharmacol & Physicochim, FR-67401 Illkirch, France
J Gene Med 2008 **10** (5) 527
Hydrophobically modified low molecular weight chitosans as efficient and non-toxic gene delivery vectors
- Zhang X, Ercelen S, Tikhonov VE, Karaeva SZ, Slita AV, Zarubaev VV, Mely Y, Duportail G, Babak VG// Russian Acad Sci, AN Nesmeyanov Organoelement Cpd Inst, RU-119991 Moscow, Russia
Russ J Gen Chem 2008 **78** (5) 1093
Alkylated chitosans of low molecular weight as non-viral transfection vectors for gene therapy

5. Cyclodextrins

- Coelho GLN, Dornelas CB, Soares KCC, Dos Santos EP, Vergnanini AL, Dos Santos TC, Rodrigues CR, Castro HC, Dias LRS, Cabral LM// *Univ Fed Rio de Janeiro, Fac Farm, Dept Medicamentos, Predio CCS, Bloco K, Sala 050, 2 Andar, BR-21941-590 Rio de Janeiro, Brazil
Drug Develop Ind Pharm 2008 **34** (5) 536
Preparation and evaluation of inclusion complexes of commercial sunscreens in cyclodextrins and montmorillonites: Performance and substantivity studies
- Das P, Mallick A, Sarkar D, Chattopadhyay N// Jadavpur Univ, Dept Chem, IN-700032 Kolkata, India
J Phys Chem C 2008 **112** (26) 9600
Probe-induced self-aggregation of γ -cyclodextrin: Formation of extended nanotubular suprastructure
- De Araujo MGV, Vieira EKB, Lazaro GS, Conegero LS, Almeida LE, Barreto LS, Da Costa NB, Gimenez IF// *Univ Fed Sergipe, Dept Quim, Av Narechal Rondon s/n, Campus Univ Prof Jose Alos, BR-49100-000 Sao Cristovao, SE, Brazil
Bioorg Med Chem 2008 **16** (10) 5788
Sulfadiazine/hydroxypropyl- β -cyclodextrin host-guest system: Characterization, phase-solubility and molecular modeling
- De Sousa FB, Denadai AML, Lula IS, Nascimento CS, Fernandes NSG, Lima AC, De Almeida WB, Sinisterra RD// *Univ Fed Minas Gerais, Inst Ciencias Exatas, Dept Quim, LEMB, BR-31270-901 Belo Horizonte, MG, Brazil
J Am Chem Soc 2008 **130** (26) 8426
Supramolecular self-assembly of cyclodextrin and higher water soluble guest: Thermodynamics and topological studies
- Hsieh ML, Li GY, Chau LK*, Hon YS// *Natl Chung Cheng Univ, Dept Chem & Biochem, 168 University Rd, Chiayi 62102, Taiwan
J Sep Sci 2008 **31** (10) 1819
Single-step approach to β -cyclodextrin-bonded silica as monolithic stationary phases for CEC
- Inoue M, Hashizaki K, Taguchi H, Saito Y// Showa Pharmaceut Univ, Dept Microbiol, Tokyo, Japan
Chem Pharm Bull Tokyo 2008 **56** (5) 668
Formation and characterization of emulsions using β -cyclodextrin as an emulsifier
- Li BG, Zhang LM// *Sun Yat-Sen Univ, Sch Chem & Chem Engr, Inst Polym Sci, MoE Key Lab Polym Composite & Funct Materials, 135 Xingangxi Rd, CN-510275 Guangzhou, Guangdong, Peoples Rep China
Carbohydr Polym 2008 **74** (3) 390
Synthesis and characterization of novel amphiphilic block copolymers based on maltoheptaose and poly(ϵ -caprolactone)

Ma D, Zhang LM*, Yang C, Yan L// *Sun Yat Sen Zhongshan University, School Chem & Chem Engn, CN-510275 Guangzhou, Guangdong, Peoples Rep China

J Polym Res 2008 **15** (4) 301

UV photopolymerized hydrogels with β -cyclodextrin moieties

Maestrelli F, Zerrouk N, Cirri M, Mennini N, Mura P// Univ Florence, Dept Pharmaceut Sci, Via Schiff 6, IT-50019 Florence, Italy

Eur J Pharm Sci 2008 **34** (1) 1

Microspheres for colonic delivery of ketoprofen-hydroxypropyl- β -cyclodextrin complex

Moayeri M, Robinson TA, Leppla SH, Karginov VA// *Innovative Biologics Inc, 13455 Sunrise Valley Dr, Suite 200, Herndon, Va 20171, USA

Antimicrob Agents Chemother 2008 **52** (6) 2239

In vivo efficacy of β -cyclodextrin derivatives against anthrax lethal toxin

Nakayama H, Kuwano K, Tshako M// Kobe Pharmaceut Univ, Dept Funct Mol Chem, Kobe, Hyogo 658 8558, Japan

J Phys Chem Solids 2008 **69** (5-6) 1552

Controlled release of drug from cyclodextrin-intercalated layered double hydroxide

Tokes B, Ferencz L, Buchwald P, Donath-Nagy G, Vancea S, Santa N, Kis EL// Univ Med & Pharm, Targu Mures/Marosvasarhely, Romania

J Biochem Biophys Methods 2008 **70** (6) 1276

Structural studies on the chiral selector capacity of cyclodextrin derivatives

Topchieva IN, Panova IG, Kurganov BI, Spiridonov VV, Matukhina EV, Filippov SK, Lezov AV// Moscow MV Lomonosov State Univ, Dept Chem, RU-119991 Moscow, Russia

Colloid J Engl Tr 2008 **70** (3) 356

Noncovalent columnar structures based on β -cyclodextrin

6. Lignin

Megiatto JD, Silva CG, Rosa DS, Frollini E// *Univ Sao Paulo, Inst Quim Sao Carlos, CP 780, BR-13560-970 Sao Carlos, SP, Brazil

Polym Degrad Stabil 2008 **93** (6) 1109

Sisal chemically modified with lignins: Correlation between fibers and phenolic composites properties

7. Lipopolysaccharides

Forsberg LS, Carlson RW// *Univ Georgia, Complex Carbohydrate Res Ctr, Athens, Ga 30605, USA

J Biol Chem 2008 **283** (23) 16037

Structural characterization of the primary O-antigenic polysaccharide of the *Rhizobium leguminosarum* 3841 lipopolysaccharide and identification of a new 3-acetimidoylamino-3-deoxyhexuronic acid glycosyl component - A unique O-methylated glycan of uniform size, containing 6-deoxy-3-O-methyl-D-talose, N-acetylquinovosamine, and rhizoaminuronic acid (3-acetimidoylamino-3-deoxy-D-glucosyl-hexuronic acid)

Katzenellenbogen E, Toukach PV, Kocharova NA, Korzeniowska-Kowal A, Gamian A, Shashkov AS, Knirel YA// Polish Academy Science, L Hirsfeld Institute Immunology & Experimental Therapy, Weigla 12, PL-53114 Wroclaw, Poland

FEMS Immunol Med Microbiol 2008 **53** (1) 60

Structure of a phosphoethanolamine-containing O-polysaccharide of *Citrobacter freundii* strain PCM 1443 from serogroup O39 and its relatedness to the *Klebsiella pneumoniae* O1 polysaccharide

Lundstrom SL, Li JJ, Deadman ME, Hood DW, Moxon ER, Schedat EKH// Karolinska Inst, Clin Res Ctr, SE-14186 Huddinge, Sweden

Biochemistry 2008 **47** (22) 6025

Structural analysis of the lipopolysaccharide from nontypeable *Haemophilus influenzae* strain R2846

Masoud H, Moxon ER, Richards JC// *Nat'l Res Council Canada, Inst Biol Sci, 100 Sussex Dr, Ottawa, Ontario, Canada K1A 0R6

Carbohydr Res 2008 **343** (9) 1424

Structural elucidation of the major Hex4 lipopolysaccharide glycoform from the *lgtC* mutant of *Haemophilus influenzae* strain Eagan

Matora LY, Burygin GL, Shchyogolev SY// Russian Academy Sci, Inst Biochem & Physiol Plants & Microorganisms, pr Entuziastov 13, RU-410049 Saratov, Russia

Microbiology (Mosc) 2008 **77** (2) 166

Study of immunochemical heterogeneity of *Azospirillum brasilense* lipopolysaccharides

Pieretti G, Corsaro MM*, Lanzetta R, Parrilli M, Canals R, Merino S, Tomas JM// *Univ Naples Federico II, Dipt Chim Organ & Biochim, IT-80126 Naples, Italy

Eur J Org Chem 2008 (18) 3149

Structural studies of the O-chain polysaccharide from *Plesiomonas shigelloides* strain 302-73 (serotype O1)

8. Pectin

Abdel-Halim ES, Fahmy HM, Fouda MM// Nat Res Ctr, Textile Res Div, Dokki, Cairo, Egypt

Carbohydr Polym 2008 **74** (3) 707

Bioscouring of linen fabric in comparison with conventional chemical treatment

Bonnin E, Clavurier K, Daniel S, Kauppinen S, Mikkelsen JDM, Thibault JF// INRA UR 1268 Biopolymères Interactions Assemblages, Nantes, France

Carbohydr Polym 2008 **74** (3) 411

Pectin acetyltransferases from *Aspergillus* are able to deacetylate homogalacturonan as well as rhamnogalacturonan

Itoh K, Yahaba M, Takahashi A, Tsuruya R, Miyazaki S, Dairaku M, Togashi M, Mikami R, Attwood D// Hlth Sci Univ Hokkaido, Fac Pharmaceut Sci, Ishikari, Hokkaido 061 029, Japan

Int J Pharm 2008 **356** (1-2) 95

In situ gelling xyloglucan/pectin formulations for oral sustained drug delivery

Khotimchenko MY, Kolenchenko EA, Khotimchenko YS// Vladivostok State Med Univ, Dept Pharm, RU-690990 Vladivostok, Russia

J Colloid Interface Sci 2008 **323** (2) 216

Zinc-binding activity of different pectin compounds in aqueous solutions

Kim Y, Yoo YH, Yam KO, Park JB, Yoo SH// Ewha Women's Univ, Dept Food Sci & Technol, Seoul 120 750, South Korea

J Food Sci 2008 **73** (5) C367

Textural properties of gelling system of low-methoxy pectins produced by demethoxylating reaction of pectin methyl esterase

Kurita O, Fujiwara T, Yamazaki E// Mie Prefectural Sci & Technol Promotion Ctr, Ind Res Div, 5-5-45 Takajaya, Tsu, Mie 514 0819, Japan

Carbohydr Polym 2008 **74** (3) 725

Characterization of the pectin extracted from citrus peel in the presence of citric acid

Lam M, Paulsen P, Corredig M// *Univ Guelph, Dept Food Sci, Guelph, Ontario, Canada N1G 2W1

J Agric Food Chem 2008 **56** (12) 4726

Interactions of soy protein fractions with high-methoxyl pectin

Lee JS, Chung D, Lee HG// *Hanyang Univ, Dept Food & Nutr, 17 Haengdang dong, Seondong gu, Seoul 133 791, South Korea

Int J Biol Macromol 2008 **42** (4) 340

Optimization of calcium pectinate gel beads for sustained-release of catechin using response surface methodology

Li TP, Li SH, Wang N, Liu JF// Tianjin Agric Univ, Dept Food Sci, CN-300384 Tianjin, Peoples Rep China

Eur Food Res Technol 2008 **227** (4) 1035

Physicochemical properties and partial structural features of haw pectin

Matsumoto T, Hosono-Nishiyama K, Yamada H// *Kitasato Univ, Kitasato Inst Life Sci, Minato ku, Tokyo 108 8641, Japan

Biol Pharm Bull 2008 **31** (5) 931

A pectic polysaccharide isolated from the roots of *Bupleurum falcatum* L. stimulates the tyrosine phosphorylation of lipid rafts of murine B cells

Nakkeeran E, Venkatesh KS, Subramanian R*, Kumar SU// *Cent Food Technol Res Inst, Dept Food Engn, IN-570020 Mysore, India

J Chem Technol Biotechnol 2008 **83** (7) 957

Purification of *Aspergillus carbonarius* polygalacturonase using polymeric membranes

Pinheiro ER, Silva IMDA, Gonzaga LV, Amante ER, Teofilo RF, Ferreira MMC, Amboni RDMC// *Univ Fed Santa Catarina, Dept Ciencias & Tecnol Alimentos, Ctr Ciencias Agric, Rod Admar Gonzaga 1346, BR-88034-001 Florianopolis, SC, Brazil

Bioresour Technol 2008 **99** (13) 5561

Optimization of extraction of high-ester pectin from passion fruit peel (*Passiflora edulis flavicarpa*) with citric acid by using response surface methodology

Ralet MC, Crepeau MJ, Bonnin E// INRA, UR1268 Biopolymères Interactions Assemblage, rue Géraudière, BP 71627, FR-44300 Nantes, France

Phytochemistry 2008 **69** (9) 1903

Evidence for a blockwise distribution of acetyl groups into homogalacturonans from a commercial sugar beet (*Beta vulgaris*) pectin

Sato Y, Miyawaki O// Kochi Women's Univ, Lab Food Sci & Technol, Eikokuji 5-15, Kochi 780 8515, Japan

Food Sci Technol Res 2008 **14** (3) 232

Analysis of intermolecular interaction among pectin molecules in aqueous sugar solutions

Simkovic I, Mendichi R, Uhliarikova I// Slovak Acad Sci, Inst Chem, Dubravska cesta 9, SK-84538 Bratislava, Slovakia

Carbohydr Polym 2008 **74** (3) 611

Modification of polygalacturonic acid hydroxyls with trimethylammonium-and/or sulfonate-2-hydroxypropyl group

Sriamornsak P, Wattanakorn N, Nunthanid J, Puttipatkhachorn S// Silpakorn Univ, Dept Pharmaceut Technol, TH-73000 Nakhon Pathom, Thailand

Carbohydr Polym 2008 **74** (3) 458

Mucoadhesion of pectin as evidence by wettability and chain interpenetration

- Sriamornsak P, Wattanakorn N// Silpakorn Univ, Fac Pharm, Dept Pharmaceut Technol, TH-73000 Nakhon Pathom, Thailand
Carbohydr Polym 2008 **74** (3) 474
- Rheological synergy in aqueous mixtures of pectin and mucin
- Wu BJ, Deng DY, Lu Y, Wu W*// *Fudan Univ, Sch Pharm, Dept Pharmaceut, CN-200032 Shanghai, Peoples Rep China
Eur J Pharm Biopharm 2008 **69** (1) 294
- Biphasic release of indomethacin from HPMC/pectin/calcium matrix tablet: II. Influencing variables, stability and pharmacokinetics in dogs
- ## 9. Starch
- An HJ, Yang HS, Liu ZD, Zhang ZZ// Tianjin Univ Sci & Technol, Coll Food Engn & Biotechnol, Teda Bio-X Ctr, 29 13th Ave Teda, CN-300457 Tianjin, Peoples Rep China
LWT Food Sci Technol 2008 **41** (8) 1466
- Effects of heating modes and sources on nanostructure of gelatinized starch molecules using atomic force microscopy
- Aparicio-Saguilan A, Gutierrez-Meraz F, Garcia-Suarez FJ, Tovar J, Bello-Perez LA*// *Ctr Desarrollo Productos Bioticos IPN, Km 8.5 Carr Yauatepec-Jojutla, Colonia San Isidro AP 24, MX-62731 Yauatepec, Morelos, Mexico
Starch 2008 **60** (6) 286
- Physicochemical and functional properties of cross-linked banana resistant starch. Effect of pressure cooking
- Arunyanart T, Charoenrein S*// *Kasetsart University, Faculty Agro-Ind, Dept Food Sci & Technol, 50 Phaholyothin Rd, Chatuchak, TH-10900 Bangkok, Thailand
Carbohydr Polym 2008 **74** (3) 514
- Effect of sucrose on the freeze-thaw stability of rice starch gels: Correlation with microstructure and freezable water
- Belopolskaya TV, Tsereteli GI, Grunina NA, Smirnova OI// St Petersburg State University, VA Fock Inst Phys, Ulyanovskaya 1, RU-198504 St Petersburg, Russia
J Therm Anal Calorim 2008 **92** (3) 677
- Calorimetric study of the native and postdenatured structures in starches with different degree of hydration
- Bertoft E, Piyachomkwan K, Chatakanonda P, Sriroth K// Abo Akad Univ, Dept Biochem & Pharm, Artillerigatan 6, BioCity, FI-20520 Turku, Finland
Carbohydr Polym 2008 **74** (3) 527
- Internal unit chain composition in amylopectins
- Bratskaya SY, Schwarz S, Liebert T, Heinze T// Russian Acad Sci, Far Eastern Branch, Inst Chem, RU-690022 Vladivostok, Russia
Russ J Appl Chem Eng Tr 2008 **81** (5) 862
- Flocculation and binding properties of highly substituted cationic starches
- Bravo-Osuna I, Ferrero C*, Jimenez-Castellanos MR// *Univ Seville, Fac Farm, Dept Farm & Tecnol Farmaceut, C/ Prof Garcia Gonzalez 2, ES-41012 Seville, Spain
Eur J Pharm Biopharm 2008 **69** (1) 285
- Drug release behaviour from methyl methacrylate-starch matrix tablets: Effect of polymer moisture content
- Brouillet F, Bataille B, Cartilier L*// *Univ Montreal, Fac Pharm, POB 6128, Downtown Stat, Montreal, Quebec, Canada H3C 3J7
Int J Pharm 2008 **356** (1-2) 52
- High-amylose sodium carboxymethyl starch matrices for oral, sustained drug-release: Formulation aspects and *in vitro* drug-release evaluation
- Chaleat CM, Michel-Amadry G, Halley PJ, Truss RW*// *Univ Queensland, Sch Engn, Ctr High Performance Polym, Brisbane, Qld 4072, Australia
Carbohydr Polym 2008 **74** (3) 366
- Properties of a plasticised starch blend - Part 2: Influence of strain rate, temperature and moisture on the tensile yield behaviour
- Che L, Li D*, Wang L, Ozkan N, Chen XD, Mao Z// *China Agric Univ, Coll Engn, 17 Qinghua Donglu, CN-100083 Beijing, Peoples Rep China
Carbohydr Polym 2008 **74** (3) 385
- Rheological properties of dilute aqueous solutions of cassava starch
- Dong HZ, Hou HX*, Liu CF, Zhang H// *Shandong Agric Univ, Dept Food Sci & Engn, CN-271018 Taian, Shandong, Peoples Rep China
Starch 2008 **60** (6) 305
- Relationships between some physicochemical properties of starches from maize cultivars grown in East China
- Fang Y, Wang L, Li D, Li B, Bhandari B, Chen XD*, Mao Z// *China Agric Univ, Coll Engn, PO Box 50, 17 Qinghua Donglu, CN-100083 Beijing, Peoples Rep China
Carbohydr Polym 2008 **74** (3) 379
- Preparation of crosslinked starch microspheres and their drug loading and releasing properties
- Frampton MJ, Claridge TDW, Latini G, Brovelli S, Cacialli F*, Anderson HL// *UCL, Dept Phys & Astron, Gower St, London WC1E 6BT, England
Chem Commun 2008 (24) 2797
- Amylose-wrapped luminescent conjugated polymers
- Gun'ko VM, Pissis P, Spanoudaki A, Turova AA, Turov VV, Zarko VI, Goncharuk EV// Inst Surface Chem, Dept Amorphous & Struct Ordered Oxides, 17 Gen Naumov St, UA-03164 Kiev, Ukraine
Colloid Surface A 2008 **320** (1-3) 247
- Interfacial phenomena in starch/fumed silica at varied hydration levels
- Hao AY, Geng YY, Xu Q*, Lu ZY, Yu L// *Donghua Univ, Coll Textiles Engn, CN-200051 Shanghai, Peoples Rep China
J Appl Polym Sci 2008 **109** (4) 2679
- Study of different effects on foaming process of biodegradable PLA/starch composites in supercritical/compressed carbon dioxide
- Heinzerling CI, Smit G, Dransfield E// Univ Wageningen & Res Ctr, Ctr Innovative Consumer Studies, Bornsesteeg 59, NL-6708 PD Wageningen, The Netherlands
Int Dairy J 2008 **18** (8) 867
- Modelling oral conditions and thickness perception of a starch product
- Kim SH, Lee KS, Suh DS, Lee YC, Kim KO*// *Ewha Womans Univ, Dept Food Sci & Technol, Seoul 120 750, South Korea
Food Sci Biotechnol 2008 **17** (3) 534
- Properties of chestnut starches and steamed chestnuts with different pretreatment and storage conditions
- Kingcam R, Devahastin S*, Chiewchan N// *King Mongkuts Univ Technol Thonburi, Dept Food Engn, 126 Pracha u-tid Rd, TH-10140 Bangkok, Thailand
J Food Eng 2008 **89** (1) 72
- Effect of starch retrogradation on texture of potato chips produced by low-pressure superheated steam drying
- Kondo S, Yamamoto C, Kamigaito M, Okamoto Y*// *Nagoya Univ, Grad Sch Engn, Dept Appl Chem, Furo cho, Chikusa ku, Nagoya, Aichi 464 8603, Japan
Chem Lett 2008 **37** (5) 558
- Synthesis and chiral recognition or novel regioselectively substituted amylose derivatives
- Korus J, Wituk M, Juszczak L, Ziobro R// Univ Agric, Dept Carbohydr Technol, 122 Balicka St, PL-30149 Krakow, Poland
J Food Eng 2008 **88** (4) 528
- Grass pea (*Lathyrus sativus* L.) starch as an alternative for cereal starches: Rheological properties and retrogradation susceptibility
- Lawal OS, Ogundiran OO, Awokoya K, Ogunkunle AO// Olabisi Onabanjo Univ, Dept Chem Sci, PMB 2002, Ago-Iwoye, Ogun State, Nigeria
Carbohydr Polym 2008 **74** (3) 717
- The low-substituted propylene oxide etherified plantain (*Musa paradisiaca normalis*) starch: Characterization and functional parameters
- Lee SY, Chen H, Hanna MA*// *Univ Nebraska, Ind Agric Prod Ctr, 208 LW Chase Hall, Lincoln, Ne 68583, USA
Ind Crops Products 2008 **28** (1) 95
- Preparation and characterization of tapioca starch-poly(lactic acid) nanocomposite foams by melt intercalation based on clay type
- Li L, Jiang H, Campbell M, Blanco M, Jane J*// *Iowa State Univ, Dept Food Sci & Human Nutr, Ames, Ia 50011, USA
Carbohydr Polym 2008 **74** (3) 396
- Characterization of maize amylose-extender (*ae*) mutant starches. Part I: Relationship between resistant starch contents and molecular structures
- Liu HW, Xiong YLL, Jiang LZ, Kong BH*// *NE Agric Univ, Coll Food Sci, CN-150030 Harbin, Heilongjiang, Peoples Rep China
J Sci Food Agric 2008 **88** (9) 1632
- Fat reduction in emulsion sausage using an enzyme-modified potato starch
- Lockwood S, King JM, Labonte DR// Louisiana State Univ, Dept Food Sci, Agric Ctr, 111 Food Sci Bldg, Baton Rouge, La 70803, USA
J Food Sci 2008 **73** (5) C373
- Altering pasting characteristics of sweet potato starches through amino acid additives
- Ma XD// Univ Alberta, Dept Chem & Materials Engn, CME Bldg, Edmonton, Alberta, Canada T6G 2G6
Colloid Surface A 2008 **320** (1-3) 36
- Role of solvation energy in starch adsorption on oxide surfaces
- Massicotte LP, Baille WE, Mateescu MA*// *Univ Quebec, Dept Chem, CP 8888, Succursale A, Montreal, Quebec, Canada H3C 3P8
Int J Pharm 2008 **356** (1-2) 212
- Carboxylated high amylose starch as pharmaceutical excipients - Structural insights and formulation of pancreatic enzymes
- Matsuki J, Yasui T, Sasaki T, Fujita M, Kitamura Y// Natl Food Res Inst, Tsukuba, Ibaraki 305 8642, Japan
Starch 2008 **60** (6) 279
- Effects of the barley *amo1* and *wax* genes on starch structure and physicochemical properties
- Mondragon M, Mancilla JE, Rodriguez-Gonzalez FJ// Inst Politecn Nacl, ESIME Azcapotzalco, Seccion Estudios Posgrad & Invest, MX-02250 Mexico City, DF, Mexico
Polym Eng Sci 2008 **48** (7) 1261
- Nanocomposites from plasticized high-amylopectin, normal and high-amylose maize starches

- Puncha-Arnon S, Pathipanawat W, Puttanlek C, Rungsardthong V, Uttapap D// *King Mongkut's Univ Technol Thonburi, Sch Bioresources & Technol, Div Biochem Technol, TH-10150 Bangkok, Thailand
Food Res Int 2008 **41** (5) 552
Effects of relative granule size and gelatinization temperature on paste and gel properties of starch blends
- Qudsieh IY, I-Razi AF, Kabbashi NA, Mirghani MES, Fandi KG, Alam MZ, Muyibi SA, Nasef MM// Int Islam University Malaysia, Faculty Engineering, Department Biotechnol Engr, BERU, POB 10, MY-50728 Kuala Lumpur, Malaysia
J Appl Polym Sci 2008 **109** (5) 3140
Preparation and characterization of a new coagulant based on the sago starch biopolymer and its application in water turbidity removal
- Quiroga CC, Bergenstahl B// Lund Univ, Div Food Technol, PO Box 124, SE-22100 Lund, Sweden
Carbohydr Polym 2008 **74** (3) 358
Rheological behavior of amylopectin and β -lactoglobulin phase-segregated aqueous system
- Ratnayake WS, Jackson DS// Univ Nebraska, Dept Food Sci & Technol, 256 Food Ind Complex, Lincoln, NE 68583, USA
J Food Sci 2008 **73** (5) C356
Thermal behavior of resistant starches RS 2, RS 3, and RS 4
- Reti C, Casetta M*, Duquesne S, Bourbigot S, Delobel R// *ENSCL, LSPES, UMR 8008, Lab Procédés Elaborat Revêtements Fonctionnels, FR-59652 Villeneuve d'Ascq, France
Polym Adv Technol 2008 **19** (6) 628
Flammability properties of intumescent PLA including starch and lignin
- Sadeghi M, Hosseinzadeh H// Payame Nour Univ, Fac Sci, Dept Chem, Lorreston Branch, Khorramabad, Iran
Turk J Chem 2008 **32** (3) 375
Synthesis and swelling behavior of starch-poly(sodium acrylate-co-acrylamide) superabsorbent hydrogel
- Sanz T, Salvador A, Fiszman SM// Inst Agroquím & Tecnol Alimentos - CSIC, Apartado Correos 73, ES-46100 Valencia, Spain
Eur Food Res Technol 2008 **227** (3) 813
Evaluation of four types of resistant starch in muffin baking performance and relationship with batter rheology
- Sarker MZI, Yamauchi H, Kim SJ, Matsuura-Endo C, Takigawa S, Hashimoto N, Noda T// *Nat'l Agric Res Ctr Hokkaido Region, Memuro Upland Farming Res Stn, Kasai, Hokkaido 080 007, Japan
Food Sci Technol Res 2008 **14** (2) 211
A farinograph study on dough characteristics of mixtures of wheat flour and potato starches from different cultivars
- Tang X, Alavi S*, Herald TJ// *Kansas State Univ, Dept Grain Sci & Ind, Manhattan, KS 66506, USA
Carbohydr Polym 2008 **74** (3) 552
Effects of plasticizers on the structure and properties of starch-clay nanocomposite films
- Tang X, Alavi S*, Herald TJ// *Address as above
Cereal Chem 2008 **85** (3) 433
Barrier and mechanical properties of starch-clay nanocomposite films
- Tulkomane T, Varavinit S// *Mahidol Univ, Fac Sci, Dept Biotechnol, Rama VI Rd, TH-10400 Bangkok, Thailand
Starch 2008 **60** (6) 292
Classification of rice starch amylose content from rheological changes of starch paste after cold recrystallization
- Tulkomane T, Varavinit S// *Address as above
Starch 2008 **60** (6) 298
Influence of octenyl succinate rice starch on rheological properties of gelatinized rice starch before and after retrogradation
- Ugrozov VV, Shebershneva NN, Filippov AN, Sidorenko YI// Moscow State Univ Food Prod, Volokolamskoe shosse 11, RU-125080 Moscow, Russia
Colloid J Engl Tr 2008 **70** (3) 366
Sorption and desorption of water vapor by grains of native starch of some crops
- Veiga-Santos P, Suzuki CK, Nery KF, Cereda MP, Scamparini ARP// Univ Estadual Campinas, FEA/DCA, POB 6121, BR-13081-970 Campinas, SP, Brazil
LWT Food Sci Technol 2008 **41** (8) 1506
Evaluation of optical microscopy efficacy in evaluating cassava starch biofilms microstructure
- Wang CF, Chen KM// *Nat'l Taiwan Univ Sci & Technol, Dept Polymer Engr, 43 Keelung Rd Sect 4, Taipei, Taiwan
Colloid Surface A 2008 **320** (1-3) 1
Preparation and surface activities of novel multiply hydrophilic dextrin-derived surfactants
- Wang S, Yu J, Yu J// Tianjin Univ, Sch Pharmaceut Sci & Technol, CN-300072 Tianjin, Peoples Rep China
Carbohydr Polym 2008 **74** (3) 731
The semi-crystalline growth rings of C-type pea starch granule revealed by SEM and HR-TEM during acid hydrolysis
- Wang SJ, Yu JL, Yu JG, Chen HX, Pang JP, Liu HY// Tianjin Univ, Coll Pharmaceut Sci & Technol, CN-300072 Tianjin, Peoples Rep China
J Food Eng 2008 **88** (3) 287
Partial characterization of starches from *Dioscorea opposita* Thunb. cultivars
- Wang Y, Wang LJ, Li D*, Ozkan N, Chen XD, Mao ZH// *China Agric Univ, Coll Engr, 17 Qinghua Donglu, CN-100083 Beijing, Peoples Rep China
J Food Eng 2008 **89** (1) 87
Effect of flaxseed gum addition on rheological properties of native maize starch
- Wei Y, Cheng F*, Zheng H// *Tianjin Univ, Sch Sci, Dept Chem, CN-300072 Tianjin, Peoples Rep China
Carbohydr Polym 2008 **74** (3) 673
Synthesis and flocculating properties of cationic starch derivatives
- Yang SY, Huang CY// *Tatung Univ, Dept Materials Engr, Taipei 104, Taiwan
J Appl Polym Sci 2008 **109** (4) 2452
Plasma treatment for enhancing mechanical and thermal properties of biodegradable PVA/starch blends
- Zhao S, Wang CY, Chen MM, Shi ZQ// Tianjin Univ, Sch Chem Engr & Technol, CN-300072 Tianjin, Peoples Rep China
Mater Lett 2008 **62** (19) 3322
Preparation of carbon sphere from corn starch by a simple method
- Zhao XF, Li ZJ*, Wang L, Lai XJ// *Shaanxi Univ Sci & Technol, Sch Resource & Environm, CN-710021 Xian, Peoples Rep China
J Appl Polym Sci 2008 **109** (4) 2571
Synthesis, characterization, and adsorption capacity of crosslinked starch microspheres with *N,N*-methylene bisacrylamide
- Zhou J, Zhang J, Ma Y, Tong J// Jilin Univ, Coll Biol & Agric Engr, MoE Key Lab Terrain-Machine Bionic Engr, 5988 Renmin St, CN-130022 Changchun, Jilin, Peoples Rep China
Carbohydr Polym 2008 **74** (3) 405
Surface photo-crosslinking of corn starch sheets
- Zhu ZF, Cheng ZQ// Jiangnan Univ, Coll Text & Garments, MoE Key Lab Ecotextile, CN-214122 Wuxi, Peoples Rep China
Starch 2008 **60** (6) 315
Effect of inorganic phosphates on the adhesion of mono-phosphorylated corn-starch to fibers

10. Starch-degrading enzymes

- Alviola JN, Waniska RD// Texas A&M Univ, Dept Soil & Crop Sci, Cereal Qual Lab, College Station, TX 77843, USA
Cereal Chem 2008 **85** (3) 391
Determining the role of starch in flour tortilla staling using α -amylase
- Anitha GB, Muralikrishna G// CSIR, Cent Food Technol Res Inst, Dept Biochem & Nutr, IN-570020 Mysore, India
J Food Sci Technol Mysore 2008 **45** (4) 300
Physico-chemical characteristics of native and pancreatic α -amylase digested cereal and finger millet starches
- Rajagopalan G, Krishnan C// *Indian Inst Technol, Dept Biotechnol, IN-600036 Chennai, India
J Chem Technol Biotechnol 2008 **83** (5) 654
Optimization of medium and process parameters for a constitutive α -amylase production from a catabolite derepressed *Bacillus subtilis* KCC103
- Ueda M, Asano T, Nakazawa M, Miyatake K, Inouye K// Univ Osaka Prefecture, Grad Sch Life & Environm Sci, Osaka 599 8531, Japan
Comp Biochem Physiol B Biochem Mol Biol 2008 **150** (1) 125
Purification and characterization of novel raw-starch-digesting and cold-adapted α -amylases from *Eisenia foetida*
- Varzakas TH, Roussos S, Arvanitoyannis IS// *Technol Educat Inst Kalamata, Sch Agric, Dept Technol Agric Product, GR-24100 Antikalamos, Kalamata, Greece
Int J Food Sci Technol 2008 **43** (7) 1159
Glucosylases production of *Aspergillus niger* in solid state fermentation using a continuous counter-current reactor
- Wu CS// Kao Yuan Univ, Dept Chem & Biochem Engr, Kaohsiung 82101, Kaohsiung City, Taiwan
Macromol Biosci 2008 **8** (6) 560
Characterizing biodegradation of PLA and PLA-g-AA/starch films using a phosphate-solubilizing *Bacillus* species

11. Polysaccharides - Microbial

- Aguilera M, Quesada MT, Del Aguila VG, Morillo JA, Rivadeneyra MA, Ramos-Cormenzana A, Monteoliva-Sanchez M// *University Granada, Faculty Pharm, Department Microbiol, Campus Univ Cartuja s/n, ES-18071 Granada, Spain
Bioresour Technol 2008 **99** (13) 5640
Characterisation of *Paenibacillus jamilae* strains that produce exopolysaccharide during growth on and detoxification of olive oil mill wastewaters

- Ai L, Zhang H, Guo B*, Chen W, Wu Z, Wu Y// *Tech Ctr Bright Dairy & Food Co Ltd, CN-200072 Shanghai, Peoples Rep China
Carbohydr Polym 2008 **74** (3) 353
Preparation, partial characterization and bioactivity of exopolysaccharides from *Lactobacillus casei* LC2W
- Ayala-Hernandez I, Goff HD, Corredig M*// *Univ Guelph, Dept Food Sci, Guelph, Ontario, Canada N1G 2W1
J Dairy Sci 2008 **91** (7) 2583
Interactions between milk proteins and exopolysaccharides produced by *Lactococcus lactis* observed by scanning electron microscopy
- Basavaraju KC, Jayaraju J, Rai SK, Damappa T*// *Univ Mysore, Dept Polymer Sci, Sir MVPG Ctr, IN-571402 Mysore, India
J Appl Polym Sci 2008 **109** (4) 2491
Miscibility studies of xanthan gum with gelatin in dilute solution
- Chen X, Zhong HY, Zeng JH, Ge J// Guilin Med Coll, Pharmaceut Sch, CN-541000 Guilin, Peoples Rep China
Carbohydr Polym 2008 **74** (3) 445
The pharmacological effect of polysaccharides from *Lentinus edodes* on the oxidative status and expression of VCAM-1mRNA of thoracic aorta endothelial cell in high-fat-diet rats
- De Castro C, Fregolino E, Gargiulo V, Lanzetta R, Parrilli M// Univ Naples Federico II, Dept Organ Chem & Biochem, Complesso Univ Monte Sant Angelo, Via Cintia 4, IT-80126 Naples, Italy
Carbohydr Res 2008 **343** (9) 1482
A novel capsular polysaccharide from *Rhizobium rubi* strain DSM 30149
- Dou HJ, Xu B, Tao K, Tang MH, Sun K*// *Shanghai Jiao Tong University, State Key Lab Metal Matrix Composites, CN-200030 Shanghai, Peoples Rep China
J Mater Sci Mater Med 2008 **19** (7) 2575
The one-pot synthesis of dextran-based nanoparticles and their application in *in-situ* fabrication of dextran-magnetite nanocomposites
- Eckelt J, Sugaya R, Wolf BA*// *WEE-Solve GmbH, Auf der Burg 6, DE-55130 Mainz, Germany
Biomacromolecules 2008 **9** (6) 1691
Pullulan and dextran: Uncommon composition dependent Flory-Huggins interaction parameters of their aqueous solutions
- Gil EC, Colarte AI, Sampedro JLL, Bataille B// Ctr Quim Farmaceut, Calle 200 Esquina 21, Havana, Cuba
Eur J Pharm Biopharm 2008 **69** (1) 303
Subcoating with Kollidon VA 64 as water barrier in a new combined native dextran/HPMC-cetyl alcohol controlled release tablet
- Hussain MA, Heinze T*// *Univ Jena, Kompetenz-Zentrum Polysaccharidforschung, Humboldtstr 10, DE-07743 Jena, Germany
Polym Bull 2008 **60** (6) 775
Unconventional synthesis of pullulan abietates
- Kawakita H, Gyotoku A, Seto H, Ohto K, Harada H, Inoue K// Saga University, Faculty Science & Engineering, Dept Appl Chem, I-Honjo, Saga 840 8502, Japan
Carbohydr Polym 2008 **74** (3) 627
Dextran formation on hydroxyapatite by immobilized dextranase to control protein adsorption
- Kim Y, Kim JU, Oh S, Kim YJ, Kim M, Kim SH*// *Korea Univ, Div Food Biosci, Seoul 136 701, South Korea
Food Sci Biotechnol 2008 **17** (3) 587
Technical optimization of culture conditions for the production of exopolysaccharide (EPS) by *Lactobacillus rhamnosus* ATCC 9595
- Li WD, Zhang BD, Wei R, Liu JH, Lin ZB// Peking University Health Science Ctr, Sch Basic Med Sci, Dept Pharmacol, CN-100083 Beijing, Peoples Rep China
Acta Pharmacol Sin 2008 **29** (5) 620
Reversal effect of *Ganoderma lucidum* polysaccharide on multidrug resistance in K562/ADM cell line
- Li WW, Zhou WZ*, Zhang YZ, Wang J, Zhu XB// *Shandong Univ, Sch Environm Sci & Engn, CN-250100 Jinan, Peoples Rep China
Bioresour Technol 2008 **99** (15) 6893
Flocculation behavior and mechanism of an exopolysaccharide from the deep-sea psychrophilic bacterium *Pseudalteromonas* sp SM9913
- Li X, Jiao LL, Zhang X, Tian WM, Chen S, Zhang LP*// *NE Normal Univ, Sch Life Sci, CN-130024 Changchun, Peoples Rep China
Sci China C Life Sci 2008 **51** (6) 513
Structure of polysaccharides from mycelium and culture medium of *Phellinus nigricans* using submerged fermentation
- Lobner F, Walsted A, Larsen R, Bendtzen K, Nielsen CH// Univ Copenhagen, Herlev Hosp, Dept Clin Immunol & Blood Bank, Herlev Ringvej 75, DK-2730 Herlev, Denmark
J Med Food 2008 **11** (2) 313
Enhancement of human adaptive immune responses by administration of a high-molecular-weight polysaccharide extract from the cyanobacterium *Arthrospira platensis*
- Maina NH, Tenkanen M, Maaheimo H, Juvonen R, Virkki L// Univ Helsinki, Dept Appl Chem & Microbiol, POB 27, FI-00014 Helsinki, Finland
Carbohydr Res 2008 **343** (9) 1446
NMR spectroscopic analysis of exopolysaccharides produced by *Leuconostoc citreum* and *Weissella confusa*
- Nickerson MT, Paulson AT*, Hallett FR// *Dalhousie Univ, Dept Process Engr & Appl Sci, Food Sci Program, Halifax, Nova Scotia, Canada B3J 2X4
Food Res Int 2008 **41** (5) 462
Pre-gel solution properties of gellan polysaccharides: Effect of potassium and calcium ions on chain associations
- Radulovic MD, Cvetkovic OG, Nikolic SD, Dordevic DS, Jakovjevic DM, Vrvic MM// ICHTM, Dept Chem, Njegoseva 12, POB 473, Belgrade 11001, Serbia
Bioresour Technol 2008 **99** (14) 6673
Simultaneous production of pullulan and biosorption of metals by *Aureobasidium pullulans* strain CH-1 on peat hydrolysate
- Sakuragi M, Takeda Y, Shimada N, Sakurai K*// *Univ Kitakyushu, Dept Chem Proc & Environm, 1-1 Hibikino, Wakamatsu ku, Fukuoka 808 0135, Japan
Polym Bull 2008 **61** (1) 107
Entrapment of immature amyloid protofilaments in the hydrophobic domain of schizophyllan
- Santos-Neves JC, Pereira MI, Carbonero ER, Gracher AHP, Gorin PAJ, Sasaki GL, Iacomini M*// *Univ Fed Parana, Dept Bioquim & Biol Mol, CP 19046, BR-81531-980 Curitiba, Parana, Brazil
Carbohydr Res 2008 **343** (9) 1456
A gel-forming β -glucan isolated from the fruit bodies of the edible mushroom *Pleurotus florida*
- Semjonovs P, Zikmanis P*// *Univ Latvia, Inst Microbiol & Biotechnol, 4 Kronvalda Blvd, LV-1010 Riga, Latvia
Eur Food Res Technol 2008 **227** (3) 851
Evaluation of novel lactose-positive and exopolysaccharide-producing strain of *Pediococcus pentosaceus* for fermented foods
- Shene C, Canquil N, Bravo S, Rubilar M// Univ La Frontera, Dept Chem Engr, Casilla 54-D, Temuco, Chile
Int J Food Microbiol 2008 **124** (3) 279
Production of the exopolysaccharides by *Streptococcus thermophilus*: Effect of growth conditions on fermentation kinetics and intrinsic viscosity
- Shu CH, Hsu HJ// Natl Cent Univ, Dept Chem & Mat Engr, Jung Li, Taiwan
J Chem Technol Biotechnol 2008 **83** (5) 618
Effects of sodium chloride on the production of bioactive exopolysaccharides in submerged cultures of *Phellinus linteus*
- Singh RS, Bhermi HK// Punjabi Univ, Dept Biotechnol, IN-147002 Patiala, India
Bioresour Technol 2008 **99** (15) 7418
Production of extracellular exoinulinase from *Kluyveromyces marxianus* YS-1 using root tubers of *Asparagus officinalis*
- Soliman GM, Winnik FM*// *Univ Montreal, Fac Pharm, CP 6128, Succursale Ctr-ville, Montreal, Quebec, Canada H3C 3J7
Int J Pharm 2008 **356** (1-2) 248
Enhancement of hydrophilic drug loading and release characteristics through micellization with new carboxymethyl-dextran-PEG block copolymers of tunable charge density
- Viet D, Beck-Candanedo S, Gray DG*// *McGill Univ, Dept Chem, Pulp & Paper Res Ctr, Montreal, Quebec, Canada H3A 2A7
Carbohydr Polym 2008 **74** (3) 372
Synthesis and characterization of blue dextrans

12. Polysaccharides - Plant

- Akalin AS, Karagozlu C, Unal G// Ege Univ, Fac Agric, Dept Dairy Technol, TR-35100 Izmir, Turkey
Eur Food Res Technol 2008 **227** (3) 889
Rheological properties of reduced-fat and low-fat ice cream containing whey protein isolate and inulin
- Andersson AAM, Ruegg N, Aman P// Swedish Univ Agric Sci, Dept Food Sci, Box 7051, SE-75007 Uppsala, Sweden
J Cereal Sci 2008 **47** (3) 399
Molecular weight distribution and content of water-extractable β -glucan in rye crisp bread
- Ashour I, Al-Rub FAA, Sheikh D, Volesky B// Sultan Qaboos Univ, Dept Chem & Petr Engr, Box 33 Al Khod, Muscat 123, Oman
Separ Sci Technol 2008 **43** (8) 2208
Biosorption of naphthalene from refinery simulated waste-water on blank alginate beads and immobilized dead algal cells
- Assreuy AMS, Gomes DM, Da Silva MSJ, Torres VM, Siquera RCL, Pires AD, Cridle DN, De Alencar NMN, Cavada BS, Sampaio AH, Farias WR// Univ Estadual Ceara, Inst Super Ciencais Biomed, Av Paranjana 1700, BR-60740-000 Fortaleza, Ceara, Brazil
Biol Pharm Bull 2008 **31** (4) 691
Biological effects of a sulfated-polysaccharide isolated from the marine red algae *Champia feldmannii*

- Bitton R, Bianco-Peled H*// *Technion - Israel Inst Technol, Dept Chem Engrn, IL-32000 Haifa, Israel
Macromol Biosci 2008 **8** (5) 393
 Novel biomimetic adhesives based on algae glue
- Builders PF, Kunle OO, Adikwu MU// Natl Inst Pharmaceut Res & Dev, Dept Pharmaceut Technol & Raw Materials Dev, Abuja, Nigeria
Int J Pharm 2008 **356** (1-2) 174
 Preparation and characterization of mucinated agarose: A mucin-agarose physical crosslink
- Chen H, Hu W, Li SQ*, Wang M// *Huazhong Agric Univ, Coll Sci, Dept Chem, CN-430070 Wuhan, Peoples Rep China
Microchim Acta 2008 **162** (1-2) 133
 Direct determination of Cd and Pb in gel forming konjac samples by enzymatic hydrolysis assisted slurry sampling graphite furnace atomic absorption spectrometry
- Chen SJ, Chen W, Xue G*// *Nanjing Univ, Dept Polymer Sci & Engrn, State Key Lab Co-ordinat Chem, CN-210093 Nanjing, Peoples Rep China
Macromol Biosci 2008 **8** (6) 478
 Electrogeneration of polypyrrole/alginate films for immobilization of glucose oxidase
- Daniel-Da-Silva AL, Loio R, Lopes-Da-Silva JA, Trindade T, Goodfellow BJ, Gil AM// Univ Aveiro, Dept Chem, CICECO, PT-3810-193 Aveiro, Portugal
J Colloid Interface Sci 2008 **324** (1-2) 205
 Effects of magnetite nanoparticles on the thermorheological properties of carrageenan hydrogels
- Fabra MJ, Talens P*, Chiralt A// *Univ Politecn Valencia, Inst Food Engrn Dev, Dept Food Technol, Camino de Vera s/n, ES-46022 Valencia, Spain
Carbohydr Polym 2008 **74** (3) 419
 Effect of alginate and λ -carrageenan on tensile properties and water vapour permeability of sodium caseinate-lipid based films
- Haeblerle S, Naegele L, Burger R, Von Stetten F, Zengerle R, Ducrey J// HSG-IMIT-Inst Micromachining & Information Technol, Wilhelm Schickard Str 10, DE-78052 Villingen-Schwenningen, Germany
J Microencapsul 2008 **25** (4) 267
 Alginate bead fabrication and encapsulation of living cells under centrifugally induced artificial gravity conditions
- He XP, Liu N, Li WW, Zhang ZY, Zhang BR*, Ma YH// *Chinese Acad Sci, Inst Microbiol, Lab Mol Genet & Breeding Yeast, CN-100101 Beijing, Peoples Rep China
Enzyme Microb Technol 2008 **43** (1) 13
 Inducible and constitutive expression of a novel thermostable alkaline β -mannanase from alkaliphilic *Bacillus* sp N16-5 in *Pichia pastoris* and characterization of the recombinant enzyme
- Hong GP, Min SG, Ko SH, Choi MJ*// *Konkuk Univ, Dept Food Sci & Biotechnol Anim Resources, Seoul 143 701, South Korea
Int J Food Sci Technol 2008 **43** (8) 1484
 Effect of high pressure treatments combined with various levels of κ -carrageenan on cold-set binding in restructured pork
- Hsieh YSY, Chien C, Liao SKS, Liao SF, Hung WT, Yang WB*, Lin CC, Cheng TJR, Chang CC, Fang JM, Wong CH// *Acad Sinica, Genomics Res Ctr, Taipei 115, Taiwan
Bioorg Med Chem 2008 **16** (11) 6054
 Structure and bioactivity of the polysaccharides in medicinal plant *Dendrobium huoshanense*
- Huang X, Li Q, Zhang YP, Lu Q, Guo LJ*, Huang L, He Z// *Huazhong Univ Sci & Technol, Tongji Med Coll, Dept Pharmacol, Huang Kong Rd 13, CN-430030 Wuhan, Peoples Rep China
Cell Mol Neurobiol 2008 **28** (4) 559
 Neuroprotective effects of cactus polysaccharide on oxygen and glucose deprivation induced damage in rat brain slices
- Huang X, Tan Y*, Zhou Q, Wang Y, Che Y// *Shandong Univ, Sch Chem & Chem Engrn, MoE Key Lab Colloid & Interface Chem, CN-250100 Jinan, Peoples Rep China
Carbohydr Polym 2008 **74** (3) 685
 Aggregation behavior of sodium alginate with cucurbit[6]uril in aqueous solution
- Ishii T, Konishi T, Ono H, Ohnishi-Kameyama M, Togashi H, Shimizu K// Forestry & Forest Prod Res Inst, Wood Chem, Matsunosato 1, Tsukuba, Ibaraki 305 8687, Japan
Carbohydr Polym 2008 **74** (3) 579
 Assignment of the ^1H and ^{13}C NMR spectra of 2-aminobenzamide-labeled xylooligosaccharides
- Kang KS, Kim ID, Kwon RH, Lee JY, Kang JS, Ha BJ*// *Silla Univ, Dept Pharmaceut Engrn, Gwaebup dong, Sasang gu, Pusan 617 736, South Korea
Arch Pharm Res 2008 **31** (5) 622
 The effects of fucoidan extracts on CCl_4 -induced liver injury
- Lai YL, Annadurai G, Huang FC, Lee JF*// *Natl Cent Univ, Grad Inst Environm Engrn, Chungli 320, Taiwan
Bioresour Technol 2008 **99** (14) 6480
 Biosorption of Zn(II) on the different Ca-alginate beads from aqueous solution
- Lu FX, Lu M, Lu ZX*, Bie XM, Zhao HZ, Wang Y// *Nanjing Agric Univ, Coll Food Sci & Technol, Lab Enzyme Engrn, CN-210095 Nanjing, Peoples Rep China
Bioresour Technol 2008 **99** (13) 5938
 Purification and characterization of xylanase from *Aspergillus ficuum* AF-98
- Makai Z, Bajdik J, Eros I, Pintye-Hodi K*// *Univ Szeged, Dept Pharmaceut Technol, Eotvos u 6, HU-6720 Szeged, Hungary
Carbohydr Polym 2008 **74** (3) 712
 Evaluation of the effects of lactose on the surface properties of alginate coated trandolapril particles prepared by a spray-drying method
- Maruyama H, Suzuki K, Miyai S, Ohtsuki K// Kitasato University, Graduate School Med Sci, Pathol Lab, 1-15-1 Litasato, Sagamihara, Kanagawa 228 8555, Japan
Biol Pharm Bull 2008 **31** (4) 714
 Characterization of meFucoidan as a selective inhibitor for secretory phospholipase A_2 -IIA and the phosphorylation of meFucoidan-binding proteins by A-kinase *in vitro*
- Maxim K, Valeri K, Yuri K// Vladivostok State Med Univ, Dept Pharm, RU-690990 Vladivostok, Russia
J Environ Sci China 2008 **20** (7) 827
 Comparative equilibrium studies of sorption of Pb(II) ions by sodium and calcium alginate
- Moreno HM, Carballo J, Borderias AJ*// *Inst Frio - CSIC, Dept Ciencia & Tecnol Carne & Prod Carnicos & Pesca, C/ Jose Antonio Novais 10, ES-28040 Madrid, Spain
J Sci Food Agric 2008 **88** (9) 1529
 Influence of alginate and microbial transglutaminase as binding ingredients on restructured fish muscle processed at low temperature
- Mounsey JS, Stathopoulos CE, Chockchaisawasdee S, O'Kennedy BT, Gee VL, Doyle J// Teagasc Food Res Ctr, Moorepark, Fermoy, Ireland
Eur Food Res Technol 2008 **227** (3) 675
 Effect of zinc fortifications on rheological properties and micro-structure of water-in-oil spreads containing κ -carrageenan
- Mukhopadhyay D, Saville D, Tucker IG// Univ Otago, Sch Pharm, POB 913, Dunedin 9016, New Zealand
Int J Pharm 2008 **356** (1-2) 193
 Crosslinking of drug-alginate granules Part 2. Effect of granule preparation and composition on granule properties
- Nochos A, Douroumis D, Bouropoulos N*// *Univ Patras, Dept Materials Sci, GR-26504 Patras, Greece
Carbohydr Polym 2008 **74** (3) 451
In vitro release of bovine serum albumin from alginate/HPLC hydrogel beads
- Peretz S, Cinteza O// Inst Phys Chem IG Murgulescu, Dept Colloids, 202 Spl Independentei, RO-060021 Bucharest, Romania
Colloid Surface A 2008 **319** (1-3) 165
 Removal of some nitrophenol contaminants using alginate gel beads
- Petzold K, Gunther W, Kotteritzsch M, Heinze T*// *Friedrich Schiller Univ Jena, Ctr Excellence Polysaccharide Res, Humboldtstr 10, DE-07743 Jena, Germany
Carbohydr Polym 2008 **74** (3) 327
 Synthesis and characterization of methyl xylan
- Pokrywczynska M, Drewa T*, Jundzill A, Lysik J// *Nicholas Copernicus University, Coll Med, Dept Tissue Engrn, Karłowicza 24 Str, PL-85090 Bydgoszcz, Poland
Transplant Proc 2008 **40** (5) 1664
 Alginate is not a good material for growth of rapidly proliferating cells
- Prusse U, Bilancetti L, Bucko M, Bugariski B, Bukowski J, Gemeiner P, Lewinska D, Manojlovic V, Massart B, Nastruzzi C, Nedovic V, Poncelet D, Siebenhaar S, Tobler L, Tosi A, Vikartovska A, Vorlop KD// Johan Heinrich von Thunen Inst vTI, Inst Agric Technol & Biosystems Engrn, Bundesallee 50, DE-38116 Braunschweig, Germany
Chem Pap 2008 **62** (4) 364
 Comparison of different technologies for alginate beads production
- Ragae SM, Wood PJ, Wang Q, Tosh S, Brummer Y// Agric & Agri-Food Canada, Food Res Program, Guelph, Ontario, Canada N1G 5C9
Cereal Chem 2008 **85** (3) 283
 Extractability, structure and molecular weight of β -glucan from Canadian rye (*Secale cereale* L.) whole meal
- Ragae SM, Wood PJ, Wang Q, Tosh SM, Brummer Y, Huang X// Address as above
Cereal Chem 2008 **85** (3) 289
 Isolation, fractionation, and structural characteristics of alkali-extractable β -glucan from rye whole meal
- Robic A, Sassi JF, Lahaye M*// *INRA UR1268, BIA, rue de la Geraudiere, BP 71627, FR-44316 Nantes, France
Carbohydr Polym 2008 **74** (3) 344
 Impact of stabilization treatments of the green seaweed *Ulva rotundata* (Chlorophyta) in the extraction yield, the physico-chemical and rheological properties of ulvan

- Schmid T, Messmer A, Yeo BS, Zhang WH, Zenobi R*// *Swiss Federal Institute Technology, Department Chem & Appl Biosci, CH-8093 Zurich, Switzerland
Anal Bioanal Chem 2008 **391** (5) 1907
 Towards chemical analysis of nanostructures in biofilms II: Tip-enhanced Raman spectroscopy of alginates
- Shatalov AA, Pereira H// Univ Tecn Lisbon, Inst Super Agron, Ctr Estudos Florestais, PT-1349-017 Lisbon, Portugal
Biochem Eng J 2008 **40** (1) 19
 Effect of xylanases on peroxide bleachability of eucalypt - (*E. globulus*) kraft pulp
- Shiroma R, Konishi T, Uechi S, Tako M*// *Univ Ryukyus, Dept Biosci & Biotechnol, 1 Senbaru, Ckinawa 903 0213, Japan
Food Sci Technol Res 2008 **14** (2) 176
 Structural study of fucoidan from the brown seaweed *Hizikia fusiformis*
- Singh B, Sharma N// Himachal Pradesh Univ, Dept Chem, Summer Hill, IN-171005 Shimla, HP, India
Carbohydr Polym 2008 **74** (3) 489
 Development of novel hydrogels by functionalization of sterulia gum for use in anti-ulcer drug delivery
- Singh B, Vashishtha M// Himachal Pradesh Univ, Dept Chem, Summer Hill, IN-171005 Shimla, HP, India
Nucl Instrum Methods Phys Res B 2008 **266** (9) 2009
 Development of novel hydrogels by modification of sterulia gum through radiation cross-linking polymerization for use in drug delivery
- Singh RS, Dhaliwal R, Puri M// Punjabi Univ, Dept Biotechnol, Carbohydrate & Prot Biotechnol Lab, IN-147002 Patiala, Punjab, India
J Ind Microbiol Biotechnol 2008 **35** (7) 777
 Development of a stable continuous flow immobilized enzyme reactor for the hydrolysis of inulin
- Sriamornsak P, Nunthanid J, Luangtana-Anan M, Weerapol Y, Puttipipatkachorn S// Silpakorn Univ, Fac Pharm, Dept Pharmaceut Technol, TH-73000 Nakhon Pathom, Thailand
Eur J Pharm Biopharm 2008 **69** (1) 274
 Alginate-based pellets prepared by extrusion/spheronization: Effect of the amount and type of sodium alginate and calcium salts
- Tirafferri A, Chen KL, Sethi R, Elimelech M*// *Yale Univ, Dept Chem Engr, Environm Engr Program, New Haven, Ct 06520, USA
J Colloid Interface Sci 2008 **324** (1-2) 71
 Reduced aggregation and sedimentation of zero-valent iron nanoparticles in the presence of guar gum
- Tiwari A, Singh V// Nat Phys Lab, Div Engr Materials, Dr KS Krishnan Rd, IN-110012 New Delhi, India
Carbohydr Polym 2008 **74** (3) 427
 Microwave-induced synthesis of electrical conducting gum acacia-graft-polyaniline
- Vegas R, Moure A, Dominguez H, Parajo JC, Alvarez JR, Luque S*// *Univ Vigo, Dept Chem Engr, Campus Ourense, Polytech Bldg, ES-32004 As Lagoas, Ourense, Spain
Bioresour Technol 2008 **99** (13) 5341
 Evaluation of ultra- and nanofiltration for refining soluble products from rice husk xylan
- Wang KP, Chen ZX, Zhang Y, Wang PP, Wang JH, Dai LQ// Huazhong Univ Sci & Technol, Fac Pharm, Tongji Med Coll, CN-430030 Wuhan, Hubei, Peoples Rep China
Chin J Chem 2008 **26** (6) 1068
 Molecular weight and proposed structure of the *Angelica sinensis* polysaccharide-iron complex
- Wang Q, Ellis PR, Ross-Murphy SB*// *KCL, Pharmaceut Sci Res Div, Mol Biophys Grp, Franklin-Wilkins Bldg, 150 Stamford St, London SE1 9NH, England
Carbohydr Polym 2008 **74** (3) 519
 Dissolution kinetics of water-soluble polymers: The guar gum paradigm
- Yang B, Wyman CE*// *University Calif Riverside, Bourns College Engr, Chem & Environm Engr Dept, Ctr Environm Res & Technol, Riverside, Ca 92507, USA
Bioresour Technol 2008 **99** (13) 5756
 Characterization of the degree of polymerization of xylooligomers produced by flowthrough hydrolysis of pure xylan and corn stover with water
- Yi HX, Xiong SB, Du M, Zhang LW*// *Harbin Inst Technol, Sch Food Sci & Engr, CN-150090 Harbin, Peoples Rep China
Eur Food Res Technol 2008 **227** (3) 821
 Purification and partial characterization of β -glucanase produced by *Trichoderma viride* TP09 isolated from sewage of beer-making
- Yin G, Dang Y// Chinese Acad Tropical Agric Sci, Anal & Test Ctr, CN-571101 Haikou, Peoples Rep China
Carbohydr Polym 2008 **74** (3) 603
 Optimization of extraction technology of the *Lycium barbarum* polysaccharides by Box-Behnken statistical design
- Zhang DD, Fujii I, Lin CZ, Ito K, Guan HS, Zhao JE, Shinohara M, Matsukura M*// *Sojo Univ, Fac Pharmaceut Sci, Lab Clin Pharmacol & Therapeut, 4-22-1 Ikeda, Kumamoto 860 0082, Japan
Biol Pharm Bull 2008 **31** (5) 921
 The stimulatory activities of polysaccharide compounds derived from algae extracts on insulin secretion *in vitro*
- Zhang ZF, Jin J, Shi LG*// *Zhejiang Univ, Coll Anim Sci, CN-310029 Hangzhou, Zhejiang, Peoples Rep China
Food Sci Technol Res 2008 **14** (2) 160
 Antioxidant activity of the derivatives of polysaccharide extracted from a Chinese medicinal herb (*Ramulus mori*)
- Zhao KY, Huang JJ, Ying XG, Cheng GX*// *Tianjin Univ, Sch Materials Sci & Engr, CN-300072 Tianjin, Peoples Rep China
J Appl Polym Sci 2008 **109** (4) 2687
 Macromolecularly imprinted calcium phosphate/alginate hybrid polymer microspheres with the surface imprinting of bovine serum albumin in inverse-phase suspension

13. Polysaccharides - Other

- Chen SG, Xu J, Xue CH*, Dong P, Sheng WJ, Yu GL, Chai WG// *Ocean Univ China, Coll Food Sci & Technol, 5 Yu Shan Rd, CN-266003 Qingdao, Peoples Rep China
Glycoconj J 2008 **25** (5) 481
 Sequence determination of a non-sulfated glycosaminoglycan-like polysaccharide from melanin-free ink of the squid *Ommastrephes bartramii* by negative-ion electrospray tandem mass spectrometry and NMR spectroscopy
- Chursin VI// Cent Res Inst Leather-Shoe Ind, Moscow, Russia
Russ J Appl Chem Eng Tr 2008 **81** (5) 858
 Properties of biopolymer compositions based on products of collagen hydrolysis and polysaccharides
- Gu SY, Wang ZM, Zhang CY, Ren J// Tongji Univ, Sch Materials Sci & Engr, Inst Nano- & Bio-polym Materials, 1239 Siping Rd, CN-200092 Shanghai, Peoples Rep China
Carbohydr Polym 2008 **74** (3) 572
 Synthesis and evaluation of a biodegradable material with cell recognition motives
- Huang WC, Chen SJ, Chen TL*// *Natl Cheng Kung Univ, Dept Chem Engr, Tainan 701, Taiwan
Biochem Eng J 2008 **40** (3) 460
 Production of hyaluronic acid by repeated batch fermentation
- Lorenzo G, Zaritzky N, Califano A*// *UNLP-CONICET, Fac Ciencias Exactas, CIDCA, 47 & 116, AR-1900 La Plata, Argentina
Food Res Int 2008 **41** (5) 487
 Modeling rheological properties of low-in-fat o/w emulsions stabilized with xanthan/guar mixtures
- Melander C, Tommearas K*// *Novozymes Biopolymer A/S, Krogshoejvej 36, DK-2880 Bagsvaerd, Denmark
Carbohydr Polym 2008 **74** (3) 745
 The influence of sodium hyaluronate molecular weight on protein content according to Lowry and Coomassie blue assays
- Pal S, Sen G, Karmakar NC, Mal D, Singh RP// Birla Inst Technol, Dept Appl Chem, Mesra, IN-835215 Ranchi, Jharkhand, India
Carbohydr Polym 2008 **74** (3) 590
 High performance flocculating agents based on cationic polysaccharides in relation to coal fine suspension
- Pol-Fachin L, Verli H*// *Univ Fed Rio Grande do Sul, Ctr Biotechnol, Av Bento Gonçalves 9500, CP 15005, BR-91500-970 Porto Alegre, RS, Brazil
Carbohydr Res 2008 **343** (9) 1435
 Depiction of the forces participating in the 2-O-sulfo- α -L-iduronic acid conformational preference in heparin sequences in aqueous solutions
- Rwei SP, Chen SW, Mao CF, Fang HW// Natl Taipei Univ Technol, Inst Organ & Polymer Materials, 1 Sect 3 Chung Hsiao East Rd, Taipei, Taiwan
Biochem Eng J 2008 **40** (2) 211
 Viscoelasticity and wearability of hyaluronate solutions
- Tommearas K, Melander C// Novozymes Biopolymer A/S, Krogshoejvej 36, DK-2880 Bagsvaerd, Denmark
Biomacromolecules 2008 **9** (6) 1535
 Kinetics of hyaluronan hydrolysis in acidic solution at various pH values
- Yoshida Y, Isogai A*// *Univ Tokyo, Grad Sch Agric & Life Sci, Dept Biomaterial Sci, Yayoi 1-1-1, Bunkyo ku, Tokyo 113 8657, Japan
J Appl Polym Sci 2008 **109** (3) 1667
 Characterization of polymer-brush-type polysaccharide β -ketoesters
- Yuan X, Li X, Zhu E, Hu J, Sheng W, Cao S// Jiangsu Univ, Sch Material Sci & Engr, CN-212013 Zhenjiang, Jiangsu, Peoples Rep China
Carbohydr Polym 2008 **74** (3) 468
 A novel hypercrosslinked polymeric adsorbent modified by phenolic hydroxyl group of 2-naphthol with bromoethane as crosslinking reagent