



Contents lists available at ScienceDirect

Carbohydrate Polymers

journal homepage: www.elsevier.com/locate/carbpol

Bibliography of carbohydrate polymers

(4 weeks journals. Search completed at 21st. Jan. 2009)

1. Reviews

D'Ayala GG, Malinconico M, Laurienzo P*// *CNR, Ist Chim & Tecnol Polimeri, Via Campi Flegrei 34, IT-80078 Naples, Italy
Molecules 2008 **13** (9) 2069

Marine derived polysaccharides for biomedical applications: Chemical modification approaches

De Soyza A, Silipo A, Lanzetta R, Govan JR, Molinaro A// Univ Newcastle upon Tyne, Inst Cellular Med, Transplantation & Immunobiol Grp, Newcastle upon Tyne NE7 7DN, England
Innate Immun 2008 **14** (3) 127

Chemical and biological features of *Burkholderia cepacia* complex lipopolysaccharides

Feng L, Chen ZI*// *China West Normal Univ, Sichuan Key Lab Appl Chem & Pollution Control Technol, CN-637002 Nanchong, Peoples Rep China
J Mol Liq 2008 **142** (1–3) 1

Research progress on dissolution and functional modification of cellulose in ionic liquids

Quignard F, Valentin R, Di Renzo F// ENSCM/UM2/UM1, Inst Gerhardt, CNRS UMR 5253 Matériaux Avancés Catalyse & Santé, FR-34296 Montpellier, France
New J Chem 2008 **32** (8) 1300

Aerogel materials from marine polysaccharides

Sahni JK, Chopra S, Ahmad FJ, Khar RK// Hamdard Univ, Fac Pharm, Dept Pharmaceut, New Delhi, India
J Pharm Pharmacol 2008 **60** (9) 1111

Potential prospects of chitosan derivative trimethyl chitosan (TMC) as a polymeric absorption enhancer: Synthesis, characterization and applications

Schweda EKH, Twelkmeyer B, Li JJ// Karolinska Inst, Clin Res Ctr, SE-14186 Huddinge, Sweden
Innate Immun 2008 **14** (4) 199

Profiling structural elements of short-chain lipopolysaccharide of non-typeable *Haemophilus influenzae*

Volpi N, Maccari F, Linhardt RJ// Univ Modena & Reggio Emilia, Dept Anim Biol, Biol Chem Sect, Via Campi 213/D, IT-41100 Modena, Italy
Electrophoresis 2008 **29** (15) 3095

Capillary electrophoresis of complex natural polysaccharides

Vyas A, Saraf S, Saraf S// Pandit Ravishankar Shukla Univ, Inst Pharm, IN-492010 Raipur, Chhattisgarh, India

J Inclusion Phenom Macrocycl Chem 2008 **62** (1–2) 23

Cyclodextrin based novel drug delivery systems

2. Cellulose

Bayarri S, Gonzalez-Tomas L, Costell E// Inst Agroquim & Tecnol Alimentos - CSIC, PO Box 73, ES-46100 Burjassot, Valencia, Spain
Food Hydrocolloid 2009 **23** (2) 441

Viscoelastic properties of aqueous and milk systems with carboxymethyl cellulose

Bin C, Joshi SC*, Lam YC// *Nanyang Technol Univ, Sch Mech & Aerospace Engn, Nanyang Ave, SG-639798 Singapore, Rep Singapore
Carbohydr Polym 2009 **75** (2) 282

Bio-fluid uptake and release of indomethacin of direct-compressed HPMC tablets

Birchall JC, Jones BE, Morrissey A, Jones BE// Cardiff Univ, Welsh Sch Pharm, Gene Delivery Res Grp, King Edward VII Ave, Cardiff CF10 3NB, Wales
Drug Develop Ind Pharm 2008 **34** (8) 870

A comparison of the puncturing properties of gelatin and hypromellose capsules for use in dry powder inhalers

Chandak AR, Verma PRP*// *Birla Inst Technol, Dept Pharmaceut Sci, IN-835215 Ranchi, Jharkhand, India
Yakugaku Zasshi 2008 **128** (7) 1057

Design and development of hydroxypropyl methylcellulose (HPMC) based polymeric films of methotrexate: Physicochemical and pharmacokinetic evaluations (Japan, English Abstract)

Chen GFS, Liu HQ*// *Fujian Normal Univ, Coll Chem & Materials Sci, CN-350007 Fuzhou, Peoples Rep China

J Appl Polym Sci 2008 **110** (2) 641

Electrospun cellulose nanofiber reinforced soybean protein isolate composite film

Chow KT, Chan LW, Heng PWS*// *Nat'l Univ Singapore, Fac Sci, Dept Pharm, 18 Science Dr 4, SG-117543 Singapore, Rep Singapore

J Pharm Sci 2008 **97** (8) 3467

Characterization of spreadability of nonaqueous ethylcellulose gel matrices using dynamic contrast angle (Letter)

Colby JL, Dauenhauer PJ, Schmidt LD// Univ Minnesota, Dept Chem Engn & Materials Sci, 421 Washington Ave, Minneapolis, Mn 55455, USA

Green Chem 2008 **10** (7) 773

Millisecond autothermal steam reforming of cellulose for synthetic biofuels by reactive flash volatilization

Cranston ED, Gray DG*// *McGill Univ, Dept Chem, Pulp & Paper Bldg, 3420 University St, Montreal, Quebec, Canada H3A 2A7

Colloid Surface A 2008 **325** (1–2) 44

Birefringence in spin-coated films containing cellulose nanocrystals

De Moura MR, Avena-Bustillos RJ, McHugh TH, Krochta JM, Mattoso LHC*// *Univ Fed Sao Carlos, Dept Chem, Sao Carlos, SP, Brazil

J Food Sci 2008 **73** (7) N31

Properties of novel hydroxypropyl methylcellulose films containing chitosan nanoparticles

He CJ, Sun JF, Ma BM, Wang QR// Donghua Univ, State Key Lab Modification Chem Fibers & Polymer Materials, 2999 Nth Renmin Rd, CN-201620 Shanghai, Peoples Rep China

J Appl Polym Sci 2008 **110** (2) 1208

Rheological properties of cellulose/chitin xanthate blend solutions and properties of the prepared fibers

Ho KM, Mao XP, Gu LQ, Li P*// *Hong Kong Polytech Univ, Dept Appl Biol & Chem Technol, Kowloon, Hong Kong, Peoples Rep China

Langmuir 2008 **24** (19) 11036

Facile route to enzyme immobilization: Core-shell nanoenzyme particles consisting of well-defined poly(methyl methacrylate) cores and cellulose shells

Hong L, Fisher M, Enick R, Beckman E// Univ Pittsburgh, Dept Chem, Chevron Sci Ctr, 219 Parkman Ave, Pittsburgh, Pa 15260, USA

Green Chem 2008 **10** (7) 756

Cellulose triacetate oligomers exhibit high solubility in dense CO₂

Horvath AT, Horvath AE, Lindstrom T, Wagberg L*// *Royal Inst Technol, Dept Fibre & Polymer Technol, SE-10044 Stockholm, Sweden

Langmuir 2008 **24** (19) 10797

Diffusion of cationic polyelectrolytes into cellulosic fibers

As a service to subscribers of the journal, this bibliography contains newly published material in the field of carbohydrate polymers. The bibliography is divided into thirteen sections: 1 Reviews; 2 Cellulose; 3 Cellulose-degrading enzymes; 4 Chitin/Chitosan; 5 Cyclodextrins; 6 Lignin; 7 Lipopolysaccharides; 8 Pectin; 9 Starch; 10 Starch-degrading enzymes; 11 Polysaccharides - Microbial; 12 Polysaccharides - Plant; 13 Polysaccharides - Other. Within each section, articles are listed in alphabetical order with respect to author. When there are no publications to appear under one of these headings, that section will be omitted.

- Hou A, Zhou M, Wang X// Donghua Univ, Nat Engr Res Ctr Dyeing & Finish Textiles, 3H, 2999 Nth Renmin Rd, Songjiang, CN-201620 Shanghai, Peoples Rep China
Carbohydr Polym 2009 **75** (2) 328
Preparation and characterization of durable antibacterial cellulose biomaterials modified with triazine derivatives
- Juntaro J, Pomet M, Kalinka G, Mantalaris A, Shaffer MSP, Bismarck A**// Imperial Coll London, Dept Chem Engr, PaCE Grp, London SW7 2AZ, England
Adv Mater 2008 **20** (16) 3122
Creating hierarchical structures in renewable composites by attaching bacterial cellulose onto sisal fibers
- Kang KS, Cho KY, Lim HK, Kim J// Inha Univ, Dept Mech Engr, Creative Res Ctr Electro-Active Paper EAPap Actuator, 253 Yonghyun dong, Nam gu, Incheon 402 751, South Korea
J Phys D Appl Phys 2008 **41** (19) 95403
Investigation of surface morphology of cellulose acetate micro-mould after deacetylation
- Kimura F, Kimura T// Kyoto Univ, Grad Sch Agric, Div Forest & Biomaterials Sci, Sakyo ku, Kyoto 606 8502, Japan
Sci Technol Adv Mater 2008 **9** (2) 24212
Magnetic alignment and patterning of cellulose fibers
- Kong K, Wilding MA, Ibbett RN, Eichhorn SJ**// *Univ Manchester, Sch Materials, Materials Sci Ctr, Grosvenor St, Manchester M1 7HS, England
Faraday Discuss 2008 **139** 283
Molecular and crystal deformation of cellulose: Uniform strain or uniform stress?
- Li YX, Liu RG*, Huang Y// *Chinese Acad Sci, Inst Chem, Joint Lab Polymer Sci & Materials, State Key Lab Polymer Phys & Chem, CN-100190 Beijing, Peoples Rep China
J Appl Polym Sci 2008 **110** (3) 1797
Synthesis and phase transition of cellulose-graft-poly(ethylene glycol) copolymers
- Marsano E, Corsini P, Canetti M, Freddi G// Univ Genoa, Dipt Chim & Chim Ind, Via Dodecaneso 31, IT-16146 Genoa, Italy
Int J Biol Macromol 2008 **43** (2) 106
Regenerated cellulose-silk fibroin blends fibers
- Mihiranyan A, Nyholm L, Bennett AEG, Stromme M// Angstrom Lab, Dept Engr Space, Box 534, SE-75121 Uppsala, Sweden
J Phys Chem B 2008 **112** (39) 12249
Novel high specific surface area conducting paper material composed of polypyrrole and *Cladophora* cellulose
- Million LE, Guhados G, Wan WK**// *Univ Western Ontario, Biomed Engr Grad Program, London, Ontario, Canada N6A 5B9
J Biomed Mater Res B 2008 **86B** (2) 444
Anisotropic polyvinyl alcohol-bacterial cellulose nanocomposite for biomedical applications
- Mulinari DR, Voorwald HJC, Cioffi MOH, Da Silva MLCP, Luz SM// Fac Engr Guaratingueta, Dept Material & Tecnol, BR-12516-410 Guaratingueta, Sao Paulo, Brazil
Carbohydr Polym 2009 **75** (2) 317
Preparation and properties of HDPE/sugarcane bagasse cellulose composites obtained for thermokinetic mixer
- Nagendran A, Vidya S, Mohan D**// *Anna Univ, AC Coll Technol, Dept Chem Engr, Membrane Lab, IN-600025 Chennai, India
Soft Matter 2008 **6** (2) 45
Preparation and characterization of cellulose acetate-sulfonated poly(ether imide) blend ultrafiltration membranes and their applications
- Onda A, Ochi T, Yanagisawa K// Kochi Univ, Fac Sci, Res Lab Hydrothermal Chem, 2-5-1 Akebono cho, Kochi 780 8520, Japan
Green Chem 2008 **10** (10) 1033
Selective hydrolysis of cellulose into glucose over solid acid catalysts
- Ren JL, Peng F, Sun RC*, Kennedy JF// *Sth China Univ Technol, State Key Lab Pulp & Paper Engr, CN-510640 Guangzhou, Peoples Rep China
Carbohydr Polym 2009 **75** (2) 338
Influence of hemicellulosic derivatives on the sulfate kraft pulp strength
- Reverchon E, Lamberti G, Antonacci A// Univ Salerno, Dipt Ingn Chim & Alimentare, Via Ponte Don Melillo, IT-84084 Fisciano, SA, Italy
J Supercrit Fluid 2008 **46** (2) 185
Supercritical fluid assisted production of HPMC composite microparticles
- Roohani M, Habibi Y, Belgacem NM, Ebrahim G, Karimi AN, Dufresne A**// *Inst Natl Polytech Grenoble, Ecole Francaise Papetrie & Ind Graph, BP65, FR-38402 St Martin d'Heres, France
Eur Polym J 2008 **44** (8) 2489
Cellulose whiskers reinforced polyvinyl alcohol copolymers nanocomposites
- Sammons RJ, Collier JR*, Rials TG, Petrovan S// *FAMU-FSU, Tallahassee, FL 32320, USA
J Appl Polym Sci 2008 **110** (2) 1175
Rheology of 1-butyl-3-methylimidazolium chloride cellulose solutions. I. Shear rheology
- Shybaila TN, Savitskaya TA, Kislyakova TA, Albulov AI, Grinshpan DD// Belarusian State Univ, Dept Chem, ul Leningradskaya 14, BY-220030 Minsk, Byelarus
Colloid J Engl Tr 2008 **70** (5) 661
Chitosan-cellulose sulfate acetate complexation in acetic acid solutions
- Son YA, Ravikumar K, Kim BS// Chungnam Natl Univ, Dept Organ Materials & Textile System Engr, FTIT BK21, Taejon 305 764, South Korea
Colloid Surface A 2008 **325** (3) 120
Development of berberine attraction sites onto cellulosic substrates modified by reactive bridging agent: Statistical optimization and analysis
- Souguir Z, Dupont AL**// *2000B South Club Drive, Landover, Maryland 20785, USA
Biomacromolecules 2008 **9** (9) 2546
Formation of brown lines in paper: Characterization of cellulose degradation at the wet-dry interface
- Suwantong O, Ruktanonchai U, Supaphol P**// *Chulalongkorn Univ, Technol Ctr Electrospun Fibers, Bangkok, Thailand
Polymer 2008 **49** (19) 4239
Electrospun cellulose acetate fiber mats containing asiaticoside or *Centella asiatica* crude extract and the release characteristics of asiaticoside
- Tanaka K, Tanabe Y, Akiyama R// Kyoto Inst Technol, Grad Sch Sci & Technol, Dept Macromol Sci & Engr, Kyoto 606 8585, Japan
Liq Cryst 2008 **35** (8) 937
Microdielectrometric monitoring of film preparation process with oriented domains for hydroxypropyl cellulose cast from isotropic aqueous solution under the sinusoidal electric field with large amplitude
- Villalobas-Carvajal R, Hernandez-Munoz P, Albors A, Chiralt A// Univ Bio-Bio, Dept Food Engr, Av Andres Bello s/n, Casilla 447, Chillan, Chile
Food Hydrocolloid 2009 **23** (2) 526
Barrier and optical properties of edible hydroxypropyl methylcellulose coatings containing surfactants applied to fresh cut carrot slices
- Wang D, Sun G*, Chiou BS// *University California Davis, Davis, Ca 95616, USA
Macromol Mater Eng 2008 **293** (8) 657
Fabrication of tunable submicro- or nano-structured polyethylene materials from immiscible blends with cellulose acetate butyrate
- Wu SC, Lia YK// Fooyin Univ, Dept Biotechnol, 151 Chinsueh Rd, Ta Liao Hsiang 831, Kaohsiung Hsien, Taiwan
J Mol Catal B Enzym 2008 **54** (3-4) 103
Application of bacterial cellulose pellets in enzyme immobilization
- Yan LF, Wang YQ, Chen J// Univ Sci & Technol China, Hefei Natl Lab Phys Sci Microscale, CN-230026 Hefei, Anhui, Peoples Rep China
J Appl Polym Sci 2008 **110** (3) 1330
Fabrication of a model cellulose surface from straw with an aqueous sodium hydroxide/thiourea solution
- Yi J, Xu QX, Zhang XF, Zhang HL**// *Xiangtan Univ, MoE Key Lab Low Dimensional Materials & Application Technol, CN-411105 Xiangtan, Hunan, Peoples Rep China
Polymer 2008 **49** (20) 4406
Chiral-nematic self-ordering of rodlike cellulose nanocrystals grafted with poly(styrene) in both thermotropic and lyotropic states
- Yi T, Wan JL, Xu HB, Yang XL**// *Huazhong Univ Sci & Technol, Coll Life Sci & Technol, 1037 Luoyu Rd, CN-430074 Wuhan, Peoples Rep China
Eur J Pharm Sci 2008 **34** (4-5) 274
Controlled poorly soluble drug release from solid self-microemulsifying formulations with high viscosity hydroxypropylmethylcellulose
- Yoon YI, Moon HS, Lyoo WS, Lee TS, Park WH**// *Chungnam Nat Univ, Dept Advanced Organ Materials & Textile System Engr & FTIT BK21, Gung-dong 220, Yuseong-gu, Daejeon 305 764, South Korea
Carbohydr Polym 2009 **75** (2) 246
Superhydrophobicity of cellulose triacetate fibrous mats produced by electrospinning and plasma treatment
- Yu QS, Wu PY, Xu P, Li L, Liu T, Zhao L// Fudan Univ, MoE Key Lab Mol Engr Polymers, CN-200433 Shanghai, Peoples Rep China
Green Chem 2008 **10** (10) 1061
Synthesis of cellulose/titanium dioxide hybrids in supercritical carbon dioxide
- Zhao L, Mitomo H// Gunma Univ, Dept Biol & Chem Engr, Kiryu, Gunma 376 8515, Japan
J Appl Polym Sci 2008 **110** (3) 1388
Adsorption of heavy metal ions from aqueous solution onto chitosan entrapped CM-cellulose hydrogels synthesized by irradiation

3. Cellulose-degrading enzymes

- Moxley G, Zhu ZG, Zhang YHP**// *Virginia Polytech Inst & State Univ, Dept Biol Systems Engr, 210-A Seitz Hall, Blacksburg, Va 24061, USA
J Agric Food Chem 2008 **56** (17) 7885
Efficient sugar release by the cellulose solvent-based lignocellulose fractionation technology and enzymatic cellulose hydrolysis

4. Chitin/Chitosan

- Ahmadi R, De Bruijn JD*// *Queen Mary Univ London, Sch Engr Materials Sci, Mile End Rd, London, England
J Biomed Mater Res A 2008 **86A** (3) 824
 Biocompatibility and gelation of chitosan-glycerol phosphate hydrogels
- Anraku M, Kabashima M, Namura H, Maruyama T, Otagiri M, Gebicki JM, Furutani N, Tomida H// Fukuyama Univ, Fac Pharm & Pharmaceut Sci, Sanzo 1, Gakuen cho, Fukuyama, Hiroshima 729 02, Japan
Int J Biol Macromol 2008 **43** (2) 159
 Antioxidant protection of human serum albumin by chitosan
- Basu SK, Rajendran A*// *Int Med Univ, Sch Pharm & Hlth Sci, MY-57000 Kuala Lumpur, Malaysia
Chem Pharm Bull Tokyo 2008 **56** (8) 1077
 Studies in the development of nateglinide loaded calcium alginate and chitosan coated calcium alginate beads
- Bhatt R, Panchal B, Patel K, Sinha VK, Trivedi U*// *Sardar Patel Univ, B&R Doshi Sch Biosci, IN-388120 Vallabh Vidyanagar, Gujarat, India
J Appl Polym Sci 2008 **110** (2) 975
 Synthesis, characterization, and biodegradation of carboxymethylchitosan-*g*-medium chain length polyhydroxyalkanoates
- Bordenave N, Grellet S, Coma V*// *Univ Bordeaux 1, INRA, CNRS UMR 5103 US2B, 351 Cours Liberation, FR-33405 Talence, France
Biomacromolecules 2008 **9** (9) 2377
 Advances on selective C-6 oxidation of chitosan by TEMPO
- Carlson RP, Taffs R, Davison WM, Stewart PS// Montana State Univ, Ctr Biofilm Engr, Bozeman, MT 59717, USA
J Biomater Sci Polym Ed 2008 **19** (8) 1035
 Anti-biofilm properties of chitosan-coated surfaces
- Chen PH, Kuo TY, Liu FH, Hwang YH, Ho MH, Wang DM, Lai JY, Hsieh HJ*// *Nat'l Taiwan Univ, Dept Chem Engr, Taipei 10617, Taiwan
J Agric Food Chem 2008 **56** (19) 9015
 Use of dicarboxylic acids to improve and diversify the material properties of porous chitosan membranes
- Chen Y, Liu Y, Tan H, Jiang J// Beijing Institute Technology, School Material Science & Engr, 5 Sth St Zhongguancun, CN-100081 Beijing, Peoples Rep China
Carbohydr Polym 2009 **75** (2) 287
 Synthesis and characterization of a novel superabsorbent polymer of *N,O*-carboxymethyl chitosan graft copolymerized with vinyl monomers
- Chiang YW, Wang TH, Lee WC*// *National Chung Cheng University, Department Chemical Engineering, 168 University Road, Minhsiung, Chiayi 621, Taiwan
Food Hydrocolloid 2009 **23** (3) 1057
 Chitosan coating for the protection of amino acids that were entrapped within hydrogenated fat
- Chrissafis K, Paraskevopoulos KM, Papageorgiou GZ, Bikiaris DN*// *Aristotle Univ Thessaloniki, Dept Chem, Lab Organ Chem Technol, GR-54124 Thessaloniki, Greece
J Appl Polym Sci 2008 **110** (3) 1739
 Thermal and dynamic mechanical behavior of bionanocomposites: Fumed silica nanoparticles dispersed in poly(vinyl pyrrolidone), chitosan, and poly(vinyl alcohol)
- Corrias F, Dolz M, Herraiz M, Diez-Sales O*// *Univ Valencia, Fac Pharm, Dept Pharm & Pharmaceut Technol, Vicente Andres Estelles s/n, ES-46100 Valencia, Spain
J Appl Polym Sci 2008 **110** (2) 1225
 Rheological properties of progesterone microemulsions: Influence of xanthan and chitosan biopolymer concentration
- Dass CR, Friedhuber AM, Khachigian LM, Dunstan DE, Choong PFM// Univ Melbourne, St Vincents Hosp, Dept Orthopaed, POB 2900, Fitzroy, Vic 3065, Australia
J Microencapsul 2008 **25** (6) 421
 Biocompatible chitosan-DNAzyme nanoparticles exhibits enhanced biological activity
- De Abreu FR, Campana-Filho SP*// *Univ Sao Paulo, Inst Quim Sao Carlos, Av Trabalhador Sao-Carlense 400, BR-13560-970 Sao Carlos, SP, Brazil
Carbohydr Polym 2009 **75** (2) 214
 Characteristics and properties of carboxymethylchitosan
- Desai K, Kit K*// *Univ Tennessee, Dept Materials Sci & Engr, Knoxville, TN 37996, USA
Polymer 2008 **49** (19) 4046
 Effect of spinning temperature and blend ratios on electrospun chitosan/poly(acrylamide) blends fibers
- El-Shafei AM, Fouda MMG, Knittel D, Schollmeyer E// Natl Res Ctr, Textile Res Div, Cairo, Egypt
J Appl Polym Sci 2008 **110** (3) 1289
 Antibacterial activity of cationically modified cotton fabric with carboxymethyl chitosan
- Felicio SGF, Sierakowski MR, Petkowicz CLD, Silveira JLM, Lumbambo AF, De Freitas RA*// *Univ Vale Itajai Univali, Curso Farm, Nucleo Invest Quim Farmaceut - NIQFAR, BR-88302-202 Itajai, SC, Brazil
Colloid Polym Sci 2008 **286** (12) 1387
 Spherical aggregates obtained from *N*-carboxymethylation and acetylation of chitosan
- Feng ZC, Shao ZZ, Yao JR, Chen X*// *Fudan Univ, Dept Macromol Sci, Key Lab Mol Engr Polymers MoE, CN-200433 Shanghai, Peoples Rep China
J Biomed Mater Res A 2008 **86A** (3) 694
 Protein adsorption and separation on amphoteric chitosan/carboxymethylcellulose membranes
- Fernandes JC, Tavarra FK, Soares JC, Ramos OS, Monteiro MJ, Pintado ME, Malcata FX*// *Univ Catolica Portuguesa, Escola Super Biotecnol, Rua Dr Antonio Bernardino Almeida, PT-4200-072 Oporto, Portugal
Food Microbiol 2008 **25** (7) 922
 Antimicrobial effects of chitosans and chitoooligosaccharides, upon *Staphylococcus aureus* and *Escherichia coli*, in food model systems
- Fernandez-Saiz P, Lagaron JM, Ocio MJ*// *Inst Agrochem & Food Technol - CSIC, Novel Materials & Nanotechnol Lab, Apdo Correos 73, ES-46100 Burjassot, Valencia, Spain
Food Hydrocolloid 2009 **23** (3) 913
 Optimization of the biode properties of chitosan for its application in the design of active films of interest in the food area
- Garcia MA, Pinotti A*, Nartino M, Zaritzky N// *UNLP, CONICET, CIDCA, 47 y 116, AR-1900 La Plata, Buenos Aires, Argentina
Food Hydrocolloid 2009 **23** (3) 722
 Electrically treated composite films based on chitosan and methylcellulose blends
- Hu XH, Gao CY*// *Zhejiang Univ, MoE Key Lab Macromol Synth & Functionalization, CN-310027 Hangzhou, Peoples Rep China
J Appl Polym Sci 2008 **110** (2) 1059
 Photoinitiating polymerization to prepare biocompatible chitosan hydrogels
- Hussain MR, Maji TK*// *Tezpur Univ, Dept Chem Sci, IN-784028 Assam, India
J Microencapsul 2008 **25** (6) 414
 Preparation of genipin cross-linked chitosan-gelatin microcapsules for encapsulation of *Zanthoxylum limonella* oil (ZLO) using salting-out method
- Ioshchenko YP, Kablov VF, Zaikov GE// Volgograd State Tech Univ, Volzhskii Polytechn Inst Branch, Volzhskii, Russia
Russ J Appl Chem Eng Tr 2008 **81** (8) 1434
 Polymeric complexes of chitosan with proteins and hydroxyl-containing polymers
- Julkapill NM, Akil HM*// *Univ Sains Malaysia, Sch Materials & Mineral Resources Engr, MY-11300 Perai, Pulau Pinang, Malaysia
Mater Sci Eng C Biomim Supramol Syst 2008 **28** (7) 1100
 Degradability of kenaf dust-filled chitosan biocomposites
- Kim H, Tator CH, Shoichet MS*// *Univ Toronto, Inst Biomaterials & Biomed Engr, Toronto, Ontario, Canada M5S 3G9
Biotechnol Prog 2008 **24** (4) 932
 Design of protein-releasing chitosan channels
- Kudsova L, Arafien C, Lawrence MJ// KCL, Dept Pharm, 150 Stamford St, London SE1 9NH, England
J Pharm Sci 2008 **97** (9) 3981
 Characterization of chitosan-coated vesicles encapsulating DNA suitable for gene delivery
- Ling K, Zheng F, Li JL, Tang RP, Huang J, Xu YM, Zheng H, Chen JH*// *Univ Technol, Coll Chem Engr, CN-430070 Wuhan, Peoples Rep China
J Biomed Mater Res A 2008 **87A** (1) 52
 Effects of substitution degree of photoreactive groups on the properties of UV-fabricated chitosan scaffold
- Liu JH, Wang AQ*// *Chinese Acad Sci, Lanzhou Inst Chem Phys, Ctr Eco-material & Green Chem, CN-730000 Lanzhou, Peoples Rep China
J Appl Polym Sci 2008 **110** (2) 678
 Study on superabsorbent composites. XXI. Synthesis, characterization and swelling behaviors of chitosan-*g*-poly(acrylic acid)/organo-rectorite nanocomposites superabsorbents
- Liu KH, Chen SY, Liu DM*, Liu TY*// *Nat'l Chiao Tung Univ, Dept Materials Sci & Engr, 1001 Ta Hsueh Rd, Hsinchu, Taiwan
Macromolecules 2008 **41** (17) 6511
 Self-assembled hollow nanocapsule from amphiphatic carboxymethyl-hexanoyl chitosan as drug carrier
- Malafaya PB, Santos TC, Van Griensven M, Reis RL// Univ Minho, Dept Polymer Engr, Res Grp 3Bs, Campus Gualtar, PT-4710-057 Braga, Portugal
Biomaterials 2008 **29** (29) 3914
 Morphology, mechanical characterization and *in vivo* neo-vascularization of chitosan particle aggregated scaffolds architectures
- Mao Y, Zhou XH*// *Chongqing Univ, Coll Chem & Chem Engr, CN-400044 Chongqing, Peoples Rep China
React Funct Polym 2008 **68** (8) 1281
 Synthesis and properties of a novel crosslinked chitosan resin modified by L-lysine

- Mir VG, Heinamaki J*, Antikainen O, Revoredo OB, Colarte AI, Nieto OM, Yliruusi J// *Univ Helsinki, Fac Pharm, Div Pharmaceut Technol, POB 56, Viikinkaari 5E, FI-00014 Helsinki, Finland
Eur J Pharm Biopharm 2008 **69** (3) 964
Direct compression properties of chitin and chitosan
- Morais WA, De Almeida ALP, Pereira MR, Fonseca JLC*// *Univ Fed Rio Grande do Norte, Dept Quim, Campus Univ, BR-59078-970 Natal, RN, Brazil
Carbohydr Res 2008 **343** (14) 2489
Equilibrium and kinetic analysis of methyl orange sorption on chitosan spheres
- Morganti P, Morganti G// Mavi Sud srl, Viale Industria 1, IT-04011 Aprilia, LT, Italy
Clin Dermatol 2008 **26** (4) 334
Chitin nanofibrils for advanced cosmeceuticals
- Neamark A, Sanchavanakit N, Pavasant P, Rujiravanit R*, Supaphol P// *Chulalongkorn Univ, Technol Ctr Electrospun Fibers, TH-10330 Bangkok, Thailand
Eur Polym J 2008 **44** (7) 2060
In vitro biocompatibility of electrospun hexanoyl chitosan fibrous scaffolds towards human keratinocytes and fibroblasts
- Ojha SS, Stevens DR, Hoffman TJ, Stano K, Klossner R, Scott MC, Krause W, Clarke LI, Gorga RE*// *Nth Carolina State Univ, Dept Textile Engn Chem & Sci, Raleigh, NC 27695, USA
Biomacromolecules 2008 **9** (9) 2523
Fabrication and characterization of electrospun chitosan nanofibers formed via templating with polyethylene oxide
- Park KM, Joung YK, Park KD*, Lee SY, Lee MC// *Ajou Univ, Dept Mol Sci & Technol, Suwon 443 749, South Korea
Macromol Res 2008 **16** (6) 517
RGD-conjugated chitosan-pluronic hydrogels as a cell supported scaffold for articular cartilage regeneration
- Pasanphan W, Chirachanchai S// Kasetsart Univ, Fac Sci, Dept Appl Radiat & Isotopes, 50 Phahonyotin Rd, TH-10900 Bangkok, Thailand
React Funct Polym 2008 **68** (8) 1231
Polyethylene film surface functionalized with chitosan via gamma-ray irradiation in aqueous system: An approach to induce copper(II) ion adsorptivity on PE
- Pawlicka A, Danczuk M, Wiczorek W, Zygado-Monikowska E// USP, IQSC, Av Trabalhador Sao Carlense 400, BR-13560-970 Sao Carlos SP, Brazil
J Phys Chem A 2008 **112** (38) 8888
Influence of plasticizer type on the properties of polymer electrolytes based on chitosan
- Piyamongkaka K, Mekasut L, Pongstabodee S*// *Chulalongkorn Univ, Fac Sci, Dept Chem Technol, TH-10330 Bangkok, Thailand
Macromol Res 2008 **16** (6) 492
Cutting fluid effluent removal by adsorption on chitosan and SDS-modified chitosan
- Popa MI, Lisa G*, Aelenei N// *Gh Asachi Tech Univ Iasi, Chem Engn & Environm Protect Fac, Dept Chem Engn, RO-700050 Iasi, Romania
Polym Bull 2008 **61** (4) 481
Thermogravimetric characterization of chitosan/alginate microparticles loaded with different drugs
- Prabakaran M, Grailer JJ, Steeber DA, Gong SQ*// *Univ Wisconsin, Dept Mech Engn, Milwaukee, WI 53211, USA
Macromol Biosci 2008 **8** (9) 843
Stimuli-responsive chitosan-graft-poly(*N*-vinylcaprolactam) as a promising material for controlled hydrophobic drug delivery
- Sajomsang W, Tantayanon S*, Tangpasuthadol V, Thatt M, Daly WH// *Chulalongkorn Univ, Fac Sci, Dept Chem, Green Chem Res Lab, Phyathai Rd, TH-10330 Bangkok, Thailand
Int J Biol Macromol 2008 **43** (2) 79
Synthesis and characterization of *N*-aryl chitosan derivatives
- Singh T, Vesentini D, Singh AP, Daniel G// Ensic Wood Processing, 49 Sala St, Private Bag 3020, Rotorua, New Zealand
Int Biodeterior Biodegrad 2008 **62** (2) 116
Effect of chitosan on physiological, morphological, and ultrastructural characteristics of wood-degrading fungi
- Sokker HH, Abdel Ghaffar AM, Gad YH, Aly AS*// *Nat Res Ctr, Textile Div, El-bohoos St, Dokki, Cairo, Egypt
Carbohydr Polym 2009 **75** (2) 222
Synthesis and characterization of hydrogels based on grafted chitosan for the controlled drug release
- Takahashi T, Imai M*, Suzuki I// *Nihon Univ, Grad Sch Bioresource Sci, 1866 Kameino, Fujisawa, Kanagawa 252 851, Japan
Biochem Eng J 2008 **42** (1) 20
Cellular structure in an *N*-acetyl-chitosan membrane regulate water permeability
- Teng SH, Lee EJ, Wang P, Shin DS, Kim HE*// *Seoul Natl Univ, Dept Materials Sci & Engn, Seoul 151 744, South Korea
J Biomed Mater Res B 2008 **87B** (1) 132
Three-layered membranes of collagen/hydroxyapatite and chitosan for guided bone regeneration
- Tigli RS, Gumusderelioglu M*// *Hacettepe Univ, Dept Chem Engn, TR-06800 Ankara, Turkey
Int J Biol Macromol 2008 **43** (2) 121
Evaluation of RGD- or EGF-immobilized chitosan scaffolds for chondrogenic activity
- Vargas M, Albors A, Chiralt A, Gonzalez-Martinez C// Univ Politecn Valencia, Inst Food Engn Dev, Dept Food Technol, Camino de Vera s/n, ES-46022 Valencia, Spain
Food Hydrocolloid 2009 **23** (2) 536
Characterization of chitosan-oleic acid composite films
- Volkova IF, Gorshkova MY, Izumrudov VA// Russian Acad Sci, AV Topchiev Petrochem Synth Inst, Leninskii pr 29, RU-119991 Moscow, Russia
Polym Sci Ser A 2008 **50** (9) 971
Water-soluble nonstoichiometric polyelectrolyte complexes of chitosan with a polystyrenesulfonate anion
- Wang JW, Chen CY, Kuo YM// Chung Hwa Univ Med Technol, Dept Environm & Safety Engn, 89 Wen Hua 1st St, Tainan, Taiwan
Polym Adv Technol 2008 **19** (9) 1343
Chitosan-poly(acrylic acid) nanofiber networks prepared by the doping induction of succinic acid and its ammonia-response studies
- Wang LC, Chen XG*, Liu CS, De Li L, Ji QX, Yu LJ// *Ocean Univ China, Coll Marine Life Sci, CN-266003 Qingdao, Peoples Rep China
J Appl Polym Sci 2008 **110** (2) 1136
Preparation of a multistructural film with CM-chitosan and PVA, and *in vitro* ornidazole release from the carrier
- Wang WP, Du YM*, Wang XY// *Wuhan Univ, Sch Resource & Environm Sci, CN-430072 Wuhan, Peoples Rep China
World J Microbiol Biotechnol 2008 **24** (11) 2717
Physical properties of fungal chitosan
- Wang YL, Li BQ*, Zhou Y, Jia DC// *Harbin Inst Technol, Inst Advanced Ceramics, CN-150001 Harbin, Peoples Rep China
Polym Adv Technol 2008 **19** (9) 1256
Chitosan-induced synthesis of magnetite nanoparticles via ions assembly
- Wathanaphanit A, Supaphol P, Tamura H, Tokura S, Rujiravanit R*// *Chulalongkorn Univ, Petroleum & Petrochem Coll, TH-10330 Bangkok, Thailand
J Appl Polym Sci 2008 **110** (2) 890
Fabrication, structure, and properties of chitin whisker-reinforced alginate nanocomposites fibers
- Wei W, Wang LY, Yuan L, Yang XD, Su ZG, Ma GH*// *Chinese Acad Sci, Inst Process Engn, Natl Key Lab Biochem Engn, 1 Bei Er Tiao, CN-100080 Beijing, Peoples Rep China
Eur J Pharm Biopharm 2008 **69** (3) 878
Bioprocess of uniform-sized crosslinked chitosan microspheres in rats following oral administration
- Weng L, Romanov A, Rooney J, Chen W*// *SUNY Stony Brook, Dept Biomed Engn, Stony Brook, NY 11794, USA
Biomaterials 2008 **29** (29) 3905
Non-cytotoxic, *in situ* gelable hydrogels composed of *N*-carboxyethyl chitosan and oxidized dextran
- Xie F, Li QF*, Gu B, Liu K, Shen GX// *Shanghai Jiao Tong Univ, Shanghai 9th Peoples Hosp, Sch Med, Dept Plast & Reconstructive Surg, CN-200011 Shanghai, Peoples Rep China
Microsurgery 2008 **28** (6) 471
In vitro and *in vivo* evaluation of a biodegradable chitosan-PLA composite peripheral nerve guide conduit material
- Xue X, Li L, He J*// *Donghua Univ, Coll Chem, Chem Engn & Biotechnol, 2999 Nth Renmin Rd, Songjiang, CN-201620 Shanghai, Peoples Rep China
Carbohydr Polym 2009 **75** (2) 203
The performances of carboxymethyl chitosan in wash-off reactive dyeings
- Zhao L, Mitomo H// Nisshin Electric Co Ltd, Advanced Materials Res Ctr, R&D Labs, Umezutakase cho, Ukyo ku, Kyoto 615 8686, Japan
Polym Degrad Stabil 2008 **93** (8) 1607
Radiation effects on dihydroxypropyl-chitosan
- Zhou Y, Yang D, Gao X, Chen X, Xu Q, Lu F, Nie J*// *Wuhan Univ, Dept Chem, MoE Key Lab Biomed Polym, CN-430072 Wuhan, Peoples Rep China
Carbohydr Polym 2009 **75** (2) 293
Semi-interpenetrating polymer network hydrogels based on water-soluble *N*-carboxylethyl chitosan and photopolymerized poly (2-hydroxyethyl methacrylate)
- Zhu X, Wang QM, Cao JK, Jiang WB*// *China Agric Univ, Coll Food Sci & Nutr Engn, POB 111, Qinghua Donglu 17, CN-100083 Beijing, Peoples Rep China
J Food Process Preserv 2008 **32** (5) 770
Effects of chitosan coating on postharvest quality of mango (*Mangifera indica* L. cv. Tainong) fruits
- Zia KM, Barikani M*, Bhatti IA, Zuber M, Bhatti HN// *Iran Polymers & Petrochem Inst, POB 14965-115, Tehran, Iran
J Appl Polym Sci 2008 **110** (2) 769
Synthesis and characterization of novel, biodegradable, thermally stable chitin-based polyurethane elastomers

Zia KM, Bhatti IA, Barikani M, Zuber M, Sheikh MA// Univ Agric Faisalabad, Dept Chem, PK-38040 Faisalabad, Pakistan
Int J Biol Macromol 2008 **43** (2) 136
 XRD studies of chitin-based polyurethane elastomers

5. Cyclodextrins

Adeli M, Zarnegar Z, Kabiri R// Lorestan Univ, Fac Sci, Dept Chem, Khorramabad, Iran
Eur Polym J 2008 **44** (7) 1921

Amphiphilic star copolymers containing cyclodextrin core and their application as nanocarrier

Ali SM, Upadhyay SK// Aligarh Muslim Univ, Dept Chem, IN-202002 Aligarh, India

J Inclusion Phenom Macrocycl Chem 2008 **62** (1–2) 161

Complexation studies of pioglitazone hydrochloride and β -cyclodextrin: NMR (^1H , ROESY) spectroscopic study solution

Alvarez C, Calero J, Menendez JC, Torrado S, Torrado JJ// Univ Complutense Madrid, Fac Farm, Dept Farm & Tecnol Farmaceut, Plaza Ramon y Cajal s/n, ES-18040 Madrid, Spain

Pharmazie 2008 **63** (7) 511

Effects of hydroxypropyl- β -cyclodextrin on the chemical stability and the aqueous solubility of thalidomide enantiomers

Aree T, Chaichit N// Chulalongkorn Univ, Fac Sci, Dept Chem, Phayathai Rd, TH-10330 Bangkok, Thailand

Carbohydr Res 2008 **343** (13) 2285

Crystal form III of β -cyclodextrin-ethanol inclusion complex: layer-type structure with dimeric motif

Bai Y, Xu GY*, Xin X, Sun HY, Zhang HX, Hao AY, Yang XD, Yao L// *Shandong Univ, MoE Key Lab Colloid & Interface Chem, CN-250100 Jinan, Peoples Rep China

Colloid Polym Sci 2008 **286** (13) 1475

Interaction between cetyltrimethylammonium bromide and β -cyclodextrin: Surface tension and interfacial dilational viscoelasticity studies

Bertino-Ghera B, Perret F*, Fenet B, Parrot-Lopez H// *Univ Lyon 1, ICBMS UMR CNRS 5246, LCO2, Batiment Raulin, 43 Blvd 11 Novembre 1918, FR-69622 Villeurbanne, France

J Org Chem 2008 **73** (18) 7317

Control of the regioselectivity for new fluorinated amphiphilic cyclodextrins: Synthesis of di- and tetra(6-deoxy-6-alkylthio)- and 6-(perfluoroalkylpropane-thio)- α -cyclodextrin derivatives

Boldescu V, Kacso I, Borodi G, Bratu I, Duca G// State Univ Moldova, Dept Ind & Ecol Chem, 60 Mateevici Str, MD-2009 Kishinev, Moldova

J Inclusion Phenom Macrocycl Chem 2008 **62** (1–2) 143

Physicochemical characterization of sanguinarine-hydroxypropyl- β -cyclodextrin binary and ternary systems

Bryson JM, Chu JM, Lee JH, Reineke TM// *Virginia Tech Dept Chem, Blacksburg, Va 24061, USA

Bioconjug Chem 2008 **19** (8) 1505

A β -cyclodextrin "click cluster" decorated with seven paramagnetic chelates containing two water exchange sites

Caira MR, Mhlongo WT, Li J// Univ Cape Town, Dept Chem, ZA-7701 Rondebosch, Rep Sth Africa

J Optoelectron Adv Mater 2008 **10** (9) 2255

Structural elucidation of chemically modified cyclodextrins and their inclusion complexes for medicine applications

Castelli VVA, Trivieri G, Zucchelli I, Brambilla L, Barbuzzi T, Castiglioni C, Paci M, Zerbi G, Zanol M// Merck Serono SpA, Tiburtina Site, Via L Einaudi 11, IT-00012 Rome, Italy

J Pharm Sci 2008 **97** (9) 3897

Characterization of an inclusion complex between cladribine and 2-hydroxypropyl- β -cyclodextrin

Daoud-Mahammed S, Grossiord JL, Bergua T, Amiel C, Couvreur P, Gref R// *Univ Paris Sud XI, CNRS UMR 8612, FR-92290 Chatenay Malabry, France

J Biomed Mater Res A 2008 **86A** (3) 736

Self-assembling cyclodextrin based hydrogels for the sustained delivery of hydrophobic drugs

Dawson RE, Lincoln SF, Easton CJ// *Australian Natl Univ, ARC Ctr Excellence Free Radical Chem & Biotechnol, Canberra, ACT 0200, Australia

Chem Commun 2008 (34) 3980

The foundation of a light driven molecular muscle based on stilbene and α -cyclodextrin

Gou PF, Zhu WP*, Xu N, Shen ZQ// *Zhejiang Univ, Dept Polymer Sci & Engn, MoE Key Lab Macromol Synth & Functionalization, CN-310027 Hangzhou, Zhejiang, Peoples Rep China

J Polym Sci A Polym Chem 2008 **46** (19) 6455

Synthesis and characterization of well-defined cyclodextrin-centered seven-arm star poly (ϵ -caprolactone)s and amphiphilic star poly(ϵ -caprolactone-*b*-ethylene glycol)s

Han CP, Li HB// *Cent China Normal Univ, Coll Chem, MoE Key Lab Pesticide & Chem Biol, CN-430079 Wuhan, Peoples Rep China

Small 2008 **4** (9) 1344

Chiral recognition of amino acids based on cyclodextrin-capped quantum dots

Han YB, Tuccio B, Lauricella R, Villamena FA// *Ohio State Univ, Coll Med, Davis Heart & Lung Res Inst, Dept Pharmacol, Columbus, Oh 43210, USA

J Org Chem 2008 **73** (18) 7108

Improved spin trapping properties by β -cyclodextrin-cyclic nitron conjugate

Harada A, Osaki M, Takashima Y, Yamaguchi H// Osaka Univ, Grad Sch Sci, Dept Macromol Sci, 1-1 Machikaneyama cho, Osaka 560 0043, Japan

Account Chem Res 2008 **41** (9) 1143

Ring-opening polymerization of cyclic esters by cyclodextrins

Higashi T, Hirayama F*, Misumi S, Arima H, Uekama K// *Osaka Ohtani Univ, Lab Clin Pharm, 3-11-1 Nishikiorikita, Tondabayashi, Osaka 584 8540, Japan

Biomaterials 2008 **29** (28) 3866

Design and evaluation of polypseudorotaxanes of pegylated insulin with cyclodextrins as sustained release system

Inoue M, Hashizaki K, Taguchi H, Saito Y// *Nihon Univ, Coll Pharm, 7-7-1 Narashinodai, Chiba 274 8555, Japan

Chem Pharm Bull Tokyo 2008 **56** (9) 1335

Emulsion preparation using β -cyclodextrin and its derivatives acting as an emulsifier

Joseph J, Dreiss CA*, Cosgrove T// *KCL, Div Pharmaceut Sci, Franklin Wilkins Bldg, 150 Stamford St, London SE1 9NH, England

Langmuir 2008 **24** (18) 10005

Stretching a polymer brush by making *in situ* cyclodextrin inclusion complexes

Jug M, Becirevic-Lacan M// Univ Zagreb, Fac Pharm & Biochem, Dept Pharmaceut, A Kovacica 1, HR-10000 Zagreb, Croatia

Drug Develop Ind Pharm 2008 **34** (8) 817

Development of a cyclodextrin-based nasal delivery system for lorazepam

Latini G, Parrott LJ, Brovelli S, Frampton MJ, Anderson HL, Cacialli F// UCL, Dept Phys & Astron, Mortimer St, London WC1E 6BT, England

Adv Funct Mater 2008 **18** (16) 2419

Cyclodextrin-threaded conjugated polyrotaxanes for organic electronics: The influence of the counter cations

Leroux YR, Fave C, Zigah D, Trippe-Allard G, Lacroix JC// *Univ Paris Diderot, ITODYS, CNRS UMR 7086, Batiment Lavoisier, 15 rue Jean de Baif, FR-75205 Paris 13, France

J Am Chem Soc 2008 **130** (40) 13465

Atomic contacts via electrochemistry in water/cyclodextrin media: A step toward protected atomic contacts

Li L, Cui GH, Zhao M, Wang YJ, Wang H, Li W, Peng SQ// *Capital Med Univ, Coll Pharmaceut Sci, CN-100069 Beijing, Peoples Rep China

J Phys Chem B 2008 **112** (38) 12139

Assembly of β -cyclodextrin with 3S-tetrahydro- β -carboline-3-carboxylic acid and self-assembly of 6-(3'-S-carboline-3'-carboxylaminoethylamino)-6-deoxy- β -cyclodextrin: Approaches to enhance anti-oxidation stability and anti-thrombotic potency

Liu Y, Li XY, Guo DS, Chi H// Nankai Univ, Dept Chem, State Key Lab Elementoorgan Chem, CN-300071 Tianjin, Peoples Rep China

Supramol Chem 2008 **20** (7) 609

Synthesis of L-cystine modified cyclodextrin monomers and dimers with primary-side versus secondary-side and their molecular binding behaviours

Lucas-Abellan C, Gabaldon-Hernandez JA, Penalva J, Fortea MI, Nunez-Delgado E// *Univ Catolica San Antonio Murcia, Dept Ciencia & Tecnol Alimentos, Ave Jeronimos s/n, ES-30107 Murcia, Spain

J Agric Food Chem 2008 **56** (17) 8081

Preparation and characterization of the inclusion complex of chlorpyrifos in cyclodextrins to improve insecticide formulations

Luo CH, Zuo F, Zheng ZH, Ding XB*, Peng YX// *Chinese Acad Sci, Chengdu Inst Organ Chem, CN-610041 Chengdu, Peoples Rep China

J Macromol Sci Pure Appl Chem 2008 **45** (5) 364

Temperature/light dual-responsive inclusion complexes of α -cyclodextrins and azobenzene-containing polymers

Mehta SK, Basin KK, Dham S// Panjab Univ, Dept Chem, IN-160014 Chandigarh, India

J Colloid Interface Sci 2008 **326** (2) 374

Energetically favorable interactions between diclofenac sodium and cyclodextrin molecules in aqueous media

Miyawaki A, Takashima Y, Yamaguchi H, Harada A// *Osaka Univ, Grad Sch Sci, Dept Macromol Sci, Osaka 560 0043, Japan

Tetrahedron 2008 **64** (36) 8355

Branched supramolecular polymers formed by bifunctional cyclodextrin derivatives

Negoro N, Konishi H, Sakamoto H, Kimura K// *Wakayama Univ, Fac Systems Engn, Dept Appl Chem, Sakae dani 930, Wakayama 640 8510, Japan

J Inclusion Phenom Macrocycl Chem 2008 **62** (1–2) 59

Electrospray-ionization mass spectrometric determination of surfactants based on inclusion with α -cyclodextrin

Nilsson M, Valente AJM*, Olofsson G, Soderman O, Bonini M// *Univ Coimbra, Dept Chem, PT-3004-535 Coimbra, Portugal
J Phys Chem B 2008 **112** (36) 11310
 Thermodynamic and kinetic characterization of host-guest association between bolaform surfactants and α - and β -cyclodextrins

Sahoo D, Chakravorti S*// *Indian Association Cultivation Sci, Dept Spect, IN-700032 Kolkata, India
Phys Chem Chem Phys 2008 **10** (38) 5890
 Orientational dynamics of a charge transfer complex in cyclodextrin cavity as receptor

Salipira KL, Krause RW*, Mamba BB, Malefetse TJ, Cele LM, Durbach SH// *Univ Johannesburg, Dept Chem Technol, Johannesburg, Rep Sth Africa
Mater Chem Phys 2008 **111** (2-3) 218
 Cyclodextrin polyurethanes polymerized with multi-walled carbon nanotubes: Synthesis and characterization

Sapino S, Trotta M, Ermondi G, Caron G, Cavalli R, Carlotti ME*// *Univ Turin, Dipt Sci & Tecnol Farmaco, Via P Giuria 9, IT-10125 Turin, Italy
J Inclusion Phenom Macrocycl Chem 2008 **62** (1-2) 179
 On the complexation of Trolox with methyl- β -cyclodextrin: Characterization, molecular modelling and photostabilizing properties

Schwinge L, Fasolo D, Holzschuh M, Lula I, Sinisterra R, Koester L*, Teixeira H, Bassani VL// *Univ Fed Rio Grande do Sul, Fac Farm, Programa Posgrad Ciencias Farmaceut, Av Ipiranga 2752, BR-90610-000 Porto Alegre, RS, Brazil
J Inclusion Phenom Macrocycl Chem 2008 **62** (1-2) 149
 Association of 3-O-methylquercetin with β -cyclodextrin: Complex preparation, characterization and ex vivo skin permeation studies

Shin Y, Wang LQ, Bae IT, Arey BW, Exarhos GJ// Pacific NW Natl Lab, 902 Battelle Blvd, POB 999, MSIN K2-44, Richland, Wa 99354, USA
J Phys Chem C 2008 **112** (37) 14236
 Hydrothermal syntheses of colloidal carbon spheres from cyclodextrins

Spulber M, Pinteala M, Fifere A, Moldoveanu C, Mangalagiu I, Harabagiu V, Simionescu BC// Petru Poni Inst Macromol Chem, Str Gr Ghica Voda 41 A, RO-711321 Iasi, Romania
J Inclusion Phenom Macrocycl Chem 2008 **62** (1-2) 135
 Water soluble complexes of methyl β -cyclodextrin and sulconazole nitrate

Suzuki M, Shimazaki T// Nagoya Inst Technol, Grad Sch Engr, Dept Materials Sci & Engr, Nagoya, Aichi, Japan
Polym J 2008 **40** (7) 640
 Cationic ring-opening copolymerization of O-permethylycyclodextrin with tetrahydrofuran

Tewes F, Brillault J, Couet W, Olivier JC// INSERM, ERI 23, 40 Ave Recteur Pineau, FR-86022 Poitiers, France
J Controlled Release 2008 **129** (2) 93
 Formulation of rifampicin-cyclodextrin complexes for lung nebulization

Wang RQ, Ong TT, Ng SC*// *Nanyang Technol Univ, Coll Engr, Dept Chem & Biomol Engr, 16 Nanyang Dr, SG-637722 Singapore, Rep Singapore
J Chromatogr A 2008 **1203** (2) 185
 Synthesis of cationic β -cyclodextrin derivatives and their application as chiral stationary phases for high-performance liquid chromatography and supercritical fluid chromatography

Wenz G, Strassnig C, Thiele C, Engelke A, Morgenstern B, Hegetschweiler K// Univ Saarland, Geb C4.2, DE-66123 Saarbrücken, Germany
Chem Eur J 2008 **14** (24) 7202
 Recognition of ionic guests by ionic β -cyclodextrin derivatives

Whang HS, Tonelli A// Nth Carolina State Univ, Fiber & Polymer Sci Program, Raleigh, NC 27695, USA
J Inclusion Phenom Macrocycl Chem 2008 **62** (1-2) 127
 Release characteristics of the non-toxic insect repellent 2-undecanone from its crystalline inclusion compound with α -cyclodextrin

Xing H, Lin SS, Yan P, Xiao JX*// *Peking Univ, Coll Chem & Mol Engr, Beijing Natl Lab Mol Sci, CN-100871 Beijing, Peoples Rep China
Langmuir 2008 **24** (19) 10654
 Demicellization of a mixture of cationic-anionic hydrogenated/fluorinated surfactants through selective inclusion by α - and β -cyclodextrin

Yang XH, Singh S, Diakur J, Wiebe LI*// *Cross Canc Inst, PET Ctr 1807, Edmonton, Alberta, Canada T6G 1Z2
J Pharm Pharm Sci 2008 **11** (2 Suppl) 325
 Preparation and preliminary evaluation of novel β -cyclodextrin/IUDR prodrug formulations

Zhang YM, Yu SB, Bao F// Tainjin Univ, Sch Chem Engr & Technol, CN-300072 Tianjin, Peoples Rep China
Carbohydr Res 2008 **343** (14) 2504
 Crystal structure of cyclomaltoheptaose (β -cyclodextrin) complexes with p-aminobenzoic acid and o-aminobenzoic acid

Zhou YH, Zhao M, Mao ZW*, Ji LN*// *Sun Yat Sen Univ, MoE Key Lab Bioinorgan & Synthet Chem, CN-510275 Guangzhou, Guangdong, PR China
Chem Eur J 2008 **14** (24) 7193
 Ester hydrolysis by a cyclodextrin dimer catalyst with a metallophenanthroline linking group

6. Lignin

Ghatak HR// Sant Longowal Inst Engr & Technol, Dept Chem Technol, IN-148106 Longowal, Punjab, India
Ind Crops Products 2008 **28** (2) 206
 Spectroscopic comparison of lignin separated by electrolysis and acid precipitation of wheat straw soda black liquor

Jaramillo-Carmona S, Fuentes-Alventosa JM, Rodriguez-Gutierrez G, Waldron KW, Smith AC, Guillen-Bejarano R, Fernandez-Bolanos J, Jimenez-Araujo A, Rodriguez-Arcos R*// *Inst Grasa - CSIC, Dept Food Biotechnol, Av Padre Garcia Tejero 4, ES-41012 Seville, Spain
J Food Sci 2008 **73** (7) C526
 Characterization of asparagus lignin by HPLC

7. Lipopolysaccharides

Arabski M, Grabowski S, Konieczna I, Kaca W, Kondakova AN, Perepelov AV, Senchenkova SN, Shashkov AS, Knirel YA// Swietokrzyska Acad, Inst Biol, Dept Microbiol, ul Swietokrzyska 15, PL-25406 Kielce, Poland
FEMS Immunol Med Microbiol 2008 **53** (3) 395
 Serotyping of clinical isolates belonging to *Proteus mirabilis* serogroup O36 and structural elucidation of the O36-antigen polysaccharide

Kondakova AN, Bystrova OV, Shaikhutdinova RZ, Ivanov SA, Dentovskaya SV, Shashkov AS, Knirel YA, Anisimov AP// Russian Acad Sci, ND Zelinskii Organ Chem Inst, Moscow, Russia
Carbohydr Res 2008 **343** (14) 2486
 Reinvestigation of the O-antigens of *Yersinia pseudotuberculosis*: Revision of the O2c and confirmation of the O3 antigen structures

Maity SK, Maity S, Patra A, Ghosh R*// *Jadavpur Univ, Dept Chem, IN-700032 Kolkata, India
Tetrahedron Lett 2008 **49** (41) 5847
 Synthesis of the repeating trisaccharide unit of the cell wall lipopolysaccharide of *Escherichia coli* type 8

Zdorovenko EL, Varbanets LD, Zatonsky GV, Kachala VV, Zdorovenko GM, Shashkov AS, Knirel YA// Russian Acad Sci, ND Zelinskii Organ Chem Inst, Leninsky prospekt 47, RU-119991 Moscow, Russia
Carbohydr Res 2008 **343** (14) 2494
 Structure of the O-specific polysaccharide of the lipopolysaccharide of *Rahnella aquatilis* 95 U003

8. Pectin

Agoub AA, Giannouli P, Morris ER*// *Univ Coll Cork, Dept Food & Nutr Sci, Cork, Rep Ireland
Carbohydr Polym 2009 **75** (2) 269
 Gelation of high methoxy pectin by acidification with D-glucono- δ -lactone (GDL) at room temperature

Einhorn-Stoll U, Kunzek H// Technical University Berlin, Food Sci & Food Chem, Food Qual & Material Sci, Koenigin-Luise-Str 22, DE-14195 Berlin, Germany
Food Hydrocolloid 2009 **23** (3) 856
 The influence of the storage conditions heat and humidity on conformation, state transitions and degradation behaviour of dried pectins

Fan LF, He W*, Bai M, Du Q, Xiang B, Chang YZ, Cao DY// *Hebei Med Univ, Sch Pharmaceut Sci, Dept Pharmaceut, 361 Zhongshan East Rd, CN-050017 Shijiazhuang, Peoples Rep China
Chem Pharm Bull Tokyo 2008 **56** (8) 1118
 Biphasic drug release: Permeability and swelling of pectin/ethylcellulose films, and in vitro and in vivo correlation of film-coated pellets in dogs

Jacob N, Niladevi KN, Anisha GS, Prema P*// *CSIR, Reg Res Lab, Div Biotechnol, IN-695019 Trivandrum, Kerala, India
Microbiol Res 2008 **163** (5) 538
 Hydrolysis of pectin: An enzymatic approach and its application in banana fiber processing

Khondkar D, Tester RF*, Karkalas J// *Glasgow Caledonian Univ, Dept Biol & Biomed Sci, Cowcaddens Rd, Glasgow G4 0BA, Scotland
Food Hydrocolloid 2009 **23** (2) 387
 Effect of cross-linking on the resistance to enzymatic hydrolysis of waxy maize starch and low-methoxy pectin

Kim Y, Wicker L*// *Univ Georgia, Food Sci & Technol, Athens, Ga 30602, USA
Food Hydrocolloid 2009 **23** (3) 957
 Valencia PME isozymes create charge modified pectins with distinct calcium sensitivity and rheological properties

Lee H, Rivner J, Urbauer JL, Gartil N, Wicker L*// *Univ Georgia, Athens, Ga 30602, USA
J Sci Food Agric 2008 **88** (12) 2102
 De-esterification pattern of Valencia orange pectinmethylesterases and characterization of modified pectins

- Lutz R, Aserin A, Wicker L, Garti N*// *Hebrew Univ Jerusalem, Inst Chem, Casali Inst Appl Chem, IL-91904 Jerusalem, Israel
Food Hydrocolloid 2009 **23** (3) 786
 Structure and physical properties of pectins with block-wise distribution of carboxylic acid groups
- Moresi M, Sebastiani I// Univ Tuscia, Dipt Sci & Tecnol Agroalimentari, Via San Camillo Lellis, IT-01100 Viterbo, Italy
J Membr Sci 2008 **322** (2) 349
 Pectin recovery from model solutions using a laboratory-scale ceramic tubular UF membrane module
- Siew CK, Williams PA*// *Glyndwr Univ, Ctr Water-Soluble Polymers, Plas Coch, Mold Rd, Wrexham LL11 2AW, Wales
J Agric Food Chem 2008 **56** (17) 8111
 Characterization of the surface-active components of sugar beet pectin and the hydrodynamic thickness of the adsorbed pectin layer
- Sperber BLHM, Schols HA, Cohen Stuart MA, Norde W, Voragen AGJ*// *Wageningen Univ, Dept Agrotechnol & Food Sci, Lab Food Chem, PO Box 8129, NL-6700 EV Wageningen, The Netherlands
Food Hydrocolloid 2009 **23** (3) 765
 Influence of the overall charge and local density of pectin on the complex formation between pectin and β -lactoglobulin
- Yapo BM, Koffi KL// Univ Abobo Adjame, Unite Formation & Recherches Sci & Technol Aliments, 02 BP 801, Abidjan 02, Cote Ivoire
J Sci Food Agric 2008 **88** (12) 2125
 The polysaccharide composition of yellow passion fruit rind cell wall: Chemical and macromolecular features of extracted pectins and hemicellulosic polysaccharides
- Zykwinska A, Boiffard MH, Kontkanen H, Buchert J, Thibault JF, Bonnin E*// *INRA, UR1268 Biopolymers Interactions Assemblages, Nantes, France
J Agric Food Chem 2008 **56** (19) 8926
 Extraction of green labeled pectins and pectic oligosaccharides from plant by-products
- ## 9. Starch
- Abdollahzadeh E, Mehranian M, Vahabzadeh F*// *Amirkabir Univ Technol Tehran Polytech, Dept Chem Engr, Food Engr & Biotechnol Grp, Tehran, Iran
Starch 2008 **60** (8) 398
 Empirical modeling of starch ester synthesis from octenylsuccinic anhydride
- Agama-Acevedo E, De la Rosa APB, Mendez-Montealvo G, Bello-Perez LA*// *Ctr Desarrollo Prod Bioticos IPN, km 8.5 Carr Yautepec-Jojutla, Apartado Postal 24, MX-62731 Yautepec, Morelos, Mexico
Starch 2008 **60** (8) 433
 Physicochemical and biochemical characterization of starch granules isolated of pigmented maize hybrids
- Ahmed F, Urooj A*// *Univ Mysore, Dept Studies Food Sci & Nutr, IN-570006 Mysore, India
Starch 2008 **60** (9) 493
 In vitro starch digestibility and nutritionally important starch fractions in processed roots and tubers
- Arocas A, Sanz T*, Fiszman SM// *Inst Agroquim & Tecnol Alimentos - CSIC, Apdo Correos 73, ES-46100 Burjassot, Valencia, Spain
Food Hydrocolloid 2009 **23** (3) 901
 Influence of corn starch type in the rheological properties of a white sauce after heating and freezing
- Bernazzani P, Peyyavula VK, Agarwal S, Tatikonda RK// Lamar Univ, Dept Chem & Phys, Beaumont, Tx 77706, USA
Polymer 2008 **49** (19) 4150
 Evaluation of the phase composition of amylose by FTIR and isothermal immersion heats
- Bi YH, Liu MZ*, Wu L, Cui DP// *Lanzhou Univ, Dept Chem, CN-730000 Lanzhou, Peoples Rep China
Polym Adv Technol 2008 **19** (9) 1185
 Synthesis of carboxymethyl potato starch and comparison of optimal reaction conditions from different sources
- Carvalho JM, Coimbra MA, Gama FM*// *Univ Minho, IBB - Inst Biotechnol & Bioengn, Campus Gualtar, PT-4710-057 Braga, Portugal
Carbohydr Polym 2009 **75** (2) 322
 New dextrin-vinylacrylate hydrogel: Studies on protein diffusion and release
- Choi SJ, Chang HG, Yoo B*// *Dongguk Univ, Dept Food Sci & Technol, Seoul 100 715, South Korea
Food Sci Biotechnol 2008 **17** (4) 780
 Rheological properties of hot pepper-soybean pastes mixed with acetylated starches
- Cizova A, Sroková I, Sasinkova V, Malovikova A, Ebringerova A*// *Inst Chem, Ctr Glycomics, Dubravaksa cesta 9, SK-84538 Bratislava, Slovakia
Starch 2008 **60** (8) 389
 Carboxymethyl starch octenylsuccinate: Microwave- and ultrasound-assisted synthesis and properties
- Cury BSF, Klein SA, Evangelista RC// Sao Paulo State Univ - UNESP, Fac Pharmaceut Sci, Grad Program Pharmaceut Sci, BR-14801-902 Araraquara, SP, Brazil
React Funct Polym 2008 **68** (8) 1200
 Modeling a system of phosphated cross-linked high amylose for controlled drug release. Part 1: Synthesis and polymer characterization
- Fama L, Gerschenson L, Goyanes S*// *Univ Buenos Aires, Fac Ciencias Exactas & Nat, Dept Fisica, Ciudad Universitaria, AR-1428 Buenos Aires, Argentina
Carbohydr Polym 2009 **75** (2) 230
 Starch-vegetable fibre composites to protect food products
- Ferrini LMK, Rocha TS, Demiate IM, Franco CML*// *Univ Estadual Paulista, Dept Engr & Tecnol Alimentos, R Cristovao Colombo, 2265, BR-15054-000 Sao Jose do Rio Preto, SP, Brazil
Starch 2008 **60** (8) 417
 Effect of acid-methanol treatment on the physicochemical and structural characteristics of cassava and maize starches
- Glenn GM, Klamczynski A, Chiou BS, Orts WJ, Imam SH, Wood DF// USDA/ARS, Western Reg Res Ctr, 800 Buchanan St, Albany, Ca 94710, USA
Starch 2008 **60** (9) 476
 Temperature related structural changes in wheat and corn starch granules and their effects on gels and dry foam
- Heineck ME, Cardoso MB, Giacomelli FC, Da Silveira NP*// *Univ Fed Rio Grande do Sul, Inst Quim, Bio & Macromol Res Grp, BR-91501-970 Porto Alegre, RS, Brazil
Polymer 2008 **49** (20) 4386
 Evidences of amylose coil-to-helix transition in stored dilute solutions
- Hoang NL, Landolfi A, Kravchuk A, Girard E, Peate J, Hernandez JM, Gaborieau M, Kravchuk O, Gilbert RG, Guillaneuf Y, Castignolles P*// *Univ Queensland, CNAFS/SLCAFS, Hartley Teakle Bldg 83, Brisbane, Qld 4072, Australia
J Chromatogr A 2008 **1205** (1-2) 60
 Toward a full characterization of native starch: Separation and detection by size-exclusion chromatography
- Holser RA// USDA/ARS, Natl Ctr Agric Utilization Res, 1815 Nth University St, Peoria, IL 61604, USA
J Appl Polym Sci 2008 **110** (3) 1498
 Thermal analysis of glycerol citrate/starch blends
- Janssen AM, Van de Pijpekamp AM, Labiausse D// Top Inst Food Nutr, PO Box 557, NL-6700 AN Wageningen, The Netherlands
Food Hydrocolloid 2009 **23** (3) 795
 Differential saliva-induced breakdown of starch filled protein gels in relation to sensory perception
- Kim BK, Lee JS, Cho YJ, Park DJ*// *Korea Food Res Inst, Songnam 463 746, Gyeonggi, South Korea
Food Sci Biotechnol 2008 **17** (4) 814
 Changes in pasting and fluid properties of corn and rice starches after physical modification by planetary mill
- Koksel H, Ozturk S, Kahraman K, Basman A, Ozbaz OZ, Ryu GH// Hacettepe Univ, Fac Engr, Dept Food Engr, TR-06532 Ankara, Turkey
Food Sci Biotechnol 2008 **17** (4) 775
 Evaluation of molecular weight distribution, pasting and functional properties, and enzyme resistant starch content of acid-modified corn starches
- Koksel H, Celik S, Karagoz A, Ng PKW// Hacettepe Univ, Dept Food Engr, TR-06532 Ankara, Turkey
Ital J Food Sci 2008 **20** (1) 101
 Partial characterization of starch in flours of ancient wheat and wild progenitor accessions
- Kong X, Bao J, Corke H*// *Univ Hong Kong, Sch Biol Sci, Pokfulam Rd, Hong Kong, Peoples Rep China
Food Chem 2009 **113** (2) 371
 Physical properties of *Amaranthus* starch
- Korus J, Witczak M, Ziobro R, Juszcak L// Agric Univ, Dept Carbohydr Technol, Balicka 122 St, PL-30149 Krakow, Poland
Food Hydrocolloid 2009 **23** (3) 988
 The impact of resistant starch on characteristics of gluten-free dough and bread
- Latha GM, Muralikrishna G*// *Central Food Technol Res Inst - CTRI, Dept Biochem & Nutr, Cheluvamba Mansion, IN-570020 Mysore, India
Food Hydrocolloid 2009 **23** (3) 1007
 Effect of finger millet (*Eleusine coracana*, Indaf-15) malt esterases on the functional characteristics of non-starch polysaccharides
- Lawal OS// Olabisi Onabanjo Univ, Dept Chem Sci, PMB 2002, Ago-Iwoye, Ogun State, Nigeria
Food Hydrocolloid 2009 **23** (2) 415
 Starch hydroxyalkylation: Physicochemical properties and enzymatic digestibility of native and hydroxypropylated finger millet (*Eleusine coracana*) starch
- Lawal OS, Lechner MD, Kulicke WM// Address as above
Polym Degrad Stabil 2008 **93** (8) 1520
 The synthesis conditions, characterizations and thermal degradation studies of an etherified starch from an unconventional source

- Lee SH, Choi SJ, Shin SI, Park KH, Moon TW*// *Seoul National University, Department Agric Biotechnol, Ctr Agric Biomaterials, Seoul 151 921, South Korea
Food Sci Biotechnol 2008 **17** (4) 705
 Structural and rheological properties of sweet potato starch modified with 4- α -glucanotransferase from *Thermus aquaticus*
- Lesmes U, Cohen SH, Shener Y, Shimoni E*// *Technion - Israel Inst Technol, Fac Biotechnol & Food Engn, IL-32000 Haifa, Israel
Food Hydrocolloid 2009 **23** (3) 667
 Effects of long chain fatty acid unsaturation on the structure and controlled release properties of amylose complexes
- Li X, Xu SM, Pen Y, Wang JD*// *Xinjiang Univ, Coll Chem & Chem Engr, MoE Key Lab Oil & Gas Fine Chem, CN-830046 Urumqi, Xinjiang, Peoples Rep China
J Appl Polym Sci 2008 **110** (3) 1828
 The swelling behaviors and network parameters of cationic starch-*g*-acrylic acid/poly (dimethyldiallylammonium chloride) semi-interpenetrating polymer networks hydrogels
- Li Y, Shoemaker CF, Shen XR, Ma JG, Ibanez-Carranza AM, Zhong F*// *Jiangnan Univ, Sch Food Sci & Technol, MoE Key Lab Food Sci & Safety, CN-214122 Wuxi, Peoples Rep China
Food Sci Technol Int 2008 **14** (3) 215
 The isolation of rice starch with food grade proteases combined with other treatments
- Lipatova IM, Losev NV// Russian Acad Sci, Inst Solution Chem, Ivanovo, Russia
Russ J Appl Chem Eng Tr 2008 **81** (8) 1369
 Chemical effects of hydroacoustic treatment in starch hydrogels
- Liu J, Fei L, Maladen M, Hamaker BR, Zhang G*// *Purdue Univ, Dept Food Sci, Whistler Ctr Carbohydr Res, 745 Agric Mall Dr, West Lafayette, In 47907, USA
Carbohydr Polym 2009 **75** (2) 351
 Iodine binding property of a ternary complex consisting of starch, protein, and free fatty acids
- Malumba P, Massaux C, Deroanne C, Masimango T, Bera F// Gembloux Agric University, Food Technol Dept, Passage des Deportes 2, BE-5030 Gembloux, Belgium
Carbohydr Polym 2009 **75** (2) 299
 Influence of drying temperature on functional properties of wet-milled starch granules
- Mendez-Montealvo G, Garcia-Suarez FJ, Paredes-Lopez O, Bello-Perez LA*// *IPN, Ctr Desarrollo Prod Bioticos, Apartado Postal 24, MX-62731 Yauatepec, Morelos, Mexico
J Cereal Sci 2008 **48** (2) 420
 Effect of nixtamalization on morphological and rheological characteristics of maize starch
- Miao M, Zhang T, Jiang B*// *Jiangnan Univ, State Key Lab Food Sci & Technol, 1800 Lihu Ave, CN-214122 Wuxi, Jiangsu Province, Peoples Rep China
Food Chem 2009 **113** (4) 1025
 Characterisations of kabuli and desi chickpea starches cultivated in China
- Mikulikova D, Masar S, Kraic J// Res Inst Plant Prod, Slovak Agric Res Ctr, Bratislavská 122, SK-92168 Piestany, Slovakia
Starch 2008 **60** (8) 426
 Biodiversity of legume health-promoting starch
- Mishra S, Monro J, Hedderley D// Crop & Food Res Ltd, New Zealand Inst, Private Bag 11 600, Palmerston North, New Zealand
Starch 2008 **60** (9) 500
 Effect of processing on slowly digestible starch and resistant starch in potato
- Oh HE, Anema SG*, Pinder DN, Wong M// *Fonterra Res Ctr, Private Bag 11 029, Palmerston North, New Zealand
Food Chem 2009 **113** (1) 1
 Effects of different components in skim milk on high-pressure-induced gelatinisation of waxy rice starch and normal rice starch
- Pajander J, Soikkeli AM, Korhonen O, Forbes RT, Ketolainen J// Univ Kuopio, Dept Pharmaceut, POB 1627, FI-70211 Kuopio, Finland
J Pharm Sci 2008 **97** (8) 3367
 Drug release phenomena within a hydrophobic starch acetate matrix: FTIR mapping of tablets after *in vitro* dissolution testing
- Radhika GS, Shanavas S, Moorthy SN*// *Cent Tuber Crops Res Inst, Div Crop Utilization, IN-695017 Thiruvananthapuram, India
Starch 2008 **60** (9) 485
 Influence of lipids isolated from soybean seed on different properties of cassava starch
- Rivero IE, Balsamo V, Muller AJ*// *Universidade Simon Bolivar, Departamento Ciencia Materiales, Grp Polimeros USB, Aptdo, VE-89000 Caracas, Venezuela
Carbohydr Polym 2009 **75** (2) 343
 Microwave-assisted modification of starch for compatibilizing LLDPE/starch blends
- Shaarawy HH, El-Rafie SM, Abd El-Ghaffar AM, El-Rafie MH// Nat Res Ctr, Chem Engr Dept, El Tahrir St, Giza, EG-12622 Cairo, Egypt
Carbohydr Polym 2009 **75** (2) 208
 Electrocatalytic oxidation of rice starch using mixed oxidant generated *via* titanium/rhodium thermally activated modified electrode: Part (I)
- Shariffa YN, Karim AA*, Fazilah A, Zaidul ISM// *Univ Sains Malaysia, Sch Ind Technol, Food Biopolym Science Res Grp, MY-11800 Minden, Penang, Malaysia
Food Hydrocolloid 2009 **23** (2) 434
 Enzymatic hydrolysis of granular native and mildly heat-treated tapioca and sweet potato starches at sub-gelatinization temperature
- Steeneken PAM, Woortman AJJ// TNO Qual Life Food & Biotechnol Innovation, Rouaanstr 27, NL-9723 CC Groningen, The Netherlands
Food Hydrocolloid 2009 **23** (2) 394
 Superheated starch: A novel approach towards spreadable particle gels
- Steeneken PAM, Woortman AJJ// Address as above
Carbohydr Res 2008 **343** (13) 2278
 Surface effects in the acetylation of granular potato starch
- Tako M, Tamaki Y, Konishi T, Shibamura K, Hanashiro I, Takeda Y// Univ Ryukyus, Dept Biosci & Biotechnol, Okinawa 903 0213, Japan
Food Res Int 2008 **41** (8) 797
 Gelatinization and retrogradation characteristics of wheat (Rosella) starch
- Tie APL, Karim AA*, Manan DMA// *University Sains Malaysia, Sch Ind Technol, Food Technol Div, Food Biopolymer Res Grp, MY-11800 Penang, Malaysia
Starch 2008 **60** (8) 408
 Physicochemical properties of starch in sago palms (*Metroxylon sagu*) at different growth stages
- Wang S, Yu J*, Zhu Q, Yu J, Jin F// *Tianjin Univ Traditional Chinese Med, Coll Traditional Chinese Med, CN-300193 Tianjin, Peoples Rep China
Food Hydrocolloid 2009 **23** (2) 426
 Granular structure and allomorph position in C-type Chinese yam starch granule revealed by SEM, ¹³C CP/MAS NMR and XRD
- Wang S, Yu J*, Jin F, Yu J// *Tianjin Univ, Coll Pharmaceut Sci & Technol, Weijin Rd 92, CN-300072 Tianjin, Peoples Rep China
Int J Biol Macromol 2008 **43** (2) 216
 The new insight on ultrastructure of C-type starch granules revealed by acid hydrolysis
- Wuttisela K, Shobsngob S, Trimpo W, Triampo D// Mahidol Univ, Inst Innovation & Dev Learning Process, Rama VI Rd, TH-10400 Bangkok, Thailand
J Chil Chem Soc 2008 **53** (3) 1565
 Amylose/amylopectin simple determination in acid hydrolyzed tapioca starch
- Yang LQ, Zhang BF, Liang YT, Yang B, Kong T, Zhang LM// Sun Yat Sen Univ, Sch Chem & Chem Engr, Inst Polymer Sci, Guangzhou, Guangdong, Peoples Rep China
Carbohydr Res 2008 **343** (14) 2463
In situ synthesis of amylose/single-walled carbon nanotubes supramolecular assembly
- Ye A, Hewitt S// Fonterra Res Ctr, Private Bag 11 029, Palmerston North, New Zealand
Food Hydrocolloid 2009 **23** (3) 867
 Phase structures impact the rheological properties of rennet-casein-based imitation cheese containing starch
- Yotsawimonwat S, Sriroth K, Kaewvichit S, Piyachomkwan K, Jane JL, Sirithunyalug J*// *Chiang Mai Univ, Fac Pharm, Dept Pharmaceut Sci, TH-50000 Chiang Mai, Thailand
Int J Biol Macromol 2008 **43** (2) 94
 Effect of pH on complex formation between debranched waxy rice starch and fatty acids
- Yu J, Wang S*, Jin F, Sun L, Yu J// *Tianjin Univ, Sch Pharmaceut Sci & Technol, CN-300072 Tianjin, Peoples Rep China
Food Chem 2009 **113** (2) 585
 The structure of C-type Rhizoma Dioscorea starch granule revealed by acid hydrolysis method
- Zhang Y, Han JH*// *Univ Manitoba, Dept Food Sci, Winnipeg, Manitoba, Canada R3T 2N2
J Food Sci 2008 **73** (7) E313
 Sorption isotherm and plasticization effect of moisture and plasticizers in pea starch film
- Zhong F, Li Y, Ibanz AM, Oh MH, McKenzie KS, Shoemaker C*// *Univ Calif Davis, Dept Food Sci & Technol, Davis, Ca 95616, USA
Food Hydrocolloid 2009 **23** (2) 406
 The effect of rice variety and starch isolation method on the pasting and rheological properties of rice starch pastes
- Zhu F, Cai YZ, Sun M, Corke H*// *Univ Hong Kong, Sch Biol Sci, Pokfulam Rd, Hong Kong, Peoples Rep China
Food Chem 2009 **112** (4) 919
 Effect of phytochemical extracts on the pasting, thermal, and gelling properties of wheat starch

10. Starch-degrading enzymes

- Alting AC, Van de Velde F, Kanning MW, Burgering M, Mulleners L, Sein A, Buwalda P// NIZO Food Res, Texture Dept, Kernhemseweg 2, PO Box 20, NL-6710 BA Ede, The Netherlands
Food Hydrocolloid 2009 **23** (3) 980
- Improved creaminess of low-fat yoghurt: The impact of amylomaltase-treated starch domains
- Htoon A, Shrestha AK, Flanagan BM, Lopez-Rubio A, Bird AR, Gilbert EP, Gidley MJ// *Univ Queensland, Ctr Nutr & Food Sci, Hartley Teakle Bldg, St Lucia, Brisbane, Qld 4072, Australia
Carbohydr Polym 2009 **75** (2) 236
- Effects of processing high amylose maize starches under controlled conditions on structural organisation and amylase digestibility
- Roder N, Gerard C, Verel A, Bogracheva TY, Hedley CL, Ellis PR, Butterworth PJ// *Kings College London, Department Biochemistry, Nutr Sci Div, Biopolym Grp, Franklin-Wilkins Bldg, 150 Stamford St, London SE1 9NH, England
Food Chem 2009 **113** (2) 471
- Factors affecting the action of α -amylase on wheat starch: Effects of water availability. An enzymic and structural study
- Steeneken PAM, Tas AC, Woortman AJJ, Sanders P, Mijland PJHC, De Weijts LGR// TNO, Qual Life Food & Biotechnol Innovation, Rouaamstr 27, NL-9723 CC Groningen, The Netherlands
Carbohydr Res 2008 **343** (14) 2411
- Substitution patterns on methylated potato starch as revealed from the structure and composition of fragments in enzymatic digests
- Sun HY, Zhao PJ, Peng M// *Chinese Academy Tropical Agricultural Science, Institute Tropical Bioscience & Biotechnology, State Key Laboratory Tropical Crop Biotechnology, CN-571101 Haikou, Guangdong Prov, Peoples Republic China
World J Microbiol Biotechnol 2008 **24** (11) 2613
- Application of maltitol to improve production of raw starch digesting glucanase by *Aspergillus niger* F-08

11. Polysaccharides - Microbial

- Borges CD, De Paula RCM, Feitosa JPA, Vendruscolo CT// Univ Fed Pelotas, Ctr Biotecnol, CP 354, BR-96010-900 Pelotas, RS, Brazil
Carbohydr Polym 2009 **75** (2) 262
- The influence of thermal treatment and operational conditions on xanthan produced by *X. arboricola* pv *pruni* strain 106
- Crich D, Li M// Wayne State Univ, Dept Chem, 5101 Cass Ave, Detroit, MI 48202, USA
J Org Chem 2008 **73** (18) 7003
- Block synthesis of tetra- and hexasaccharides (β -D-glycero-D-manno-Hepp-(1 $\rightarrow$ 4)-[α -L-Rhap-(1 $\rightarrow$ 3)- β -D-glycero-D-manno-Hepp-(1 $\rightarrow$ 4)]_n- α -L-Rhap-OMe (n = 1 and 2)) corresponding to multiple repeat units of the glycan from the surface-layer glycoprotein from *Bacillus thermoaerophilus*
- Das D, Maiti D, Chandra K, Mondal S, Ojha AK, Roy SK, Ghosh K, Islam SS// *Vidyasagar University, Dept Chem & Chem Technol, IN-721102 Midnapore, India
Carbohydr Res 2008 **343** (13) 2258
- NMR and MALDI-TOFMS analysis of a heteroglycan isolated from hot water extract of edible mushroom, *Volvariella bombycina*
- Francius G, Lebeer S, Alsteens D, Wilding L, Gruber HJ, Hols P, De Keersmaecker S, Vanderleyden J, Dufrene YF// *Univ Catholique Louvain, Unite Chim Interfaces, Croix Sud 2/18, BE-1348 Louvain, Belgium
ACS Nano 2008 **2** (9) 1921
- Detection, localization, and conformational analysis of single polysaccharide molecules on live bacteria
- Funami T, Noda S, Nakamura M, Ishihara S, Takahashi R, Al-Assaf S, Ikeda S, Nishinari K, Phillips GO// San-Ei Gen FFI Inc, Hydrocolloid Lab Sect, Toyonaka, Osaka 561 8588, Japan
Food Hydrocolloid 2009 **23** (2) 548
- Molecular structures of gellan gum imaged with atomic force microscopy (AFM) in relation to the rheological behavior in aqueous systems in the presence of sodium chloride
- Funami T, Noda S, Nakamura M, Ishihara S, Takahashi R, Al-Assaf S, Ikeda S, Nishinari K, Phillips GO// San-Ei Gen FFI Inc, Hydrocolloid Lab Sect, Toyonaka, Osaka 561 8588, Japan
J Agric Food Chem 2008 **56** (18) 8609
- Molecular structures of gellan gum imaged with atomic force microscopy in relation to the rheological behavior in aqueous systems in the presence or absence of various cations
- Gargiulo V, De Castro C*, Lanzetta R, Jiang Y, Xu LH, Jiang CL, Molinaro A, Parrilli M// *Univ Naples Federico 2, Dept Organ Chem & Biochem, Complesso Univ Monte St Angelo, Via Cintia 4, IT-80126 Naples, Italy
Carbohydr Res 2008 **343** (14) 2401
- Structural elucidation of the capsular polysaccharide isolated from *Kaistella flava*
- Haraguchi S, Numata M, Kaneko K, Shinkai S// *Kyushu Univ, Grad Sch Engn, Dept Chem & Biochem, 744 Motooka, Nishi ku, Fukuoka 819 0395, Japan
Bull Chem Soc Jpn 2008 **81** (8) 1002
- Immobilization of polythiophene chirality induced by a helix-forming β -1,3-glucan polysaccharide (schizophyllan) through sol-gel reaction
- Hoshi H, Iijima B, Ishihara Y, Yasuhara T, Matsunaga K// Kureha Corp, Biomed Res Labs, 3-26-2 Hyakunin cho, Shinjyuku ku, Tokyo 169 8503, Japan
J Agric Food Chem 2008 **56** (17) 7715
- Absorption and tissue distribution of an immunomodulatory α -D-glucan after oral administration of *Tricholoma matsutake*
- Kawaharada Y, Kiyota HI, Eda S, Minamisawa K, Mitsui H// *Tohoku Univ, Grad Sch Life Sci, Aoba ku, Sendai, Miyagi 980 8577, Japan
Carbohydr Res 2008 **343** (14) 2422
- Structural characterization of neutral and anionic glucans from *Mesorhizobium loti*
- Kono K, Kawaguchi Y, Mizukami Y, Mimura K, Sugai H, Akaike H, Fujii H// Univ Yamanashi, 1st Dept Surg, 1110 Shimokato, Chuo, Yamanashi 409, Japan
Oncology Basel 2008 **74** (3-4) 143
- Protein-bound polysaccharide K partially prevents apoptosis of circulating T cells induced by anti-cancer drug S-1 in patients with gastric cancer
- Kshirsagar AC, Yenge VB, Sarkar A, Singhal RS// *Univ Mumbai, Inst Chem Technol, Food Engn & Technol Dept, Matunga, IN-400019 Mumbai, India
Food Chem 2009 **113** (4) 1139
- Efficacy of pullulan in emulsification of turmeric oleoresin and its subsequent microencapsulation
- Lee MH, Boettiger D, Composto RJ// Univ Pennsylvania, Inst Med & Engn, Philadelphia, Pa 19104, USA
Biomacromolecules 2008 **9** (9) 2315
- Biomimetic carbohydrate substrates of tunable properties using immobilized dextran hydrogels
- Li X, Cheng Y, Yi C, Hua Y*, Yang C, Cui S// *Jiangnan Univ, Sch Food Sci & Technol, State Key Lab Food Sci & Technol, 1800 Lihu Ave, CN-214122 Wuxi, Jiangsu Prov, Peoples Rep China
Food Hydrocolloid 2009 **23** (3) 1015
- Effect of ionic strength on the heat-induced soy protein aggregation and the phase separation of soy protein aggregate/dextran mixtures
- Mandal PK, Misra AK// *Cent Drug Res Inst, Med & Process Chem Div, Chatter Manzil Palace, IN-226001 Lucknow, India
Tetrahedron 2008 **64** (37) 8685
- Concise synthesis of two pentasaccharides corresponding to the α -chain oligosaccharides of *Neisseria gonorrhoeae* and *Neisseria meningitidis*
- Matsushita H, Kobayashi M*, Tsukiyama RI, Fujimoto M, Suzuki M, Tsuji K, Yamamoto K// *Higashimaru Shoyu Co Ltd, Res Lab, 100-3 Tominaga, Tatsuno, Hyogo 679 4167, Japan
Int J Mol Med 2008 **22** (2) 243
- Stimulatory effect of shoyu polysaccharides from soy sauce on the intestinal immune system
- Perez JAM, Garcia-Ribera R, Quesada T, Aguilera M, Ramos-Cormenzana A, Monteoliva-Sanchez M// Univ Granada, Fac Pharm, Dept Microbiol, Campus Univ Cartuja s/n, ES-18071 Granada, Spain
World J Microbiol Biotechnol 2008 **24** (11) 2699
- Biosorption of heavy metals by the exopolysaccharide produced by *Paenibacillus jamilae*
- Piermaria JA, Pinotti A, Garcia MA, Abraham AG// *UNLP, CCT-CONICET-La Plata-Fac Ciencias Exactas, Ctr Invest Desarrollo Criotechnol Alimentos, 47 y 116, AR-1900 La Plata, Buenos Aires, Argentina
Food Hydrocolloid 2009 **23** (3) 684
- Films based on kefir, an exopolysaccharide obtained from kefir grain: Development and characterization
- Pinna D, Oreste P, Coradin T, Kajaste-Rudnitski A, Ghezzi S, Zopetti G, Rotola A, Argani R, Poli G, Manservigi R, Vicenzi E// *P2-P3 Labs DIBIT, Via Olgettina 58, IT-20132 Milan, Italy
Antimicrob Agents Chemother 2008 **52** (9) 3078
- Inhibition of herpes simplex virus types 1 and 2 *in vitro* infection by sulfated derivatives of *Escherichia coli* K5 polysaccharide
- Sayed RZ, Chincholkar SB// PSGVP Mandals ASC Coll, Dept Microbiol, IN-425409 Shahada, India
J Food Sci Technol Mysore 2008 **45** (6) 531
- Production of exopolysaccharide: A biopolymer from *Alcaligenes faecalis*
- Schnoll-Bitai I, Ullmer R, Hrebicek T, Rizzi A, Lacik I// Univ Vienna, Inst Phys Chem, Vienna, Austria
Rapid Commun Mass Spectrom 2008 **22** (19) 2961
- Characterization of the molecular mass distribution of pullulans by matrix-assisted laser desorption/ionization time-of-flight mass spectrometry using 2,5-dihydroxybenzoic acid butylamine (DHBB) as liquid matrix
- Schwab C, Mastrangelo M, Corsetti A, Ganze M// *Univ Alberta, Dept Agric Food & Nutr Sci, Edmonton, Alberta, Canada T6G 2P5
Cereal Chem 2008 **85** (5) 679
- Formation of oligosaccharides and polysaccharides by *Lactobacillus reuteri* LTH5448 and *Weissella cibaria* 10M in sorghum sourdoughs

Semenova MG, Belyakova LE, Polikarpov YN, Antipova AS, Dickinson E// Russian Acad Sci, Inst Biochem Phys, Kosygin Str 4, RU-119334 Moscow, Russia

Food Hydrocolloid 2009 **23** (3) 629

Light scattering study of sodium caseinate+dextran sulfate in aqueous solution: Relationship to emulsion stability

Silva MF, Fornari RCG, Mazutti MA, De Oliveira D, Padilha FF, Cichoski AJ, Cansian RL, Di Luccio M, Treichel H*// *URI Dept Food Engn, Campus Erechim, POB 743, BR-99700-000 Erechim, RS, Brazil

J Food Eng 2009 **90** (1) 119

Production and characterization of xanthan gum by *Xanthomonas campestris* using cheese whey as sole carbon source

Vasconcelos AFD, Monteiro NK, Dekker RFH, Barbosa AM, Carbonero ER, Silveira JLM, Sassaki GL, Da Silva R, Da Silva MDC*// *Univ Estadual Paulista, Fac Ciencias & Tecnol, Dept Fis Quim & Biol, CP 467, BR-19060-900 Sao Paulo, Brazil

Carbohydr Res 2008 **343** (14) 2481

Three exopolysaccharides of the β -(1 $\rightarrow$ 6)-D-glucan type and a β -(1 $\rightarrow$ 3;1 $\rightarrow$ 6)-D-glucan produced by strains of *Botryosphaeria rhodina* isolated from rotting tropical fruit

Ye L, Zhang J*, Yang Y, Zhou S, Liu Y, Tang Q, Du X, Chen H, Pan Y// *Shanghai Acad Agric Sci, Inst Edible Fungi, CN-201106 Shanghai, Peoples Rep China

Food Chem 2009 **112** (4) 962

Structural characterisation of a heteropolysaccharide by NMR spectra

Zhang YY, Xu XJ*, Zhang L// *Wuhan Univ, Dept Chem, CN-430072 Wuhan, Peoples Rep China

Biopolymers 2008 **89** (10) 852

Gel formation and low-temperature intramolecular conformation transition of a triple-helical polysaccharide lentinan in water

12. Polysaccharides - Plant

Angioloni A, Collar C*// *Institute Agrochem & Food Technol - CSIC, Food Science Department, Cereal Group, PO Box 73, ES-46100 Burjassot, Valencia, Spain

Food Hydrocolloid 2009 **23** (3) 742

Small and large deformation viscoelastic behaviour of selected fibre blends with gelling properties

Antonov YA, Sato T// Russian Acad Sci, NM Emanuel Inst Biochem Phys, Kosigin Str 4, RU-119334 Moscow, Russia

Food Hydrocolloid 2009 **23** (3) 996

Macromolecular complexes of the main storage protein of *Vicia faba* seeds with sulfated polysaccharide

Apirattananusorn S, Tongta S*, Cui SW, Wang Q// *Suranaree Univ Technol, Sch Food Technol, TH-30000 Nakhon Ratchasima, Thailand

J Agric Food Chem 2008 **56** (18) 8549

Chemical, molecular, and structural characterization of alkali extractable nonstarch polysaccharides from Job's tears

Arda E, Kara S, Pekcan O// Trakya University, Dept Phys, TR-22030 Edirne, Turkey

Food Hydrocolloid 2009 **23** (2) 451

Synergistic effect of the locust bean gum on the thermal phase transitions of κ -carrageenan gels

Ashwini A, Jyotsna R, Indrani D*// *Central Food Technology Research Institute, Flour Milling Baking & Confectionery Tech Department, IN-570020 Mysore, India

Food Hydrocolloid 2009 **23** (3) 700

Effect of hydrocolloids and emulsifiers on the rheological, microstructural and quality characteristics of eggless cake

Bae IY, Chang YJ, Kim HW, Lee HG*// *Hanyang Univ, Dept Food & Nutr, Seoul 133 791, South Korea

Food Sci Biotechnol 2008 **17** (4) 870

Anticoagulant activity of sulfated barley β -glucan

Capek P// Slovak Acad Sci, Inst Chem, Ctr Glycomics, Dubravska cesta 9, SK-84538 Bratislava, Slovakia

Carbohydr Polym 2009 **75** (2) 356

A water soluble glucomannan isolated from an immunomodulatory active polysaccharide of *Salvia officinalis* L.

Chaires-Martinez L, Salazar-Montoya JA, Ramos-Ramirez EG*// *CINVESTAV IPN, Dept Biotechnol & Bioengn, Av IPN 2508, POB 14-740, MX-07360 Mexico City 14, DF, Mexico

Eur Food Res Technol 2008 **227** (6) 1669

Physicochemical and functional characterization of the galactomannan obtained from mesquite seeds (*Prosopis pallida*)

Chan AW, Whitney RA, Neufeld RJ*// *Queens Univ, Dept Chem Engn, Kingston, Ontario, Canada K7L 3N6

Biomacromolecules 2008 **9** (9) 2536

Kinetic controlled synthesis of pH-responsive network alginate

Chen CH, Kuo WS, Lai LS*// *Nat Chung Hsing Univ, Dept Food Sci & Biotechnol, 250 Kuo-Kuang Rd, Taichung City 402, Taiwan

Food Hydrocolloid 2009 **23** (3) 714

Effect of surfactants on water barrier and physical properties of tapioca starch/decolorized hsian-tso leaf gum films

Cunha PLR, Vierira IGP, Arriaga AMC, De Paula CM, Feitosa JPA*// *Univ Fed Ceara, Dept Quim Organ & Inorgan, C Postal 6.021, BR-60455-760 Fortaleza, CE, Brazil

Food Hydrocolloid 2009 **23** (3) 880

Isolation and characterization of galactomannan from *Dimorphandra gardneriana* Tul. seeds as a potential guar gum substitute

Davis TA, Kalis EJJ, Pinheiro JP, Town RM, Van Leeuwen HP// Univ Montreal, Dept Chem, POB 6128, Succursale Ctr-ville, Montreal, Quebec, Canada H3C 3J7

Environ Sci Technol 2008 **42** (19) 7242

Cd(II) speciation in alginate gels

De Wijk RA, Kapper C, Borsboom P, Prinz JF// Ctr Innovation Consumer Studies, PO Box 17, NL-6700 AA Wageningen, The Netherlands

Food Hydrocolloid 2009 **23** (3) 896

Persistence of oral coatings of CMC and starch-based custard desserts

Ganguli NK, Turner MA*// *Univ Sydney, Plant Breeding Inst, PMB 11, Camden, NSW 2570, Australia

J Sci Food Agric 2008 **88** (11) 1905

A simplified method for extracting water-extractable arabinoxylans from wheat flour

Harrington JC, Morris ER*// *Univ Coll Cork, Dept Food & Nutr Sci, Cork, Rep Ireland

Food Hydrocolloid 2009 **23** (2) 327

Conformational ordering and gelation of gelatin in mixtures with soluble polysaccharides

Harrington JC, Morris ER*// *Address as above

Food Hydrocolloid 2009 **23** (2) 460

An unusual manifestation of phase separation in mixtures of disordered gelatin with konjac glucomannan

Harrington JC, Foegeding EA, Mulvihill DM, Morris ER*// *Address as above

Food Hydrocolloid 2009 **23** (2) 468

Segregative interactions and competitive binding of Ca^{2+} in gelling mixtures of whey protein isolate with Na^+ κ -carrageenan

Hoad C, Rayment P, Cox E, Wright P, Butler M, Spiller R, Gowland P*// *Univ Nottingham, Sch Phys & Astron, Sir Peter Mansfield Magn Reson Ctr, University Park, Nottingham NG7 2RD, England

Food Hydrocolloid 2009 **23** (3) 833

Investigation of alginate beads for gastro-intestinal functionality, Part 2: *In vivo* characterisation

Ji HW, Shao HY, Zhang CH, Hong PZ, Xiong HP// Guangdong Ocean Univ, Coll Food Sci & Technol, CN-524025 Zhanjiang, Guangdong, Peoples Rep China

J Appl Polym Sci 2008 **110** (3) 1435

Separation of the polysaccharides in *Caulerpa racemosa* and their chemical composition and antitumor activity

Khallofi S, Corredig M, Goff HD, Alexander M*// *Univ Guelph, Dept Food Sci, Guelph, Ontario, Canada N1G 2W1

Food Hydrocolloid 2009 **23** (3) 611

Flaxseed gums and their adsorption on whey protein-stabilized oil-in-water emulsions

Kim S, Inglett GE, Liu SX// USDA/ARS, Natl Ctr Agric Utilization Res, 1815 Nth University St, Peoria, IL 61604, USA

Cereal Chem 2008 **85** (5) 701

Content and molecular weight distribution of oat β -glucan in Oatrim, Nutrim, and C-Trim products

Kontogiorgos V, Tosh SM*, Wood PJ// *Agric & Agri-Food Canada, Food Res Ctr, Guelph, Ontario, Canada

Food Hydrocolloid 2009 **23** (3) 949

Phase behaviour of high molecular weight oat β -glucan/whey protein isolate binary mixtures

Lazaridou A, Biliaderis CG// Aristotle Univ, Dept Food Sci & Technol, Lab Food Chem & Biochem, PO Box 256, GR-54124 Thessaloniki, Greece

Food Hydrocolloid 2009 **23** (3) 886

Concurrent phase separation and gelation in mixed oat β -glucans/sodium caseinate and oat β -glucans/pullulan aqueous dispersions

Le Bourvellec C, Guyot S, Renard CMGC// Univ Avignon, INRA UMR A408, Sec & Qual Produits Origine Vegetale, FR-84000 Avignon, France

Carbohydr Polym 2009 **75** (2) 251

Interactions between apple (*Malus x domestica* Borkh.) polyphenols and cell walls modulate the extractability of polysaccharides

Leung A, Lawrie G, Nielsen LK*, Trau M// *Univ Queensland, Australian Inst Bioengn & Nanotechnol, Dept Chem Engn, Brisbane, Qld 4072, Australia

J Microencapsul 2008 **25** (6) 387

Synthesis and characterization of alginate/poly-L-ornithine/alginate microcapsules for local immunosuppression

- Lin HY, Lai LS*// *Nat Chung Hsing Univ, Dept Food Sci & Biotechnol, 250 Kuo-Kuang Rd, Taichung City 402, Taiwan
Food Hydrocolloid 2009 **23** (3) 840
 Isolation and viscometric characterization of hydrocolloids from mulberry (*Morus alba* L.) leaves
- Loret C, Ribelles P, Lundin L// Unilever Foods & Hlth Res Inst, PO Box 114, NL-3130 AW Vlaardingen, The Netherlands
Food Hydrocolloid 2009 **23** (3) 823
 Mechanical properties of κ -carrageenan in high concentration of sugar solutions
- Ma M, Liu G, Yu Z*, Chen G, Zhang X// *Lanzhou Univ, Inst Stomatol, CN-730000 Lanzhou, Gansu Prov, Peoples Rep China
Food Chem 2009 **113** (4) 872
 Effect of the *Lycium barbarum* polysaccharides administration on blood lipid metabolism and oxidative stress of mice fed high-fat diet *in vivo*
- Mahendran T, Williams PA*, Phillips GO, Al-Assaf S, Baldwin TC// *Glyndwr Univ, Plas Coch, Mold Rd, Wrexham LL11 2AW, Wales
J Agric Food Chem 2008 **56** (19) 9269
 New insights into the structural characteristics of the arabinogalactan-protein (AGP) fraction of gum arabic
- Mandal P, Pujol CA, Carlucci MJ, Chattopadhyay K, Damonte EB, Ray B*// *University Burdwan, Department Chem, Nat Product Lab, IN-713104 Burdwan, India
Phytochemistry 2008 **69** (11) 2193
 Anti-herpetic activity of a sulfated xylomannan from *Scinaia hatei*
- Martelli MR, Carvalho RA, Sobral PJA*, Santos JS// *Univ Sao Paulo, FZEA, Dept Food Engn, POB 23, BR-13635-900 Pirassununga, SP, Brazil
Ital J Food Sci 2008 **20** (1) 111
 Reduction of oil uptake in deep fat fried chicken nuggets using edible coatings based on cassava starch and methylcellulose
- Menna R, Prasad K, Siddhanta AK*// *Ctr Salt & Marine Chem Res Inst, Marine Biotechnol & Ecol Discipline, IN-364002 Bhavnagar, Gujarat, India
Food Hydrocolloid 2009 **23** (2) 497
 Development of a stable hydrogel network based on agar- κ -carrageenan blend cross-linked with genipin
- Naran R, Chen GB, Carpita NC*// *Purdue Univ, Dept Bot & Plant Pathol, West Lafayette, IN 47907, USA
Plant Physiol 2008 **148** (1) 119
 Novel rhamnogalacturonan I and arabinoxylan polysaccharides of flax seed mucilage
- Orlovskaya TV// Pyatigorsk State Pharmaceut Acad, prosp Kalinina 11, RU-357500 Pyatigorsk, Russia
Chem Nat Compd 2008 **44** (2) 229
 Polysaccharides from *Zingiber officinale*
- Park KS, Choi YI, Lee SH, Kim CH, Auh JH*// *Chungang Univ, Dept Food Sci & Technol, Ansong 456 756, Gyeonggi, South Korea
Food Sci Biotechnol 2008 **17** (4) 794
 Effect of κ -carrageenan and guar gum as a substitute for inorganic polyphosphate on pork sausages
- Phan The D, Debeaufort F*, Voilley A, Luu D// *IUT-Genie Biol, Blvd Dr Petitjean, BP 17867, FR-21078 Dijon, France
Food Hydrocolloid 2009 **23** (3) 691
 Influence of hydrocolloid nature on the structure and functional properties of emulsified edible films
- Pourjavadi A, Farhadpour B, Seidi F// Sharif Univ Technol, Dept Chem, Polymer Res Lab, POB 11365-9516, Tehran, Iran
Starch 2008 **60** (9) 457
 Synthesis and investigation of swelling behavior of grafted alginate/alumina superabsorbent composite
- Pourjavadi A, Soleyman R, Barajee GR// Sharif Univ Technol, Dept Chem, Polymer Res Lab, POB 11365-9516, Tehran, Iran
Starch 2008 **60** (9) 467
 Novel nanoporous superabsorbent hydrogel based on poly(acrylic acid) grafted onto salep: Synthesis and swelling behavior
- Raessler M, Wissuwa B, Breul A, Unger W, Grimm T// Max Planck Inst Biogeochem, Hans Knoell Str 10, DE-07745 Jena, Germany
J Agric Food Chem 2008 **56** (17) 7649
 Determination of water-extractable nonstructural carbohydrates, including inulin, in grass samples with high-performance anion exchange chromatography and pulsed amperometric detection
- Rajput VK, Mukhopadhyay B*// *Indian Inst Sci Educat & Res Kolkata - IISER Kolkata, HC-7, Sector III, IN-700106 Kolkata, India
J Org Chem 2008 **73** (17) 6924
 Concise synthesis of a pentasaccharide related to the anti-leishmanial triterpenoid saponin isolated from *Maesa balansae*
- Ravindran G, Matia-Merino L// Massey Univ, Inst Food Nutr & Human Hlth, Private Bag 11 222, Palmerston North 4442, New Zealand
Food Hydrocolloid 2009 **23** (3) 1047
 Starch-fenugreek (*Trigonella foenum-graecum* L.) polysaccharide interactions in pure and soup systems
- Rayment P, Wright P, Hoad C, Ciampi E, Haydock D, Gowland P, Butler MF// Unilever R&D Colworth, Corp Res, Sharnbrook MK44 1LQ, England
Food Hydrocolloid 2009 **23** (3) 816
 Investigation of alginate beads for gastro-intestinal functionality, Part 1: *In vitro* characterisation
- Razavi SMA, Karazhiyan H// Ferdowsi Univ Mashhad, Dept Food Sci & Technol, Park Sq, Pardis Campus, PO Box 91775-1163, Mashhad, Iran
Food Hydrocolloid 2009 **23** (3) 908
 Flow properties and thixotropy of selected hydrocolloids: Experimental and modeling studies
- Rincon F, Munoz J*, Leon De Pinto G, Alfaro MC, Calero N// *Univ Sevilla, Fac Quim, Dept Ingn Quim, C/ P Garcia Gonzalez 1, ES-41012 Seville, Spain
Food Hydrocolloid 2009 **23** (3) 1031
 Rheological properties of *Cedrela odorata* gum exudate aqueous dispersions
- Roman-Guerrero A, Orozco-Villafuerte J, Perez-Orozco JP, Cruz-Sosa F, Jimenez-Alvarado R, Vernon-Carter EJ*// *Univ Autonoma Metropolitana-Iztapalapa, Dept Ingn Proceso & Hidraulica, San Rafael Atlixco 186, Col Vicentina Edificio T-247, MX-09340 Mexico, DF, Mexico
Food Hydrocolloid 2009 **23** (3) 708
 Application and evaluation of mesquite gum and its fractions as interfacial film formers and emulsifiers of orange peel-oil
- Ronkart SN, Paquot M, Fournies C, Deroanne C, Blecker CS// Gembloux Agric Univ, Dept Food Technol, Passage des Deportes 2, BE-5030 Gembloux, Belgium
Food Hydrocolloid 2009 **23** (3) 922
 Effect of water uptake on amorphous inulin properties
- Saxena S, Bajpai SK*// *Govt Model Sci Coll, Dept Chem, Polymer Res Lab, IN-482001 Jabalpur, India
J Macromol Sci Pure Appl Chem 2008 **45** (5) 387
 Dynamic release of propranolol HCl from cationic ion-exchanger-loaded calcium alginate beads
- Sciarini LS, Maldonado F, Ribotta PD, Perez GT, Leon AE*// *CONICET-Univ Nac Cordoba, Fac Ciencias Agropecuarias, CC 509, AR-5000 Cordoba, Argentina
Food Hydrocolloid 2009 **23** (2) 306
 Chemical composition and functional properties of *Gleditsia triacanthos* gum
- Singh B, Chauhan N// Himachal Pradesh Univ, Dept Chem, IN-171005 Shimla, India
Food Hydrocolloid 2009 **23** (3) 928
 Modification of psyllium polysaccharides for use in oral insulin delivery
- Singh B, Sharma N// Himachal Pradesh Univ, Dept Chem, Summer Hill, IN-171005 Shimla, India
Int J Biol Macromol 2008 **43** (2) 142
 Modification of sterculia gum with methacrylic acid to prepare a novel drug delivery system
- Singh V, Tiwari A, Singh SP, Kumari P, Tiwari S// Univ Allahabad, Dept Chem, IN-211002 Allahabad, India
J Appl Polym Sci 2008 **110** (3) 1477
 Ceric ammonium sulfate/sodium disulfite initiated grafting of acrylamide on to *Cassia reticulata* seed gum
- Song YH, Liu Q, Lv ZP*, Chen YY, Zhou YC, Sun XG// *Stn Med Univ, Sch Traditional Chinese Med, CN-510515 Guangzhou, Guangdong, Peoples Rep China
Int J Biol Macromol 2008 **43** (2) 170
 Protection of a polysaccharide from *Salvia miltiorrhiza*, a Chinese medicinal herb, against immunological liver injury in mice
- Sozer N// University Gaziantep, Food Engineering Dept, TR-27310 Gaziantep, Turkey
Food Hydrocolloid 2009 **23** (3) 849
 Rheological properties of rice pasta dough supplemented with proteins and gums
- Van Craeyveld V, Delcour JA, Courtin CM*// *Katholieke Univ Leuven, Lab Food Chem & Biochem, Leuven Food Sci & Nutr Res Ctr, Kasteelpark Arenberg 20 bus 2463, BE-3001 Leuven, Belgium
Food Chem 2009 **112** (4) 812
 Extractability and chemical and enzymatic degradation of psyllium (*Plantago ovata* Forsk) seed husk arabinoxylans
- Wu M, Wu Y, Zhou J, Pan Y*// *Columbia Univ, Dept Ophthalmol, New York, NY 10032, USA
Food Chem 2009 **113** (4) 1020
 Structural characterisation of a water-soluble polysaccharide with high branches from the leaves of *Taxus chinensis* var. *mairii*
- Yamazaki E, Kurita O, Matsumura Y// Mie Prefecture Ind Res Inst, Takachaya 5-5-45, Tsu, Mie 514 0819, Japan
Food Hydrocolloid 2009 **23** (3) 655
 High viscosity of hydrocolloid from leaves of *Corchorus olitorius* L.
- Yang J, Chen S, Fang Y*// *Jiangnan Univ, Sch Chem & Material Engn, 1800 Lihu Ave, CN-214122 Wuxi, Jiangsu, Peoples Rep China
Carbohydr Polym 2009 **75** (2) 333
 Viscosity study of interactions between sodium alginate and CTAB in dilute solutions at different pH values

Yu DH, Wu JM, Niu AJ// Shanghai Univ Sport, Scientific Res Dept, CN-200438 Shanghai, Peoples Rep China
Carbohydr Polym 2009 **75** (2) 312
 Health-promoting effect of LBP and healthy Qigong exercise on physiological functions in old subjects

Yu ZH, Jin C, Xin M, He JM// Lanzhou Univ, Inst Stomatol, CN-730000 Lanzhou GanSu Prov, Peoples Rep China
Carbohydr Polym 2009 **75** (2) 307
 Effect of *Aloe vera* polysaccharides on immunity and antioxidant activities in oral ulcer animal models

Zhang J, Daubert CR*, Mulligan JH, Foegeding EA// *Nth Carolina State Univ, Dept Food Bioprocess & Nutr Sci, Raleigh, NC 27695, USA
J Texture Stud 2008 **39** (5) 582
 Additive effects on the rheological behavior of alginate gels

13. Polysaccharides - Other

Carranza YE, Durand-Rougey C, Doctor V*// *Prairie View A&M Univ, Dept Chem, Prairie View, Tx 77445, USA
Blood Coagul Fibrinolysis 2008 **19** (6) 483
 Effect of oversulfation on the chemical and biological properties of chondroitin-4-sulfate

Cerrada ML, Sanchez-Chaves M, Ruiz C, Fernandez-Garcia M*// *Instituto Ciencia & Tecnol Polimeros - CSIC, C/ Juan de la Cierva 3, ES-28006 Madrid, Spain
Eur Polym J 2008 **44** (7) 2194
 Glycopolymers resultant from ethylene-vinyl alcohol copolymers: Degradation and rheological behavior in bulk

Chen AL, Ni HC, Wang LF*, Chen JS// *Kaohsiung Med Univ, Fac Med & Appl Chem, Sch Life Sci, Kaohsiung 80708, Taiwan
Biomacromolecules 2008 **9** (9) 2447
 Biodegradable amphiphilic copolymers based on poly(ϵ -caprolactone)-graft chondroitin sulfate as drug carriers

Collins MN, Birkinshaw C// Univ Limerick, Dept Materials Sci & Technol, Limerick, Rep Ireland
J Mater Sci Mater Med 2008 **19** (11) 3335
 Physical properties of crosslinked hyaluronic acid hydrogels

De Jong S, Klok HJ, Van de Velde F*// *NIZO Food Res, Dept Texture, Kernhemseweg 2, PO Box 20, NL-6710 BA Ede, The Netherlands
Food Hydrocolloid 2009 **23** (3) 755
 The mechanism behind microstructure formation in mixed whey protein-polysaccharide cold-set gels

De Kort M, Gianotten B, Wisse JAJ, Bos ES, Eppink MHM, Matlaar E, Vogel GMT, Dokter WHA, Honing M, Vonsovic S, Smit MJ, Wijkman JC, Van Boeckel CA// Schering Plough Corp, NV Organon, Dept Med Chem, Molenstr 110, POB 20, NL-5340 BH Oss, The Netherlands
ChemMedChem 2008 **3** (8) 1189
 Conjugation of ATIII-binding pentasaccharides to extend the half-life of proteins: Long-acting insulin

Durand A// Nancy Univ, ENSIC, CNRS UPR 6811, Lab Sci Genie Chim, BP 20451, FR-54001 Nancy, France
Colloid Polym Sci 2008 **286** (13) 1505
 Viscosity of dilute colloidal dispersions involving polysaccharide-based stabilizers

Ettelaie R, Akinshina A, Dickinson E// Univ Leeds, Procter Dept Food Sci, Leeds LS2 9JT, England
Faraday Discuss 2008 **139** 161
 Mixed protein-polysaccharide interfacial layers: A self consistent field calculation study

Falcone SJ, Berg RA*// *FzioMed Inc, 231 Bonetti Dr, San Luis Obispo, CA 93401, USA
J Biomed Mater Res A 2008 **87A** (1) 264
 Crosslinked hyaluronic acid dermal fillers: A comparison of rheological properties

Guo YL, Yan HT// NW University Xian, Department Chemistry, MoE Key Laboratory Synthet & Nat Funct Mol Chem, CN-710069 Xian, Shaanxi, Peoples Rep China
J Carbohydr Chem 2008 **27** (5) 309
 Preparation and characterization of heparin-stabilized gold nanoparticles

Huang XS, Netravali AN// Cortland Line Company Inc, Cortland, NY 13045, USA
J Macromol Sci Pure Appl Chem 2008 **45** (11) 900
 Environmentally friendly green materials from plant-based resources: Modification of soy protein using gellan and micro/nano-fibrillated cellulose

Hwang SM, Kim DD, Chung SJ, Shim CK*// *Seoul Natl Univ, Coll Pharm, Dept Pharmaceut, Seoul 151 742, South Korea
J Controlled Release 2008 **129** (2) 100
 Delivery of ofloxacin to the lung and alveolar macrophages via hyaluronan microspheres for the treatment of tuberculosis

Karakasyan C, Lack S, Brunel F, Maingault P, Hourdet D*// *UPMC-CNRS-ESPCI, UMR 761 Physico-Chim Polymeres & Milieux Disperses, 10 rue Vauquelin, FR-75005 Paris, France
Biomacromolecules 2008 **9** (9) 2419
 Synthesis and rheological properties of responsive thickeners based on polysaccharide architectures

Kasaai MR// Mazandaran Univ, Fac Agric Engrn, Khazar Abad Rd km 9, POB 578, Sari, Mazandaran, Iran
Carbohydr Res 2008 **343** (13) 2266
 Calculation of viscometric constants, hydrodynamic volume, polymer-solvent interaction parameter, and expansion factor for three polysaccharides with different chain conformations

King JT, Desai UR*// *Virginia Commonwealth Univ, Inst Struct Biol & Drug Discovery, Richmond, Va 23298, USA
Anal Biochem 2008 **380** (2) 229
 A capillary electrophoretic method for fingerprinting low molecular weight heparins

Luque R, Budarin V, Clark JH*, Macquarrie DJ// *Univ York, Dept Chem, Green Chem Ctr Excellence, York YO10 5DD, England
Appl Catal B Environ 2008 **82** (3-4) 157
 Glycerol transformations on polysaccharide derived mesoporous materials

Murphy KJ, Mclay N, Pye DA*// *Univ Huddersfield, Dept Chem & Biol Sci, Huddersfield HD1 3DH, England
J Am Chem Soc 2008 **130** (37) 12435
 Structural studies of heparan sulfate hexasaccharides: New insights into iduronate conformational behavior

Nor Hayati I, Che Man YB*, Tan CP, Nor Aini I// *Univ Putra Malaysia, Fac Food Sci & Technol, Dept Food Technol, MY-43400 UPM Serdang, Selangor, Malaysia
Food Hydrocolloid 2009 **23** (2) 233
 Droplet characterization and stability of soybean oil/palm kernel olein O/W emulsions with the presence of selected polysaccharides

Sheng Q, Mechref Y, Li Y, Novotny MV, Tang H*// *Indiana Univ, Sch Inform, Bloomington, In 47408, USA
Rapid Commun Mass Spectrom 2008 **22** (22) 3561
 A computational approach to characterizing bond linkages of glycan isomers using matrix-assisted laser desorption/ionization tandem time-of-flight mass spectrometry

Shobha MS, Tharanathan RN*// *Central Food Technol Res Inst, Dept Biochem & Nutr, IN-570020 Mysore, India
Food Hydrocolloid 2009 **23** (3) 749
 Rheological behaviour of pullulanase-treated guar galactomannan on co-gelation with xanthan

Stuart K, Panitch A*// *Purdue Univ, 206 Martin Jischke Dr, West Lafayette, In 47907, USA
Biopolymers 2008 **89** (10) 841
 Influence of chondroitin sulfate on collagen gel structure and mechanical properties at physiologically relevant levels

Tao YZ, Zhang LN*// *Wuhan Univ, Dept Chem, CN-430072 Wuhan, Peoples Rep China
Carbohydr Res 2008 **343** (13) 2251
 Characterization of polysaccharide-protein complexes by size-exclusion chromatography combined with three detectors

Viola M, Vigetti D, Karousou E, Bartolini B, Genasetti A, Rizzi M, Clerici M, Pallotti F, De Luca G, Passi A*// *Univ Insubria, Dept Expt & Clin Biomed Sci, Via Dunant 5, IT-21100 Varese, Italy
Electrophoresis 2008 **29** (15) 3168
 New electrophoretic and chromatographic techniques for analysis of heparin and heparan sulfate

Volpi N, Zhang Z, Linhardt RJ// Univ Modena & Reggio Emilia, Dept Biol Anim, Via Campi 213/d, IT-41100 Modena, Italy
Rapid Commun Mass Spectrom 2008 **22** (22) 3526
 Mass spectrometry for the characterization of unsulfated chondroitin oligosaccharides from 2-mers to 16-mers. Comparison with hyaluronic acid oligomers

Wang XM, Waite TD*// *Univ New Sth Wales, Sch Civil & Environm Engrn, Sydney, NSW 2052, Australia
J Membr Sci 2008 **322** (1) 204
 Gel layer formation and hollow fiber membrane filterability of polysaccharide dispersions

Xue J, Ngadi M*// *McGill Univ, Bioresource Engrn Dept, Ste-Anne-de-Belleve, Quebec, Canada H9X 3V9
Food Hydrocolloid 2009 **23** (2) 286
 Effects of methylcellulose, xanthan gum and carboxymethylcellulose on thermal properties of batter systems formulated with different flour combinations

Zhu BW, Wang LS, Zhou DY, Li DM, Sun LM, Yang JF, Wu HT, Zhou XQ, Tada M// Dalian Polytech Univ, Coll Bio & Food Technol, CN-116034 Dalian, Peoples Rep China
Eur Food Res Technol 2008 **227** (6) 1663
 Antioxidant activity of sulphated polysaccharide conjugates from abalone (*Haliotis discus hannai* Ino)