

CARBOHYDRATE RESEARCH, VOL. 70 (1979)

SUBJECT INDEX

- Acid-catalyzed decarboxylation of D-xyluronic, D-galacturonic, and D-glycero-D-gulo-hepturonic acid, 307
- Acid-catalyzed hydrolysis of alkyl β -D-glucopyranoside 5,6-carbonates, 319
- Acid, the acid-catalyzed decarboxylation of D-xyluronic, D-galacturonic, and D-glycero-D-gulo-hepturonic, 307
- Activation energies of transition for some electrolyte-sucrose-water systems, from conductance data, 13
- D-Aldopyranosides, 6-aminoethyl, preparation of, 83
- Allylic and anomeric effects, the influence of steric factors in the, 19
- 6-Aminoethyl glycopyranosides as ligands for the preparation of affinity adsorbents for the purification of carbohydrate-binding proteins, 93
- Amylose, comb-like derivatives of, structural analysis of, by ^{13}C -n.m.r. spectroscopy, 125
- Antigen, polysaccharide, of *Eubacterium saburreum* strain 02, chemical structure of, 117
- Arabinofuranosyl purine nucleosides, 2'-azido-2'-deoxy- and 2'-amino-2'-deoxy- β -D-, 263
- Ascarylose (3,7-dideoxy-L-arabino-hexose), synthesis of, 27
- 2'-Azido-2'-deoxy- and 2'-amino-2'-deoxy- β -D-arabinofuranosyl purine nucleosides, 263
- Bis(2-acetamido-3,4,6-tri-O-acetyl-2-deoxy- β -D-glucopyranosyl)amine obtained by a fusion reaction, 169
- Cadmium carbonate as an aryl glycosidation catalyst: effects of lot variations on product compositions; efficiency of, 313
- Cello-oligosaccharides, the ^{13}C -n.m.r. spectra of peracetylated, 145
- Cellulose sulfate, new derivatives and applications, 185
- Cholesteryl 2,3,4,6-tetra-O-benzyl- α -D-glucopyranoside, reinvestigation of the preparation of, 161
- Chondroitinases B and C, use of glycosaminoglycan-bound AH-Sepharose 4B in the purification of, 295
- Crystal structure of 2-O-acetyl-1,6:3,5-dianhydro- α -L-idofuranose, 150
- Cyclization of pentose and hexose dithioacetals, intramolecular, 217
- Decarboxylation of D-xyluronic, D-galacturonic, and D-glycero-D-gulo-hepturonic acid, acid-catalyzed, 307
- Decomposition of model compounds related to branched 4-O-methylglucuronoxylans, thermal, 199
- Dextranase, intracellular, from *Pseudomonas UQM733*, mode of action of, 283
- 3,6-Diamino-3,6-dideoxy-D-galactose, synthesis of, 155
- 1,6:3,5-Dianhydro- α -L-idofuranose, 2-O-acetyl-, crystal structure of, 150
- 3,7-Dideoxy-L-arabino-hexose (ascarylose), synthesis of, 27
- Dideoxy-3-O-methyl-5-C-(phenylphosphinyl)-D-glucopyranose, synthesis of 5,6-, 247
- Dithioacetals, intramolecular cyclization of pentose and hexose, 217
- Edestin, conjugates of isomalto-oligosaccharides with, 75
- Efficiency of cadmium carbonate as an aryl glycosidation catalyst: effects of lot variations on product compositions, 313
- Electron-impact mass spectrometry of methyl O-methylhexopyranosiduronamides, 239
- β -Elimination in aldonolactones: synthesis of 3,7-dideoxy-L-arabino-hexose (ascarylose), 27
- Eubacterium saburreum*, strain 02, chemical structure of the polysaccharide antigen of, 117
- Facile synthesis of β -D-mannopyranosides, C13
- Fetuin, bovine submaxillary mucin, and erythrocyte surface glucoconjugates, spin-labelling of, C9
- D-Fructose, isomerization of, by base: LC evaluation and isolation of D-psicose, 209
- Fusion reaction of glycosylamines, preparation of diglycosylamines by a novel, 169
- D-Galactose, 3,6-diamino-3,6-dideoxy-, synthesis of, 155

- D-Glucitol, 2,5-anhydro-, 6-phosphate, synthesis of, 165
- Glucofuranoside 5,6-carbonates, acid-catalyzed hydrolysis of alkyl β -D-, 319
- Glucopyranose, synthesis of 5,6-dideoxy-3-O-methyl-5-C-(phenylphosphinyl)-D-, 247
- Glucopyranoside, reinvestigation of the preparation of cholesteryl 2,3,4,6-tetra-O-benzyl- α -D-, 161
- β -D-Glucopyranosylamine, 2-acetamido-N-(L-aspart-4-oyl)-2-deoxy-, synthesis of glycopeptide derivatives containing the linkage, and having the amino acid sequences 32-34, 33-35, 33-37, and 33-38 of bovine ribonuclease, 47
- Glycopyranosides, 6-aminoethyl, as ligands for the preparation of affinity adsorbents for the purification of carbohydrate-binding proteins, 93
- Glycosaminoglycan-bound AH-Sepharose 4B, purification of chondroitinases B and C using, 295
- Glycosidation catalyst: effects of lot variations on product compositions, and efficiency of cadmium carbonate as an aryl, 313
- Heptopyranose, synthesis of 2,6-diacetamido-2,3,4,6,7-pentadeoxy-DL-ribo-, 275
- Hex-1-enitol, 2,3,4,6-tetra-O-acetyl-1,5-anhydro-crystal structure of D-arabino-, 1
- Hex-1-enitol, 3,4,6-tri-O-acetyl-1,5-anhydro-2-deoxy-, crystal structure of D-arabino-, 1
- Hexuronic acids, 3-amino-2,3-dideoxy-, synthesis of derivatives of two, 59
- Hydrolysis of alkyl β -D-glucofuranoside 5,6-carbonates, acid-catalyzed, 319
- α -L-Idofuranose-, 2-O-acetyl-1,6:3,5-dianhydro-, crystal structure of, 150
- Intramolecular cyclization of pentose and hexose dithioacetals, 217
- Isomalto-oligosaccharide-protein conjugates, 75
- Isomerization of D-fructose by base: LC evaluation and the isolation of D-psicose, 209
- Klebsiella* type 33, structural studies of the capsular polysaccharide of, 135
- Malto-oligosaccharides, iso-, conjugates with proteins of, 75
- D-Mannopyranan, a novel β -D-(1 \rightarrow 2)linked, from *Crithidia deanei*, 172
- Mannopyranosides, a facile synthesis of β -D-, C13
- Mass spectrometry of methyl O-methylhexopyranosiduronamides, electron-impact, 239
- Microscopy of starch granules, with or without amylase attack, scanning electron, 233
- Modes of action of intracellular dextranase and three oligoglucanases from *Pseudomonas UQM733*, 283
- New cellulose sulfate derivatives and applications, 185
- N.m.r. spectra of peracetylated cello-oligosaccharides, the ^{13}C -, 145
- N.m.r. spectroscopy, for structural analysis of comb-like, amylose derivatives, ^{13}C -, 125
- Non-bonded interactions, and the allylic and anomeric effects, 19
- Novel, β -D-(1 \rightarrow 2)-linked D-mannopyranan from *Crithidia deanei*, a, 172
- Nucleosides, 2'-azido-2'-deoxy- and 2'-amino-2'-deoxy- β -D-arabinofuranosyl-purine, 263
- Octopyranose, α -D-erythro-D-galacto-, 7-acetamido-6-O-acetyl-7,8-dideoxy-1,2:3,4-di-O-isopropylidene-, synthesis and crystal structure of, 103
- Octopyranose, β -L-threo-D-galacto-, 7-acetamido-7,8-dideoxy-1,2:3,4-di-O-isopropylidene-, synthesis and crystal structure of, 103
- Oligoglucanases from *Pseudomonas UQM733*, modes of action of, 283
- Peracetylated cello-oligosaccharides, the ^{13}C -n.m.r. spectra of, 145
- Polysaccharide antigen of *Eubacterium saburreum* strain 02, chemical structure of, 117
- Polysaccharide, structural studies of the *Klebsiella* type 33 capsular, 135
- Preparation of 6-aminoethyl D-aldopyranosides, 83
- Preparation of diglycosylamines by a fusion reaction of glycosylamines, 169
- Pseudomonas UQM733*, modes of action of intracellular dextranase and three oligoglucanases from, 283
- D-Psicose, isomerization of D-fructose by base: LC evaluation and the isolation of, 209
- Purification of chondroitinases B and C using glycosaminoglycan-bound AH-Sepharose 4B, 295
- Purpurosamine B, synthesis of racemic, 275
- Reinvestigation of the preparation of cholesteryl 2,3,4,6-tetra-O-benzyl- α -D-glucopyranoside, 161
- Scanning electron microscopy of starch granules, with or without amylase attack, 233
- Selective activation and chemical derivatisation

- of the sialic acid and galactose components of glycoproteins, C9
- Serum bovine albumin, conjugates of isomaltoligosaccharides with, 75
- Spin-labelling of fetuin, bovine submaxillary mucin, and erythrocyte surface glycoconjugates, C9
- Starch granules, with or without amylase attack, scanning electron microscopy of, 233
- Steric dependence of the allylic and anomeric effects, an investigation of the, 19
- Structural analysis of comb-like, amylose derivatives by ^{13}C -n.m.r. spectroscopy, 125
- Structural studies of the capsular polysaccharide of *Klebsiella* type 33, 135
- Sucrose-electrolyte-water systems, activation energies of transition for some, from conductance data, 13
- Sulfate, new derivatives and applications of cellulose, 185
- Synthesis and crystal structures of 7-acetamido-7,8-dideoxy-1,2:3,4-di-*O*-isopropylidene- β -L-threo-D-galacto-octopyranose and 7-acetamido-6-*O*-acetyl-7,8-dideoxy-1,2:3,4-di-*O*-isopropylidene- α -D-erythro-D-galacto-octopyranose, 103
- Synthesis of 2,5-anhydro-D-glucitol 6-phosphate, 165
- Synthesis of 5,6-dideoxy-3-*O*-methyl-5-*C*-(phenylphosphinyl)-D-glucopyranose and its 1,2,4-triacetate, 247
- Synthesis of glycopeptide derivatives containing the 2-acetamido-*N*-(L-aspart-4-oyl)-2-deoxy- β -D-glucopyranosylamine linkage and having the amino acid sequences 32-34, 33-35, 33-37, and 33-38 of bovine ribonuclease, 47
- Synthesis of β -D-mannopyranosides, a facile, C13
- Synthesis of racemic purpurosamine B, 275
- Synthesis of the repeating unit of the teichoic acid isolated from the cell wall of *Bacillus subtilis* var. *niger* WM, 37
- Synthesis of two 3-amino-2,3-dideoxyhexuronic acid derivatives, 59
- Teichoic acid, isolated from the cell wall of *Bacillus subtilis* var. *niger* WM, synthesis of the repeating unit of, 37
- Thermal decomposition of model compounds related to branched 4-*O*-methylglucuronoxylans, 199
- Uronamides, electron-impact mass spectrometry of methyl *O*-methylhexopyranosid-, 239
- Xylans, thermal decomposition of model compounds related to branched 4-*O*-methylglucurono-, 199