

CARBOHYDRATE RESEARCH, VOL. 112 (1983)

SUBJECT INDEX

- Acetamido-2-deoxy-3- and -6- β -D-glucopyranosyl-D-glucopyranose, allyl glycosides in oligosaccharide synthesis. Part I. Synthesis of 2-, 63
- 3-[(N-Acetyl-L-seryl)amino]-3,6-dideoxy-D-glucose: a novel constituent of a bacterial antigenic polysaccharide, 233
- Aldopyranosyl cyanides, synthesis of, 324
- Allyl glycosides in oligosaccharide synthesis. Part I. Synthesis of 2-acetamido-2-deoxy-3- and -6- β -D-glucopyranosyl-D-glucopyranose, 63
- 2-Amino-2-deoxy-D-arabinono-1,4- and -1,5-lactone, synthesis of, 51
- 2-Amino-2-deoxy-D-xylo-1,4- and -1,5-lactone, synthesis of, 51
- Amylodextrins, from sweet-potato and potato, presence of a linear polysaccharide in the purified Fraction II from, 171
- Amylose, interactions of, with certain bases, 123
- Anhydro-2,4,6-tri-*O*-benzyl- and 1,3-anhydro-2,4,6-tri-*O*-*p*-bromobenzyl- β -D-mannopyranose, improved synthesis of substituted 2,6-dioxabicyclo[3.1.1] heptanes: 1,3-, 141
- Asialo-ovomucoid, structural features of the carbohydrate units of, 281
- Asialo-ovomucoid, the heterogeneity and enzymic degradation of the carbohydrate units of, 261
- 2-Azido-2-deoxy-D-galactopyranosyl halides, selectivity of glycosylation with, 23
- Bacterial antigenic polysaccharide, identification of 3-[(N-acetyl-L-seryl)amino]-3,6-dideoxy-D-glucose as a constituent of, 233
- Benzyl 4',6'-*O*-benzylidene- β -maltoside, regioselective *p*-toluenesulfonylation of, 148
- Blood-group A (Type 1), synthesis of a determinant related to, 23
- Carbohydrate crystals, theoretical analysis of hydrogen bonds in, 11
- Carbohydrates, methanolysis studies of, using h.p.l.c., 1
- Carbohydrate units of asialo-ovomucoid, structural features of the, 281
- Carbohydrate units of asialo-ovomucoid: their heterogeneity and enzymic degradation, 261
- Cellobiulose, synthesis and high-performance liquid chromatography of maltulose and, 37
- Chromatography, high-pressure, liquid, of methyl ethers of α -D-galactopyranoside and -mannopyranoside, 313
- Composition of the lipopolysaccharide and structure of the side-chain polysaccharide from *Pseudomonas maltophilia* N.C.I.B. 9204, 241
- Convenient syntheses of 3-deoxy-D-ribo-hexose and 3-deoxy-D-arabino-hexose, 307
- Dehydro-L-ascorbic acid, 2-phenylhydrazone 3-semicarbazone, rearrangement of, to a pyrazole derivative, 151
- N*-De-methylation of 2-deoxy-2-methylamino- α -D-glucopyranoside derivatives by air oxidation using palladium in aqueous 1,4-dioxane, C9
- 2,3-Diacetamido-2,3-dideoxy-L-guluronic acid: a new acidic amino sugar from *Pseudomonas aeruginosa* O:3a,d,e lipopolysaccharide, C4
- 3,6-Dideoxy-D-glucose, identification of 3-[(N-acetyl-L-seryl)amino]- as a constituent of a bacterial antigenic polysaccharide, 233
- Dioxabicyclo[3.1.1] heptanes: 1,3-anhydro-2,4,6-tri-*O*-benzyl- and 1,3-anhydro-2,4,6-tri-*O*-*p*-bromobenzyl- β -D-mannopyranose, improved synthesis of substituted 2,6-, 141
- β -D-Fucopyranoside, *p*-nitrophenyl 2-*O*- α - and - β -L-fucopyranosyl-, synthesis of, 213
- α -L-Fucosyltransferase, guanosine diphosphate L-fucose:2-acetamido-2-deoxy- β -D-glucopyranoside-(1 \rightarrow 4)-, modified assay-procedure for, with the aid of synthetic phenyl 2-acetamido-2-deoxy-4-*O*- α -L-fucopyranosyl-3-*O*- β -D-galactopyranosyl- β -D-glucopyranoside as a reference compound, 221
- α -D-Galactopyranoside, benzyl 2-acetamido-3-*O*- and -6-*O*-(2-acetamido-2-deoxy- β -D-glucopyranosyl)-2-deoxy-, synthesis of, 201
- β -D-Galactopyranoside, benzyl 4,6-*O*-benzylidene-, the Koenigs-Knorr reaction of, with 2,3,4,6-tetra-*O*-acetyl- α -D-galactopyranosyl bromide, 158

- α -D-Galactopyranoside, methyl ethers, synthesis of, 313
- γ -D-Galactopyranosyl bromide, 2,3,4,6-tetra-*O*-acetyl-, the Koenigs-Knorr reaction of, with benzyl 4,6-*O*-benzylidene- β -D-galactopyranoside, 158
- D-Galactopyranosyl halides, 2-azido-2-deoxy-, selectivity of glycosylation with, 23
- Glucofuranose derivatives with lithium aluminum hydride; a facile synthetic method for 3,6-imino derivatives, reduction of 1,2;5,6-di-*O*-isopropylidene- α -D-, 189
- β -D-Glucopyranoside, phenyl 2-acetamido-2-deoxy-4-*O*- α -L-fucopyranosyl-3-*O*- β -D-galactopyranosyl-, synthetic, as a reference compound in a modified assay-procedure for guanosine diphosphate L-fucose:2-acetamido-2-deoxy- β -D-glucopyranoside-(1 \rightarrow 4)- γ -L-fucosyltransferase, 221
- α,β -D-Glucose, two-dimensional, *J*-resolved, ^1H -n.m.r. spectroscopy, at 500 MHz of, 297
- Gulopyranoside, a synthesis of methyl 6-deoxy-3-*C*-methyl- α -D-, 320
- Heterogeneity and enzymic degradation of the carbohydrate units of asialo-ovomucoid, 261
- Hexitols, kinetics of reaction of manganese(III) pyrophosphate with some, 137
- Hexose and 3-deoxy-D-*arabino*-hexose, convenient syntheses of 3-deoxy-D-*ribo*-, 307
- H.p.l.c., methanolysis studies of carbohydrates using, 1
- Hydrogen bonds in carbohydrate crystals, theoretical analysis of, 11
- Imino derivatives, reduction of 1,2;5,6-di-*O*-isopropylidene- α -D-glucofuranose derivatives with lithium aluminum hydride; a facile method for 3,6-, 189
- Improved synthesis of substituted 2,6-dioxabicyclo[3.1.1] heptanes: 1,3-anhydro-2,4,6-tri-*O*-benzyl- and 1,3-anhydro-2,4,6-tri-*O*-*p*-bromobenzyl- β -D-mannopyranose, 141
- Interactions of amylose with certain bases, 123
- ISI Atlas of Science (*book review*), C1
- Isolation and g.l.c.-m.s. analysis of the terminal, sialic acid-containing oligosaccharides obtained from intact glycoproteins by nitrous acid deamination, 165
- Isolation of new oligosaccharides from *Orthenthera viminea*, C7
- Kinetics of reactions of manganese(III) pyrophosphate with some hexitols, 137
- Koenigs-Knorr reaction of benzyl 4,6-*O*-benzylidene- β -D-galactopyranoside with 2,3,4,6-tetra-*O*-acetyl- α -D-galactopyranosyl bromide, 158
- Levoglucosenone, the structure of a nonalkenic, cyclic trimer of, 179
- Lipopolysaccharide from *Pseudomonas aeruginosa* O:3a,d,e, identification of 2,3-diacetamido-2,3-dideoxy-L-guluronic acid as a constituent of the, C4
- Lipopolysaccharide from *Pseudomonas maltophilia*, composition of the, and structure of the side-chain polysaccharide, 241
- Maltulose and cellobiulose, synthesis and high-performance liquid chromatography of, 37
- α -D-Mannopyranoside, methyl ethers, synthesis of, 313
- Methanolysis studies of carbohydrates, using h.p.l.c., 1
- Methylamino- α -D-glucopyranoside derivatives by air oxidation using palladium in aqueous 1,4-dioxane, 2-, C9
- Methyl 6-deoxy-3-*C*-methyl- α -D-gulopyranoside (methyl α -virenoside), a synthesis of, 320
- Modified assay-procedure for guanosine diphosphate-L-fucose:2-acetamido-2-deoxy- β -D-glucopyranoside-(1 \rightarrow 4)- γ -L-fucosyltransferase with the aid of synthetic phenyl 2-acetamido-2-deoxy-4-*O*- γ -L-fucopyranosyl-3-*O*- β -D-galactopyranosyl- β -D-glucopyranoside as a reference compound, 221
- Nägeli amyloextrins, from waxy-maize, sweet-potato, and potato starches, structural features of, 171
- New method for *N*-de-methylation of 2-deoxy-2-methylamino- α -D-glucopyranoside derivatives by air oxidation using palladium in aqueous 1,4-dioxane, C9
- ^1H -N.m.r. spectroscopy, two-dimensional, *J*-resolved, of α,β -D-glucose at 500 MHz of, 297
- Nucleophilic additions on α,β -unsaturated keto-nucleosides, preparation of 2-amino-2-deoxy- and 2-thio-hexopyranos-4-ulose nucleosides by, 301
- Oligosaccharides, new, isolation of, from *Orthenthera viminea*, C7
- Oligosaccharides obtained from intact glycoproteins by nitrous acid deamination, isolation and g.l.c.-m.s. analysis of the terminal, sialic acid-containing, 165
- Oligosaccharide synthesis. Part I Synthesis of 2-acetamido-2-deoxy-3- and -6-*O*- β -D-glucopyranosyl-D-glucopyranose, allyl glycosides in, 63
- Pentono-1,4- and -1,5-lactones, 2-amino-2-deoxy-, synthesis of, 51

- Polysaccharide, capsular, of a new serogroup (L) of *Neisseria meningitidis*, the structure of the, 105
- Polysaccharide from *Serratia marcescens* N.C.T.C. 1377, structural studies of the O-specific, 95
- Polysaccharide, linear, presence of, in the purified Fraction II from sweet-potato and potato amyloextrins, 171
- Polysaccharide, of Mahua (*Madhuca indica*) flowers, some structural features of the, 113
- Polysaccharide, of *Swietenia mahogany* gum, structural studies on the, 253
- Polysaccharides secreted by three non-nodulating rhizobia, structural studies on extracellular acidic, 85
- Preparation of 2-amino-2-deoxy- and 2-thio-hexopyranos-4-ulose nucleosides by nucleophilic additions on α,β -unsaturated keto-nucleosides, 301
- Pseudomonas aeruginosa* O:3a,d,e lipopolysaccharide, identification of 2,3-diacetamido-2,3-dideoxy-L-guluronic acid as a constituent of the, C4
- Pseudomonas maltophilia* N.C.I.B. 9204, composition of the lipopolysaccharide and structure of the side-chain polysaccharide from, 241
- Pyrazolo [1,5-*d*]-1,2,4-triazin-4(3*H*)-one, 8- β -D-ribofuranosyl-, an inosine C-nucleoside analog, synthesis of, C1
- Rearrangement of dehydro-L-ascorbic acid 2-phenylhydrazone 3-semicarbazone to a pyrazole derivative, 151
- Reduction of 1,2;5,6-di-*O*-isopropylidene- α -D-glucofuranose derivatives with lithium aluminum hydride; a facile synthetic method for 3,6-imino derivatives, 189
- Regioselective *p*-toluenesulfonylation of benzyl 4',6'-*O*-benzylidene- β -maltoside, 148
- Rhizobia, structural studies on extracellular acidic polysaccharides secreted by three non-nodulating, 85
- Science, ISI atlas of (*book review*), C13
- Serratia marcescens* N.C.T.C. 1377, structural studies of the O-specific polysaccharide from, 95
- Sialic acid-containing oligosaccharides obtained from intact glycoproteins by nitrous acid deamination, isolation and g.l.c.-m.s. analysis of the terminal, 165
- β -Sphoroside, methyl, synthesis of derivatives of, 73
- Structural features of Ngeli amyloextrins from waxy-maize, sweet-potato, and potato starches. Presence of a linear polysaccharide in the purified Fraction II from sweet-potato and potato amyloextrins, 171
- Structural features of the carbohydrate units of asialo-ovomucoid, 281
- Structural features of the polysaccharide of Mahua (*Madhuca indica*) flowers, 113
- Structural studies of the O-specific polysaccharide from *Serratia marcescens* N.C.T.C. 1377, 95
- Structural studies on extracellular acidic polysaccharides secreted by three non-nodulating rhizobia, 85
- Structural studies on the polysaccharide of *Swietenia mahogany* gum, 253
- Structure of a nonalkenic, cyclic trimer of levoglucosenone, 179
- Structure of the capsular polysaccharide obtained from a new serogroup (L) of *Neisseria meningitidis*, 105
- Syntheses of 3-deoxy-D-ribo-hexose and 3-deoxy-D-arabino-hexose, convenient, 307
- Synthesis and high-performance liquid chromatography of maltulose and cellobiulose, 37
- Synthesis of aldopyranosyl cyanides, 324
- Synthesis of benzyl 2-acetamido-3-*O*- and -6-*O*-(2-acetamido-2-deoxy- β -D-glucopyranosyl)-2-deoxy- α -D-galactopyranoside, 201
- Synthesis of derivatives of methyl β -sophoroside, 73
- Synthesis of methyl 6-deoxy-3-*C*-methyl- α -D-gulopyranoside (methyl α -virenoside), 320
- Synthesis of *p*-nitrophenyl 2-*O*- α - and - β -L-fucopyranosyl- β -D-fucopyranoside, 213
- Synthesis of 8- β -D-ribofuranosylpyrazolo [1,5-*d*]-1,2,4-triazin-4(3*H*)-one, an inosine C-nucleoside analog, C1
- Theoretical analysis of hydrogen bonds in carbohydrate crystals, 11
- p*-Toluenesulfonylation of benzyl 4',6'-*O*-benzylidene- β -maltoside, regioselective, 148
- Two-dimensional, *J*-resolved, ^1H -n.m.r. spectroscopy at 500 MHz of α,β -D-glucose, 297
- α,β -Unsaturated keto-nucleosides, preparation of 2-amino-2-deoxy- and 2-thio-hexopyranos-4-ulose nucleosides by nucleophilic additions on, 301