

SUBJECT INDEX

- 2-Acetamido-2-deoxy-D-mannose- and 2-acetamido-2-deoxy-D-mannuronate-containing carbohydrates, use of proton n.m.r. spectroscopy for detection of, 258
- 2-Acetamido-2,6-dideoxy- α -D-glucopyranoside, methyl, preparation of, 231
- 2-Acetamido-2,6-dideoxy-D-glucose, synthesis of, 221
- Action patterns and substrate-binding requirements of β -D-mannanase with mannosaccharides and mannan-type polysaccharides, 191
- 2-Amino-2-deoxy-3-thio-D-glucose, synthesis of, 279
- Analysis of the common polysaccharide antigens from the cell envelope of *Clostridium perfringens* type A, 171
- O-Antigenic polysaccharides, syntheses of trisaccharides related to *Salmonella* serogroup E, 95
- Bacillus megaterium*, polysaccharide isolated from, 117
- Benzoylation of some 4,6-*O*-benzylidene- α -D-hexopyranosides, use of benzoyl chloride-tetrabutylammonium iodide-potassium carbonate-benzene in selective, 273
- Branch linkages, α -D-(1 \rightarrow 3), the formation of, by an exocellular glucansucrase from *Leuconostoc mesenteroides* NRRL B-742, 141
- Carbon-phosphorus bond, a new route for formation of the, 101
- Carrageenans, identification by ^{13}C -n.m.r. of the structures of, 31
- Characterisation of mannoproteins from yeast and mycelial forms of *Mucor rouxii*, 129
- Chromatography, h.p.l.c., for the detection of α -(2 \rightarrow 3)- and α -(2 \rightarrow 6)-sialyltransferases, 303
- Chromatography, separation of *O*-methylhexitols and *O*-methyl-*myo*-inositols by reverse-phase high-performance liquid, 248
- Conformations of D-gluconic, D-mannonic, and D-galactonic acids in solution, as determined by n.m.r. spectroscopy, 263
- Detection of 2-acetamido-2-deoxy-D-mannose- and 2-acetamido-2-deoxy-D-mannuronate-containing carbohydrates, use of proton n.m.r. spectroscopy for, 258
- Dimethylphenylsilyl derivatives of monosaccharides, high-pressure liquid chromatography of, 241
- Ethers of methyl glycopyranosides, mass spectrometry of the positionally isomeric, monobenzyl, 13
- Excess thermodynamic properties of *myo*-inositol and polyhydric alcohols in water at 25 $^{\circ}$, 1
- Formation of α -D-(1 \rightarrow 3) branch linkages by an exocellular glucansucrase from *Leuconostoc mesenteroides* NRRL B-742, 141
- L-Fucose, synthesis of oligosaccharides of, containing α - and β -anomeric configurations in the same molecule, 75
- D-Galactonic acid, conformation of, in solution, as determined by n.m.r. spectroscopy, 263
- O*- β -D-Galactopyranosyl-(1 \rightarrow 4)-2-acetamido-2-deoxy-D-glucose α -(2 \rightarrow 3)- and α -(2 \rightarrow 6)-sialyltransferases, detection by h.p.l.c. of, 303
- α -D-Galactose, 2-acetamido-2-deoxy-, PCILCO calculations on, 57
- D-Galactose, *O*-(2-acetamido-2-deoxy- α -D-galactosyl)-(1 \rightarrow 3)-2-acetamido-2-deoxy-, PCILCO calculations on, 57
- D-Gluconic acid, conformation of, in solution, as determined by n.m.r. spectroscopy, 263
- α -D-Glucopyranoside, methyl 2-acetamido-2,6-dideoxy-, preparation of, 231
- D-Glucose, 2-acetamido-2,6-dideoxy-D-glucose, synthesis of, 221
- Glucose, synthesis of 2-amino-2-deoxy-3-thio-D-, 279
- Glycofuranosides, ionisation of methyl, in aqueous alkali metal hydroxides, 25
- Heptofuranosid-6-uloses, synthesis of methyl 5-*O*-acetyl-7-deoxy 2,3-*O*-isopropylidene-, 269
- Hexopyranoside, synthesis of 4-nitrophenyl 2,3,6-tri-*O*-acetyl-4-deoxy- β -D-lyxo-, 285
- High-pressure liquid chromatography of dimethylphenylsilyl derivatives of some monosaccharides, 241

- Iodine-maltosaccharide complexes: relation between chain-length and colour, 254
- myo*-Inositol and polyhydric alcohols, excess thermodynamic properties of aqueous solutions of, at 25°, 1
- Ionisation of methyl glycofuranosides in aqueous alkali metal hydroxides, 25
- Linkage specificity of a β -transglucosylase of *Sclerotinia libertiana*, studies on the, 292
- Maltosaccharide complexes with iodine, relation between chain-length and colour of, 254
- β -D-Mannanase, action patterns and substrate-binding requirements of, with mannosaccharides and mannan-type polysaccharides, 191
- D-Mannitol, 2,5-anhydro-, X-ray crystal structure of, 49
- D-Mannonic acid, conformation of, in solution, as determined by n.m.r. spectroscopy, 263
- Mannoproteins from yeast and mycelial forms of *Mucor rouxii*, characterisation of, 129
- Mannosaccharides and mannan-type polysaccharides, action patterns and substrate-binding requirements of β -D-mannanase with, 191
- Mass spectrometry of the positionally isomeric, monobenzyl ethers of methyl glycopyranosides, 13
- Methyl 5-*O*-acetyl-7-deoxy-2,3-*O*-isopropylideneheptofuranosid-6-uloses, synthesis of, 269
- Methyl 4,6-*O*-benzylidene-2,3-di-*C*-methyl-2-*O*-(methylthio)methyl- α -D-allopyranoside, and its conversion into methyl 2,3-dideoxy-2,3-di-*C*-methyl- α -D-glycero-hexopyranosid-4-ulose, the preparation and X-ray crystallographic characterisation of, 85
- Methyl glycofuranosides, ionisation of, in aqueous alkali metal hydroxides, 25
- Monosaccharides, high-pressure liquid chromatography of dimethylphenylsilyl derivatives of some, 241
- Mucor rouxii*, characterisation of mannoproteins from yeast and mycelial forms of, 129
- New route for formation of the carbon-phosphorus bond, and synthesis of 1,2,4-tri-*O*-acetyl-5-deoxy-3-*O*-methyl-5-*C*-[(*R*)- and (*S*)-phenylphosphinyl]- α - and - β -D-xylopyranose, 101
- 4-Nitrophenyl 2,3,6-tri-*O*-acetyl-4-deoxy- β -D-lyxo-hexopyranoside and 4-nitrophenyl β -D-mannopyranoside, synthesis of, 285
- ¹³C-N.m.r. spectroscopy, identification of carrageenan structures by, 31
- Oligosaccharides of L-fucose containing α - and β -anomeric configurations in the same molecule, synthesis of, 75
- Ornose, structure of, 109
- PCILO calculations on 2-acetamido-2-deoxy- α -D-galactose and *O*-(2-acetamido-2-deoxy- α -D-galactosyl)-(1 \rightarrow 3)-2-acetamido-2-deoxy-D-galactose, 57
- Polyhydric alcohols and *myo*-inositol, excess thermodynamic properties of aqueous solutions of, at 25°, 1
- Polysaccharide, capsular, of *Diplococcus pneumoniae*, structure of the, 300
- Polysaccharide, capsular, of *Klebsiella* serotype K67, structural investigation of the, 157
- Polysaccharide, common antigens from the cell envelope of *Clostridium perfringens* type A, analysis of, 171
- Polysaccharide containing pyruvic acid isolated from *Bacillus megaterium*, structure of, 117
- Precursors of carrageenans, identification by ¹³C-n.m.r. of the structures of, 31
- Preparation and X-ray crystallographic characterisation of methyl 4,6-*O*-benzylidene-2,3-di-*C*-methyl-2-*O*-(methylthio)methyl- α -D-allopyranoside, and its conversion into methyl 2,3-dideoxy-2,3-di-*C*-methyl- α -D-glycero-hexopyranosid-4-ulose, 85
- Proton n.m.r. spectroscopy for detection of 2-acetamido-2-deoxy-D-mannose- and 2-acetamido-2-deoxy-D-mannuronate-containing carbohydrates, use of, 258
- Pyruvic acid-containing polysaccharides of *Bacillus megaterium*, structure of, 117
- Quinovosamine, α -D-glucoside preparation of, 231
- D-Quinovosamine, synthesis of, 221
- Relation between chain-length and colour for iodine-maltosaccharide complexes, 254
- Reverse-phase high-performance liquid chromatography, separation of *O*-methylhexitols and *O*-methyl-*myo*-inositols by, 248
- Sclerotinia libertiana*, studies on the linkage specificity of a β -transglucosylase of, 292
- Selective benzylation of some 4,6-*O*-benzylidene- α -D-hexopyranosides, use of benzoyl chloride-tetrabutylammonium iodide-potassium carbonate-benzene in, 273
- Separation of *O*-methylhexitols and *O*-methyl-*myo*-inositols by reverse-phase high-performance liquid chromatography, 248
- α -(2 \rightarrow 3)- and α -(2 \rightarrow 6)-Sialyltransferases, *O*- β -D-galactopyranosyl-(1 \rightarrow 4)-2-acetamido-2-deoxy-D-glucose, h.p.l.c. chromatography for detection of, 303

- Spectrometry of the positionally isomeric, monobenzyl ethers of methyl glycopyranosides, mass, 13
- Structural investigation of the capsular polysaccharide of *Klebsiella* serotype K67, 157
- Structure of ornose, 109
- Structure of the capsular polysaccharide of *Di-plococcus pneumoniae* type 31, 300
- Studies on the linkage specificity of a β -trans-glucosylase of *Sclerotinia libertiana*, 292
- Syntheses of trisaccharides related to *Salmonella* serogroup E O-antigenic polysaccharides, 95
- Synthesis of 2-amino-2-deoxy-3-thio-D-glucose, 279
- Synthesis of methyl 5-*O*-acetyl-7-deoxy-2,3-*O*-isopropylidene-heptofuranosid-6-uloses, 269
- Synthesis of 4-nitrophenyl 2,3,6-tri-*O*-acetyl-4-deoxy- β -D-*lyxo*-hexopyranoside and a new synthesis of 4-nitrophenyl β -D-mannopyranoside, 285
- Synthesis of oligosaccharides of L-fucose containing α - and β -anomeric configurations in the same molecule, 75
- Trisaccharides related to *Salmonella* serogroup E O-antigenic polysaccharides, syntheses of, 95
- Use of benzoyl chloride-tetrabutylammonium iodide-potassium carbonate-benzene in selective benzylation of some 4,6-*O*-benzylidene- α -D-hexopyranosides, 273
- X-ray crystal structure of 2,5-anhydro-D-mannitol, 49
- X-ray crystallographic characterisation of methyl 4,6-*O*-benzylidene-2,3-di-*C*-methyl-2-*O*-(methylthio)methyl- α -D-allopyranoside, and its conversion into methyl 2,3-dideoxy-2,3-di-*C*-methyl- α -D-*glycero*-hexopyranosid-4-ulose, the preparation and, 85
- D-Xylopyranose, 1,2,4-tri-*O*-acetyl-5-deoxy-3-*O*-methyl-5-*C*-[(*R*)- and (*S*)-phenylphosphinyl]- α - and - β -, synthesis of, 101