SUBJECT INDEX

- Absence of O-formyl groups in Klebsiella polysaccharides, 340
- Aldofuranosylamines, acetylated and propanoylated, the mass spectra of, 49
- O-Antigen, of Vibrio cholera Ogawa G-2102, studies on the partial structure of, 209
- O-Antigen 25, structural studies of the Escherichia coli, 249
- Antigenic determinant, chemical synthesis of the human blood-group P₁-, 201
- Apparatus for safe and convenient handling of anhydrous, liquid hydrogen fluoride at controlled temperatures and reaction times. Application to the generation of oligosaccharides from polysaccharides, an, 315
- Arabinans from the roots of horsebean (Vicia faba), 107
- Blood-group P₁-antigenic determinant, chemical synthesis of the human, 201
- Branched oligosaccharides from marsupial milk, ¹³C-n.m.r. study of the structures of two, 327
- $5\hbox{-}Bromomethyl-2-fural dehyde, synthesis of, }59$
- Cancer-related glycoprotein, circulating levels of, 295
- Calcium ion: infrared spectra of crystalline Dglucuronic acid and its calcium complexes, sugar complexes with, 241
- Cetyltrimethylammonium salt, a warning concerning the precipitation of xanthan as the, 178
- Characterization of a structurally complex heptasaccharide isolated from the pectic polysaccharide rhamnogalacturonan II, 131
- Chemical modification of the C-6 substituent in the carbohydrate moiety of N-acetylmuramoyl-L-alanyl-D-isoglutamine (MDP), and the immunoadjuvant activity, 87
- Chemical synthesis of the human blood-group P₁antigenic determinant, 201
- 5-Chloromethyl-2-furaldehyde, synthesis of, 59
- Chromatography of sugar oximes, high-performance liquid, 322
- Circulating levels of cancer-related glycoprotein, 295
- CRC Handbook of Chromatography (book review), C5

- Crystal structure of D-gluconic acid monohydrate, 23
- Degradation of a glucan containing β -(1 \rightarrow 3) and β -(1 \rightarrow 6) linkages by exo-(1 \rightarrow 3)- β -D-glucanase, 217
- Dermatan sulfate, production of radiolabelled disaccharides by selective depolymerisation of, 227
- Desulfation of sulfoglycolipids, 1
- 2,3-Diacetamido-2,3-dideoxy-D-hexoses and methyl 2,3-diacetamido-2,3-dideoxy-α-D-hexopyranosides, synthesis and ¹³C-n.m.r. spectra of, 181
- Endo-D-galacturonanase of Aspergillus niger based on interaction with tri(D-galactosiduronic acid) covalently bound to poly(hydroxyalkyl methacrylate), selective isolation of, 269
- Enzymic synthesis of ¹³C-labeled ketose phosphates from three-carbon precursors. Specific assignment of resonances in ¹³C-n.m.r. spectra of D-fructose 1,6-diphosphate, 332
- Escherichia coli O-antigen 25, structural studies of the, 249
- Exo- $(1\rightarrow 3)$ - β -D-glucanase, degradation of a glucan containing β - $(1\rightarrow 3)$ and β - $(1\rightarrow 6)$ linkages by, 217
- O-Formyl groups in *Klebsiella* polysaccharides, absence of, 340
- D-Fructose 1,6-diphosphate, enzymic synthesis of ¹³C-labeled ketose phosphates from three-carbon precursors. Specific assignment of resonances in ¹³C-n.m.r. spectra of, 332
- F.t.-i.r. and laser-Raman spectra of D-ribose and 2-dcoxy-D-*erythro*-pentose ("2-deoxy-D-ribose"), 31
- Fungi belonging to the Phallales, structural analyses of L-idurono-D-glucuronans (phallic acids) isolated from, 174
- tri(D-Galactosiduronic acid) covalently bound to poly(hydroxyalkyl methacrylate), selective isolation of endo-D-galacturonanase of *Aspergillus niger* based on interaction with, 269

- Glucan containing β -(1 \rightarrow 3) and β -(1 \rightarrow 6) linkages by exo-(1 \rightarrow 3)- β -D-glucanase, degradation of a, 217
- D-Gluconic acid monohydrate, the crystal structure of, 23
- 4-*O*-α-D-Glucopyranosyl-α-L-rhamnopyranoside, synthesis of *p*-trifluoroacetamidophenyl, 165
- D-Glucuronic acid and its calcium complexes, sugar complexes with calcium ion: infrared spectra of crystalline, 241
- Glycolipid sulfates, desulfation of, 1
- Glycoprotein associated with malignancy, radioimmunoassay of, 283
- Glycoprotein, cancer-related, circulating levels of, 295
- Heptasaccharide, a structurally complex, isolated from the pectic polysaccharide rhamnogalacturonan II, characterization of, 131
- High-performance liquid chromatography of sugar oximes, 322
- Horsebean (Vicia faba), arabinans from the roots of, 107
- Hydrogen fluoride, anhydrous liquid, an apparatus for safe and convenient handling of, 315
- 5-Hydroxymethyl-2-furaldehyde, synthesis of, 59
- L-Idopyranose, 5-deoxy-5-*C*-(phenylphosphinyl)-, synthesis of, C1
- L-Idurono-D-glucuronans (phallic acids) isolated from fungi belonging to the Phallales, structural analyses of, 174
- Immunochemical studies on *Shigella dysenteriae* type 10 bacterial polysaccharide, 257
- Infrared spectra of crystalline D-glucuronic acid and its calcium complexes, sugar complexes with calcium ion; 241
- D-Isoglutamine, N-[2-O-(2-acetamido-2,3-di-deoxy-5-thio-D-glucopyranose-3-yl)-D-lactoyl]-t-alanyl-, synthesis of, 99
- D-Isoglutamine, N-acetylmuramoyl-L-alanyl-, chemical modication of the C-6 substituent in the carbohydrate moiety of, the immunoadjuvant activity, 87
- Isolation and characterization of 3-C-carboxy-5deoxy-t-xylose, a naturally occurring, branched-chain, acidic monosaccharide, 115
- Ketose phosphates from three-carbon precursors. Specific assignment of resonances in ¹³C-n.m.r. spectra of D-fructose 1,6-diphosphate, enzymic synthesis of ¹³C-labeled, 332
- Klebsiella polysaccharides, absence of O-formyl groups in 340
- Levoglucosenone, stereoselective synthesis of

- functionalized carbocycles by cycloaddition to, 189
- Malignancy, radioimmunoassay of glycoprotein associated with, 283
- α-D-Mannopyranose, 2-acetamido-2-deoxy-5thio-, synthesis of, 168
- β-D-Mannopyranose, 1,2-orthoacetates, proton spin-lattice relaxation-rates and nuclear Overhauser enhancement in relation to the stereochemistry of, 305
- 3-*O*-(α-D-Mannopyranosyl)-D-mannose and its protein conjugate, synthesis of, a, 69
- Marsupial milk, ¹³C-n.m.r. study of the structures of two branched oligosaccharides from, 327
- Mass spectra of acetylated and propanoylated aldofuranosylamines, the, 49
- Methylation of unfractionated, primary and secondary cell-walls of plants, and the location of alkali-labile substituents, 11
- Methyl 2,3-diacetamido-2,3-dideoxy-α-D-hexopyranosides and 2,3-diacetamido-2,3-dideoxy-D-hexoses, synthesis and ¹³C-n.m.r. spectra of, 181
- ¹³C-N.m.r. study of the structures of two branched oligosaccharides from marsupial milk, 327
- Oligosaccharides, generation of, from polysaccharides, by treatment with anhydrous liquid hydrogen fluoride, 315
- Oximes, high-performance liquid chromatography of sugar, 322
- Pentose, 2-deoxy-D-erythro- ("2-deoxy-D-ribose"), F.t.-i.r. and laser-Raman spectra of.
- Plant cell-walls, methylation of unfractionated primary and secondary, and the location of al-kali-labile substituents, 11
- Polysaccharide, bacterial, of *Shigella dysenteriae* type 10, immunochemical studies on, 257
- Polysaccharide gum secreted by *Rhizobium* strain CB744, the structure of the neutral, 155
- Precipitation of xanthan as the cetyltrimethylammonium salt—a warning, 178
- Protein conjugate, a synthesis of 3-O-(α -D-mannopyranosyl)-D-mannose and its, 69
- Proton spin–lattice relaxation-rates and nuclear Overhauser enhancement, in relation to the stereochemistry of β -D-mannopyranose 1,2-orthoacetates, 305
- Radioimmunoassay of a glycoprotein associated with malignancy, 283

SUBJECT INDEX C13

- Radiolabelled disaccharide substrates, production of, by selective depolymerisation of dermatan sulfate, 227
- Rhamnogalacturonan II, the pectic polysaccharide, characterization of a structurally complex heptasaccharide isolated from, 131
- Rhizobium strain CB744, the structure of the neutral polysaccharide gum secreted by, 155
- β-D-Ribopyranose, 1,2,4-tri-O-acetyl-5-deoxy-3-O-methyl-5-C-[(R)- and -(S)-phenylphosphinyl]-, synthesis of, 81
- D-Ribose, f.t.-i.r. and laser-Raman spectra of, 31
- Selective depolymerisation of dermatan sulfate: production of radiolabelled substrates for α -L-iduronidase, sulfoiduronate sulfatase, and β -D-glucuronidase, 227
- Selective isolation of endo-D-galacturonanase of Aspergillus niger based on interaction with tri(D-galactosiduronic acid) covalently bound to poly(hydroxyalkyl methacrylate), 269
- Solvolysis, desulfation of sulfoglycolipids by, 1
- Stereoselective synthesis of functionalized carbocycles by cycloaddition to levoglucosenone, 189
- Structural analyses of L-idurono-D-glucuronans (phallic acids) isolated from fungi belonging to the Phallales, 174
- Structural studies of the *Escherichia coli* O-antigen 25, 249
- Structure of D-gluconic acid monohydrate, the crystal, 23
- Structure of the neutral polysaccharide gum secreted by *Rhizobium* strain CB744, the, 155
- Studies of the partial structure of the O-antigen of Vibrio cholera Ogawa G-2102, 209
- Sugar complexes with calcium ion: infrared spectra of crystalline D-glucuronic acid and its calcium complexes, 241

- Synthesis and ¹³C-n.m.r. spectra of methyl 2,3diacetamido-2,3-dideoxy-α-D-hexopyranosides and 2,3-diacetamido-2,3-dideoxy-D-hexoses, 181
- Synthesis of 2-acetamido-2-deoxy-5-thio-α-D-mannopyranose, 168
- Synthesis of N-[2-O-(2-acetamido-2,3-dideoxy-5-thio-D-glucopyranose-3-yl)-D-lactoyl]-L-alanyl-D-isoglutamine, 99
- Synthesis of 5-deoxy-5-C-(phenylphosphinyl)-L-idopyranose, C1
- Synthesis of 3-O-(\alpha-D-mannopyranosyl)-D-mannose and its protein conjugate, a, 69
- Synthesis of 1,2,4-tri-*O*-acetyl-5-deoxy-3-*O*-methyl-5-*C*-[(*R*)- and -(*S*)-phenylphosphinyl]β-D-ribopyranose, 81
- Synthesis of p-trifluoroacetamidophenyl 4-O- α -D-glucopyranosyl- α -L-rhamnopyranoside, 165
- p-Trifluoroacetamidophenyl 4-O-α-D-glucopyranosyl-α-L-rhamnopyranoside, synthesis of, 165
- Unfractionated primary and secondary cell-walls of plants, methylation of, and the location of alkali-labile substituents, 11
- (Vicia faba), arabinans from the roots of horsebean, 107
- Xanthan, precipitation of, as the cetyltrimethylammonium salt, 178
- L-Xylose, 3-C-carboxy-5-deoxy-, a naturally occurring branched-chain acidic monosaccharide, isolation and characterization of, 115