

CARBOHYDRATE RESEARCH, VOL. 124 (1983)

SUBJECT INDEX

- Acetylated C-(1-bromo-D-glycosyl) heterocycles and 1-bromo-D-glycosyl cyanides, preparation of, 43
- O-Acetyl groups, selective removal of, by acid-catalysed methanolysis in the presence of O-benzoyl groups, C8
- Acid-catalysed methanolysis, selective removal of O-acetyl groups in the presence of O-benzoyl groups by, C8
- Advanced sugar chemistry, principles of sugar stereochemistry (*book review*), C27
- Aldohexoses, benzoylated, proton and C-13 nuclear magnetic resonance spectra of some, 177
- D-Amicitose and L-rhodinose, synthesis of, from L-glutamic acid, 35
- α -Amylase determination using cross-linked amylose, 319
- Amylomaize starch granules, treatment with urea and comparison with normal maize starch, 344
- Amylose, cross-linked, α -amylase determination using, 319
- Analysis of mixtures of some mono-O-methylaldoses with the common aldoses by g.l.c.-m.s. after isopropylidenation, 1
- 1,5-Anhydro-4,6-O-benzylidene-2,3-dideoxy-3-nitro-D-threo-hex-2-enitol, preparation of 4,6-O-benzylidene-3-deoxy-3-nitro-D-glucal and D-allal and, 53
- Antigens, artificial, a simplified procedure for preparation of glycoconjugates for use as, 313
- Artificial carbohydrate antigens: a block synthesis of a linear, tetrasaccharide repeating-unit of the *Shigella flexneri* variant Y polysaccharide, 301
- Aryl 2,3,4,6-tetra-O-acetyl-L-idopyranosides and 4-methylcoumarin-7-yl α -L-idopyranosid uronic acid, synthesis of some, 63
- D-arabino-Ascorbic acid, dehydro-, 2-arylhydrazones 3-oximes, studies on, and conversion into substituted triazoles and isoxazolines, 97
- Barbiturates, C-glycosyl-, a facile synthesis, C15
- 4,6-O-Benzylidene-3-deoxy-3-nitro-D-glucal and D-allal and 1,5-anhydro-4,6-O-benzylidene-2,3-dideoxy-3-nitro-D-threo-hex-2-enitol, preparation of, 53
- C-(1-Bromo-D-glycosyl) heterocycles and 1-bromo-D-glycosyl cyanides, preparation of acetylated, 43
- Carbohydrate, artificial antigens, 301
- Carbohydrate origin of aquatic humus from peat, C22
- Carbohydrates, ^{13}C -n.m.r. resonances of, measured for the solid state, instrumental methods for assigning, C1
- Carbohydrates, fluorinated, a rapid stereoselective synthesis of, 215
- Carbohydrates, interactions of, with calcium, geometrical features of, 324
- Carbohydrate sulphates, on the desulphation of, 338
- Carbon-13 nuclear magnetic resonance spectroscopy of covalently crosslinked dextran (Sephadex® G) hydrogels, 151
- Cellobiose and its reaction-product D-glucose, the hydrothermolysis of, 185
- Cellulose, O-(2-hydroxypropyl)-, use of methanolysis in the characterization of, by ^{13}C -n.m.r. spectroscopy, 172
- ^{13}C -N.m.r. resonances, measured for the solid state of carbohydrates, instrumental methods for assigning, C1
- ^{13}C -N.m.r. -spectral study of the mode of interaction of Gd^{3+} and Mn^{2+} with two vicinally di-O-D-galactosylated tripeptides, 11
- Conversion of maltose into disaccharides having 2-amino-2-deoxy- α -D-glucose and L-idose as constituent sugars, for the synthesis of model compounds related to heparin, C12
- Cross-linked amylose, α -amylase determination using, 319
- Cyclodextrin glycosyltransferase of *Klebsiella pneumoniae* M 5 a1, an improved method for the preparation of cyclooctaamylose using starches and the, 225
- Cyclooctaamylose, an improved method for the preparation of, using starches and the cyclodextrin glycosyltransferase of *Klebsiella pneumoniae* M 5 a1, 225
- Desulphation of carbohydrate sulphates, on the, 338
- Dextran (Sephadex® G) hydrogels, carbon-13 nuclear magnetic resonance spectroscopy of covalently crosslinked, 151
- Di-O-D-galactosylated dipeptides, two vicinally, mode of interaction of Gd^{3+} and Mn^{2+} with, ^{13}C -n.m.r.-spectral study of the, 11

- Disproportionation reactions catalyzed by *Leuconostoc* and *Streptococcus glucansucrases*, 275
- Enzymic synthesis of oligosaccharides on light-sensitive polymer support, 23
- Ethyl (2-acetamido-2-deoxy- α -D-glucopyranosyl) acetate, stereospecific synthesis of, C5
- Facile synthesis of C-glycosylbarbiturates, C15
- Formation and characterization of 5-C-[(R)-(1-acetoxyethenyl)phosphinyl]-1,2,4-tri-O-acetyl-5-deoxy-3-O-methyl- β -D-xylopyranose, 195
- Formation and equilibration of D-fructosides and 2-thio-D-fructosides in acidified dimethyl sulfoxide: synthetic and mechanistic aspects, 201
- D-Fructosides, and 2-thio-D-fructosides, synthetic and mechanistic aspects of formation and equilibration of, in acidified dimethyl sulfoxide, 201
- β -D-Galactopyranoside, *p*-nitrophenyl 3-O-(2-acetamido-2-deoxy- β -D-glucopyranosyl)-, synthesis of, 115
- α -D-Galactopyranosyl bromide, 3-O-(2-acetamido-3,4,6-tri-O-acetyl-2-deoxy- β -D-glucopyranosyl)-2,4,6-tri-O-acetyl-, use of, as a glycosyl donor, 115
- Gel-forming capsular polysaccharide of *Rhizobium leguminosarum* and *Rhizobium trifolii*, 166
- Gellan gum, an extracellular polysaccharide elaborated by *Pseudomonas elodea*, structural studies of, 135
- Geometrical features of calcium-carbohydrate interactions, 324
- G.l.c.-m.s. analysis after isopropylidenation of mixtures of some mono-O-methylaldoses with the common aldoses, 1
- β -D-Glucan, alkali-soluble, from the fruit body of *Grifola frondosa*, structural analysis of the, 247
- Glucansucrases, *p*-nitrophenyl α -D-glucopyranoside as a new substrate for, 287
- Glucansucrases, of *Leuconostoc* and *Streptococcus*, disproportionation reactions catalyzed by, 275
- α -D-Glucopyranoside, *p*-nitrophenyl, a new substrate for glucansucrases, 287
- D-Glucose and cellobiose, the hydrothermolysis of, 185
- L-Glutamic acid, synthesis of D-amictose and L-rhodnose from, 35
- Glycoconjugates, preparation of, by a simplified procedure, for use as artificial antigens, 313
- Heparin, the synthesis of model compounds related to, the conversion of maltose into disaccharides having 2-amino-2-deoxy- α -D-glucose and L-idose as constituent sugars for, C12
- Heteroglycans, streptococcal, rhamnose-containing, isomeric anti-rhamnose antibodies having specificity for, 253
- β -L-lyxo-Hexofuranoside, methyl 3,5-di-O-benzoyl-2,6-dideoxy-, a nucleoside precursor, synthesis of, 161
- D-lyxo-5-Hexosulopyranuronic acid in *Sphagnum* hollocellulose, residues of, and their role in cross-linking, C18
- Humus from peat, carbohydrate origin of aquatic, C22
- Hydrothermolysis of cellobiose and its reaction-product D-glucose, 185
- Improved method for the preparation of cyclooctaamylose, using starches and the cyclodextrin glycosyltransferase of *Klebsiella pneumoniae* M5 a1, 225
- Instrumental methods for assigning ^{13}C -n.m.r. resonances of carbohydrates measured for the solid state, C1
- Isomeric, anti-rhamnose antibodies having specificity for rhamnose-containing, streptococcal heteroglycans, 253
- Light-sensitive polymer support, enzymic synthesis of oligosaccharides on, 23
- Lipopolysaccharide, structure of the polysaccharide chain of *Shigella boydii* type 2, 141
- Maltose, the conversion of, into disaccharides having 2-amino-2-deoxy- α -D-glucose and L-idose as constituent sugars, for the synthesis of model compounds related to heparin, C12
- 4-Methylcoumarin-7-yl α -L-idopyranosid uronic acid, synthesis of some aryl 2,3,4,6-tetra-O-acetyl-L-idopyranosides and, 63
- Methyl 2-deoxy-4,5:6,7-di-O-isopropylidene-D-arabino-hept-3-ulonate, synthesis of, 333
- Mono-O-methylaldoses and the common aldoses, analysis by g.l.c.-m.s. after isopropylidenation of mixtures of some, 1
- p*-Nitrophenyl α -D-glucopyranoside, a new substrate for glucansucrases, 287
- Nucleosides, 3'-C-methyl-, and their phosphoric esters, synthesis and properties of, 75
- Oligosaccharides, enzymic synthesis on light-sensitive polymer support, 23
- Peat, carbohydrate origin of aquatic humus from, C22
- Polymer support, enzymic synthesis of oligosaccharides on light-sensitive, 23
- Polysaccharide, capsular, of *Streptococcus pneumoniae* type 19A (57), structural determination of, 235

- Polysaccharide elaborated by *Pseudomonas elodea*, structural studies of gellan gum, an extracellular, 135
- Polysaccharide of *Rhizobium leguminosarum* and *Rhizobium trifolii*, gel-forming capsular, 166
- Polysaccharide, of the *Shigella flexneri* variant Y, a block synthesis of a linear tetrasaccharide repeating-unit of, 301
- Polysaccharide produced by *Pseudomonas elodea*, structure of the acidic extracellular gelling, 123
- Preparation of acetylated C-(1-bromo-D-glycosyl) heterocycles and 1-bromo-D-glycosyl cyanides, 43
- Preparation of 4,6-*O*-benzylidene-3-deoxy-3-nitro-D-glucal and -D-allal and 1,5-anhydro-4,6-*O*-benzylidene-2,3-dideoxy-3-nitro-D-*threo*-hex-2-enitol, 53
- Preparation of glycoconjugates for use as artificial antigens: A simplified procedure, 313
- Proton and C-13 nuclear magnetic resonance spectra of some benzoylated aldohexoses, 177
- Pseudomonas elodea*, structure of the acidic extracellular gelling polysaccharide produced by, 123
- Rapid, stereoselective synthesis of fluorinated carbohydrates: addition of acetyl hypofluorite to vinyl ether derivatives of sugars, 215
- Reactions, disproportionation, catalyzed by *Leuconostoc* and *Streptococcus* glucansucrases, 275
- Residues of D-lyxo-5-hexosulopyranuronic acid in *Sphagnum* holocellulose, and their role in cross-linking, C18
- Rhizobium leguminosarum* and *Rhizobium trifolii*, gel-forming capsular polysaccharide of, 166
- Selective removal of *O*-acetyl groups in the presence of *O*-benzoyl groups by acid-catalysed methanolysis, C8
- Shigella boydii* type 2 lipopolysaccharide, structure of the polysaccharide chain of, 141
- Spectroscopy of covalently crosslinked dextran (Sephadex® G) hydrogels, carbon-13 nuclear magnetic resonance, 151
- Sphagnum* holocellulose, residues of D-lyxo-5-hexosulopyranuronic acid in, and their role in cross-linking, C18
- Starch granules, urea treatment of amylomaize, and comparison with normal maize starch, 344
- Stereochemistry of the hydrolysis of α,α -trehalose by trehalase, determined by using a labelled substrate, 265
- Stereospecific synthesis of ethyl (2-acetamido-2-deoxy- α -D-glucopyranosyl)acetate, C5
- Structural analysis of the alkali-soluble β -D-glucan from the fruit body of *Grifola frondosa*, 247
- Structural determination of the capsular polysaccharide of *Streptococcus pneumoniae* type 19A (57), 235
- Structural studies of gellan gum, an extracellular polysaccharide elaborated by *Pseudomonas elodea*, 135
- Structure of the acidic extracellular gelling polysaccharide produced by *Pseudomonas elodea*, 123
- Structure of the polysaccharide chain of *Shigella boydii* type 2 lipopolysaccharide, 141
- Studies on dehydro-D-*arabino*-ascorbic acid 2-arylhydrazones 3-oximes: conversion into substituted triazoles and isoxazolines, 97
- Sugars, vinyl ether derivatives of, addition of acetyl hypofluorite to, 215
- Sulphates, on the desulphation of carbohydrate, 338
- Synthesis and properties of 3'-C-methylnucleosides and their phosphoric esters, 75
- Synthesis of D-amicitose and L-rhodinose from L-glutamic acid, 35
- Synthesis of ethyl (2-acetamido-2-deoxy- α -D-glucopyranosyl)acetate, stereospecific, C5
- Synthesis of methyl 2-deoxy-4,5:6,7-di-*O*-isopropylidene-D-*arabino*-hept-3-ulosonate and its use in the preparation of D-*arabino*-tetrahydroxybutylpyrimidine derivatives, 333
- Synthesis of methyl 3,5-di-*O*-benzoyl-2,6-di-deoxy- β -L-lyxo-hexofuranoside, a nucleoside precursor, 161
- Synthesis of some aryl 2,3,4,6-tetra-*O*-acetyl-L-idopyranosides and of 4-methylcoumarin-7-yl α -L-idopyranosid uronic acid, 63
- Synthesis of 1,2,3,4-tetra-*O*-acetyl-5-deoxy-5-C-[(*R*)- and (*S*)-isopropylphosphinyl]- α - and - β -D-xylopyranose, 157
- D-*arabino*-Tetrahydroxybutylpyrimidine derivatives, use of methyl 2-deoxy-4,5:6,7-di-*O*-isopropylidene-D-*arabino*-hept-3-ulosonate in the preparation of, 333
- Tetrasaccharide, repeating-unit of the *Shigella flexneri* variant Y polysaccharide, a block synthesis of a linear, 301
- Treatment of amylomaize starch granules with urea: comparison with normal maize starch, 344
- α,α -Trehalose, hydrolysis of, by trehalase, stereochemistry of, determined by using a labelled substrate, 265
- Use of 3-*O*-(2-acetamido-3,4,6-tri-*O*-acetyl-2-deoxy- β -D-glucopyranosyl)-2,4,6-tri-*O*-acetyl- α -D-galactopyranosyl bromide as a glycosyl

- donor: synthesis of *p*-nitrophenyl 3-*O*-(2-acetamido-2-deoxy- β -D-glucopyranosyl)- β -D-galactopyranoside, 115
- Use of methanolysis in the characterization of *O*-(2-hydroxypropyl) cellulose by ^{13}C -n.m.r. spectroscopy, 172
- β -D-Xylopyranose, 5-*C*[(*R*)-(1-acetoxyethenyl)-phosphinyl]-1,2,4-tri-*O*-acetyl-5-deoxy-3-*O*-methyl-, formation and characterization of, 195
- D-Xylopyranose, 1,2,3,4-tetra-*O*-acetyl-5-deoxy-5-*C*[(*R*)- and (*S*)-isopropylphosphinyl- α - and - β -, synthesis of, 157