

CARBOHYDRATE RESEARCH, VOL. 127 (1984)

SUBJECT INDEX

- Acetylneuraminic acid, synthesis and conformational studies of 2- β -chloro, 2- α -fluoro, and 2- β -fluoro derivatives of 2-deoxy-*N*-, 201
- Acid hydrolysis of 5,6-anhydro-1,2-*O*-isopropylidene- β -L-idofuranose, re-examination of the, 149
- Acyclic form of sugars in the presence of borate ions, as measured by circular dichroism, increase in the, 165
- Acyclovir, synthesis of, 141
- Aldohexoses, triacetalated, one-flask synthesis of, with 2,2-dialkoxyp propane and *p*-toluenesulfonic acid, 121
- Alkali-catalyzed rearrangement of glyoxal and 3-deoxy-D-*erythro*-hexos-2-ulose, 327
- Alpha-amylase, influence of electrostatic interactions and enzyme reactivity on the binding mode of, 297
- Analysis of oligosaccharides and polysaccharides, improved procedure for the methylation, 59
- 2,5-Anhydro-3,4-*O*-isopropylidene-D-arabinose, studies of the Knoevenagel reaction of, 217
- 1,6-Anhydro-3,4-*O*-isopropylidene- β -D-galactopyranose and its 2-*O*-acetyl derivative, conformation of, 338
- 5,6-Anhydro-1,2-*O*-isopropylidene- β -L-idofuranose, re-examination of the acid hydrolysis of, 149
- Anhydro-D-mannitol, convenient preparation of 1,4-, 146
- Aquatic humus from peat-bog water, contribution of carbohydrates to the cation-exchange selectivity of, 267
- L-Arabinose, crystalline, and two of its calcium complexes, infrared spectra of, 1
- Binding mode of alpha-amylase, influence of electrostatic interactions and enzyme reactivity on the, 297
- Branch linkages, α -D-(1 \rightarrow 3), the formation of, by a D-glucanase from *Streptococcus mutans* 6715 producing a soluble D-glucan, 95
- Calcium dependence of the cell-associated fructosyltransferase of *Streptococcus salivarius*, 349
- Cation-exchange selectivity of aquatic humus from peat-bog water, contribution of carbohydrates to the, 267
- Cellulose and other natural polymer systems, (book review), C12
- Characteristic differences in monosaccharide composition of glycoconjugates from opposite mating types of *Chlamydomonas eugametos*, 245
- Circular dichroism, increase in the acyclic form of sugars in the presence of borate ions, as measured by, 165
- Cleavage of D-*arabino*-hexos-2-ulose and glyoxal with hydrogen peroxide, 319
- Conformational difference in the solid state and in solution of methyl 2,3,4-trideoxy-2,4-di-C-methyl-6-*O*-trityl- α -D-*lyxo*-hexopyranoside, 171
- Conformational studies of 2- β -chloro, 2- α -fluoro, and 2- β -fluoro derivatives of 2-deoxy-*N*-acetylneuraminic acid, synthesis and, 201
- Conformation of 1,6-anhydro-3,4-*O*-isopropylidene- β -D-galactopyranose and its 2-*O*-acetyl derivative, 338
- Contribution of carbohydrates to the cation-exchange selectivity of aquatic humus from peat-bog water, 267
- Convenient preparation of 1,4-anhydro-D-mannitol, 146
- Cyclodextrins and their inclusion complexes (book review), C11
- Cyclomalto-octaose-Methyl Orange inclusion complexes, kinetic and equilibrium studies of, 181
- Cytidine, a synthesis of, 227
- 3-Deoxy-D-*arabino*-2-heptulosonic acid 7-phosphate, synthesis of, 9
- Dextran, from *Leuconostoc mesenteroides* NRRL B-1299, structures of three α -D-(1 \rightarrow 2)-branched oligosaccharides isolated from, 331
- Dextran, water-soluble, from *Leuconostoc mesenteroides* NRRL B-1299, enzymic degradation, 305
- Enzymes, extracellular, from *Streptococcus mutans*, polysaccharides produced by, 253
- Enzymic degradation of water-soluble dextran from *Leuconostoc mesenteroides* NRRL B-1299, 305

- Ester linkage between lignin and 4-*O*-methyl-D-glucurono-D-xylan in jute fiber (*Corchorus capsularis*), 345
- 1-(*R*),2-Ethanedio1, 1-(1,3-dihydroxy-2-propyl)-1-(guanin-9-yl)-, synthesis of, 141
- Formation of α -D-(1 \rightarrow 3) branch linkages by a D-glucanase from *Streptococcus mutans* 6715 producing a soluble D-glucan, 95
- Fructosyltransferase of *Streptococcus salivarius*, calcium dependence of the cell-associated, 349
- D-Galactopyranose, conformation of 1,6-anhydro-3,4-*O*-isopropylidene- β -, and its 2-*O*-acetyl derivative, 338
- D-Galactose, 4-azido-4-deoxy-2,3:5,6-di-*O*-isopropylidene-*aldehyde*-, dimethyl acetal, synthesis of, 137
- β -D-Galactosidase, from bovine liver, purification of a, by affinity chromatography, 109
- D-Glucose, 3,4:5,6-di-*O*-isopropylidene-*aldehyde*-, dibenzyl acetal, a new synthetic route to 2-amino-2-deoxy-D-mannose derivatives from, 129
- Glycoconjugates from opposite mating types of *Chlamydomonas eugametos*, characteristic differences in monosaccharide composition of, 245
- Glycofuranosyl acetates, a synthesis of 1,2-*trans*-related, 157
- Glycoprotein, synthesis of a linear tetrasaccharide unit of a complex type of glycan chain of a, C1
- Glycosides of the trisaccharide portion of the blood group P^k antigen, synthesis of spacer-arm, lipid, and ethyl, 15
- C-Glycosylation, a novel procedure for, involving Lewis acid-catalyzed coupling-reactions of glycosyl fluorides with end trimethylsilyl ethers, C5
- Glycosyl fluorides, Lewis acid-catalyzed coupling-reactions of, with end trimethylsilyl ethers, a novel procedure for C-glycosylation involving, C5
- Glyoxal, alkali-catalyzed rearrangement of, 327
- Glyoxal, cleavage of, with hydrogen peroxide, 319
- Guanosine triacohol, synthesis of, 141
- Gum from sap of the lac tree, *Rhus vernicifera*, structural studies of plant, 43
- Heparinase, tetrasaccharides obtained by degradation of heparin with, 75
- Heparin, tetrasaccharides obtained by heparinase degradation of, 75
- 2-Heptulosonic acid 7-phosphate, 3-deoxy-D-*arabino*-, synthesis of, 9
- Hexos-2-ulose, D-*arabino*-, cleavage of, with hydrogen peroxide, 319
- Hexos-2-ulose, 3-deoxy-D-*erythro*-, alkali-catalyzed rearrangement of, 327
- Hexosulose to a mannitol-rich mixture of D-mannitol and D-glucitol, procedure for reducing D-*arabino*-, 154
- Improved procedure for the methylation analysis of oligosaccharides and polysaccharides, 59
- Inclusion complexes of cyclomalto-octaose and Methyl Orange, kinetic and equilibrium studies of, 181
- Increase in the acyclic form of sugars in the presence of borate ions, as measured by circular dichroism, 165
- Influence of electrostatic interactions and enzyme reactivity on the binding mode of α -amylase, 297
- Infrared spectra of crystalline L-arabinose and two of its calcium complexes, 1
- Ionisation behaviour of lactose and lactulose in water as studied by ¹³C-n.m.r. spectroscopy, 193
- Kinetic and equilibrium studies of cyclomalto-octaose-Methyl Orange inclusion complexes, 181
- Knoevenagel reaction of 2,5-anhydro-3,4-*O*-isopropylidene-D-arabinose, studies of the, 217
- Lactose and lactulose in water, ionisation behaviour of, as studied by ¹³C-n.m.r. spectroscopy, 193
- Lac tree, *Rhus vernicifera*, structural studies of plant gum from sap of the, 43
- Levogluconenone, polycyclic derivatives of, oxidation of, 235
- Lignin, ester linkage between 4-*O*-methyl-D-glucurono-D-xylan and, in jute fiber (*Corchorus capsularis*), 345
- Mannitol, convenient preparation of 1,4-anhydro-D-, 146
- β -D-Mannopyranose, 1,6-anhydro-, a simple (one-flask, two-step) synthesis of, from D-mannose, 162
- D-Mannose, 2-amino-2-deoxy-, a new synthetic route to derivatives of, from 3,4:5,6-di-*O*-isopropylidene-*aldehyde*-D-glucose dibenzyl acetal, 129
- D-Mannose, 2-azido-2-deoxy-3,4:5,6-di-*O*-isopropylidene-*aldehyde*-, dimethyl acetal, synthesis of, 137
- Methylation analysis of oligosaccharides and polysaccharides, improved procedure for the, 59

- Monosaccharide composition of glycoconjugates from opposite mating types of *Chlamydomonas eugametos*, characteristic differences in, 245
- Mycobacterium tuberculosis*, synthesis of the core α,α -trehalose 2 sulfate of the sulfatides of, 211
- New synthetic route to 2-amino-2-deoxy-D-mannose derivatives from 3,4:5,6-di-*O*-isopropylidene-*aldehydo*-D-glucose dibenzyl acetal, 129
- ^{13}C -N.m.r. spectroscopy, ionisation behaviour of lactose and lactulose in water as studied by, 193
- ^{13}C -N.m.r. spectrum of a D-galactose-rich polysaccharide from tomato fruit, 356
- Novel procedure for C-glycosylation involving Lewis acid-catalyzed coupling-reactions of glycosyl fluorides with end trimethylsilyl ethers, C5
- Oligosaccharides, three α -D-(1 \rightarrow 2)-branched, isolated from *Leuconostoc mesenteroides* NRRL B-1299 dextran, structures of, 331
- One-flask synthesis of triacetalated aldohexoses with 2,2-dialkoxypropane and *p*-toluenesulfonic acid, 121
- Oxidation of polycyclic derivatives of levo-glucoseneone, 235
- Polysaccharide, a D-galactose-rich, from tomato fruit, ^{13}C -n.m.r. spectrum of, 356
- Polysaccharide, of mahua (*Madhuca indica*) flowers, structural studies on a, 283
- Polysaccharides produced by extracellular enzymes from *Streptococcus mutans*, 253
- Procedure for reducing D-*arabino*-hexosulose to a mannitol-rich mixture of D-mannitol and D-glucitol, 154
- Purification of a β -D-galactosidase from bovine liver by affinity chromatography, 109
- Reducing D-*arabino*-hexosulose to a mannitol-rich mixture of D-mannitol and D-glucitol, procedure for, 154
- Re-examination of the acid hydrolysis of 5,6-anhydro-1,2-*O*-isopropylidene- β -L-idofuranose, 149
- 1,2-*trans*-Related glycofuranosyl acetates, a synthesis of, 157
- D-Ribopyranose, α - and β -, 1,2,3,4-tetra-*O*-acetyl-5-deoxy-5-*C*-[(*R*) and (*S*)-methoxyphosphinyl]-, synthesis of, 35
- Simple, one-flask, two-step synthesis of 1,6-anhydro- β -D-mannopyranose (D-mannosan) from D-mannose, 162
- Solid state and in solution of methyl 2,3,4-trideoxy-2,4-di-*C*-methyl-6-*O*-trityl- α -D-lyxo-hexopyranoside, conformational difference in the, 171
- Solution of methyl 2,3,4-trideoxy-2,4-di-*C*-methyl-6-*O*-trityl- α -D-lyxo-hexopyranoside, conformational difference in the solid state and in the, 171
- Spacer-arm, lipid, and ethyl glycosides of a tetrasaccharide found in human urine, synthesis from pullulan of, 27
- Streptococcus mutans*, polysaccharides produced by extracellular enzymes from, 253
- Streptococcus salivarius*, calcium dependence of the cell-associated fructosyltransferase of, 349
- Structural studies of plant gum from sap of the lac tree, *Rhus vernicifera*, 43
- Structural studies on a polysaccharide of mahua (*Madhuca indica*) flowers, 283
- Structures of three α -D-(1 \rightarrow 2)-branched oligosaccharides isolated from *Leuconostoc mesenteroides* NRRL B-1299 dextran, 331
- Studies of the Knoevenagel reaction of 2,5-anhydro-3,4-*O*-isopropylidene-D-arabinose, 217
- Sulfatides of *Mycobacterium tuberculosis*. Synthesis of the core α,α -trehalose 2-sulfate of, 211
- Synthesis and conformational studies of 2- β -chloro-, 2- α -fluoro, and 2- β -fluoro derivatives of 2-deoxy-*N*-acetylneuraminic acid, 201
- Synthesis from pullulan of spacer-arm, lipid, and ethyl glycosides of a tetrasaccharide found in human urine; preparation of neoglycoproteins, 27
- Synthesis of a linear tetrasaccharide unit of a complex type of glycan chain of a glycoprotein, C1
- Synthesis of 2-azido-2-deoxy-3,4:5,6-di-*O*-isopropylidene-*aldehydo*-D-mannose dimethyl acetal and 4-azido-4-deoxy-2,3:5,6-di-*O*-isopropylidene-*aldehydo*-D-galactose dimethyl acetal, 137
- Synthesis of ψ -cytidine, 227
- Synthesis of 1,2-*trans*-related glycofuranosyl acetates, 157
- Synthesis of spacer-arm, lipid, and ethyl glycosides of the trisaccharide portion of the blood-group P^k antigen: preparation of neoglycoproteins, 15
- Synthesis of 1,2,3,4-tetra-*O*-acetyl-5-deoxy-5-*C*-[(*R*) and (*S*)-methoxyphosphinyl]- α - and β -D-ribopyranoses, 35
- Tetrasaccharide found in human urine, synthesis from pullulan of spacer-arm, lipid, and ethyl glycosides of a, 27

Tetrasaccharide, linear, unit of a complex type of glycan chain of a glycoprotein, synthesis of a, c1

Tetrasaccharides obtained by heparinase degradation of heparin, 75

α,α -Trehalose 2-sulfate, synthesis of, 211

Trisaccharide portion of the blood-group P^k antigen, synthesis of spacer-arm, lipid, and ethyl glycosides of the, 15

D-Xylan, 4-*O*-methyl-D-glucurono-, ester linkage between lignin and, in jute fiber (*Corchorus capsularis*), 345