CARBOHYDRATE RESEARCH, VOL. 133 (1984)

SUBJECT INDEX

- 2-Acetamido-2-deoxy-D-galacturonamide and 2-deoxy-2-formamido-D-galacturonic acid identification of, as new constituents of *Pseudomonas aeruginosa* lipopolysaccharides, c12
- 2-Acetamido-2-deoxy-β-D-glucopyranosyl residues, synthesis of glycopeptides containing, 207
- Aldos-2-uloses, rearrangement of, to aldonic acids, effect of calcium ion on, 329
- Aldosylamines, acylated, influence of benzoylation on the mass spectra of, 199
- 2-Amino-2-deoxy-D-mannose and 2-amino-2deoxy-D-mannuronic acid, β-linked, synthesis of oligosaccharides containing, C1
- Antigenic determinant of *Salmonella* serogroup B. Synthesis of a trisaccharide glycoside for use as an artificial antigen, 333
- Antigenicity and extractability of its lipopolysaccharide, the effect of formalin-killing of *Pas*teurella multocida on the, 83
- Application of p.m.r. spectroscopy in the sequencing of oligosaccharides containing 1-carboxyethylidene substituents, 125
- Arabinogalactan-protein, from the gum exudate of Acacia robusta, structural studies of an, 105 D-arabino-Ascorbic acid, dehydro-, some quinoxaline derivatives from, 324
- Carbohydrate-protein linkage region of chondroitin 4-sulphate, isolation of oligosaccharides from the, using trifluoroacetolysis, 75
- Carbohydrates, separation of, by l.c. in an aqueous silica gel column, 157
- Carbohydrates, some cyclic ethers as model compounds for, far-u.v. circular-dichroism spectra of, at 145-220 nm, 152
- Cellobiose and maltose in solution, a comparison of calculated and experimental data for the conformational states of, 1
- ¹³C Chemical shift dependence on the spatial interaction of protons and its application in structural and conformational studies of oligo- and poly-saccharides, 173
- Chondroitin 4-sulphate, isolation of oligosaccharides from the carbohydrate-protein linkage region by trifluoroacetolysis of, 75

- α-Chymotrypsin-sensitive polymer, enzymic synthesis of oligosaccharides on, 339
- Conformational and dynamic differences between N. meningitidis serogroup B and C polysaccharides, using n.m.r. spectroscopy and molecular mechanics calculations, 59
- Conformational states of cellobiose and maltose in solution: a comparison of calculated and experimental data, 1
- Convenient synthesis of 6'-C-substituted β -maltose heptaacetates and of panose, a, 135
- Cord-factor analogs: synthesis of 6,6'-di-O-mycoloyl- and -corynomycoloyl-(α-D-galactopyranosyl α-D-galactopyranoside), 53
- Cyclic polysaccharide, structural identification of the enterobacterial common-antigen as a, 95
- Degradation of chondroitin 4-sulphate by trifluoroacetolysis: isolation of oligosaccharides from the carbohydrate-protein linkage region,
- 4-Deoxy-4-fluoro-D-[6-3H]glucose, synthesis of,
- Dependence of ¹³C chemical shifts on the spatial interaction of protons, and its application in structural and conformational studies of oligoand poly-saccharides, 173
- Effect of calcium ion on rearrangement of aldos-2uloses to aldonic acids, 329
- Effect of formalin-killing of *Pasteurella multocida* on the antigenicity and extractability of its lipopolysaccharide, the, 83
- Endo-(1→4)-β-D-glucanases from *Sclerotium* rolfsii, purification, substrate specificity, and mode of action, 297
- Enterobacterial common-antigen, assignment of a cyclic polysaccharide structure to the, 95
- Erythritol, 3-C-(hydroxymethyl)- and 3-C-methyl-, synthesis of, 235
- Far-u.v. circular-dichroism spectra, at 145–220 nm, of some cyclic ethers as model compounds for carbohydrates, 152
- 4-Fluoro-D-[6-3H]glucose, 4-deoxy-, synthesis of, 168

C18 SUBJECT INDEX

- Fourier-transform infrared, vibrational circular dichroism of sugars. A spectra-structure correlation, 163
- D-Fructose in solution, the vibrational spectrum and structure of, 313
- Furanoid rings, influence of the orientation of hydroxyl groups on the puckering modes of, 187
- α-D-Galactopyranoside, α-D-galactopyranosyl, 6,6'-di-O-corynomycoloyl-, synthesis of, 53
- α -D-Galactopyranoside, α -D-galactopyranosyl, 6,6'-di-O-mycoloyl-, synthesis of, 53
- β-D-Glucanases, endo-, from Sclerotium rolfsii, purification, substrate specificity, and mode of action of, 297
- D-Glucitol, 2,3,4,6-tetra-*O*-acetyl-1,5-anhydro-5-deoxy-5-*C*-[(*R*)-ethylphosphinyl]-, formation of, 45
- α,β -D-Glucopyranoses, 1,2,3,4,6-penta-O-acetyl-5-deoxy-5-C-[(R,S)-ethylphosphinyl]-, an improved synthesis of, 45
- β-D-Glucopyranoside, methyl 4,6-O-benzylidene-, regioselective alkylation, benzoylation, and p-toluenesulfonylation of, 147
- 4-O-β-D-Glucopyranosyl-β-D-glucopyranosyl residue, synthesis of glycopeptides containing, 207
- 4-O-(4- α -D-Glucopyranosyloxy-4-methoxybutyl)- α -D-glucopyranoside, synthesis of methyl, as a modified oligosaccharide for studying the interactions of carbohydrates with multisite proteins, 247
- β-D-Glucopyranosyl residues, synthesis of glycopeptides containing, 207
- O-(β-D-Glucopyranosyl 3-sulfate)-(1 \rightarrow 6)-O- α -D-mannopyranosyl-(1 \rightarrow 2)-O- α -D-glucopyranosyl-(1 \rightarrow 1)-2,3-di-O-phytanyl-sn-glycerol, synthesis of, 219
- D-Glucose, aqueous solutions of, viscosities of concentrated solutions of sodium and potassium acetates in, 15
- D-[6-3H]Glucose, 4-deoxy-4-fluoro-, synthesis of, 168
- Glycolipids and a glycolipid sulfate, synthesis of two purple-membrane, 219
- Glycopeptides containing 2-acetamido-2-deoxy-β-D-glucopyranosyl, β-D-glucopyranosyl, and 4-O-β-D-glucopyranosyl-D-glucopyranosyl residues, synthesis of, 207
- Glycosides, anomeric, acetylated, infrared-spectral characteristics of some, 25
- Hexopyranosides, 2,3- and 3,4-anhydro-, having a methyl branch on the oxirane ring, synthesis of, and reactions with some methylcuprate reagents, 255
- 3-C-(Hydroxymethyl)erythritol, synthesis of, 235

- Improved synthesis of 1,2,3,4,6-penta-O-acetyl-5-deoxy-5-C-[(R,S)-ethylphosphinyl]- α , β -D-glucopyranoses, and formation of 2,3,4,6-tetra-O-acetyl-1,5-anhydro-5-deoxy-5-C-[(R)-ethylphosphinyl]-D-glucitol, an, 45
- Influence of benzoylation on the mass spectra of acylated aldosylamines, 199
- Influence of the orientation of hydroxyl groups on the puckering modes of furanoid rings, 187
- Infrared-spectral characteristics of some acetylated, anomeric glycosides, 25
- muco-Inositol, 3-(adenin-9-yl)-3-deoxy-1,5,6-tri-O-(methylsulfonyl)-, synthesis of, 33
- Inositols, nucleo-, 33
- Kinetics and mechanism of oxidation of maltose and lactose by Tl(III) in acidic media, 319
- Lipopolysaccharide from an avirulent strain (M4S) of *Pseudomonas solanacearum*, structural studies of the O-antigen of the, 289
- Lipopolysaccharides of *Pseudomonas aeruginosa* and *Shigella boydii*, sialic acids of a new type from the, c5
- Liquid chromatography in an aqueous silica gel column, for separation of carbohydrates, 157 Lycotetraose, synthesis of, 275
- Maltose and cellobiose in solution, a comparison of calculated and experimental data for the conformational states of, 1
- Maltose and lactose, the kinetics and mechanism of oxidation of, by Tl(III) in acidic media, 319
- β-Maltose, 6'-C-substituted, heptaacetates, a convenient synthesis of, 135
- D-Mannose, 2-amino-2-deoxy-, β-linked, synthesis of oligosaccharides containing, C1
- D-Mannuronic acid, 2-amino-2-deoxy-, β-linked, synthesis of oligosaccharides containing, c1
- 3-C-Methylerythritol, synthesis of, 235
- Methyl 4-O-(4- α -D-glucopyranosyloxy-4-methoxybutyl)- α -D-glucopyranoside, a modified oligosaccharide for studying the interactions of carbohydrates with multisite proteins, 247
- N. meningitidis serogroup B and C polysaccharides, conformational and dynamic differences between, using n.m.r. spectroscopy and molecular mechanics calculations, 59
- Non-destructive determination of the monosaccharide composition and the structure of the Ospecific polysaccharide of *Pseudomonas cepacia*,
- Nucleocyclitols. Synthesis of 3-(adenin-9-yl)-3deoxy-1,5,6-tri-O-(methylsulfonyl)-muco-inositol, 33

SUBJECT INDEX C19

Oligosaccharide for studying the interactions of carbohydrates with multisite proteins, synthesis of a modified, 247

- Oligosaccharides, containing (1-carboxyethylidene) substituents, application of p.m.r. spectroscopy in the sequencing of, 125
- Oligosaccharides, enzymic synthesis on α-chymotrypsin-sensitive polymer of, 339
- Orientation of hydroxyl groups, influence of the, on the puckering modes of furanoid rings, 187 Oxidation of maltose and lactose by Tl(III) in
- Oxidation of maltose and lactose by Tl(III) in acidic media, the kinetics and mechanism of, 319
- Panose, a convenient synthesis of, 135
- Pasteurella multocida on the antigenicity and extractability of its lipopolysaccharide, the effect of formalin-killing of, 83
- Polymer, α-chymotrypsin-sensitive, enzymic synthesis of oligosaccharides on, 339
- Polysaccharide of *Pseudomonas cepacia*, non-destructive determination of the monosaccharide composition and structure of the O-specific, c9
- Polysaccharides, conformational and dynamic differences between N. meningitidis serogroup B and C, using n.m.r. spectroscopy and molecular mechanics calculations, 59
- Polysaccharide, structural identification of the enterobacterial common-antigen as a cyclic, 95 Pseudomonas aeruginosa and Shigella boydii, sialic acids of a new type from the lipopolysaccharides of, c5
- Pseudomonas aeruginosa immunotype 1 antigen, identification of the new sugars 2-acetamido-2-deoxy-D-galacturonamide and 2-deoxy-2-formamido-D-galacturonic acid as constituents of the, c12
- Pseudomonas cepacia, non-destructive determination of the monosaccharide composition and structure of the O-specific polysaccharide of, C9 Pseudomonas solanacearum, structural studies of the O-antigen of the lipopolysaccharide from an avirulent strain (M4S) of, 289
- Regioselective alkylation, benzoylation, and ptoluenesulfonylation of methyl 4,6-O-benzylidene-β-D-glucopyranoside, 147

- Salmonella, serogroup B, antigenic determinant of 333
- Sclerotium rolfsii, purification, substrate specificity, and mode of action of endo-(1→4)-β-D-glucanases from, 297
- Separation of carbohydrates by l.c. in an aqueous, silica gel column, 157
- Sialic acids of a new type from the lipopolysaccharides of *Pseudomonas aeruginosa* and *Shigella boydii*, c5
- Some quinoxaline derivatives from dehydro-Darabino-ascorbic acid, 324
- Structural and conformational studies of oligoand poly-saccharides, dependence of ¹³C chemical shifts on the spatial interaction of protons and its application in, 173
- Structural studies of an arabinogalactan-protein from the gum exudate of *Acacia robusta*, 105
- Structural studies of the O-antigen of the lipopolysaccharide from an avirulent strain (M4S) of Pseudomonas solanacearum, 289
- Structural studies of the *Pseudomonas aeruginosa* immunotype 1 antigen, containing the new sugar constituents 2-acetamido-2-deoxy-D-galacturonamide and 2-deoxy-2-formamido-D-galacturonic acid, C12
- Structure of D-fructose in solution, the vibrational spectrum and, 313
- Sugars, Fourier-transform infrared vibrational circular dichroism of, a structure-spectra correlation, 163
- Synthesis of 2,3-anhydro- and 3,4-anhydrohexopyranosides having a methyl branch on the oxirane ring, and their reactions with some lithium methylcuprate reagents, 255
- Synthesis of lycotetraose, 275
- Synthesis of two purple-membrane glycolipids and $O-(\beta-D-glucopyranosyl 3-sulfate)-(1\rightarrow6)-O-\alpha-D-mannopyranosyl-(1\rightarrow2)-O-\alpha-D-glucopyranosyl-(1\rightarrow1)-2,3-di-O-phytanyl-sn-glycerol, 219$
- Trisaccharide, glycoside of, synthesis of a, for use as an artificial antigen, 333
- Vibrational spectrum and structure of D-fructose in solution, 313
- Viscosities of concentrated solutions of sodium and potassium acetates in aqueous solutions of D-glucose, 15