

CARBOHYDRATE RESEARCH, VOL. 136 (1985)

SUBJECT INDEX

- Acetals of some carbohydrate derivatives, a conformational study by n.m.r. spectroscopy of dioxolane-type, 241
- 2-Acetamido-2-deoxy- β -D-glucopyranoside, synthesis of 8-methoxycarbonyloct-1-yl *O*- α -D-galactopyranosyl-(1 \rightarrow 3)-*O*- β -D-galactopyranosyl-(1 \rightarrow 4)-, 207
- Acryl derivatives of carbohydrates, synthesis of, 177
- Acryl residue, synthesis from allyl alcohols of, 177
- Affinity labelling, preparation and properties of some photolabile sugar derivatives for, 125
- 1-Alkylcyclohexane-*cis*-1,2-diols, kinetic control in the benzylidenation of some, 347
- Allyl alcohols, synthesis of acryl residue from, 177
- 2-Amino-2-deoxy-D-glucopyranose, synthesis of protected glycosides and disaccharides of, by ferric chloride-catalyzed coupling, 309
- 1,6-Anhydro-3-*O*-benzyl-2-deoxy-2,4-di-*C*-methyl- β -D-hexopyranoses, synthesis and properties of, 101
- Anomeric stereocontrol in addition reactions to hexose-derived dihydropyranones, 13
- Anthracycline glycosides, synthesis and hydrogenation studies of 3-azido-2-enopyranoside precursors of the sugar constituents of, 325
- α -L-Arabinofuranosylpyridinium salts, preparation and conformation of, and hydrolysis of the 4-bromoisquinolinium compound, 357
- 2-Azido-2-deoxy-D-mannose, synthesis of, 153
- 2-Azido-2-deoxy-D-mannuronic acid, synthesis of, 153
- 3-Azido-2-enopyranosides (precursors of the sugar constituents of anthracycline glycosides), synthesis and hydrogenation studies of, 325
- Behaviour of D-fructose and inulin towards anhydrous hydrogen fluoride, 53
- Benzylidenation of some 1-alkylcyclohexane-*cis*-1,2-diols, kinetic control in the, 347
- Branched mannohexaoside, synthesis of a, a part structure of a high-mannose-type glycan of a glycoprotein, 135
- 4-Bromoisquinolinium ion, hydrolysis of the α -L-arabinofuranosyl-, and preparation and conformation of α -L-arabinofuranosylpyridinium salts, 357
- Carbohydrate 1,6-dienes, synthesis and photolysis of some, 249
- Carbohydrate-like chiral synthons: synthesis of the *N*-trifluoroacetyl derivatives of 4-amino-2,4,6-trideoxy-L-hexoses from the (2*S*,3*R*)-2,3-diol formed from cinnamaldehyde in fermenting baker's yeast, 115
- Cinnamaldehyde in fermenting baker's yeast, synthesis of the *N*-trifluoroacetyl derivatives of 4-amino-2,4,6-trideoxy-L-hexoses from the (2*S*,3*R*)-2,3-diol formed from, 115
- Conformational study of dioxolane-type acetals of some carbohydrate derivatives by n.m.r. spectroscopy, 241
- Convenient syntheses of L-daunosamine and L-acosamine, 419
- Cyclohexanetetrol, synthesis of four new diastereoisomers of DL-5-hydroxymethyl-1,2,3,4-, 77
- Daunorubicin analogs, oxyhalogenation of glycals for the synthesis of antitumor-active 2'-halo, 391
- L-Daunosamine and L-acosamine, convenient syntheses of, 419
- α -Deoxy- α -hydroxyamino sugar phosphonates and the corresponding nitroxide free-radicals, 375
- 1-Deoxy-1-(2-pyridylamino)alditol derivatives of oligosaccharides, an improved method for the liquid chromatography of the, 259
- Dihydropyranones, anomeric stereocontrol in addition reactions to hexose-derived, 13
- Dioxolane-type acetals of some carbohydrate derivatives, a conformational study by n.m.r. spectroscopy of, 241
- α -Enone, second generation α -enones from a pyranosidic, 91
- Ferric chloride-catalyzed coupling, protected glycosides and disaccharides of 2-amino-2-deoxy-D-glucopyranose by, 309
- Formation of methyl 5-thiopentopyranosides in the D-*arabino*, L-*xylo*, D-*ribo*, and D-*xylo* series from methyl 5-thio-3-*O*-tosyl- α -D-xylopyranoside, 411
- D-Fructose and inulin, the behaviour towards

- anhydrous hydrogen fluoride of, 53
- D-Fructose in dimethyl sulfoxide, stabilization of the β -furanose form and kinetics of the tautomerization of, 215
- L-Fucosyl transferases, synthesis of monodeoxy derivatives of lacto-*N*-biose I and *N*-acetyl-lactosamine to serve as substrates for the differentiation of, 285
- 2,3-*O*-D-Glucopyranosylidene- α -D-mannopyranoside hexa-acetate, structure of the isomers of methyl, 1
- Glycoprotein "core" oligosaccharides, preparation of a glycosyl donor suitable for synthesis of, 273
- C-Glycoside congeners, use of selenium in the preparation of, 369
- Glycosyl donor suitable for synthesis of glycoprotein "core" oligosaccharides, preparation of a, 273
- Hexose-derived dihydropyranones, anomeric stereocontrol in addition reactions to, 13
- Hydrogen fluoride, the behaviour of D-fructose and inulin towards anhydrous, 53
- 6'-*N*-Hydroxykanamycin A and 6'-*N*-hydroxydibekacin, syntheses of methyl 6-deoxy-6-hydroxyamino- α -D-glucopyranoside and, 195
- DL-5-Hydroxymethyl-1,2,3,4-cyclohexanetetrol, synthesis of four new diastereoisomers of, 77
- Improved method for the liquid chromatography of the 1-deoxy-1-(2-pyridylamino)-alditol derivatives of oligosaccharides and its application to structural studies of the carbohydrate moieties of glycoproteins, 259
- Indolizidine alkaloid swainsonine, synthesis from D-glucose of the, 225
- Isopropylidenation of D-ribose diethyl dithioacetal and ribitol, 37
- Kinetic control in the benzylation of some 1-alkylcyclohexane-*cis*-1,2-diols, 347
- Kinetics of the tautomerization of D-fructose in dimethyl sulfoxide and stabilization of the β -furanose form, 215
- Liquid chromatography of the 1-deoxy-1-(2-pyridylamino)alditol derivatives of oligosaccharides, an improved method for the, 259
- Mannohexaoside, synthesis of a branched, a part structure of a high-mannose-type glycan of a glycoprotein, 135
- D-Mannose, 2-azido-2-deoxy-, synthesis of, 153
- D-Mannuronic acid, 2-azido-2-deoxy-, synthesis of, 153
- β -Methoxycarbonyloct-1-yl *O*- α -D-galactopyranosyl-(1 \rightarrow 3)-*O*- β -D-galactopyranosyl-(1 \rightarrow 4)-2-acetamido-2-deoxy- β -D-glucopyranoside, a synthesis of, 207
- Methyl 6-deoxy-6-hydroxyamino- α -D-glucopyranoside, 6'-*N*-hydroxykanamycin A, and 6'-*N*-hydroxydibekacin, syntheses of, 195
- Methyl 2,3-*O*-D-glucopyranosylidene- α -D-mannopyranoside hexa-acetate, structure of the isomers of, 1
- Methyl glucopyranosides, synthesis of 5-thio-D-arabinose and 5-thio-D-lyxose and their, 397
- Methyl 5-thiopentopyranosides, formation of, from methyl 5-thio-3-*O*-tosyl- α -D-xylopyranoside, 411
- Monodeoxy derivatives of lacto-*N*-biose I and *N*-acetyl-lactosamine, synthesis of, to serve as substrates for the differentiation of L-fucosyl transferases, 285
- Mycarose and epi-axenose, synthesis of, from non-carbohydrate precursors, 187
- 2,3-*O*-(2-Nitrobenzylidene)- α -L-rhamnopyranoside, synthesis of branched trisaccharides using photolabile methyl, 27
- Nitroxide free-radicals, α -deoxy- α -hydroxyamino sugar phosphonates and the corresponding, 375
- Non-carbohydrate precursors, synthesis of mycarose and epi-axenose from, 187
- Oxyhalogenation of glycals for the synthesis of antitumor-active 2'-halo daunorubicin analogs, 391
- Photolabile methyl 2,3-*O*-(2-nitrobenzylidene)- α -L-rhamnopyranoside, synthesis of branched trisaccharides using, 27
- Photolabile sugar derivatives for affinity labelling, preparation and properties of some, 125
- Photolysis and synthesis of some carbohydrate 1,6-dienes, 249
- Preparation and confirmation of α -L-arabinofuranosylpyridinium salts, and hydrolysis of the 4-bromoisquinolinium compound, 357
- Preparation and properties of some photolabile sugar derivatives for affinity labelling, 125
- Preparation of a glycosyl donor suitable for synthesis of glycoprotein "core" oligosaccharides, 273
- Preparation of C-glycoside congeners, use of selenium in the, 369
- Protected glycosides and disaccharides of 2-amino-2-deoxy-D-glucopyranose by ferric chloride-catalyzed coupling, 309
- Pyranosidic α -enone, second generation α -enones from a, 91

- Reductive desulfonyloxylation of *p*-toluenesulfonates with lithium triethylborohydride, synthesis of 2-deoxy, 3-deoxy, and 2,3-dideoxy analogs of α,α -trehalose by, 335
- D-Ribose diethyl dithioacetal and ribitol, the isopropylidenation of, 37
- Second generation α -enones from a pyranosidic α -enone, 91
- Selenium in carbohydrate chemistry, use of, for the preparation of *C*-glycoside congeners, 369
- Stabilization of the β -furanose form, and kinetics of the tautomerization of D-fructose in dimethyl sulfoxide, 215
- Structure of the isomers of methyl 2,3-*O*-D-glucopyranosylidene- α -D-mannopyranoside hexaacetate, 1
- Sugar phosphonates, α -deoxy- α -hydroxyamino, and the corresponding nitroxide free-radicals, 375
- (-)-Swainsonine, an α -D-mannosidase inhibitor isolated from *Swainsona canescens*, total synthesis of, 67
- Swainsonine, synthesis from D-glucose of the indolizidine alkaloid, 225
- Syntheses of L-daunosamine and L-acosamine, convenient, 419
- Syntheses of methyl 6-deoxy-6-hydroxyamino- α -D-glucopyranoside, 6'-*N*-hydroxykanamycin A, and 6'-*N*-hydroxydibekacin, 195
- Synthesis and hydrogenation studies of 3-azido-2,6-dideoxy-2-enopyranosides, precursors of the sugar constituents of anthracycline glycosides, 325
- Synthesis and photolysis of some carbohydrate 1,6-dienes, 249
- Synthesis and properties of 1,6-anhydro-3-*O*-benzyl-2-deoxy-2,4-di-*C*-methyl- β -D-hexopyranosides, 101
- Synthesis of a branched mannohexaoside, a part structure of a high-mannose-type glycan of a glycoprotein, 135
- Synthesis of α - and β -D-ribofuranosylethyne via 2,3:4,5-di-*O*-isopropylidene-*aldehyde*-D-ribose, a new, 37
- Synthesis of antitumor-active 2'-halo daunorubicin analogs, use of oxyhalogenation of glycals for the, 391
- Synthesis of 2-deoxy, 3-deoxy, and 2,3-dideoxy analogs of α,α -trehalose by reductive desulfonyloxylation of *p*-toluenesulfonates with lithium triethylborohydride, 335
- Synthesis of four new diastereoisomers of DL-5-hydroxymethyl-1,2,3,4-cyclohexanetetrol, 77
- Synthesis of 8-methoxycarbonyloct-1-yl *O*- α -D-galactopyranosyl-(1 \rightarrow 3)-*O*- β -D-galactopyranosyl-(1 \rightarrow 4)-2-acetamido-deoxy- β -D-glucopyranoside, 207
- Synthesis of methyl 3-*O*-(α - and β -D-galactopyranosyl)-4-*O*-(β -D-glucopyranosyluronic acid)- α -L-rhamnopyranoside using photolabile methyl 2,3-*O*-(2-nitrobenzylidene)- α -L-rhamnopyranoside, 27
- Synthesis of monodeoxy derivatives of lacto-*N*-biose I and *N*-acetyl-lactosamine to serve as substrates for the differentiation of L-fucosyl transferases, 285
- Synthesis of mycarose and epi-axenose from non-carbohydrate precursors, 187
- Synthesis of (-)-swainsonine, total, an α -D-mannosidase inhibitor isolated from *Swainsona canescens*, 67
- Synthesis of the indolizidine alkaloid swainsonine from D-glucose, 225
- Synthesis of the *N*-trifluoroacetyl derivatives of 4-amino-2,4,6-trideoxy-L-hexoses from the (2*S*,3*R*)-2,3-diol formed from cinnamaldehyde in fermenting baker's yeast, 115
- Synthesis of 5-thio-D-arabinose and 5-thio-D-lyxose and their methyl glycopyranosides, 397
- 5-Thio-D-arabinose and 5-thio-D-lyxose, synthesis of, and their methyl glycopyranosides, 397
- 5-Thiopentopyranosides, formation of methyl, from methyl 5-thio-3-*O*-tosyl- α -D-xylopyranoside, 411
- Total synthesis of (-)-swainsonine, an α -D-mannosidase inhibitor isolated from *Swainsona canescens*, 67
- α,α -Trehalose, synthesis of 2-deoxy, 3-deoxy, and 2,3-dideoxy analogs of, by reductive desulfonyloxylation of *p*-toluenesulfonates with lithium triethylborohydride, 335